



K A N S A S

RODERICK L. BREMBY, SECRETARY

KATHLEEN SEBELIUS, GOVERNOR

DEPARTMENT OF HEALTH AND ENVIRONMENT

**AIR EMISSION SOURCE  
CONSTRUCTION PERMIT**

Source ID No.: 1770007

Effective Date: March 28, 2003

Source Name: The Goodyear Tire & Rubber Company

SIC Code: 3011, Tires and Inner Tubes

NAICS Code: 326211, Tire Manufacturing (except Retreading)

Source Location: 2000 Northwest Highway 24  
Topeka, Kansas 66601

Mailing Address: P.O. Box 1069  
Topeka, Kansas 66601

Contact Person: Mr. Myron Hodge, Environmental Manager  
Telephone No. (785) 295-7466

**This permit is issued pursuant to K.S.A. 65-3008 as amended; and consists of the conditions contained herein, the permit application dated May 2000, and all revisions. In the event that any condition(s), requirement(s), or limitation(s) contained herein is not in exact agreement with the permit application, or any of its revisions, the condition(s), requirement(s), and/or limitation(s) contained herein shall control.**

**Description of Activity Subject to Air Pollution Control Regulations**

The Goodyear Tire & Rubber Company operates a tire manufacturing plant in Topeka, Kansas. Goodyear Topeka currently manufactures tires for trucks and off the road equipment, primarily earth

DIVISION OF ENVIRONMENT  
Bureau of Air & Radiation  
Air Construction Permit Section

CURTIS STATE OFFICE BUILDING, 1000 SW JACKSON ST., STE 310, TOPEKA, KS 66612-1366

Voice 785-296-1570

Fax 785-291-3953

<http://www.kdhe.state.ks.us>

Printed on Recycled Paper

movers. Goodyear has modified the existing plant by introducing silica and coupling agent in the rubber formulation of certain compounds. The introduction of silica and coupling agent improves performance characteristics of tires by reducing rolling resistance, increasing tread life, and improving stopping traction. When silica reacts with the coupling agent at mixing temperatures, ethanol (a volatile organic compound) is formed and emitted. The potential-to-emit of ethanol from the introduction of silica and coupling agent is greater than 40 tons per year.

The Coupling Agent Project constitutes a major modification under Prevention of Significant Deterioration (PSD) [40 CFR 52.21, incorporated at K.A.R. 28-19-17]. The project emissions increase is significant for volatile organic compound (VOC) emissions. The Coupling Agent Project will be subject to Best Available Control Technology (BACT) requirements for VOC emissions.

The project is subject to the provisions of K.A.R. 28-19-300 (construction permits and approvals; applicability) because the potential-to-emit of VOCs from the project is greater than 40 tons per year.

**Significant Applicable Air Regulations**

The project, as proposed, is subject to Kansas Administrative Regulations relating to air pollution control. The following air quality regulations were determined to be applicable to this source:

1. K.A.R. 28-19-17 Prevention of Significant Deterioration of Air Quality.
2. K.A.R. 28-19-650(a)(3) Emissions Opacity Limits

**Air Emission Unit Technical Specifications**

The following equipment or equivalent is approved:

1. The use of a coupling agent in the manufacture of rubber tires.

**Air Emissions Estimates from the Proposed Activity**

| <b>Pollutant</b>                 | <b>Uncontrolled Net Increase in Emissions (tons/year)</b> | <b>BACT-Controlled Net Increase in Emissions (tons/year)</b> |
|----------------------------------|---|--|
| Volatile Organic Compounds (VOC) | 440   | 440  |

## **Air Emission Limitations**

K.A.R. 28-19-650(a)(3): Opacity of visible emissions limited to 20%

## **Permit Conditions**

1. The owner or operator shall limit the amount of VOCs emitted from the mixing and curing operations generated from the use a coupling agent to less than 440 tons in each consecutive 12-month period calculated and updated monthly. Compliance with this permit condition shall be demonstrated by maintaining records of the total monthly use of silane agent in the mixing area, the amount of silane agent added to the rubber compounds actually cured, and the monthly VOC emissions.
2. If the VOC emissions from the mixing and curing equipment generated by the use of the coupling agent exceed 100 tons in any consecutive 12-month period, Goodyear shall comply with ambient air analysis requirements at 40 CFR 52.21(m).

## **Recordkeeping**


1. Records of emissions of VOCs generated from the use of the coupling agent shall be updated monthly, no later than the last day of the month following the month to which the record relates. Records of emissions of VOCs shall specify the date the record was updated and the amounts of VOCs emitted during the month. Records of the monthly usage of silane agent in the mixing area and the monthly amount of silane agent added to the rubber compounds actually cured shall also be maintained. If the appropriate records are not maintained, it will be considered an air emission violation due to the VOC emission restrictions in permit condition #1.
2. Records shall be maintained on-site for at least 2 years from the date of the record.

## **General Provisions**

1. This document shall become void if the construction or modification has not commenced within 18 months of the effective date, or if the construction or modification is interrupted for a period of 18 months or longer.
2. A construction permit or approval must be issued by KDHE prior to commencing any construction or modification of equipment or processes which results in a potential-to-emit increase equal to or greater than the thresholds specified at K.A.R. 28-19-300.

3. Upon presentation of credentials and other documents as may be required by law, representatives of the KDHE (including authorized contractors of the KDHE) shall be allowed by the permittee to:
  - a. enter upon the premises where a regulated facility or activity is located or conducted or where records must be kept under conditions of this document;
  - b. have access to and copies of, at reasonable times, any records that must be kept under conditions this document;
  - c. inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this document; and
  - d. sample or monitor, at reasonable times, for the purposes of assuring compliance with this document or as otherwise authorized by the Secretary of the KDHE, any substances or parameters at any location.
4. The emission unit or stationary source which is the subject of this document shall be operated in compliance with all applicable requirements of the Kansas Air Quality Act and the federal Clean Air Act.
5. This document is subject to periodic review and amending as deemed necessary to fulfill the intent and purpose of the Kansas Air Quality Statutes and Regulations.
6. This document does not relieve the permittee of the obligation to obtain other approvals, permits, licenses, or documents of sanction which may be required by other federal, state, or local agencies.
7. Issuance of this document does not relieve the owner or operator of any requirement to obtain an air quality operating permit under any applicable provision of K.A.R. 28-19-500.

**Permit Engineer**



---


David A. Peter  
Engineering Associate  
Air Operating Permit & Compliance Section

*March 28, 2003*

---

Date Signed

Issued by



Ralph E. Walden, P.E., Chief  
Air Construction Permit Section  
Bureau of Air and Radiation

3/28/03  
Date Signed

DAP:saw  
c: Ed Kalas, Topeka-Shawnee County Health Agency  
C-3233