

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2009

Coffey County



Kansas BRFS
Bureau of Health Promotion
Kansas Department of Health and Environment
1000 SW Jackson St., Suite 230
Topeka, Kansas 66612-1274
www.kdheks.gov/brfss/index.html

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2009

State of Kansas
Mark Parkinson, Governor

Jason Eberhart-Phillips, MD, MPH
State Health Officer and Director, Division of Health, KDHE

Report Preparation:

Pratik Pandya, MPH
Epidemiologist
Bureau of Health Promotion (BHP)

Erik Cook-Wiens, MPH
Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:

Partial funding for the 2009 Behavioral Risk Factor Survey was provided by cooperative agreement U58DP001968-01W1 Revised from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
October 2010**

Kansas Department of Health and Environment (KDHE)
Mission

To protect the health and environment of all Kansans by promoting responsible choices.

Through education, direct services and the assessment of data and trends, coupled with policy development and enforcement, KDHE will improve health and quality of life. We prevent illness, injuries and foster a safe and sustainable environment for the people of Kansas.

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the largest continuously conducted telephone survey in the world. The Kansas Department of Health and Environment's Bureau of Health Promotion (BHP) first collected state level health risk information in Kansas in 1990 as a point-in-time BRFSS survey. Since 1992, the Bureau has conducted the Kansas BRFSS survey continuously, enabling public health officials the ability to detect and monitor the trends in risk factors and health behaviors of adult Kansans (18 years and older) that are of greatest public health importance to Kansas. Public support of the survey is demonstrated by high response rates, resulting in consistently high data quality with respect to scientific validity and reliability, as indicated by above average CASRO Response Rates and other measures of data quality set by the Centers for Disease Control and Prevention (CDC).

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk. Beginning in 2009, the Kansas BRFSS has been expanded in response to a growing demand from local health officials for local level health risk statistics. As a result, the survey will collect adequate sample during odd years (2009, 2011, 2013, 2015, 2017) over a 10 year time period to provide local level estimates from a single year of survey data.

During the 2009 survey year, data were collected from more than 18,000 adult Kansans, providing estimates for 61 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 31 health risk indicators analyzed at the subpopulation level. By the conclusion of the 10 year project, the majority of Kansas counties will have county-specific data for use in examining trends in selected health indicators.


This significant enhancement is made possible by a grant from the Kansas Health Foundation (KHF), a private philanthropy dedicated to improving the health of all Kansans. This report is intended for use by local and regional public health officials, community leaders and policy makers to measure and monitor health conditions and behaviors related to chronic and communicable diseases, disability and injury with ability to compare to state and national statistics.

Sherlock Holmes, the legendary detective created by Sir Arthur Conan Doyle, once said, "It is a capital mistake to theorize before one has data." Unfortunately, such mistakes are made in the practice of public health every day. Now that county- and region-specific BRFSS data are available in Kansas, we who devote our lives to public health practice are in a much better position to theorize about the underlying causes of serious health problems in our communities. And ultimately, we are much better positioned to take targeted action that will significantly improve the health of our communities.

Sincerely,

A handwritten signature in black ink that reads "Jason Eberhart-Phillips". The signature is written in a cursive style with a large initial 'J' and 'P'.

Jason Eberhart-Phillips, M.D., M.P.H.
State Health Officer and Director of Health
Kansas Department of Health and Environment



Coffey County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2009 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Epidemiologist
Kansas Department of Health and Environment
Bureau of Health Promotion
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Dr. Ghazala Perveen
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-8039
Fax: 785-296-8059
gperveen@kdheks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	2

Arthritis Status

Arthritis.....	3
Limited Activity Due to Arthritis.....	4

Cancer Status.....	5
---------------------------	----------

Caregiver Status.....	6
------------------------------	----------

Current Asthma Status.....	7
-----------------------------------	----------

Diabetes Status.....	8
-----------------------------	----------

Disability Status

Disability.....	9
Activity Limitation Due to Physical, Mental, or Emotional Problems.....	10

Fruits and Vegetable Consumption.....	11
--	-----------

Gambling.....	12
----------------------	-----------

General Health Status.....	13
-----------------------------------	-----------

Health Care Access

Lack Health Care Coverage.....	14
No Personal Doctor.....	15
Not Afford Doctor.....	16

Health Related Quality Of Life.....	17
--	-----------

Heart Attack Status.....	18
---------------------------------	-----------

High Blood Cholesterol Status	19
High Blood Pressure Status	20
Immunization Status	21
Physical Activity Status	
Not Participating in Any Physical Activity.....	22
Not Participating in Recommended Physical Activity	23
Not Participating in Moderate Physical Activity	24
Not Participating in Vigorous Physical Activity	25
Sleep Status	26
Tobacco Use	
Current Smoker.....	27
Smokeless User.....	28
Veteran Status	29
Weight Status (BMI Categories)	
Obese.....	30
Overweight or Obese	31

Percentage of Adults Who Are Binge Drinkers, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1847	14.5	13.7	15.3
Coffey County	11	23.0	7.9	38.0
Gender				
Men	*	*	*	*
Women	6	22.6	2.4	42.8
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	11	23.1	7.9	38.3
Race				
White	11	23.5	8.1	38.8
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	10	30.1	11.2	49.0

Numerator: Respondents males having five or more drinks on one occasion in the past 30 days or females having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	645	4.1	3.6	4.6
Coffey County	*	*	*	*
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	*	*	*	*
Race				
White	*	*	*	*
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Doctor Diagnosed Arthritis, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	6314	24.1	23.4	24.8
Coffey County	33	30.0	18.2	41.8
Gender				
Men	*	*	*	*
Women	20	30.1	16.0	44.2
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	33	30.2	18.3	42.1
Race				
White	31	29.2	17.3	41.1
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	14	14.5	5.8	23.2

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	2867	44.9	43.4	46.5
Coffey County	*	*	*	*
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	*	*	*	*
Race				
White	*	*	*	*
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms

Denominator: Respondents with doctor diagnosed arthritis, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Diagnosed Cancer, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	2652	9.9	9.5	10.4
Coffey County	8	6.5	1.3	11.7
Gender				
Men	*	*	*	*
Women	7	9.7	1.3	18.1
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	8	6.5	1.3	11.8
Race				
White	8	6.6	1.3	12.0
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse or other health professional that they had cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Provide Care or Assistance to a Friend or Family Member Who Has a Health Problem, Long-term Illness, or Disability, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	5278	26.4	25.5	27.2
Coffey County	22	22.7	11.9	33.5
Gender				
Men	*	*	*	*
Women	12	20.4	8.0	32.7
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	22	22.9	12.0	33.7
Race				
White	20	21.7	10.9	32.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	16	22.3	9.3	35.3

Numerator: Respondents who reported that they provided regular care or assistance to a family member or friend who has a health problem, long-term illness or disability in the past month.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Current Asthma, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1447	8.5	7.9	9.1
Coffey County	7	12.7	0.9	24.5
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	6	12.0	0.2	23.9
Race				
White	*	*	*	*
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor or health care professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Diagnosed Diabetes, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	2267	8.5	8.1	9.0
Coffey County	14	9.5	3.6	15.3
Gender				
Men	*	*	*	*
Women	9	10.0	2.7	17.2
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	14	9.5	3.6	15.4
Race				
White	14	9.7	3.7	15.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	7	7.0	1.1	12.9

Numerator: Respondents reporting they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Living with a Disability, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	4971	20.5	19.7	21.2
Coffey County	26	24.9	13.8	36.0
Gender				
Men	*	*	*	*
Women	15	21.1	9.5	32.6
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	25	24.3	13.2	35.4
Race				
White	24	23.7	12.6	34.8
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed, or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental, or Emotional Problems, 2009**

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	4526	18.9	18.1	19.6
Coffey County	23	22.2	11.6	32.9
Gender				
Men	*	*	*	*
Women	13	18.6	7.6	29.7
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	22	21.6	11.0	32.3
Race				
White	21	21.0	10.3	31.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Consuming Fruits and Vegetables Less Than 5 Times Per Day, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	14770	81.4	80.6	82.1
Coffey County	67	77.0	63.1	90.9
Gender				
Men	*	*	*	*
Women	39	73.5	55.9	91.1
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	66	76.8	62.8	90.8
Race				
White	64	76.5	62.3	90.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	45	74.7	57.2	92.2

Numerator: Respondents who reported they consumed fruits and vegetables less than 5 times per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Have Gambled in Past 12 Months, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	6848	38.4	37.4	39.4
Coffey County	32	30.0	18.7	41.3
Gender				
Men	*	*	*	*
Women	17	28.6	14.9	42.3
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	32	30.3	18.9	41.7
Race				
White	30	29.3	17.9	40.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	23	28.2	15.1	41.2

Numerator: Respondents reporting they had played the lottery, bingo, card games, slot machines, or any other games for money or something else of value in the last 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	3019	12.3	11.7	12.9
Coffey County	16	15.6	6.3	24.9
Gender				
Men	*	*	*	*
Women	9	11.0	3.4	18.6
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	15	15.0	5.7	24.2
Race				
White	14	14.2	5.0	23.4
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	*	*	*	*

Numerator: Respondents reporting that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Lack Health Care Coverage, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1641	11.8	11.1	12.6
Coffey County	8	10.2	1.8	18.5
Gender				
Men	*	*	*	*
Women	5	9.3	0.0	18.6
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	7	9.5	1.2	17.8
Race				
White	6	8.6	0.4	16.9
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	*	*	*	*

Numerator: Respondents reporting they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with No Personal Doctor or Health Care Provider, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1912	14.6	13.8	15.5
Coffey County	*	*	*	*
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	*	*	*	*
Race				
White	*	*	*	*
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	*	*	*	*

Numerator: Respondents reporting they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Could Not See Doctor Because of Cost in Past 12 Months, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1823	11.2	10.5	11.8
Coffey County	11	10.2	3.3	17.1
Gender				
Men	*	*	*	*
Women	7	13.6	2.3	24.9
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	10	9.5	2.7	16.3
Race				
White	9	8.6	2.1	15.2
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	5	6.8	0.0	13.6

Numerator: Respondents reporting they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Their Mental Health Was Not Good on 14 or More Days in the Past 30 Days, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1630	8.6	8.1	9.2
Coffey County	*	*	*	*
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	*	*	*	*
Race				
White	*	*	*	*
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	*	*	*	*

Numerator: Respondents reporting 14 or more days when their mental health was not good.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Had a Heart Attack, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1037	3.7	3.4	4.0
Coffey County	6	3.1	0.4	5.9
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	6	3.1	0.4	5.9
Race				
White	6	3.2	0.4	6.0
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	*	*	*	*

Numerator: Respondents who reported that a doctor, nurse, or other health professional EVER told them that they had ever had a heart attack, also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	7158	38.6	37.6	39.5
Coffey County	33	32.7	20.2	45.1
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	33	33.0	20.4	45.5
Race				
White	33	33.5	20.7	46.3
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	22	29.5	15.3	43.8

Numerator: Respondents reporting they had been told by a doctor or health care professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their cholesterol checked, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Diagnosed Hypertension, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	7332	28.7	27.9	29.5
Coffey County	40	35.5	22.8	48.3
Gender				
Men	*	*	*	*
Women	27	38.5	22.1	54.9
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	39	35.0	22.3	47.8
Race				
White	38	34.5	21.7	47.3
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	22	25.5	12.8	38.1

Numerator: Respondents reporting they had been told by a doctor or health care professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Ages 18 Years and Older Who Did Not Receive a Flu Shot
During the Past 12 Months, 2009**

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	9542	58.9	58.0	59.9
Coffey County	49	68.4	55.6	81.3
Gender				
Men	*	*	*	*
Women	31	75.2	63.2	87.2
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	49	69.0	56.1	81.8
Race				
White	48	69.0	55.9	82.0
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	34	69.3	53.5	85.1

Numerator: Respondents who reported they did not have a flu shot during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Any Physical Activity (Leisure Time Physical Activity), 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	4969	23.2	22.3	24.0
Coffey County	23	26.6	13.4	39.7
Gender				
Men	*	*	*	*
Women	12	16.1	5.8	26.4
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	22	26.0	12.8	39.3
Race				
White	21	25.4	12.1	38.8
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	11	22.5	6.2	38.8

Numerator: Respondents reporting they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Recommended Level of Physical Activity, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	10019	51.5	50.5	52.6
Coffey County	41	49.4	34.4	64.5
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	40	49.0	33.9	64.2
Race				
White	40	49.8	34.4	65.1
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	23	41.5	23.3	59.8

Numerator: Respondents reporting they did not participate in moderate physical activities at least 5 times per week for at least 30 minutes or vigorous physical activities at least 3 times per week for at least 20 minutes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Recommended Level of Moderate Physical Activity, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	10019	51.5	50.5	52.6
Coffey County	41	49.4	34.4	64.5
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	40	49.0	33.9	64.2
Race				
White	40	49.8	34.4	65.1
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	23	41.5	23.3	59.8

Numerator: Respondents reporting they did not participate in either moderate physical activity defined as 30 or more minutes per day for 5 or more days per week, or vigorous activity for 20 or more minutes per day on 3 or more days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Recommended Level of Vigorous Physical Activity, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	14428	72.5	71.5	73.5
Coffey County	59	63.8	48.6	79.1
Gender				
Men	*	*	*	*
Women	36	57.2	37.8	76.7
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	58	63.6	48.3	78.9
Race				
White	57	63.5	48.0	79.0
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	36	54.4	36.0	72.8

Numerator: Respondents reporting they did not participate in vigorous physical activities at least 3 times per week for at least 20 minutes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Who Did Not Get Enough Rest or Sleep in Past 30 Days,
2009**

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	4400	26.4	25.5	27.4
Coffey County	17	21.7	8.5	34.9
Gender				
Men	*	*	*	*
Women	9	16.0	4.6	27.5
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	16	21.1	7.8	34.3
Race				
White	16	21.3	7.9	34.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	10	18.8	3.3	34.3

Numerator: Respondents reporting they did not get enough sleep on 14 or more days in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Are Current Smokers, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	3019	17.8	17.0	18.7
Coffey County	17	20.2	9.0	31.3
Gender				
Men	*	*	*	*
Women	10	16.9	4.9	28.9
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	16	19.5	8.4	30.7
Race				
White	15	18.8	7.7	30.0
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	7	12.1	1.2	23.1

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	788	5.9	5.3	6.4
Coffey County	11	18.0	4.8	31.2
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	11	18.1	4.9	31.4
Race				
White	10	17.4	4.0	30.8
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	6	15.4	0.2	30.7

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2009**

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	2568	12.1	11.5	12.7
Coffey County	13	11.9	4.8	19.0
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	13	12.0	4.9	19.2
Race				
White	12	11.2	4.2	18.2
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	7	8.1	1.5	14.6

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Are Obese, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	5453	28.8	27.9	29.7
Coffey County	32	41.4	26.1	56.6
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	31	40.9	25.5	56.3
Race				
White	29	40.0	24.4	55.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	19	40.8	21.6	60.0

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Are Overweight or Obese, 2009

Coffey County

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	11952	64.6	63.6	65.6
Coffey County	65	79.8	67.3	92.2
Gender				
Men	*	*	*	*
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	*	*	*	*
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	64	79.6	67.0	92.2
Race				
White	62	79.3	66.6	92.1
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	*	*	*	*
Some College or College Graduate	*	*	*	*
Annual Household Income				
Less than \$35,000 per Year	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	41	74.5	58.2	90.7

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample