

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2009

Franklin County



Kansas BRFSS
Bureau of Health Promotion
Kansas Department of Health and Environment
1000 SW Jackson St., Suite 230
Topeka, Kansas 66612-1274
www.kdheks.gov/brfss/index.html

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2009

State of Kansas
Mark Parkinson, Governor

Jason Eberhart-Phillips, MD, MPH
State Health Officer and Director, Division of Health, KDHE

Report Preparation:

Pratik Pandya, MPH
Epidemiologist
Bureau of Health Promotion (BHP)

Erik Cook-Wiens, MPH
Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:

Partial funding for the 2009 Behavioral Risk Factor Survey was provided by cooperative agreement U58DP001968-01W1 Revised from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita KS.

Kansas Department of Health and Environment
Bureau of Health Promotion
October 2010

Kansas Department of Health and Environment (KDHE)
Mission

To protect the health and environment of all Kansans by promoting responsible choices.

Through education, direct services and the assessment of data and trends, coupled with policy development and enforcement, KDHE will improve health and quality of life. We prevent illness, injuries and foster a safe and sustainable environment for the people of Kansas.

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the largest continuously conducted telephone survey in the world. The Kansas Department of Health and Environment's Bureau of Health Promotion (BHP) first collected state level health risk information in Kansas in 1990 as a point-in-time BRFSS survey. Since 1992, the Bureau has conducted the Kansas BRFSS survey continuously, enabling public health officials the ability to detect and monitor the trends in risk factors and health behaviors of adult Kansans (18 years and older) that are of greatest public health importance to Kansas. Public support of the survey is demonstrated by high response rates, resulting in consistently high data quality with respect to scientific validity and reliability, as indicated by above average CASRO Response Rates and other measures of data quality set by the Centers for Disease Control and Prevention (CDC).

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk. Beginning in 2009, the Kansas BRFSS has been expanded in response to a growing demand from local health officials for local level health risk statistics. As a result, the survey will collect adequate sample during odd years (2009, 2011, 2013, 2015, 2017) over a 10 year time period to provide local level estimates from a single year of survey data.

During the 2009 survey year, data were collected from more than 18,000 adult Kansans, providing estimates for 61 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 31 health risk indicators analyzed at the subpopulation level. By the conclusion of the 10 year project, the majority of Kansas counties will have county-specific data for use in examining trends in selected health indicators.


This significant enhancement is made possible by a grant from the Kansas Health Foundation (KHF), a private philanthropy dedicated to improving the health of all Kansans. This report is intended for use by local and regional public health officials, community leaders and policy makers to measure and monitor health conditions and behaviors related to chronic and communicable diseases, disability and injury with ability to compare to state and national statistics.

Sherlock Holmes, the legendary detective created by Sir Arthur Conan Doyle, once said, "It is a capital mistake to theorize before one has data." Unfortunately, such mistakes are made in the practice of public health every day. Now that county- and region-specific BRFSS data are available in Kansas, we who devote our lives to public health practice are in a much better position to theorize about the underlying causes of serious health problems in our communities. And ultimately, we are much better positioned to take targeted action that will significantly improve the health of our communities.

Sincerely,

A handwritten signature in black ink that reads "Jason Eberhart-Phillips". The signature is written in a cursive, flowing style.

Jason Eberhart-Phillips, M.D., M.P.H.
State Health Officer and Director of Health
Kansas Department of Health and Environment



Franklin County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2009 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Epidemiologist
Kansas Department of Health and Environment
Bureau of Health Promotion
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Dr. Ghazala Perveen
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-8039
Fax: 785-296-8059
gperveen@kdheks.gov



Table of Contents

Alcohol Consumption

| | |
|---------------------|---|
| Binge Drinking..... | 1 |
| Heavy Drinking..... | 2 |

Arthritis Status

| | |
|--|---|
| Arthritis..... | 3 |
| Limited Activity Due to Arthritis..... | 4 |

| | |
|---------------------------|----------|
| Cancer Status..... | 5 |
|---------------------------|----------|

| | |
|------------------------------|----------|
| Caregiver Status..... | 6 |
|------------------------------|----------|

| | |
|-----------------------------------|----------|
| Current Asthma Status..... | 7 |
|-----------------------------------|----------|

| | |
|-----------------------------|----------|
| Diabetes Status..... | 8 |
|-----------------------------|----------|

Disability Status

| | |
|---|----|
| Disability..... | 9 |
| Activity Limitation Due to Physical, Mental, or Emotional Problems..... | 10 |

| | |
|--|-----------|
| Fruits and Vegetable Consumption..... | 11 |
|--|-----------|

| | |
|----------------------|-----------|
| Gambling..... | 12 |
|----------------------|-----------|

| | |
|-----------------------------------|-----------|
| General Health Status..... | 13 |
|-----------------------------------|-----------|

Health Care Access

| | |
|--------------------------------|----|
| Lack Health Care Coverage..... | 14 |
| No Personal Doctor..... | 15 |
| Not Afford Doctor..... | 16 |

| | |
|--|-----------|
| Health Related Quality Of Life..... | 17 |
|--|-----------|

| | |
|---------------------------------|-----------|
| Heart Attack Status..... | 18 |
|---------------------------------|-----------|

| | |
|--|----|
| High Blood Cholesterol Status | 19 |
| High Blood Pressure Status | 20 |
| Immunization Status | 21 |
| Physical Activity Status | |
| Not Participating in Any Physical Activity..... | 22 |
| Not Participating in Recommended Physical Activity | 23 |
| Not Participating in Moderate Physical Activity | 24 |
| Not Participating in Vigorous Physical Activity | 25 |
| Sleep Status | 26 |
| Tobacco Use | |
| Current Smoker..... | 27 |
| Smokeless User..... | 28 |
| Veteran Status | 29 |
| Weight Status (BMI Categories) | |
| Obese..... | 30 |
| Overweight or Obese | 31 |

Percentage of Adults Who Are Binge Drinkers, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 1847 | 14.5 | 13.7 | 15.3 |
| Franklin County | 9 | 9.2 | 1.4 | 17.0 |
| Gender | | | | |
| Men | * | * | * | * |
| Women | 5 | 10.2 | 0.0 | 22.8 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | * | * | * | * |
| 65 Years and Older | * | * | * | * |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 8 | 8.3 | 0.6 | 16.1 |
| Race | | | | |
| White | 8 | 9.0 | 1.0 | 16.9 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | * | * | * | * |
| Some College or College Graduate | 7 | 15.4 | 2.1 | 28.7 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | * | * | * | * |
| \$35,000 or Higher per Year | 7 | 14.4 | 1.9 | 26.9 |
| Disability | | | | |
| Living with a Disability | * | * | * | * |
| Living without a Disability | 6 | 8.8 | 0.0 | 18.1 |

Numerator: Respondents males having five or more drinks on one occasion in the past 30 days or females having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 645 | 4.1 | 3.6 | 4.6 |
| Franklin County | * | * | * | * |
| Gender | | | | |
| Men | * | * | * | * |
| Women | * | * | * | * |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | * | * | * | * |
| 65 Years and Older | * | * | * | * |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | * | * | * | * |
| Race | | | | |
| White | * | * | * | * |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | * | * | * | * |
| Some College or College Graduate | * | * | * | * |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | * | * | * | * |
| \$35,000 or Higher per Year | * | * | * | * |
| Disability | | | | |
| Living with a Disability | * | * | * | * |
| Living without a Disability | * | * | * | * |

Numerator: Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Doctor Diagnosed Arthritis, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 6314 | 24.1 | 23.4 | 24.8 |
| Franklin County | 75 | 28.5 | 21.0 | 36.1 |
| Gender | | | | |
| Men | 25 | 25.0 | 14.0 | 36.0 |
| Women | 50 | 31.9 | 21.7 | 42.1 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 36 | 42.9 | 30.8 | 55.0 |
| 65 Years and Older | 29 | 39.8 | 27.7 | 52.0 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 75 | 28.9 | 21.3 | 36.6 |
| Race | | | | |
| White | 71 | 27.7 | 20.1 | 35.2 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 46 | 40.3 | 27.1 | 53.5 |
| Some College or College Graduate | 29 | 18.7 | 10.7 | 26.8 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 33 | 41.5 | 25.4 | 57.5 |
| \$35,000 or Higher per Year | 33 | 23.9 | 15.2 | 32.7 |
| Disability | | | | |
| Living with a Disability | 39 | 61.7 | 47.1 | 76.4 |
| Living without a Disability | 35 | 18.6 | 11.3 | 25.9 |

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 2867 | 44.9 | 43.4 | 46.5 |
| Franklin County | 38 | 50.3 | 35.9 | 64.8 |
| Gender | | | | |
| Men | * | * | * | * |
| Women | 25 | 46.8 | 29.5 | 64.2 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | * | * | * | * |
| 65 Years and Older | * | * | * | * |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 38 | 50.3 | 35.9 | 64.8 |
| Race | | | | |
| White | 35 | 49.0 | 34.0 | 64.0 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | * | * | * | * |
| Some College or College Graduate | * | * | * | * |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | * | * | * | * |
| \$35,000 or Higher per Year | * | * | * | * |
| Disability | | | | |
| Living with a Disability | * | * | * | * |
| Living without a Disability | * | * | * | * |

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms

Denominator: Respondents with doctor diagnosed arthritis, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Diagnosed Cancer, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 2652 | 9.9 | 9.5 | 10.4 |
| Franklin County | 31 | 11.8 | 6.8 | 16.8 |
| Gender | | | | |
| Men | 10 | 7.5 | 2.5 | 12.5 |
| Women | 21 | 15.8 | 7.7 | 23.9 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 10 | 10.8 | 4.1 | 17.6 |
| 65 Years and Older | 17 | 26.0 | 14.6 | 37.3 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 31 | 12.0 | 6.9 | 17.0 |
| Race | | | | |
| White | 29 | 11.3 | 6.3 | 16.3 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 15 | 12.5 | 4.8 | 20.3 |
| Some College or College Graduate | 16 | 11.2 | 4.8 | 17.6 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 11 | 15.4 | 4.2 | 26.5 |
| \$35,000 or Higher per Year | 16 | 10.5 | 4.6 | 16.5 |
| Disability | | | | |
| Living with a Disability | 14 | 22.5 | 9.7 | 35.3 |
| Living without a Disability | 17 | 8.7 | 3.8 | 13.5 |

Numerator: Respondents reporting they had been told by a doctor, nurse or other health professional that they had cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Provide Care or Assistance to a Friend or Family Member Who Has a Health Problem, Long-term Illness, or Disability, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 5278 | 26.4 | 25.5 | 27.2 |
| Franklin County | 58 | 26.9 | 19.5 | 34.3 |
| Gender | | | | |
| Men | 27 | 30.8 | 19.0 | 42.7 |
| Women | 31 | 23.2 | 14.2 | 32.2 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 28 | 34.2 | 22.5 | 46.0 |
| 65 Years and Older | 19 | 31.5 | 19.5 | 43.6 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 57 | 26.3 | 19.0 | 33.6 |
| Race | | | | |
| White | 57 | 27.0 | 19.5 | 34.5 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 27 | 31.0 | 19.4 | 42.7 |
| Some College or College Graduate | 31 | 23.5 | 14.1 | 32.9 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 15 | 22.4 | 8.8 | 35.9 |
| \$35,000 or Higher per Year | 39 | 33.5 | 23.2 | 43.7 |
| Disability | | | | |
| Living with a Disability | 17 | 37.2 | 23.3 | 51.1 |
| Living without a Disability | 40 | 23.9 | 15.5 | 32.2 |

Numerator: Respondents who reported that they provided regular care or assistance to a family member or friend who has a health problem, long-term illness or disability in the past month.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Current Asthma, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 1447 | 8.5 | 7.9 | 9.1 |
| Franklin County | 29 | 18.1 | 9.3 | 26.9 |
| Gender | | | | |
| Men | 7 | 11.2 | 0.0 | 22.7 |
| Women | 22 | 24.5 | 11.5 | 37.5 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 10 | 10.4 | 3.9 | 16.9 |
| 65 Years and Older | 9 | 12.0 | 4.1 | 19.8 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 29 | 18.3 | 9.4 | 27.2 |
| Race | | | | |
| White | 28 | 18.1 | 9.2 | 27.1 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 17 | 22.5 | 9.5 | 35.5 |
| Some College or College Graduate | 12 | 14.4 | 2.2 | 26.6 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 14 | 28.4 | 10.9 | 45.9 |
| \$35,000 or Higher per Year | 12 | 14.9 | 3.2 | 26.6 |
| Disability | | | | |
| Living with a Disability | 18 | 32.1 | 17.6 | 46.6 |
| Living without a Disability | 11 | 14.2 | 3.3 | 25.0 |

Numerator: Respondents reporting they had been told by a doctor or health care professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Diagnosed Diabetes, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 2267 | 8.5 | 8.1 | 9.0 |
| Franklin County | 25 | 8.8 | 4.9 | 12.7 |
| Gender | | | | |
| Men | 9 | 7.9 | 2.3 | 13.5 |
| Women | 16 | 9.6 | 4.3 | 15.0 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 10 | 13.1 | 4.9 | 21.3 |
| 65 Years and Older | 13 | 19.2 | 9.2 | 29.3 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 24 | 8.7 | 4.8 | 12.6 |
| Race | | | | |
| White | 24 | 8.6 | 4.7 | 12.5 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 15 | 11.4 | 4.9 | 18.0 |
| Some College or College Graduate | 10 | 6.6 | 2.2 | 11.0 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 11 | 11.5 | 3.8 | 19.1 |
| \$35,000 or Higher per Year | 9 | 6.2 | 1.9 | 10.5 |
| Disability | | | | |
| Living with a Disability | 11 | 17.6 | 7.0 | 28.2 |
| Living without a Disability | 14 | 6.2 | 2.5 | 10.0 |

Numerator: Respondents reporting they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Living with a Disability, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 4971 | 20.5 | 19.7 | 21.2 |
| Franklin County | 58 | 22.9 | 16.2 | 29.7 |
| Gender | | | | |
| Men | 19 | 20.6 | 11.0 | 30.3 |
| Women | 39 | 25.1 | 16.0 | 34.3 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 25 | 25.6 | 15.8 | 35.4 |
| 65 Years and Older | 24 | 34.4 | 22.6 | 46.1 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 58 | 23.2 | 16.4 | 30.0 |
| Race | | | | |
| White | 55 | 22.4 | 15.6 | 29.1 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 33 | 29.5 | 18.6 | 40.4 |
| Some College or College Graduate | 25 | 17.4 | 9.0 | 25.9 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 31 | 34.2 | 19.9 | 48.6 |
| \$35,000 or Higher per Year | 19 | 17.9 | 10.0 | 25.9 |

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed, or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental, or Emotional Problems, 2009**

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 4526 | 18.9 | 18.1 | 19.6 |
| Franklin County | 54 | 22.0 | 15.4 | 28.7 |
| Gender | | | | |
| Men | 17 | 19.6 | 10.1 | 29.1 |
| Women | 37 | 24.4 | 15.3 | 33.4 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 25 | 25.6 | 15.8 | 35.4 |
| 65 Years and Older | 20 | 29.6 | 18.3 | 40.9 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 54 | 22.3 | 15.6 | 29.0 |
| Race | | | | |
| White | 51 | 21.4 | 14.8 | 28.1 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 30 | 28.0 | 17.4 | 38.6 |
| Some College or College Graduate | 24 | 17.1 | 8.7 | 25.4 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 27 | 31.0 | 17.2 | 44.8 |
| \$35,000 or Higher per Year | 19 | 17.9 | 10.0 | 25.9 |

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Consuming Fruits and Vegetables Less Than 5 Times Per Day, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 14770 | 81.4 | 80.6 | 82.1 |
| Franklin County | 167 | 87.1 | 81.5 | 92.7 |
| Gender | | | | |
| Men | 67 | 89.8 | 81.0 | 98.5 |
| Women | 100 | 84.6 | 77.5 | 91.7 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 69 | 84.7 | 77.1 | 92.3 |
| 65 Years and Older | 56 | 83.4 | 74.2 | 92.5 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 165 | 87.1 | 81.5 | 92.8 |
| Race | | | | |
| White | 162 | 87.0 | 81.3 | 92.7 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 80 | 87.7 | 79.7 | 95.6 |
| Some College or College Graduate | 87 | 86.6 | 78.8 | 94.5 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 59 | 84.7 | 73.4 | 96.0 |
| \$35,000 or Higher per Year | 89 | 88.6 | 81.4 | 95.9 |
| Disability | | | | |
| Living with a Disability | 49 | 81.3 | 65.4 | 97.2 |
| Living without a Disability | 117 | 88.8 | 83.6 | 94.0 |

Numerator: Respondents who reported they consumed fruits and vegetables less than 5 times per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Have Gambled in Past 12 Months, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 6848 | 38.4 | 37.4 | 39.4 |
| Franklin County | 69 | 35.3 | 26.2 | 44.5 |
| Gender | | | | |
| Men | 32 | 43.4 | 28.2 | 58.5 |
| Women | 37 | 27.9 | 18.0 | 37.8 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 30 | 36.7 | 25.1 | 48.3 |
| 65 Years and Older | 24 | 42.3 | 29.4 | 55.2 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 68 | 34.8 | 25.7 | 44.0 |
| Race | | | | |
| White | 67 | 35.2 | 26.0 | 44.5 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 34 | 38.6 | 24.4 | 52.8 |
| Some College or College Graduate | 35 | 32.6 | 20.9 | 44.2 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 23 | 40.5 | 22.4 | 58.6 |
| \$35,000 or Higher per Year | 37 | 35.4 | 24.1 | 46.6 |
| Disability | | | | |
| Living with a Disability | 14 | 25.1 | 10.4 | 39.7 |
| Living without a Disability | 55 | 38.5 | 27.3 | 49.6 |

Numerator: Respondents reporting they had played the lottery, bingo, card games, slot machines, or any other games for money or something else of value in the last 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 3019 | 12.3 | 11.7 | 12.9 |
| Franklin County | 48 | 20.8 | 13.6 | 27.9 |
| Gender | | | | |
| Men | 17 | 21.1 | 9.5 | 32.7 |
| Women | 31 | 20.4 | 12.0 | 28.8 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 18 | 18.5 | 10.1 | 27.0 |
| 65 Years and Older | 20 | 26.7 | 16.0 | 37.4 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 48 | 21.0 | 13.8 | 28.2 |
| Race | | | | |
| White | 46 | 20.5 | 13.3 | 27.7 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 29 | 26.5 | 14.9 | 38.1 |
| Some College or College Graduate | 19 | 16.0 | 7.3 | 24.8 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 28 | 37.8 | 21.9 | 53.7 |
| \$35,000 or Higher per Year | 15 | 14.2 | 6.0 | 22.3 |
| Disability | | | | |
| Living with a Disability | 36 | 59.4 | 45.7 | 73.1 |
| Living without a Disability | 12 | 9.4 | 3.1 | 15.7 |

Numerator: Respondents reporting that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Lack Health Care Coverage, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 1641 | 11.8 | 11.1 | 12.6 |
| Franklin County | 20 | 14.8 | 5.5 | 24.2 |
| Gender | | | | |
| Men | 8 | 24.7 | 7.7 | 41.8 |
| Women | 12 | 5.5 | 2.0 | 9.0 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 12 | 13.6 | 4.3 | 22.9 |
| 65 Years and Older | * | * | * | * |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 20 | 15.0 | 5.6 | 24.5 |
| Race | | | | |
| White | 19 | 14.7 | 5.2 | 24.2 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 15 | 30.8 | 13.8 | 47.8 |
| Some College or College Graduate | 5 | 1.6 | 0.1 | 3.0 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 18 | 37.7 | 19.3 | 56.1 |
| \$35,000 or Higher per Year | * | * | * | * |
| Disability | | | | |
| Living with a Disability | 8 | 11.9 | 2.2 | 21.5 |
| Living without a Disability | 12 | 15.8 | 4.1 | 27.6 |

Numerator: Respondents reporting they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with No Personal Doctor or Health Care Provider, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 1912 | 14.6 | 13.8 | 15.5 |
| Franklin County | 16 | 12.0 | 4.2 | 19.7 |
| Gender | | | | |
| Men | 7 | 12.4 | 0.1 | 24.8 |
| Women | 9 | 11.5 | 1.9 | 21.2 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 8 | 8.5 | 2.3 | 14.7 |
| 65 Years and Older | * | * | * | * |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 16 | 12.1 | 4.3 | 20.0 |
| Race | | | | |
| White | 15 | 11.8 | 3.9 | 19.7 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 11 | 17.5 | 4.1 | 30.8 |
| Some College or College Graduate | 5 | 7.4 | 0.0 | 16.0 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 9 | 22.5 | 3.4 | 41.5 |
| \$35,000 or Higher per Year | * | * | * | * |
| Disability | | | | |
| Living with a Disability | 5 | 8.0 | 0.1 | 15.8 |
| Living without a Disability | 11 | 13.3 | 3.5 | 23.1 |

Numerator: Respondents reporting they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Could Not See Doctor Because of Cost in Past 12 Months, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 1823 | 11.2 | 10.5 | 11.8 |
| Franklin County | 28 | 17.0 | 9.3 | 24.7 |
| Gender | | | | |
| Men | 10 | 20.9 | 7.2 | 34.7 |
| Women | 18 | 13.3 | 6.5 | 20.1 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 15 | 19.1 | 8.8 | 29.5 |
| 65 Years and Older | * | * | * | * |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 28 | 17.2 | 9.4 | 25.0 |
| Race | | | | |
| White | 26 | 16.6 | 8.8 | 24.4 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 19 | 27.2 | 13.3 | 41.1 |
| Some College or College Graduate | 9 | 8.5 | 2.1 | 14.8 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 18 | 38.4 | 20.3 | 56.6 |
| \$35,000 or Higher per Year | 8 | 8.7 | 2.4 | 15.0 |
| Disability | | | | |
| Living with a Disability | 13 | 17.4 | 7.4 | 27.4 |
| Living without a Disability | 15 | 17.0 | 7.5 | 26.6 |

Numerator: Respondents reporting they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Their Mental Health Was Not Good on 14 or More Days in the Past 30 Days, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 1630 | 8.6 | 8.1 | 9.2 |
| Franklin County | 23 | 9.6 | 4.8 | 14.3 |
| Gender | | | | |
| Men | 5 | 6.9 | 0.2 | 13.6 |
| Women | 18 | 12.2 | 5.5 | 18.8 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 16 | 15.2 | 7.8 | 22.6 |
| 65 Years and Older | * | * | * | * |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 23 | 9.7 | 4.9 | 14.5 |
| Race | | | | |
| White | 21 | 9.0 | 4.3 | 13.8 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 14 | 14.2 | 5.2 | 23.1 |
| Some College or College Graduate | 9 | 5.9 | 1.4 | 10.5 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 15 | 23.6 | 9.8 | 37.3 |
| \$35,000 or Higher per Year | 7 | 4.9 | 0.8 | 9.1 |
| Disability | | | | |
| Living with a Disability | 16 | 27.9 | 14.0 | 41.8 |
| Living without a Disability | 7 | 4.3 | 0.4 | 8.1 |

Numerator: Respondents reporting 14 or more days when their mental health was not good.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Had a Heart Attack, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 1037 | 3.7 | 3.4 | 4.0 |
| Franklin County | 16 | 6.3 | 2.7 | 10.0 |
| Gender | | | | |
| Men | 8 | 5.7 | 1.6 | 9.9 |
| Women | 8 | 6.9 | 1.0 | 12.7 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 5 | 5.1 | 0.4 | 9.8 |
| 65 Years and Older | 9 | 14.8 | 5.5 | 24.2 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 16 | 6.4 | 2.7 | 10.1 |
| Race | | | | |
| White | 15 | 6.0 | 2.4 | 9.7 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 10 | 8.8 | 2.2 | 15.3 |
| Some College or College Graduate | 6 | 4.3 | 0.5 | 8.0 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 5 | 8.0 | 0.0 | 16.9 |
| \$35,000 or Higher per Year | 9 | 6.4 | 2.0 | 10.9 |
| Disability | | | | |
| Living with a Disability | 9 | 17.1 | 4.7 | 29.6 |
| Living without a Disability | 7 | 3.2 | 0.7 | 5.7 |

Numerator: Respondents who reported that a doctor, nurse, or other health professional EVER told them that they had ever had a heart attack, also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 7158 | 38.6 | 37.6 | 39.5 |
| Franklin County | 90 | 49.6 | 40.5 | 58.7 |
| Gender | | | | |
| Men | 33 | 53.1 | 38.8 | 67.4 |
| Women | 57 | 46.6 | 35.3 | 57.9 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 43 | 56.8 | 44.6 | 69.0 |
| 65 Years and Older | 36 | 56.4 | 44.0 | 68.8 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 89 | 50.2 | 41.1 | 59.4 |
| Race | | | | |
| White | 87 | 49.8 | 40.5 | 59.1 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 40 | 46.5 | 33.7 | 59.3 |
| Some College or College Graduate | 50 | 51.9 | 39.3 | 64.6 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 33 | 44.5 | 29.4 | 59.6 |
| \$35,000 or Higher per Year | 47 | 52.3 | 39.9 | 64.8 |
| Disability | | | | |
| Living with a Disability | 32 | 60.1 | 42.3 | 77.8 |
| Living without a Disability | 57 | 45.6 | 35.1 | 56.0 |

Numerator: Respondents reporting they had been told by a doctor or health care professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their cholesterol checked, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Diagnosed Hypertension, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 7332 | 28.7 | 27.9 | 29.5 |
| Franklin County | 87 | 31.2 | 23.5 | 38.9 |
| Gender | | | | |
| Men | 32 | 34.3 | 21.5 | 47.1 |
| Women | 55 | 28.3 | 19.4 | 37.2 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 33 | 36.1 | 24.8 | 47.4 |
| 65 Years and Older | 44 | 59.4 | 47.1 | 71.8 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 84 | 30.3 | 22.7 | 37.9 |
| Race | | | | |
| White | 84 | 30.9 | 23.1 | 38.7 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 49 | 36.0 | 24.0 | 47.9 |
| Some College or College Graduate | 38 | 27.3 | 17.1 | 37.4 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 35 | 35.6 | 21.4 | 49.8 |
| \$35,000 or Higher per Year | 37 | 29.2 | 19.3 | 39.1 |
| Disability | | | | |
| Living with a Disability | 29 | 39.3 | 25.4 | 53.1 |
| Living without a Disability | 57 | 28.9 | 19.9 | 37.9 |

Numerator: Respondents reporting they had been told by a doctor or health care professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Ages 18 Years and Older Who Did Not Receive a Flu Shot
During the Past 12 Months, 2009**

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 9542 | 58.9 | 58.0 | 59.9 |
| Franklin County | 95 | 64.7 | 56.6 | 72.7 |
| Gender | | | | |
| Men | 42 | 75.2 | 65.2 | 85.3 |
| Women | 53 | 54.7 | 43.0 | 66.5 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 39 | 50.8 | 38.8 | 62.8 |
| 65 Years and Older | 18 | 29.0 | 17.5 | 40.5 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 94 | 64.6 | 56.5 | 72.7 |
| Race | | | | |
| White | 93 | 65.2 | 57.1 | 73.3 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 49 | 70.0 | 59.1 | 80.8 |
| Some College or College Graduate | 46 | 60.3 | 48.7 | 71.9 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 30 | 60.3 | 45.2 | 75.5 |
| \$35,000 or Higher per Year | 56 | 66.7 | 56.6 | 76.8 |
| Disability | | | | |
| Living with a Disability | 19 | 50.3 | 35.5 | 65.1 |
| Living without a Disability | 76 | 69.1 | 60.0 | 78.1 |

Numerator: Respondents who reported they did not have a flu shot during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Any Physical Activity (Leisure Time Physical Activity), 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 4969 | 23.2 | 22.3 | 24.0 |
| Franklin County | 63 | 22.1 | 15.5 | 28.7 |
| Gender | | | | |
| Men | 27 | 25.2 | 14.0 | 36.4 |
| Women | 36 | 19.3 | 12.0 | 26.5 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 32 | 36.4 | 24.6 | 48.1 |
| 65 Years and Older | 24 | 33.6 | 22.0 | 45.1 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 63 | 22.4 | 15.7 | 29.1 |
| Race | | | | |
| White | 61 | 21.9 | 15.2 | 28.5 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 40 | 33.7 | 21.5 | 45.8 |
| Some College or College Graduate | 23 | 12.5 | 6.8 | 18.3 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 36 | 44.7 | 28.7 | 60.7 |
| \$35,000 or Higher per Year | 16 | 10.4 | 4.8 | 16.1 |
| Disability | | | | |
| Living with a Disability | 34 | 48.1 | 33.4 | 62.7 |
| Living without a Disability | 28 | 14.1 | 7.4 | 20.9 |

Numerator: Respondents reporting they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Recommended Level of Physical Activity, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 10019 | 51.5 | 50.5 | 52.6 |
| Franklin County | 117 | 54.7 | 44.9 | 64.6 |
| Gender | | | | |
| Men | 42 | 54.6 | 39.5 | 69.7 |
| Women | 75 | 54.8 | 42.0 | 67.6 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 43 | 48.2 | 36.4 | 60.0 |
| 65 Years and Older | 46 | 65.4 | 52.7 | 78.0 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 116 | 55.3 | 45.3 | 65.2 |
| Race | | | | |
| White | 114 | 54.8 | 44.8 | 64.8 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 55 | 56.5 | 42.1 | 70.8 |
| Some College or College Graduate | 62 | 53.3 | 40.0 | 66.6 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 51 | 66.0 | 47.9 | 84.1 |
| \$35,000 or Higher per Year | 50 | 47.1 | 35.1 | 59.0 |
| Disability | | | | |
| Living with a Disability | 38 | 60.7 | 45.9 | 75.4 |
| Living without a Disability | 78 | 52.8 | 41.0 | 64.7 |

Numerator: Respondents reporting they did not participate in moderate physical activities at least 5 times per week for at least 30 minutes or vigorous physical activities at least 3 times per week for at least 20 minutes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Recommended Level of Moderate Physical Activity, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 10019 | 51.5 | 50.5 | 52.6 |
| Franklin County | 117 | 54.7 | 44.9 | 64.6 |
| Gender | | | | |
| Men | 42 | 54.6 | 39.5 | 69.7 |
| Women | 75 | 54.8 | 42.0 | 67.6 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 43 | 48.2 | 36.4 | 60.0 |
| 65 Years and Older | 46 | 65.4 | 52.7 | 78.0 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 116 | 55.3 | 45.3 | 65.2 |
| Race | | | | |
| White | 114 | 54.8 | 44.8 | 64.8 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 55 | 56.5 | 42.1 | 70.8 |
| Some College or College Graduate | 62 | 53.3 | 40.0 | 66.6 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 51 | 66.0 | 47.9 | 84.1 |
| \$35,000 or Higher per Year | 50 | 47.1 | 35.1 | 59.0 |
| Disability | | | | |
| Living with a Disability | 38 | 60.7 | 45.9 | 75.4 |
| Living without a Disability | 78 | 52.8 | 41.0 | 64.7 |

Numerator: Respondents reporting they did not participate in either moderate physical activity defined as 30 or more minutes per day for 5 or more days per week, or vigorous activity for 20 or more minutes per day on 3 or more days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Recommended Level of Vigorous Physical Activity, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 14428 | 72.5 | 71.5 | 73.5 |
| Franklin County | 160 | 73.4 | 63.6 | 83.2 |
| Gender | | | | |
| Men | 56 | 71.4 | 57.6 | 85.3 |
| Women | 104 | 75.1 | 61.2 | 89.1 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 64 | 74.2 | 63.6 | 84.8 |
| 65 Years and Older | 62 | 91.8 | 85.2 | 98.5 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 158 | 74.0 | 64.1 | 83.8 |
| Race | | | | |
| White | 156 | 73.4 | 63.4 | 83.4 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 77 | 78.7 | 66.1 | 91.3 |
| Some College or College Graduate | 83 | 69.1 | 55.1 | 83.2 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 62 | 82.0 | 63.2 | 100 |
| \$35,000 or Higher per Year | 77 | 69.1 | 56.9 | 81.4 |
| Disability | | | | |
| Living with a Disability | 51 | 78.0 | 64.2 | 91.7 |
| Living without a Disability | 108 | 71.9 | 59.9 | 83.9 |

Numerator: Respondents reporting they did not participate in vigorous physical activities at least 3 times per week for at least 20 minutes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Who Did Not Get Enough Rest or Sleep in Past 30 Days,
2009**

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 4400 | 26.4 | 25.5 | 27.4 |
| Franklin County | 50 | 25.9 | 18.1 | 33.6 |
| Gender | | | | |
| Men | 19 | 25.3 | 13.6 | 37.0 |
| Women | 31 | 26.4 | 16.2 | 36.5 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 27 | 38.0 | 25.6 | 50.4 |
| 65 Years and Older | 7 | 8.5 | 2.0 | 14.9 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 49 | 26.0 | 18.2 | 33.8 |
| Race | | | | |
| White | 47 | 25.3 | 17.5 | 33.1 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 24 | 26.1 | 14.5 | 37.8 |
| Some College or College Graduate | 26 | 25.6 | 15.3 | 36.0 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 23 | 36.7 | 20.7 | 52.7 |
| \$35,000 or Higher per Year | 24 | 25.3 | 15.4 | 35.2 |
| Disability | | | | |
| Living with a Disability | 26 | 47.2 | 31.8 | 62.5 |
| Living without a Disability | 24 | 20.0 | 11.6 | 28.4 |

Numerator: Respondents reporting they did not get enough sleep on 14 or more days in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Are Current Smokers, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 3019 | 17.8 | 17.0 | 18.7 |
| Franklin County | 35 | 20.5 | 12.4 | 28.7 |
| Gender | | | | |
| Men | 15 | 25.0 | 10.9 | 39.1 |
| Women | 20 | 16.4 | 8.2 | 24.5 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 17 | 18.0 | 9.6 | 26.5 |
| 65 Years and Older | 6 | 8.3 | 1.6 | 14.9 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 35 | 20.8 | 12.6 | 29.0 |
| Race | | | | |
| White | 33 | 20.2 | 12.0 | 28.5 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 22 | 28.6 | 15.0 | 42.1 |
| Some College or College Graduate | 13 | 13.9 | 4.6 | 23.2 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 20 | 39.8 | 22.5 | 57.1 |
| \$35,000 or Higher per Year | 13 | 14.4 | 5.3 | 23.5 |
| Disability | | | | |
| Living with a Disability | 17 | 38.3 | 22.3 | 54.3 |
| Living without a Disability | 18 | 15.4 | 6.3 | 24.6 |

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 788 | 5.9 | 5.3 | 6.4 |
| Franklin County | 12 | 8.8 | 3.7 | 14.0 |
| Gender | | | | |
| Men | 10 | 16.9 | 6.7 | 27.1 |
| Women | * | * | * | * |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | * | * | * | * |
| 65 Years and Older | * | * | * | * |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 11 | 8.0 | 3.1 | 12.9 |
| Race | | | | |
| White | 12 | 9.0 | 3.8 | 14.3 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 7 | 11.6 | 3.8 | 19.5 |
| Some College or College Graduate | 5 | 6.5 | 0.0 | 13.4 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | * | * | * | * |
| \$35,000 or Higher per Year | 8 | 11.1 | 4.2 | 18.0 |
| Disability | | | | |
| Living with a Disability | * | * | * | * |
| Living without a Disability | 9 | 6.6 | 1.2 | 12.0 |

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2009**

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|-------------------------------------|-------------------------|------------------------|----------------------------|-------|
| | | | Lower | Upper |
| Kansas | 2568 | 12.1 | 11.5 | 12.7 |
| Franklin County | 29 | 11.3 | 6.7 | 15.9 |
| Gender | | | | |
| Men | 26 | 21.0 | 11.6 | 30.4 |
| Women | * | * | * | * |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 10 | 15.3 | 6.3 | 24.3 |
| 65 Years and Older | 17 | 25.3 | 14.5 | 36.1 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 28 | 10.5 | 6.2 | 14.8 |
| Race | | | | |
| White | 29 | 11.5 | 6.8 | 16.2 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 18 | 13.3 | 6.5 | 20.0 |
| Some College or College Graduate | 11 | 9.6 | 3.3 | 15.9 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 12 | 12.3 | 4.6 | 20.1 |
| \$35,000 or Higher per Year | 13 | 11.1 | 4.6 | 17.5 |
| Disability | | | | |
| Living with a Disability | 9 | 13.2 | 4.6 | 21.8 |
| Living without a Disability | 20 | 10.8 | 5.4 | 16.3 |

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Are Obese, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 5453 | 28.8 | 27.9 | 29.7 |
| Franklin County | 64 | 28.5 | 20.2 | 36.8 |
| Gender | | | | |
| Men | 25 | 30.1 | 16.8 | 43.5 |
| Women | 39 | 26.9 | 17.2 | 36.5 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 29 | 33.1 | 21.7 | 44.5 |
| 65 Years and Older | 20 | 29.1 | 17.7 | 40.5 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 64 | 28.9 | 20.4 | 37.3 |
| Race | | | | |
| White | 62 | 28.3 | 19.9 | 36.8 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 27 | 30.4 | 16.9 | 43.9 |
| Some College or College Graduate | 37 | 26.9 | 16.7 | 37.0 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 25 | 34.7 | 17.3 | 52.1 |
| \$35,000 or Higher per Year | 33 | 27.9 | 18.0 | 37.9 |
| Disability | | | | |
| Living with a Disability | 30 | 46.4 | 31.4 | 61.4 |
| Living without a Disability | 34 | 23.5 | 13.9 | 33.2 |

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Are Overweight or Obese, 2009

Franklin County

| | Unweighted Frequency | Weighted Percentage | 95% Confidence Limit | |
|----------------------------------|----------------------|---------------------|----------------------|-------|
| | | | Lower | Upper |
| Kansas | 11952 | 64.6 | 63.6 | 65.6 |
| Franklin County | 135 | 61.3 | 51.0 | 71.5 |
| Gender | | | | |
| Men | 57 | 69.4 | 53.9 | 84.9 |
| Women | 78 | 53.2 | 40.1 | 66.2 |
| Age | | | | |
| 18 to 44 Years | * | * | * | * |
| 45 to 64 Years | 59 | 74.3 | 63.7 | 84.9 |
| 65 Years and Older | 49 | 72.0 | 60.6 | 83.4 |
| Ethnicity | | | | |
| Hispanic | * | * | * | * |
| Non-Hispanic | 132 | 60.7 | 50.4 | 71.1 |
| Race | | | | |
| White | 130 | 60.6 | 50.2 | 71.1 |
| African American | * | * | * | * |
| Other | * | * | * | * |
| Multi-Race | * | * | * | * |
| Education | | | | |
| High School Graduate or Less | 63 | 63.5 | 48.2 | 78.9 |
| Some College or College Graduate | 72 | 59.3 | 45.5 | 73.2 |
| Annual Household Income | | | | |
| Less than \$35,000 per Year | 54 | 72.2 | 56.7 | 87.7 |
| \$35,000 or Higher per Year | 64 | 60.6 | 48.0 | 73.1 |
| Disability | | | | |
| Living with a Disability | 46 | 80.1 | 66.2 | 94.0 |
| Living without a Disability | 88 | 56.1 | 43.9 | 68.2 |

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample