

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2009

SEK Multi-County Region



Kansas BRFSS
Bureau of Health Promotion
Kansas Department of Health and Environment
1000 SW Jackson St., Suite 230
Topeka, Kansas 66612-1274
www.kdheks.gov/brfss/index.html

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2009

State of Kansas
Mark Parkinson, Governor

Jason Eberhart-Phillips, MD, MPH
State Health Officer and Director, Division of Health, KDHE

Report Preparation:

Pratik Pandya, MPH
Epidemiologist
Bureau of Health Promotion (BHP)

Erik Cook-Wiens, MPH
Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:

Partial funding for the 2009 Behavioral Risk Factor Survey was provided by cooperative agreement U58DP001968-01W1 Revised from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
October 2010**

Kansas Department of Health and Environment (KDHE)
Mission

To protect the health and environment of all Kansans by promoting responsible choices.

Through education, direct services and the assessment of data and trends, coupled with policy development and enforcement, KDHE will improve health and quality of life. We prevent illness, injuries and foster a safe and sustainable environment for the people of Kansas.

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the largest continuously conducted telephone survey in the world. The Kansas Department of Health and Environment's Bureau of Health Promotion (BHP) first collected state level health risk information in Kansas in 1990 as a point-in-time BRFSS survey. Since 1992, the Bureau has conducted the Kansas BRFSS survey continuously, enabling public health officials the ability to detect and monitor the trends in risk factors and health behaviors of adult Kansans (18 years and older) that are of greatest public health importance to Kansas. Public support of the survey is demonstrated by high response rates, resulting in consistently high data quality with respect to scientific validity and reliability, as indicated by above average CASRO Response Rates and other measures of data quality set by the Centers for Disease Control and Prevention (CDC).

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk. Beginning in 2009, the Kansas BRFSS has been expanded in response to a growing demand from local health officials for local level health risk statistics. As a result, the survey will collect adequate sample during odd years (2009, 2011, 2013, 2015, 2017) over a 10 year time period to provide local level estimates from a single year of survey data.

During the 2009 survey year, data were collected from more than 18,000 adult Kansans, providing estimates for 61 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 31 health risk indicators analyzed at the subpopulation level. By the conclusion of the 10 year project, the majority of Kansas counties will have county-specific data for use in examining trends in selected health indicators.


This significant enhancement is made possible by a grant from the Kansas Health Foundation (KHF), a private philanthropy dedicated to improving the health of all Kansans. This report is intended for use by local and regional public health officials, community leaders and policy makers to measure and monitor health conditions and behaviors related to chronic and communicable diseases, disability and injury with ability to compare to state and national statistics.

Sherlock Holmes, the legendary detective created by Sir Arthur Conan Doyle, once said, "It is a capital mistake to theorize before one has data." Unfortunately, such mistakes are made in the practice of public health every day. Now that county- and region-specific BRFSS data are available in Kansas, we who devote our lives to public health practice are in a much better position to theorize about the underlying causes of serious health problems in our communities. And ultimately, we are much better positioned to take targeted action that will significantly improve the health of our communities.

Sincerely,

A handwritten signature in black ink that reads "Jason Eberhart-Phillips". The signature is written in a cursive, flowing style.

Jason Eberhart-Phillips, M.D., M.P.H.
State Health Officer and Director of Health
Kansas Department of Health and Environment



The SEK Multi-County Region comprises the following counties:
Allen, Anderson, Bourbon, Woodson

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2009 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Epidemiologist
Kansas Department of Health and Environment
Bureau of Health Promotion
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Dr. Ghazala Perveen
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-8039
Fax: 785-296-8059
gperveen@kdheks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	2

Arthritis Status

Arthritis.....	3
Limited Activity Due to Arthritis.....	4

Cancer Status.....	5
---------------------------	----------

Caregiver Status.....	6
------------------------------	----------

Current Asthma Status.....	7
-----------------------------------	----------

Diabetes Status.....	8
-----------------------------	----------

Disability Status

Disability.....	9
Activity Limitation Due to Physical, Mental, or Emotional Problems.....	10

Fruits and Vegetable Consumption.....	11
--	-----------

Gambling.....	12
----------------------	-----------

General Health Status.....	13
-----------------------------------	-----------

Health Care Access

Lack Health Care Coverage.....	14
No Personal Doctor.....	15
Not Afford Doctor.....	16

Health Related Quality Of Life.....	17
--	-----------

Heart Attack Status.....	18
---------------------------------	-----------

High Blood Cholesterol Status	19
High Blood Pressure Status	20
Immunization Status	21
Physical Activity Status	
Not Participating in Any Physical Activity.....	22
Not Participating in Recommended Physical Activity	23
Not Participating in Moderate Physical Activity	24
Not Participating in Vigorous Physical Activity	25
Sleep Status	26
Tobacco Use	
Current Smoker.....	27
Smokeless User.....	28
Veteran Status	29
Weight Status (BMI Categories)	
Obese.....	30
Overweight or Obese	31

Percentage of Adults Who Are Binge Drinkers, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1847	14.5	13.7	15.3
SEK Multi-County Region County	30	13.2	6.2	20.1
Gender				
Men	17	17.4	5.3	29.5
Women	13	9.3	1.9	16.6
Age				
18 to 44 Years	7	17.4	2.9	31.9
45 to 64 Years	21	16.4	9.6	23.2
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	29	13.3	6.1	20.4
Race				
White	28	13.4	6.0	20.8
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	9	15.3	1.2	29.4
Some College or College Graduate	21	11.8	5.0	18.7
Annual Household Income				
Less than \$35,000 per Year	8	5.1	0.9	9.4
\$35,000 or Higher per Year	21	17.5	8.5	26.6
Disability				
Living with a Disability	9	9.1	2.1	16.0
Living without a Disability	21	14.5	5.7	23.4

Numerator: Respondents males having five or more drinks on one occasion in the past 30 days or females having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	645	4.1	3.6	4.6
SEK Multi-County Region County	13	3.6	1.2	6.0
Gender				
Men	6	5.1	0.5	9.8
Women	7	2.2	0.3	4.0
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	11	8.7	3.2	14.3
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	13	3.7	1.2	6.2
Race				
White	11	3.0	0.7	5.3
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	7	5.7	0.3	11.1
Some College or College Graduate	6	2.2	0.3	4.2
Annual Household Income				
Less than \$35,000 per Year	5	3.1	0.0	6.5
\$35,000 or Higher per Year	7	4.9	0.6	9.2
Disability				
Living with a Disability	*	*	*	*
Living without a Disability	10	3.8	0.9	6.7

Numerator: Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Doctor Diagnosed Arthritis, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	6314	24.1	23.4	24.8
SEK Multi-County Region County	128	28.7	22.5	35.0
Gender				
Men	40	27.9	17.4	38.3
Women	88	29.5	22.2	36.8
Age				
18 to 44 Years	11	12.1	4.2	20.0
45 to 64 Years	54	39.4	30.3	48.6
65 Years and Older	63	45.2	35.4	55.1
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	127	29.4	22.9	35.8
Race				
White	115	28.0	21.5	34.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	56	29.9	20.2	39.7
Some College or College Graduate	71	27.8	19.6	36.1
Annual Household Income				
Less than \$35,000 per Year	63	36.0	23.9	48.1
\$35,000 or Higher per Year	46	25.7	17.4	34.0
Disability				
Living with a Disability	64	48.0	30.7	65.2
Living without a Disability	64	22.1	15.6	28.7

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	2867	44.9	43.4	46.5
SEK Multi-County Region County	62	40.3	30.0	50.6
Gender				
Men	*	*	*	*
Women	46	48.2	35.7	60.8
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	29	46.7	32.0	61.3
65 Years and Older	31	51.7	37.4	66.1
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	62	40.4	30.1	50.8
Race				
White	55	40.4	29.4	51.4
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	26	36.8	22.4	51.1
Some College or College Graduate	35	42.3	27.8	56.8
Annual Household Income				
Less than \$35,000 per Year	34	41.7	26.7	56.6
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	46	68.9	55.6	82.1
Living without a Disability	16	21.0	9.8	32.2

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms

Denominator: Respondents with doctor diagnosed arthritis, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Diagnosed Cancer, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	2652	9.9	9.5	10.4
SEK Multi-County Region County	58	17.8	10.0	25.5
Gender				
Men	20	21.4	6.6	36.2
Women	38	14.6	9.0	20.2
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	19	13.4	7.2	19.6
65 Years and Older	35	30.6	21.1	40.1
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	56	17.5	9.6	25.4
Race				
White	49	16.8	8.6	25.1
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	22	16.1	8.3	23.9
Some College or College Graduate	36	18.8	7.4	30.2
Annual Household Income				
Less than \$35,000 per Year	29	28.0	10.9	45.0
\$35,000 or Higher per Year	21	11.7	6.3	17.2
Disability				
Living with a Disability	26	37.4	16.6	58.2
Living without a Disability	32	10.9	6.5	15.3

Numerator: Respondents reporting they had been told by a doctor, nurse or other health professional that they had cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Provide Care or Assistance to a Friend or Family Member Who Has a Health Problem, Long-term Illness, or Disability, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	5278	26.4	25.5	27.2
SEK Multi-County Region County	95	25.8	19.4	32.2
Gender				
Men	34	25.2	14.4	36.0
Women	61	26.4	18.9	33.9
Age				
18 to 44 Years	10	14.1	3.7	24.5
45 to 64 Years	55	44.6	35.3	53.9
65 Years and Older	30	23.8	15.3	32.3
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	93	26.0	19.5	32.6
Race				
White	86	25.0	18.3	31.7
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	35	22.8	14.2	31.5
Some College or College Graduate	60	27.8	18.8	36.8
Annual Household Income				
Less than \$35,000 per Year	39	30.5	18.1	42.9
\$35,000 or Higher per Year	42	23.7	15.9	31.5
Disability				
Living with a Disability	28	28.5	15.5	41.5
Living without a Disability	67	25.1	17.6	32.6

Numerator: Respondents who reported that they provided regular care or assistance to a family member or friend who has a health problem, long-term illness or disability in the past month.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Current Asthma, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1447	8.5	7.9	9.1
SEK Multi-County Region County	26	6.2	3.2	9.2
Gender				
Men	7	2.9	0.7	5.2
Women	19	9.2	4.1	14.4
Age				
18 to 44 Years	6	7.1	1.0	13.1
45 to 64 Years	13	7.1	3.2	11.1
65 Years and Older	7	3.7	0.9	6.5
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	26	6.4	3.3	9.4
Race				
White	22	5.5	2.6	8.4
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	11	7.4	1.8	13.1
Some College or College Graduate	15	5.5	2.2	8.8
Annual Household Income				
Less than \$35,000 per Year	15	8.7	2.9	14.5
\$35,000 or Higher per Year	9	5.5	1.5	9.6
Disability				
Living with a Disability	14	11.3	3.6	19.0
Living without a Disability	12	4.5	1.5	7.5

Numerator: Respondents reporting they had been told by a doctor or health care professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Diagnosed Diabetes, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	2267	8.5	8.1	9.0
SEK Multi-County Region County	36	7.7	4.6	10.8
Gender				
Men	15	9.5	3.6	15.3
Women	21	6.1	3.2	9.0
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	17	8.7	4.3	13.1
65 Years and Older	18	16.5	8.7	24.2
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	36	7.9	4.7	11.1
Race				
White	31	6.2	3.6	8.8
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	14	7.0	2.8	11.2
Some College or College Graduate	22	8.1	3.8	12.5
Annual Household Income				
Less than \$35,000 per Year	19	9.6	4.4	14.8
\$35,000 or Higher per Year	13	7.2	2.4	12.1
Disability				
Living with a Disability	18	12.3	5.1	19.5
Living without a Disability	18	6.2	2.7	9.6

Numerator: Respondents reporting they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre*diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Living with a Disability, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	4971	20.5	19.7	21.2
SEK Multi-County Region County	98	25.4	17.7	33.1
Gender				
Men	34	29.4	15.2	43.6
Women	64	21.6	15.2	28.1
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	47	35.1	26.2	44.0
65 Years and Older	47	38.0	28.3	47.7
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	97	25.6	17.8	33.5
Race				
White	89	25.5	17.3	33.7
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	37	20.8	12.5	29.1
Some College or College Graduate	60	28.1	16.9	39.4
Annual Household Income				
Less than \$35,000 per Year	53	41.9	26.5	57.3
\$35,000 or Higher per Year	28	15.1	9.0	21.2

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed, or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental, or Emotional Problems, 2009**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	4526	18.9	18.1	19.6
SEK Multi-County Region County	88	23.3	15.7	31.0
Gender				
Men	31	27.1	12.9	41.3
Women	57	19.9	13.7	26.1
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	46	33.9	25.1	42.7
65 Years and Older	38	31.3	22.0	40.7
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	87	23.5	15.7	31.4
Race				
White	81	23.6	15.4	31.7
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	32	17.8	10.2	25.5
Some College or College Graduate	56	26.8	15.6	38.1
Annual Household Income				
Less than \$35,000 per Year	46	37.3	21.4	53.1
\$35,000 or Higher per Year	28	15.1	9.0	21.2

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Consuming Fruits and Vegetables Less Than 5 Times Per Day, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	14770	81.4	80.6	82.1
SEK Multi-County Region County	254	85.5	80.9	90.1
Gender				
Men	90	89.7	83.5	95.9
Women	164	81.7	75.2	88.2
Age				
18 to 44 Years	45	89.6	82.3	96.9
45 to 64 Years	112	85.7	79.1	92.3
65 Years and Older	97	78.0	69.6	86.5
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	246	85.3	80.6	90.0
Race				
White	231	85.4	80.6	90.2
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	105	85.7	78.5	92.8
Some College or College Graduate	148	85.4	79.4	91.4
Annual Household Income				
Less than \$35,000 per Year	109	83.0	74.1	92.0
\$35,000 or Higher per Year	108	86.2	80.3	92.2
Disability				
Living with a Disability	84	89.6	83.0	96.3
Living without a Disability	170	84.1	78.4	89.8

Numerator: Respondents who reported they consumed fruits and vegetables less than 5 times per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Have Gambled in Past 12 Months, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	6848	38.4	37.4	39.4
SEK Multi-County Region County	106	34.4	26.2	42.6
Gender				
Men	41	39.0	24.5	53.5
Women	65	30.4	22.3	38.6
Age				
18 to 44 Years	20	35.4	18.6	52.1
45 to 64 Years	58	42.1	32.8	51.5
65 Years and Older	28	23.6	15.1	32.2
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	104	34.2	25.9	42.6
Race				
White	98	34.8	26.1	43.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	45	38.3	24.7	51.9
Some College or College Graduate	61	32.1	22.3	41.9
Annual Household Income				
Less than \$35,000 per Year	38	27.3	16.3	38.4
\$35,000 or Higher per Year	56	41.5	30.8	52.1
Disability				
Living with a Disability	26	23.3	12.1	34.5
Living without a Disability	80	38.3	28.4	48.2

Numerator: Respondents reporting they had played the lottery, bingo, card games, slot machines, or any other games for money or something else of value in the last 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	3019	12.3	11.7	12.9
SEK Multi-County Region County	74	20.1	12.2	27.9
Gender				
Men	24	24.4	9.7	39.2
Women	50	16.1	10.5	21.6
Age				
18 to 44 Years	6	16.9	0.4	33.5
45 to 64 Years	31	18.2	11.5	25.0
65 Years and Older	37	27.6	18.8	36.4
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	73	20.2	12.2	28.2
Race				
White	67	20.2	11.8	28.5
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	40	26.1	15.8	36.4
Some College or College Graduate	33	16.0	4.7	27.3
Annual Household Income				
Less than \$35,000 per Year	46	37.4	21.5	53.3
\$35,000 or Higher per Year	13	7.5	2.6	12.5
Disability				
Living with a Disability	49	53.0	35.9	70.1
Living without a Disability	23	8.4	3.6	13.2

Numerator: Respondents reporting that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Lack Health Care Coverage, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1641	11.8	11.1	12.6
SEK Multi-County Region County	25	10.8	5.2	16.4
Gender				
Men	10	12.4	2.5	22.4
Women	15	9.3	3.7	15.0
Age				
18 to 44 Years	11	18.8	6.6	31.0
45 to 64 Years	14	8.4	3.4	13.3
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	25	11.1	5.4	16.8
Race				
White	22	10.7	4.8	16.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	13	11.0	4.0	18.1
Some College or College Graduate	12	10.7	2.7	18.7
Annual Household Income				
Less than \$35,000 per Year	15	11.4	3.9	18.9
\$35,000 or Higher per Year	7	12.0	2.2	21.7
Disability				
Living with a Disability	8	6.5	1.1	11.9
Living without a Disability	16	12.2	5.0	19.4

Numerator: Respondents reporting they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with No Personal Doctor or Health Care Provider, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1912	14.6	13.8	15.5
SEK Multi-County Region County	29	11.4	6.2	16.6
Gender				
Men	14	14.9	5.2	24.6
Women	15	8.3	3.7	12.9
Age				
18 to 44 Years	6	11.7	1.4	22.0
45 to 64 Years	14	13.9	6.9	20.9
65 Years and Older	9	8.1	2.4	13.8
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	28	11.4	6.1	16.7
Race				
White	27	11.4	5.9	16.9
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	13	10.9	4.2	17.6
Some College or College Graduate	16	11.8	4.3	19.2
Annual Household Income				
Less than \$35,000 per Year	11	7.1	2.1	12.2
\$35,000 or Higher per Year	15	16.4	6.9	25.8
Disability				
Living with a Disability	6	7.3	0.8	13.9
Living without a Disability	23	12.9	6.3	19.5

Numerator: Respondents reporting they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Could Not See Doctor Because of Cost in Past 12 Months, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1823	11.2	10.5	11.8
SEK Multi-County Region County	36	12.7	5.1	20.2
Gender				
Men	13	14.0	0.0	28.4
Women	23	11.4	5.7	17.2
Age				
18 to 44 Years	9	17.4	1.4	33.4
45 to 64 Years	23	15.0	8.7	21.2
65 Years and Older	*	*	*	*
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	35	12.9	5.2	20.6
Race				
White	29	12.0	3.9	20.1
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	11	7.7	1.9	13.5
Some College or College Graduate	25	15.9	4.4	27.4
Annual Household Income				
Less than \$35,000 per Year	22	24.6	7.4	41.8
\$35,000 or Higher per Year	12	6.8	2.5	11.0
Disability				
Living with a Disability	17	26.9	4.0	49.7
Living without a Disability	19	7.9	3.6	12.2

Numerator: Respondents reporting they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Reported Their Mental Health Was Not Good on 14 or More Days in the Past 30 Days, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1630	8.6	8.1	9.2
SEK Multi-County Region County	33	9.1	4.6	13.5
Gender				
Men	9	7.7	1.0	14.4
Women	24	10.3	4.4	16.2
Age				
18 to 44 Years	6	10.5	1.2	19.9
45 to 64 Years	18	10.2	5.1	15.2
65 Years and Older	9	5.3	1.5	9.0
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	32	9.1	4.5	13.7
Race				
White	31	9.4	4.6	14.2
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	15	15.1	5.0	25.1
Some College or College Graduate	18	5.2	2.4	8.0
Annual Household Income				
Less than \$35,000 per Year	19	13.4	4.8	22.0
\$35,000 or Higher per Year	9	4.8	0.7	8.9
Disability				
Living with a Disability	17	10.4	4.3	16.5
Living without a Disability	15	8.2	2.6	13.8

Numerator: Respondents reporting 14 or more days when their mental health was not good.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Had a Heart Attack, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	1037	3.7	3.4	4.0
SEK Multi-County Region County	22	5.3	2.8	7.9
Gender				
Men	8	5.8	1.4	10.1
Women	14	4.9	2.1	7.8
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	9	6.9	1.9	11.9
65 Years and Older	11	10.2	3.9	16.6
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	21	5.3	2.7	7.8
Race				
White	20	5.1	2.6	7.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	11	7.5	2.5	12.4
Some College or College Graduate	11	4.0	1.3	6.7
Annual Household Income				
Less than \$35,000 per Year	16	10.8	4.6	16.9
\$35,000 or Higher per Year	*	*	*	*
Disability				
Living with a Disability	11	11.8	3.6	20.0
Living without a Disability	11	3.2	1.1	5.3

Numerator: Respondents who reported that a doctor, nurse, or other health professional EVER told them that they had ever had a heart attack, also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	7158	38.6	37.6	39.5
SEK Multi-County Region County	124	43.7	36.0	51.5
Gender				
Men	39	40.4	29.0	51.7
Women	85	46.2	35.5	56.9
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	55	47.5	37.8	57.3
65 Years and Older	57	51.6	40.6	62.6
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	123	43.8	36.0	51.7
Race				
White	115	43.7	35.5	51.8
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	53	48.5	36.8	60.3
Some College or College Graduate	71	41.0	30.9	51.0
Annual Household Income				
Less than \$35,000 per Year	60	58.7	47.4	69.9
\$35,000 or Higher per Year	46	37.2	27.2	47.2
Disability				
Living with a Disability	45	54.5	41.9	67.1
Living without a Disability	79	40.6	31.3	49.9

Numerator: Respondents reporting they had been told by a doctor or health care professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their cholesterol checked, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults with Diagnosed Hypertension, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	7332	28.7	27.9	29.5
SEK Multi-County Region County	142	32.9	26.1	39.8
Gender				
Men	50	34.4	22.6	46.2
Women	92	31.6	24.0	39.2
Age				
18 to 44 Years	10	11.5	3.8	19.3
45 to 64 Years	50	34.0	25.2	42.8
65 Years and Older	82	68.5	59.5	77.6
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	139	32.9	26.0	39.8
Race				
White	130	32.2	25.1	39.2
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	64	35.8	25.0	46.6
Some College or College Graduate	78	31.1	22.3	40.0
Annual Household Income				
Less than \$35,000 per Year	71	40.3	27.6	53.1
\$35,000 or Higher per Year	45	27.8	18.9	36.6
Disability				
Living with a Disability	54	43.4	27.1	59.7
Living without a Disability	86	29.0	21.5	36.4

Numerator: Respondents reporting they had been told by a doctor or health care professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Ages 18 Years and Older Who Did Not Receive a Flu Shot
During the Past 12 Months, 2009**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	9542	58.9	58.0	59.9
SEK Multi-County Region County	159	59.8	51.1	68.5
Gender				
Men	63	64.6	50.1	79.1
Women	96	55.4	45.4	65.4
Age				
18 to 44 Years	38	69.4	51.3	87.5
45 to 64 Years	79	64.9	56.2	73.6
65 Years and Older	42	37.1	27.1	47.2
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	156	60.7	51.8	69.6
Race				
White	144	59.0	49.8	68.2
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	62	64.3	53.3	75.4
Some College or College Graduate	97	57.1	45.2	69.1
Annual Household Income				
Less than \$35,000 per Year	64	50.1	35.3	65.0
\$35,000 or Higher per Year	76	69.2	60.1	78.2
Disability				
Living with a Disability	47	41.6	25.7	57.5
Living without a Disability	112	66.1	57.1	75.1

Numerator: Respondents who reported they did not have a flu shot during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Any Physical Activity (Leisure Time Physical Activity), 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	4969	23.2	22.3	24.0
SEK Multi-County Region County	97	29.9	21.1	38.7
Gender				
Men	32	31.6	16.8	46.4
Women	65	28.3	18.5	38.1
Age				
18 to 44 Years	10	26.8	8.4	45.1
45 to 64 Years	40	26.3	18.4	34.3
65 Years and Older	47	39.4	29.5	49.4
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	94	29.9	20.9	38.8
Race				
White	89	30.7	21.4	40.1
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	47	30.0	19.4	40.5
Some College or College Graduate	49	29.7	17.0	42.4
Annual Household Income				
Less than \$35,000 per Year	59	46.6	31.6	61.6
\$35,000 or Higher per Year	21	14.6	7.3	21.8
Disability				
Living with a Disability	51	57.6	41.3	73.9
Living without a Disability	44	20.2	11.6	28.7

Numerator: Respondents reporting they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Recommended Level of Physical Activity, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	10019	51.5	50.5	52.6
SEK Multi-County Region County	171	48.5	39.5	57.4
Gender				
Men	47	39.1	24.3	53.8
Women	124	57.3	46.8	67.7
Age				
18 to 44 Years	21	36.0	18.3	53.6
45 to 64 Years	72	54.0	44.4	63.6
65 Years and Older	78	64.6	54.1	75.0
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	165	48.2	39.0	57.3
Race				
White	156	48.3	38.9	57.8
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	83	53.4	39.6	67.3
Some College or College Graduate	87	45.3	33.3	57.3
Annual Household Income				
Less than \$35,000 per Year	84	61.1	46.7	75.6
\$35,000 or Higher per Year	60	40.8	29.9	51.7
Disability				
Living with a Disability	69	72.0	58.9	85.0
Living without a Disability	102	40.4	30.9	49.9

Numerator: Respondents reporting they did not participate in moderate physical activities at least 5 times per week for at least 30 minutes or vigorous physical activities at least 3 times per week for at least 20 minutes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Recommended Level of Moderate Physical Activity, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	10019	51.5	50.5	52.6
SEK Multi-County Region County	171	48.5	39.5	57.4
Gender				
Men	47	39.1	24.3	53.8
Women	124	57.3	46.8	67.7
Age				
18 to 44 Years	21	36.0	18.3	53.6
45 to 64 Years	72	54.0	44.4	63.6
65 Years and Older	78	64.6	54.1	75.0
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	165	48.2	39.0	57.3
Race				
White	156	48.3	38.9	57.8
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	83	53.4	39.6	67.3
Some College or College Graduate	87	45.3	33.3	57.3
Annual Household Income				
Less than \$35,000 per Year	84	61.1	46.7	75.6
\$35,000 or Higher per Year	60	40.8	29.9	51.7
Disability				
Living with a Disability	69	72.0	58.9	85.0
Living without a Disability	102	40.4	30.9	49.9

Numerator: Respondents reporting they did not participate in moderate physical activity defined as 30 or more minutes per day for 5 or more days per week, or vigorous activity for 20 or more minutes per day on 3 or more days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Not Participating in Recommended Level of Vigorous Physical Activity, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	14428	72.5	71.5	73.5
SEK Multi-County Region County	256	78.6	71.5	85.7
Gender				
Men	78	71.3	58.4	84.2
Women	178	85.2	78.7	91.7
Age				
18 to 44 Years	37	71.0	56.5	85.6
45 to 64 Years	107	81.5	73.9	89.1
65 Years and Older	112	88.6	81.3	95.9
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	249	79.0	71.8	86.1
Race				
White	236	79.0	71.6	86.4
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	113	83.6	72.3	94.8
Some College or College Graduate	142	75.4	66.0	84.7
Annual Household Income				
Less than \$35,000 per Year	120	88.5	77.9	99.2
\$35,000 or Higher per Year	95	66.4	55.3	77.5
Disability				
Living with a Disability	89	91.4	84.6	98.3
Living without a Disability	167	74.2	65.3	83.1

Numerator: Respondents reporting they did not participate in vigorous physical activities at least 3 times per week for at least 20 minutes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Who Did Not Get Enough Rest or Sleep in Past 30 Days,
2009**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	4400	26.4	25.5	27.4
SEK Multi-County Region County	68	22.0	15.4	28.7
Gender				
Men	18	17.7	7.2	28.2
Women	50	26.0	17.8	34.2
Age				
18 to 44 Years	14	22.4	9.1	35.6
45 to 64 Years	39	31.0	22.3	39.7
65 Years and Older	15	10.8	4.7	16.8
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	66	22.1	15.3	28.9
Race				
White	59	20.7	13.8	27.6
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	27	24.3	13.4	35.1
Some College or College Graduate	41	20.6	12.3	28.9
Annual Household Income				
Less than \$35,000 per Year	34	24.2	14.0	34.4
\$35,000 or Higher per Year	25	21.7	11.9	31.4
Disability				
Living with a Disability	30	25.0	13.7	36.3
Living without a Disability	37	20.7	12.5	28.8

Numerator: Respondents reporting they did not get enough sleep on 14 or more days in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Are Current Smokers, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	3019	17.8	17.0	18.7
SEK Multi-County Region County	56	16.6	10.9	22.3
Gender				
Men	16	14.7	5.0	24.3
Women	40	18.3	11.7	24.8
Age				
18 to 44 Years	10	15.8	4.5	27.0
45 to 64 Years	37	27.2	18.7	35.7
65 Years and Older	9	5.5	1.4	9.6
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	56	17.0	11.2	22.9
Race				
White	50	15.2	9.4	21.0
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	28	19.5	11.0	27.9
Some College or College Graduate	28	14.7	7.0	22.5
Annual Household Income				
Less than \$35,000 per Year	31	24.0	12.2	35.8
\$35,000 or Higher per Year	22	14.0	7.4	20.6
Disability				
Living with a Disability	20	15.6	7.0	24.3
Living without a Disability	35	16.9	9.8	24.0

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	788	5.9	5.3	6.4
SEK Multi-County Region County	20	10.3	4.5	16.2
Gender				
Men	17	19.2	7.6	30.8
Women	*	*	*	*
Age				
18 to 44 Years	6	14.0	1.7	26.2
45 to 64 Years	8	8.2	2.5	14.0
65 Years and Older	6	6.6	1.1	12.1
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	19	10.4	4.4	16.4
Race				
White	18	10.0	3.8	16.2
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	11	15.2	4.7	25.8
Some College or College Graduate	9	7.2	0.4	14.0
Annual Household Income				
Less than \$35,000 per Year	9	8.3	2.4	14.2
\$35,000 or Higher per Year	11	15.3	4.4	26.2
Disability				
Living with a Disability	5	5.9	0.3	11.5
Living without a Disability	15	11.9	4.3	19.5

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2009**

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	2568	12.1	11.5	12.7
SEK Multi-County Region County	33	10.2	6.3	14.0
Gender				
Men	30	20.7	12.0	29.3
Women	*	*	*	*
Age				
18 to 44 Years	*	*	*	*
45 to 64 Years	11	7.6	3.1	12.2
65 Years and Older	21	27.5	17.5	37.5
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	32	10.0	6.2	13.9
Race				
White	31	10.3	6.3	14.4
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	11	10.0	3.5	16.6
Some College or College Graduate	22	10.3	5.5	15.1
Annual Household Income				
Less than \$35,000 per Year	15	11.3	4.9	17.7
\$35,000 or Higher per Year	16	11.4	5.4	17.4
Disability				
Living with a Disability	16	20.1	9.3	31.0
Living without a Disability	17	6.9	3.1	10.6

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Are Obese, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	5453	28.8	27.9	29.7
SEK Multi-County Region County	97	26.9	20.1	33.7
Gender				
Men	34	26.4	15.1	37.7
Women	63	27.4	19.5	35.3
Age				
18 to 44 Years	15	21.9	9.5	34.3
45 to 64 Years	51	40.8	31.4	50.3
65 Years and Older	31	20.1	12.8	27.4
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	95	27.4	20.4	34.4
Race				
White	87	25.5	18.5	32.4
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	42	25.4	15.9	34.9
Some College or College Graduate	55	27.9	18.5	37.4
Annual Household Income				
Less than \$35,000 per Year	52	34.0	22.0	46.0
\$35,000 or Higher per Year	39	28.4	18.2	38.6
Disability				
Living with a Disability	40	35.2	20.6	49.8
Living without a Disability	56	24.2	16.4	32.0

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample

Percentage of Adults Who Are Overweight or Obese, 2009

SEK Multi-County Region

	Unweighted Frequency	Weighted Percentage	95% Confidence Limit	
			Lower	Upper
Kansas	11952	64.6	63.6	65.6
SEK Multi-County Region County	197	64.0	55.4	72.6
Gender				
Men	76	71.7	58.7	84.6
Women	121	56.7	46.1	67.3
Age				
18 to 44 Years	36	63.2	46.1	80.3
45 to 64 Years	89	70.7	61.6	79.7
65 Years and Older	72	58.0	48.2	67.9
Ethnicity				
Hispanic	*	*	*	*
Non-Hispanic	192	63.9	55.1	72.7
Race				
White	180	63.2	54.1	72.3
African American	*	*	*	*
Other	*	*	*	*
Multi-Race	*	*	*	*
Education				
High School Graduate or Less	77	54.9	41.3	68.6
Some College or College Graduate	120	69.9	59.2	80.6
Annual Household Income				
Less than \$35,000 per Year	89	74.4	64.3	84.5
\$35,000 or Higher per Year	90	68.8	58.1	79.5
Disability				
Living with a Disability	67	77.4	66.2	88.7
Living without a Disability	129	59.8	49.6	70.0

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient Sample