



# KANSAS HIV/STD SURVEILLANCE UPDATE

Kansas Department of Health and Environment, Bureau of Epidemiology and Disease Prevention

The Kansas AIDS Ribbon was designed by the Kansas Capitol Chapter of the American Red Cross to raise hope and awareness in the state of Kansas and support the fight against HIV/AIDS.

**VOL. 5 #1**

**March 2004**

***“Studies have shown that genital ulcer infections, such as syphilis, may increase the risk of HIV transmission 10-50 times for male-to-female through vaginal sex and 50 to 300 times for female-to-male through vaginal sex, according to the Institute of Medicine...”***

See page 2 for Article “How Important are Bacterial Sexually Transmitted Diseases?”

The Kansas HIV/STD Surveillance Update along with additional information may be obtained from our Web site:  
<http://www.kdhe.state.ks.us/hiv-std>

Printed copies of this newsletter are available upon request.

## CONTENTS

### ARTICLES

HIV/STD Section, address and phone numbers . . . . .	page 1
HIV Rapid Testing in Kansas. . . . .	page 2
How Important Are Bacterial Sexually Transmitted Diseases? . . . . .	page 2
2004 HIV Prevention Training. . . . .	page 3

### STATISTICS

Kansas Reported Cases of Chlamydia by County. . . . .	page 4
Kansas Reported Cases of Gonorrhea by County. . . . .	page 4
Kansas Reported Cases of Early Syphilis by County. . . . .	page 4
Kansas Incidence, Prevalence and Cumulative AIDS Cases. . . . .	page 5
Kansas Incidence, Prevalence and Cumulative HIV Cases. . . . .	page 6
Prevalent Adult/Adolescent AIDS Cases by Exposure and Gender . . . . .	page 7
Prevalent Adult/Adolescent HIV Cases by Exposure and Gender . . . . .	page 7
HIV Regions In Kansas . . . . .	page 8
Newly Reported HIV and AIDS Cases by Region . . . . .	page 8
Prevalent and Cumulative HIV and AIDS Cases by Region . . . . .	page 8
Prevalent Cases of HIV and AIDS by County . . . . .	Page 9
Kansas Infertility Prevention Project . . . . .	page 10, 11

## Our Mission:

The HIV/STD section works to promote public health and enhance the quality of life for Kansas residents by the prevention, intervention, and treatment of HIV and other STDs. The mission will be accomplished through policy and resource development, clinical data collection and analysis, research, education, prevention programs, disease detection, and the provision of treatment and clinical care services.

**HIV/STD Surveillance Update** is a semi-annual publication of the Kansas Department of Health and Environment with funding assistance from the Centers for Disease Control and Prevention.

Richard Morrissey  
**Acting State Health Director**

Gail Hansen, DVM, MPH  
**Acting State Epidemiologist**

Sharon Patnode  
**BEDP Director**

Gail Hansen, DVM, MPH  
**Epidemiology Director**

Karl Milhon  
**HIV/STD Director**

Allen Mayer  
**HIV/STD Deputy Director**

Jeni Trimble  
**HIV/STD Surveillance Director**

Derek Coppedge  
**HIV/STD Field Services Director**

Terry McAdam  
**Copy Editor**

### **Ryan White Title II and HIV/STD Surveillance Collaboration Effort**

In November of 2003, the Ryan White Title II Program and the HIV/STD Surveillance Program introduced a new Medical Eligibility Form for the Ryan White Title II Program. This new form replaces all prior Medical Eligibility Forms used in the enrollment process for Title II. It also doubles as the case report form (required for proper reporting in the state of Kansas).

Prior to implementation of the new form, HIV/STD Surveillance and Title II would coordinate information on new clients accessing services in addition to monthly data collaboration. This process was not only tedious but also unreliable, depending on staffing at the time. Additionally, it was discovered that of Medical Eligibility Forms that indicated that a case report had been filed, 75 percent had no documented case report.

The two programs decided that the best way to ensure proper reporting of clients would be to incorporate the case report form as part of the Medical Eligibility Form for Title II. Funding for the Title II program, as well as prevention activities, are dependant upon these numbers, which are reported to CDC. This became clear when the two programs found that more than 50 clients accessing Title II CARE and AIDS Drug Assistance Program services had **not** been reported to the HIV/STD Surveillance Program. This presented a loss of potential funding to the Ryan White Title II Program at more than \$78,000 (or \$1,500 per person per year).

If a case does not get reported to the Surveillance Program in time for reporting to CDC, it is not factored into the funding formula. Regardless of whether the clients were counted in the funding formula, they were accessing the services. This issue became clear as funds declined from federal grantees (HRSA and CDC). It became imperative to make sure the HIV/STD Section maximize all opportunities to ensure necessary funding. As with any new system, there were some initial questions about the new form. However, it quickly became clear that this collaboration had created a very positive outcome. Specifically:

- Improved accuracy, and completeness of information
- Reduced provider time required to complete necessary medical eligibility and reporting forms
- Immediate reporting to Surveillance is achieved
- Disease Intervention Specialists are notified sooner resulting in quicker Partner Counseling and Referral Services

As data requests increase for programs, the need for complete reporting to Surveillance becomes more and more important. This collaboration is just one more example of how the programs of KDHE are continually working together to provide the best service possible to our community.

#### **Kansas Department of Health & Environment HIV/STD Section**

**1000 SW Jackson, Suite 210**

**Topeka, KS 66612-1274**

internet access: [www.kdhe.state.ks.us/aids](http://www.kdhe.state.ks.us/aids)  
[www.kdhe.state.ks.us/hiv-std](http://www.kdhe.state.ks.us/hiv-std)

HIV/STD Director. . . . . 785-296-6036

HIV/STD Deputy Director. . . . . 785-296-5598

HIV Main Office. . . . . 785-296-6173

STD Main Office. . . . . 785-296-5596

Data Request HIV/AIDS. . . . . 785-296-5587

Data Request STD. . . . . 785-296-6544

Ryan White Title II Services. . . 785-296-8701/8891  
or 316-337-6136

HIV STD Surveillance Director . . . 785-368-8218

HIV Prevention Director. . . . . 785-296-5223

HIV Counseling/Testing. . . . . 785-296-5588

HIV/STD Training/Education. . . . 785-296-6545

HIV/STD Partner Notification. . . . 785-296-6177



### 2004 HIV PREVENTION TRAINING

Month	1. HIV/STD Basic Training \$20 Tuesday	2. Behavior Change Counseling Strategies \$20 Wednesday	3. The Training That Dare Not Speak It's Name & Cultural Diversity Training for Hispanic Populations \$20 Thursday	4. Cultural Diversity Training: Serving African American Populations \$20 Thursday	5. Basic HIV Education and Prevention \$35 Tuesday, Wednesday, & Thursday
January	Topeka 1/13/04	Topeka 1/14/04	Topeka 1/15/04		
February					
March	Wichita 3/16/04	Wichita 3/17/04		Wichita 3/18/04	
April					Topeka 4/13/04-4/15/04
May	Hays 5/18/04	Hays 5/19/04	Hays 5/20/04		
June					Wichita 6/15/04-6/17/04
July	Kansas City 7/13/04	Kansas City 7/14/04		Kansas City 7/15/04	
August					Kansas City 8/17/04-8/19/04
September	Wichita 9/14/04	Wichita 9/15/04	Wichita 9/16/04		
October					Wichita 10/19/04-10/21/04
November	Salina 11/16/04	Salina 11/17/04		Salina 11/18/04	
December					

#### WHO SHOULD ATTEND:

Although all interested persons are welcome to attend these training sessions, courses are designed for KDHE contractors.  
**HIV Counseling and Testing Site Counselors** must attend courses 1 & 2 prior to beginning counseling clients.

**HIV Prevention Health Education/Risk Reduction Contractors** must complete courses 1, 2, & 5 during their first year of employment, and have at least one person certified in courses 3 & 4.

**Ryan White Title II CARE Case Managers** must complete courses 1, 2, & 5 during their first year of employment.

All contractors are strongly encouraged to attend courses 3 & 4.

State of Kansas  
Reported Cases of Chlamydia by County  
January - December 2003

CHEYENNE	RAWLINS	DECATUR	NORTON	PHILLIPS	SMITH	JEWELL	REPUBLIC	WASHINGTON	MARSHALL	NEMAWA	BROWN	DONIPHAN
1		3	3	4	4		3				14	14
SHERMAN	THOMAS	SHERIDAN	GRAHAM	ROOKS	OSBORNE	MITCHELL	CLOUD	CLAY	POTTAWATOMIE	JACKSON	ATCHISON	JEFFERSON
6	16		1	2	3	6	14	10	11	18	48	12
WALLACE	LOGAN	GOVE	TREGO	ELLIS	RUSSELL	LINCOLN	OTTAWA	DICKINSON	GEARY	WABUNSEE	SHAWNEE	LEAVENWORTH
	2	1	7	48	2	2	3	3	264	4	597	180
GREELEY	WICHITA	SCOTT	LANE	NESS	RUSH	BARTON	ELLSWORTH	SALINE	MORRIS	LYON	OSAGE	DOUGLAS
2	2	4	1	4			3	113	28	3	13	316
HAMILTON	KEARNEY	FINNEY	HODGEMAN	PAWNEE	STARBUCK	RENO	HARVEY	MCPHERSON	MARION	CHASE	COFFEY	FRANKLIN
2	12	95		3	3	168	28	7		2	13	37
STANTON	GRANT	HASKELL	FORD	EDWARDS	PRATT	KINGMAN	SEDGWICK	BUTLER	GREENWOOD	WOODSON	ALLEN	BOURBON
1	16	1	86	2	14	6	1900	114	8	3	25	29
MORTON	STEVENS	SEWARD	MEADE	CLARK	COMANCHE	BARBER	HARPER	SUMNER	COWLEY	ELK	WILSON	NEOSHO
3	3	56	2	1	3	12	10	34	94	10	33	124
										CHAUTAQUA	MONTGOMERY	LABETTE
										2	85	27
												25

Total 7150

State of Kansas  
Reported Cases of Gonorrhea by County  
January - December 2003

CHEYENNE	RAWLINS	DECATUR	NORTON	PHILLIPS	SMITH	JEWELL	REPUBLIC	WASHINGTON	MARSHALL	NEMAWA	BROWN	DONIPHAN
					2						4	
SHERMAN	THOMAS	SHERIDAN	GRAHAM	ROOKS	OSBORNE	MITCHELL	CLOUD	CLAY	POTTAWATOMIE	JACKSON	ATCHISON	JEFFERSON
1	1			2		1	2	1	1	2	12	3
WALLACE	LOGAN	GOVE	TREGO	ELLIS	RUSSELL	LINCOLN	OTTAWA	DICKINSON	GEARY	WABUNSEE	SHAWNEE	LEAVENWORTH
	1	1	2	5	1	1	1	1	39	1	266	58
GREELEY	WICHITA	SCOTT	LANE	NESS	RUSH	BARTON	ELLSWORTH	SALINE	MORRIS	LYON	OSAGE	DOUGLAS
		2	1		4		1	14	1	1	57	184
HAMILTON	KEARNEY	FINNEY	HODGEMAN	PAWNEE	STARBUCK	RENO	HARVEY	MCPHERSON	MARION	CHASE	COFFEY	FRANKLIN
	1	13		1	1	43	10	3		1	2	8
STANTON	GRANT	HASKELL	FORD	EDWARDS	PRATT	KINGMAN	SEDGWICK	BUTLER	GREENWOOD	WOODSON	ALLEN	BOURBON
	15	1	9			1	883	24		1	1	5
MORTON	STEVENS	SEWARD	MEADE	CLARK	COMANCHE	BARBER	HARPER	SUMNER	COWLEY	ELK	WILSON	NEOSHO
		9	1	2			2	16	30	3	1	36
										CHAUTAQUA	MONTGOMERY	LABETTE
										21	11	3

Total 2595

State of Kansas  
Reported Cases of Early Syphilis by County  
January - December 2003

CHEYENNE	RAWLINS	DECATUR	NORTON	PHILLIPS	SMITH	JEWELL	REPUBLIC	WASHINGTON	MARSHALL	NEMAWA	BROWN	DONIPHAN
SHERMAN	THOMAS	SHERIDAN	GRAHAM	ROOKS	OSBORNE	MITCHELL	CLOUD	CLAY	POTTAWATOMIE	JACKSON	ATCHISON	JEFFERSON
WALLACE	LOGAN	GOVE	TREGO	ELLIS	RUSSELL	LINCOLN	OTTAWA	DICKINSON	GEARY	WABUNSEE	SHAWNEE	LEAVENWORTH
GREELEY	WICHITA	SCOTT	LANE	NESS	RUSH	BARTON	ELLSWORTH	SALINE	MORRIS	LYON	OSAGE	DOUGLAS
HAMILTON	KEARNEY	FINNEY	HODGEMAN	PAWNEE	STARBUCK	RENO	HARVEY	MCPHERSON	MARION	CHASE	COFFEY	FRANKLIN
STANTON	GRANT	HASKELL	FORD	EDWARDS	PRATT	KINGMAN	SEDGWICK	BUTLER	GREENWOOD	WOODSON	ALLEN	BOURBON
							5					
MORTON	STEVENS	SEWARD	MEADE	CLARK	COMANCHE	BARBER	HARPER	SUMNER	COWLEY	ELK	WILSON	NEOSHO
										CHAUTAQUA	MONTGOMERY	LABETTE
												21
												9
												1
												1

Total 37

### Kansas Newly Reported, Prevalent, and Cumulative AIDS Cases Reported as of December 31, 2003

	Kansas Newly Reported AIDS Cases as of December 31, 2003 <sup>A</sup>		Kansas Prevalent AIDS Cases as of December 31, 2003 <sup>B</sup>		Kansas Cumulative AIDS Cases as of December 31, 2003 <sup>C</sup>		U.S. Cumulative AIDS Cases as of December 31, 2002 <sup>C</sup>	
	N	Percentage	N	Percentage	N	Percentage	N	Percentage
<b>Cases</b>								
Adult/Adolescent	122	98.4	1,089	99.4	2,589	99.5	877,275	99.0
Pediatric (<13 Years Old)	2	1.6	7	0.6	14	0.5	9,300	1.0
<b>Total</b>	124	100.0	1,096	100.0	2,603	100.0	886,575	100.0
<b>Age</b>								
<13 Years	2	1.6	7	0.6	14	0.5	9,300	1.0
13 To 14 Years	.	.	1	0.1	3	0.1	839	0.1
15 To 24 Years	6	4.8	74	6.8	137	5.3	35,460	4.0
25 To 34 Years	31	25.0	420	38.3	1,069	41.1	301,278	34.0
35 To 44 Years	51	41.1	414	37.8	934	35.9	347,860	39.2
45 To 54 Years	24	19.4	150	13.7	317	12.2	138,386	15.6
55 To 64 Years	10	8.1	27	2.5	93	3.6	40,584	4.6
65 Years or Older	.	.	3	0.3	36	1.4	12,868	1.5
<b>Total</b>	124	100.0	1,096	100.0	2,603	100.0	886,575	100.0
<b>Race/Ethnicity</b>								
Hispanic	18	14.5	106	9.7	179	6.9	<sup>E</sup>	<sup>E</sup>
American-Indian Non-Hispanic	1	0.8	11	1.0	27	1.0	<sup>E</sup>	<sup>E</sup>
Asian Non-Hispanic	1	0.8	1	0.1	1	0.0	<sup>E</sup>	<sup>E</sup>
Black Non-Hispanic	35	28.2	244	22.3	470	18.1	<sup>E</sup>	<sup>E</sup>
White Non-Hispanic	65	52.4	723	66.0	1,908	73.3	<sup>E</sup>	<sup>E</sup>
Old Asian/Pacific Islander Non-Hispanic <sup>D</sup>	2	1.6	7	0.6	13	0.5	<sup>E</sup>	<sup>E</sup>
Multi-Race Non-Hispanic	2	1.6	2	0.2	3	0.1	<sup>E</sup>	<sup>E</sup>
Unknown Non-Hispanic	.	.	2	0.2	2	0.1	<sup>E</sup>	<sup>E</sup>
<b>Total</b>	124	100.0	1,096	100.0	2,603	100.0	<sup>E</sup>	<sup>E</sup>
<b>Gender</b>								
Male	98	79.0	935	85.3	2,320	89.1	718,002	81.8
Female	26	21.0	161	14.7	283	10.9	159,271	18.2
<b>Total</b>	124	100.0	1,096	100.0	2,603	100.0	877,273	100.0
<b>Adult/Adolescent Exposure Category</b>								
Men Who Have Sex with Men (MSM)	55	45.1	624	57.4	1,626	62.9	420,790	48.0
Injection Drug User (IDU)	9	7.4	108	9.9	246	9.5	240,268	27.4
MSM and IDU	8	6.6	102	9.4	242	9.4	59,719	6.8
Hemophilia and Coagulation Disorder	.	.	9	0.1	41	1.6	.	.
High Risk Heterosexual Contact	16	13.1	156	14.4	248	9.6	135,628	15.5
Transfusion/Transplant	3	2.5	14	1.3	52	2.0	.	.
No Identified Risk (NIR)	31	25.4	74	6.8	129	5.0	20,868	2.4
<b>Total</b>	122	100.0	1,087	100.0	2,584	100.0	877,273	100.0
<b>Pediatric (&lt;13 Years) Category</b>								
Hemophilia and Coagulation Disorder	.	.	2	22.2	5	26.3	.	.
Mother with HIV	2	100.0	5	55.6	12	63.2	8,629	92.8
Transfusion/Transplant	.	.	1	11.1	1	5.3	.	.
No Identified Risk (NIR)	.	.	1	11.1	1	5.3	671	7.2
<b>Total</b>	2	100.0	9	100.0	19	100.0	9,300	100.0

A Newly Reported cases are cases reported between January 1, 2003 and December 31, 2003.

B Prevalent cases are those people presumed living in KS with HIV and AIDS.

C Cumulative cases are those people ever reported to have HIV and AIDS.

D As of 1-1-03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau

E US data is not available for the year 2003 and therefore race categories are not comparable.

Percentages may not add to 100% due to rounding.

### Kansas Newly Reported, Prevalent, and Cumulative HIV Cases Reported as of December 31, 2003

	Kansas Newly Reported HIV Cases as of December 31, 2003 <sup>A</sup>		Kansas Prevalent HIV Cases as of December 31, 2003 <sup>B</sup>		Kansas Cumulative HIV Cases as of December 31, 2003 <sup>C</sup>		U.S. Cumulative HIV Cases as of December 31, 2002 <sup>C</sup>	
	N	Percentage	N	Percentage	N	Percentage	N	Percentage
<b>Cases</b>								
Adult/Adolescent	104	100.0	463	98.5	477	98.6	308,614	99.0
Pediatric (<13 Years Old)	.	.	7	1.5	7	1.4	3,219	1.0
<b>Total</b>	104	100.0	470	100.0	484	100.0	312,133	100.0
<b>Age</b>								
<13 Years	.	.	7	1.5	7	1.4	3,219	1.0
13 To 14 Years	.	.	2	0.4	2	0.4	391	0.1
15 To 24 Years	13	12.5	76	16.2	76	15.7	40,896	13.1
25 To 34 Years	49	47.1	185	39.4	189	39.0	115,468	37.0
35 To 44 Years	26	25.0	137	29.1	141	29.1	100,294	32.1
45 To 54 Years	14	13.5	49	10.4	52	10.7	37,763	12.1
55 To 64 Years	2	1.9	12	2.6	13	2.7	10,647	3.4
65 Years or Older	.	.	2	0.4	4	0.8	3,455	1.1
<b>Total</b>	104	100.0	470	100.0	484	100.0	312,133	100.0
<b>Race/Ethnicity</b>								
Hispanic	17	16.3	65	13.8	68	14.0	<sup>E</sup>	<sup>E</sup>
American-Indian Non-Hispanic	.	.	2	0.4	2	0.4	<sup>E</sup>	<sup>E</sup>
Asian Non-Hispanic	1	1.0	1	0.2	1	0.2	<sup>E</sup>	<sup>E</sup>
Black Non-Hispanic	34	32.7	120	25.5	121	25.0	<sup>E</sup>	<sup>E</sup>
White Non-Hispanic	50	48.1	269	57.2	278	57.4	<sup>E</sup>	<sup>E</sup>
Old Asian/Pacific Islander Non-Hispanic <sup>D</sup>	.	.	1	0.2	2	0.4	<sup>E</sup>	<sup>E</sup>
Multi-Race Non-Hispanic	2	1.9	2	0.4	2	0.4	<sup>E</sup>	<sup>E</sup>
Unknown Non-Hispanic	.	.	10	2.1	10	2.1	<sup>E</sup>	<sup>E</sup>
<b>Total</b>	104	100.0	470	100.0	484	100.0	<sup>E</sup>	<sup>E</sup>
<b>Gender</b>								
Male	73	70.2	361	76.8	373	77.1	228,572	74.0
Female	31	29.8	109	23.2	111	22.9	80,336	26.0
<b>Total</b>	104	100.0	470	100.0	484	100.0	308,908	100.0
<b>Adult/Adolescent Exposure Category</b>								
Men Who Have Sex with Men (MSM)	39	37.5	207	44.7	212	44.4	134,357	43.5
Injection Drug User (IDU)	5	4.8	54	11.7	55	11.5	65,592	21.2
MSM and IDU	6	5.8	31	6.7	32	6.7	17,758	5.7
High Risk Heterosexual Contact	17	16.3	67	14.5	68	14.3	86,829	28.1
Transfusion/Transplant	.	.	2	0.4	2	0.4	.	.
No Identified Risk (NIR)	37	35.6	102	22.0	108	22.6	4,372	1.4
<b>Total</b>	104	100.0	463	100.0	477	100.0	308,908	100.0
<b>Pediatric (&lt;13 Years) Category</b>								
Hemophilia and Coagulation Disorder	.	.	1	14.3	1	14.3	.	.
Mother with HIV	.	.	6	85.7	6	85.7	2,754	85.6
No Identified Risk (NIR)	.	.	.	.	.	.	465	14.4
<b>Total</b>	.	.	7	100.0	7	100.0	3,219	100.0

A Newly Reported cases are cases reported between January 1, 2003 and December 31, 2003.

B Prevalent cases are those people presumed living in KS with HIV and AIDS.

C Cumulative cases are those people ever reported to have HIV and AIDS.

D As of 1-1-03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

E US data is not available for the year 2003 and therefore race categories are not comparable.

Percentages may not add to 100% due to rounding.

**Prevalent Adult/Adolescent AIDS Cases by Exposure and Gender Reported as of  
December 31, 2003**

	Male		Female		Total	
	N	%	N	%	N	%
<b>Adult/Adolescent Exposure Category</b>						
Men who have sex with men (MSM)	624	67.1	.	.	624	57.4
Injection Drug User (IDU)	75	8.1	33	21.0	108	9.9
MSM and IDU	102	11.0	.	.	102	9.4
Hemophilia and/or Coagulation Disorder	9	1.0	.	.	9	0.8
Heterosexual Contact	54	5.8	102	65.0	156	14.3
<i>Sex with an IVDU</i>	11		22		33	
<i>Sex with other High Risk Partner</i>	43		80		123	
Transfusion/Transplant	9	1.0	5	3.2	14	1.3
No Identified Risk (NIR)	57	6.1	17	10.8	74	6.8
<b>TOTAL</b>	930	100.0	157	100.0	1087	100.0


Percentages may not add to 100% due to rounding.

**Prevalent Adult/Adolescent HIV Cases by Exposure and Gender Reported as of  
December 31, 2003**

	Male		Female		Total	
	N	%	N	%	N	%
<b>Adult/Adolescent Exposure Category</b>						
Men who have sex with men (MSM)	207	57.7	.	.	207	44.7
Injection Drug User (IDU)	33	9.2	21	20.2	54	11.7
MSM and IDU	31	8.6	.	.	31	6.7
Heterosexual Contact	21	5.9	46	44.3	67	14.5
<i>Sex with an IVDU</i>	2		11		13	
<i>Sex with other High Risk Partner</i>	19		35		54	
Transfusion/Transplant	2	0.6	.	.	2	0.4
No Identified Risk (NIR)	65	18.1	37	35.6	102	22.0
<b>TOTAL</b>	359	100.0	104	100.0	463	100.0

Percentages may not add to 100% due to rounding.


### HIV Regions in Kansas



- Region 1- Kansas
    - Region 2- Shawnee
    - Region 3- Lawrence
  - Region 4- Topeka
    - Region 5- Pittsburg
    - Region 6- Manhattan
  - Region 7- Salina
    - Region 8- Wichita
    - Region 9- Garden City
- ★ Major Cities

Region	Kansas Newly Reported AIDS Cases as of December 31,2003	Kansas Newly Reported HIV Cases as of December 31,2003	Kansas Prevalent AIDS Cases as of December 31,2003	Kansas Prevalent HIV Cases as of December 31,2003	Kansas Cumulative AIDS Cases as of December 31,2003	Kansas Cumulative HIV Cases as of December 31,2003
Region	N	N	N	N	N	N
1	30	19	260	89	521	92
2	13	25	176	76	438	78
3	4	4	45	14	106	14
4	12	6	101	37	261	41
5	3	2	28	19	120	19
6	2	8	33	20	90	20
7	8	6	45	22	102	22
8	48	28	378	167	891	170
9	4	6	30	25	74	27
Unknown	.	.	.	1	.	1
<b>TOTAL</b>	124	104	1096	470	2603	484

State of Kansas  
Prevalent Cases of HIV and AIDS by County  
As of 12/31/03 by Date of Report




\* Prevalent cases are those people presumed living with HIV and AIDS.  
\*\* County of residence is based on county of residence at time of diagnosis

**Kansas Infertility Prevention Project (KIPP)  
January-December 2003**

- ✓ KIPP sites screened 31,278 females for chlamydia in 2003. 1,961 or 6.3% were positive.
- ✓ 71.3% of tests were done in women between the ages of 15-24, and the same group accounted for 82.4% of the positive tests for chlamydia.
- ✓ STD clinics continue to have the highest percent positives when compared to other clinics.

**Percent Chlamydia Positive by Clinic**



Clinic	Number of Chlamydia Positive by Clinic
STD	694
University	62
Prison	28
Family Planning	918
M&I	96
Prenatal	92
Other	71

