

Hospital Discharges due to Injuries (N-codes), Shawnee County, 2001-2005

| | SEX | | | YEAR | | | | | All N |
|-----------|------|--------|------|------|------|------|------|------|----------|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | |
| | N | N | N | N | N | N | N | N | |
| AGE GROUP | | | | | | | | | |
| <1-14 | 165 | 95 | 260 | 65 | 55 | 57 | 41 | 42 | 260 |
| 15-24 | 290 | 158 | 448 | 84 | 94 | 95 | 83 | 92 | 448 |
| 25-34 | 236 | 160 | 396 | 82 | 80 | 85 | 78 | 71 | 396 |
| 35-44 | 319 | 214 | 533 | 117 | 107 | 111 | 97 | 101 | 533 |
| 45-54 | 283 | 234 | 517 | 83 | 114 | 101 | 122 | 97 | 517 |
| 55-64 | 198 | 230 | 428 | 62 | 106 | 92 | 79 | 89 | 428 |
| 65-74 | 177 | 290 | 467 | 80 | 98 | 97 | 87 | 105 | 467 |
| 75-84 | 260 | 691 | 951 | 168 | 186 | 169 | 235 | 193 | 951 |
| All | 1928 | 2072 | 4000 | 741 | 840 | 807 | 822 | 790 | 4000 |

- Kansas hospital discharge data show that 4000 Shawnee County residents were discharged due to injuries during 2001- 2005.
- Of these discharges, approximately 48% (n=1928) and 52% (n=2072) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 75-84 years old (n=951).

Hospital Discharges due to Assault Related Injuries, Shawnee County, 2001-2005

| | SEX | | | YEAR | | | | | |
|------------------|------|--------|-----|------|------|------|------|------|-----|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | All |
| | N | N | N | N | N | N | N | N | N |
| AGE GROUP | | | | | | | | | |
| <1-14 | * | * | * | * | * | * | * | * | * |
| 15-24 | 43 | * | 46 | 9 | 5 | 11 | 10 | 11 | 46 |
| 25-34 | 30 | * | 34 | 11 | 6 | 6 | * | 8 | 34 |
| 35-44 | 34 | * | 38 | 7 | 8 | * | 8 | 11 | 38 |
| 45-54 | 19 | * | 21 | * | 7 | * | * | 5 | 21 |
| 55-64 | 7 | * | 9 | * | * | * | * | * | 9 |
| 75-84 | * | * | * | * | * | * | * | * | * |
| All | 135 | 16 | 151 | 29 | 31 | 28 | 28 | 35 | 151 |

*Number less than five

- Kansas hospital discharge data show that 151 Shawnee County residents were discharged due to assault-related injuries during 2001- 2005.
- Of these discharges, approximately 89% (n=135) and 11% (n=16) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 15-24 years old (n=46).

Hospital Discharges due to Firearms-Related Injuries, Shawnee County, 2001-2005

| | SEX | | | YEAR | | | | | |
|-----------|------|--------|-----|------|------|------|------|------|-----|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | All |
| | N | N | N | N | N | N | N | N | N |
| AGE GROUP | | | | | | | | | |
| <1-14 | * | * | * | * | * | * | * | * | * |
| 15-24 | 34 | * | 36 | 7 | 9 | 8 | 6 | 6 | 36 |
| 25-34 | 26 | * | 27 | 9 | * | * | * | 7 | 27 |
| 35-44 | 9 | * | 11 | * | * | * | * | * | 11 |
| 45-54 | 7 | * | 8 | * | * | * | * | * | 8 |
| 55-64 | * | * | * | * | * | * | * | * | * |
| 65-74 | * | * | * | * | * | * | * | * | * |
| All | 78 | 9 | 87 | 21 | 21 | 14 | 12 | 19 | 87 |

*Numbers less than five

- Kansas hospital discharge data show that 87 Shawnee County residents were discharged due to firearms-related injuries during 2001- 2005.
- Of these discharges, approximately 90% (n=78) and 10% (n=9) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 15-24 years old (n=36).

Hospital Discharges due to Hip Fractures among 65 years and above, Shawnee County, 2001-2005

| | SEX | | | YEAR | | | | | |
|-----------|------|--------|-----|------|------|------|------|------|-----|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | All |
| | N | N | N | N | N | N | N | N | N |
| AGE GROUP | | | | | | | | | |
| 65-74 | 53 | 95 | 148 | 30 | 35 | 31 | 25 | 27 | 148 |
| 75-84 | 113 | 307 | 420 | 73 | 88 | 76 | 90 | 93 | 420 |
| All | 166 | 402 | 568 | 103 | 123 | 107 | 115 | 120 | 568 |

*Numbers less than five

- Kansas hospital discharge data show that 568 Shawnee County residents ages 65 years and above were discharged due to hip fracture injuries during 2001- 2005.
- Of these discharges, approximately 29% (n=166) and 71% (n=402) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 75-84 years old (n=420).

Hospital Discharges due to Motor Vehicle Injuries, Shawnee County, 2001-2005

| | SEX | | | YEAR | | | | | |
|-----------|------|--------|-----|------|------|------|------|------|-----|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | All |
| | N | N | N | N | N | N | N | N | N |
| AGE GROUP | | | | | | | | | |
| <1-14 | 28 | 9 | 37 | 12 | 7 | 7 | 5 | 6 | 37 |
| 15-24 | 67 | 45 | 112 | 22 | 24 | 35 | 15 | 16 | 112 |
| 25-34 | 27 | 17 | 44 | 5 | 6 | 16 | 11 | 6 | 44 |
| 35-44 | 47 | 25 | 72 | 16 | 12 | 18 | 15 | 11 | 72 |
| 45-54 | 36 | 26 | 62 | 9 | 15 | 9 | 18 | 11 | 62 |
| 55-64 | 28 | 7 | 35 | * | 12 | 7 | 8 | 5 | 35 |
| 65-74 | 11 | 18 | 29 | * | 9 | 7 | 5 | 5 | 29 |
| 75-84 | 8 | 22 | 30 | 7 | 5 | 8 | 7 | * | 30 |
| All | 252 | 169 | 421 | 77 | 90 | 107 | 84 | 63 | 421 |

*Numbers less than five

- Kansas hospital discharge data show that 421 Shawnee County residents were discharged due to motor vehicle injuries during 2001- 2005.
- Of these discharges, approximately 60% (n=252) and 40% (n=169) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 15-24 years old (n=112).

Hospital Discharges due to Poisoning, Shawnee, 2001-2005

| | SEX | | | YEAR | | | | | |
|-----------|------|--------|-----|------|------|------|------|------|-----|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | All |
| | N | N | N | N | N | N | N | N | N |
| AGE GROUP | | | | | | | | | |
| <1-14 | 10 | 9 | 19 | * | * | 6 | 7 | * | 19 |
| 15-24 | 45 | 73 | 118 | 17 | 25 | 20 | 28 | 28 | 118 |
| 25-34 | 54 | 77 | 131 | 29 | 22 | 29 | 26 | 25 | 131 |
| 35-44 | 64 | 99 | 163 | 30 | 32 | 41 | 26 | 34 | 163 |
| 45-54 | 44 | 67 | 111 | 12 | 22 | 26 | 24 | 27 | 111 |
| 55-64 | 10 | 40 | 50 | 8 | 13 | 8 | 9 | 12 | 50 |
| 65-74 | * | 9 | 13 | * | * | * | 5 | * | 13 |
| 75-84 | * | * | 7 | * | * | * | * | * | 7 |
| All | 235 | 377 | 612 | 100 | 120 | 132 | 129 | 131 | 612 |

*Numbers less than five

- Kansas hospital discharge data show that 612 Shawnee County residents were discharged due to poisoning-related injuries during 2001- 2005.
- Of these discharges, approximately 38% (n=235) and 62% (n=377) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 35-44 years old (n=163).

Hospital Discharges due to Suicide Attempts, Shawnee County, 2001-2005

| | SEX | | | YEAR | | | | | |
|-----------|------|--------|-----|------|------|------|------|------|-----|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | All |
| | N | N | N | N | N | N | N | N | N |
| AGE GROUP | | | | | | | | | |
| <1-14 | * | * | * | * | * | * | * | * | * |
| 15-24 | 31 | 60 | 91 | 15 | 21 | 14 | 22 | 19 | 91 |
| 25-34 | 47 | 61 | 108 | 26 | 17 | 24 | 23 | 18 | 108 |
| 35-44 | 53 | 72 | 125 | 24 | 26 | 31 | 19 | 25 | 125 |
| 45-54 | 34 | 45 | 79 | 10 | 16 | 17 | 16 | 20 | 79 |
| 55-64 | 8 | 21 | 29 | 6 | 9 | * | 5 | 6 | 29 |
| 65-74 | * | * | 7 | * | * | * | * | * | 7 |
| 75-84 | * | * | * | * | * | * | * | * | * |
| All | 176 | 269 | 445 | 83 | 91 | 91 | 89 | 91 | 445 |

*Numbers less than five

- Kansas hospital discharge data show that 445 Shawnee County residents were discharged due to suicide-attempts during 2001- 2005.
- Of these discharges, approximately 40% (n=176) and 60% (n=269) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 35-44 years old (n=125).

Hospital Discharges from Traumatic Brain Injuries, Shawnee County, 2001-2005

| | SEX | | | YEAR | | | | | |
|-----------|------|--------|-----|------|------|------|------|------|-----|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | All |
| | N | N | N | N | N | N | N | N | N |
| AGE GROUP | | | | | | | | | |
| <1-14 | 43 | 23 | 66 | 21 | 9 | 12 | 9 | 15 | 66 |
| 15-24 | 75 | 27 | 102 | 19 | 21 | 25 | 17 | 20 | 102 |
| 25-34 | 32 | 7 | 39 | 6 | 7 | 14 | * | 8 | 39 |
| 35-44 | 55 | 13 | 68 | 16 | 11 | 13 | 11 | 17 | 68 |
| 45-54 | 50 | 16 | 66 | 7 | 16 | 17 | 13 | 13 | 66 |
| 55-64 | 30 | 15 | 45 | 5 | 8 | 7 | 10 | 15 | 45 |
| 65-74 | 33 | 23 | 56 | 6 | 14 | 16 | 12 | 8 | 56 |
| 75-84 | 41 | 49 | 90 | 17 | 14 | 13 | 31 | 15 | 90 |
| All | 359 | 173 | 532 | 97 | 100 | 117 | 107 | 111 | 532 |

*Numbers less than five

- Kansas hospital discharge data show that 532 Shawnee County residents were discharged due to traumatic brain injuries during 2001- 2005.
- Of these discharges, approximately 67% (n=359) and 33% (n=173) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 15-24 years old (n=102).

Hospital Discharges due to Unintentional falls, Shawnee County, 2001-2005

| | SEX | | | YEAR | | | | | All N |
|-----------|------|--------|------|------|------|------|------|------|----------|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | |
| | N | N | N | N | N | N | N | N | |
| AGE GROUP | | | | | | | | | |
| <1-14 | 42 | 31 | 73 | 15 | 12 | 14 | 20 | 12 | 73 |
| 15-24 | 27 | 9 | 36 | 6 | 9 | 5 | 8 | 8 | 36 |
| 25-34 | 28 | 22 | 50 | 5 | 14 | 7 | 11 | 13 | 50 |
| 35-44 | 48 | 32 | 80 | 12 | 20 | 13 | 17 | 18 | 80 |
| 45-54 | 74 | 59 | 133 | 25 | 27 | 17 | 39 | 25 | 133 |
| 55-64 | 78 | 109 | 187 | 21 | 34 | 48 | 41 | 43 | 187 |
| 65-74 | 103 | 167 | 270 | 36 | 53 | 55 | 55 | 71 | 270 |
| 75-84 | 158 | 438 | 596 | 80 | 107 | 106 | 168 | 135 | 596 |
| All | 558 | 867 | 1425 | 200 | 276 | 265 | 359 | 325 | 1425 |

- Kansas hospital discharge data show that 1425 Shawnee County residents were discharged due to unintentional fall-related injuries during 2001- 2005.
- Of these discharges, approximately 39% (n=558) and 61% (n=867) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 75-84 years old (n=596).

Hospital Discharges due to Unintentional Fire-Related Injuries, Shawnee County, 2001-2005

| | SEX | | | YEAR | | | | | |
|-----------|------|--------|-----|------|------|------|------|------|-----|
| | Male | Female | All | 2001 | 2002 | 2003 | 2004 | 2005 | All |
| | N | N | N | N | N | N | N | N | N |
| AGE GROUP | | | | | | | | | |
| <1-14 | * | * | 5 | * | * | * | * | * | 5 |
| 15-24 | * | * | * | * | * | * | * | * | * |
| 25-34 | * | * | * | * | * | * | * | * | * |
| 35-44 | 5 | * | 5 | * | * | * | * | * | 5 |
| 45-54 | * | * | * | * | * | * | * | * | * |
| 55-64 | * | * | * | * | * | * | * | * | * |
| 65-74 | * | * | * | * | * | * | * | * | * |
| 75-84 | * | * | * | * | * | * | * | * | * |
| All | 17 | 6 | 23 | 10 | 5 | * | * | * | 23 |

*Numbers less than five

- Kansas hospital discharge data show that 23 Shawnee County residents were discharged due to unintentional fire-related injuries during 2001- 2005.
- Of these discharges, approximately 74% (n=17) and 26% (n=6) occurred among males and females respectively.
- The highest number of discharges occurred among those ages 0-14 years (n=5) and those ages 35-44 years (n=5).