

## Vaccine Administration Site & Route

	Site		Route	Vaccines
<b>LVL</b>	Left Vastus Lateralis	Infants (& toddlers lacking adequate deltoid mass)	IM	Diphtheria, Tetanus, Pertussis (DTaP, DT, Tdap, Td) Haemophilus influenzae B (Hib) Hepatitis A (HepA) Hepatitis B (HepB)
<b>RVL</b>	Right Vastus Lateralis			
<b>LD</b>	Left Deltoid	Toddlers, children & adults	IM	Influenza, trivalent inactivated (TIV) Meningococcal conjugated (MCV4) Pneumococcal Conjugate (PCV7) Pneumococcal Polysaccharide (PPV) Polio, inactivated (IPV) <i>Needle Size 22-25g, 1-2"</i>
<b>RD</b>	Right Deltoid			
<b>LALT</b>	Left AnteroLateral fat of Thigh	Infants and young children	SQ	Measles, Mumps, Rubella (MMR) Meningococcal polysaccharide (MPSV4) Pneumococcal polysaccharide (PPV) Polio, inactivated (IPV) Varicella (Var) <i>Needle Size 23-25g, 5/8"</i>
<b>RALT</b>	Right AnteroLateral fat of Thigh			
<b>LPUA</b>	Left Posterolateral fat of Upper Arm	Children and adults	SQ	
<b>RPUA</b>	Right Posterolateral fat of Upper Arm			
<b>LFA</b>	Left ForeArm	Intradermal		Tuberculin ppd Skin Test
<b>RFA</b>	Right ForeArm			