

ADDENDUM

IFB Number: 264-12-08

Addendum No: 1

Date Posted: February 1, 2012

Closing Date: 2:00 PM, February 10, 2012

Procurement Officer: Kelly Chilson

Telephone: 785-296-1519

E-Mail Address: kchilson@kdhe.state.ks.us

Item: Project Safe At Home – Lead Hazard Reduction

Conditions:

Property # 1 1107 N Larimar

No Change

Property # 2 1638 S Drollinger

No Change

Property # 3 1720 Northeast Pkwy

No Change

Property # 4 4126 W Bella Vista

No Change

Property # 5 2912 N Woodland

No Change

Property # 6 639 S St. Paul

No Change

Property # 7 2044 N Fairview

Furnish and install new vinyl siding over existing exterior siding. Installation shall include 3/8" rigid insulated backer board, J-channels, corner moldings and all other accessories for a complete installation. All window and door trim to be wrapped with coil stock. Properly caulk all joints. Furnish and install new 4" metal house numbers in a prominent place facing the street. Numbers are to be secured with brass, galvanized steel, or aluminum fasteners. Install per manufacturer recommendations. Installation shall include all components for a complete installation. Color and style is to be selected by owner.

Install 5" seamless gutter on the home per manufacturer specifications

Property # 8 2217 N Fairview

No Change

Property #9 1207 N Glendale

No Change

Kelly Chilson, Director
Purchasing Services
Kansas Department of Health & Environment
1000 SW Jackson, Suite 570
Topeka KS 66612