

Source Water Assessment Report



Public Water Supply: LARNED, CITY OF

Assessment Areas Include:

293



Kansas Department of Health and Environment
Bureau of Water Watershed Management Section
1000 SW Jackson St., Suite 420
Topeka, KS 66612-1367



Burns & McDonnell
9400 Ward Parkway
Kansas City, MO 64114



Kansas Geological Survey University of Kansas
1930 Constant Ave.
Lawrence, KS 66047

Reports were generated with the Automated Source Water Assessment Tool (ASWAT). Assessments were completed online using ASWAT by hundreds of state employees, public water supply staff, and technical assistant providers throughout the State of Kansas.

Table Of Contents

<u>Report Description</u>	
<u>Assessment Area 293</u>	<u>1.0</u>
<u>Executive Summary</u>	<u>1.1</u>
<u>Potential Sources</u>	<u>1.2</u>
<u>Added Sources</u>	<u>1.3</u>
<u>Potential Contaminants Summary</u>	<u>1.4</u>
<u>Potential Contaminants Listing</u>	<u>1.5</u>
<u>Protection Measures</u>	<u>1.6</u>
<u>Assessment Analysis</u>	<u>1.7</u>
<u>Site Comments</u>	<u>1.8</u>
<u>Added Site Comments</u>	<u>1.9</u>
<u>Analysis Question Comments</u>	<u>1.10</u>

Report Description

Detailed Explanation of Entire Report:

The 1996 amendments to the Safe Drinking Water Act require each state to develop a Source Water Assessment Program (SWAP) and a Source Water Assessment (SWA) for each Public Water Supply (PWS) that treats and distributes raw source water. In Kansas there are 761 public water supplies that require SWAs. A SWA includes a delineation of the source water assessment area, an inventory of potential contaminant sources, and a susceptibility analysis.

A PWS can consist of one or more individual assessment areas that require different assessments. In general, an assessment area is delineated at a two-mile fixed radius for a groundwater well. A surface water intake assessment area is the upstream-drainage area (watershed), inside the state border. Additionally, an assessment area can consist of an individual well, group of wells, an individual surface water intake, or multiple surface water intakes.

After each assessment is completed a report is automatically generated using an Internet-based application called the Automated Source Water Assessment Tool (ASWAT). The individual assessment reports combine to form the entire SWA report for a PWS.

A map of each Assessment Area was also generated with ASWAT. However, for security reasons the maps are not included in this report. To obtain a copy of the map(s), please contact your local PWS.

All PWS reports will be available for viewing and downloading on KDHE's Watershed Management Section website(<http://www.kdhe.state.ks.us/nps>) in 2004.

LARNED, CITY OF Summary:

AA	Type	Diversion Id
293	Ground water multiple wells	008, 003, 004, 006, 009

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Executive Summary:

The Executive Summary gives the assessment area's Susceptibility Likelihood Score (SLS) for each contaminant of concern category.

SLS indicates which contaminant category is most likely to impact a given public water supply. Contaminants of concern for groundwater include microbiological, inorganic compounds, nitrates, synthetic organic compounds, pesticides, and volatile organic compounds. Contaminants of concern for surface water include microbiological, inorganic compounds, eutrophication – phosphorus, sedimentation, synthetic organic compounds, pesticides, and volatile organic compounds.

To determine the assessment area's susceptibility to contamination, a qualitative (semi-quantitative) screening level susceptibility analysis was designed that utilizes general assumptions and best professional judgement. It is a systematic procedure comprised of simple yes/no questions. Each question in the susceptibility analysis focuses on the presence or absence of potential pollution sources in the assessment area. SLS is most useful in helping the Public Water Supply (PWS) focus on water quality protection actions towards a contaminant category of concern. For example, if the SLS for microbiological contamination is high, relative to volatile organic compounds (VOC), water supply protection planners would conclude that the attention should be directed towards microbiological contaminant sources rather than VOC sources.

Executive Summary

Public Water Supply: **LARNED, CITY OF**
 Assessment Area: **293**

Susceptibility Likelihood Scores for Assessment Area

Contaminant Category	A	B	B*	C	C*	D
Susceptibility Likelihood Score – SLS	72	69	72	76	68	76
SLS Range	Mid	Mid	Mid	Mid	Mid	Mid

A – Microbiological

B* – Nitrates

C* – Pesticides

B – Inorganic Compounds

C – Synthetic Organic Compounds

D – Volatile Organic Compounds

Susceptibility Likelihood Range

SLS Range	
0–50	Low Susceptibility
51–80	Moderate Susceptibility
81–100	High Susceptibility

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Potential Sources:

The Potential Sources section lists all the sites that have been identified as potential sources of contamination.

Potential sources of contamination may include land uses, industry, or businesses that could generate or store chemicals/substances that could potentially contaminate the water supply only if released into the environment. Both unregulated sites from business location databases and regulated sites from various KDHE databases were compiled. Additional sites could have been added by an evaluator through the assessment process to supplement the original data.

The 1987 Standard Industrial Classifications (SIC) were used to identify potential contaminate sites. The SIC system classifies establishments into industries on the basis of the primary activities of the establishment.

Each assessment area is delineated with 3 assessment zones. These zones can be used to get a general understanding of the potential influence sites have based on proximity to the water supply. Zone A is a 100-foot radius around a groundwater well and a 1000-foot radius around a surface water intake. Zone B is a 2000-foot radius around wells and a hydrological delineated buffer around the surface water sources. Zone C is a 2-mile radius around wells and the balance of the watershed for intakes. The potential sources listed in this section are sorted to show all the potential sources in Zone A first, Zone B second, and Zone C third.

Although a facility or business is identified in the study as a potential concern, it does not necessarily mean a release or spill has occurred. Contamination could only occur if certain chemical substances are released into the environment and filter into the water supply source.

The data for the potential sources of contamination was compiled from May through August in 2002. Some of the databases used were incomplete datasets that are continually being updated. Due to the incompleteness, inaccuracies, and new development, it is possible that sources of potential contamination that are in the assessment area are not included in the report. Inaccurate locations could also cause sources to show up in the assessment area that are not actually in the assessment. Additionally, duplication between the datasets could cause sites to show up multiple times in the assessment area.

Potential Sources

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**

Unregulated Potential Site Sources

Source No.	SIC Description	SIC ID	Zone
205051	Single-family Housing Construction	1521	B
204789	Meat Packing Plant Manufacturing	2011	B
205049	Farm Product Warehousing and Storage	4221	B
205056	Top, Body, and Upholstery Repair Shops and Paint Shops	7532	B
205059	Top, Body, and Upholstery Repair Shops and Paint Shops	7532	B
205014	Cattle Farm	211	C
204838	Oil and Gas Field services	1389	C
204922	Oil and Gas Field services	1389	C
205011	Nonresidential Construction	1542	C
204843	Prepared Feeds For Animals and Fowls	2048	C
205090	Newspapers Publishing and Printing	2711	C
204974	Commercial Printing-Lithographic	2752	C
205039	Commercial Printing NEC	2759	C
205009	Fabricated Metal Products Manufacturing	3499	C
204856	Recreational vehicle sales and repair	5012	C

Unregulated Potential Site Sources

Source No.	SIC Description	SIC ID	Zone
205000	Farm and Garden Machinery	5083	C
204828	Mobile Home Park	6515	C
204881	Top, Body, and Upholstery Repair Shops and Paint Shops	7532	C
204913	Top, Body, and Upholstery Repair Shops and Paint Shops	7532	C
205058	Top, Body, and Upholstery Repair Shops and Paint Shops	7532	C
204869	Auto Truck Repair Service	7538	C
204935	Auto Truck Repair Service	7538	C

Regulated Confined Animal Feeding Operations Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
2002500	Pawnee County Cattle Co., Inc.	A-UAPN-BA04	C
2002897	Ward Feed Yard, Inc.	A-UAPN-C004	C

Regulated Hazardous Waste Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Leaking Storage Tank Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
3000186	Reynolds Short Stop	02163	C

Regulated Leaking Storage Tank Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
3000634	Kwik Shop #741	06632	C
3000912	Beautiful You, The	09138	C
3000999	Constant Oil Co	13001	C
3001130	Dean's 66 Service	17332	C

Regulated Identified Contaminated Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Solid Waste Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
5000101	Pawnee County – Larned	0133–S	C

Regulated Waste Water Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
6001859	LARNED MWTP	M-UA25-OO01	B
6000219	PAWNEE COUNTY CO-OP	I-UA25-PO03	C
6000926	LARNED MUNICIPAL POWER PLANT	I-UA25-PO01	C

Regulated Waste Water Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
6001860	LARNED MWTP	M-UA25-OO01	C

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Added Sources:

The Added Sources section lists all the sites that have been added as potential sources of contamination by an evaluator through the assessment process to supplement the original data.

The potential sources listed in this section are sorted to show the added potential sources in Zone A first, Zone B second, and Zone C third.

Although a facility or business was added as a potential concern, it does not necessarily mean a release or spill has occurred. Contamination could only occur if certain chemical substances are released into the environment and filter into the water supply source.

Added Sources

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**

Added Potential Site Sources

Source No.	Source Name	SIC ID	Zone
9000219	grazing livestock and CRP grassland	10080	B
9000221	Electrical Power Plant and Transformer Substation	10007	C
9000220	Petroleum Bulk Stations and Terminal (Truck Farm)	4600	C
9000222	dog kennel	752	C
9000223	auto body repair and paint shop	7532	C

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Potential Contaminants Summary:

The Contaminants Summary shows the number of identified unregulated sources in the assessment area for each contaminant of concern category.

In order to obtain the number of sources for each category, a relationship was correlated between each Standard Industrial Classification (SIC) and the contaminant of concern categories. Each SIC was assessed and associated with contaminant categories. For example, if not managed properly, a car wash (SIC 7542) could potentially contaminate an intake because of inorganic compounds (IOC) and volatile organic compounds (VOC); thus, a car wash is associated with IOCs and VOCs.

A chart displays a count for each contaminant category. The sum for each category represents the total number of identified sources that have been associated with that particular contaminant category. However, the total number of identified sources does not include contaminants from the Added Sources. In our example, a car wash would be considered 2 sources of contamination. It would be a potential source of contamination for IOCs and for VOCs; thus, 1 would be added to the total number of sources in the VOC category and 1 would be added to the IOC category.

Potential Contaminants Summary

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**

Number of Unregulated Site Sources Identified for each Contaminant Category

MicroBiological	Pesticides	IOC's	SOC's	VOC's	Nitrates
5	2	19	6	12	5

A – Microbiological

B* – Nitrates

C* – Pesticides

B – Inorganic Compounds

C – Synthetic Organic Compounds

D – Volatile Organic Compounds

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Potential Contaminants Listing:

The Potential Contaminants section lists the contaminant of concern category associated with each Standard Industrial Classification (SIC) found in an assessment area. A complete list of contaminant category codes are located at the bottom of this page.

The relationships defined between the Standard Industrial Classifications (SIC) and the contaminant of concern categories are displayed in a table format. Using our car wash example, the relationships can be better illustrated. A car wash could release IOC and VOC chemical substances. The connection is shown by indicating the SIC, 7542, and the associated contaminant categories, IOC (Category B) and VOC (Category D). However, the contaminants listed are not associated with any Added Sources.

The list is sorted by the SIC source description and it only shows unique SIC sources. For example, an assessment area can have 20 car washes in an assessment area, but the list is only going to show contaminant categories associated with car washes onetime. This is because all car washes have the same SIC and every car wash poses the same potential threat to water intakes.

A – Microbiological **B** – Inorganic Compounds **B1** – Eutrophication – Phosphorous
B2 – Sedimentation **B*** – Nitrates **C** – Synthetic Organic Compounds
C* – Pesticides **D** – Volatile Organic Compounds

Potential Contaminants Listing

Public Water Supply: LARNED, CITY OF
 Assessment Area: 293

Unregulated Identified Site Sources and associated Potential Contaminant Category

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
7538	Auto Truck Repair Service	Inorganics, VOCs	B
"	"	"	D
211	Cattle Farm	Sanitary, Fertilizers TSS, pesticides, Erosion and sedimentation	A
"	"	"	B
"	"	"	B1
"	"	"	B2
"	"	"	B*
"	"	"	C*
3499	Fabricated Metal Products Manufacturing	inorganics, VOCs	B
"	"	"	D
2011	Meat Packing Plant Manufacturing	BOD, pathogens, Oil and grease	A
"	"	"	B*
6515	Mobile Home Park	Sanitary wastes, Fertilizers	A
"	"	"	B
"	"	"	B1
"	"	"	B*
1542	Nonresidential Construction	Sedimentation	B2

Unregulated Identified Site Sources and associated Potential Contaminant Category.

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
1389	Oil and Gas Field services	Oil, Salt Water	B
"	"	"	C
1521	Single-family Housing Construction	Oil, Paint, Pesticides, Fertilizers	A
"	"	"	B1
"	"	"	B2
"	"	"	B*
"	"	"	C
7532	Top, Body, and Upholstery Repair Shops and Paint Shops	Inorganics, VOCs	B
"	"	"	D
2759	Commercial Printing NEC	Inorganics, VOCs, Semi volatiles	B
"	"	"	C
"	"	"	D
2752	Commercial Printing-Lithographic	Inorganics, VOCs, Semi volatiles	B
"	"	"	C
"	"	"	D
4221	Farm Product Warehousing and Storage	TSS, VOCs	B
"	"	"	D
5083	Farm and Garden Machinery	inorganics	B
2711	Newspapers Publishing and Printing	Inorganics, VOCs, Semi volatiles	B

Unregulated Identified Site Sources and associated Potential Contaminant Category.

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
2711	Newspapers Publishing and Printing	Inorganics, VOCs, Semi volatiles	C
"	"	"	D
2048	Prepared Feeds For Animals and Fowls	Sanitary, Nitrates, phosphorous and pesticides	A
"	"	"	B
"	"	"	B1
"	"	"	B2
"	"	"	B*
"	"	"	C*
5012	Recreational vehicle sales and repair	Inorganics	B

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Protection Measures:

The Protection Measures section shows water quality protection measures for the Standard Industrial Classifications (SIC) identified in the assessment area.

Previous sections of this report are designed to show areas that Public Water Supplies (PWS) can focus on to improve the susceptibility of an assessment area. This section helps identify water quality protection measures that a PWS can use as guidance for implementing action for a potential contaminant site in the assessment area. It focuses on protection measures that can reduce the risk of contamination to the water supply.

This portion of the report only displays water quality protection measures for each type of SIC found in the assessment area. It does not display protection measures for each site in the assessment area because every SIC should have the same or similar water quality protection management practices. However, the protection measures listed are not associated with any Added Sources.

Protection Measures

Public Water Supply: **LARNED, CITY OF**
 Assessment Area: **293**

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority
7538	Auto Truck Repair Service	Inorganics, VOCs	Discharge to POTW. Manage oil products and used oil so that it is not in contact with water	40 CFR 442 and
211	Cattle Farm	Sanitary, Fertilizers TSS, pesticides, Erosion and sedimentation	Proper application of fertilizers and pesticides. Proper cleaning of equipment and disposal of chemicals. Maintain riparian areas along waterways and keep cattle out of these areas. Proper Waste Management and Grazing Management.	KDHE– Livestock Waste Management Section, KAR 28–16, KDA, County Soil Conservation District, NRCS
3499	Fabricated Metal Products Manufacturing	inorganics, VOCs	Manage wastes properly and treat process wastewater prior to discharge to a POTW or direct	State or federal Storm water pollution prevention regulations
2011	Meat Packing Plant Manufacturing	BOD, pathogens, Oil and grease	Wastewater pretreatment and/or discharge to a POTW	40CFR 432 and State or federal Storm water pollution prevention regulations
6515	Mobile Home Park	Sanitary wastes, Fertilizers	Discharge to POTW. Minimize use of lawn chemicals	KAR 28–5
1542	Nonresidential Construction	Sedimentation	Erosion and Sediment Control	KAR 28–16, KDHE

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority
1389	Oil and Gas Field services	Oil, Salt Water	Proper management of production wastes	KAR 28–41, 45, 40 CFR 435
1521	Single–family Housing Construction	Oil, Paint, Pesticides, Fertilizers	Proper cleaning and disposal of household hazardous waste. Proper storage, application, and clean up of pesticides and fertilizers	KAR 28–48, KDHE, KDEM
7532	Top, Body, and Upholstery Repair Shops and Paint Shops	Inorganics, VOCs	Discharge to POTW. Recycle where appropriate. Properly maintain oil product and waste. Manage paint and solvent wastes properly	NA
2759	Commercial Printing NEC	Inorganics, VOCs, Semi volatiles	Recycle chemicals where possible. Discharge to POTW	40 CFR 459 and State or federal Storm water pollution prevention regulations
2752	Commercial Printing–Lithographic	Inorganics, VOCs, Semi volatiles	Recycle chemicals where possible. Discharge to POTW	40 CFR 459 and State or federal Storm water pollution prevention regulations
4221	Farm Product Warehousing and Storage	TSS, VOCs	Keep the area clean of grain. Use grease traps.	State or federal Storm water pollution prevention regulations

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority
5083	Farm and Garden Machinery	inorganics	Discharge to POTW	NA
2711	Newspapers Publishing and Printing	Inorganics, VOCs, Semi volatiles	Recycle chemicals where possible. Discharge to POTW	40 CFR 459 and State or federal Storm water pollution prevention regulations
2048	Prepared Feeds For Animals and Fowls	Sanitary, Nitrates, phosphorous and pesticides	Maintain animal feeding areas and feed storage areas to minimize contact with storm water. Collect and treat process wastes.	40 CFR 412 and State or federal Storm water pollution prevention regulations
5012	Recreational vehicle sales and repair	Inorganics	Discharge to a POTW. Store oils and lubricants properly	NA

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Assessment Analysis:

The Assessment Analysis section displays the numbers assigned to each contaminant of concern category for each question in the susceptibility analysis.

This analysis is based on a decision tree framework consisting of a series of yes/no questions. These questions consider the proximity of contaminant sources to the water supply intake, the type of contaminant, and the application of pollution prevention or water quality protection practices to sources of contamination. As the evaluator moves through the analytical framework, susceptibility points are accumulated based on the presence of contaminant sources in the assessment area.

After all the questions have been answered, the SLS is calculated for each contaminant of concern category. The SLS is determined by counting the number of contamination risk factors found to occur in the delineated assessment area and applying a multiplier to this number. Because the number of contaminant category risk factors is not equal, the multiplier is used to establish a common scale for the SLS of each contaminant category.

Assessment Analysis

Public Water Supply: **LARNED, CITY OF**
 Assessment Area: **293**

Ground Water Multiple Wells Analysis

A – Microbiological **B** – Inorganic Compounds
B* – Nitrates **C** – Synthetic Organic Compounds
C* – Pesticides **D** – Volatile Organic Compounds

No.	Question	Response	A	B	B*	C	C*	D
1	Is any well under the influence of surface water?	No	0	0	0	0	0	0
2	Do all PWS wells meet KS PWS water well construction standards?	Yes	0	0	0	0	0	0
3	Is any well less than 30 feet deep?	No	0	0	0	0	0	0
4	Is gravel pack within 20 feet of any well surface?	No	0	0	0	0	0	0
5	Does a PWS own or control all the areas around the wells?	Yes	0	0	0	0	0	0
6	Does Zone B consist entirely of native grass?	No	2	2	2	2	2	2
7	Is there a contaminated well in Zone B?	No	0	0	0	0	0	0
8	Is a class V UIC well present?	Yes	1	1	1	1	1	1
9	Are any commercial, industrial, or urban areas present in Zone B?	Yes	1	1	1	1	1	1
10	Does each industrial/commercial site and urban area have a water quality protection plan in place?	No	1	1	1	1	1	1
11	Are any non-farm home sites present in Zone B?	Yes	1	0	1	0	1	0
12	Do all the non-farm home sites have a water quality protection plan?	No	1	0	1	0	1	0
13	Are any farmsteads present in Zone B?	Yes	1	1	1	1	1	1
14	Do all farmsteads have a water quality protection plan?	No	1	1	1	1	1	1
15	Is there grazing livestock in Zone B?	Yes	1	0	1	0	0	0
16	Have all livestock producers implemented water quality protection measures?	No	1	0	1	0	0	0
17	Is there livestock confinement in Zone B?	No	0	0	0	0	0	0

No.	Question	Response	A	B	B*	C	C*	D
18	Is each confined animal feeding operation registered with KDHE?	Yes	0	0	0	0	0	0
19	Is there corn or grain sorghum production in Zone B?	Yes	0	0	1	0	1	0
20	Are corn/grain sorghum nutrient and pesticide management plans in use for each site?	No	0	0	1	0	1	0
21	Are any orchards present in Zone B?	No	0	0	0	0	0	0
22	Are orchard nutrient and pesticide management plans in use for each site?	Yes	0	0	0	0	0	0
23	Are there unsewered developments (concentrations of lagoons or septic systems) present in Zone B?	Yes	1	1	1	0	0	0
24	Is there a railroad or major highway in Zone B or C?	Yes	0	1	1	1	1	1
25	Is there oil production in Zone B or C?	Yes	0	1	0	1	0	1
26	Do coarse textured soils predominate Zones A, B and C?	Yes	1	1	1	1	1	1
27	Is an irrigation well located in Zone B or C?	Yes	0	1	1	1	1	1
28	Is a wastewater treatment facility in Zone B or C?	Yes	1	1	1	1	1	1
29	Is a solid waste landfill in Zone B or C?	Yes	1	1	1	1	1	1
30	Are there unplugged, abandoned water wells present in Zone C?	Yes	2	1	1	1	1	1
31	Are any commercial, industrial, or urban area present in Zone C?	Yes	1	1	1	1	1	1
32	Does each industrial/commercial site and urban area have a water quality protection plan in place?	No	1	1	1	1	1	1
33	Is there livestock confinement in Zone C?	Yes	1	1	1	1	1	0
34	Is each confined livestock facility registered with KDHE?	Yes	0	0	0	0	0	0
35	Do all the livestock producers have water quality protection measures in place?	No	1	0	1	0	0	0
36	Are cropland nutrient management plans in place?	No	0	0	1	0	0	0
37	Are cropland pesticide management plans in place?	No	0	0	0	0	1	0
38	Does a perennial stream flow into Zone C?	Yes	1	1	1	1	1	1
39	Are watershed water quality protection plans in place?	No	1	1	1	1	1	1

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Site Comments:

The Site Comments section lists all the comments that were added for the potential sources of contamination found in the assessment area.

Local comments and feedback from people that are familiar with the assessment area is an important aspect of the assessment. The comments greatly improve the assessment by adding detail to the sites that can be referenced for more information.

This local information may include comments on potential contamination threats (or lack there of), local water quality protection initiatives, etc. Adding comments are optional and are mainly focused on sources in areas that could have the greatest impact on water supply if a spill or release occurred in the environment. It is left to the discretion of the PWS and/or source water assessment committee to add comments.

Site Comments

Public Water Supply: **LARNED, CITY OF**
 Assessment Area: **293**

Comments for Unregulated Sites

Did Not Receive Any Comments

Comments for Regulated Confined Animal Feeding Operations Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Pawnee County Cattle Co., Inc.	2002500	This cattle livestock facility has no water quality protection plans.	Nicole Fisher
Ward Feed Yard, Inc.	2002897	This large cattle facility has no groundwater monitoring. It is located near a sensitive groundwater area and groundwater monitoring will be considered.	Nicole Fisher

Comments for Regulated Hazardous Waste Sites

Did Not Receive Any Comments

Comments for Regulated Leaking Storage Tank Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Beautiful You, The	3000912	The site is closed from a gasoline tank in 1989. Tanks were removed and groundwater contamination was suspected.	Nicole Fisher

Comments for Regulated Leaking Storage Tank Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Constant Oil Co	3000999	The site is active from gasoline contamination in 1999. The site is .25 miles away from the Pawnee River.	Nicole Fisher
Dean's 66 Service	3001130	The site is closed from contamination in 1995. Tanks were removed and no groundwater contamination was suspected.	Nicole Fisher
Kwik Shop #741	3000634	The site is active from gasoline contamination in 1999. Groundwater contamination was suspected.	Nicole Fisher
Reynolds Short Stop	3000186	The site is currently being monitored from a gasoline leak in 1993. Groundwater contamination was suspected.	Nicole Fisher

Comments for Regulated Identified Contaminated Sites

Did Not Receive Any Comments

Comments for Regulated Solid Waste Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Pawnee County – Larned	5000101	This is a composting, transfer station, construction/demolition facility. No groundwater monitoring is required.	Nicole Fisher

Comments for Regulated Waste Water Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
LARNED MWTP	6001859	This mechanical water treatment plant frequently discharges water that is below the effluent limitation level.	Nicole Fisher

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Added Site Comments:

The Added Site Comments section lists the comments for why sites were added as a potential source of contamination found to the assessment area.

Added Site Comments

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**

Comments for Added Contaminant Sites

Added Contaminant Site Name	Site No.	Site Comments	Author
Electrical Power Plant and Transformer Substation	9000221	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
Petroleum Bulk Stations and Terminal (Truck Farm)	9000220	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
auto body repair and paint shop	9000223	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
dog kennel	9000222	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher
grazing livestock and CRP grassland	9000219	This information was obtained from the Wellhead Protection Plan.	Nicole Fisher

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**
Diversion Id's: **008, 003, 004, 006, 009**
Status: **Accepted**
Submit Date: **2002-11-08 13:54:43**

Analysis Question Comments:

The Analysis Question Comments section lists all the comments that were added during analysis portion of the assessment, in which a series of yes/no questions were asked.

Evaluators have the option to add comments to questions to clarify why a response was given or to give more details to a question. Local comments and feedback from people that are familiar with the assessment area is an important aspect of the assessment. The comments greatly improve the assessment by adding clarification and details that could not be identified with a simple yes or no response.

Analysis Question Comments

Public Water Supply: **LARNED, CITY OF**
Assessment Area: **293**

Comments for Analysis Questions

Analysis Question	Question Comments	Author
Did Not Receive Any Comments		