

Table 4F
2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Barton	1,741	60.4	1.6	34.4	0.1	0.3	3.3	0.0
Butler	988	82.9	1.2	10.7	0.6	0.0	4.6	0.0
Chautauqua	187	86.6	0.5	7.0	0.5	0.0	5.3	0.0
Cherokee	2,439	70.2	7.1	10.9	2.2	0.9	8.7	0.0
Cloud	750	84.9	1.6	8.8	1.6	0.3	2.8	0.0
Cowley	1,411	65.9	2.5	25.7	0.4	0.8	4.7	0.0
Crawford	2,011	77.7	3.1	11.3	0.8	0.7	6.3	0.0
Doniphan	137	86.9	0.7	5.8	2.2	0.0	4.4	0.0
Douglas	1,744	53.6	9.1	14.9	5.5	5.2	11.8	0.0
Ford	2,572	13.7	1.7	83.6	0.1	0.5	0.4	0.0
Franklin	642	82.9	1.4	8.1	0.5	0.0	7.2	0.0
Geary	1,412	41.4	22.2	22.7	0.6	1.5	11.5	0.0
Graham	192	82.8	3.6	8.9	0.0	0.0	4.7	0.0
Greeley	57	*	*	*	*	*	*	*
Greenwood	198	88.9	0.5	7.6	1.0	0.5	1.5	0.0
Harvey	1,137	61.9	2.9	28.6	0.5	0.5	5.5	0.0
Jefferson	251	93.2	0.8	3.6	1.2	0.0	1.2	0.0
Johnson	7,239	35.5	13.4	42.9	0.4	2.5	5.4	0.0
Leavenworth	1,317	56.5	14.7	17.2	0.5	0.5	10.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Lincoln	587	88.2	0.7	8.3	0.3	0.2	2.2	0.0
Linn	277	94.9	0.4	4.3	0.0	0.0	0.4	0.0
Lyon	1,275	49.9	4.2	41.3	0.5	1.3	2.7	0.0
Marion	833	85.0	0.6	10.2	0.4	0.2	3.6	0.0
Marshall	245	84.5	0.8	6.5	1.2	0.0	6.9	0.0
Meade	529	62.2	1.5	34.0	0.4	0.4	1.5	0.0
Miami	570	82.6	2.8	7.9	0.0	0.0	6.7	0.0
NEK	1,248	71.6	4.9	8.1	8.3	0.1	7.0	0.0
Nemaha	174	85.1	0.0	8.0	0.6	0.0	6.3	0.0
Neosho	593	84.7	1.0	11.6	0.3	0.2	2.2	0.0
Osborne	1,365	81.8	2.6	12.5	0.4	0.3	2.5	0.0
Reno	2,080	70.0	2.9	20.2	0.5	0.5	5.9	0.0
Riley	4,019	62.3	10.2	17.0	1.1	2.8	6.5	0.0
Saline	1,913	54.5	4.4	29.8	0.3	0.9	10.0	0.0
Scott	266	51.5	0.4	46.6	0.4	0.0	1.1	0.0
Sedgwick	16,783	33.6	15.3	38.7	1.1	2.8	8.5	0.0
SEK	262	87.8	1.5	5.3	1.1	0.0	4.2	0.0
Seward	1,820	11.0	1.8	85.1	0.8	0.8	0.5	0.0
Shawnee	5,761	45.9	12.8	30.5	0.9	0.4	9.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4F
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Sheridan	46	*	*	*	*	*	*	*
Sherman	559	66.0	0.0	29.0	0.5	0.9	3.6	0.0
SKCPH	1,041	76.9	1.2	17.4	0.5	1.2	2.9	0.0
Stevens	308	35.4	1.0	62.7	0.0	0.0	1.0	0.0
Sumner	579	77.4	1.4	14.3	1.2	0.0	5.7	0.0
SW KS WIC	3,357	17.2	1.3	77.8	0.1	2.9	0.7	0.0
Wichita	67	*	*	*	*	*	*	*
Wilson	340	88.2	1.2	5.3	0.3	0.3	4.7	0.0
Wyandotte	8,058	16.8	26.0	48.9	0.4	4.8	3.1	0.0
Unknown Local Ag.	121	86.8	2.5	2.5	2.5	0.0	5.8	0.0
Kansas	81,501	46.4	10.2	34.7	0.9	1.9	5.9	0.0
Nation (Prior Year)	8,672,965	32.5	19.1	39.7	0.9	2.5	2.7	2.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Barton	1,741	26.8	23.3	50.0
Butler	988	30.5	24.6	44.9
Chautauqua	187	25.7	27.3	47.1
Cherokee	2,439	28.7	25.3	46.0
Cloud	750	27.1	23.3	49.6
Cowley	1,411	26.4	25.5	48.1
Crawford	2,011	31.4	24.1	44.5
Doniphan	137	29.9	28.5	41.6
Douglas	1,744	32.8	22.4	44.8
Ford	2,572	25.6	24.3	50.1
Franklin	642	32.7	24.0	43.3
Geary	1,412	30.0	26.8	43.3
Graham	192	29.2	15.6	55.2
Greeley	57	*	*	*
Greenwood	198	23.2	24.7	52.0
Harvey	1,137	27.4	23.6	49.0
Jefferson	251	27.5	27.1	45.4
Johnson	7,239	29.1	24.7	46.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Leavenworth	1,317	32.6	24.8	42.6
Lincoln	587	24.7	23.7	51.6
Linn	277	26.4	24.5	49.1
Lyon	1,275	28.5	21.3	50.2
Marion	833	29.7	25.1	45.3
Marshall	245	24.5	24.1	51.4
Meade	529	25.1	21.6	53.3
Miami	570	35.3	22.6	42.1
NEK	1,248	29.2	20.6	50.2
Nemaha	174	25.3	27.6	47.1
Neosho	593	31.9	23.1	45.0
Osborne	1,365	31.3	23.1	45.6
Reno	2,080	29.8	23.3	46.9
Riley	4,019	32.1	22.3	45.5
Saline	1,913	27.5	25.9	46.6
Scott	266	27.8	20.7	51.5
Sedgwick	16,783	31.9	22.5	45.6
SEK	262	27.1	23.3	49.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5F
2011 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Seward	1,820	26.8	21.5	51.6
Shawnee	5,761	29.8	23.5	46.8
Sheridan	46	*	*	*
Sherman	559	30.6	21.1	48.3
SKCPH	1,041	28.3	25.0	46.7
Stevens	308	24.4	22.1	53.6
Sumner	579	28.5	24.4	47.2
SW KS WIC	3,357	27.3	24.1	48.6
Wichita	67	*	*	*
Wilson	340	28.8	24.4	46.8
Wyandotte	8,058	30.3	21.3	48.5
Unknown Local Ag.	121	34.7	19.0	46.3
Kansas	81,501	29.8	23.3	47.0
Nation (Prior Year)	8,672,965	33.7	22.1	44.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Barton	361	5.8 (2)	5.3 (8)	1,700	6.5 (22)	3.0 (31)	9.7 (18)	843	13.0 (11)	10.2 (12)	1,207	8.1 (16)
Butler	223	8.1 (14)	4.5 (1)	975	6.8 (23)	2.6 (27)	9.1 (13)	446	11.7 (6)	9.2 (9)	668	23.1 (42)
Chautauqua	37	* *	* *	186	8.6 (39)	1.6 (10)	14.0 (41)	86	* *	* *	127	3.9 (4)
Cherokee	569	11.1 (28)	6.2 (19)	2,383	7.5 (30)	2.9 (30)	8.9 (12)	1,111	17.0 (32)	10.6 (13)	1,586	5.5 (8)
Cloud	143	9.1 (21)	8.4 (27)	733	7.8 (36)	4.8 (38)	10.4 (24)	358	14.2 (15)	10.6 (13)	502	14.9 (36)
Cowley	282	8.5 (16)	5.7 (14)	1,387	6.8 (23)	1.9 (15)	11.7 (32)	680	16.3 (27)	14.7 (34)	917	12.8 (31)
Crawford	460	7.2 (5)	4.6 (2)	1,957	6.8 (23)	1.4 (7)	10.4 (24)	877	19.8 (38)	12.2 (22)	1,292	6.3 (11)
Doniphan	29	* *	* *	130	13.1 (45)	5.4 (40)	20.0 (45)	56	* *	* *	91	* *
Douglas	433	7.9 (11)	5.8 (16)	1,703	8.0 (38)	1.7 (13)	10.2 (22)	764	16.1 (25)	11.9 (20)	1,149	13.3 (33)
Ford	543	7.6 (9)	5.3 (8)	2,484	7.0 (26)	1.4 (7)	19.0 (44)	1,245	19.8 (38)	21.8 (40)	1,648	5.9 (10)
Franklin	163	9.2 (22)	5.5 (12)	623	5.3 (9)	1.3 (5)	12.2 (34)	267	16.1 (25)	13.1 (25)	403	3.2 (1)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Geary	343	9.3 (24)	8.7 (28)	1,367	6.4 (20)	2.0 (17)	7.9 (8)	595	13.9 (14)	11.6 (18)	936	15.1 (38)
Graham	39	* *	* *	189	7.9 (37)	1.6 (10)	12.2 (34)	101	14.9 (19)	11.9 (20)	117	6.8 (13)
Greeley	14	* *	* *	57	* *	* *	* *	30	* *	* *	31	* *
Greenwood	34	* *	* *	187	3.7 (1)	0.0 (1)	15.5 (43)	99	* *	* *	136	8.8 (18)
Harvey	229	9.2 (22)	9.6 (30)	1,118	6.0 (14)	2.4 (25)	10.1 (20)	547	12.8 (9)	12.8 (24)	784	9.8 (22)
Jefferson	60	* *	* *	248	4.4 (3)	3.2 (32)	10.9 (29)	114	19.3 (37)	14.0 (30)	167	5.4 (7)
Johnson	1,593	7.9 (11)	7.1 (23)	6,971	6.4 (20)	1.9 (15)	10.6 (28)	3,276	15.1 (22)	11.7 (19)	4,605	4.7 (5)
Leavenwort	303	11.6 (29)	5.0 (4)	1,276	9.2 (43)	1.6 (10)	8.3 (10)	551	18.9 (36)	11.3 (16)	830	10.4 (26)
Lincoln	98	* *	* *	574	7.3 (29)	4.5 (37)	12.5 (36)	299	12.7 (8)	15.7 (37)	402	9.7 (21)
Linn	66	* *	* *	272	11.4 (44)	3.3 (33)	14.0 (41)	134	11.9 (7)	20.9 (39)	183	10.9 (29)
Lyon	278	8.6 (18)	7.6 (24)	1,240	5.6 (13)	2.6 (27)	12.6 (37)	618	14.4 (16)	16.0 (38)	846	14.2 (34)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Marion	180	8.9 (20)	5.0 (4)	807	7.1 (27)	1.2 (3)	9.5 (15)	367	14.7 (17)	12.3 (23)	552	10.3 (24)
Marshall	50	* *	* *	237	7.6 (33)	9.7 (44)	5.9 (3)	124	4.8 (1)	2.4 (1)	150	7.3 (14)
Meade	89	* *	* *	518	4.8 (6)	7.1 (43)	5.8 (1)	275	9.1 (4)	4.7 (3)	345	3.8 (3)
Miami	167	7.2 (5)	7.8 (25)	563	8.7 (40)	0.5 (2)	10.5 (27)	243	16.9 (31)	13.2 (27)	357	12.9 (32)
NEK	256	10.9 (27)	5.5 (12)	1,216	6.1 (15)	3.5 (34)	10.2 (22)	605	17.4 (33)	11.1 (15)	771	8.7 (17)
Nemaha	32	* *	* *	171	7.6 (33)	6.4 (42)	9.9 (19)	83	* *	* *	112	3.6 (2)
Neosho	135	7.4 (7)	5.2 (7)	583	4.8 (6)	3.6 (35)	7.2 (4)	264	10.6 (5)	7.6 (6)	377	10.3 (24)
Osborne	322	7.1 (4)	5.3 (8)	1,335	7.5 (30)	4.0 (36)	9.4 (14)	595	16.3 (27)	11.4 (17)	882	5.8 (9)
Reno	511	6.3 (3)	5.9 (18)	2,036	6.3 (19)	2.1 (18)	7.5 (6)	954	15.7 (23)	9.4 (10)	1,275	9.1 (19)
Riley	971	7.5 (8)	6.6 (21)	3,911	6.1 (15)	2.5 (26)	8.3 (10)	1,780	12.9 (10)	8.2 (7)	2,583	21.6 (41)
Saline	411	8.0 (13)	4.6 (2)	1,881	8.7 (40)	2.1 (18)	13.3 (39)	877	17.6 (34)	14.4 (33)	1,274	4.9 (6)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under-weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Scott	60	* *	* *	259	4.2 (2)	12.0 (45)	5.8 (1)	138	6.5 (2)	2.9 (2)	167	14.4 (35)
Sedgwick	4,123	9.9 (26)	6.2 (19)	16,402	7.6 (33)	1.5 (9)	11.5 (31)	7,547	16.7 (29)	14.8 (35)	11,345	10.5 (28)
SEK	45	* *	* *	259	5.4 (10)	1.2 (3)	7.3 (5)	130	13.1 (13)	8.5 (8)	172	9.9 (23)
Seward	361	4.7 (1)	7.8 (25)	1,758	4.6 (4)	2.2 (23)	11.7 (32)	921	16.8 (30)	14.3 (32)	1,119	6.5 (12)
Shawnee	1,348	9.5 (25)	5.4 (11)	5,617	7.1 (27)	2.1 (18)	13.5 (40)	2,654	18.0 (35)	15.1 (36)	3,722	15.0 (37)
Sheridan	7	* *	* *	45	* *	* *	* *	25	* *	* *	28	* *
Sherman	123	13.0 (30)	5.7 (14)	537	6.1 (15)	2.6 (27)	9.5 (15)	256	14.8 (18)	14.1 (31)	381	7.9 (15)
SKCPH	228	8.8 (19)	9.2 (29)	1,024	5.5 (12)	4.8 (38)	8.1 (9)	478	13.0 (11)	7.1 (4)	674	12.6 (30)
Stevens	38	* *	* *	301	4.7 (5)	1.3 (5)	9.6 (17)	161	14.9 (19)	9.9 (11)	195	15.9 (40)
Sumner	122	8.2 (15)	6.6 (21)	561	8.7 (40)	2.3 (24)	13.0 (38)	270	15.9 (24)	13.3 (28)	366	15.6 (39)
SW KS WIC	726	7.7 (10)	5.0 (4)	3,268	5.4 (10)	6.0 (41)	10.1 (20)	1,591	9.0 (3)	7.2 (5)	2,325	24.5 (43)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
 - (7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2011 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Wichita	8	* *	* *	63	* *	* *	* *	39	* *	* *	45	* *
Wilson	76	* *	* *	334	7.5 (30)	2.1 (18)	11.4 (30)	160	20.0 (40)	13.1 (25)	230	9.6 (20)
Wyandotte	1,762	8.5 (16)	5.8 (16)	7,797	6.2 (18)	2.1 (18)	10.4 (24)	3,831	14.9 (19)	13.4 (29)	5,320	10.4 (26)
Unknown Local Ag.	38	* *	* *	120	5.0 (8)	1.7 (13)	7.5 (6)	58	* *	* *	66	* *
Kansas	18,489	8.6	6.1	79,363	6.8	2.4	10.9	37,523	15.6	12.8	53,460	11.0
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,939	16.1	14.4	5,391,027	14.6

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Barton	326	71.2 (15)	151	22.5 (6)	262	8.8 (15)	85	* *	144	3.5 (13)	918	80.7 (17)	1,717	7.3 (10)
Butler	195	69.7 (18)	107	22.4 (7)	160	9.4 (13)	51	* *	103	4.9 (6)	474	70.7 (39)	978	8.3 (12)
Chautauqua	35	* *	16	* *	28	* *	8	* *	15	* *	95	* *	187	52.9 (45)
Cherokee	522	55.6 (29)	235	10.2 (22)	413	5.8 (22)	139	12.9 (5)	230	2.6 (18)	1,187	85.3 (11)	2,398	38.1 (36)
Cloud	130	86.2 (1)	75	* *	114	9.6 (12)	33	* *	70	* *	390	85.9 (9)	746	12.5 (19)
Cowley	256	57.0 (28)	133	11.3 (21)	227	4.8 (24)	65	* *	130	2.3 (19)	727	79.8 (23)	1,391	8.0 (11)
Crawford	442	59.3 (27)	172	6.4 (23)	305	4.3 (25)	89	* *	171	2.9 (14)	943	79.9 (22)	1,983	42.3 (39)
Doniphan	31	* *	22	* *	31	* *	10	* *	21	* *	62	* *	133	46.6 (42)
Douglas	380	75.8 (8)	160	30.6 (1)	261	21.5 (1)	96	* *	153	11.1 (1)	800	77.8 (28)	1,716	9.8 (15)
Ford	441	71.4 (14)	214	19.6 (9)	418	9.1 (14)	95	* *	210	1.9 (21)	1,351	90.9 (3)	2,532	6.5 (7)
Franklin	146	60.3 (26)	55	* *	87	* *	35	* *	55	* *	287	92.7 (2)	534	9.6 (14)
Geary	305	70.5 (17)	165	15.8 (18)	266	8.3 (18)	114	14.0 (4)	162	5.6 (3)	649	68.4 (41)	1,381	22.2 (28)
Graham	42	* *	11	* *	15	* *	8	* *	11	* *	110	80.0 (21)	190	43.2 (40)

(1) Reporting period is January 1 through December 31.
(2) TV Viewing and Smoking in Household data are not reported by all contributors.
(3) Analyses based on one record per child.
(4) Excludes records with unknown data or errors.
(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
(8) Children aged 2 years and older included in the analyses.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7F
2011 Pediatric Nutrition Surveillance (1)
Kansas**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Greeley	12	* *	4	* *	5	* *	2	* *	4	* *	33	* *	57	* *
Greenwood	32	* *	14	* *	25	* *	6	* *	14	* *	106	94.3 (1)	196	24.0 (29)
Harvey	183	83.1 (3)	109	17.4 (13)	165	9.7 (11)	61	* *	108	5.6 (3)	587	89.3 (5)	1,118	4.0 (2)
Jefferson	54	* *	26	* *	42	* *	14	* *	26	* *	121	90.1 (4)	236	38.1 (36)
Johnson	1,490	77.8 (7)	678	27.3 (2)	1,224	13.6 (2)	383	17.2 (3)	640	5.5 (5)	3,505	80.4 (20)	7,067	16.5 (23)
Leavenworth	317	64.7 (22)	142	19.0 (10)	219	11.0 (7)	90	* *	133	4.5 (8)	587	75.8 (31)	1,280	43.7 (41)
Lincoln	95	* *	59	* *	89	* *	21	* *	56	* *	321	75.7 (32)	580	16.6 (24)
Linn	58	* *	24	* *	42	* *	11	* *	24	* *	142	83.8 (12)	274	16.8 (25)
Lyon	248	74.2 (11)	111	27.0 (3)	178	10.7 (9)	70	* *	104	2.9 (14)	662	69.3 (40)	1,241	8.5 (13)
Marion	169	79.3 (4)	93	* *	145	11.0 (7)	50	* *	88	* *	374	89.3 (5)	803	4.4 (3)
Marshall	48	* *	20	* *	34	* *	6	* *	20	* *	132	73.5 (35)	244	48.8 (43)
Meade	85	* *	45	* *	79	* *	19	* *	44	* *	286	79.7 (24)	525	10.5 (17)
Miami	157	63.7 (25)	43	* *	86	* *	33	* *	42	* *	252	89.3 (5)	569	16.3 (22)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
NEK	254	54.7 (30)	109	12.8 (20)	175	5.1 (23)	72	* *	107	3.7 (11)	649	88.3 (8)	1,233	30.9 (33)
Nemaha	35	* *	11	* *	25	* *	5	* *	11	* *	92	* *	172	40.7 (38)
Neosho	131	69.5 (19)	66	* *	88	* *	34	* *	62	* *	280	73.6 (34)	592	26.9 (31)
Osborne	300	78.0 (6)	143	18.2 (12)	204	8.8 (15)	74	* *	133	1.5 (22)	652	82.4 (15)	1,348	24.3 (30)
Reno	465	70.8 (16)	182	15.9 (17)	322	7.8 (19)	103	20.4 (2)	174	2.9 (14)	1,031	80.7 (17)	2,062	3.8 (1)
Riley	839	78.8 (5)	435	26.9 (4)	613	12.6 (3)	330	25.5 (1)	424	8.5 (2)	1,856	72.2 (38)	3,928	7.1 (9)
Saline	380	64.2 (24)	177	15.3 (19)	335	6.0 (21)	97	* *	173	4.6 (7)	944	80.7 (17)	1,894	6.3 (5)
Scott	58	* *	21	* *	34	* *	16	* *	21	* *	145	83.4 (13)	264	22.0 (26)
Sedgwick	3,523	69.5 (19)	1,675	16.7 (15)	2,559	7.2 (20)	966	12.8 (6)	1,629	3.7 (11)	8,141	75.7 (32)	16,641	6.4 (6)
SEK	46	* *	28	* *	40	* *	12	* *	28	* *	141	78.7 (26)	262	22.1 (27)
Seward	306	75.8 (8)	153	18.3 (11)	229	12.2 (4)	82	* *	147	2.0 (20)	1,001	72.9 (37)	1,812	10.6 (18)
Shawnee	1,169	64.7 (22)	572	16.4 (16)	898	8.8 (15)	323	11.8 (7)	555	4.3 (9)	2,827	76.5 (30)	5,647	6.8 (8)
Sheridan	7	* *	6	* *	4	* *	3	* *	6	* *	25	* *	46	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Sherman	105	84.8 (2)	58	* *	71	* *	34	* *	57	* *	277	81.6 (16)	538	4.5 (4)
SKCPH	207	75.4 (10)	104	21.2 (8)	162	10.5 (10)	52	* *	99	* *	514	83.3 (14)	1,021	33.4 (34)
Stevens	55	* *	29	* *	42	* *	21	* *	28	* *	174	85.6 (10)	306	15.4 (21)
Sumner	124	73.4 (12)	51	* *	85	* *	28	* *	50	* *	284	79.2 (25)	564	30.5 (32)
SW KS WIC	569	72.9 (13)	300	23.0 (5)	518	11.6 (6)	169	7.1 (9)	291	2.7 (17)	1,731	77.0 (29)	3,333	9.8 (15)
Wichita	7	* *	4	* *	11	* *	1	* *	4	* *	42	* *	66	* *
Wilson	67	* *	24	* *	51	* *	14	* *	23	* *	169	78.7 (26)	335	50.1 (44)
Wyandotte	1,606	66.7 (21)	715	16.9 (14)	1,059	12.0 (5)	389	10.5 (8)	698	4.2 (10)	4,018	73.3 (36)	7,851	12.8 (20)
Unknown Local Ag.	36	* *	6	* *	12	* *	3	* *	5	* *	62	* *	120	37.5 (35)
Kansas	16,488	69.9	7,753	18.9	12,457	9.5	4,422	15.0	7,503	4.5	40,156	78.3	80,111	13.6
Nation (Prior Year)	1,689,615	63.2	908,604	25.1	1,069,942	16.9	363,039	10.7	466,279	6.1	1,200,700	79.2	4,203,554	9.4

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Barton	1,111	6.5 (4)	4.7 (5)	5,177	6.9 (27)	2.6 (30)	11.0 (25)	2,550	14.2 (9)	12.1 (18)	3,598	7.9 (16)
Butler	747	7.5 (15)	5.6 (15)	3,037	8.7 (42)	3.2 (33)	10.9 (23)	1,357	13.8 (8)	10.4 (10)	2,065	25.0 (46)
Chautauqua	124	7.3 (11)	4.8 (6)	589	7.6 (36)	2.0 (15)	13.2 (42)	276	21.4 (43)	12.0 (17)	394	7.9 (16)
Cherokee	1,832	9.1 (33)	5.5 (13)	7,697	7.4 (33)	2.3 (21)	10.5 (19)	3,628	17.0 (28)	12.8 (24)	5,205	4.8 (4)
Cloud	516	9.9 (37)	6.0 (19)	2,340	8.0 (40)	4.0 (38)	11.7 (33)	1,133	15.1 (14)	11.9 (16)	1,595	14.3 (40)
Cowley	908	8.4 (26)	7.3 (31)	4,226	6.4 (25)	1.8 (11)	11.5 (32)	2,050	16.9 (26)	12.8 (24)	2,792	10.7 (31)
Crawford	1,429	8.5 (27)	3.8 (3)	6,133	6.9 (27)	1.2 (3)	11.4 (28)	2,718	19.9 (41)	14.0 (30)	4,067	4.8 (4)
Doniphan	118	13.6 (43)	10.2 (43)	471	13.0 (48)	5.3 (43)	21.9 (48)	207	24.6 (45)	35.3 (45)	312	8.7 (21)
Douglas	1,307	7.7 (16)	6.7 (26)	5,081	7.4 (33)	1.4 (4)	10.5 (19)	2,197	16.2 (22)	11.2 (14)	3,448	9.1 (24)
Ford	1,678	5.8 (3)	5.8 (17)	7,428	7.2 (30)	1.6 (7)	18.0 (47)	3,599	19.6 (39)	19.7 (44)	4,915	5.3 (6)
Franklin	485	7.4 (13)	5.6 (15)	1,953	5.0 (8)	1.6 (7)	10.8 (22)	865	16.9 (26)	12.5 (21)	1,281	3.4 (1)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pediatric Nutrition Surveillance ⁽¹⁾
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators ^(3,4)												
Local Agency	Birthweight ⁽⁵⁾			Height and Weight ^(3,4)						Anemia Low Hb/Hct ⁽⁸⁾		
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Geary	1,087	8.1 (21)	6.7 (26)	3,829	7.8 (38)	2.0 (15)	8.1 (7)	1,598	14.2 (9)	10.5 (11)	2,504	15.5 (41)
Graham	117	10.3 (40)	7.7 (37)	565	8.0 (40)	2.3 (21)	12.6 (38)	283	15.2 (15)	14.1 (32)	357	9.5 (27)
Greeley	36	* *	* *	147	2.0 (1)	2.7 (31)	7.5 (4)	70	* *	* *	91	* *
Greenwood	117	4.3 (1)	5.1 (8)	611	6.2 (20)	1.0 (2)	12.8 (39)	317	23.7 (44)	17.4 (42)	435	6.4 (9)
Harvey	729	8.1 (21)	7.5 (35)	3,344	6.8 (26)	1.9 (13)	11.4 (28)	1,592	17.0 (28)	15.8 (39)	2,295	10.8 (34)
Jefferson	176	6.8 (7)	5.1 (8)	774	5.3 (11)	3.5 (36)	11.1 (26)	360	20.3 (42)	13.1 (29)	493	7.7 (13)
Johnson	4,876	8.0 (19)	7.2 (30)	21,119	6.0 (17)	2.0 (15)	10.9 (23)	9,695	14.6 (12)	12.4 (20)	13,950	5.8 (7)
Leavenworth	959	10.2 (39)	7.3 (31)	3,611	8.9 (44)	2.0 (15)	8.9 (11)	1,530	17.5 (34)	12.3 (19)	2,316	8.8 (22)
Lincoln	330	8.8 (29)	6.7 (26)	1,742	6.9 (27)	4.0 (38)	12.3 (36)	865	13.4 (6)	14.3 (34)	1,222	10.8 (34)
Linn	190	6.8 (7)	3.2 (2)	808	9.3 (46)	2.2 (20)	12.1 (35)	383	19.1 (38)	15.7 (38)	540	10.7 (31)
Lyon	896	8.5 (27)	6.6 (24)	3,942	6.0 (17)	1.9 (13)	13.1 (41)	1,943	15.5 (17)	15.2 (36)	2,697	8.5 (20)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese			(8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Marion	559	7.9 (18)	8.1 (39)	2,405	6.0 (17)	1.8 (11)	8.9 (11)	1,127	15.6 (19)	11.7 (15)	1,627	6.8 (12)
Marshall	137	8.8 (29)	1.5 (1)	702	5.7 (14)	9.0 (47)	6.8 (3)	356	4.8 (1)	3.9 (1)	456	10.7 (31)
Meade	245	6.9 (9)	8.6 (41)	1,513	4.0 (5)	6.3 (46)	6.1 (2)	815	10.3 (4)	4.4 (3)	1,033	4.0 (2)
Miami	450	7.3 (11)	9.1 (42)	1,548	8.7 (42)	1.4 (4)	11.4 (28)	641	17.0 (28)	14.0 (30)	968	16.2 (42)
NEK	794	9.4 (34)	6.3 (21)	3,715	6.2 (20)	3.4 (35)	11.4 (28)	1,773	17.4 (33)	12.7 (23)	2,348	10.1 (30)
Nemaha	73	* *	* *	494	7.7 (37)	5.5 (44)	12.8 (39)	218	16.5 (24)	17.0 (41)	290	9.7 (29)
Neosho	346	7.2 (10)	4.9 (7)	1,795	5.1 (10)	4.2 (41)	9.2 (15)	832	15.9 (20)	10.1 (9)	1,149	13.5 (37)
Osborne	965	7.7 (16)	6.3 (21)	4,065	7.3 (32)	2.9 (32)	9.4 (16)	1,847	15.3 (16)	11.0 (13)	2,744	6.7 (11)
Reno	1,637	8.2 (23)	5.5 (13)	6,435	6.2 (20)	2.3 (21)	7.8 (6)	2,939	16.2 (22)	10.8 (12)	4,106	8.3 (19)
Riley	2,809	6.6 (5)	8.1 (39)	11,054	5.8 (15)	2.4 (26)	8.1 (7)	4,987	13.2 (5)	8.4 (5)	6,663	16.9 (43)
Saline	1,378	8.3 (25)	6.2 (20)	5,619	9.1 (45)	1.6 (7)	13.4 (43)	2,532	18.2 (36)	14.1 (32)	3,792	4.5 (3)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)							Anemia Low Hb/Hct (8)	
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese			(8)	
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Scott	154	10.4 (41)	5.2 (10)	770	3.6 (3)	9.2 (48)	7.5 (4)	422	7.8 (2)	4.0 (2)	514	8.2 (18)
Sedgwick	12,561	9.9 (37)	6.6 (24)	50,044	7.4 (33)	1.6 (7)	11.7 (33)	22,711	17.1 (32)	14.6 (35)	34,355	11.0 (36)
SEK	147	9.5 (36)	6.8 (29)	791	6.2 (20)	2.3 (21)	8.2 (9)	393	14.2 (9)	8.9 (6)	511	9.6 (28)
Seward	1,148	5.7 (2)	7.4 (33)	5,483	4.7 (7)	2.4 (26)	12.4 (37)	2,664	16.0 (21)	15.8 (39)	3,489	6.4 (9)
Shawnee	4,054	9.0 (31)	5.4 (12)	16,991	7.2 (30)	2.4 (26)	14.0 (45)	7,859	18.7 (37)	15.3 (37)	11,131	14.2 (39)
Sheridan	25	* *	* *	125	3.2 (2)	4.0 (38)	3.2 (1)	57	* *	* *	82	* *
Sherman	394	9.4 (34)	4.3 (4)	1,707	5.8 (15)	3.3 (34)	9.1 (14)	823	17.5 (34)	12.6 (22)	1,199	9.2 (26)
SKCPH	683	8.2 (23)	7.9 (38)	3,147	6.2 (20)	4.3 (42)	8.9 (11)	1,507	13.4 (6)	9.4 (7)	2,084	9.1 (24)
Stevens	122	7.4 (13)	7.4 (33)	1,020	4.2 (6)	1.5 (6)	8.3 (10)	542	15.5 (17)	9.6 (8)	677	13.6 (38)
Sumner	417	12.2 (42)	6.5 (23)	1,859	10.5 (47)	2.0 (15)	13.6 (44)	875	17.0 (28)	13.0 (28)	1,240	18.7 (44)
SW KS WIC	2,227	8.0 (19)	5.3 (11)	10,108	5.4 (12)	6.2 (45)	10.3 (18)	4,908	9.1 (3)	7.7 (4)	7,244	24.3 (45)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Kansas
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight (3,4)						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature	Under- weight	Obese		≥ 2 Yrs Overweight and Obese				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% (Rank)	% (Rank)	% (Rank)	Number	% Overweight (Rank)	% Obese (Rank)	Number	% (Rank)
Wichita	37	* *	* *	217	3.7 (4)	0.9 (1)	15.7 (46)	125	16.8 (25)	18.4 (43)	156	5.8 (7)
Wilson	253	6.7 (6)	7.5 (35)	1,091	7.9 (39)	3.6 (37)	11.3 (27)	513	19.7 (40)	12.9 (27)	742	7.7 (13)
Wyandotte	5,451	9.0 (31)	5.9 (18)	23,940	5.6 (13)	2.3 (21)	10.1 (17)	11,549	15.0 (13)	12.8 (24)	16,741	9.0 (23)
Unknown Local Ag.	60	* *	* *	199	5.0 (8)	2.5 (29)	10.6 (21)	86	* *	* *	115	7.8 (15)
Kansas	56,894	8.5	6.3	241,461	6.7	2.4	11.2	112,317	16.0	13.0	162,028	10.4

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.
(7) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Barton	1,228	72.4 (16)	912	18.0 (23)	1,012	9.2 (23)	808	13.5 (21)	888	2.9 (30)	2,757	80.7 (21)	2,889	8.8 (10)
Butler	821	69.2 (22)	587	18.7 (20)	654	9.3 (21)	533	14.6 (15)	571	3.3 (25)	1,450	68.8 (45)	1,811	9.2 (11)
Chautauqua	139	69.1 (24)	105	13.3 (33)	115	7.8 (29)	92	* *	101	3.0 (28)	301	86.0 (9)	330	44.8 (44)
Cherokee	1,993	56.9 (43)	1,402	9.8 (39)	1,573	5.1 (39)	1,289	9.8 (29)	1,384	2.7 (34)	3,897	85.7 (10)	4,488	37.2 (36)
Cloud	585	75.0 (10)	446	19.5 (15)	486	7.8 (29)	398	18.3 (6)	439	6.4 (6)	1,224	83.4 (15)	1,334	18.3 (22)
Cowley	1,023	59.2 (41)	766	11.5 (37)	851	5.4 (38)	683	9.8 (29)	755	2.5 (37)	2,196	79.3 (26)	2,402	10.7 (12)
Crawford	1,599	57.8 (42)	1,167	9.9 (38)	1,233	5.8 (37)	1,040	8.7 (37)	1,153	2.9 (30)	2,952	80.3 (22)	3,538	44.3 (42)
Doniphan	131	65.6 (32)	90	* *	97	* *	80	* *	88	* *	224	82.1 (18)	292	40.8 (38)
Douglas	1,433	78.4 (3)	986	31.4 (1)	1,043	17.6 (1)	888	23.3 (1)	940	8.6 (3)	2,309	80.3 (22)	3,071	8.5 (7)
Ford	1,721	75.2 (9)	1,338	18.8 (18)	1,536	9.4 (20)	1,201	6.1 (39)	1,320	2.4 (39)	3,916	89.6 (4)	4,106	6.6 (4)
Franklin	536	62.9 (36)	342	12.6 (34)	391	6.9 (35)	323	13.0 (24)	335	3.3 (25)	928	88.5 (6)	1,016	14.2 (18)
Geary	1,242	70.3 (19)	842	15.0 (29)	879	7.1 (34)	816	15.2 (14)	832	4.6 (18)	1,712	71.8 (43)	2,444	29.5 (31)
Graham	138	71.0 (18)	88	* *	96	* *	80	* *	85	* *	308	79.9 (24)	327	42.2 (40)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Greeley	40	* *	30	* *	30	* *	26	* *	30	* *	78	* *	86	* *
Greenwood	128	62.5 (37)	103	6.8 (41)	118	4.2 (41)	91	* *	101	2.0 (40)	341	95.0 (1)	334	19.8 (26)
Harvey	783	79.8 (2)	614	24.3 (5)	635	11.3 (11)	547	17.7 (8)	606	5.6 (9)	1,715	88.9 (5)	1,858	4.3 (1)
Jefferson	186	64.5 (33)	128	14.1 (31)	148	8.8 (25)	121	14.0 (18)	126	9.5 (2)	374	90.6 (3)	413	40.2 (37)
Johnson	5,714	78.4 (3)	3,998	27.9 (3)	4,377	14.5 (5)	3,584	14.6 (15)	3,906	5.2 (12)	10,428	82.2 (17)	12,549	18.4 (24)
Leavenworth	1,172	63.9 (34)	720	15.8 (27)	774	8.7 (26)	677	13.4 (22)	703	5.1 (14)	1,629	72.4 (40)	2,365	44.4 (43)
Lincoln	404	70.3 (19)	316	19.0 (17)	338	10.7 (14)	293	19.8 (5)	307	4.6 (18)	929	77.0 (35)	960	16.8 (20)
Linn	199	71.9 (17)	142	18.3 (22)	157	10.2 (16)	123	14.6 (15)	140	6.4 (6)	422	84.8 (12)	457	16.0 (19)
Lyon	962	73.2 (15)	683	21.5 (11)	739	9.9 (19)	604	12.1 (26)	662	4.1 (21)	2,076	73.8 (38)	2,247	8.7 (9)
Marion	634	76.2 (7)	452	21.7 (9)	482	11.0 (13)	410	20.5 (4)	439	5.2 (12)	1,157	87.6 (7)	1,397	6.0 (3)
Marshall	167	67.7 (30)	117	18.8 (18)	134	11.9 (7)	107	16.8 (12)	113	2.7 (34)	381	72.2 (41)	405	51.1 (45)
Meade	325	73.5 (14)	243	23.9 (7)	294	11.6 (9)	220	20.9 (3)	239	7.5 (4)	855	78.1 (31)	846	13.5 (15)
Miami	503	68.6 (27)	305	18.4 (21)	323	10.2 (16)	305	18.0 (7)	301	5.0 (15)	671	86.1 (8)	963	19.3 (25)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
NEK	948	55.8 (44)	679	16.6 (25)	743	9.3 (21)	619	13.7 (20)	663	4.7 (17)	1,908	85.7 (10)	2,170	32.4 (33)
Nemaha	134	60.4 (40)	93	* *	99	* *	83	* *	92	* *	241	79.3 (26)	276	42.0 (39)
Neosho	453	61.8 (38)	336	14.3 (30)	345	7.5 (32)	296	9.8 (29)	331	5.7 (8)	886	79.9 (24)	1,027	28.1 (29)
Osborne	1,097	75.9 (8)	766	19.3 (16)	800	9.1 (24)	681	15.7 (13)	742	3.8 (24)	1,997	82.3 (16)	2,377	23.0 (27)
Reno	1,765	69.1 (24)	1,209	16.5 (26)	1,312	8.7 (26)	1,083	13.9 (19)	1,176	3.0 (28)	3,120	83.9 (13)	3,840	5.7 (2)
Riley	3,338	77.7 (6)	2,225	24.1 (6)	2,218	11.9 (7)	2,166	21.0 (2)	2,180	6.6 (5)	5,260	72.1 (42)	7,310	11.2 (13)
Saline	1,495	63.2 (35)	1,061	12.6 (34)	1,218	5.9 (36)	960	10.3 (28)	1,046	2.8 (32)	2,703	78.0 (32)	3,213	7.4 (5)
Scott	183	69.4 (21)	124	29.0 (2)	141	17.0 (2)	119	17.6 (9)	121	10.7 (1)	444	79.3 (26)	440	27.0 (28)
Sedgwick	13,089	68.9 (26)	9,335	15.1 (28)	9,925	7.6 (31)	8,491	8.9 (35)	9,198	2.5 (37)	24,496	75.7 (37)	28,887	8.5 (7)
SEK	196	61.2 (39)	142	13.4 (32)	149	8.1 (28)	135	9.6 (32)	142	2.8 (32)	413	79.2 (29)	446	31.6 (32)
Seward	1,282	74.3 (13)	985	21.7 (9)	1,067	11.6 (9)	889	9.1 (34)	962	2.6 (36)	2,924	71.2 (44)	3,083	13.6 (16)
Shawnee	4,370	68.1 (28)	3,215	17.8 (24)	3,443	10.2 (16)	2,880	13.2 (23)	3,157	5.5 (10)	8,438	76.6 (36)	9,589	7.6 (6)
Sheridan	32	* *	25	* *	25	* *	23	* *	25	* *	60	* *	67	* *

(1) Reporting period is January 1 through December 31.
 (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 (3) Analyses based on one record per child.
 (4) Excludes records with unknown data or errors.
 (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
 (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 (8) Children aged 2 years and older included in the analyses.
 * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7F
2009 - 2011 Pediatric Nutrition Surveillance (1)
Kansas

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
Local Agency	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Sherman	430	80.0 (1)	315	20.0 (14)	332	15.1 (4)	282	11.0 (27)	300	4.0 (23)	868	81.3 (19)	978	17.1 (21)
SKCPH	801	74.5 (11)	570	21.9 (8)	636	11.3 (11)	492	17.5 (11)	548	5.5 (10)	1,601	81.0 (20)	1,799	35.2 (35)
Stevens	233	78.1 (5)	157	26.8 (4)	181	16.6 (3)	142	17.6 (9)	151	4.6 (18)	577	83.7 (14)	602	14.1 (17)
Sumner	481	69.2 (22)	327	12.2 (36)	389	7.5 (32)	297	12.8 (25)	318	4.1 (21)	931	78.4 (30)	1,072	44.2 (41)
SW KS WIC	2,345	74.5 (11)	1,837	20.4 (13)	2,015	10.5 (15)	1,624	8.9 (35)	1,805	3.1 (27)	5,383	77.5 (33)	5,689	12.6 (14)
Wichita	43	* *	38	* *	43	* *	33	* *	37	* *	133	94.0 (2)	127	28.3 (30)
Wilson	264	65.9 (31)	202	8.9 (40)	221	4.5 (40)	181	7.2 (38)	200	1.5 (41)	547	77.5 (33)	609	52.1 (46)
Wyandotte	6,037	67.9 (29)	4,298	20.7 (12)	4,562	13.4 (6)	3,842	9.4 (33)	4,230	4.8 (16)	12,327	72.8 (39)	13,608	18.3 (22)
Unknown Local Ag.	73	* *	38	* *	36	* *	37	* *	37	* *	91	* *	116	34.5 (34)
Kansas	62,895	70.2	44,899	18.6	48,415	9.9	40,694	12.3	44,025	4.1	120,578	78.3	140,253	16.0

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

