



Kansas

Adolescent and Teenage
Pregnancy Report
Kansas, 2006

**Research
Summary**

**Center for Health and Environmental Statistics
Division of Health**

Kansas Department of Health and Environment

Curtis State Office Building – 1000 SW Jackson, Topeka, KS, 66612-1354

<http://www.kdheks.gov/ches/>

This Research Summary Was Prepared By:

Kansas Department of Health and Environment
Roderick L. Bremby, Secretary

Division of Health
Richard J. Morrissey, Interim Director

Center for Health and Environmental Statistics
Lorne A. Phillips, Ph.D., Director and State Registrar

Office of Health Assessment
Elizabeth W. Saadi, Ph.D., Director

Prepared by: Karen Sommer, M.A.

Edited by: Greg Crawford, B.A.
David Clark
Laurie Stanley

Data for this report were collected by:

Office of Vital Statistics
Donna Calabrese, Director

Our Vision – Healthy Kansans Living in Safe and Sustainable Environments

As the state's environmental protection and public health agency, KDHE promotes responsible choices to protect the health and environment for all Kansans. Through education, direct services, and the assessment of data and trends, coupled with policy development and enforcement, KDHE will improve health and quality of life. We prevent illness, injuries and foster a safe and sustainable environment for the people of Kansas.

Table of Contents

Introduction

Highlights

Tables

Teenage Pregnancies by Number and Rate for Mothers Under 20, Kansas Residents, 1987-2006

Teenage Pregnancies for 10-19 Year Olds by Component by County of Residence and by Peer Group, Kansas, 2006

Teenage Pregnancy Rates (10-14, 15-19 years of age) by County of Residence, Kansas, 2002-2006

Teenage Pregnancy Rates (10-19 years of age) by County of Residence, Kansas, 2002-2006

Teenage Pregnancies for 10-17 Year Olds by County of Residence and by Peer Group, Kansas, 2006

Teenage Pregnancies (10-17 years of age) by County of Residence, Kansas, 2002-2006

Teenage Pregnancy Rates (10-17 years of age) by County of Residence, Kansas, 2002-2006

Teenage Pregnancies for 15-17 Year Olds by County of Residence and by Peer Group, Kansas, 2006

Teenage Pregnancies (15-17 years of age) by County of Residence, Kansas, 2002-2006

Teenage Pregnancy Rates (15-17 years of age) by County of Residence, 2002-2006

Teenage Pregnancies for 18-19 Year Olds by County of Residence and by Peer Group, Kansas, 2006

Teenage Pregnancies (18-19 years of age) by County of Residence, Kansas, 2002-2006

Teenage Pregnancy Rates (18-19 years of age) by County of Residence, 2002-2006

Technical Notes

Introduction

Maintaining and improving family health is an essential component of the public health mission of the Kansas Department of Health and Environment. Facilitating healthy pregnancies and positive outcomes pays dividends to Kansas society in the form of reduced maternal and infant mortality and fit children capable of learning and growing into productive members of that society. It is in this role the department, through the Division of Health's Center for Health and Environmental Statistics (CHES), provides this report so progress in reducing adolescent and teen pregnancy can be monitored.

While the department provides a series of tables on teen and adolescent pregnancies in the *Kansas Annual Summary of Vital Statistics*, this report builds on that information by combining additional analytical tables into one resource. Adolescent and teen pregnancies are evaluated in a number of different ways. Thus, in this report the reader will see a number of different combinations of age-groups, i.e., 10-14, 15-17, 18-19, and 10-19, used in the tabulations. This is not meant to confuse the reader but to provide the diverse audience of legislators, policy makers, media, program administrations and the public who closely monitor pregnancy issues with a data summary that meets their needs.

For purposes of this report adolescents and teens refer to persons who range in age from 10 to 19. Pregnancies are defined as stillbirths, abortions, and live births. Data for this report are obtained through analysis of reports and certificates registered with the CHES Office of Vital Statistics. Readers will be able to review both the frequency of adolescent and teen pregnancies as well as the population-based rate. Using the population-based rates, comparisons among counties or with the state are possible. Multi-year rates are prepared for those instances where low counts may inordinately influence a single-year rate.

Several of these tables are taken from the *2006 Annual Summary of Vital Statistics*. Both products can be found at <http://www.kdheks.gov/ches/index.html>. Other tabulations of pregnancy data are possible at the Kansas Information for Communities (KIC) Website: <http://kic.kdhe.state.ks.us/kic/preg.html>.

Highlights

Teenage females (10-19) accounted for eleven percent (11.1) of the pregnancies (46,974) in 2006. Eighty percent (80.0) of the teenage pregnancies resulted in a live birth (4,154), nineteen percent in abortion (1,016) and the rest in stillbirths (22).

The pregnancy rate for females ages 10-19 was 27.1 per 1,000 women in 2006, up 1.5 percent from 2005 (26.7).

The rates for teenage subgroups 10-14 (0.9) and 15-19 (52.2) each rose 12.5 and 2.8 percent respectively between 2005 and 2006. The rate for teenagers, 10-17 years, remained the same (10.4).

Despite a slight increase in the number and rate of teenage pregnancies in 2005 and 2006, there continues to be a general downward trend. Teenage pregnancy rates (10-19) dropped 15.0 percent overall during the past two decades 1987-2006.

Of the 5,192 Kansas females age 10-19 who were pregnant in 2006, most (98.4 percent) were between 15 and 19 years of age. The Kansas teenage pregnancy rates for females 15-19 years of age decreased 16.6 percent between 1987 and 2006. Teen pregnancy rates for females ages 10-17 decreased 33.3 percent during this same time frame.

In 2006, densely-settled rural counties had the highest pregnancy rates for 10-19 year old females, followed by urban and semi-urban.

The five-year 2002-2006 teen pregnancy rate for Kansas resident females 10-19 years of age was 26.9. Thirty-three of the state's 105 counties have five-year teen pregnancy rates greater than the state rate. The lowest five-year rate in the state was in Rawlins County with 4.4 pregnancies per 1,000 females 10-19 years of age. The highest rate was in Geary County with 53.3 per 1,000 females 10-19 years of age.

This page intentionally left blank.

**Teenage Pregnancies by Number and Rate
For Mothers Under 20
Kansas Residents, 1987-2006**

| Year | Teen (10-19) Pregnancies | Age-Group | | | | Teen (10-19) Pregnancy Rate | Pregnancy Rate | | |
|------|--------------------------|-----------|-------|-------|-------|-----------------------------|----------------|-------|-------|
| | | 10-14 | 15-17 | 18-19 | 15-19 | | 10-14 | 10-17 | 15-19 |
| 1987 | 5,582 | 85 | 1,969 | 3,528 | 5,497 | 31.9 | 1.0 | 15.6 | 62.6 |
| 1988 | 5,903 | 90 | 2,004 | 3,809 | 5,813 | 33.7 | 1.0 | 15.9 | 67.7 |
| 1989 | 5,873 | 117 | 1,871 | 3,885 | 5,756 | 33.4 | 1.3 | 14.9 | 68.6 |
| 1990 | 5,993 | 93 | 1,930 | 3,970 | 5,900 | 35.1 | 1.1 | 15.0 | 70.5 |
| 1991 | 5,743 | 98 | 1,904 | 3,741 | 5,645 | 33.3 | 1.1 | 14.4 | 69.0 |
| 1992 | 6,165 | 111 | 2,110 | 3,944 | 6,054 | 34.8 | 1.2 | 15.4 | 72.6 |
| 1993 | 6,405 | 133 | 2,219 | 4,053 | 6,272 | 35.2 | 1.4 | 15.9 | 73.3 |
| 1994 | 6,500 | 124 | 2,302 | 4,074 | 6,376 | 34.8 | 1.3 | 15.9 | 71.9 |
| 1995 | 6,552 | 153 | 2,332 | 4,067 | 6,399 | 34.5 | 1.6 | 16.1 | 69.5 |
| 1996 | 6,498 | 133 | 2,276 | 4,089 | 6,365 | 33.9 | 1.4 | 15.6 | 67.0 |
| 1997 | 6,469 | 123 | 2,260 | 4,086 | 6,346 | 33.3 | 1.3 | 15.3 | 64.7 |
| 1998 | 6,444 | 108 | 2,087 | 4,249 | 6,336 | 32.4 | 1.1 | 13.8 | 62.0 |
| 1999 | 6,402 | 103 | 1,979 | 4,320 | 6,299 | 31.9 | 1.1 | 13.1 | 60.7 |
| 2000 | 6,090 | 94 | 1,819 | 4,177 | 5,996 | 30.3 | 0.9 | 12.0 | 58.7 |
| 2001 | 5,818 | 79 | 1,819 | 3,920 | 5,739 | 28.8 | 0.8 | 11.9 | 56.0 |
| 2002 | 5,586 | 86 | 1,684 | 3,816 | 5,500 | 28.3 | 0.9 | 11.3 | 54.7 |
| 2003 | 5,174 | 73 | 1,559 | 3,542 | 5,101 | 26.4 | 0.8 | 10.5 | 51.3 |
| 2004 | 5,026 | 71 | 1,492 | 3,463 | 4,955 | 26.1 | 0.8 | 10.3 | 50.3 |
| 2005 | 5,044 | 69 | 1,483 | 3,492 | 4,975 | 26.7 | 0.8 | 10.4 | 50.8 |
| 2006 | 5,192 | 85 | 1,507 | 3,600 | 5,107 | 27.1 | 0.9 | 10.4 | 52.2 |

*Rate per 1,000 female age-group population

Teenage pregnancies is the sum of live births, stillbirths and abortions.

Residence data

**Teenage Pregnancies* for 10-19 Year Olds by Component
By County of Residence and by Peer Group, Kansas, 2006**

| County of Residence | Live Births | | Stillbirths | | Abortions | | Total Pregnancies | | Teenage** Pregnancy Rate | | Teenage** Preg. Rate |
|------------------------|-------------|-------|-------------|-------|-----------|-------|----------------------|-------|-----------------------------|-------|-------------------------|
| | Age-Group | | Age-Group | | Age-Group | | Age-Group | | Age-Group | | Age-Group |
| | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-19 |
| ALLEN | 0 | 36 | 0 | 0 | 0 | 3 | 0 | 39 | 0.0 | 83.0 | 44.8 |
| ANDERSON | 0 | 13 | 0 | 0 | 0 | 1 | 0 | 14 | 0.0 | 52.2 | 25.9 |
| ATCHISON | 0 | 34 | 0 | 0 | 0 | 6 | 0 | 40 | 0.0 | 59.2 | 31.5 |
| BARBER | 0 | 5 | 0 | 0 | 0 | 2 | 0 | 7 | 0.0 | 37.0 | 19.7 |
| BARTON | 0 | 47 | 0 | 0 | 0 | 9 | 0 | 56 | 0.0 | 51.6 | 28.0 |
| BOURBON | 0 | 37 | 0 | 0 | 0 | 1 | 0 | 38 | 0.0 | 74.7 | 36.9 |
| BROWN | 0 | 20 | 0 | 0 | 1 | 3 | 1 | 23 | 3.1 | 64.4 | 35.1 |
| BUTLER | 0 | 73 | 0 | 0 | 0 | 22 | 0 | 95 | 0.0 | 38.9 | 20.2 |
| CHASE | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 0.0 | 54.3 | 27.9 |
| CHAUTAUQUA | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 6 | 0.0 | 43.5 | 22.6 |
| CHEROKEE | 0 | 43 | 0 | 0 | 0 | 3 | 0 | 46 | 0.0 | 59.4 | 30.0 |
| CHEYENNE | 0 | 4 | 0 | 0 | 0 | 1 | 0 | 5 | 0.0 | 51.0 | 28.2 |
| CLARK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 |
| CLAY | 0 | 10 | 0 | 0 | 0 | 4 | 0 | 14 | 0.0 | 51.3 | 26.3 |
| CLOUD | 1 | 13 | 0 | 0 | 0 | 3 | 1 | 16 | 3.5 | 38.9 | 24.4 |
| COFFEY | 0 | 10 | 0 | 0 | 0 | 2 | 0 | 12 | 0.0 | 47.1 | 21.9 |
| COMANCHE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 |
| COWLEY | 1 | 70 | 0 | 0 | 0 | 10 | 1 | 80 | 0.8 | 55.8 | 30.1 |
| CRAWFORD | 0 | 63 | 0 | 0 | 1 | 7 | 1 | 70 | 0.9 | 48.5 | 28.2 |
| DECATUR | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0.0 | 10.5 | 5.2 |
| DICKINSON | 0 | 31 | 0 | 0 | 0 | 5 | 0 | 36 | 0.0 | 54.1 | 28.2 |
| DONIPHAN | 0 | 4 | 0 | 0 | 0 | 4 | 0 | 8 | 0.0 | 22.9 | 13.2 |
| DOUGLAS | 0 | 58 | 0 | 0 | 1 | 59 | 1 | 117 | 0.3 | 20.9 | 13.8 |
| EDWARDS | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 6 | 0.0 | 65.2 | 30.5 |
| ELK | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 0.0 | 38.8 | 21.2 |
| ELLIS | 1 | 25 | 0 | 0 | 0 | 12 | 1 | 37 | 1.5 | 32.9 | 21.3 |
| ELLSWORTH | 0 | 8 | 0 | 0 | 0 | 3 | 0 | 11 | 0.0 | 60.1 | 31.5 |
| FINNEY | 5 | 118 | 0 | 0 | 0 | 11 | 5 | 129 | 2.7 | 80.9 | 39.2 |
| FORD | 1 | 91 | 0 | 0 | 0 | 13 | 1 | 104 | 0.8 | 82.9 | 40.7 |
| FRANKLIN | 1 | 47 | 0 | 0 | 0 | 5 | 1 | 52 | 1.1 | 56.3 | 29.3 |
| GEARY | 0 | 73 | 0 | 2 | 0 | 18 | 0 | 93 | 0.0 | 114.7 | 54.8 |
| GOVE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 |
| GRAHAM | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 0.0 | 38.5 | 19.0 |
| GRANT | 0 | 17 | 0 | 0 | 0 | 1 | 0 | 18 | 0.0 | 60.6 | 30.4 |
| GRAY | 0 | 7 | 0 | 0 | 0 | 1 | 0 | 8 | 0.0 | 44.0 | 19.0 |
| GREELEY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 |
| GREENWOOD | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 8 | 0.0 | 38.1 | 19.7 |
| HAMILTON | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 10 | 0.0 | 97.1 | 52.4 |
| HARPER | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 8 | 0.0 | 41.7 | 21.1 |
| HARVEY | 0 | 39 | 0 | 2 | 0 | 6 | 0 | 47 | 0.0 | 37.9 | 20.0 |
| HASKELL | 1 | 6 | 0 | 0 | 0 | 0 | 1 | 6 | 5.5 | 42.0 | 21.5 |
| HODGEMAN | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 3 | 0.0 | 35.7 | 19.7 |
| JACKSON | 0 | 12 | 0 | 0 | 0 | 5 | 0 | 17 | 0.0 | 37.5 | 18.5 |
| JEFFERSON | 0 | 28 | 0 | 0 | 0 | 3 | 0 | 31 | 0.0 | 51.0 | 24.9 |
| JEWELL | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0.0 | 10.0 | 4.8 |
| JOHNSON | 5 | 299 | 0 | 0 | 7 | 199 | 12 | 498 | 0.7 | 30.0 | 14.7 |
| KEARNY | 0 | 14 | 0 | 0 | 0 | 0 | 0 | 14 | 0.0 | 81.4 | 40.8 |
| KINGMAN | 0 | 7 | 0 | 0 | 0 | 3 | 0 | 10 | 0.0 | 35.6 | 18.0 |
| KIOWA | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 3 | 0.0 | 29.4 | 16.2 |
| LABETTE | 2 | 46 | 0 | 1 | 1 | 5 | 3 | 52 | 4.1 | 68.4 | 36.8 |
| LANE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 |
| LEAVENWORTH | 3 | 80 | 0 | 0 | 1 | 23 | 4 | 103 | 1.5 | 40.8 | 20.7 |
| LINCOLN | 0 | 5 | 0 | 0 | 1 | 0 | 1 | 5 | 8.8 | 61.0 | 30.6 |
| LINN | 0 | 13 | 0 | 0 | 1 | 4 | 1 | 17 | 3.3 | 59.9 | 30.7 |
| LOGAN | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0.0 | 18.7 | 10.6 |

**Teenage Pregnancies* for 10-19 Year Olds by Component
By County of Residence and by Peer Group, Kansas, 2006**

| County of Residence | Live Births | | Stillbirths | | Abortions | | Total Pregnancies | | Teenage** Pregnancy Rate | | Teenage** Preg. Rate |
|------------------------|-------------|-------|-------------|-------|-----------|-------|----------------------|-------|-----------------------------|-------|-------------------------|
| | Age-Group | | Age-Group | | Age-Group | | Age-Group | | Age-Group | | Age-Group |
| | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-19 |
| LYON | 1 | 66 | 0 | 1 | 0 | 10 | 1 | 77 | 0.9 | 50.7 | 29.5 |
| MARION | 0 | 5 | 0 | 0 | 0 | 2 | 0 | 7 | 0.0 | 14.4 | 8.0 |
| MARSHALL | 0 | 10 | 0 | 0 | 0 | 1 | 0 | 11 | 0.0 | 31.4 | 16.7 |
| MCPHERSON | 0 | 35 | 0 | 1 | 1 | 5 | 1 | 41 | 1.2 | 37.1 | 21.5 |
| MEADE | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 4 | 0.0 | 27.8 | 12.0 |
| MIAMI | 0 | 37 | 0 | 0 | 0 | 6 | 0 | 43 | 0.0 | 42.7 | 20.5 |
| MITCHELL | 0 | 6 | 0 | 0 | 0 | 1 | 0 | 7 | 0.0 | 23.9 | 14.6 |
| MONTGOMERY | 0 | 75 | 0 | 0 | 0 | 15 | 0 | 90 | 0.0 | 78.1 | 40.3 |
| MORRIS | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 6 | 0.0 | 30.2 | 15.7 |
| MORTON | 1 | 9 | 0 | 0 | 0 | 1 | 1 | 10 | 7.6 | 90.1 | 45.3 |
| NEMAHA | 0 | 11 | 0 | 0 | 0 | 1 | 0 | 12 | 0.0 | 32.0 | 16.0 |
| NEOSHO | 1 | 32 | 0 | 0 | 0 | 1 | 1 | 33 | 2.0 | 56.0 | 31.0 |
| NESS | 1 | 3 | 0 | 0 | 0 | 0 | 1 | 3 | 13.3 | 40.0 | 26.7 |
| NORTON | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 3 | 0.0 | 21.6 | 10.3 |
| OSAGE | 0 | 24 | 0 | 0 | 0 | 5 | 0 | 29 | 0.0 | 49.7 | 24.6 |
| OSBORNE | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 0.0 | 39.4 | 19.5 |
| OTTAWA | 0 | 7 | 0 | 1 | 0 | 1 | 0 | 9 | 0.0 | 46.2 | 23.6 |
| PAWNEE | 0 | 6 | 0 | 0 | 0 | 1 | 0 | 7 | 0.0 | 32.0 | 17.2 |
| PHILLIPS | 0 | 3 | 0 | 0 | 0 | 2 | 0 | 5 | 0.0 | 25.9 | 14.1 |
| POTTAWATOMIE | 0 | 20 | 0 | 0 | 0 | 2 | 0 | 22 | 0.0 | 29.9 | 15.2 |
| PRATT | 0 | 13 | 0 | 0 | 0 | 4 | 0 | 17 | 0.0 | 53.3 | 27.8 |
| RAWLINS | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0.0 | 23.3 | 11.9 |
| RENO | 2 | 82 | 0 | 0 | 0 | 20 | 2 | 102 | 1.1 | 51.0 | 26.7 |
| REPUBLIC | 0 | 9 | 0 | 0 | 0 | 2 | 0 | 11 | 0.0 | 67.5 | 38.6 |
| RICE | 0 | 17 | 0 | 0 | 0 | 0 | 0 | 17 | 0.0 | 33.2 | 20.9 |
| RILEY | 1 | 79 | 0 | 1 | 0 | 26 | 1 | 106 | 0.7 | 30.8 | 22.3 |
| ROOKS | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 0.0 | 35.5 | 15.3 |
| RUSH | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 5 | 0.0 | 49.5 | 26.6 |
| RUSSELL | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 0.0 | 35.7 | 18.1 |
| SALINE | 1 | 105 | 0 | 2 | 2 | 19 | 3 | 126 | 1.7 | 76.2 | 37.4 |
| SCOTT | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 6 | 0.0 | 40.8 | 19.4 |
| SEDGWICK | 10 | 899 | 0 | 5 | 5 | 185 | 15 | 1,089 | 0.9 | 68.2 | 33.1 |
| SEWARD | 2 | 83 | 0 | 0 | 1 | 5 | 3 | 88 | 3.2 | 97.5 | 49.5 |
| SHAWNEE | 3 | 273 | 0 | 2 | 0 | 75 | 3 | 350 | 0.5 | 64.6 | 32.3 |
| SHERIDAN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 |
| SHERMAN | 0 | 8 | 0 | 0 | 0 | 1 | 0 | 9 | 0.0 | 44.1 | 24.7 |
| SMITH | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 4 | 0.0 | 29.4 | 15.9 |
| STAFFORD | 0 | 7 | 0 | 0 | 0 | 2 | 0 | 9 | 0.0 | 49.2 | 27.0 |
| STANTON | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 0.0 | 36.1 | 17.3 |
| STEVENS | 0 | 7 | 0 | 0 | 1 | 0 | 1 | 7 | 5.1 | 33.2 | 19.7 |
| SUMNER | 0 | 36 | 0 | 0 | 0 | 5 | 0 | 41 | 0.0 | 43.8 | 22.0 |
| THOMAS | 0 | 12 | 0 | 0 | 0 | 2 | 0 | 14 | 0.0 | 37.9 | 21.9 |
| TREGO | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 0.0 | 41.1 | 18.4 |
| WABAUNSEE | 0 | 2 | 0 | 0 | 0 | 3 | 0 | 5 | 0.0 | 24.3 | 11.8 |
| WALLACE | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0.0 | 18.9 | 9.2 |
| WASHINGTON | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0.0 | 5.1 | 2.7 |
| WICHITA | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 0.0 | 112.9 | 44.9 |
| WILSON | 0 | 25 | 0 | 0 | 0 | 3 | 0 | 28 | 0.0 | 87.2 | 43.6 |
| WOODSON | 0 | 5 | 0 | 0 | 1 | 2 | 1 | 7 | 11.8 | 71.4 | 43.7 |
| WYANDOTTE | 13 | 463 | 0 | 2 | 3 | 120 | 16 | 585 | 2.8 | 108.7 | 54.0 |
| UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n/a | n/a | n/a |
| KANSAS | 57 | 4,097 | 0 | 22 | 28 | 988 | 85 | 5,107 | 0.9 | 52.2 | 27.1 |
| Peer Group | | | | | | | | | | | |
| Frontier | 2 | 108 | 0 | 2 | 1 | 6 | 3 | 116 | 1.0 | 39.7 | 20.1 |
| Rural | 2 | 338 | 0 | 1 | 4 | 59 | 6 | 398 | 0.6 | 38.3 | 20.4 |
| Densely-Settled Rural | 13 | 840 | 0 | 2 | 3 | 108 | 16 | 950 | 1.1 | 61.7 | 32.3 |
| Semi-Urban | 9 | 819 | 0 | 8 | 4 | 177 | 13 | 1,004 | 0.8 | 49.8 | 27.2 |
| Urban | 31 | 1,992 | 0 | 9 | 16 | 638 | 47 | 2,639 | 0.9 | 53.9 | 27.3 |

n/a = Not applicable

*Teenage pregnancies include the sum of live births, stillbirths and abortions

**Rates per 1,000 female age-group population.

2006 female age-group population estimates were compiled by the U.S. Census Bureau as of 7/1/2006

Source: Kansas Department of Health and Environment

Teenage Pregnancy* Rates (10-14, 15-19 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | Year | | | | | | | | | | 5-year Rate | |
|------------------------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-------------|-------|
| | 2002 | | 2003 | | 2004 | | 2005 | | 2006 | | | |
| | Age-Group | | Age-Group | | Age-Group | | Age-Group | | Age-Group | | Age-Group | |
| | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 |
| ALLEN | 0.0 | 59.7 | 0.0 | 64.6 | 0.0 | 53.5 | 0.0 | 55.4 | 0.0 | 83.0 | 0.0 | 63.2 |
| ANDERSON | 0.0 | 44.4 | 0.0 | 34.1 | 0.0 | 57.3 | 0.0 | 31.0 | 0.0 | 52.2 | 0.0 | 43.8 |
| ATCHISON | 0.0 | 40.7 | 0.0 | 59.8 | 0.0 | 52.6 | 1.7 | 40.7 | 0.0 | 59.2 | 0.3 | 50.6 |
| BARBER | 0.0 | 24.3 | 0.0 | 28.3 | 0.0 | 29.1 | 0.0 | 30.5 | 0.0 | 37.0 | 0.0 | 29.8 |
| BARTON | 4.0 | 62.7 | 0.0 | 48.8 | 0.0 | 43.8 | 0.0 | 45.8 | 0.0 | 51.6 | 0.8 | 50.5 |
| BOURBON | 0.0 | 90.4 | 0.0 | 73.0 | 0.0 | 70.1 | 0.0 | 45.4 | 0.0 | 74.7 | 0.0 | 70.7 |
| BROWN | 0.0 | 63.0 | 0.0 | 40.6 | 0.0 | 50.8 | 0.0 | 54.3 | 3.1 | 64.4 | 0.6 | 54.6 |
| BUTLER | 0.4 | 47.4 | 0.0 | 35.0 | 0.0 | 38.2 | 0.4 | 41.0 | 0.0 | 38.9 | 0.2 | 40.1 |
| CHASE | 0.0 | 46.5 | 0.0 | 48.8 | 0.0 | 47.6 | 0.0 | 42.1 | 0.0 | 54.3 | 0.0 | 47.9 |
| CHAUTAUQUA | 0.0 | 34.2 | 0.0 | 39.7 | 0.0 | 21.0 | 0.0 | 13.1 | 0.0 | 43.5 | 0.0 | 30.3 |
| CHEROKEE | 0.0 | 63.7 | 0.0 | 55.5 | 1.3 | 60.2 | 0.0 | 77.6 | 0.0 | 59.4 | 0.3 | 63.3 |
| CHEYENNE | 0.0 | 17.9 | 0.0 | 9.3 | 0.0 | 18.0 | 0.0 | 28.3 | 0.0 | 51.0 | 0.0 | 24.9 |
| CLARK | 0.0 | 23.5 | 0.0 | 0.0 | 0.0 | 40.0 | 12.8 | 65.8 | 0.0 | 0.0 | 2.6 | 25.9 |
| CLAY | 0.0 | 42.1 | 0.0 | 40.5 | 0.0 | 16.0 | 3.7 | 56.5 | 0.0 | 51.3 | 0.7 | 41.3 |
| CLOUD | 0.0 | 45.6 | 0.0 | 51.7 | 0.0 | 29.6 | 0.0 | 25.9 | 3.5 | 38.9 | 0.7 | 38.3 |
| COFFEY | 0.0 | 41.5 | 0.0 | 36.5 | 0.0 | 34.9 | 0.0 | 38.2 | 0.0 | 47.1 | 0.0 | 39.6 |
| COMANCHE | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 51.7 | 0.0 | 18.5 | 0.0 | 0.0 | 0.0 | 14.0 |
| COWLEY | 0.0 | 59.1 | 0.0 | 49.5 | 0.0 | 45.5 | 0.0 | 44.5 | 0.8 | 55.8 | 0.2 | 50.9 |
| CRAWFORD | 0.0 | 52.1 | 0.0 | 52.4 | 0.0 | 55.1 | 1.0 | 56.0 | 0.9 | 48.5 | 0.4 | 52.8 |
| DECATUR | 0.0 | 33.3 | 0.0 | 35.1 | 0.0 | 0.0 | 0.0 | 19.6 | 0.0 | 10.5 | 0.0 | 19.7 |
| DICKINSON | 0.0 | 34.2 | 1.5 | 30.5 | 1.6 | 48.4 | 0.0 | 35.9 | 0.0 | 54.1 | 0.6 | 40.6 |
| DONIPHAN | 0.0 | 23.5 | 0.0 | 32.4 | 0.0 | 27.5 | 0.0 | 17.4 | 0.0 | 22.9 | 0.0 | 24.7 |
| DOUGLAS | 0.4 | 29.9 | 1.1 | 24.2 | 0.4 | 26.9 | 0.0 | 27.2 | 0.3 | 20.9 | 0.4 | 25.8 |
| EDWARDS | 0.0 | 87.0 | 0.0 | 32.3 | 0.0 | 50.4 | 0.0 | 37.0 | 0.0 | 65.2 | 0.0 | 54.4 |
| ELK | 0.0 | 51.1 | 0.0 | 60.2 | 0.0 | 67.2 | 0.0 | 50.0 | 0.0 | 38.8 | 0.0 | 53.5 |
| ELLIS | 2.5 | 28.1 | 0.0 | 35.1 | 0.0 | 45.2 | 3.2 | 22.8 | 1.5 | 32.9 | 1.4 | 32.8 |
| ELLSWORTH | 0.0 | 30.0 | 0.0 | 30.4 | 0.0 | 4.7 | 0.0 | 36.3 | 0.0 | 60.1 | 0.0 | 32.3 |
| FINNEY | 0.6 | 81.6 | 0.6 | 93.0 | 0.6 | 85.7 | 0.0 | 79.1 | 2.7 | 80.9 | 0.9 | 84.1 |
| FORD | 2.4 | 88.3 | 0.8 | 89.3 | 2.3 | 89.8 | 1.5 | 69.8 | 0.8 | 82.9 | 1.6 | 84.0 |
| FRANKLIN | 1.0 | 70.6 | 1.0 | 55.2 | 2.1 | 50.0 | 3.4 | 61.1 | 1.1 | 56.3 | 1.7 | 58.6 |
| GEARY | 1.0 | 123.9 | 3.1 | 118.6 | 1.1 | 98.4 | 1.2 | 91.9 | 0.0 | 114.7 | 1.3 | 109.5 |
| GOVE | 9.3 | 0.0 | 0.0 | 9.8 | 0.0 | 41.2 | 0.0 | 34.1 | 0.0 | 0.0 | 1.9 | 17.0 |
| GRAHAM | 0.0 | 31.9 | 0.0 | 45.5 | 0.0 | 48.2 | 0.0 | 58.8 | 0.0 | 38.5 | 0.0 | 44.6 |
| GRANT | 0.0 | 72.4 | 0.0 | 67.4 | 0.0 | 63.8 | 0.0 | 64.8 | 0.0 | 60.6 | 0.0 | 65.8 |
| GRAY | 0.0 | 14.8 | 0.0 | 45.8 | 0.0 | 42.6 | 0.0 | 68.0 | 0.0 | 44.0 | 0.0 | 43.0 |
| GREELEY | 0.0 | 58.8 | 0.0 | 0.0 | 0.0 | 62.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24.3 |
| GREENWOOD | 0.0 | 67.9 | 0.0 | 48.0 | 0.0 | 68.0 | 0.0 | 78.0 | 0.0 | 38.1 | 0.0 | 60.0 |
| HAMILTON | 0.0 | 125.0 | 0.0 | 61.9 | 0.0 | 63.8 | 0.0 | 59.4 | 0.0 | 97.1 | 0.0 | 81.4 |
| HARPER | 0.0 | 61.0 | 0.0 | 44.7 | 0.0 | 48.6 | 0.0 | 42.1 | 0.0 | 41.7 | 0.0 | 47.6 |
| HARVEY | 0.0 | 48.6 | 0.8 | 38.5 | 0.0 | 26.8 | 0.0 | 38.6 | 0.0 | 37.9 | 0.2 | 38.1 |
| HASKELL | 0.0 | 48.9 | 0.0 | 46.2 | 0.0 | 116.6 | 6.3 | 43.8 | 5.5 | 42.0 | 2.4 | 59.5 |
| HODGEMAN | 0.0 | 28.3 | 0.0 | 39.2 | 0.0 | 0.0 | 0.0 | 12.2 | 0.0 | 35.7 | 0.0 | 23.1 |
| JACKSON | 1.9 | 45.1 | 0.0 | 41.7 | 2.1 | 37.6 | 0.0 | 48.1 | 0.0 | 37.5 | 0.8 | 42.0 |
| JEFFERSON | 1.4 | 37.4 | 0.0 | 50.3 | 0.0 | 32.9 | 0.0 | 36.6 | 0.0 | 51.0 | 0.3 | 41.6 |
| JEWELL | 0.0 | 16.1 | 0.0 | 0.0 | 0.0 | 17.9 | 0.0 | 19.8 | 0.0 | 10.0 | 0.0 | 12.8 |
| JOHNSON | 0.2 | 33.9 | 0.3 | 30.1 | 0.3 | 29.6 | 0.4 | 29.6 | 0.7 | 30.0 | 0.4 | 30.6 |
| KEARNY | 0.0 | 48.1 | 0.0 | 45.7 | 0.0 | 45.2 | 0.0 | 59.5 | 0.0 | 81.4 | 0.0 | 56.0 |
| KINGMAN | 0.0 | 29.6 | 0.0 | 24.7 | 0.0 | 22.9 | 0.0 | 22.2 | 0.0 | 35.6 | 0.0 | 27.0 |
| KIOWA | 0.0 | 15.4 | 0.0 | 48.0 | 0.0 | 22.9 | 0.0 | 27.5 | 0.0 | 29.4 | 0.0 | 28.6 |
| LABETTE | 0.0 | 65.8 | 0.0 | 55.6 | 2.6 | 51.9 | 4.0 | 62.0 | 4.1 | 68.4 | 2.1 | 60.7 |
| LANE | 0.0 | 52.6 | 0.0 | 15.6 | 0.0 | 15.9 | 0.0 | 47.6 | 0.0 | 0.0 | 0.0 | 26.3 |
| LEAVENWORTH | 1.1 | 48.5 | 0.0 | 44.6 | 0.0 | 44.5 | 0.4 | 38.1 | 1.5 | 40.8 | 0.6 | 43.3 |
| LINCOLN | 0.0 | 16.5 | 0.0 | 24.2 | 0.0 | 16.8 | 0.0 | 21.1 | 8.8 | 61.0 | 1.8 | 27.9 |
| LINN | 0.0 | 36.1 | 0.0 | 16.9 | 0.0 | 32.4 | 0.0 | 40.4 | 3.3 | 59.9 | 0.7 | 37.1 |
| LOGAN | 0.0 | 16.8 | 0.0 | 9.3 | 0.0 | 30.0 | 0.0 | 18.2 | 0.0 | 18.7 | 0.0 | 18.6 |

Teenage Pregnancy* Rates (10-14, 15-19 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | Year | | | | | | | | | | 5-year Rate | |
|------------------------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-------------|-------|
| | 2002 | | 2003 | | 2004 | | 2005 | | 2006 | | | |
| | Age-Group | | Age-Group | | Age-Group | | Age-Group | | Age-Group | | Age-Group | |
| | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 |
| LYON | 0.9 | 48.7 | 0.9 | 60.9 | 0.9 | 59.0 | 0.0 | 56.3 | 0.9 | 50.7 | 0.7 | 55.1 |
| MARION | 0.0 | 31.4 | 0.0 | 21.0 | 0.0 | 17.5 | 0.0 | 22.5 | 0 | 14.4 | 0.0 | 21.4 |
| MARSHALL | 0.0 | 24.9 | 0.0 | 44.1 | 0.0 | 31.9 | 3.1 | 29.3 | 0 | 31.4 | 0.6 | 32.3 |
| MCPHERSON | 0.0 | 27.3 | 1.0 | 26.8 | 0.0 | 27.9 | 0.0 | 31.6 | 1.2 | 37.1 | 0.4 | 30.1 |
| MEADE | 0.0 | 21.5 | 0.0 | 50.3 | 0.0 | 42.2 | 0.0 | 67.5 | 0.0 | 27.8 | 0.0 | 41.9 |
| MIAMI | 0.0 | 37.2 | 0.9 | 35.4 | 0.0 | 44.4 | 0.0 | 31.5 | 0.0 | 42.7 | 0.2 | 38.2 |
| MITCHELL | 0.0 | 21.7 | 0.0 | 17.9 | 0.0 | 15.3 | 0.0 | 9.4 | 0.0 | 23.9 | 0.0 | 17.6 |
| MONTGOMERY | 1.7 | 72.0 | 0.0 | 63.1 | 0.0 | 75.8 | 0.0 | 73.2 | 0.0 | 78.1 | 0.3 | 72.4 |
| MORRIS | 0.0 | 13.4 | 0.0 | 15.2 | 0.0 | 45.2 | 0.0 | 44.1 | 0.0 | 30.2 | 0.0 | 29.6 |
| MORTON | 7.6 | 42.9 | 0.0 | 50.0 | 8.2 | 52.6 | 8.7 | 78.7 | 7.6 | 90.1 | 6.4 | 62.9 |
| NEMAHA | 0.0 | 25.6 | 0.0 | 20.0 | 0.0 | 16.1 | 0.0 | 9.7 | 0.0 | 32.0 | 0.0 | 20.7 |
| NEOSHO | 0.0 | 47.9 | 0.0 | 56.7 | 0.0 | 56.0 | 0.0 | 55.0 | 2.0 | 56.0 | 0.4 | 54.3 |
| NESS | 0.0 | 56.9 | 0.0 | 37.7 | 12.3 | 49.0 | 0.0 | 23.5 | 13.3 | 40.0 | 5.1 | 41.4 |
| NORTON | 0.0 | 5.4 | 0.0 | 5.6 | 0.0 | 17.0 | 0.0 | 68.8 | 0.0 | 21.6 | 0.0 | 23.7 |
| OSAGE | 0.0 | 31.4 | 1.5 | 41.9 | 0.0 | 40.4 | 0.0 | 36.9 | 0.0 | 49.7 | 0.3 | 40.1 |
| OSBORNE | 0.0 | 12.9 | 0.0 | 52.6 | 0.0 | 26.1 | 0.0 | 7.0 | 0.0 | 39.4 | 0.0 | 27.6 |
| OTTAWA | 0.0 | 39.7 | 0.0 | 34.0 | 0.0 | 31.7 | 0.0 | 40.2 | 0.0 | 46.2 | 0.0 | 38.4 |
| PAWNEE | 4.3 | 68.8 | 0.0 | 36.3 | 0.0 | 33.1 | 0.0 | 29.5 | 0.0 | 32.0 | 0.9 | 39.9 |
| PHILLIPS | 0.0 | 48.1 | 0.0 | 35.2 | 0.0 | 28.8 | 0.0 | 43.3 | 0.0 | 25.9 | 0.0 | 36.3 |
| POTTAWATOMIE | 0.0 | 33.3 | 0.0 | 27.0 | 1.4 | 29.9 | 0.0 | 17.4 | 0.0 | 29.9 | 0.3 | 27.5 |
| PRATT | 0.0 | 53.8 | 0.0 | 28.4 | 3.3 | 29.1 | 0.0 | 42.4 | 0.0 | 53.3 | 0.7 | 41.4 |
| RAWLINS | 0.0 | 0.0 | 0.0 | 20.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.3 | 0.0 | 8.8 |
| RENO | 1.0 | 58.0 | 0.5 | 54.2 | 0.0 | 55.1 | 1.6 | 58.3 | 1.1 | 51.0 | 0.8 | 55.3 |
| REPUBLIC | 0.0 | 19.5 | 0.0 | 29.0 | 0.0 | 28.8 | 0.0 | 38.5 | 0.0 | 67.5 | 0.0 | 36.7 |
| RICE | 0.0 | 47.4 | 0.0 | 39.0 | 0.0 | 34.8 | 0.0 | 41.5 | 0.0 | 33.2 | 0.0 | 39.2 |
| RILEY | 0.0 | 38.4 | 2.1 | 33.1 | 0.0 | 27.0 | 0.8 | 31.3 | 0.7 | 30.8 | 0.7 | 32.1 |
| ROOKS | 0.0 | 33.8 | 0.0 | 31.1 | 0.0 | 21.7 | 0.0 | 24.4 | 0.0 | 35.5 | 0.0 | 29.3 |
| RUSH | 0.0 | 25.2 | 0.0 | 25.4 | 0.0 | 35.1 | 0.0 | 18.5 | 0.0 | 49.5 | 0.0 | 30.7 |
| RUSSELL | 4.9 | 28.6 | 9.7 | 61.9 | 0.0 | 27.0 | 0.0 | 51.0 | 0.0 | 35.7 | 2.9 | 40.8 |
| SALINE | 0.0 | 61.3 | 0.0 | 68.5 | 1.1 | 53.6 | 0.6 | 72.2 | 1.7 | 76.2 | 0.7 | 66.4 |
| SCOTT | 0.0 | 46.4 | 0.0 | 27.5 | 0.0 | 34.1 | 0.0 | 76.9 | 0.0 | 40.8 | 0.0 | 45.1 |
| SEDGWICK | 1.4 | 69.2 | 0.7 | 65.8 | 1.0 | 67.3 | 0.8 | 69.5 | 0.9 | 68.2 | 1.0 | 68.0 |
| SEWARD | 2.3 | 107.8 | 4.5 | 109.9 | 0.0 | 97.8 | 1.1 | 101.2 | 3.2 | 97.5 | 2.2 | 102.8 |
| SHAWNEE | 0.9 | 70.6 | 1.4 | 66.2 | 1.3 | 66.2 | 0.6 | 65.2 | 0.5 | 64.6 | 0.9 | 66.6 |
| SHERIDAN | 0.0 | 17.4 | 0.0 | 0.0 | 0.0 | 35.4 | 0.0 | 20.2 | 0.0 | 0.0 | 0.0 | 14.6 |
| SHERMAN | 4.6 | 33.2 | 0.0 | 61.6 | 0.0 | 32.0 | 0.0 | 42.7 | 0.0 | 44.1 | 0.9 | 42.7 |
| SMITH | 0.0 | 6.1 | 0.0 | 12.9 | 0.0 | 13.2 | 0.0 | 13.8 | 0.0 | 29.4 | 0.0 | 15.1 |
| STAFFORD | 0.0 | 57.8 | 0.0 | 26.7 | 0.0 | 31.7 | 0.0 | 27.0 | 0.0 | 49.2 | 0.0 | 38.5 |
| STANTON | 0.0 | 60.6 | 0.0 | 11.2 | 0.0 | 58.1 | 0.0 | 88.6 | 0.0 | 36.1 | 0.0 | 50.9 |
| STEVENS | 0.0 | 74.7 | 0.0 | 61.0 | 4.7 | 65.3 | 0.0 | 85.8 | 5.1 | 33.2 | 2.0 | 64.0 |
| SUMNER | 1.0 | 50.0 | 1.0 | 41.9 | 0.0 | 36.1 | 2.2 | 47.4 | 0.0 | 43.8 | 0.8 | 43.8 |
| THOMAS | 0.0 | 39.6 | 0.0 | 36.3 | 0.0 | 50.2 | 3.7 | 23.3 | 0.0 | 37.9 | 0.7 | 37.5 |
| TREGO | 0.0 | 25.0 | 0.0 | 16.7 | 0.0 | 19.6 | 0.0 | 47.1 | 0.0 | 41.1 | 0.0 | 29.9 |
| WABAUNSEE | 0.0 | 38.3 | 0.0 | 32.3 | 0.0 | 38.8 | 4.5 | 34.2 | 0.0 | 24.3 | 0.9 | 33.6 |
| WALLACE | 0.0 | 11.2 | 0.0 | 13.0 | 0.0 | 16.1 | 0.0 | 0.0 | 0.0 | 18.9 | 0.0 | 11.8 |
| WASHINGTON | 0.0 | 13.8 | 0.0 | 24.5 | 0.0 | 9.4 | 0.0 | 23.5 | 0.0 | 5.1 | 0.0 | 15.3 |
| WICHITA | 0.0 | 43.0 | 0.0 | 46.5 | 0.0 | 95.9 | 0.0 | 47.6 | 0.0 | 112.9 | 0.0 | 69.2 |
| WILSON | 0.0 | 58.7 | 0.0 | 62.3 | 2.8 | 44.8 | 0.0 | 49.5 | 0.0 | 87.2 | 0.6 | 60.5 |
| WOODSON | 0.0 | 43.5 | 0.0 | 41.7 | 0.0 | 46.2 | 0.0 | 82.0 | 11.8 | 71.4 | 2.4 | 57.0 |
| WYANDOTTE | 3.5 | 116.2 | 3.3 | 110.9 | 3.2 | 105.2 | 2.7 | 101.7 | 2.8 | 108.7 | 3.1 | 108.5 |
| KANSAS | 0.9 | 54.7 | 0.8 | 51.3 | 0.8 | 50.3 | 0.8 | 50.8 | 0.9 | 52.2 | 0.8 | 51.9 |

*Teenage pregnancies include the sum of live births, stillbirths and abortions.

**Rates per 1,000 female age-group population.

2002-2006 female age-group population estimates were compiled by the U.S. Census Bureau as of 7/1 of each year.

Source: Kansas Department of Health and Environment

Teenage Pregnancy* Rates (10-19 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | 5-year Rate |
|---------------------|------|------|------|------|------|-------------|
| ALLEN | 32.5 | 36.2 | 29.5 | 31.5 | 44.8 | 34.9 |
| ANDERSON | 21.5 | 17.1 | 28.3 | 16.0 | 25.9 | 21.8 |
| ATCHISON | 22.5 | 33.2 | 27.9 | 22.7 | 31.5 | 27.6 |
| BARBER | 12.4 | 15.2 | 16.3 | 17.1 | 19.7 | 16.1 |
| BARTON | 35.2 | 25.7 | 23.4 | 24.9 | 28.0 | 27.4 |
| BOURBON | 45.4 | 35.5 | 34.3 | 22.6 | 36.9 | 34.9 |
| BROWN | 33.0 | 21.3 | 26.5 | 28.2 | 35.1 | 28.8 |
| BUTLER | 23.8 | 17.7 | 19.7 | 21.7 | 20.2 | 20.6 |
| CHASE | 21.5 | 22.9 | 26.6 | 22.7 | 27.9 | 24.3 |
| CHAUTAUQUA | 16.2 | 19.1 | 10.1 | 6.9 | 22.6 | 15.0 |
| CHEROKEE | 31.3 | 27.3 | 30.3 | 39.2 | 30.0 | 31.6 |
| CHEYENNE | 9.0 | 4.7 | 10.0 | 15.7 | 28.2 | 13.5 |
| CLARK | 12.4 | 0.0 | 20.4 | 39.0 | 0.0 | 14.4 |
| CLAY | 20.7 | 19.8 | 8.4 | 30.6 | 26.3 | 21.2 |
| CLOUD | 26.0 | 29.0 | 17.0 | 15.5 | 24.4 | 22.4 |
| COFFEY | 23.6 | 20.1 | 19.3 | 19.4 | 21.9 | 20.9 |
| COMANCHE | 0.0 | 0.0 | 25.9 | 9.1 | 0.0 | 7.0 |
| COWLEY | 31.3 | 26.0 | 24.2 | 24.2 | 30.1 | 27.2 |
| CRAWFORD | 29.5 | 29.3 | 31.0 | 32.5 | 28.2 | 30.1 |
| DECATUR | 16.9 | 17.8 | 0.0 | 10.3 | 5.2 | 10.0 |
| DICKINSON | 17.9 | 16.9 | 26.8 | 18.9 | 28.2 | 21.7 |
| DONIPHAN | 12.7 | 17.8 | 15.0 | 9.8 | 13.2 | 13.7 |
| DOUGLAS | 19.0 | 15.8 | 17.4 | 18.3 | 13.8 | 16.9 |
| EDWARDS | 51.5 | 17.6 | 25.6 | 18.8 | 30.5 | 28.8 |
| ELK | 27.8 | 33.5 | 38.8 | 28.6 | 21.2 | 30.0 |
| ELLIS | 17.5 | 20.8 | 27.2 | 15.8 | 21.3 | 20.5 |
| ELLSWORTH | 16.2 | 16.9 | 2.6 | 19.3 | 31.5 | 17.3 |
| FINNEY | 38.9 | 43.8 | 41.4 | 37.7 | 39.2 | 40.2 |
| FORD | 43.7 | 43.1 | 43.9 | 34.6 | 40.7 | 41.2 |
| FRANKLIN | 36.2 | 28.7 | 27.1 | 33.6 | 29.3 | 31.0 |
| GEARY | 59.4 | 58.3 | 48.7 | 45.3 | 54.8 | 53.3 |
| GOVE | 4.7 | 5.0 | 19.5 | 15.1 | 0.0 | 8.9 |
| GRAHAM | 15.5 | 22.3 | 23.7 | 32.1 | 19.0 | 22.5 |
| GRANT | 37.2 | 35.3 | 32.9 | 31.5 | 30.4 | 33.5 |
| GRAY | 8.0 | 24.7 | 21.7 | 33.4 | 19.0 | 21.4 |
| GREELEY | 29.4 | 0.0 | 30.6 | 0.0 | 0.0 | 12.0 |
| GREENWOOD | 35.1 | 24.4 | 36.4 | 39.4 | 19.7 | 31.0 |
| HAMILTON | 62.5 | 29.4 | 31.1 | 33.3 | 52.4 | 41.7 |
| HARPER | 32.0 | 24.2 | 26.8 | 22.6 | 21.1 | 25.3 |
| HARVEY | 25.7 | 20.9 | 14.5 | 20.8 | 20.0 | 20.4 |
| HASKELL | 25.2 | 22.8 | 56.9 | 25.0 | 21.5 | 30.3 |
| HODGEMAN | 14.9 | 21.2 | 0.0 | 6.1 | 19.7 | 12.4 |
| JACKSON | 23.5 | 21.5 | 20.9 | 24.6 | 18.5 | 21.8 |
| JEFFERSON | 18.9 | 25.1 | 16.6 | 18.1 | 24.9 | 20.7 |
| JEWELL | 8.6 | 0.0 | 9.4 | 10.1 | 4.8 | 6.6 |
| JOHNSON | 16.4 | 14.7 | 14.6 | 14.7 | 14.7 | 15.0 |
| KEARNY | 24.6 | 22.6 | 23.4 | 29.5 | 40.8 | 28.2 |
| KINGMAN | 14.6 | 12.2 | 12.3 | 11.8 | 18.0 | 13.8 |
| KIOWA | 8.2 | 26.1 | 13.9 | 15.2 | 16.2 | 15.9 |
| LABETTE | 32.0 | 27.6 | 27.5 | 33.6 | 36.8 | 31.5 |
| LANE | 28.0 | 7.2 | 7.6 | 24.8 | 0.0 | 13.5 |
| LEAVENWORTH | 23.5 | 21.1 | 21.3 | 18.9 | 20.7 | 21.1 |
| LINCOLN | 8.9 | 13.2 | 9.3 | 10.1 | 30.6 | 14.4 |
| LINN | 18.8 | 9.0 | 17.1 | 20.0 | 30.7 | 19.1 |
| LOGAN | 8.5 | 4.5 | 15.2 | 10.1 | 10.6 | 9.8 |

Teenage Pregnancy* Rates (10-19 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | 5-year Rate |
|---------------------|------|------|------|------|------|-------------|
| LYON | 28.6 | 35.4 | 34.2 | 32.9 | 29.5 | 32.1 |
| MARION | 16.8 | 11.0 | 9.5 | 12.0 | 8.0 | 11.5 |
| MARSHALL | 13.2 | 22.9 | 17.6 | 17.3 | 16.7 | 17.5 |
| MCPHERSON | 15.5 | 15.7 | 15.7 | 18.0 | 21.5 | 17.3 |
| MEADE | 11.6 | 26.4 | 20.8 | 32.7 | 12.0 | 20.7 |
| MIAMI | 18.6 | 18.4 | 22.3 | 15.6 | 20.5 | 19.1 |
| MITCHELL | 12.3 | 10.5 | 9.3 | 5.7 | 14.6 | 10.5 |
| MONTGOMERY | 39.0 | 32.3 | 38.8 | 37.8 | 40.3 | 37.6 |
| MORRIS | 6.7 | 7.1 | 22.7 | 23.0 | 15.7 | 15.0 |
| MORTON | 25.7 | 26.0 | 31.4 | 45.5 | 45.3 | 34.8 |
| NEMAHA | 13.0 | 10.7 | 8.7 | 5.1 | 16.0 | 10.7 |
| NEOSHO | 26.5 | 31.6 | 31.7 | 30.0 | 31.0 | 30.2 |
| NESS | 32.3 | 19.7 | 32.8 | 11.9 | 26.7 | 24.7 |
| NORTON | 2.9 | 2.9 | 9.0 | 36.4 | 10.3 | 12.3 |
| OSAGE | 15.4 | 21.0 | 19.8 | 18.3 | 24.6 | 19.8 |
| OSBORNE | 6.8 | 27.6 | 14.3 | 3.9 | 19.5 | 14.4 |
| OTTAWA | 22.0 | 18.7 | 17.2 | 21.0 | 23.6 | 20.5 |
| PAWNEE | 37.7 | 19.5 | 18.3 | 16.6 | 17.2 | 21.9 |
| PHILLIPS | 24.7 | 18.3 | 15.8 | 24.1 | 14.1 | 19.4 |
| POTTAWATOMIE | 16.3 | 13.6 | 16.0 | 9.0 | 15.2 | 14.0 |
| PRATT | 30.6 | 15.5 | 17.6 | 23.3 | 27.8 | 23.0 |
| RAWLINS | 0.0 | 10.2 | 0.0 | 0.0 | 11.9 | 4.4 |
| RENO | 30.6 | 28.1 | 28.4 | 31.1 | 26.7 | 29.0 |
| REPUBLIC | 10.2 | 15.8 | 17.1 | 22.3 | 38.6 | 20.8 |
| RICE | 28.4 | 23.9 | 21.1 | 25.9 | 20.9 | 24.0 |
| RILEY | 26.0 | 23.1 | 18.5 | 22.8 | 22.3 | 22.5 |
| ROOKS | 18.3 | 16.9 | 11.4 | 12.2 | 15.3 | 14.8 |
| RUSH | 13.1 | 13.6 | 19.3 | 10.2 | 26.6 | 16.6 |
| RUSSELL | 17.8 | 37.0 | 14.2 | 25.5 | 18.1 | 22.5 |
| SALINE | 30.4 | 33.7 | 27.7 | 35.9 | 37.4 | 33.0 |
| SCOTT | 23.9 | 14.0 | 17.9 | 37.3 | 19.4 | 22.5 |
| SEDGWICK | 33.9 | 31.5 | 32.7 | 34.0 | 33.1 | 33.0 |
| SEWARD | 55.6 | 56.7 | 48.8 | 51.4 | 49.5 | 52.4 |
| SHAWNEE | 35.9 | 33.5 | 33.6 | 32.9 | 32.3 | 33.6 |
| SHERIDAN | 9.3 | 0.0 | 20.7 | 11.4 | 0.0 | 8.3 |
| SHERMAN | 18.7 | 31.3 | 18.0 | 23.6 | 24.7 | 23.3 |
| SMITH | 3.3 | 7.0 | 7.3 | 7.8 | 15.9 | 8.3 |
| STAFFORD | 27.0 | 13.7 | 16.7 | 14.2 | 27.0 | 19.7 |
| STANTON | 30.5 | 5.2 | 26.2 | 42.4 | 17.3 | 24.3 |
| STEVENS | 38.5 | 31.7 | 37.3 | 45.2 | 19.7 | 34.5 |
| SUMNER | 25.2 | 21.1 | 18.3 | 25.2 | 22.0 | 22.4 |
| THOMAS | 21.5 | 18.7 | 26.0 | 14.7 | 21.9 | 20.6 |
| TREGO | 14.1 | 9.7 | 10.1 | 23.1 | 18.4 | 15.1 |
| WABAUNSEE | 21.2 | 17.5 | 20.4 | 19.7 | 11.8 | 18.1 |
| WALLACE | 6.4 | 7.2 | 8.1 | 0.0 | 9.2 | 6.2 |
| WASHINGTON | 7.1 | 12.5 | 5.2 | 13.2 | 2.7 | 8.1 |
| WICHITA | 22.3 | 22.2 | 42.9 | 19.4 | 44.9 | 30.3 |
| WILSON | 28.0 | 30.3 | 23.3 | 24.2 | 43.6 | 29.9 |
| WOODSON | 23.5 | 24.7 | 27.1 | 49.8 | 43.7 | 33.8 |
| WYANDOTTE | 56.8 | 53.4 | 51.0 | 50.7 | 54.0 | 53.2 |
| KANSAS | 28.3 | 26.4 | 26.1 | 26.7 | 27.1 | 26.9 |

*Teenage pregnancies include the sum of live births, stillbirths and abortions.

**Rate per 1,000 female age-group population.

2002-2006 female age-group population estimates were compiled by the U.S. Census Bureau as of 7/1 of each year.

Source: Kansas Department of Health and Environment

**Teenage Pregnancies* for 10-17 Year Olds
By County of Residence and by Peer Group, Kansas, 2006**

| County of Residence | Live Births | Stillbirths | Abortions | Total Pregnancies | Pregnancy Rate** |
|---------------------|-------------|-------------|-----------|-------------------|------------------|
| ALLEN | 7 | 0 | 0 | 7 | 10.6 |
| ANDERSON | 1 | 0 | 0 | 1 | 2.2 |
| ATCHISON | 9 | 0 | 0 | 9 | 9.3 |
| BARBER | 2 | 0 | 0 | 2 | 6.8 |
| BARTON | 18 | 0 | 5 | 23 | 15.0 |
| BOURBON | 15 | 0 | 0 | 15 | 18.2 |
| BROWN | 2 | 0 | 2 | 4 | 7.0 |
| BUTLER | 21 | 0 | 4 | 25 | 6.6 |
| CHASE | 4 | 0 | 0 | 4 | 26.5 |
| CHAUTAUQUA | 3 | 0 | 0 | 3 | 13.7 |
| CHEROKEE | 11 | 0 | 1 | 12 | 9.7 |
| CHEYENNE | 0 | 0 | 0 | 0 | 0.0 |
| CLARK | 0 | 0 | 0 | 0 | 0.0 |
| CLAY | 1 | 0 | 1 | 2 | 4.4 |
| CLOUD | 7 | 0 | 1 | 8 | 16.8 |
| COFFEY | 1 | 0 | 1 | 2 | 4.2 |
| COMANCHE | 0 | 0 | 0 | 0 | 0.0 |
| COWLEY | 19 | 0 | 4 | 23 | 11.3 |
| CRAWFORD | 12 | 0 | 3 | 15 | 8.7 |
| DECATUR | 0 | 0 | 1 | 1 | 6.0 |
| DICKINSON | 7 | 0 | 3 | 10 | 9.5 |
| DONIPHAN | 1 | 0 | 2 | 3 | 7.0 |
| DOUGLAS | 17 | 0 | 13 | 30 | 6.3 |
| EDWARDS | 2 | 0 | 0 | 2 | 12.3 |
| ELK | 0 | 0 | 0 | 0 | 0.0 |
| ELLIS | 8 | 0 | 2 | 10 | 8.9 |
| ELLSWORTH | 1 | 0 | 0 | 1 | 3.4 |
| FINNEY | 53 | 0 | 2 | 55 | 19.2 |
| FORD | 29 | 0 | 7 | 36 | 17.1 |
| FRANKLIN | 18 | 0 | 3 | 21 | 14.2 |
| GEARY | 15 | 0 | 5 | 20 | 14.4 |
| GOVE | 0 | 0 | 0 | 0 | 0.0 |
| GRAHAM | 1 | 0 | 0 | 1 | 7.5 |
| GRANT | 5 | 0 | 0 | 5 | 10.1 |
| GRAY | 4 | 0 | 1 | 5 | 13.9 |
| GREELEY | 0 | 0 | 0 | 0 | 0.0 |
| GREENWOOD | 3 | 0 | 0 | 3 | 8.8 |
| HAMILTON | 5 | 0 | 0 | 5 | 29.2 |
| HARPER | 2 | 0 | 0 | 2 | 6.2 |
| HARVEY | 11 | 2 | 3 | 16 | 8.7 |
| HASKELL | 3 | 0 | 0 | 3 | 11.0 |
| HODGEMAN | 1 | 0 | 1 | 2 | 16.0 |
| JACKSON | 2 | 0 | 0 | 2 | 2.5 |
| JEFFERSON | 8 | 0 | 2 | 10 | 9.5 |
| JEWELL | 1 | 0 | 0 | 1 | 5.7 |
| JOHNSON | 70 | 0 | 73 | 143 | 4.9 |
| KEARNY | 4 | 0 | 0 | 4 | 13.9 |
| KINGMAN | 1 | 0 | 2 | 3 | 6.3 |
| KIOWA | 0 | 1 | 0 | 1 | 7.1 |
| LABETTE | 21 | 1 | 3 | 25 | 20.2 |
| LANE | 0 | 0 | 0 | 0 | 0.0 |
| LEAVENWORTH | 25 | 0 | 17 | 42 | 9.7 |
| LINCOLN | 0 | 0 | 1 | 1 | 5.9 |
| LINN | 4 | 0 | 2 | 6 | 11.9 |
| LOGAN | 1 | 0 | 0 | 1 | 6.8 |

**Teenage Pregnancies* for 10-17 Year Olds
By County of Residence and by Peer Group, Kansas, 2006**

| County of Residence | Live Births | Stillbirths | Abortions | Total Pregnancies | Pregnancy Rate** |
|-----------------------|-------------|-------------|-----------|-------------------|------------------|
| LYON | 17 | 0 | 3 | 20 | 11.0 |
| MARION | 2 | 0 | 0 | 2 | 2.9 |
| MARSHALL | 1 | 0 | 1 | 2 | 3.6 |
| MCPHERSON | 9 | 0 | 3 | 12 | 8.0 |
| MEADE | 1 | 0 | 0 | 1 | 3.6 |
| MIAMI | 4 | 0 | 4 | 8 | 4.5 |
| MITCHELL | 2 | 0 | 0 | 2 | 5.3 |
| MONTGOMERY | 26 | 0 | 5 | 31 | 17.3 |
| MORRIS | 1 | 0 | 0 | 1 | 3.1 |
| MORTON | 4 | 0 | 0 | 4 | 20.3 |
| NEMAHA | 2 | 0 | 0 | 2 | 3.2 |
| NEOSHO | 8 | 0 | 1 | 9 | 10.6 |
| NESS | 2 | 0 | 0 | 2 | 15.6 |
| NORTON | 1 | 0 | 0 | 1 | 3.9 |
| OSAGE | 3 | 0 | 3 | 6 | 5.9 |
| OSBORNE | 3 | 0 | 0 | 3 | 13.7 |
| OTTAWA | 0 | 0 | 1 | 1 | 3.1 |
| PAWNEE | 1 | 0 | 1 | 2 | 6.3 |
| PHILLIPS | 1 | 0 | 1 | 2 | 7.0 |
| POTTAWATOMIE | 7 | 0 | 0 | 7 | 5.8 |
| PRATT | 4 | 0 | 2 | 6 | 12.6 |
| RAWLINS | 0 | 0 | 0 | 0 | 0.0 |
| RENO | 18 | 0 | 9 | 27 | 8.7 |
| REPUBLIC | 0 | 0 | 0 | 0 | 0.0 |
| RICE | 6 | 0 | 0 | 6 | 11.5 |
| RILEY | 15 | 0 | 3 | 18 | 8.2 |
| ROOKS | 1 | 0 | 0 | 1 | 3.6 |
| RUSH | 0 | 0 | 0 | 0 | 0.0 |
| RUSSELL | 3 | 0 | 0 | 3 | 9.2 |
| SALINE | 33 | 1 | 7 | 41 | 14.0 |
| SCOTT | 3 | 0 | 0 | 3 | 11.5 |
| SEDGWICK | 273 | 0 | 76 | 349 | 12.5 |
| SEWARD | 33 | 0 | 3 | 36 | 24.5 |
| SHAWNEE | 79 | 2 | 33 | 114 | 12.6 |
| SHERIDAN | 0 | 0 | 0 | 0 | 0.0 |
| SHERMAN | 2 | 0 | 1 | 3 | 10.3 |
| SMITH | 0 | 0 | 0 | 0 | 0.0 |
| STAFFORD | 1 | 0 | 1 | 2 | 7.4 |
| STANTON | 1 | 0 | 0 | 1 | 6.3 |
| STEVENS | 1 | 0 | 1 | 2 | 6.1 |
| SUMNER | 17 | 0 | 3 | 20 | 13.0 |
| THOMAS | 4 | 0 | 0 | 4 | 9.3 |
| TREGO | 0 | 0 | 0 | 0 | 0.0 |
| WABAUNSEE | 0 | 0 | 1 | 1 | 2.9 |
| WALLACE | 0 | 0 | 0 | 0 | 0.0 |
| WASHINGTON | 1 | 0 | 0 | 1 | 3.3 |
| WICHITA | 3 | 0 | 0 | 3 | 21.1 |
| WILSON | 9 | 0 | 1 | 10 | 18.6 |
| WOODSON | 1 | 0 | 1 | 2 | 13.3 |
| WYANDOTTE | 150 | 0 | 46 | 196 | 21.1 |
| UNKNOWN | 0 | 0 | 0 | 0 | n/a |
| KANSAS | 1,209 | 7 | 376 | 1,592 | 10.4 |
| Peer Group | | | | | |
| Frontier | 35 | 1 | 3 | 39 | 7.8 |
| Rural | 87 | 0 | 22 | 109 | 7.3 |
| Densely-Settled Rural | 283 | 1 | 44 | 328 | 13.3 |
| Semi-Urban | 215 | 3 | 66 | 284 | 10.1 |
| Urban | 589 | 2 | 241 | 832 | 10.4 |

n/a = Not applicable

*Teenage pregnancies include the sum of live births, stillbirths and abortions

**Rate per 1,000 female age-group population.

2006 female age-group population estimates were compiled by the U.S. Census Bureau as of 7/1/2006

**Teenage Pregnancies* (10-17 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | Teenage Pregnancies 2002-2006 |
|---------------------|------|------|------|------|------|-------------------------------|
| ALLEN | 11 | 10 | 6 | 7 | 7 | 41 |
| ANDERSON | 4 | 2 | 7 | 2 | 1 | 16 |
| ATCHISON | 12 | 10 | 13 | 9 | 9 | 53 |
| BARBER | 1 | 1 | 2 | 1 | 2 | 7 |
| BARTON | 23 | 12 | 16 | 19 | 23 | 93 |
| BOURBON | 15 | 8 | 8 | 7 | 15 | 53 |
| BROWN | 12 | 3 | 5 | 4 | 4 | 28 |
| BUTLER | 34 | 24 | 27 | 33 | 25 | 143 |
| CHASE | 2 | 1 | 1 | 2 | 4 | 10 |
| CHAUTAUQUA | 1 | 2 | 1 | 0 | 3 | 7 |
| CHEROKEE | 14 | 10 | 18 | 13 | 12 | 67 |
| CHEYENNE | 0 | 0 | 2 | 1 | 0 | 3 |
| CLARK | 0 | 0 | 2 | 3 | 0 | 5 |
| CLAY | 4 | 4 | 1 | 7 | 2 | 18 |
| CLOUD | 5 | 3 | 1 | 3 | 8 | 20 |
| COFFEY | 4 | 3 | 3 | 3 | 2 | 15 |
| COMANCHE | 0 | 0 | 0 | 0 | 0 | 0 |
| COWLEY | 33 | 23 | 19 | 14 | 23 | 112 |
| CRAWFORD | 20 | 16 | 21 | 19 | 15 | 91 |
| DECATUR | 2 | 0 | 0 | 2 | 1 | 5 |
| DICKINSON | 8 | 8 | 12 | 5 | 10 | 43 |
| DONIPHAN | 3 | 2 | 2 | 2 | 3 | 12 |
| DOUGLAS | 36 | 31 | 32 | 31 | 30 | 160 |
| EDWARDS | 8 | 1 | 1 | 1 | 2 | 13 |
| ELK | 2 | 3 | 3 | 1 | 0 | 9 |
| ELLIS | 7 | 8 | 11 | 10 | 10 | 46 |
| ELLSWORTH | 1 | 2 | 1 | 3 | 1 | 8 |
| FINNEY | 46 | 47 | 46 | 38 | 55 | 232 |
| FORD | 37 | 31 | 40 | 26 | 36 | 170 |
| FRANKLIN | 21 | 21 | 15 | 24 | 21 | 102 |
| GEARY | 15 | 22 | 28 | 18 | 20 | 103 |
| GOVE | 1 | 0 | 0 | 0 | 0 | 1 |
| GRAHAM | 1 | 1 | 2 | 3 | 1 | 8 |
| GRANT | 8 | 9 | 7 | 7 | 5 | 36 |
| GRAY | 1 | 4 | 5 | 3 | 5 | 18 |
| GREELEY | 2 | 0 | 0 | 0 | 0 | 2 |
| GREENWOOD | 3 | 3 | 8 | 6 | 3 | 23 |
| HAMILTON | 4 | 2 | 1 | 1 | 5 | 13 |
| HARPER | 4 | 1 | 4 | 4 | 2 | 15 |
| HARVEY | 22 | 12 | 11 | 16 | 16 | 77 |
| HASKELL | 1 | 3 | 8 | 7 | 3 | 22 |
| HODGEMAN | 0 | 0 | 0 | 0 | 2 | 2 |
| JACKSON | 6 | 8 | 3 | 6 | 2 | 25 |
| JEFFERSON | 7 | 6 | 6 | 8 | 10 | 37 |
| JEWELL | 1 | 0 | 1 | 1 | 1 | 4 |
| JOHNSON | 155 | 156 | 148 | 130 | 143 | 732 |
| KEARNY | 5 | 3 | 3 | 5 | 4 | 20 |
| KINGMAN | 4 | 2 | 1 | 1 | 3 | 11 |
| KIOWA | 0 | 0 | 1 | 2 | 1 | 4 |
| LABETTE | 15 | 13 | 8 | 14 | 25 | 75 |
| LANE | 1 | 1 | 1 | 1 | 0 | 4 |
| LEAVENWORTH | 40 | 35 | 33 | 33 | 42 | 183 |
| LINCOLN | 0 | 0 | 0 | 0 | 1 | 1 |
| LINN | 9 | 2 | 3 | 3 | 6 | 23 |
| LOGAN | 0 | 0 | 2 | 0 | 1 | 3 |

**Teenage Pregnancies* (10-17 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | Teenage Pregnancies 2002-2006 |
|---------------------|--------------|--------------|--------------|--------------|--------------|-------------------------------|
| LYON | 27 | 23 | 28 | 25 | 20 | 123 |
| MARION | 5 | 0 | 3 | 3 | 2 | 13 |
| MARSHALL | 3 | 2 | 1 | 3 | 2 | 11 |
| MCPHERSON | 7 | 9 | 6 | 7 | 12 | 41 |
| MEADE | 1 | 1 | 1 | 2 | 1 | 6 |
| MIAMI | 10 | 10 | 17 | 9 | 8 | 54 |
| MITCHELL | 2 | 2 | 0 | 0 | 2 | 6 |
| MONTGOMERY | 26 | 25 | 16 | 19 | 31 | 117 |
| MORRIS | 0 | 0 | 2 | 3 | 1 | 6 |
| MORTON | 5 | 3 | 5 | 4 | 4 | 21 |
| NEMAHA | 4 | 1 | 1 | 2 | 2 | 10 |
| NEOSHO | 10 | 7 | 10 | 11 | 9 | 47 |
| NESS | 5 | 2 | 3 | 0 | 2 | 12 |
| NORTON | 1 | 0 | 0 | 4 | 1 | 6 |
| OSAGE | 7 | 9 | 3 | 14 | 6 | 39 |
| OSBORNE | 1 | 4 | 1 | 1 | 3 | 10 |
| OTTAWA | 2 | 3 | 1 | 2 | 1 | 9 |
| PAWNEE | 8 | 3 | 0 | 1 | 2 | 14 |
| PHILLIPS | 5 | 1 | 2 | 1 | 2 | 11 |
| POTTAWATOMIE | 5 | 8 | 6 | 7 | 7 | 33 |
| PRATT | 7 | 3 | 6 | 6 | 6 | 28 |
| RAWLINS | 0 | 0 | 0 | 0 | 0 | 0 |
| RENO | 40 | 37 | 25 | 29 | 27 | 158 |
| REPUBLIC | 2 | 4 | 2 | 2 | 0 | 10 |
| RICE | 2 | 12 | 8 | 10 | 6 | 38 |
| RILEY | 20 | 27 | 12 | 19 | 18 | 96 |
| ROOKS | 2 | 3 | 1 | 0 | 1 | 7 |
| RUSH | 1 | 0 | 2 | 0 | 0 | 3 |
| RUSSELL | 4 | 8 | 4 | 2 | 3 | 21 |
| SALINE | 37 | 34 | 28 | 42 | 41 | 182 |
| SCOTT | 3 | 3 | 2 | 3 | 3 | 14 |
| SEDGWICK | 371 | 344 | 366 | 376 | 349 | 1,806 |
| SEWARD | 39 | 37 | 38 | 37 | 36 | 187 |
| SHAWNEE | 156 | 140 | 122 | 111 | 114 | 643 |
| SHERIDAN | 1 | 0 | 0 | 0 | 0 | 1 |
| SHERMAN | 3 | 4 | 0 | 4 | 3 | 14 |
| SMITH | 0 | 0 | 2 | 1 | 0 | 3 |
| STAFFORD | 4 | 1 | 1 | 3 | 2 | 11 |
| STANTON | 1 | 0 | 3 | 1 | 1 | 6 |
| STEVENS | 3 | 3 | 2 | 9 | 2 | 19 |
| SUMNER | 12 | 7 | 13 | 14 | 20 | 66 |
| THOMAS | 1 | 2 | 2 | 1 | 4 | 10 |
| TREGO | 1 | 0 | 1 | 2 | 0 | 4 |
| WABAUNSEE | 3 | 4 | 2 | 3 | 1 | 13 |
| WALLACE | 0 | 0 | 0 | 0 | 0 | 0 |
| WASHINGTON | 1 | 1 | 0 | 1 | 1 | 4 |
| WICHITA | 1 | 3 | 1 | 2 | 3 | 10 |
| WILSON | 3 | 6 | 5 | 5 | 10 | 29 |
| WOODSON | 1 | 0 | 1 | 3 | 2 | 7 |
| WYANDOTTE | 244 | 261 | 207 | 189 | 196 | 1,097 |
| UNKNOWN | 2 | 6 | 1 | 0 | 0 | 9 |
| KANSAS | 1,770 | 1,632 | 1,563 | 1,552 | 1,592 | 8,109 |

*Teenage pregnancies include the sum of live births, stillbirths and abortions.

Source: Kansas Department of Health and Environment

Teenage Pregnancy* Rates (10-17 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | 5-year Rate |
|---------------------|------|------|------|------|------|-------------|
| ALLEN | 13.8 | 13.0 | 8.4 | 10.0 | 10.6 | 11.2 |
| ANDERSON | 8.2 | 4.2 | 15.0 | 4.3 | 2.2 | 6.8 |
| ATCHISON | 11.9 | 10.2 | 13.2 | 9.4 | 9.3 | 10.8 |
| BARBER | 3.1 | 3.1 | 6.7 | 3.5 | 6.8 | 4.6 |
| BARTON | 14.1 | 7.5 | 10.3 | 12.2 | 15.0 | 11.8 |
| BOURBON | 17.6 | 9.6 | 9.5 | 8.5 | 18.2 | 12.7 |
| BROWN | 19.0 | 5.0 | 8.8 | 7.4 | 7.0 | 9.4 |
| BUTLER | 8.6 | 6.2 | 7.0 | 8.8 | 6.6 | 7.4 |
| CHASE | 12.7 | 6.8 | 6.7 | 13.5 | 26.5 | 13.2 |
| CHAUTAUQUA | 4.1 | 7.8 | 4.0 | 0.0 | 13.7 | 5.9 |
| CHEROKEE | 10.9 | 7.9 | 14.5 | 10.8 | 9.7 | 10.8 |
| CHEYENNE | 0.0 | 0.0 | 12.4 | 6.7 | 0.0 | 3.8 |
| CLARK | 0.0 | 0.0 | 15.4 | 23.6 | 0.0 | 7.8 |
| CLAY | 7.8 | 7.9 | 2.1 | 15.1 | 4.4 | 7.5 |
| CLOUD | 9.6 | 5.8 | 2.1 | 6.2 | 16.8 | 8.1 |
| COFFEY | 7.4 | 5.9 | 6.3 | 6.6 | 4.2 | 6.1 |
| COMANCHE | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| COWLEY | 15.0 | 10.8 | 9.2 | 6.9 | 11.3 | 10.6 |
| CRAWFORD | 11.0 | 8.9 | 12.2 | 11.4 | 8.7 | 10.4 |
| DECATUR | 10.2 | 0.0 | 0.0 | 12.3 | 6.0 | 5.7 |
| DICKINSON | 6.8 | 6.9 | 10.8 | 4.7 | 9.5 | 7.7 |
| DONIPHAN | 6.5 | 4.4 | 4.6 | 4.5 | 7.0 | 5.4 |
| DOUGLAS | 8.0 | 6.9 | 7.4 | 7.7 | 6.3 | 7.3 |
| EDWARDS | 43.7 | 5.5 | 5.6 | 6.1 | 12.3 | 14.6 |
| ELK | 9.9 | 15.6 | 16.2 | 6.0 | 0.0 | 9.5 |
| ELLIS | 5.4 | 6.3 | 9.3 | 9.2 | 8.9 | 7.8 |
| ELLSWORTH | 2.9 | 6.2 | 3.3 | 9.9 | 3.4 | 5.1 |
| FINNEY | 17.0 | 17.2 | 17.4 | 14.0 | 19.2 | 17.0 |
| FORD | 18.8 | 15.2 | 19.4 | 12.7 | 17.1 | 16.6 |
| FRANKLIN | 13.3 | 13.5 | 9.9 | 16.3 | 14.2 | 13.4 |
| GEARY | 9.6 | 14.5 | 19.3 | 13.6 | 14.4 | 14.3 |
| GOVE | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 |
| GRAHAM | 6.6 | 6.8 | 14.4 | 22.9 | 7.5 | 11.6 |
| GRANT | 14.2 | 16.9 | 13.7 | 14.3 | 10.1 | 13.8 |
| GRAY | 2.5 | 10.5 | 13.6 | 8.8 | 13.9 | 9.9 |
| GREELEY | 23.8 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 |
| GREENWOOD | 7.2 | 7.5 | 21.9 | 16.8 | 8.8 | 12.4 |
| HAMILTON | 23.5 | 12.3 | 6.6 | 6.7 | 29.2 | 15.7 |
| HARPER | 10.3 | 2.6 | 11.7 | 12.3 | 6.2 | 8.6 |
| HARVEY | 11.0 | 6.1 | 5.8 | 8.6 | 8.7 | 8.0 |
| HASKELL | 3.5 | 10.5 | 29.6 | 26.7 | 11.0 | 16.3 |
| HODGEMAN | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 3.2 |
| JACKSON | 7.1 | 9.8 | 3.8 | 7.6 | 2.5 | 6.2 |
| JEFFERSON | 6.3 | 5.4 | 5.5 | 7.5 | 9.5 | 6.8 |
| JEWELL | 5.6 | 0.0 | 5.8 | 6.0 | 5.7 | 4.6 |
| JOHNSON | 5.7 | 5.6 | 5.3 | 4.7 | 4.9 | 5.2 |
| KEARNY | 14.8 | 8.8 | 9.5 | 17.1 | 13.9 | 12.8 |
| KINGMAN | 7.1 | 3.7 | 1.9 | 2.0 | 6.3 | 4.2 |
| KIOWA | 0.0 | 0.0 | 6.4 | 13.2 | 7.1 | 5.3 |
| LABETTE | 11.4 | 10.0 | 6.5 | 11.2 | 20.2 | 11.9 |
| LANE | 8.9 | 8.9 | 9.2 | 9.9 | 0.0 | 7.4 |
| LEAVENWORTH | 9.7 | 8.4 | 7.9 | 7.8 | 9.7 | 8.7 |
| LINCOLN | 0.0 | 0.0 | 0.0 | 0.0 | 5.9 | 1.2 |
| LINN | 15.9 | 3.7 | 5.9 | 6.1 | 11.9 | 8.7 |
| LOGAN | 0.0 | 0.0 | 12.3 | 0.0 | 6.8 | 3.8 |

Teenage Pregnancy* Rates (10-17 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | 5-year Rate |
|---------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| LYON | 13.7 | 11.9 | 15.1 | 14.3 | 11.0 | 13.2 |
| MARION | 6.5 | 0.0 | 4.2 | 4.2 | 2.9 | 3.6 |
| MARSHALL | 4.5 | 3.2 | 1.7 | 5.3 | 3.6 | 3.7 |
| MCPHERSON | 4.0 | 5.5 | 3.8 | 4.8 | 8.0 | 5.2 |
| MEADE | 3.5 | 3.5 | 3.7 | 7.5 | 3.6 | 4.4 |
| MIAMI | 5.4 | 5.5 | 9.6 | 5.1 | 4.5 | 6.0 |
| MITCHELL | 4.3 | 4.3 | 0.0 | 0.0 | 5.3 | 2.8 |
| MONTGOMERY | 13.2 | 13.2 | 8.7 | 10.7 | 17.3 | 12.6 |
| MORRIS | 0.0 | 0.0 | 6.2 | 9.4 | 3.1 | 3.7 |
| MORTON | 22.7 | 13.3 | 24.3 | 20.8 | 20.3 | 20.3 |
| NEMAHA | 5.8 | 1.5 | 1.5 | 3.1 | 3.2 | 3.0 |
| NEOSHO | 9.6 | 7.2 | 10.9 | 12.4 | 10.6 | 10.1 |
| NESS | 28.7 | 13.0 | 21.6 | 0.0 | 15.6 | 15.8 |
| NORTON | 3.5 | 0.0 | 0.0 | 15.9 | 3.9 | 4.7 |
| OSAGE | 6.7 | 8.5 | 2.9 | 14.0 | 5.9 | 7.6 |
| OSBORNE | 4.0 | 17.3 | 4.5 | 4.8 | 13.7 | 8.9 |
| OTTAWA | 5.5 | 9.1 | 3.3 | 6.6 | 3.1 | 5.5 |
| PAWNEE | 20.9 | 8.1 | 0.0 | 3.0 | 6.3 | 7.7 |
| PHILLIPS | 15.5 | 3.2 | 6.4 | 3.3 | 7.0 | 7.1 |
| POTTAWATOMIE | 4.0 | 6.4 | 4.9 | 5.8 | 5.8 | 5.4 |
| PRATT | 13.1 | 5.8 | 11.9 | 12.3 | 12.6 | 11.1 |
| RAWLINS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| RENO | 11.9 | 11.2 | 7.9 | 9.3 | 8.7 | 9.8 |
| REPUBLIC | 6.1 | 13.2 | 7.5 | 7.8 | 0.0 | 6.9 |
| RICE | 3.3 | 20.3 | 13.7 | 18.3 | 11.5 | 13.4 |
| RILEY | 8.7 | 11.9 | 5.5 | 9.8 | 8.2 | 8.8 |
| ROOKS | 6.6 | 10.2 | 3.6 | 0.0 | 3.6 | 4.8 |
| RUSH | 5.4 | 0.0 | 12.1 | 0.0 | 0.0 | 3.5 |
| RUSSELL | 11.3 | 23.3 | 11.8 | 6.2 | 9.2 | 12.4 |
| SALINE | 11.9 | 11.4 | 9.6 | 14.6 | 14.0 | 12.3 |
| SCOTT | 10.0 | 10.4 | 7.3 | 11.2 | 11.5 | 10.1 |
| SEDGWICK | 13.5 | 12.5 | 13.5 | 14.0 | 12.5 | 13.2 |
| SEWARD | 27.5 | 26.1 | 27.2 | 26.9 | 24.5 | 26.4 |
| SHAWNEE | 16.8 | 15.2 | 13.6 | 12.6 | 12.6 | 14.2 |
| SHERIDAN | 5.6 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 |
| SHERMAN | 8.5 | 11.9 | 0.0 | 13.3 | 10.3 | 8.8 |
| SMITH | 0.0 | 0.0 | 9.4 | 4.9 | 0.0 | 2.9 |
| STAFFORD | 12.7 | 3.3 | 3.4 | 10.3 | 7.4 | 7.4 |
| STANTON | 6.4 | 0.0 | 19.4 | 7.2 | 6.3 | 7.9 |
| STEVENS | 7.9 | 7.8 | 5.6 | 25.6 | 6.1 | 10.6 |
| SUMNER | 7.3 | 4.3 | 8.3 | 9.2 | 13.0 | 8.4 |
| THOMAS | 2.3 | 4.6 | 4.7 | 2.4 | 9.3 | 4.7 |
| TREGO | 6.1 | 0.0 | 6.3 | 13.7 | 0.0 | 5.2 |
| WABAUNSEE | 7.3 | 9.7 | 5.2 | 8.3 | 2.9 | 6.7 |
| WALLACE | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WASHINGTON | 2.9 | 3.1 | 0.0 | 3.3 | 3.3 | 2.5 |
| WICHITA | 7.3 | 21.6 | 7.2 | 14.8 | 21.1 | 14.4 |
| WILSON | 5.1 | 10.0 | 8.8 | 9.0 | 18.6 | 10.3 |
| WOODSON | 4.9 | 0.0 | 6.0 | 18.6 | 13.3 | 8.6 |
| WYANDOTTE | 25.9 | 27.9 | 22.7 | 21.0 | 21.1 | 23.7 |
| KANSAS | 11.3 | 10.5 | 10.3 | 10.4 | 10.4 | 10.6 |

*Teenage pregnancies include the sum of live births, stillbirths and abortions.

**Rate per 1,000 female age-group population.

2002-2006 female age-group population estimates were compiled by the U.S. Census Bureau as of 7/1 of each year.

Source: Kansas Department of Health and Environment

**Teenage Pregnancies* for 15-17 Year Olds
By County of Residence and by Peer Group, Kansas, 2006**

| County of Residence | Live Births | Stillbirths | Abortions | Total Pregnancies | Pregnancy Rate** |
|---------------------|-------------|-------------|-----------|-------------------|------------------|
| ALLEN | 7 | 0 | 0 | 7 | 27.1 |
| ANDERSON | 1 | 0 | 0 | 1 | 5.4 |
| ATCHISON | 9 | 0 | 0 | 9 | 23.9 |
| BARBER | 2 | 0 | 0 | 2 | 15.7 |
| BARTON | 18 | 0 | 5 | 23 | 37.3 |
| BOURBON | 15 | 0 | 0 | 15 | 49.2 |
| BROWN | 2 | 0 | 1 | 3 | 12.3 |
| BUTLER | 21 | 0 | 4 | 25 | 16.7 |
| CHASE | 4 | 0 | 0 | 4 | 62.5 |
| CHAUTAUQUA | 3 | 0 | 0 | 3 | 32.6 |
| CHEROKEE | 11 | 0 | 1 | 12 | 25.2 |
| CHEYENNE | 0 | 0 | 0 | 0 | 0.0 |
| CLARK | 0 | 0 | 0 | 0 | 0.0 |
| CLAY | 1 | 0 | 1 | 2 | 10.4 |
| CLOUD | 6 | 0 | 1 | 7 | 36.8 |
| COFFEY | 1 | 0 | 1 | 2 | 11.2 |
| COMANCHE | 0 | 0 | 0 | 0 | 0.0 |
| COWLEY | 18 | 0 | 4 | 22 | 28.4 |
| CRAWFORD | 12 | 0 | 2 | 14 | 21.7 |
| DECATUR | 0 | 0 | 1 | 1 | 14.5 |
| DICKINSON | 7 | 0 | 3 | 10 | 22.6 |
| DONIPHAN | 1 | 0 | 2 | 3 | 17.3 |
| DOUGLAS | 17 | 0 | 12 | 29 | 16.1 |
| EDWARDS | 2 | 0 | 0 | 2 | 34.5 |
| ELK | 0 | 0 | 0 | 0 | 0.0 |
| ELLIS | 7 | 0 | 2 | 9 | 19.4 |
| ELLSWORTH | 1 | 0 | 0 | 1 | 8.1 |
| FINNEY | 48 | 0 | 2 | 50 | 48.2 |
| FORD | 28 | 0 | 7 | 35 | 44.8 |
| FRANKLIN | 17 | 0 | 3 | 20 | 33.6 |
| GEARY | 15 | 0 | 5 | 20 | 40.0 |
| GOVE | 0 | 0 | 0 | 0 | 0.0 |
| GRAHAM | 1 | 0 | 0 | 1 | 18.5 |
| GRANT | 5 | 0 | 0 | 5 | 25.3 |
| GRAY | 4 | 0 | 1 | 5 | 41.7 |
| GREELEY | 0 | 0 | 0 | 0 | 0.0 |
| GREENWOOD | 3 | 0 | 0 | 3 | 20.5 |
| HAMILTON | 5 | 0 | 0 | 5 | 60.2 |
| HARPER | 2 | 0 | 0 | 2 | 14.6 |
| HARVEY | 11 | 2 | 3 | 16 | 21.8 |
| HASKELL | 2 | 0 | 0 | 2 | 22.0 |
| HODGEMAN | 1 | 0 | 1 | 2 | 35.1 |
| JACKSON | 2 | 0 | 0 | 2 | 6.2 |
| JEFFERSON | 8 | 0 | 2 | 10 | 23.9 |
| JEWELL | 1 | 0 | 0 | 1 | 14.7 |
| JOHNSON | 65 | 0 | 66 | 131 | 11.8 |
| KEARNY | 4 | 0 | 0 | 4 | 34.5 |
| KINGMAN | 1 | 0 | 2 | 3 | 14.7 |
| KIOWA | 0 | 1 | 0 | 1 | 17.2 |
| LABETTE | 19 | 1 | 2 | 22 | 44.0 |
| LANE | 0 | 0 | 0 | 0 | 0.0 |
| LEAVENWORTH | 22 | 0 | 16 | 38 | 22.6 |
| LINCOLN | 0 | 0 | 0 | 0 | 0.0 |
| LINN | 4 | 0 | 1 | 5 | 25.0 |
| LOGAN | 1 | 0 | 0 | 1 | 15.4 |

**Teenage Pregnancies* for 15-17 Year Olds
By County of Residence and by Peer Group, Kansas, 2006**

| County of Residence | Live Births | Stillbirths | Abortions | Total Pregnancies | Pregnancy Rate** |
|-----------------------|-------------|-------------|-----------|-------------------|------------------|
| LYON | 16 | 0 | 3 | 19 | 27.7 |
| MARION | 2 | 0 | 0 | 2 | 6.5 |
| MARSHALL | 1 | 0 | 1 | 2 | 8.3 |
| MCPHERSON | 9 | 0 | 2 | 11 | 17.2 |
| MEADE | 1 | 0 | 0 | 1 | 11.4 |
| MIAMI | 4 | 0 | 4 | 8 | 11.5 |
| MITCHELL | 2 | 0 | 0 | 2 | 10.4 |
| MONTGOMERY | 26 | 0 | 5 | 31 | 43.2 |
| MORRIS | 1 | 0 | 0 | 1 | 7.1 |
| MORTON | 3 | 0 | 0 | 3 | 46.2 |
| NEMAHA | 2 | 0 | 0 | 2 | 8.3 |
| NEOSHO | 7 | 0 | 1 | 8 | 23.5 |
| NESS | 1 | 0 | 0 | 1 | 18.9 |
| NORTON | 1 | 0 | 0 | 1 | 9.8 |
| OSAGE | 3 | 0 | 3 | 6 | 14.5 |
| OSBORNE | 3 | 0 | 0 | 3 | 33.3 |
| OTTAWA | 0 | 0 | 1 | 1 | 7.5 |
| PAWNEE | 1 | 0 | 1 | 2 | 15.5 |
| PHILLIPS | 1 | 0 | 1 | 2 | 16.4 |
| POTTAWATOMIE | 7 | 0 | 0 | 7 | 14.2 |
| PRATT | 4 | 0 | 2 | 6 | 32.6 |
| RAWLINS | 0 | 0 | 0 | 0 | 0.0 |
| RENO | 16 | 0 | 9 | 25 | 20.8 |
| REPUBLIC | 0 | 0 | 0 | 0 | 0.0 |
| RICE | 6 | 0 | 0 | 6 | 27.1 |
| RILEY | 14 | 0 | 3 | 17 | 20.2 |
| ROOKS | 1 | 0 | 0 | 1 | 10.6 |
| RUSH | 0 | 0 | 0 | 0 | 0.0 |
| RUSSELL | 3 | 0 | 0 | 3 | 22.1 |
| SALINE | 32 | 1 | 5 | 38 | 33.6 |
| SCOTT | 3 | 0 | 0 | 3 | 30.3 |
| SEDGWICK | 263 | 0 | 71 | 334 | 31.8 |
| SEWARD | 31 | 0 | 2 | 33 | 62.3 |
| SHAWNEE | 76 | 2 | 33 | 111 | 31.8 |
| SHERIDAN | 0 | 0 | 0 | 0 | 0.0 |
| SHERMAN | 2 | 0 | 1 | 3 | 22.9 |
| SMITH | 0 | 0 | 0 | 0 | 0.0 |
| STAFFORD | 1 | 0 | 1 | 2 | 16.7 |
| STANTON | 1 | 0 | 0 | 1 | 14.7 |
| STEVENS | 1 | 0 | 0 | 1 | 7.5 |
| SUMNER | 17 | 0 | 3 | 20 | 32.3 |
| THOMAS | 4 | 0 | 0 | 4 | 25.0 |
| TREGO | 0 | 0 | 0 | 0 | 0.0 |
| WABAUNSEE | 0 | 0 | 1 | 1 | 7.6 |
| WALLACE | 0 | 0 | 0 | 0 | 0.0 |
| WASHINGTON | 1 | 0 | 0 | 1 | 7.6 |
| WICHITA | 3 | 0 | 0 | 3 | 62.5 |
| WILSON | 9 | 0 | 1 | 10 | 45.9 |
| WOODSON | 1 | 0 | 0 | 1 | 15.4 |
| WYANDOTTE | 137 | 0 | 43 | 180 | 51.0 |
| UNKNOWN | 0 | 0 | 0 | 0 | n/a |
| KANSAS | 1,152 | 7 | 348 | 1,507 | 25.5 |
| Peer Group | | | | | |
| Frontier | 33 | 1 | 2 | 36 | 18.0 |
| Rural | 85 | 0 | 18 | 103 | 16.7 |
| Densely-Settled Rural | 270 | 1 | 41 | 312 | 32.3 |
| Semi-Urban | 206 | 3 | 62 | 271 | 24.8 |
| Urban | 558 | 2 | 225 | 785 | 25.8 |

n/a = Not applicable

*Teenage pregnancies include the sum of live births, stillbirths and abortions

**Rate per 1,000 female age-group population.

2006 female age-group population estimates were compiled by the U.S. Census Bureau as of 7/1/2006

Source: Kansas Department of Health and Environment

**Teenage Pregnancies* (15-17 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | Teenage Pregnancies 2002-2006 |
|---------------------|------|------|------|------|------|-------------------------------|
| ALLEN | 11 | 10 | 6 | 7 | 7 | 41 |
| ANDERSON | 4 | 2 | 7 | 2 | 1 | 16 |
| ATCHISON | 12 | 10 | 13 | 8 | 9 | 52 |
| BARBER | 1 | 1 | 2 | 1 | 2 | 7 |
| BARTON | 19 | 12 | 16 | 19 | 23 | 89 |
| BOURBON | 15 | 8 | 8 | 7 | 15 | 53 |
| BROWN | 12 | 3 | 5 | 4 | 3 | 27 |
| BUTLER | 33 | 24 | 27 | 32 | 25 | 141 |
| CHASE | 2 | 1 | 1 | 2 | 4 | 10 |
| CHAUTAUQUA | 1 | 2 | 1 | 0 | 3 | 7 |
| CHEROKEE | 14 | 10 | 17 | 13 | 12 | 66 |
| CHEYENNE | 0 | 0 | 2 | 1 | 0 | 3 |
| CLARK | 0 | 0 | 2 | 2 | 0 | 4 |
| CLAY | 4 | 4 | 1 | 6 | 2 | 17 |
| CLOUD | 5 | 3 | 1 | 3 | 7 | 19 |
| COFFEY | 4 | 3 | 3 | 3 | 2 | 15 |
| COMANCHE | 0 | 0 | 0 | 0 | 0 | 0 |
| COWLEY | 33 | 23 | 19 | 14 | 22 | 111 |
| CRAWFORD | 20 | 16 | 21 | 18 | 14 | 89 |
| DECATUR | 2 | 0 | 0 | 2 | 1 | 5 |
| DICKINSON | 8 | 7 | 11 | 5 | 10 | 41 |
| DONIPHAN | 3 | 2 | 2 | 2 | 3 | 12 |
| DOUGLAS | 35 | 28 | 31 | 31 | 29 | 154 |
| EDWARDS | 8 | 1 | 1 | 1 | 2 | 13 |
| ELK | 2 | 3 | 3 | 1 | 0 | 9 |
| ELLIS | 5 | 8 | 11 | 8 | 9 | 41 |
| ELLSWORTH | 1 | 2 | 1 | 3 | 1 | 8 |
| FINNEY | 45 | 46 | 45 | 38 | 50 | 224 |
| FORD | 34 | 30 | 37 | 24 | 35 | 160 |
| FRANKLIN | 20 | 20 | 13 | 21 | 20 | 94 |
| GEARY | 14 | 19 | 27 | 17 | 20 | 97 |
| GOVE | 0 | 0 | 0 | 0 | 0 | 0 |
| GRAHAM | 1 | 1 | 2 | 3 | 1 | 8 |
| GRANT | 8 | 9 | 7 | 7 | 5 | 36 |
| GRAY | 1 | 4 | 5 | 3 | 5 | 18 |
| GREELEY | 2 | 0 | 0 | 0 | 0 | 2 |
| GREENWOOD | 3 | 3 | 8 | 6 | 3 | 23 |
| HAMILTON | 4 | 2 | 1 | 1 | 5 | 13 |
| HARPER | 4 | 1 | 4 | 4 | 2 | 15 |
| HARVEY | 22 | 11 | 11 | 16 | 16 | 76 |
| HASKELL | 1 | 3 | 8 | 6 | 2 | 20 |
| HODGEMAN | 0 | 0 | 0 | 0 | 2 | 2 |
| JACKSON | 5 | 8 | 2 | 6 | 2 | 23 |
| JEFFERSON | 6 | 6 | 6 | 8 | 10 | 36 |
| JEWELL | 1 | 0 | 1 | 1 | 1 | 4 |
| JOHNSON | 152 | 150 | 142 | 123 | 131 | 698 |
| KEARNY | 5 | 3 | 3 | 5 | 4 | 20 |
| KINGMAN | 4 | 2 | 1 | 1 | 3 | 11 |
| KIOWA | 0 | 0 | 1 | 2 | 1 | 4 |
| LABETTE | 15 | 13 | 6 | 11 | 22 | 67 |
| LANE | 1 | 1 | 1 | 1 | 0 | 4 |
| LEAVENWORTH | 37 | 35 | 33 | 32 | 38 | 175 |
| LINCOLN | 0 | 0 | 0 | 0 | 0 | 0 |
| LINN | 9 | 2 | 3 | 3 | 5 | 22 |
| LOGAN | 0 | 0 | 2 | 0 | 1 | 3 |

**Teenage Pregnancies* (15-17 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | Teenage Pregnancies 2002-2006 |
|---------------------|-------|-------|-------|-------|-------|-------------------------------|
| LYON | 26 | 22 | 27 | 25 | 19 | 119 |
| MARION | 5 | 0 | 3 | 3 | 2 | 13 |
| MARSHALL | 3 | 2 | 1 | 2 | 2 | 10 |
| MCPHERSON | 7 | 8 | 6 | 7 | 11 | 39 |
| MEADE | 1 | 1 | 1 | 2 | 1 | 6 |
| MIAMI | 10 | 9 | 17 | 9 | 8 | 53 |
| MITCHELL | 2 | 2 | 0 | 0 | 2 | 6 |
| MONTGOMERY | 24 | 25 | 16 | 19 | 31 | 115 |
| MORRIS | 0 | 0 | 2 | 3 | 1 | 6 |
| MORTON | 4 | 3 | 4 | 3 | 3 | 17 |
| NEMAHA | 4 | 1 | 1 | 2 | 2 | 10 |
| NEOSHO | 10 | 7 | 10 | 11 | 8 | 46 |
| NESS | 5 | 2 | 2 | 0 | 1 | 10 |
| NORTON | 1 | 0 | 0 | 4 | 1 | 6 |
| OSAGE | 7 | 8 | 3 | 14 | 6 | 38 |
| OSBORNE | 1 | 4 | 1 | 1 | 3 | 10 |
| OTTAWA | 2 | 3 | 1 | 2 | 1 | 9 |
| PAWNEE | 7 | 3 | 0 | 1 | 2 | 13 |
| PHILLIPS | 5 | 1 | 2 | 1 | 2 | 11 |
| POTTAWATOMIE | 5 | 8 | 5 | 7 | 7 | 32 |
| PRATT | 7 | 3 | 5 | 6 | 6 | 27 |
| RAWLINS | 0 | 0 | 0 | 0 | 0 | 0 |
| RENO | 38 | 36 | 25 | 26 | 25 | 150 |
| REPUBLIC | 2 | 4 | 2 | 2 | 0 | 10 |
| RICE | 2 | 12 | 8 | 10 | 6 | 38 |
| RILEY | 20 | 24 | 12 | 18 | 17 | 91 |
| ROOKS | 2 | 3 | 1 | 0 | 1 | 7 |
| RUSH | 1 | 0 | 2 | 0 | 0 | 3 |
| RUSSELL | 3 | 6 | 4 | 2 | 3 | 18 |
| SALINE | 37 | 34 | 26 | 41 | 38 | 176 |
| SCOTT | 3 | 3 | 2 | 3 | 3 | 14 |
| SEDGWICK | 346 | 331 | 349 | 362 | 334 | 1,722 |
| SEWARD | 37 | 33 | 38 | 36 | 33 | 177 |
| SHAWNEE | 151 | 132 | 115 | 108 | 111 | 617 |
| SHERIDAN | 1 | 0 | 0 | 0 | 0 | 1 |
| SHERMAN | 2 | 4 | 0 | 4 | 3 | 13 |
| SMITH | 0 | 0 | 2 | 1 | 0 | 3 |
| STAFFORD | 4 | 1 | 1 | 3 | 2 | 11 |
| STANTON | 1 | 0 | 3 | 1 | 1 | 6 |
| STEVENS | 3 | 3 | 1 | 9 | 1 | 17 |
| SUMNER | 11 | 6 | 13 | 12 | 20 | 62 |
| THOMAS | 1 | 2 | 2 | 0 | 4 | 9 |
| TREGO | 1 | 0 | 1 | 2 | 0 | 4 |
| WABAUNSEE | 3 | 4 | 2 | 2 | 1 | 12 |
| WALLACE | 0 | 0 | 0 | 0 | 0 | 0 |
| WASHINGTON | 1 | 1 | 0 | 1 | 1 | 4 |
| WICHITA | 1 | 3 | 1 | 2 | 3 | 10 |
| WILSON | 3 | 6 | 4 | 5 | 10 | 28 |
| WOODSON | 1 | 0 | 1 | 3 | 1 | 6 |
| WYANDOTTE | 223 | 241 | 188 | 174 | 180 | 1,006 |
| UNKNOWN | 2 | 6 | 1 | 0 | 0 | 9 |
| KANSAS | 1,684 | 1,559 | 1,492 | 1,483 | 1,507 | 7,725 |

*Teenage pregnancies include the sum of live births, stillbirths and abortions.

Source: Kansas Department of Health and Environment

Teenage Pregnancy* Rates (15-17 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | 5-year Rate |
|---------------------|------|------|------|------|------|-------------|
| ALLEN | 32.6 | 30.3 | 20.9 | 23.0 | 27.1 | 26.8 |
| ANDERSON | 22.3 | 10.9 | 38.7 | 10.1 | 5.4 | 17.5 |
| ATCHISON | 30.7 | 26.3 | 35.8 | 21.3 | 23.9 | 27.6 |
| BARBER | 7.8 | 7.2 | 14.6 | 7.6 | 15.7 | 10.6 |
| BARTON | 29.3 | 19.4 | 25.9 | 30.7 | 37.3 | 28.5 |
| BOURBON | 47.9 | 26.8 | 25.0 | 22.3 | 49.2 | 34.2 |
| BROWN | 46.7 | 12.6 | 22.6 | 18.3 | 12.3 | 22.5 |
| BUTLER | 21.5 | 15.7 | 17.6 | 21.3 | 16.7 | 18.6 |
| CHASE | 35.1 | 18.5 | 15.2 | 29.9 | 62.5 | 32.2 |
| CHAUTAUQUA | 12.8 | 21.3 | 10.8 | 0.0 | 32.6 | 15.5 |
| CHEROKEE | 28.4 | 20.7 | 36.2 | 28.6 | 25.2 | 27.8 |
| CHEYENNE | 0.0 | 0.0 | 27.8 | 15.6 | 0.0 | 8.7 |
| CLARK | 0.0 | 0.0 | 34.5 | 40.8 | 0.0 | 15.1 |
| CLAY | 20.4 | 20.5 | 5.0 | 31.3 | 10.4 | 17.5 |
| CLOUD | 24.0 | 15.2 | 5.5 | 15.4 | 36.8 | 19.4 |
| COFFEY | 15.8 | 14.0 | 14.9 | 16.8 | 11.2 | 14.5 |
| COMANCHE | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| COWLEY | 38.6 | 28.5 | 23.9 | 17.6 | 28.4 | 27.4 |
| CRAWFORD | 28.1 | 23.1 | 31.1 | 28.4 | 21.7 | 26.5 |
| DECATUR | 24.7 | 0.0 | 0.0 | 28.6 | 14.5 | 13.6 |
| DICKINSON | 16.4 | 14.5 | 23.2 | 11.3 | 22.6 | 17.6 |
| DONIPHAN | 17.3 | 11.4 | 12.4 | 11.5 | 17.3 | 14.0 |
| DOUGLAS | 21.0 | 16.7 | 19.1 | 19.8 | 16.1 | 18.5 |
| EDWARDS | 90.9 | 12.8 | 15.4 | 16.9 | 34.5 | 34.1 |
| ELK | 23.0 | 34.9 | 34.5 | 13.0 | 0.0 | 21.1 |
| ELLIS | 9.7 | 15.4 | 22.0 | 16.8 | 19.4 | 16.7 |
| ELLSWORTH | 7.1 | 14.1 | 7.4 | 22.6 | 8.1 | 11.9 |
| FINNEY | 47.3 | 47.8 | 47.3 | 38.5 | 48.2 | 45.8 |
| FORD | 47.8 | 40.2 | 48.7 | 32.0 | 44.8 | 42.7 |
| FRANKLIN | 32.3 | 33.1 | 22.5 | 35.8 | 33.6 | 31.5 |
| GEARY | 24.0 | 33.7 | 48.4 | 34.7 | 40.0 | 36.2 |
| GOVE | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| GRAHAM | 18.9 | 18.2 | 37.7 | 50.0 | 18.5 | 28.7 |
| GRANT | 36.0 | 43.3 | 34.8 | 39.5 | 25.3 | 35.8 |
| GRAY | 6.0 | 25.6 | 34.7 | 23.3 | 41.7 | 26.3 |
| GREELEY | 60.6 | 0.0 | 0.0 | 0.0 | 0.0 | 12.1 |
| GREENWOOD | 17.8 | 18.9 | 53.7 | 41.7 | 20.5 | 30.5 |
| HAMILTON | 60.6 | 35.7 | 18.9 | 14.3 | 60.2 | 37.9 |
| HARPER | 24.0 | 5.8 | 28.6 | 28.6 | 14.6 | 20.3 |
| HARVEY | 27.8 | 14.1 | 14.8 | 21.0 | 21.8 | 19.9 |
| HASKELL | 9.2 | 27.8 | 80.8 | 58.8 | 22.0 | 39.7 |
| HODGEMAN | 0.0 | 0.0 | 0.0 | 0.0 | 35.1 | 7.0 |
| JACKSON | 14.9 | 24.8 | 6.2 | 18.1 | 6.2 | 14.0 |
| JEFFERSON | 14.7 | 14.1 | 13.5 | 18.8 | 23.9 | 17.0 |
| JEWELL | 14.3 | 0.0 | 13.9 | 14.5 | 14.7 | 11.5 |
| JOHNSON | 15.0 | 14.4 | 13.5 | 11.4 | 11.8 | 13.2 |
| KEARNY | 35.7 | 21.7 | 23.1 | 47.6 | 34.5 | 32.5 |
| KINGMAN | 18.6 | 9.3 | 4.4 | 4.6 | 14.7 | 10.3 |
| KIOWA | 0.0 | 0.0 | 13.9 | 31.7 | 17.2 | 12.6 |
| LABETTE | 30.8 | 26.1 | 12.4 | 21.9 | 44.0 | 27.0 |
| LANE | 22.2 | 26.3 | 25.0 | 23.3 | 0.0 | 19.4 |
| LEAVENWORTH | 25.4 | 23.2 | 21.5 | 19.5 | 22.6 | 22.4 |
| LINCOLN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| LINN | 38.5 | 9.0 | 14.9 | 16.2 | 25.0 | 20.7 |
| LOGAN | 0.0 | 0.0 | 31.3 | 0.0 | 15.4 | 9.3 |

Teenage Pregnancy* Rates (15-17 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | 5-year Rate |
|---------------------|------|------|------|------|------|-------------|
| LYON | 32.4 | 29.2 | 37.6 | 37.1 | 27.7 | 32.8 |
| MARION | 16.3 | 0.0 | 10.9 | 10.3 | 6.5 | 8.8 |
| MARSHALL | 11.0 | 8.2 | 4.0 | 8.0 | 8.3 | 7.9 |
| MCPHERSON | 9.5 | 11.9 | 9.2 | 11.5 | 17.2 | 11.9 |
| MEADE | 8.1 | 8.2 | 10.3 | 21.7 | 11.4 | 11.9 |
| MIAMI | 14.0 | 12.7 | 24.9 | 13.0 | 11.5 | 15.2 |
| MITCHELL | 9.3 | 8.6 | 0.0 | 0.0 | 10.4 | 5.7 |
| MONTGOMERY | 29.7 | 33.9 | 22.7 | 27.9 | 43.2 | 31.5 |
| MORRIS | 0.0 | 0.0 | 15.7 | 22.9 | 7.1 | 9.1 |
| MORTON | 45.5 | 31.3 | 47.6 | 39.0 | 46.2 | 41.9 |
| NEMAHA | 14.5 | 3.5 | 3.5 | 7.3 | 8.3 | 7.4 |
| NEOSHO | 22.3 | 16.8 | 26.0 | 30.7 | 23.5 | 23.9 |
| NESS | 62.5 | 35.1 | 34.5 | 0.0 | 18.9 | 30.2 |
| NORTON | 8.1 | 0.0 | 0.0 | 36.7 | 9.8 | 10.9 |
| OSAGE | 17.9 | 20.2 | 7.5 | 35.3 | 14.5 | 19.1 |
| OSBORNE | 9.2 | 43.0 | 10.4 | 10.3 | 33.3 | 21.2 |
| OTTAWA | 12.3 | 21.7 | 8.4 | 16.5 | 7.5 | 13.3 |
| PAWNEE | 45.8 | 19.2 | 0.0 | 6.6 | 15.5 | 17.4 |
| PHILLIPS | 39.7 | 7.8 | 14.2 | 7.4 | 16.4 | 17.1 |
| POTTAWATOMIE | 10.5 | 16.4 | 10.3 | 13.9 | 14.2 | 13.1 |
| PRATT | 31.1 | 15.2 | 24.5 | 30.6 | 32.6 | 26.8 |
| RAWLINS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| RENO | 28.8 | 27.9 | 20.0 | 21.1 | 20.8 | 23.7 |
| REPUBLIC | 14.6 | 30.8 | 16.3 | 16.3 | 0.0 | 15.6 |
| RICE | 8.7 | 51.1 | 35.2 | 44.2 | 27.1 | 33.3 |
| RILEY | 22.9 | 27.7 | 14.5 | 23.7 | 20.2 | 21.8 |
| ROOKS | 15.6 | 22.6 | 9.0 | 0.0 | 10.6 | 11.6 |
| RUSH | 13.3 | 0.0 | 27.8 | 0.0 | 0.0 | 8.2 |
| RUSSELL | 20.1 | 43.5 | 28.6 | 15.9 | 22.1 | 26.0 |
| SALINE | 31.0 | 30.4 | 23.2 | 37.1 | 33.6 | 31.1 |
| SCOTT | 25.4 | 26.3 | 17.5 | 29.7 | 30.3 | 25.8 |
| SEDGWICK | 34.1 | 33.2 | 35.2 | 36.1 | 31.8 | 34.1 |
| SEWARD | 69.5 | 63.7 | 74.4 | 72.7 | 62.3 | 68.5 |
| SHAWNEE | 42.4 | 38.0 | 34.0 | 31.7 | 31.8 | 35.6 |
| SHERIDAN | 12.7 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 |
| SHERMAN | 14.8 | 30.3 | 0.0 | 30.8 | 22.9 | 19.8 |
| SMITH | 0.0 | 0.0 | 22.0 | 11.0 | 0.0 | 6.6 |
| STAFFORD | 34.5 | 7.9 | 7.9 | 24.2 | 16.7 | 18.2 |
| STANTON | 16.9 | 0.0 | 60.0 | 18.9 | 14.7 | 22.1 |
| STEVENS | 19.4 | 18.9 | 6.7 | 62.9 | 7.5 | 23.1 |
| SUMNER | 17.9 | 9.9 | 20.9 | 19.4 | 32.3 | 20.1 |
| THOMAS | 6.1 | 13.5 | 13.5 | 0.0 | 25.0 | 11.6 |
| TREGO | 13.9 | 0.0 | 15.6 | 34.5 | 0.0 | 12.8 |
| WABAUNSEE | 16.9 | 22.2 | 12.9 | 14.3 | 7.6 | 14.8 |
| WALLACE | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WASHINGTON | 7.4 | 7.9 | 0.0 | 7.1 | 7.6 | 6.0 |
| WICHITA | 19.6 | 66.7 | 20.4 | 46.5 | 62.5 | 43.1 |
| WILSON | 13.8 | 26.2 | 18.6 | 23.1 | 45.9 | 25.5 |
| WOODSON | 11.4 | 0.0 | 13.2 | 36.6 | 15.4 | 15.3 |
| WYANDOTTE | 65.8 | 73.4 | 57.6 | 51.5 | 51.0 | 59.9 |
| KANSAS | 28.3 | 26.6 | 25.8 | 25.7 | 25.5 | 26.4 |

*Teenage pregnancies include the sum of live births, stillbirths, and abortions.

**Rate per 1,000 female age-group population

2002-2006 female age-group population estimates were compiled by the U.S. Census Bureau as of 7/1 of each year.

Source: Kansas Department of Health and Environment

**Teenage Pregnancies* for 18-19 Year Olds
By County of Residence and by Peer Group, Kansas, 2006**

| County of Residence | Live Births | Stillbirths | Abortions | Total Pregnancies | Pregnancy Rate** |
|---------------------|-------------|-------------|-----------|-------------------|------------------|
| ALLEN | 29 | 0 | 3 | 32 | 150.9 |
| ANDERSON | 12 | 0 | 1 | 13 | 154.8 |
| ATCHISON | 25 | 0 | 6 | 31 | 103.7 |
| BARBER | 3 | 0 | 2 | 5 | 80.6 |
| BARTON | 29 | 0 | 4 | 33 | 70.5 |
| BOURBON | 22 | 0 | 1 | 23 | 112.7 |
| BROWN | 18 | 0 | 2 | 20 | 175.4 |
| BUTLER | 52 | 0 | 18 | 70 | 74.2 |
| CHASE | 1 | 0 | 0 | 1 | 35.7 |
| CHAUTAUQUA | 3 | 0 | 0 | 3 | 65.2 |
| CHEROKEE | 32 | 0 | 2 | 34 | 114.1 |
| CHEYENNE | 4 | 0 | 1 | 5 | 156.3 |
| CLARK | 0 | 0 | 0 | 0 | 0.0 |
| CLAY | 9 | 0 | 3 | 12 | 148.1 |
| CLOUD | 7 | 0 | 2 | 9 | 40.7 |
| COFFEY | 9 | 0 | 1 | 10 | 131.6 |
| COMANCHE | 0 | 0 | 0 | 0 | 0.0 |
| COWLEY | 52 | 0 | 6 | 58 | 88.0 |
| CRAWFORD | 51 | 0 | 5 | 56 | 70.4 |
| DECATUR | 0 | 0 | 0 | 0 | 0.0 |
| DICKINSON | 24 | 0 | 2 | 26 | 116.6 |
| DONIPHAN | 3 | 0 | 2 | 5 | 28.4 |
| DOUGLAS | 41 | 0 | 47 | 88 | 23.2 |
| EDWARDS | 4 | 0 | 0 | 4 | 117.6 |
| ELK | 4 | 0 | 0 | 4 | 125.0 |
| ELLIS | 18 | 0 | 10 | 28 | 42.3 |
| ELLSWORTH | 7 | 0 | 3 | 10 | 169.5 |
| FINNEY | 70 | 0 | 9 | 79 | 141.6 |
| FORD | 63 | 0 | 6 | 69 | 145.9 |
| FRANKLIN | 30 | 0 | 2 | 32 | 97.6 |
| GEARY | 58 | 2 | 13 | 73 | 234.7 |
| GOVE | 0 | 0 | 0 | 0 | 0.0 |
| GRAHAM | 2 | 0 | 0 | 2 | 83.3 |
| GRANT | 12 | 0 | 1 | 13 | 131.3 |
| GRAY | 3 | 0 | 0 | 3 | 48.4 |
| GREELEY | 0 | 0 | 0 | 0 | 0.0 |
| GREENWOOD | 5 | 0 | 0 | 5 | 78.1 |
| HAMILTON | 5 | 0 | 0 | 5 | 250.0 |
| HARPER | 6 | 0 | 0 | 6 | 109.1 |
| HARVEY | 28 | 0 | 3 | 31 | 61.5 |
| HASKELL | 4 | 0 | 0 | 4 | 76.9 |
| HODGEMAN | 1 | 0 | 0 | 1 | 37.0 |
| JACKSON | 10 | 0 | 5 | 15 | 114.5 |
| JEFFERSON | 20 | 0 | 1 | 21 | 110.5 |
| JEWELL | 0 | 0 | 0 | 0 | 0.0 |
| JOHNSON | 234 | 0 | 133 | 367 | 66.6 |
| KEARNY | 10 | 0 | 0 | 10 | 178.6 |
| KINGMAN | 6 | 0 | 1 | 7 | 90.9 |
| KIOWA | 2 | 0 | 0 | 2 | 45.5 |
| LABETTE | 27 | 0 | 3 | 30 | 115.4 |
| LANE | 0 | 0 | 0 | 0 | 0.0 |
| LEAVENWORTH | 58 | 0 | 7 | 65 | 77.2 |
| LINCOLN | 5 | 0 | 0 | 5 | 185.2 |
| LINN | 9 | 0 | 3 | 12 | 142.9 |
| LOGAN | 1 | 0 | 0 | 1 | 23.8 |

**Teenage Pregnancies* for 18-19 Year Olds
By County of Residence and by Peer Group, Kansas, 2006**

| County of Residence | Live Births | Stillbirths | Abortions | Total Pregnancies | Pregnancy Rate** |
|-----------------------|-------------|-------------|-----------|-------------------|------------------|
| LYON | 50 | 1 | 7 | 58 | 69.5 |
| MARION | 3 | 0 | 2 | 5 | 27.8 |
| MARSHALL | 9 | 0 | 0 | 9 | 83.3 |
| MCPHERSON | 26 | 1 | 3 | 30 | 64.5 |
| MEADE | 2 | 1 | 0 | 3 | 53.6 |
| MIAMI | 33 | 0 | 2 | 35 | 111.5 |
| MITCHELL | 4 | 0 | 1 | 5 | 49.5 |
| MONTGOMERY | 49 | 0 | 10 | 59 | 135.3 |
| MORRIS | 5 | 0 | 0 | 5 | 84.7 |
| MORTON | 6 | 0 | 1 | 7 | 152.2 |
| NEMAHA | 9 | 0 | 1 | 10 | 74.1 |
| NEOSHO | 25 | 0 | 0 | 25 | 100.4 |
| NESS | 2 | 0 | 0 | 2 | 90.9 |
| NORTON | 1 | 0 | 1 | 2 | 54.1 |
| OSAGE | 21 | 0 | 2 | 23 | 135.3 |
| OSBORNE | 2 | 0 | 0 | 2 | 54.1 |
| OTTAWA | 7 | 1 | 0 | 8 | 129.0 |
| PAWNEE | 5 | 0 | 0 | 5 | 55.6 |
| PHILLIPS | 2 | 0 | 1 | 3 | 42.3 |
| POTTAWATOMIE | 13 | 0 | 2 | 15 | 62.0 |
| PRATT | 9 | 0 | 2 | 11 | 81.5 |
| RAWLINS | 2 | 0 | 0 | 2 | 100.0 |
| RENO | 66 | 0 | 11 | 77 | 96.4 |
| REPUBLIC | 9 | 0 | 2 | 11 | 207.5 |
| RICE | 11 | 0 | 0 | 11 | 37.8 |
| RILEY | 65 | 1 | 23 | 89 | 34.2 |
| ROOKS | 4 | 0 | 0 | 4 | 85.1 |
| RUSH | 5 | 0 | 0 | 5 | 166.7 |
| RUSSELL | 4 | 0 | 0 | 4 | 66.7 |
| SALINE | 73 | 1 | 14 | 88 | 168.6 |
| SCOTT | 3 | 0 | 0 | 3 | 62.5 |
| SEDGWICK | 636 | 5 | 114 | 755 | 138.3 |
| SEWARD | 52 | 0 | 3 | 55 | 147.5 |
| SHAWNEE | 197 | 0 | 42 | 239 | 124.2 |
| SHERIDAN | 0 | 0 | 0 | 0 | 0.0 |
| SHERMAN | 6 | 0 | 0 | 6 | 82.2 |
| SMITH | 4 | 0 | 0 | 4 | 95.2 |
| STAFFORD | 6 | 0 | 1 | 7 | 111.1 |
| STANTON | 2 | 0 | 0 | 2 | 133.3 |
| STEVENS | 6 | 0 | 0 | 6 | 76.9 |
| SUMNER | 19 | 0 | 2 | 21 | 66.0 |
| THOMAS | 8 | 0 | 2 | 10 | 47.8 |
| TREGO | 3 | 0 | 0 | 3 | 120.0 |
| WABAUNSEE | 2 | 0 | 2 | 4 | 53.3 |
| WALLACE | 1 | 0 | 0 | 1 | 76.9 |
| WASHINGTON | 0 | 0 | 0 | 0 | 0.0 |
| WICHITA | 4 | 0 | 0 | 4 | 285.7 |
| WILSON | 16 | 0 | 2 | 18 | 174.8 |
| WOODSON | 4 | 0 | 2 | 6 | 181.8 |
| WYANDOTTE | 326 | 2 | 77 | 405 | 218.3 |
| UNKNOWN | 0 | 0 | 0 | 0 | n/a |
| KANSAS | 2,945 | 15 | 640 | 3,600 | 93.1 |
| Peer Group | | | | | |
| Frontier | 75 | 1 | 4 | 80 | 86.5 |
| Rural | 253 | 1 | 41 | 295 | 84.7 |
| Densely-Settled Rural | 570 | 1 | 67 | 638 | 98.2 |
| Semi-Urban | 613 | 5 | 115 | 733 | 79.4 |
| Urban | 1,434 | 7 | 413 | 1,854 | 100.0 |

n/a = Not applicable

*Teenage pregnancies include the sum of live births, stillbirths and abortions

**Rate per 1,000 female age-group population.

2006 female age-group population estimates were compiled by the U.S. Census Bureau as of 7/1/2006

Source: Kansas Department of Health and Environment

**Teenage Pregnancies* (18-19 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | Teenage Pregnancies 2002-2006 |
|---------------------|------|------|------|------|------|-------------------------------|
| ALLEN | 22 | 26 | 22 | 22 | 32 | 124 |
| ANDERSON | 9 | 8 | 9 | 7 | 13 | 46 |
| ATCHISON | 19 | 35 | 24 | 20 | 31 | 129 |
| BARBER | 4 | 5 | 4 | 5 | 5 | 23 |
| BARTON | 51 | 41 | 31 | 32 | 33 | 188 |
| BOURBON | 34 | 29 | 27 | 16 | 23 | 129 |
| BROWN | 14 | 13 | 14 | 15 | 20 | 76 |
| BUTLER | 81 | 61 | 67 | 69 | 70 | 348 |
| CHASE | 2 | 3 | 4 | 2 | 1 | 12 |
| CHAUTAUQUA | 4 | 4 | 2 | 2 | 3 | 15 |
| CHEROKEE | 35 | 32 | 28 | 46 | 34 | 175 |
| CHEYENNE | 2 | 1 | 0 | 2 | 5 | 10 |
| CLARK | 2 | 0 | 1 | 3 | 0 | 6 |
| CLAY | 9 | 8 | 4 | 10 | 12 | 43 |
| CLOUD | 14 | 18 | 11 | 8 | 9 | 60 |
| COFFEY | 12 | 10 | 9 | 8 | 10 | 49 |
| COMANCHE | 0 | 0 | 3 | 1 | 0 | 4 |
| COWLEY | 57 | 50 | 47 | 51 | 58 | 263 |
| CRAWFORD | 56 | 58 | 53 | 60 | 56 | 283 |
| DECATUR | 2 | 4 | 0 | 0 | 0 | 6 |
| DICKINSON | 18 | 16 | 25 | 20 | 26 | 105 |
| DONIPHAN | 5 | 9 | 7 | 4 | 5 | 30 |
| DOUGLAS | 111 | 91 | 99 | 107 | 88 | 496 |
| EDWARDS | 4 | 3 | 5 | 3 | 4 | 19 |
| ELK | 5 | 5 | 6 | 5 | 4 | 25 |
| ELLIS | 26 | 30 | 36 | 17 | 28 | 137 |
| ELLSWORTH | 6 | 5 | 0 | 4 | 10 | 25 |
| FINNEY | 83 | 99 | 89 | 86 | 79 | 436 |
| FORD | 69 | 76 | 69 | 61 | 69 | 344 |
| FRANKLIN | 49 | 35 | 38 | 38 | 32 | 192 |
| GEARY | 96 | 85 | 57 | 56 | 73 | 367 |
| GOVE | 0 | 1 | 4 | 3 | 0 | 8 |
| GRAHAM | 2 | 3 | 2 | 2 | 2 | 11 |
| GRANT | 18 | 15 | 14 | 12 | 13 | 72 |
| GRAY | 3 | 8 | 5 | 11 | 3 | 30 |
| GREELEY | 1 | 0 | 3 | 0 | 0 | 4 |
| GREENWOOD | 15 | 9 | 9 | 11 | 5 | 49 |
| HAMILTON | 9 | 4 | 5 | 5 | 5 | 28 |
| HARPER | 11 | 10 | 8 | 5 | 6 | 40 |
| HARVEY | 44 | 41 | 25 | 34 | 31 | 175 |
| HASKELL | 8 | 5 | 11 | 1 | 4 | 29 |
| HODGEMAN | 3 | 4 | 0 | 1 | 1 | 9 |
| JACKSON | 18 | 14 | 18 | 17 | 15 | 82 |
| JEFFERSON | 19 | 28 | 16 | 15 | 21 | 99 |
| JEWELL | 1 | 0 | 1 | 1 | 0 | 3 |
| JOHNSON | 389 | 338 | 347 | 367 | 367 | 1,808 |
| KEARNY | 5 | 6 | 6 | 6 | 10 | 33 |
| KINGMAN | 6 | 6 | 7 | 6 | 7 | 32 |
| KIOWA | 2 | 6 | 2 | 1 | 2 | 13 |
| LABETTE | 37 | 31 | 34 | 37 | 30 | 169 |
| LANE | 3 | 0 | 0 | 2 | 0 | 5 |
| LEAVENWORTH | 79 | 72 | 76 | 63 | 65 | 355 |
| LINCOLN | 2 | 3 | 2 | 2 | 5 | 14 |
| LINN | 4 | 4 | 8 | 9 | 12 | 37 |
| LOGAN | 2 | 1 | 1 | 2 | 1 | 7 |

**Teenage Pregnancies* (18-19 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | Teenage Pregnancies 2002-2006 |
|---------------------|--------------|--------------|--------------|--------------|--------------|-------------------------------|
| LYON | 53 | 75 | 63 | 60 | 58 | 309 |
| MARION | 12 | 11 | 6 | 8 | 5 | 42 |
| MARSHALL | 8 | 16 | 12 | 9 | 9 | 54 |
| MCPHERSON | 29 | 26 | 28 | 29 | 30 | 142 |
| MEADE | 3 | 8 | 6 | 9 | 3 | 29 |
| MIAMI | 32 | 31 | 32 | 24 | 35 | 154 |
| MITCHELL | 5 | 4 | 5 | 3 | 5 | 22 |
| MONTGOMERY | 71 | 52 | 75 | 66 | 59 | 323 |
| MORRIS | 3 | 3 | 7 | 6 | 5 | 24 |
| MORTON | 2 | 4 | 3 | 7 | 7 | 23 |
| NEMAHA | 7 | 8 | 6 | 2 | 10 | 33 |
| NEOSHO | 25 | 33 | 29 | 24 | 25 | 136 |
| NESS | 2 | 2 | 3 | 2 | 2 | 11 |
| NORTON | 0 | 1 | 3 | 7 | 2 | 13 |
| OSAGE | 13 | 18 | 22 | 8 | 23 | 84 |
| OSBORNE | 1 | 4 | 3 | 0 | 2 | 10 |
| OTTAWA | 8 | 5 | 6 | 6 | 8 | 33 |
| PAWNEE | 10 | 6 | 8 | 6 | 5 | 35 |
| PHILLIPS | 5 | 6 | 4 | 8 | 3 | 26 |
| POTTAWATOMIE | 20 | 13 | 18 | 6 | 15 | 72 |
| PRATT | 15 | 8 | 6 | 9 | 11 | 49 |
| RAWLINS | 0 | 2 | 0 | 0 | 2 | 4 |
| RENO | 89 | 79 | 88 | 94 | 77 | 427 |
| REPUBLIC | 2 | 2 | 4 | 5 | 11 | 24 |
| RICE | 25 | 10 | 11 | 12 | 11 | 69 |
| RILEY | 93 | 74 | 66 | 79 | 89 | 401 |
| ROOKS | 5 | 3 | 3 | 4 | 4 | 19 |
| RUSH | 2 | 3 | 2 | 2 | 5 | 14 |
| RUSSELL | 4 | 8 | 2 | 8 | 4 | 26 |
| SALINE | 78 | 90 | 73 | 83 | 88 | 412 |
| SCOTT | 6 | 2 | 4 | 9 | 3 | 24 |
| SEDGWICK | 761 | 710 | 712 | 736 | 755 | 3,674 |
| SEWARD | 61 | 64 | 48 | 54 | 55 | 282 |
| SHAWNEE | 254 | 239 | 250 | 247 | 239 | 1,229 |
| SHERIDAN | 1 | 0 | 4 | 2 | 0 | 7 |
| SHERMAN | 5 | 9 | 7 | 5 | 6 | 32 |
| SMITH | 1 | 2 | 0 | 1 | 4 | 8 |
| STAFFORD | 6 | 4 | 5 | 2 | 7 | 24 |
| STANTON | 5 | 1 | 2 | 6 | 2 | 16 |
| STEVENS | 15 | 12 | 15 | 11 | 6 | 59 |
| SUMNER | 39 | 35 | 22 | 33 | 21 | 150 |
| THOMAS | 12 | 9 | 13 | 8 | 10 | 52 |
| TREGO | 2 | 2 | 1 | 2 | 3 | 10 |
| WABAUNSEE | 8 | 5 | 8 | 6 | 4 | 31 |
| WALLACE | 1 | 1 | 1 | 0 | 1 | 4 |
| WASHINGTON | 2 | 4 | 2 | 4 | 0 | 12 |
| WICHITA | 3 | 1 | 6 | 1 | 4 | 15 |
| WILSON | 17 | 16 | 11 | 11 | 18 | 73 |
| WOODSON | 5 | 6 | 5 | 7 | 6 | 29 |
| WYANDOTTE | 407 | 345 | 356 | 364 | 405 | 1,877 |
| UNKNOWN | 1 | 1 | 2 | 4 | 0 | 8 |
| KANSAS | 3,816 | 3,542 | 3,463 | 3,492 | 3,600 | 17,913 |

*Teenage pregnancies include the sum of live births, stillbirths and abortions.

Source: Kansas Department of Health and Environment

Teenage Pregnancy* Rates (18-19 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | 5-year Rate |
|---------------------|-------|-------|-------|-------|-------|-------------|
| ALLEN | 101.9 | 114.5 | 93.2 | 100.5 | 150.9 | 112.2 |
| ANDERSON | 78.9 | 72.7 | 91.8 | 76.9 | 154.8 | 95.0 |
| ATCHISON | 51.2 | 93.8 | 70.4 | 63.9 | 103.7 | 76.6 |
| BARBER | 51.9 | 68.5 | 58.0 | 75.8 | 80.6 | 67.0 |
| BARTON | 109.0 | 87.8 | 68.0 | 64.6 | 70.5 | 80.0 |
| BOURBON | 148.5 | 139.4 | 150.8 | 82.9 | 112.7 | 126.9 |
| BROWN | 89.7 | 83.9 | 91.5 | 114.5 | 175.4 | 111.0 |
| BUTLER | 93.1 | 67.5 | 72.3 | 72.0 | 74.2 | 75.8 |
| CHASE | 69.0 | 107.1 | 102.6 | 71.4 | 35.7 | 77.2 |
| CHAUTAUQUA | 58.8 | 70.2 | 40.0 | 46.5 | 65.2 | 56.1 |
| CHEROKEE | 126.8 | 116.8 | 100.7 | 150.3 | 114.1 | 121.7 |
| CHEYENNE | 57.1 | 31.3 | 0.0 | 47.6 | 156.3 | 58.5 |
| CLARK | 50.0 | 0.0 | 58.8 | 111.1 | 0.0 | 44.0 |
| CLAY | 79.6 | 79.2 | 35.7 | 109.9 | 148.1 | 90.5 |
| CLOUD | 67.0 | 86.1 | 49.1 | 34.9 | 40.7 | 55.6 |
| COFFEY | 90.2 | 70.4 | 62.9 | 73.4 | 131.6 | 85.7 |
| COMANCHE | 0.0 | 0.0 | 136.4 | 58.8 | 0.0 | 39.0 |
| COWLEY | 85.3 | 74.7 | 71.5 | 76.5 | 88.0 | 79.2 |
| CRAWFORD | 75.1 | 80.6 | 79.3 | 78.8 | 70.4 | 76.8 |
| DECATUR | 51.3 | 95.2 | 0.0 | 0.0 | 0.0 | 29.3 |
| DICKINSON | 66.4 | 59.0 | 92.6 | 78.1 | 116.6 | 82.5 |
| DONIPHAN | 29.9 | 54.5 | 42.2 | 23.4 | 28.4 | 35.7 |
| DOUGLAS | 34.4 | 28.0 | 30.9 | 30.5 | 23.2 | 29.4 |
| EDWARDS | 80.0 | 65.2 | 92.6 | 61.2 | 117.6 | 83.3 |
| ELK | 100.0 | 106.4 | 127.7 | 116.3 | 125.0 | 115.1 |
| ELLIS | 44.1 | 53.3 | 66.7 | 27.4 | 42.3 | 46.8 |
| ELLSWORTH | 64.5 | 56.8 | 0.0 | 66.7 | 169.5 | 71.5 |
| FINNEY | 134.5 | 166.1 | 145.2 | 148.5 | 141.6 | 147.2 |
| FORD | 151.6 | 172.7 | 163.5 | 130.9 | 145.9 | 152.9 |
| FRANKLIN | 136.9 | 89.3 | 86.2 | 100.5 | 97.6 | 102.1 |
| GEARY | 315.8 | 271.6 | 192.6 | 184.2 | 234.7 | 239.8 |
| GOVE | 0.0 | 25.6 | 111.1 | 88.2 | 0.0 | 45.0 |
| GRAHAM | 48.8 | 90.9 | 66.7 | 80.0 | 83.3 | 73.9 |
| GRANT | 131.4 | 101.4 | 109.4 | 103.4 | 131.3 | 115.4 |
| GRAY | 29.4 | 75.5 | 54.9 | 142.9 | 48.4 | 70.2 |
| GREELEY | 55.6 | 0.0 | 187.5 | 0.0 | 0.0 | 48.6 |
| GREENWOOD | 156.3 | 98.9 | 89.1 | 148.6 | 78.1 | 114.2 |
| HAMILTON | 236.8 | 97.6 | 122.0 | 161.3 | 250.0 | 173.5 |
| HARPER | 139.2 | 135.1 | 74.8 | 67.6 | 109.1 | 105.2 |
| HARVEY | 77.7 | 72.3 | 41.7 | 63.7 | 61.5 | 63.4 |
| HASKELL | 106.7 | 76.9 | 171.9 | 17.2 | 76.9 | 89.9 |
| HODGEMAN | 68.2 | 95.2 | 0.0 | 35.7 | 37.0 | 47.2 |
| JACKSON | 103.4 | 68.3 | 85.3 | 116.4 | 114.5 | 97.6 |
| JEFFERSON | 73.1 | 112.4 | 71.4 | 73.5 | 110.5 | 88.2 |
| JEWELL | 18.5 | 0.0 | 25.0 | 31.3 | 0.0 | 15.0 |
| JOHNSON | 67.4 | 58.3 | 58.2 | 62.9 | 66.6 | 62.7 |
| KEARNY | 73.5 | 101.7 | 87.0 | 75.0 | 178.6 | 103.2 |
| KINGMAN | 48.8 | 54.5 | 56.9 | 62.5 | 90.9 | 62.7 |
| KIOWA | 34.5 | 130.4 | 33.9 | 21.7 | 45.5 | 53.2 |
| LABETTE | 122.1 | 105.8 | 118.1 | 136.5 | 115.4 | 119.6 |
| LANE | 96.8 | 0.0 | 0.0 | 100.0 | 0.0 | 39.4 |
| LEAVENWORTH | 84.8 | 81.2 | 82.9 | 73.8 | 77.2 | 80.0 |
| LINCOLN | 47.6 | 60.0 | 40.0 | 64.5 | 185.2 | 79.5 |
| LINN | 31.7 | 30.1 | 58.4 | 80.4 | 142.9 | 68.7 |
| LOGAN | 44.4 | 25.0 | 27.8 | 42.6 | 23.8 | 32.7 |

Teenage Pregnancy* Rates (18-19 years of age)
By County of Residence, Kansas, 2002-2006**

| County of Residence | 2002 | 2003 | 2004 | 2005 | 2006 | 5-year Rate |
|---------------------|-------|-------|-------|-------|-------|-------------|
| LYON | 64.7 | 89.5 | 78.2 | 71.9 | 69.5 | 74.8 |
| MARION | 51.1 | 46.4 | 25.1 | 40.4 | 27.8 | 38.2 |
| MARSHALL | 47.1 | 97.6 | 75.9 | 71.4 | 83.3 | 75.1 |
| MCPHERSON | 49.8 | 43.5 | 49.5 | 54.3 | 64.5 | 52.3 |
| MEADE | 47.6 | 140.4 | 87.0 | 126.8 | 53.6 | 91.1 |
| MIAMI | 76.9 | 73.6 | 76.2 | 67.2 | 111.5 | 81.1 |
| MITCHELL | 47.2 | 38.8 | 46.7 | 25.6 | 49.5 | 41.6 |
| MONTGOMERY | 138.9 | 107.9 | 150.9 | 137.8 | 135.3 | 134.2 |
| MORRIS | 31.9 | 41.1 | 97.2 | 82.2 | 84.7 | 67.4 |
| MORTON | 38.5 | 90.9 | 61.2 | 140.0 | 152.2 | 96.6 |
| NEMAHA | 45.8 | 49.4 | 39.7 | 14.6 | 74.1 | 44.7 |
| NEOSHO | 88.7 | 113.8 | 92.9 | 86.3 | 100.4 | 96.4 |
| NESS | 46.5 | 40.8 | 68.2 | 55.6 | 90.9 | 60.4 |
| NORTON | 0.0 | 13.9 | 41.7 | 137.3 | 54.1 | 49.4 |
| OSAGE | 53.1 | 80.0 | 100.9 | 40.0 | 135.3 | 81.9 |
| OSBORNE | 21.7 | 67.8 | 52.6 | 0.0 | 54.1 | 39.2 |
| OTTAWA | 88.9 | 51.5 | 58.8 | 76.9 | 129.0 | 81.0 |
| PAWNEE | 106.4 | 65.2 | 94.1 | 70.6 | 55.6 | 78.4 |
| PHILLIPS | 61.0 | 85.7 | 59.7 | 109.6 | 42.3 | 71.7 |
| POTTAWATOMIE | 72.2 | 44.5 | 62.9 | 24.6 | 62.0 | 53.2 |
| PRATT | 81.5 | 42.3 | 34.5 | 57.0 | 81.5 | 59.4 |
| RAWLINS | 0.0 | 48.8 | 0.0 | 0.0 | 100.0 | 29.8 |
| RENO | 102.5 | 95.2 | 109.9 | 113.7 | 96.4 | 103.5 |
| REPUBLIC | 29.4 | 26.0 | 47.1 | 84.7 | 207.5 | 78.9 |
| RICE | 73.7 | 30.4 | 34.5 | 39.5 | 37.8 | 43.2 |
| RILEY | 45.1 | 35.4 | 32.1 | 33.7 | 34.2 | 36.1 |
| ROOKS | 63.3 | 50.0 | 41.1 | 69.0 | 85.1 | 61.7 |
| RUSH | 45.5 | 65.2 | 47.6 | 57.1 | 166.7 | 76.4 |
| RUSSELL | 41.7 | 90.9 | 24.4 | 114.3 | 66.7 | 67.6 |
| SALINE | 114.4 | 129.7 | 100.1 | 135.6 | 168.6 | 129.7 |
| SCOTT | 78.9 | 29.4 | 64.5 | 163.6 | 62.5 | 79.8 |
| SEDGWICK | 130.1 | 121.4 | 121.7 | 127.6 | 138.3 | 127.8 |
| SEWARD | 161.8 | 175.3 | 130.4 | 137.1 | 147.5 | 150.4 |
| SHAWNEE | 116.8 | 112.4 | 117.2 | 120.8 | 124.2 | 118.3 |
| SHERIDAN | 27.8 | 0.0 | 80.0 | 52.6 | 0.0 | 32.1 |
| SHERMAN | 65.8 | 113.9 | 77.8 | 61.7 | 82.2 | 80.3 |
| SMITH | 17.5 | 36.4 | 0.0 | 18.5 | 95.2 | 33.5 |
| STAFFORD | 105.3 | 66.7 | 80.6 | 32.8 | 111.1 | 79.3 |
| STANTON | 125.0 | 28.6 | 55.6 | 230.8 | 133.3 | 114.7 |
| STEVENS | 174.4 | 137.9 | 156.3 | 122.2 | 76.9 | 133.5 |
| SUMNER | 101.6 | 94.1 | 63.2 | 99.4 | 66.0 | 84.9 |
| THOMAS | 72.7 | 58.1 | 86.1 | 41.9 | 47.8 | 61.3 |
| TREGO | 41.7 | 37.7 | 26.3 | 74.1 | 120.0 | 60.0 |
| WABAUNSEE | 73.4 | 50.5 | 77.7 | 63.8 | 53.3 | 63.7 |
| WALLACE | 25.0 | 28.6 | 30.3 | 0.0 | 76.9 | 32.2 |
| WASHINGTON | 24.4 | 51.3 | 26.7 | 55.6 | 0.0 | 31.6 |
| WICHITA | 71.4 | 24.4 | 250.0 | 50.0 | 285.7 | 136.3 |
| WILSON | 138.2 | 129.0 | 91.7 | 102.8 | 174.8 | 127.3 |
| WOODSON | 100.0 | 115.4 | 92.6 | 175.0 | 181.8 | 133.0 |
| WYANDOTTE | 200.1 | 172.4 | 186.6 | 190.5 | 218.3 | 193.6 |
| KANSAS | 92.9 | 86.8 | 85.1 | 87.1 | 93.1 | 89.0 |

* Teenage pregnancies include the sum of live births, stillbirths and abortions.

**Rate per 1,000 female age-group population.

Source: Kansas Department of Health and Environment

Technical Notes

Abortion (induced termination of pregnancy): The purposeful interruption of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus and which does not result in a live birth. [K.S.A. 65-2401 (4)]

Stillbirth: Any complete expulsion or extraction from its mother of a product of human conception, the weight of which is in excess of 350 grams, irrespective of the duration of pregnancy, resulting in other than a live birth, and which is not an induced termination of pregnancy. [K.S.A. 65-2401 (3)]

Live Birth: The complete expulsion or extraction of a product of human conception from its mother, irrespective of the duration of pregnancy, that, after such expulsion or extraction, shows any evidence of life such as breathing, heartbeat, pulsation of the umbilical cord, or voluntary muscle movement, whether or not the umbilical cord has been cut or the placenta attached. [K.S.A. 65-2401 (2)]

Residence Data: Residence data is information compiled according to the usual residence regardless of where the event occurred (including events occurring out-of-state).

Teenage Pregnancy Components: A live birth, stillbirth, or abortion occurring to a female under 20 years of age.

Teenage Pregnancy Rate:
$$\frac{\text{live births, stillbirths, abortions}}{\text{female population in a specific age-group}} \times 1,000$$

Population:

1987-1989, 1991-1999 and 2002-2006 female age-group population estimates and actual population counts for 1990 and 2000 were obtained from the U.S. Census Bureau on the Internet at: <http://www.census.gov/popest/estimates.php>. The 2001 female age-group population estimates were compiled by the Kansas Department of Health and Environment based on the 2000 Census counts.

2002-2006 female age-group county population estimates were obtained from the Bridged-race Vintage 2002, 2003, 2004, 2005 and 2006 postcensal series by year, age, sex, race, and Hispanic origin, prepared under a collaborative arrangement between the National Center for Health Statistics (NCHS) and the U.S. Census Bureau. The population data are at the Centers for Disease Control and Prevention website at: <http://www.cdc.gov/nchs/about/major/dvs/popbridge/popbridge.htm>.

Technical Notes (Cont.)

Peer Groups:

For various demographic studies, it is useful to consider groups of counties with similar characteristics. “Peer Groups” of counties, as used in this summary, are defined as those with similar population density based on their 2000 actual census counts. In order to facilitate a time series comparison, the assignment of counties to their peer group remains unchanged until the next decennial census. They will not necessarily have similar values for any other indicators. Frontier counties are defined as those with less than 6.0 persons per square mile, Rural counties as those with 6.0 - 19.9 persons per square mile, Densely-Settled Rural counties as those with 20.0 - 39.9 persons per square mile, Semi-Urban counties as those with 40.0 - 149.9 persons per square mile, and Urban counties as those with 150.0 or more persons per square mile. These definitions originated with the Kansas Department of Health and Environment, [Office of Local and Rural Health](#), and should *not* be confused with the U.S. Census Bureau’s (USCB) definitions of urban and rural areas. Sources for calculation of population densities are population figures from the 2000 U.S. Census and land areas from the 2000 U.S. Census.

Counties are grouped in population density peer groups as follows:

| | | | |
|-----------------|--------------|------------------------|-------------------|
| Frontier | Trego | Pratt | Labette |
| Barber | Wallace | Republic | McPherson |
| Chase | Wichita | Rice | Neosho |
| Cheyenne | | Rooks | Osage |
| Clark | Rural | Russell | Pottawatomie |
| Comanche | Anderson | Scott | Seward |
| Decatur | Brown | Sherman | Sumner |
| Edwards | Chautauqua | Stafford | |
| Elk | Clay | Stevens | Semi-Urban |
| Gove | Cloud | Thomas | Butler |
| Graham | Coffey | Wabaunsee | Crawford |
| Greeley | Ellsworth | Washington | Franklin |
| Hamilton | Grant | Wilson | Geary |
| Hodgeman | Gray | Woodson | Harvey |
| Jewell | Greenwood | | Leavenworth |
| Kearny | Harper | Densely-Settled | Lyon |
| Kiowa | Haskell | Rural | Miami |
| Lane | Jackson | Allen | Montgomery |
| Lincoln | Kingman | Atchison | Reno |
| Logan | Linn | Barton | Riley |
| Meade | Marion | Bourbon | Saline |
| Morton | Marshall | Cherokee | |
| Ness | Mitchell | Cowley | Urban |
| Osborne | Morris | Dickinson | Douglas |
| Rawlins | Nemaha | Doniphan | Johnson |
| Rush | Norton | Ellis | Sedgwick |
| Sheridan | Ottawa | Finney | Shawnee |
| Smith | Pawnee | Ford | Wyandotte |
| Stanton | Phillips | Jefferson | |

Technical Notes (Cont.)

Rate Reliability:

Vital statistics are easily influenced by random variation, and single-year rates can fluctuate from year to year. A multiple-year rate, such as a 5- or 10- year average of single-year rates, would be more accurate in formulating conclusions on vital events. For example, between 2002 and 2006, the teenage pregnancy rate for Kansas varied from 26.1 to 28.3 teenage pregnancies per 1,000 10-19 female population. The 2002-2006 5-year teenage pregnancy rate was 26.9. The 5-year rate smoothes some of the variation in single-year rates and would be a more reliable indicator of teenage pregnancy rates in Kansas.

Rates based on a small or large number of events in a sparsely populated area can vary widely. To exemplify the variation that may occur with a small change in the number of events, in 2006, Wallace County had one of the lowest 10-19 female populations in Kansas at 109 and Sedgwick County had one of the highest at 33,304. With one teenage pregnancy occurring for Wallace County residents in 2006, the 10-19 teenage pregnancy rate was 9.2; whereas 1,104 teenage pregnancies occurring for Sedgwick County residents resulted in a teen pregnancy rate of 33.1 per 1,000 10-19 female population. If five more teenage pregnancies had occurred for each county, Wallace County's teenage pregnancy rate would have increased to 55.0, while Sedgwick County's rate would have increased only slightly, to 33.3 teenage pregnancies per 1,000 10-19 female population. Therefore, one must use caution when comparing rates of vital events between counties of significantly different population sizes to avoid misleading conclusions.

Unknowns:

County of residence is collected for all vital events that occur in Kansas. However, some states that share vital event data with Kansas may not collect the county of residence. This is the case with several states that collect abortion data. Those pregnancy outcomes will be reported as unknown and are not factored into any county-based rates.