Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Reviewed by TB

January 30, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on January 22, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

L Tiruneh

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 01/30/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601687874	NIC-GPW-GP-42-4-20-01-21-98	EPA 8260	41174		
601687882	NIC-GPW-GP-42-4-36-01-21-98	EPA 8260	41174		
601687890	NIC-GPW-GP-42-4-36N-01-21-98	EPA 8260	41174		
601687908	NIC-GPW-GP-42-3-20-01-21-98	EPA 8260	41174		
601687916	NIC-GPW-GP-42-3-36-01-21-98	EPA 8260	41174		
601687924	NIC-GPW-GP-42-1-26-01-21-98	EPA 8260	41174		
601687932	NIC-GPW-GP-42-1-39-01-21-98	EPA 8260	41174		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/30/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601687874 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-4-20-01-21-98 Date Received: 01/22/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/28/98	DJE	107-06-2	
Trichloroethene	5.1	ug/L	1	01/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/28/98	DJE	79-00-5	
Tetrachloroethene	17	ug/L	1	01/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/28/98	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687874 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-4-20-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/28/98	DJE	95-47-6	
Dibromofluoromethane (S)	99	%		01/28/98	DJE	1868-53-7	
Toluene-d8 (S)	100	%		01/28/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	91	%		01/28/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%		01/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687882 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-4-36-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/28/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/28/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/28/98	DJE	95-47-6	
Dibromofluoromethane (S)	102	%		01/28/98	DJE	1868-53-7	
Toluene-d8 (S)	99	%		01/28/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	92	%		01/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687882 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-4-36-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		01/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687890 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-4-36N-01-21-98 Date Received: 01/22/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/28/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/28/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/28/98	DJE	95-47-6	
Dibromofluoromethane (S)	107	%		01/28/98	DJE	1868-53-7	
Toluene-d8 (S)	106	%		01/28/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	97	%		01/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687890 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-4-36N-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		01/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687908 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-3-20-01-21-98 Date Received: 01/22/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/28/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/28/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/28/98	DJE	95-47-6	
Dibromofluoromethane (S)	111	%		01/28/98	DJE	1868-53-7	
Toluene-d8 (S)	110	%		01/28/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	100	%		01/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687908 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-3-20-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		01/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687916 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-3-36-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/28/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/28/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/28/98	DJE	95-47-6	
Dibromofluoromethane (S)	116	%		01/28/98	DJE	1868-53-7	
Toluene-d8 (S)	113	%		01/28/98	DJE	2037-26-5	1
4-Bromofluorobenzene (S)	103	%		01/28/98	DJE	460-00-4	

LAB Q

S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687916 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-3-36-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		01/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687924 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-1-26-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/28/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/28/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/28/98	DJE	95-47-6	
Dibromofluoromethane (S)	99	%		01/28/98	DJE	1868-53-7	
Toluene-d8 (S)	97	%		01/28/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	89	%		01/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687924 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-1-26-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		01/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687932 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-1-39-01-21-98 Date Received: 01/22/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/28/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/28/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/28/98	DJE	95-47-6	
Dibromofluoromethane (S)	103	%		01/28/98	DJE	1868-53-7	
Toluene-d8 (S)	101	%		01/28/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	93	%		01/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601687932 Date Collected: 01/21/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-1-39-01-21-98 Date Received: 01/22/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		01/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 110%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 41174
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601687874 601687882 601687890 601687908 601687916 601687924 601687932

METHOD BLANK: 601696180
Associated Pace Samples:
601687874 601687882 601687890 601687908 601687916 601687924 601687932

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601696180
Associated Pace Samples:

601687874 601687882 601687890 601687908 601687916 601687924 601687932

Parameter	Units	Method Blank Result	PRL	Footnotes
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Dibromofluoromethane (S)	%	106		
Toluene-d8 (S)	%	106		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	104		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601696198 601696206

Parameter	Units	601687874	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0	10	9.813	98.1	9.202	92.0	6	
Benzene	ug/L	0	10	9.978	99.8	9.915	99.2	1	
Trichloroethene	ug/L	5.148	10	16.70	116	15.82	107	8	
Toluene	ug/L	0	10	10.64	106	10.60	106	0	
Chlorobenzene	ug/L	0	10	8.966	89.7	8.954	89.5	0	
Dibromofluoromethane (S)					100		103		
Toluene-d8 (S)					107		105		
4-Bromofluorobenzene (S)					100		100		
1,2-Dichloroethane-d4 (S)					99		103		

LABORATORY CONTROL SAMPLE: 601696214

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.932	98.3	
Vinyl Chloride	ug/L	4.0	3.990	99.8	
Bromomethane	ug/L	4.0	4.163	104	
Chloroethane	ug/L	4.0	3.964	99.1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601696214

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Trichlorofluoromethane	ug/L	4.0	4.000	100	
Methylene Chloride	ug/L	4.0	4.197	105	
1,1-Dichloroethene	ug/L	4.0	3.915	97.9	
trans-1,2-Dichloroethene	ug/L	4.0	4.375	109	
1,1-Dichloroethane	ug/L	4.0	4.275	107	
cis-1,2-Dichloroethene	ug/L	4.0	4.077	102	
Chloroform	ug/L	4.0	4.222	106	
1,1,1-Trichloroethane	ug/L	4.0	4.032	101	
Carbon Tetrachloride	ug/L	4.0	4.133	103	
Benzene	ug/L	4.0	4.213	105	
1,2-Dichloroethane	ug/L	4.0	4.695	117	
Trichloroethene	ug/L	4.0	4.195	105	
1,2-Dichloropropane	ug/L	4.0	4.339	108	
Bromodichloromethane	ug/L	4.0	4.433	111	
Toluene	ug/L	4.0	4.158	104	
1,1,2-Trichloroethane	ug/L	4.0	4.298	107	
Tetrachloroethene	ug/L	4.0	3.856	96.4	
Dibromochloromethane	ug/L	4.0	4.370	109	
Chlorobenzene	ug/L	4.0	3.946	98.6	
Ethylbenzene	ug/L	4.0	3.887	97.2	
Bromoform	ug/L	4.0	3.608	90.2	
1,1,2,2-Tetrachloroethane	ug/L	4.0	4.425	111	
1,3-Dichlorobenzene	ug/L	4.0	3.922	98.1	
1,4-Dichlorobenzene	ug/L	4.0	3.839	96.0	
1,2-Dichlorobenzene	ug/L	4.0	4.056	101	
cis-1,3-Dichloropropene	ug/L	4.0	4.539	113	
trans-1,3-Dichloropropene	ug/L	4.0	4.431	111	
M&P-Xylene	ug/L	8.0	7.717	96.5	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	3.985	99.6	
Dibromofluoromethane (S)				106	
Toluene-d8 (S)				100	
4-Bromofluorobenzene (S)				99	
1,2-Dichloroethane-d4 (S)				113	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019515
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Review TB 2/29/98

February 04, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on January 24, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 02/04/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601692858	NIC-GPW-GP-42-2-20-01-22-98	EPA 8260	41252		
601692866	NIC-GPW-GP-42-2-20M-01-12-98	EPA 8260	41252		
601692874	NIC-GPW-GP-34-1-20-01-22-98	EPA 8260	41252		
601692882	NIC-GPW-GP-42-2-37-01-22-98	EPA 8260	41252		
601692890	NIC-GPW-GP-34-1-37-01-22-98	EPA 8260	41252		
601692908	NIC-GPW-GP-34-1-37Q1-01-22-98	EPA 8260	41252		
601692916	NIC-GPW-GP-34-2-20-01-22-98	EPA 8260	41252		
601692924	NIC-GPW-GP-34-2-35-01-22-98	EPA 8260	41252		
601692932	NIC-GPW-GP-32-1-20-01-22-98	EPA 8260	41252		
601692957	NIC-GPW-GP-32-1-34-01-22-98	EPA 8260	41252		
601692965	NIC-GPW-GPA-12-8-20-01-22-98	EPA 8260	41252		
601692973	NIC-GPW-GPA-12-8-34-01-22-98	EPA 8260	41252		
601692981	NIC-GPW-GPA-12-8-34N-01-22-98	EPA 8260	41252		
601692999	NIC-GPW-GPA-12-9-20-01-22-98	EPA 8260	41252		
601693005	NIC-GPW-GPA-12-9-36-01-22-98	EPA 8260	41252		
601693013	NIC-GPW-GP-73-1-20-01-23-98	EPA 8260	41252		
601693021	NIC-GPW-GP-73-1-40-01-23-98	EPA 8260	41252		
601693039	NIC-GPW-GP-29-1-20-01-23-98	EPA 8260	41252		
601693047	NIC-GPW-GP-29-1-36-01-22-98	EPA 8260	41252		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 02/04/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601692858 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-2-20-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/31/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/31/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/31/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/31/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/31/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/31/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/31/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/31/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/31/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/31/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/31/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/31/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/31/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/31/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/31/98	DJE	107-06-2	
Trichloroethene	1.4	ug/L	1	01/31/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/31/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/31/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/31/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/31/98	DJE	79-00-5	
Tetrachloroethene	8.0	ug/L	1	01/31/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/31/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/31/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/31/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/31/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/31/98	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692858 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-2-20-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/31/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/31/98	DJE	95-47-6	
Dibromofluoromethane (S)	108	%		01/31/98	DJE	1868-53-7	
Toluene-d8 (S)	102	%		01/31/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	107	%		01/31/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	114	%		01/31/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692866 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-2-20M-01-12-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6	
Dibromofluoromethane (S)	95	%		01/30/98	DJE	1868-53-7	
Toluene-d8 (S)	98	%		01/30/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	98	%		01/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692866 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-2-20M-01-12-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		01/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692874 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-1-20-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	2.5	ug/L	1	01/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2	
Trichloroethene	2.0	ug/L	1	01/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6	
Dibromofluoromethane (S)	98	%		01/30/98	DJE	1868-53-7	
Toluene-d8 (S)	101	%		01/30/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	102	%		01/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692874 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-1-20-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		01/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692882 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-2-37-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6	
Dibromofluoromethane (S)	103	%		01/30/98	DJE	1868-53-7	
Toluene-d8 (S)	100	%		01/30/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	102	%		01/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692882 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-42-2-37-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		01/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692890 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-1-37-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	5.3	ug/L	1	01/30/98	DJE	74-87-3			JS
Vinyl Chloride	73	ug/L	10	01/30/98	DJE	75-01-4	1	D	JS
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	01/30/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4			
Methylene Chloride	1.5	ug/L	1	01/30/98	DJE	75-09-2			JS
1,1-Dichloroethene	9.8	ug/L	1	01/30/98	DJE	75-35-4			JS
trans-1,2-Dichloroethene	2.2	ug/L	1	01/30/98	DJE	156-60-5			JS
1,1-Dichloroethane	6.2	ug/L	1	01/30/98	DJE	75-34-3			JS
cis-1,2-Dichloroethene	99	ug/L	10	01/30/98	DJE	156-59-2	1	D	JS
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	01/30/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5			
Benzene	2.4	ug/L	1	01/30/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2			
Trichloroethene	160	ug/L	10	01/30/98	DJE	79-01-6	1	D	JS
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4			
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6			
Dibromofluoromethane (S)	123	%		01/30/98	DJE	1868-53-7	2	S	
Toluene-d8 (S)	114	%		01/30/98	DJE	2037-26-5	3	S	
4-Bromofluorobenzene (S)	111	%		01/30/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692890 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-1-37-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	133	%		01/30/98	DJE	17060-07-0	4

Lab Q

S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692908 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-1-37Q1-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
Chloromethane	5.3	ug/L	1	01/30/98	DJE	74-87-3			J
Vinyl Chloride	81	ug/L	10	01/30/98	DJE	75-01-4	1	D	J
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	01/30/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4			
Methylene Chloride	1.6	ug/L	1	01/30/98	DJE	75-09-2			
1,1-Dichloroethene	10	ug/L	1	01/30/98	DJE	75-35-4			J
trans-1,2-Dichloroethene	2.4	ug/L	1	01/30/98	DJE	156-60-5			J
1,1-Dichloroethane	6.3	ug/L	1	01/30/98	DJE	75-34-3			J
cis-1,2-Dichloroethene	110	ug/L	10	01/30/98	DJE	156-59-2	1	D	J
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3			J
1,1,1-Trichloroethane	ND	ug/L	1	01/30/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5			
Benzene	2.4	ug/L	1	01/30/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2			
Trichloroethene	170	ug/L	10	01/30/98	DJE	79-01-6	1	D	J
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4			
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6			
Dibromofluoromethane (S)	119	%		01/30/98	DJE	1868-53-7	2	S	
Toluene-d8 (S)	112	%		01/30/98	DJE	2037-26-5	3	S	
4-Bromofluorobenzene (S)	109	%		01/30/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692908 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-1-37Q1-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q
1,2-Dichloroethane-d4 (S)	126	%		01/30/98	DJE	17060-07-0	4	S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692916 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-2-20-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/30/98	DJE	74-87-3	
Vinyl Chloride	2.9	ug/L	1	01/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	8.4	ug/L	1	01/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2	
Trichloroethene	11	ug/L	1	01/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6	
Dibromofluoromethane (S)	113	%		01/30/98	DJE	1868-53-7	
Toluene-d8 (S)	105	%		01/30/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	112	%		01/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692916 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-2-20-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		01/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 02/04/98

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692924 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-2-35-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	01/30/98	DJE	74-87-3		Q
Vinyl Chloride	110	ug/L	10	01/30/98	DJE	75-01-4	1	D
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9		
Chloroethane	2.2	ug/L	1	01/30/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4		
Methylene Chloride	ND	ug/L	1	01/30/98	DJE	75-09-2		
1,1-Dichloroethene	12	ug/L	1	01/30/98	DJE	75-35-4		
trans-1,2-Dichloroethene	2.1	ug/L	1	01/30/98	DJE	156-60-5		
1,1-Dichloroethane	7.0	ug/L	1	01/30/98	DJE	75-34-3		
cis-1,2-Dichloroethene	110	ug/L	10	01/30/98	DJE	156-59-2	1	D
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	01/30/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5		
Benzene	2.6	ug/L	1	01/30/98	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2		
Trichloroethene	220	ug/L	10	01/30/98	DJE	79-01-6	1	D
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4		
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5		
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7		
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6		
Dibromofluoromethane (S)	118	%		01/30/98	DJE	1868-53-7		
Toluene-d8 (S)	115	%		01/30/98	DJE	2037-26-5	3	S
4-Bromofluorobenzene (S)	119	%		01/30/98	DJE	460-00-4	5	S

JS JS JS JS JS

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692924 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-2-35-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	126	%		01/30/98	DJE	17060-07-0	4

LAb Q
S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692932 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-32-1-20-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/30/98	DJE	74-87-3	
Vinyl Chloride	17	ug/L	1	01/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/30/98	DJE	75-09-2	
1,1-Dichloroethene	11	ug/L	1	01/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	2.0	ug/L	1	01/30/98	DJE	156-60-5	
1,1-Dichloroethane	4.2	ug/L	1	01/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	73	ug/L	10	01/30/98	DJE	156-59-2	1
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	1.7	ug/L	1	01/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2	
Trichloroethene	140	ug/L	10	01/30/98	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6	
Dibromofluoromethane (S)	104	%		01/30/98	DJE	1868-53-7	
Toluene-d8 (S)	103	%		01/30/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	109	%		01/30/98	DJE	460-00-4	

LAB Q

COM Q

1 D

1 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692932 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-32-1-20-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		01/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 02/04/98

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692957 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-32-1-34-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	2.5	ug/L	1	01/30/98	DJE	74-87-3	
Vinyl Chloride	35	ug/L	1	01/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/30/98	DJE	75-09-2	
1,1-Dichloroethene	16	ug/L	1	01/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	3.0	ug/L	1	01/30/98	DJE	156-60-5	
1,1-Dichloroethane	5.8	ug/L	1	01/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	150	ug/L	25	01/30/98	DJE	156-59-2	6
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	1.6	ug/L	1	01/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5	
Benzene	1.4	ug/L	1	01/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2	
Trichloroethene	260	ug/L	25	01/30/98	DJE	79-01-6	6
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6	
Dibromofluoromethane (S)	98	%		01/30/98	DJE	1868-53-7	
Toluene-d8 (S)	97	%		01/30/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	104	%		01/30/98	DJE	460-00-4	

LAB O COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692957 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-32-1-34-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		01/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692965 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-8-20-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			Q	Q
Chloromethane	ND	ug/L	1	01/30/98	DJE	74-87-3			
Vinyl Chloride	21	ug/L	1	01/30/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	01/30/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4			
Methylene Chloride	ND	ug/L	1	01/30/98	DJE	75-09-2			
1,1-Dichloroethene	24	ug/L	1	01/30/98	DJE	75-35-4			
trans-1,2-Dichloroethene	9.1	ug/L	1	01/30/98	DJE	156-60-5			
1,1-Dichloroethane	8.6	ug/L	1	01/30/98	DJE	75-34-3			
cis-1,2-Dichloroethene	86	ug/L	25	01/30/98	DJE	156-59-2	6	D	
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3			
1,1,1-Trichloroethane	4.7	ug/L	1	01/30/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5			
Benzene	ND	ug/L	1	01/30/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	01/30/98	DJE	107-06-2			
Trichloroethene	350	ug/L	25	01/30/98	DJE	79-01-6	6	D	
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4			
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6			
Dibromofluoromethane (S)	107	%		01/30/98	DJE	1868-53-7			
Toluene-d8 (S)	104	%		01/30/98	DJE	2037-26-5			
4-Bromofluorobenzene (S)	109	%		01/30/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692965 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-8-20-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		01/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692973 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-8-34-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	2.9	ug/L	1	01/30/98	DJE	74-87-3	
Vinyl Chloride	120	ug/L	25	01/30/98	DJE	75-01-4	6
Bromomethane	ND	ug/L	1	01/30/98	DJE	74-83-9	
Chloroethane	1.1	ug/L	1	01/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/30/98	DJE	75-09-2	
1,1-Dichloroethene	38	ug/L	1	01/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	16	ug/L	1	01/30/98	DJE	156-60-5	
1,1-Dichloroethane	15	ug/L	1	01/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	150	ug/L	25	01/30/98	DJE	156-59-2	6
Chloroform	ND	ug/L	1	01/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	5.9	ug/L	1	01/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/30/98	DJE	56-23-5	
Benzene	5.7	ug/L	1	01/30/98	DJE	71-43-2	
1,2-Dichloroethane	1.4	ug/L	1	01/30/98	DJE	107-06-2	
Trichloroethene	520	ug/L	25	01/30/98	DJE	79-01-6	6
1,2-Dichloropropane	ND	ug/L	1	01/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/30/98	DJE	95-47-6	
Dibromofluoromethane (S)	103	%		01/30/98	DJE	1868-53-7	
Toluene-d8 (S)	100	%		01/30/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	106	%		01/30/98	DJE	460-00-4	

LAB Q D
COM Q
D
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692973 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-8-34-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		01/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692981 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-8-34N-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	02/02/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	02/02/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	02/02/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	02/02/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	02/02/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	02/02/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	02/02/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	02/02/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	02/02/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	02/02/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	02/02/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	02/02/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	02/02/98	DJE	56-23-5	
Benzene	ND	ug/L	1	02/02/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	02/02/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	02/02/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	02/02/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	02/02/98	DJE	75-27-4	
Toluene	ND	ug/L	1	02/02/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	02/02/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	02/02/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	02/02/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	02/02/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	02/02/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	02/02/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	02/02/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	02/02/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	02/02/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	02/02/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	02/02/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	02/02/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	02/02/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	02/02/98	DJE	95-47-6	
Dibromofluoromethane (S)	116	%		02/02/98	DJE	1868-53-7	
Toluene-d8 (S)	109	%		02/02/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	106	%		02/02/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692981 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-8-34N-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	125	%		02/02/98	DJE	17060-07-0	4

LAB Q
S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692999 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-9-20-01-22-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	01/31/98	DJE	74-87-3			
Vinyl Chloride	8.8	ug/L	1	01/31/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	01/31/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	01/31/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	01/31/98	DJE	75-69-4			
Methylene Chloride	ND	ug/L	1	01/31/98	DJE	75-09-2			
1,1-Dichloroethene	8.9	ug/L	1	01/31/98	DJE	75-35-4			
trans-1,2-Dichloroethene	3.0	ug/L	1	01/31/98	DJE	156-60-5			
1,1-Dichloroethane	4.5	ug/L	1	01/31/98	DJE	75-34-3			
cis-1,2-Dichloroethene	57	ug/L	10	01/31/98	DJE	156-59-2	1	D	
Chloroform	ND	ug/L	1	01/31/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	01/31/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	01/31/98	DJE	56-23-5			
Benzene	ND	ug/L	1	01/31/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	01/31/98	DJE	107-06-2			
Trichloroethene	94	ug/L	10	01/31/98	DJE	79-01-6	1	D	
1,2-Dichloropropane	ND	ug/L	1	01/31/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	01/31/98	DJE	75-27-4			
Toluene	ND	ug/L	1	01/31/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	01/31/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	01/31/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	01/31/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	01/31/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	01/31/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	01/31/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/31/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	01/31/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/31/98	DJE	95-47-6			
Dibromofluoromethane (S)	110	%		01/31/98	DJE	1868-53-7			
Toluene-d8 (S)	105	%		01/31/98	DJE	2037-26-5			
4-Bromofluorobenzene (S)	109	%		01/31/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601692999 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-9-20-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		01/31/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693005 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-9-36-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab	COM
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	2.9	ug/L	1	01/31/98	DJE	74-87-3			
Vinyl Chloride	70	ug/L	50	01/31/98	DJE	75-01-4	7	D	
Bromomethane	ND	ug/L	1	01/31/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	01/31/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	01/31/98	DJE	75-69-4			
Methylene Chloride	ND	ug/L	1	01/31/98	DJE	75-09-2			
1,1-Dichloroethene	60	ug/L	50	01/31/98	DJE	75-35-4	7	D	
trans-1,2-Dichloroethene	35	ug/L	1	01/31/98	DJE	156-60-5			
1,1-Dichloroethane	17	ug/L	1	01/31/98	DJE	75-34-3		D	
cis-1,2-Dichloroethene	230	ug/L	50	01/31/98	DJE	156-59-2	7		
Chloroform	1.2	ug/L	1	01/31/98	DJE	67-66-3			
1,1,1-Trichloroethane	11	ug/L	1	01/31/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	01/31/98	DJE	56-23-5			
Benzene	1.6	ug/L	1	01/31/98	DJE	71-43-2			
1,2-Dichloroethane	1.6	ug/L	1	01/31/98	DJE	107-06-2			
Trichloroethene	790	ug/L	50	01/31/98	DJE	79-01-6	7	D	
1,2-Dichloropropane	ND	ug/L	1	01/31/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	01/31/98	DJE	75-27-4			
Toluene	ND	ug/L	1	01/31/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	01/31/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	01/31/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	01/31/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	01/31/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	01/31/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	01/31/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/31/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	01/31/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/31/98	DJE	95-47-6			
Dibromofluoromethane (S)	110	%		01/31/98	DJE	1868-53-7			
Toluene-d8 (S)	104	%		01/31/98	DJE	2037-26-5			
4-Bromofluorobenzene (S)	110	%		01/31/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693005 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-12-9-36-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		01/31/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693013 Date Collected: 01/23/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-73-1-20-01-23-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/31/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/31/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/31/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/31/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/31/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/31/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/31/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/31/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/31/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/31/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/31/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/31/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/31/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/31/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/31/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/31/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/31/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/31/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/31/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/31/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/31/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/31/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/31/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/31/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/31/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/31/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/31/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/31/98	DJE	95-47-6	
Dibromofluoromethane (S)	111	%		01/31/98	DJE	1868-53-7	
Toluene-d8 (S)	103	%		01/31/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	107	%		01/31/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693013 Date Collected: 01/23/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-73-1-20-01-23-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		01/31/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693021 Date Collected: 01/23/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-73-1-40-01-23-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/31/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/31/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/31/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/31/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/31/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/31/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/31/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/31/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/31/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	01/31/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/31/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/31/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/31/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/31/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/31/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	01/31/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/31/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/31/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/31/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/31/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/31/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/31/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/31/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/31/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/31/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/31/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/31/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/31/98	DJE	95-47-6	
Dibromofluoromethane (S)	104	%		01/31/98	DJE	1868-53-7	
Toluene-d8 (S)	94	%		01/31/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	101	%		01/31/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693021 Date Collected: 01/23/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-73-1-40-01-23-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		01/31/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693039 Date Collected: 01/23/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-29-1-20-01-23-98 Date Received: 01/24/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/31/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	01/31/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/31/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/31/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/31/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/31/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	01/31/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/31/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	01/31/98	DJE	75-34-3	
cis-1,2-Dichloroethene	1.1	ug/L	1	01/31/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/31/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/31/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/31/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/31/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/31/98	DJE	107-06-2	
Trichloroethene	5.2	ug/L	1	01/31/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	01/31/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/31/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/31/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/31/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/31/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/31/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/31/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/31/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/31/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/31/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/31/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/31/98	DJE	95-47-6	
Dibromofluoromethane (S)	102	%		01/31/98	DJE	1868-53-7	
Toluene-d8 (S)	96	%		01/31/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	102	%		01/31/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693039 Date Collected: 01/23/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-29-1-20-01-23-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		01/31/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693047 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-29-1-36-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	01/31/98	DJE	74-87-3	
Vinyl Chloride	9.1	ug/L	1	01/31/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	01/31/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	01/31/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	01/31/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	01/31/98	DJE	75-09-2	
1,1-Dichloroethene	2.5	ug/L	1	01/31/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	01/31/98	DJE	156-60-5	
1,1-Dichloroethane	1.3	ug/L	1	01/31/98	DJE	75-34-3	
cis-1,2-Dichloroethene	39	ug/L	1	01/31/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	01/31/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	01/31/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	01/31/98	DJE	56-23-5	
Benzene	ND	ug/L	1	01/31/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	01/31/98	DJE	107-06-2	
Trichloroethene	110	ug/L	10	01/31/98	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/L	1	01/31/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	01/31/98	DJE	75-27-4	
Toluene	ND	ug/L	1	01/31/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	01/31/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	01/31/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	01/31/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	01/31/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	01/31/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	01/31/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	01/31/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	01/31/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	01/31/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	01/31/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	01/31/98	DJE	95-47-6	
Dibromofluoromethane (S)	107	%		01/31/98	DJE	1868-53-7	
Toluene-d8 (S)	100	%		01/31/98	DJE	2037-26-5	
4-Bromofluorobenzene (S)	105	%		01/31/98	DJE	460-00-4	

LAB G COM Q D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601693047 Date Collected: 01/22/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-29-1-36-01-22-98 Date Received: 01/24/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		01/31/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:10.
[2]	The recovery exceeds laboratory established control limits of 118%.
[3]	The recovery exceeds laboratory established control limits of 110%.
[4]	The recovery exceeds laboratory established control limits of 120%.
[5]	The recovery exceeds laboratory established control limits of 115%.
[6]	The value for this analyte was determined from a secondary dilution of 1:25.
[7]	The value for this analyte was determined from a secondary dilution of 1:50.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 41252
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601692858 601692866 601692874 601692882 601692890 601692908 601692916 601692924 601692932 601692957 601692965 601692973 601692981 601692999 601693005 601693013 601693021 601693039 601693047

METHOD BLANK: 601699622
Associated Pace Samples:
601692866 601692874 601692882

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601699622
Associated Pace Samples:

601692866 601692874 601692882

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Dibromofluoromethane (S)	%	109		
Toluene-d8 (S)	%	112		1
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	104		

METHOD BLANK: 601706021
Associated Pace Samples:

601692858 601693005 601693013 601693021 601693039 601693047

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

QUALITY CONTROL DATA

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601706021
Associated Pace Samples:

601692858 601693005 601693013 601693021 601693039 601693047

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Dibromofluoromethane (S)	%	80		2
Toluene-d8 (S)	%	104		
4-Bromofluorobenzene (S)	%	112		
1,2-Dichloroethane-d4 (S)	%	117		

METHOD BLANK: 601706039
Associated Pace Samples:

601692890 601692908 601692916 601692924 601692932 601692957 601692965
601692973 601692999

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601706039
Associated Pace Samples:

601692890 601692908 601692916 601692924 601692932 601692957 601692965
601692973 601692999

Parameter	Units	Method Blank Result	PRL	Footnotes
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Dibromofluoromethane (S)	%	116		
Toluene-d8 (S)	%	117		1
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	115		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601706054
Associated Pace Samples:
601692981

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Dibromofluoromethane (S)	%	104		
Toluene-d8 (S)	%	103		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	108		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601699630 601699648

Parameter	Units	601692882	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0	10	7.830	78.3	7.682	76.8	2	
Benzene	ug/L	0	10	9.327	93.3	9.108	91.1	2	
Trichloroethene	ug/L	0	10	10.13	101	9.768	97.7	4	
Toluene	ug/L	0	10	8.990	89.9	9.108	91.1	1	
Chlorobenzene	ug/L	0	10	8.445	84.4	8.312	83.1	2	
Dibromofluoromethane (S)					105		104		
Toluene-d8 (S)					95		94		
4-Bromofluorobenzene (S)					103		102		
1,2-Dichloroethane-d4 (S)					118		113		

LABORATORY CONTROL SAMPLE: 601699655

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.097	77.4	
Vinyl Chloride	ug/L	4.0	3.053	76.3	
Bromomethane	ug/L	4.0	3.575	89.4	
Chloroethane	ug/L	4.0	3.152	78.8	
Trichlorofluoromethane	ug/L	4.0	3.798	95.0	
Methylene Chloride	ug/L	4.0	3.518	88.0	
1,1-Dichloroethene	ug/L	4.0	3.511	87.8	
trans-1,2-Dichloroethene	ug/L	4.0	4.059	101	
1,1-Dichloroethane	ug/L	4.0	4.029	101	
cis-1,2-Dichloroethene	ug/L	4.0	3.907	97.7	
Chloroform	ug/L	4.0	4.187	105	
1,1,1-Trichloroethane	ug/L	4.0	4.301	108	
Carbon Tetrachloride	ug/L	4.0	4.354	109	
Benzene	ug/L	4.0	4.110	103	
1,2-Dichloroethane	ug/L	4.0	4.809	120	
Trichloroethene	ug/L	4.0	4.206	105	
1,2-Dichloropropane	ug/L	4.0	3.867	96.7	
Bromodichloromethane	ug/L	4.0	4.222	106	
Toluene	ug/L	4.0	3.944	98.6	
1,1,2-Trichloroethane	ug/L	4.0	4.041	101	
Tetrachloroethene	ug/L	4.0	4.159	104	
Dibromochloromethane	ug/L	4.0	4.309	108	
Chlorobenzene	ug/L	4.0	3.830	95.7	
Ethylbenzene	ug/L	4.0	4.074	102	
Bromoform	ug/L	4.0	3.093	77.3	
1,1,2,2-Tetrachloroethane	ug/L	4.0	3.986	99.6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

QUALITY CONTROL DATA

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601699655

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/L	4.0	3.691	92.3	
1,4-Dichlorobenzene	ug/L	4.0	3.749	93.7	
1,2-Dichlorobenzene	ug/L	4.0	3.936	98.4	
cis-1,3-Dichloropropene	ug/L	4.0	3.705	92.6	
trans-1,3-Dichloropropene	ug/L	4.0	4.087	102	
M&P-Xylene	ug/L	8.0	8.038	100	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	4.098	102	
Dibromofluoromethane (S)				95	
Toluene-d8 (S)				88	
4-Bromofluorobenzene (S)				99	
1,2-Dichloroethane-d4 (S)				105	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6019578
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 110%.
[2]	The recovery is below laboratory established control limits of 86%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard E. Holland
Date Sampled:	1/23/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6019578
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard

	ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED 8260 - 25 ml pur	REM
16	1	NIC-GPW-GP# 73-1-20 -012398	9:55	Water	60 1693013	3					X	X	
17	2	NIC-GPW-GP# 73-1-40 -012398	10:15	Water	60 1693021	3					X	X	
18	3	NIC-GPW-GP# 29-1-20 -012398	11:00	Water	60 1693039	3					X	X	
	4	NIC-GPW-GP# -012398		Water							X	X	
19	5	NIC-GPW-GP# 29-1-36 -012298	11:15	Water	60 1693047	3					X	X	
	6	NIC-GPW-GP# -012398		Water							X	X	
	7	NIC-GPW-GP# -012398		Water							X	X	
	8	NIC-GPW-GP# -012398		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE
	Richard	ASAP	1-23-98
	ASAP	MSKee Oley 1/24	98 800

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard E. Holland
Date Sampled:	1/22/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6019578
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard

	ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml pur	REM
9	1	NIC-GPW-GP# 32-1-20 -012298	12:00	Water	60 192858	3					X	X	
10	2	NIC-GPW-GP# 32-1-34 -012298	12:15	Water	60 192957	3					X	X	
11	3	NIC-GPW-GP# 12-8-20 -012298	2:00	Water	60 192965	3					X	X	
12	4	NIC-GPW-GP# 12-8-34 -012298	2:15	Water	60 192973	3					X	X	
13	5	NIC-GPW-GP# 12-8-34N -012298	2:30	Water	60 192981	3					X	X	
14	6	NIC-GPW-GP# 12-9-20 -012298	3:30	Water	60 192999	3					X	X	
15	7	NIC-GPW-GP# 12-9-36 -012298	3:40	Water	60 193005	3					X	X	
	8	NIC-GPW-GP# -012298		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE
	Richard	ASAP	
	ASAP	MShelley 1/24/98	13:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard E. Holland
Date Sampled:	1/22/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6019578
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED 8260 - 25 ml run	REM
1	NIC-GPW-GP# 42-2-20 -012298	9:40	Water	60 1692858	3					X	X	
2	NIC-GPW-GP# 42-2-20M -012298	9:41	Water	60 1692866	3					X	X	
3	NIC-GPW-GP# 42-2-37 -012298	9:55	Water	60 1692882	6					X	X	MS/MSD
4	NIC-GPW-GP# 34-1-20 -012298	10 30	Water	60 1692874	3					X	X	
5	NIC-GPW-GP# 34-1-37 -012298	10:45	Water	60 1692890	3					X	X	
6	NIC-GPW-GP# 34-1-37DUP -012298	10:45	Water	60 1692908	3					X	X	
7	NIC-GPW-GP# 34-2-20 -012298	11:15	Water	60 1692916	3					X	X	
8	NIC-GPW-GP# 34-2-35 -012298	11:30	Water	60 1692924	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE
	Richard	ASAP	
	ASAP	MKeeley 1/24/98	13:00

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by TB
7/29/98

June 03, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on May 28, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

for Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor
SDG Number: 21931

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601895949	NIC-GPW-GPA-42-1-20-052798	EPA 8260	46105		
601895956	NIC-GPW-GPA-42-1-36-052798	EPA 8260	46105		
601895964	NIC-GPW-GPA-41-1-20-052798	EPA 8260	46105		
601895972	NIC-GPW-GPA-41-1-32-052798	EPA 8260	46105		
601895980	NIC-GPW-GPA-42-2-20-052798	EPA 8260	46105		
601895998	NIC-GPW-GPA-42-2-32-052798	EPA 8260	46105		
601896004	NIC-GPW-GPA-41-2-20-052798	EPA 8260	46105		
601896012	NIC-GPW-GPA-41-2-31-052798	EPA 8260	46105		
601896020	NIC-GPW-GPA-42-3-20-052798	EPA 8260	46105		
601896038	NIC-GPW-GPA-42-3-30-052798	EPA 8260	46105		
601896053	NIC-GPW-GPA-42-3-30Q1-052798	EPA 8260	46105		
601896061	NIC-GPW-GPA-43-2-20-052898	EPA 8260	46105		
601896079	NIC-GPW-GPA-43-2-31-052898	EPA 8260	46105		
601896087	NIC-GPW-GPA-43-3-20-052898	EPA 8260	46105		
601896095	NIC-GPW-GPA-43-3-27-052898	EPA 8260	46105		
601896103	NIC-GPW-GPA-43-1-20-052898	EPA 8260	46105		
601896152	NIC-GPW-GPA-43-1-30-052898	EPA 8260	46105		
601896160	NIC-GPW-GPA-TRIP BLANK-052798	EPA 8260	46105		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/03/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor
SDG Number: 21931

Solid results are reported on a wet weight basis

Pace Sample No: 601895949
Client Sample ID: NIC-GPW-GPA-42-1-20-052798
Date Collected: 05/27/98
Date Received: 05/28/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260		Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	05/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/30/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	05/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/30/98	DJE	79-00-5	
Tetrachloroethene	8.0	ug/L	1	05/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/30/98	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895949
Client Sample ID: NIC-GPW-GPA-42-1-20-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/30/98	DJE	95-47-6	
Toluene-d8 (S)	121	%		05/30/98	DJE	2037-26-5	1
Dibromofluoromethane (S)	113	%		05/30/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	112	%		05/30/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%		05/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895956
Client Sample ID: NIC-GPW-GPA-42-1-36-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	8.5	ug/L	1	05/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/28/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	05/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/28/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/28/98	DJE	95-47-6	
Toluene-d8 (S)	103	%		05/28/98	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		05/28/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		05/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895956
Client Sample ID: NIC-GPW-GPA-42-1-36-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		05/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895964
Client Sample ID: NIC-GPW-GPA-41-1-20-052798
Date Collected: 05/27/98
Date Received: 05/28/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	3.8	ug/L	1	05/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/28/98	DJE	107-06-2	
Trichloroethene	13	ug/L	1	05/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/28/98	DJE	79-00-5	
Tetrachloroethene	25	ug/L	1	05/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/28/98	DJE	95-47-6	
Toluene-d8 (S)	98	%		05/28/98	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		05/28/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		05/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895964
Client Sample ID: NIC-GPW-GPA-41-1-20-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		05/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/03/98

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895972
Client Sample ID: NIC-GPW-GPA-41-1-32-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	15	ug/L	1	05/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/28/98	DJE	107-06-2	
Trichloroethene	8.3	ug/L	1	05/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/28/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/28/98	DJE	95-47-6	
Toluene-d8 (S)	101	%		05/28/98	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		05/28/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		05/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

D26

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895972
Client Sample ID: NIC-GPW-GPA-41-1-32-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		05/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/03/98

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895980
Client Sample ID: NIC-GPW-GPA-42-2-20-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	3.2	ug/L	1	05/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/28/98	DJE	107-06-2	
Trichloroethene	1.2	ug/L	1	05/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/28/98	DJE	79-00-5	
Tetrachloroethene	11	ug/L	1	05/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/28/98	DJE	95-47-6	
Toluene-d8 (S)	100	%		05/28/98	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		05/28/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		05/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895980
Client Sample ID: NIC-GPW-GPA-42-2-20-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		05/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/03/98

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895998
Client Sample ID: NIC-GPW-GPA-42-2-32-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	05/28/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/28/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/28/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/28/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/28/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/28/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/28/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/28/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/28/98	DJE	75-34-3	
cis-1,2-Dichloroethene	6.6	ug/L	1	05/28/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/28/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/28/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/28/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/28/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/28/98	DJE	107-06-2	
Trichloroethene	3.0	ug/L	1	05/28/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/28/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/28/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/28/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/28/98	DJE	79-00-5	
Tetrachloroethene	2.2	ug/L	1	05/28/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/28/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/28/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/28/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/28/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/28/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/28/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/28/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/28/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/28/98	DJE	95-47-6	
Toluene-d8 (S)	99	%		05/28/98	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		05/28/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		05/28/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601895998
Client Sample ID: NIC-GPW-GPA-42-2-32-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		05/28/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/03/98
PAGE: 13

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896004 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA/41-2-20-052798 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4	
trans-1,2-Dichloroethene	2.7	ug/L	1	05/29/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3	
cis-1,2-Dichloroethene	78	ug/L	5	05/29/98	DJE	156-59-2	2
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2	
Trichloroethene	27	ug/L	1	05/29/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/29/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6	
Toluene-d8 (S)	104	%		05/29/98	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		05/29/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		05/29/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896004
Client Sample ID: NIC-GPW-GPA-41-2-20-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/03/98

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896012 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-41-2-31-052798 Date Received: 05/28/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.8	ug/L	1	05/29/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3	
cis-1,2-Dichloroethene	56	ug/L	1	05/29/98	DJE	156-59-2	3
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2	
Trichloroethene	50	ug/L	1	05/29/98	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/29/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6	
Toluene-d8 (S)	100	%		05/29/98	DJE	2037-26-5	
Dibromofluoromethane (S)	95	%		05/29/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		05/29/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896012
Client Sample ID: NIC-GPW-GPA-41-2-31-052798

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896020 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-42-3-20-052798 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/29/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3	
cis-1,2-Dichloroethene	18	ug/L	1	05/29/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2	
Trichloroethene	32	ug/L	1	05/29/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/29/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6	
Toluene-d8 (S)	100	%		05/29/98	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		05/29/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		05/29/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896020 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-42-3-20-052798 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/03/98

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896038 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-42-3-30-052798 Date Received: 05/28/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/L	1	05/29/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3	
cis-1,2-Dichloroethene	35	ug/L	5	05/29/98	DJE	156-59-2	2
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2	
Trichloroethene	65	ug/L	5	05/29/98	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/29/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6	
Toluene-d8 (S)	103	%		05/29/98	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		05/29/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		05/29/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896038 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-42-3-30-052798 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896053 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-42-3-30Q1-052798 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS -- VOA								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3		
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4		
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2		
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4		
trans-1,2-Dichloroethene	1.4	ug/L	1	05/29/98	DJE	156-60-5		
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3		
cis-1,2-Dichloroethene	30	ug/L	5	05/29/98	DJE	156-59-2	2	D
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5		
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2		
Trichloroethene	55	ug/L	5	05/29/98	DJE	79-01-6	2	D
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4		
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5		
Tetrachloroethene	ND	ug/L	1	05/29/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7		
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6		
Toluene-d8 (S)	96	%		05/29/98	DJE	2037-26-5		
Dibromofluoromethane (S)	94	%		05/29/98	DJE	1868-53-7		
4-Bromofluorobenzene (S)	96	%		05/29/98	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896053 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA42-3-30Q1-052798 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896061 052798
Client Sample ID: NIC-GPW-GPA-43-2-20-052898

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/29/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3	
cis-1,2-Dichloroethene	12	ug/L	1	05/29/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2	
Trichloroethene	42	ug/L	1	05/29/98	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/29/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6	
Toluene-d8 (S)	100	%		05/29/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		05/29/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		05/29/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896061 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-43-2-20-~~052898~~ 052798 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896079 052798 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-43-2-31-052898 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/29/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3	
cis-1,2-Dichloroethene	15	ug/L	1	05/29/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2	
Trichloroethene	60	ug/L	1	05/29/98	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/29/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6	
Toluene-d8 (S)	103	%		05/29/98	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		05/29/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		05/29/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896079 9 052798 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-43-2-31-052898 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/03/98

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896087
Client Sample ID: NIC-GPW-GPA-43-3-20-052898

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/29/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	05/29/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2	
Trichloroethene	4.4	ug/L	1	05/29/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5	
Tetrachloroethene	3.2	ug/L	1	05/29/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6	
Toluene-d8 (S)	102	%		05/29/98	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		05/29/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		05/29/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896087 052798 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-43-3-20-052898 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601896095 052798
Client Sample ID: NIC-GPW-GPA-43-3-27-052898

Date Collected: 05/27/98
Date Received: 05/28/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/29/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	05/29/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	05/29/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/29/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6	
Toluene-d8 (S)	104	%		05/29/98	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		05/29/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		05/29/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896095 9 052798 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-43-3-27-052898 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896103 052798 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-43-1-20-052898 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/29/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/29/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/29/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/29/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/29/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/29/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/29/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/29/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/29/98	DJE	75-34-3	
cis-1,2-Dichloroethene	18	ug/L	1	05/29/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/29/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/29/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/29/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/29/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/29/98	DJE	107-06-2	
Trichloroethene	4.9	ug/L	1	05/29/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/29/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/29/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/29/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/29/98	DJE	79-00-5	
Tetrachloroethene	10	ug/L	1	05/29/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/29/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/29/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/29/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/29/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/29/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/29/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/29/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/29/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/29/98	DJE	95-47-6	
Toluene-d8 (S)	105	%		05/29/98	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		05/29/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		05/29/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896103 d 052798 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-43-1-20-~~052898~~ Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		05/29/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/03/98

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896152 052798 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-43-1-30-052898 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	9.9	ug/L	1	05/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/30/98	DJE	107-06-2	
Trichloroethene	1.4	ug/L	1	05/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/30/98	DJE	75-27-4	
Toluene	1.0	ug/L	1	05/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/30/98	DJE	79-00-5	
Tetrachloroethene	1.1	ug/L	1	05/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/30/98	DJE	95-47-6	
Toluene-d8 (S)	107	%		05/30/98	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		05/30/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		05/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896152 052798 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-43-1-30-052898 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		05/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896160 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-TRIP BLANK-052798 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-59-2	
Chloroform	15	ug/L	1	05/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/30/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	05/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/30/98	DJE	78-87-5	
Bromodichloromethane	15	ug/L	1	05/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/30/98	DJE	127-18-4	
Dibromochloromethane	11	ug/L	1	05/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/30/98	DJE	95-47-6	
Toluene-d8 (S)	102	%		05/30/98	DJE	2037-26-5	
Dibromofluoromethane (S)	92	%		05/30/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		05/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601896160 Date Collected: 05/27/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-TRIP BLANK-052798 Date Received: 05/28/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	90	%		05/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 110%. The sample was reanalyzed with similar results.
[2]	The value for this analyte was determined from a secondary dilution of 1:5.
[3]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor
SDG Number: 21931

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 46105
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601895949 601895956 601895964 601895972 601895980 601895998 601896004 601896012 601896020 601896038 601896053 601896061 601896079 601896087 601896095 601896103 601896152 601896160

METHOD BLANK: 601896194
Associated Pace Samples:
601895956 601895964 601895972 601895980 601895998

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601896194
Associated Pace Samples:

601895956 601895964 601895972 601895980 601895998

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	110		
Dibromofluoromethane (S)	%	110		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	109		

METHOD BLANK: 601906043
Associated Pace Samples:

601895949 601896087 601896095 601896103 601896152 601896160

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 601906043
Associated Pace Samples:

601895949 601896087 601896095 601896103 601896152 601896160

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	118		1
Dibromofluoromethane (S)	%	108		
4-Bromofluorobenzene (S)	%	108		
1,2-Dichloroethane-d4 (S)	%	106		

METHOD BLANK: 601906050
Associated Pace Samples:

601896004 601896012 601896020 601896038 601896053 601896061 601896079

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601906050
Associated Pace Samples: 601896004 601896012 601896020 601896038 601896053 601896061 601896079

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	92		
4-Bromofluorobenzene (S)	%	96		
1,2-Dichloroethane-d4 (S)	%	88		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601896202 601896210

Parameter	Units	601895998	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0	10	10.08	101	10.58	106	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601896202 601896210

Parameter	Units	601895998	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Benzene	ug/L	0	10	9.259	92.6	9.635	96.4	4	
Trichloroethene	ug/L	2.989	10	11.51	85.2	11.73	87.4	3	
Toluene	ug/L	0	10	10.14	101	10.27	103	1	
Chlorobenzene	ug/L	0	10	9.057	90.6	9.345	93.5	3	
Toluene-d8 (S)					103		101		
Dibromofluoromethane (S)					96		93		
4-Bromofluorobenzene (S)					97		95		
1,2-Dichloroethane-d4 (S)					100		96		

LABORATORY CONTROL SAMPLE: 601896228

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.905	97.6	
Vinyl Chloride	ug/L	4.0	4.185	105	
Bromomethane	ug/L	4.0	4.358	109	
Chloroethane	ug/L	4.0	4.104	103	
Trichlorofluoromethane	ug/L	4.0	4.078	102	
Methylene Chloride	ug/L	4.0	4.684	117	
1,1-Dichloroethene	ug/L	4.0	4.902	123	
trans-1,2-Dichloroethene	ug/L	4.0	4.348	109	
1,1-Dichloroethane	ug/L	4.0	4.419	110	
cis-1,2-Dichloroethene	ug/L	4.0	4.217	105	
Chloroform	ug/L	4.0	4.325	108	
1,1,1-Trichloroethane	ug/L	4.0	3.981	99.5	
Carbon Tetrachloride	ug/L	4.0	4.061	102	
Benzene	ug/L	4.0	4.171	104	
1,2-Dichloroethane	ug/L	4.0	4.429	111	
Trichloroethene	ug/L	4.0	4.054	101	
1,2-Dichloropropane	ug/L	4.0	4.124	103	
Bromodichloromethane	ug/L	4.0	4.264	107	
Toluene	ug/L	4.0	4.112	103	
1,1,2-Trichloroethane	ug/L	4.0	3.788	94.7	
Tetrachloroethene	ug/L	4.0	3.894	97.3	
Dibromochloromethane	ug/L	4.0	4.189	105	
Chlorobenzene	ug/L	4.0	4.048	101	
Ethylbenzene	ug/L	4.0	3.669	91.7	
Bromoform	ug/L	4.0	3.908	97.7	
1,1,2,2-Tetrachloroethane	ug/L	4.0	4.787	120	
1,3-Dichlorobenzene	ug/L	4.0	4.046	101	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601896228

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,4-Dichlorobenzene	ug/L	4.0	3.797	94.9	
1,2-Dichlorobenzene	ug/L	4.0	4.126	103	
cis-1,3-Dichloropropene	ug/L	4.0	3.834	95.8	
trans-1,3-Dichloropropene	ug/L	4.0	3.046	76.2	2
M&P-Xylene	ug/L	8.0	7.278	91.0	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	3.730	93.2	
Toluene-d8 (S)				96	
Dibromofluoromethane (S)				101	
4-Bromofluorobenzene (S)				94	
1,2-Dichloroethane-d4 (S)				104	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021931
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 110%.
[2]	The recovery is below laboratory established control limits of 82%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 5/27/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6021931
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

ITEM NO.	SAMPLE DESCRIPTION		TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 42-1-20	-052798	9:03	Water	60-0189594	3					X	X	
2	NIC-GPW-GPA 42-1-36	-052798	9:15	Water	60-0189595	3					X	X	
3	NIC-GPW-GPA 41-1-20	-052798	9:45	Water	60-0189596	3					X	X	
4	NIC-GPW-GPA 41-1-32	-052798	9:50	Water	60-0189597	3					X	X	
5	NIC-GPW-GPA 42-2-20	-052798	10:15	Water	60-0189598	3					X	X	
6	NIC-GPW-GPA 42-2-32	-052798	10:30	Water	60-0189598	6					X	X	MS MSD
7	NIC-GPW-GPA 41-2-20	-052798	11:00	Water	60-0189600	3					X	X	
8	NIC-GPW-GPA 41-2 31	-052798	11:15	Water	60-0189601	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	5-27	18:51
	ASAP	Connie Landon	5/28/98	0840

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 5/27/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6021931
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 42-3-20 -052798	12:20	Water	60-0189602[illegible]	3					X	X	
2	NIC-GPW-GPA 42-3-30 -052798	12:30	Water	60-0189603[illegible]	3					X	X	
3	NIC-GPW-GPA 42-3-30 Q1 -052798	12:31	Water	60-0189605[illegible]	3					X	X	
4	NIC-GPW-GPA 43-2-20 -052798	12:50	Water	60-0189606[illegible]	3					X	X	
5	NIC-GPW-GPA 43-2-31 -052798	13:05	Water	60-0189607[illegible]	3					X	X	
6	NIC-GPW-GPA 43-3-20 -052798	13:30	Water	60-0189608[illegible]	3					X	X	
7	NIC-GPW-GPA 43-3-27 -052798	14:50	Water	60-0189608[illegible]	3					X	X	
8	NIC-GPW-GPA 43-1-20 -052798	14:30	Water	60-0189610[illegible]	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	TSAP	5-21	1351
	ASAP	Connie Landers	5/28/98	0840

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 5/27/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 6021931
*Requested Due Date: 7 day TAT
Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 43-1-30 -052798	1500	Water	60-0189L152	3					X	X	
2	NIC-GPW-GPA TRIP Blank -052798		Water	60-0189L160	3					X	X	
3	NIC-GPW-GPA -052798		Water							X	X	
4	NIC-GPW-GPA -052798		Water							X	X	
5	NIC-GPW-GPA -052798		Water							X	X	
6	NIC-GPW-GPA -052798		Water							X	X	
7	NIC-GPW-GPA -052798		Water							X	X	
8	NIC-GPW-GPA -052798		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	R. Holland	ASAP	5-27	1551
	ASAP	Connie Sheldon	5/28/98	0540

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by TB
7/29/98

June 04, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on May 29, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Rebecca Wenner

for Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 06/04/98
PAGE: 39

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor
SDG Number: 21954

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601897531	NIC-GPW-GPA-40-4-20-052898	EPA 8260	46151		
601897556	NIC-GPW-GPA-40-4-29-052898	EPA 8260	46151		
601897564	NIC-GPW-GPA-34-5-20-052898	EPA 8260	46151		
601897572	NIC-GPW-GPA-34-5-27-052898	EPA 8260	46151		
601897580	NIC-GPW-GPA-34-6-20-052898	EPA 8260	46151		
601897598	NIC-GPW-GPA-34-6-29-052898	EPA 8260	46151		
601897606	NIC-GPW-GPA-34-8-20-052898	EPA 8260	46151		
601897614	NIC-GPW-GPA-40-1-20-052898	EPA 8260	46151		
601897622	NIC-GPW-GPA-40-1-30-052898	EPA 8260	46151		
601897630	NIC-GPW-GPA-40-2-20-052898	EPA 8260	46151		
601897648	NIC-GPW-GPA-40-2-29-052898	EPA 8260	46151		
601897655	NIC-GPW-GPA-40-2-29M-052898	EPA 8260	46151		
601897663	NIC-GPW-GPA-40-2-29N-052898	EPA 8260	46151		
601897671	NIC-GPW-GPA-40-3-20-052898	EPA 8260	46151		
601897689	NIC-GPW-GPA-40-3-28-052898	EPA 8260	46151		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/04/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor
SDG Number: 21954

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601897531
Client Sample ID: NIC-GPW-GPA-40-4-20-052898
Date Collected: 05/28/98
Date Received: 05/29/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/30/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	05/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/30/98	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897531 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-4-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/30/98	DJE	95-47-6	
Toluene-d8 (S)	117	%		05/30/98	DJE	2037-26-5	1
Dibromofluoromethane (S)	109	%		05/30/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	106	%		05/30/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%		05/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897556 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-4-29-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/30/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	05/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/30/98	DJE	95-47-6	
Toluene-d8 (S)	120	%		05/30/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	106	%		05/30/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	109	%		05/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

9,87B

Pace Sample No: 601897556 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-4-29-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		05/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/04/98
PAGE: 5

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897564 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-5-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/30/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	05/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/30/98	DJE	95-47-6	
Toluene-d8 (S)	110	%		05/30/98	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		05/30/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		05/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897564 g DJK
Client Sample ID: NIC-GPW-GPA-34-5-20-052898

Date Collected: 05/28/98
Date Received: 05/29/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		05/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/04/98

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897572 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-5-27-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	2.2	ug/L	1	05/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/30/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	05/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/30/98	DJE	95-47-6	
Toluene-d8 (S)	120	%		05/30/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	108	%		05/30/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	110	%		05/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897572 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-5-27-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		05/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897580 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-6-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	05/30/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	05/30/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	05/30/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	05/30/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	05/30/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	05/30/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	05/30/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	05/30/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	05/30/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	05/30/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	05/30/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	05/30/98	DJE	56-23-5	
Benzene	ND	ug/L	1	05/30/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	05/30/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	05/30/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	05/30/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	05/30/98	DJE	75-27-4	
Toluene	ND	ug/L	1	05/30/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	05/30/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	05/30/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	05/30/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	05/30/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	05/30/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	05/30/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	05/30/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	05/30/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	05/30/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	05/30/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	05/30/98	DJE	95-47-6	
Toluene-d8 (S)	114	%		05/30/98	DJE	2037-26-5	1
Dibromofluoromethane (S)	115	%		05/30/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		05/30/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897580 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-6-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		05/30/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897598 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-6-29-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/01/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/01/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/01/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/01/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/01/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/01/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/01/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/01/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/01/98	DJE	75-34-3	
cis-1,2-Dichloroethene	1.1	ug/L	1	06/01/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/01/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/01/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/01/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/01/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/01/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/01/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/01/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/01/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/01/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/01/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/01/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/01/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/01/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/01/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/01/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/01/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/01/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/01/98	DJE	95-47-6	
Toluene-d8 (S)	108	%		06/01/98	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		06/01/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/01/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

9-D2B

Pace Sample No: 601897598 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-6-29-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/01/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/04/98

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897606 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-8-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/01/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/01/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/01/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/01/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/01/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/01/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/01/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/01/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/01/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/01/98	DJE	156-59-2	
Chloroform	1.6	ug/L	1	06/01/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/01/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/01/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/01/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/01/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/01/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/01/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/01/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/01/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/01/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/01/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/01/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/01/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/01/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/01/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/01/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/01/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/01/98	DJE	95-47-6	
Toluene-d8 (S)	111	%		06/01/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	109	%		06/01/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/01/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897606 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-8-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		06/01/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897614 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-1-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/01/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/01/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/01/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/01/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/01/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/01/98	DJE	75-09-2	
1,1-Dichloroethene	1.5	ug/L	1	06/01/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/01/98	DJE	156-60-5	
1,1-Dichloroethane	2.0	ug/L	1	06/01/98	DJE	75-34-3	
cis-1,2-Dichloroethene	8.0	ug/L	1	06/01/98	DJE	156-59-2	
Chloroform	1.2	ug/L	1	06/01/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/01/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/01/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/01/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/01/98	DJE	107-06-2	
Trichloroethene	22	ug/L	1	06/01/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/01/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/01/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/01/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/01/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/01/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/01/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/01/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/01/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/01/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/01/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/01/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/01/98	DJE	95-47-6	
Toluene-d8 (S)	117	%		06/01/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	106	%		06/01/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	109	%		06/01/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897614 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-1-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		06/01/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897622
Client Sample ID: NIC-GPW-GPA-40-1-30-052898
Date Collected: 05/28/98
Date Received: 05/29/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/02/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/02/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/02/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/02/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/02/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/02/98	DJE	75-09-2	
1,1-Dichloroethene	3.3	ug/L	1	06/02/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.2	ug/L	1	06/02/98	DJE	156-60-5	
1,1-Dichloroethane	3.8	ug/L	1	06/02/98	DJE	75-34-3	
cis-1,2-Dichloroethene	17	ug/L	1	06/02/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/02/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/02/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/02/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/02/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/02/98	DJE	107-06-2	
Trichloroethene	42	ug/L	1	06/02/98	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/L	1	06/02/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/02/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/02/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/02/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/02/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/02/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/02/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/02/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/02/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/02/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/02/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/02/98	DJE	95-47-6	
Toluene-d8 (S)	117	%		06/02/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	115	%		06/02/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	114	%		06/02/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897622 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-1-30-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		06/02/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/04/98
PAGE: 19

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897630 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-2-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/02/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/02/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/02/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/02/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/02/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/02/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/02/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/02/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/02/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/02/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/02/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/02/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/02/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/02/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/02/98	DJE	107-06-2	
Trichloroethene	1.3	ug/L	1	06/02/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/02/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/02/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/02/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/02/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/02/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/02/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/02/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/02/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/02/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/02/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/02/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/02/98	DJE	95-47-6	
Toluene-d8 (S)	116	%		06/02/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	109	%		06/02/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	112	%		06/02/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897630 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-2-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		06/02/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/04/98
PAGE: 21

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897648 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-2-29-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/01/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/01/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/01/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/01/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/01/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/01/98	DJE	75-09-2	
1,1-Dichloroethene	1.4	ug/L	1	06/01/98	DJE	75-35-4	
trans-1,2-Dichloroethene	3.7	ug/L	1	06/01/98	DJE	156-60-5	
1,1-Dichloroethane	3.0	ug/L	1	06/01/98	DJE	75-34-3	
cis-1,2-Dichloroethene	24	ug/L	1	06/01/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/01/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/01/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/01/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/01/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/01/98	DJE	107-06-2	
Trichloroethene	8.8	ug/L	1	06/01/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/01/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/01/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/01/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/01/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/01/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/01/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/01/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/01/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/01/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/01/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/01/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/01/98	DJE	95-47-6	
Toluene-d8 (S)	121	%		06/01/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	108	%		06/01/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	111	%		06/01/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897648 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-2-29-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		06/01/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/04/98

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897655 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-2-29M-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/01/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/01/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/01/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/01/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/01/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/01/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/01/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/01/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/01/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/01/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/01/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/01/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/01/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/01/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/01/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/01/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/01/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/01/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/01/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/01/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/01/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/01/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/01/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/01/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/01/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/01/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	541-73-1	
1,4-Dichlorobenzene	2.2	ug/L	1	06/01/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/01/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/01/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/01/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/01/98	DJE	95-47-6	
Toluene-d8 (S)	120	%		06/01/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	108	%		06/01/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	114	%		06/01/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897655 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-2-29M-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		06/01/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897663 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-2-29N-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/02/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/02/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/02/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/02/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/02/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/02/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/02/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/02/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/02/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/02/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/02/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/02/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/02/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/02/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/02/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/02/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/02/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/02/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/02/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/02/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/02/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/02/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/02/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/02/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/02/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/02/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/02/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/02/98	DJE	95-47-6	
Toluene-d8 (S)	114	%		06/02/98	DJE	2037-26-5	1
Dibromofluoromethane (S)	107	%		06/02/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	111	%		06/02/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897663 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-2-29N-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		06/02/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897671 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA40-3-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/02/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/02/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/02/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/02/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/02/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/02/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/02/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/02/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/02/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/02/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/02/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/02/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/02/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/02/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/02/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/02/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/02/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/02/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/02/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/02/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/02/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/02/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/02/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/02/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/02/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/02/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/02/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/02/98	DJE	95-47-6	
Toluene-d8 (S)	118	%		06/02/98	DJE	2037-26-5	1
Dibromofluoromethane (S)	111	%		06/02/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	110	%		06/02/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897671 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-3-20-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		06/02/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897689 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-3-28-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/02/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/02/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/02/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/02/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/02/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/02/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/02/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/02/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/02/98	DJE	75-34-3	
cis-1,2-Dichloroethene	1.1	ug/L	1	06/02/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/02/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/02/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/02/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/02/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/02/98	DJE	107-06-2	
Trichloroethene	2.3	ug/L	1	06/02/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/02/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/02/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/02/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/02/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/02/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/02/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/02/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/02/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/02/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/02/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/02/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/02/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/02/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/02/98	DJE	95-47-6	
Toluene-d8 (S)	118	%		06/02/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	110	%		06/02/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	109	%		06/02/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601897689 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-40-3-28-052898 Date Received: 05/29/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		06/02/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 110%. No target analytes were present so quantitation is not affected.
[2]	The recovery exceeds laboratory established control limits of 110%.No target analytes were present so quantitation is not affected.
[3]	The recovery exceeds laboratory established control limits of 110%. The sample was reanalyzed with similar results.
[4]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor
SDG Number: 21954

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 46151
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601897531 601897556 601897564 601897572 601897580 601897598 601897606 601897614 601897622 601897630 601897648 601897655 601897663 601897671 601897689

METHOD BLANK: 601897713
Associated Pace Samples:
601897531 601897556 601897564 601897572 601897580

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601897713
Associated Pace Samples:
601897531 601897556 601897564 601897572 601897580

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	118		
Dibromofluoromethane (S)	%	108		
4-Bromofluorobenzene (S)	%	108		
1,2-Dichloroethane-d4 (S)	%	106		

METHOD BLANK: 601908874
Associated Pace Samples:
601897598 601897606 601897614 601897648 601897655 601897663 601897671
601897689

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601908874
Associated Pace Samples:
601897598 601897606 601897614 601897648 601897655 601897663 601897671 601897689

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	110		
Dibromofluoromethane (S)	%	96		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	96		

METHOD BLANK: 601908882
Associated Pace Samples:
601897622 601897630

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601908882
Associated Pace Samples:
601897622 601897630

Parameter	Units	Method Blank Result	PRL	Footnotes
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	108		
Dibromofluoromethane (S)	%	106		
4-Bromofluorobenzene (S)	%	109		
1,2-Dichloroethane-d4 (S)	%	102		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601897721 601897739

Parameter	Units	601897556	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0	10	11.62	116	12.01	120	3	
Benzene	ug/L	0	10	9.944	99.4	10.93	109	9	
Trichloroethene	ug/L	0	10	10.06	101	10.74	107	7	
Toluene	ug/L	0	10	10.73	107	11.42	114	6	
Chlorobenzene	ug/L	0	10	9.683	96.8	10.32	103	6	
Toluene-d8 (S)					104		104		
Dibromofluoromethane (S)					102		103		
4-Bromofluorobenzene (S)					102		98		
1,2-Dichloroethane-d4 (S)					106		111		

LABORATORY CONTROL SAMPLE: 601897747

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.631	90.8	
Vinyl Chloride	ug/L	4.0	3.149	78.7	
Bromomethane	ug/L	4.0	4.190	105	
Chloroethane	ug/L	4.0	4.047	101	
Trichlorofluoromethane	ug/L	4.0	2.675	66.9	
Methylene Chloride	ug/L	4.0	4.776	119	
1,1-Dichloroethene	ug/L	4.0	4.126	103	
trans-1,2-Dichloroethene	ug/L	4.0	4.276	107	
1,1-Dichloroethane	ug/L	4.0	4.525	113	
cis-1,2-Dichloroethene	ug/L	4.0	4.295	107	
Chloroform	ug/L	4.0	4.341	109	
1,1,1-Trichloroethane	ug/L	4.0	3.527	88.2	
Carbon Tetrachloride	ug/L	4.0	3.245	81.1	
Benzene	ug/L	4.0	4.029	101	
1,2-Dichloroethane	ug/L	4.0	4.313	108	
Trichloroethene	ug/L	4.0	3.841	96.0	
1,2-Dichloropropane	ug/L	4.0	4.114	103	
Bromodichloromethane	ug/L	4.0	4.192	105	
Toluene	ug/L	4.0	4.104	103	
1,1,2-Trichloroethane	ug/L	4.0	3.741	93.5	
Tetrachloroethene	ug/L	4.0	3.320	83.0	
Dibromochloromethane	ug/L	4.0	3.905	97.6	
Chlorobenzene	ug/L	4.0	4.106	103	
Ethylbenzene	ug/L	4.0	3.997	99.9	
Bromoform	ug/L	4.0	3.614	90.3	
1,1,2,2-Tetrachloroethane	ug/L	4.0	3.910	97.7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601897747

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/L	4.0	3.628	90.7	
1,4-Dichlorobenzene	ug/L	4.0	3.915	97.9	
1,2-Dichlorobenzene	ug/L	4.0	4.244	106	
cis-1,3-Dichloropropene	ug/L	4.0	3.714	92.8	
trans-1,3-Dichloropropene	ug/L	4.0	3.256	81.4	
M&P-Xylene	ug/L	8.0	7.401	92.5	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	4.130	103	
Toluene-d8 (S)				102	
Dibromofluoromethane (S)				105	
4-Bromofluorobenzene (S)				107	
1,2-Dichloroethane-d4 (S)				106	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6021954
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 5/28/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	60021954
*Requested Due Date:	5 day TAT
Sampler Signature:	Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H_2SO_4	HNO_3	NaOH	HCL-VOA	8260 - 25 ml pur	REMARKS
1	NIC-GPW-GPA 40-4-20 -052898	1310	Water	60-1897531	3					X	X	
2	NIC-GPW-GPA 40-4-29 -052898	1320	Water	60-1897556	6					X	X	MS/MSD
3	NIC-GPW-GPA ~~34-5-20~~ -052898	1400	Water	60-1897549	3					X	X	
4	NIC-GPW-GPA ~~34-4-29~~ -052898	~~1410~~	Water		3					X	X	no sample
5	NIC-GPW-GPA 34-5-27 -052898	1445	Water	60-1897572	3					X	X	
6	NIC-GPW-GPA 34-6-20 -052898	1515	Water	60-1897580	3					X	X	
7	NIC-GPW-GPA 34-6-29 -052898	1525	Water	60-1897598	3					X	X	
8	NIC-GPW-GPA 34-8-20 -052898	1545	Water	60-1897606	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard Holland	ASAP	5-29	1530
	ASAP	Connie Landers	5/29/98	0830

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 5/28/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	602954
*Requested Due Date:	5 day TAT 5/4 TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED 8260 - 25 ml pur	REMARKS
1	NIC-GPW-GPA 40-1-20 -052898	1020	Water	60-1897614	3					X	X	
2	NIC-GPW-GPA 40-1-30 -052898	1030	Water	60-1897622	3					X	X	
3	NIC-GPW-GPA 40-2-20 -052898	1100	Water	60-1897630	3					X	X	
4	NIC-GPW-GPA 40-2-29 -052898	1110	Water	60-1897648	3					X	X	
5	NIC-GPW-GPA 40-2-29M -052898	1115	Water	60-1897655	3					X	X	
6	NIC-GPW-GPA 40-2-29N -052898	1125	Water	60-1897663	3					X	X	
7	NIC-GPW-GPA 40-3-20 -052898	1145	Water	60-1897671	3					X	X	
8	NIC-GPW-GPA 40-3-28 -052898	1140	Water	60-1897689	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard Holland	ASAP	5-29	1530
	ASAP	[illegible]	5/29/98	0830

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by TB
7/29/98

June 08, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on May 30, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 06/08/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor
SDG Number: 22002

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601902620	NIC-GPW-GPA-34-7-20-052998	EPA 8260	46261		
601902646	NIC-GPW-GPA-34-7-27-052998	EPA 8260	46261		
601902653	NIC-GPW-GPA-29-8-20-052998	EPA 8260	46261		
601902679	NIC-GPW-GPA-29-8-36-052998	EPA 8260	46261		
601902687	NIC-GPW-GPA-34-7-20M-052998	EPA 8260	46261		
601902695	NIC-GPW-GPA-29-7-20-052998	EPA 8260	46261		
601902703	NIC-GPW-GPA-29-7-37-052998	EPA 8260	46261		
601902711	NIC-GPW-GPA-29-7-37Q1-052998	EPA 8260	46261		
601902737	NIC-GPW-GPA-29-6-33-052998	EPA 8260	46261		
601902745	NIC-GPW-GPA-29-6-33N-052998	EPA 8260	46261		
601902752	NIC-GPW-GPA-29-5-20-052998	EPA 8260	46261		
601902778	NIC-GPW-GPA-29-5-36-052998	EPA 8260	46261		
601902794	NIC-GPW-GPA-29-4-20-052998	EPA 8260	46261		
601902802	NIC-GPW-GPA-29-4-39-052998	EPA 8260	46261		
601902836	NIC-GPW-GPA-31-10-20-052998	EPA 8260	46261		
601902851	NIC-GPW-GPA-31-10-27-052998	EPA 8260	46261		
601902877	NIC-GPW-GPA-34-8-27-052998	EPA 8260	46261		
601902919	NIC-GPW-GPA-29-6-20-052998	EPA 8260	46261		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/08/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor
SDG Number: 22002

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601902620
Client Sample ID: NIC-GPW-GPA-34-7-20-052998
Date Collected: 05/29/98
Date Received: 05/30/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902620 9
Client Sample ID: NIC-GPW-GPA-34-7-20-052998

Date Collected: 05/29/98
Date Received: 05/30/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	108	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/03/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902646 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-7-27-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	110	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902646 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-7-27-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/08/98

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902653 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-8-20-052998 Date Received: 05/30/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	5.3	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	250	ug/L	25	06/03/98	DJE	156-59-2	1
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	111	%		06/03/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	106	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	108	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902653 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-8-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

D23

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902679 9
Client Sample ID: NIC-GPW-GPA-29-8-36-052998

Date Collected: 05/29/98
Date Received: 05/30/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-B3-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	36	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	7.6	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	108	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902679 9
Client Sample ID: NIC-GPW-GPA-29-8-36-052998

Date Collected: 05/29/98
Date Received: 05/30/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902687
Client Sample ID: NIC-GPW-GPA-34-7-20M-052998
Date Collected: 05/29/98
Date Received: 05/30/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	2.0	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	108	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902687 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-7-20M-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902695 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-7-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	1.3	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	105	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

9 528

Pace Sample No: 601902695 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-7-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/08/98
PAGE: 13

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902703 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-7-37-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	2.4	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	108	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902703 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-7-37-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/08/98
PAGE: 15

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902711 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-7-37Q1-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	2.4	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	109	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902711 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-7-37Q1-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902737 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-6-33-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	1.9	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	1.1	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	110	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

9-D26

Pace Sample No: 601902737 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-6-33-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902745 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-6-33N-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	1.5	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	109	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

D23

Pace Sample No: 601902745 9
Client Sample ID: NIC-GPW-GPA-29-6-33N-052998

Date Collected: 05/29/98
Date Received: 05/30/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902752 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-5-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	108	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

p28

Pace Sample No: 601902752 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-5-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/08/98

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902778 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-5-36-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	1.3	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	110	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902778 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-5-36-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902794 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-4-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	8.8	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	180	ug/L	10	06/03/98	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	1.6	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	108	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

DZB

Pace Sample No: 601902794 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-4-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902802 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-4-39-052998 Date Received: 05/30/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	1.7	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	118	%		06/03/98	DJE	2037-26-5	4
Dibromofluoromethane (S)	110	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	113	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

q 8726

Pace Sample No: 601902802 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-4-39-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902836 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-10-20-052998 Date Received: 05/30/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	4.2	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	1.7	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	2.2	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	3.2	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	61	ug/L	5	06/03/98	DJE	156-59-2	5
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	86	ug/L	5	06/03/98	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	2.2	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	118	%		06/03/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	110	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	113	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902836 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-10-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902851
Client Sample ID: NIC-GPW-GPA-31-10-27-052998
Date Collected: 05/29/98
Date Received: 05/30/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	12	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	3.0	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	3.7	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	9.1	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	100	ug/L	10	06/03/98	DJE	156-59-2	5
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	2.3	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	230	ug/L	10	06/03/98	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	6.8	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	116	%		06/03/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	106	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	109	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

DDB

Pace Sample No: 601902851 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-10-27-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902877 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-8-27-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/03/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/03/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	109	%		06/03/98	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/03/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902877 052898 Date Collected: 05/28/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-34-8-27-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902919 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-6-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/04/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/04/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/04/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/04/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/04/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/04/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/04/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/04/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/04/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/04/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/04/98	DJE	67-66-3	
1,1,1-Trichloroethane	1.6	ug/L	1	06/04/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/04/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/04/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/04/98	DJE	107-06-2	
Trichloroethene	30	ug/L	1	06/04/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/04/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/04/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/04/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/04/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/04/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/04/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/04/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/04/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/04/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/04/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/04/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/04/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/04/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/04/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/04/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/04/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/04/98	DJE	95-47-6	
Toluene-d8 (S)	103	%		06/04/98	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		06/04/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/04/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902919 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-29-6-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/04/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:25.
[2]	The recovery exceeds laboratory established control limits of 110%.
[3]	The value for this analyte was determined from a secondary dilution of 1:10.
[4]	The recovery exceeds laboratory established control limits of 110%. The sample was reanalyzed with similar results.
[5]	The value for this analyte was determined from a secondary dilution of 1:5.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor
SDG Number: 22002

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 46261
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601902620 601902646 601902653 601902679 601902687 601902695 601902703 601902711 601902737 601902745 601902752 601902778 601902794 601902802 601902836 601902851 601902877 601902919

METHOD BLANK: 601904287
Associated Pace Samples:
601902620 601902646 601902653 601902679 601902687 601902695 601902703 601902711 601902737 601902745 601902752 601902778 601902794

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601904287
Associated Pace Samples:
601902620 601902646 601902653 601902679 601902687 601902695 601902703
601902711 601902737 601902745 601902752 601902778 601902794

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	117		1
Dibromofluoromethane (S)	%	110		
4-Bromofluorobenzene (S)	%	111		
1,2-Dichloroethane-d4 (S)	%	105		

METHOD BLANK: 601915796
Associated Pace Samples:
601902802 601902836 601902851 601902877

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601915796
Associated Pace Samples:

601902802 601902836 601902851 601902877

Parameter	Units	Method Blank Result	PRL	Footnotes
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	111		1
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	93		

METHOD BLANK: 601915804
Associated Pace Samples:

601902919

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601915804
Associated Pace Samples:
601902919

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	109		
Dibromofluoromethane (S)	%	105		
4-Bromofluorobenzene (S)	%	110		
1,2-Dichloroethane-d4 (S)	%	102		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601904295 601904303

Parameter	Units	601902679	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0	10	12.91	129	13.44	134	4	
Benzene	ug/L	0	10	10.07	101	10.38	104	3	
Trichloroethene	ug/L	7.606	10	17.98	104	18.35	107	4	
Toluene	ug/L	0	10	11.37	114	11.17	112	2	
Chlorobenzene	ug/L	0	10	10.10	101	10.65	106	5	
Toluene-d8 (S)					107		98		
Dibromofluoromethane (S)					100		93		
4-Bromofluorobenzene (S)					107		95		
1,2-Dichloroethane-d4 (S)					104		92		

LABORATORY CONTROL SAMPLE: 601904311

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.398	84.9	
Vinyl Chloride	ug/L	4.0	3.997	99.9	
Bromomethane	ug/L	4.0	4.205	105	
Chloroethane	ug/L	4.0	4.258	106	
Trichlorofluoromethane	ug/L	4.0	4.404	110	
Methylene Chloride	ug/L	4.0	4.788	120	
1,1-Dichloroethene	ug/L	4.0	5.277	132	
trans-1,2-Dichloroethene	ug/L	4.0	4.632	116	
1,1-Dichloroethane	ug/L	4.0	4.653	116	
cis-1,2-Dichloroethene	ug/L	4.0	4.210	105	
Chloroform	ug/L	4.0	4.252	106	
1,1,1-Trichloroethane	ug/L	4.0	4.198	105	
Carbon Tetrachloride	ug/L	4.0	4.413	110	
Benzene	ug/L	4.0	4.059	101	
1,2-Dichloroethane	ug/L	4.0	4.008	100	
Trichloroethene	ug/L	4.0	4.271	107	
1,2-Dichloropropane	ug/L	4.0	3.822	95.5	
Bromodichloromethane	ug/L	4.0	3.832	95.8	
Toluene	ug/L	4.0	4.379	109	
1,1,2-Trichloroethane	ug/L	4.0	3.269	81.7	
Tetrachloroethene	ug/L	4.0	4.119	103	
Dibromochloromethane	ug/L	4.0	3.534	88.4	
Chlorobenzene	ug/L	4.0	4.133	103	
Ethylbenzene	ug/L	4.0	4.270	107	
Bromoform	ug/L	4.0	3.388	84.7	
1,1,2,2-Tetrachloroethane	ug/L	4.0	3.622	90.6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601904311

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/L	4.0	3.699	92.5	
1,4-Dichlorobenzene	ug/L	4.0	3.869	96.7	
1,2-Dichlorobenzene	ug/L	4.0	4.071	102	
cis-1,3-Dichloropropene	ug/L	4.0	3.403	85.1	
trans-1,3-Dichloropropene	ug/L	4.0	2.949	73.7	2
M&P-Xylene	ug/L	8.0	8.668	108	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	4.170	104	
Toluene-d8 (S)				107	
Dibromofluoromethane (S)				101	
4-Bromofluorobenzene (S)				107	
1,2-Dichloroethane-d4 (S)				98	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022002
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 110%.
[2]	The recovery is below laboratory established control limits of 82%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## ~~5/28/98~~ 5-29-98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: Lo 22002
*Requested Due Date: 7 day TAT
Sampler Signature: Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED																REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	8260 - 25 ml pur																
1	NIC-GPW-GPA 34-7-20 -052998	820	Water	Lo - 01902645	3					X	X																
2	NIC-GPW-GPA 34-7-27 -052998	810	Water	Lo - 01902646	3					X	X																
3	NIC-GPW-GPA 29-8-20 -052998	835	Water	Lo - 01902653	3					X	X																
4	NIC-GPW-GPA 29-8-36 -052998	945	Water	Lo - 01902629	6					X	X																MS/MSD
5	NIC-GPW-GPA 34-7-20M -052998	801	Water	Lo - 01902687	3					X	X																
6	NIC-GPW-GPA 29-7-20 -052998	925	Water	Lo - 01902685	3					X	X																
7	NIC-GPW-GPA 29-7-37 -052998	945	Water	Lo - 01902703	3					X	X																
8	NIC-GPW-GPA 29-7-37Q1 -052998	940	Water	Lo - 01902714	3					X	X																

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard Holland	ASAP	5-29	1630
	ALE			0:10

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## ~~5/28/98~~ 5-29-98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6022002
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 29-6-33 -052998	1010	Water	60-1902737	3					X	X	
2	NIC-GPW-GPA 29-6-33N -052998	1020	Water	60-1902745	3					X	X	
3	NIC-GPW-GPA 29-5-20 -052998	1045	Water	60-1902752	3					X	X	
4	NIC-GPW-GPA 29-5-36 KH -052998	1055	Water	60-1902778	3					X	X	
5	NIC-GPW-GPA 29-4-20 -052998	1130	Water	60-1902794	3					X	X	
6	NIC-GPW-GPA 29-4-39 -052998	1140	Water	60-1902802	3					X	X	
7	NIC-GPW-GPA 31-10-20 -052998	1310	Water	60-1902836	3					X	X	
8	NIC-GPW-GPA 31-10-27 -052998	1315	Water	60-1902851	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard Holland	ASAP	5-29	1630
			5/30/98	10:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee	Report To:	Darren Brown	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Darren Brown	Lab Project Manager:	Tena Tiruneh
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456-RI.TSK3	Lab Project No.:	6022902
Phone #:	316-691-9940	Project Name / No:	Wichita NIC	*Requested Due Date:	7 day TAT
Fax #:	316-691-9949	Sampled By (Print):	Richard Holland	Sampler Signature:	Richard E Holland
		Date Sampled:	## 5/28/98		

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		8260 - 25 ml purge													
1	NIC-GPW-GPA 34-8-27 -052898	1705	Water	L01902919	3					X		X													
2	NIC-GPW-GPA -052898		Water							X		X													
3	NIC-GPW-GPA -052898		Water							X		X													
4	NIC-GPW-GPA -052898		Water							X		X													
5	NIC-GPW-GPA -052898		Water							X		X													
6	NIC-GPW-GPA -052898		Water							X		X													
7	NIC-GPW-GPA -052898		Water							X		X													
8	NIC-GPW-GPA -052898		Water							X		X													

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

NIC-GPW-GPA-29-L-20-052898 = L01902919
need not on COC.

COOLER TEMPERATURE: 4.1, 1.8

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	5-29	1630
			5/30/98	10:00

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by TB
7/29/98

June 10, 1998

No MS/MSD used LCS/LCSD
No MS/MSD volume submitted in the package
DJB

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received May 30, 1998 through June 3, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 06/10/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor
SDG Number: 22003

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601902968	NIC-GPW-GPA-31-6-20-052998	EPA 8260	46302		
601902984	NIC-GPW-GPA-31-6-26-052998	EPA 8260	46302		
601903016	NIC-GPW-GPA-31-5-20-052998	EPA 8260	46302		
601903032	NIC-GPW-GPA-31-5-28-052998	EPA 8260	46302		
601903040	NIC-GPW-GPA-31-9-20-052998	EPA 8260	46302		
601903057	NIC-GPW-GPA-31-9-27-052998	EPA 8260	46302		
601903073	NIC-GPW-GPA-31-7-20-052998	EPA 8260	46302		
601903149	NIC-GPW-GPA-31-7-30-052998	EPA 8260	46302		
601907520	NIC-GPW-GPA-31-8-23-052998	EPA 8260	46302		
601907538	NIC-GPW-GPA-31-8-35-052998	EPA 8260	46302		
601907546	NIC-GPW-GPA-19-7-20-060198	EPA 8260	46302		
601907553	NIC-GPW-GPA-19-7-29-060198	EPA 8260	46302		
601907561	NIC-GPW-GPA-19-8-22-060198	EPA 8260	46302		
601907579	NIC-GPW-GPA-19-8-30-060198	EPA 8260	46302		
601907587	NIC-GPW-GPA-19-6-20-060198	EPA 8260	46302		
601907595	NIC-GPW-GPA-19-6-28-060198	EPA 8260	46302		
601907603	NIC-GPW-GPA-19-6-28N-060198	EPA 8260	46302		
601907611	NIC-GPW-GPA-19-7-20M-060198	EPA 8260	46302		
601907629	NIC-GPW-GPA-19-5-20-060298	EPA 8260	46302		
601907637	NIC-GPW-GPA-19-5-29-060298	EPA 8260	46302		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98
PAGE: 1

5

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor
SDG Number: 22003

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

DJB

Solid results are reported on a wet weight basis

Pace Sample No: 601902968 9
Client Sample ID: NIC-GPW-GPA31-6-20-052998

Date Collected: 05/29/98
Date Received: 05/30/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS -- VOA								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3		
Vinyl Chloride	5.1	ug/L	1	06/03/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4		
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2		
1,1-Dichloroethene	2.6	ug/L	1	06/03/98	DJE	75-35-4		
trans-1,2-Dichloroethene	4.3	ug/L	1	06/03/98	DJE	156-60-5		
1,1-Dichloroethane	2.5	ug/L	1	06/03/98	DJE	75-34-3		
cis-1,2-Dichloroethene	72	ug/L	25	06/03/98	DJE	156-59-2	1	D
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5		
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2		
Trichloroethene	360	ug/L	25	06/03/98	DJE	79-01-6	1	D
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4		
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5		
Tetrachloroethene	9.0	ug/L	1	06/03/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7		
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5		

LMG CJW Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DLB

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902968
Client Sample ID: NIC-GPW-GPA-31-6-20-052998
Date Collected: 05/29/98
Date Received: 05/30/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	115	%		06/03/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	107	%		06/03/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	113	%		06/03/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%		06/03/98	DJE	17060-07-0	

L48 Q

Qual Q

S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902984
Client Sample ID: NIC-GPW-GPA-31-6-26-052998
Date Collected: 05/29/98
Date Received: 05/30/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3	
Vinyl Chloride	4.9	ug/L	1	06/03/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2	
1,1-Dichloroethene	2.8	ug/L	1	06/03/98	DJE	75-35-4	
trans-1,2-Dichloroethene	4.4	ug/L	1	06/03/98	DJE	156-60-5	
1,1-Dichloroethane	2.5	ug/L	1	06/03/98	DJE	75-34-3	
cis-1,2-Dichloroethene	69	ug/L	25	06/03/98	DJE	156-59-2	1
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2	
Trichloroethene	380	ug/L	25	06/03/98	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5	
Tetrachloroethene	11	ug/L	1	06/03/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6	
Toluene-d8 (S)	122	%		06/03/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	126	%		06/03/98	DJE	1868-53-7	3
4-Bromofluorobenzene (S)	122	%		06/03/98	DJE	460-00-4	4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601902984 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-6-26-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	135	%		06/03/98	DJE	17060-07-0	5

Lab Comp
S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903016
Client Sample ID: NIC-GPW-GPA-31-5-20-052998

Date Collected: 05/29/98
Date Received: 05/30/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/04/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/04/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/04/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/04/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/04/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/04/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/04/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/L	1	06/04/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/04/98	DJE	75-34-3	
cis-1,2-Dichloroethene	22	ug/L	1	06/04/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/04/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/04/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/04/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/04/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/04/98	DJE	107-06-2	
Trichloroethene	53	ug/L	1	06/04/98	DJE	79-01-6	6
1,2-Dichloropropane	ND	ug/L	1	06/04/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/04/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/04/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/04/98	DJE	79-00-5	
Tetrachloroethene	3.2	ug/L	1	06/04/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/04/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/04/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/04/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/04/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/04/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/04/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/04/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/04/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/04/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/04/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/04/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/04/98	DJE	95-47-6	
Toluene-d8 (S)	102	%		06/04/98	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		06/04/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/04/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DJE

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903016 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-5-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/04/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98
PAGE: 7

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903032 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-5-28-052998 Date Received: 05/30/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/03/98	DJE	74-87-3		
Vinyl Chloride	2.9	ug/L	1	06/03/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	06/03/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	06/03/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/03/98	DJE	75-69-4		
Methylene Chloride	ND	ug/L	1	06/03/98	DJE	75-09-2		
1,1-Dichloroethene	2.1	ug/L	1	06/03/98	DJE	75-35-4		
trans-1,2-Dichloroethene	3.8	ug/L	1	06/03/98	DJE	156-60-5		
1,1-Dichloroethane	ND	ug/L	1	06/03/98	DJE	75-34-3		
cis-1,2-Dichloroethene	65	ug/L	25	06/03/98	DJE	156-59-2	1	D
Chloroform	ND	ug/L	1	06/03/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/03/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/03/98	DJE	56-23-5		
Benzene	ND	ug/L	1	06/03/98	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	06/03/98	DJE	107-06-2		
Trichloroethene	350	ug/L	25	06/03/98	DJE	79-01-6	1	D
1,2-Dichloropropane	ND	ug/L	1	06/03/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/03/98	DJE	75-27-4		
Toluene	ND	ug/L	1	06/03/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/03/98	DJE	79-00-5		
Tetrachloroethene	7.5	ug/L	1	06/03/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/03/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/03/98	DJE	108-90-7		
Ethylbenzene	ND	ug/L	1	06/03/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	06/03/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/03/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/03/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/03/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/03/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/03/98	DJE	95-47-6		
Toluene-d8 (S)	114	%		06/03/98	DJE	2037-26-5	2	S
Dibromofluoromethane (S)	102	%		06/03/98	DJE	1868-53-7		
4-Bromofluorobenzene (S)	107	%		06/03/98	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DZB

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903032 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-5-28-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/03/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903040 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-9-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/05/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/05/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/05/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/05/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/05/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/05/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/05/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/05/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/05/98	DJE	75-34-3	
cis-1,2-Dichloroethene	4.7	ug/L	1	06/05/98	DJE	156-59-2	
Chloroform	4.3	ug/L	1	06/05/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/05/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/05/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/05/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/05/98	DJE	107-06-2	
Trichloroethene	22	ug/L	1	06/05/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/05/98	DJE	78-87-5	
Bromodichloromethane	1.3	ug/L	1	06/05/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/05/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/05/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/05/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/05/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/05/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/05/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/05/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/05/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/05/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/05/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/05/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/05/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/05/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/05/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/05/98	DJE	95-47-6	
Toluene-d8 (S)	102	%		06/05/98	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		06/05/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		06/05/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

D2B

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903040 9 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-9-20-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		06/05/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903057
Client Sample ID: NIC-GPW-GPA-31-9-27-052998
Date Collected: 05/29/98
Date Received: 05/30/98
Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/05/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/05/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/05/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/05/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/05/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/05/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/05/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/05/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/05/98	DJE	75-34-3	
cis-1,2-Dichloroethene	21	ug/L	1	06/05/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/05/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/05/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/05/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/05/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/05/98	DJE	107-06-2	
Trichloroethene	70	ug/L	5	06/05/98	DJE	79-01-6	7
1,2-Dichloropropane	ND	ug/L	1	06/05/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/05/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/05/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/05/98	DJE	79-00-5	
Tetrachloroethene	1.3	ug/L	1	06/05/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/05/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/05/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/05/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/05/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/05/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/05/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/05/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/05/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/05/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/05/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/05/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/05/98	DJE	95-47-6	
Toluene-d8 (S)	103	%		06/05/98	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		06/05/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/05/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DZB

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903057
Client Sample ID: NIC-GPW-GPA-31-9-27-052998

Date Collected: 05/29/98
Date Received: 05/30/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/05/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903073
Client Sample ID: NIC-GPW-GPA31-7-20-052998

Date Collected: 05/29/98
Date Received: 05/30/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/05/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/05/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/05/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/05/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/05/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/05/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/05/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/05/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/05/98	DJE	75-34-3	
cis-1,2-Dichloroethene	6.6	ug/L	1	06/05/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/05/98	DJE	67-66-3	
1,1,1-Trichloroethane	1.5	ug/L	1	06/05/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/05/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/05/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/05/98	DJE	107-06-2	
Trichloroethene	23	ug/L	1	06/05/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/05/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/05/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/05/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/05/98	DJE	79-00-5	
Tetrachloroethene	2.8	ug/L	1	06/05/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/05/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/05/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/05/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/05/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/05/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/05/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/05/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/05/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/05/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/05/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/05/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/05/98	DJE	95-47-6	
Toluene-d8 (S)	102	%		06/05/98	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		06/05/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/05/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601903073 9
Client Sample ID: NIC-GPW-GPA-31-7-20-052998

Date Collected: 05/29/98
Date Received: 05/30/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		06/05/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903149 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-7-30-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	2	06/06/98	DJE	74-87-3	
Vinyl Chloride	2.7	ug/L	2	06/06/98	DJE	75-01-4	
Bromomethane	ND	ug/L	2	06/06/98	DJE	74-83-9	
Chloroethane	ND	ug/L	2	06/06/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	2	06/06/98	DJE	75-69-4	
Methylene Chloride	9.7	ug/L	2	06/06/98	DJE	75-09-2	8
1,1-Dichloroethene	ND	ug/L	2	06/06/98	DJE	75-35-4	
trans-1,2-Dichloroethene	2.8	ug/L	2	06/06/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	2	06/06/98	DJE	75-34-3	
cis-1,2-Dichloroethene	57	ug/L	2	06/06/98	DJE	156-59-2	
Chloroform	ND	ug/L	2	06/06/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	2	06/06/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	2	06/06/98	DJE	56-23-5	
Benzene	ND	ug/L	2	06/06/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	2	06/06/98	DJE	107-06-2	
Trichloroethene	260	ug/L	2	06/06/98	DJE	79-01-6	6,9
1,2-Dichloropropane	ND	ug/L	2	06/06/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	2	06/06/98	DJE	75-27-4	
Toluene	ND	ug/L	2	06/06/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	2	06/06/98	DJE	79-00-5	
Tetrachloroethene	6.7	ug/L	2	06/06/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	2	06/06/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	2	06/06/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	2	06/06/98	DJE	100-41-4	
Bromoform	ND	ug/L	2	06/06/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	2	06/06/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	2	06/06/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	2	06/06/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	2	06/06/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	2	06/06/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	2	06/06/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	2.6	06/06/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	2.2	06/06/98	DJE	95-47-6	
Toluene-d8 (S)	~~223~~ 111	%		06/06/98	DJE	2037-26-5	
Dibromofluoromethane (S)	111	%		06/06/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		06/06/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601903149 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-7-30-052998 Date Received: 05/30/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907520
Client Sample ID: NIC-GPW-GPA-31-8-23-052998
Date Collected: 05/29/98
Date Received: 06/03/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/06/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4	
Methylene Chloride	2.5	ug/L	1	06/06/98	DJE	75-09-2	8
1,1-Dichloroethene	ND	ug/L	1	06/06/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/06/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/06/98	DJE	75-34-3	
cis-1,2-Dichloroethene	24	ug/L	1	06/06/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2	
Trichloroethene	48	ug/L	1	06/06/98	DJE	79-01-6	6
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5	
Tetrachloroethene	1.2	ug/L	1	06/06/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6	
Toluene-d8 (S)	115	%		06/06/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	114	%		06/06/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	106	%		06/06/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907520 9
Client Sample ID: NIC-GPW-GPA-31-8-23-052998

Date Collected: 05/29/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907538 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-8-35-052998 Date Received: 06/03/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3	
Vinyl Chloride	8.8	ug/L	1	06/06/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4	
Methylene Chloride	1.7	ug/L	1	06/06/98	DJE	75-09-2	8
1,1-Dichloroethene	4.0	ug/L	1	06/06/98	DJE	75-35-4	
trans-1,2-Dichloroethene	5.8	ug/L	1	06/06/98	DJE	156-60-5	
1,1-Dichloroethane	2.7	ug/L	1	06/06/98	DJE	75-34-3	
cis-1,2-Dichloroethene	80	ug/L	25	06/06/98	DJE	156-59-2	1
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2	
Trichloroethene	480	ug/L	25	06/06/98	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5	
Tetrachloroethene	22	ug/L	1	06/06/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6	
Toluene-d8 (S)	117	%		06/06/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	118	%		06/06/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	114	%		06/06/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907538 Date Collected: 05/29/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-8-35-052998 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907546 #9
Client Sample ID: NIC-GPW-GPA-19-7-20-060198
Date Collected: 06/01/98
Date Received: 06/03/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/06/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4	
Methylene Chloride	1.5	ug/L	1	06/06/98	DJE	75-09-2	8
1,1-Dichloroethene	1.2	ug/L	1	06/06/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.6	ug/L	1	06/06/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/06/98	DJE	75-34-3	
cis-1,2-Dichloroethene	25	ug/L	1	06/06/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2	
Trichloroethene	170	ug/L	10	06/06/98	DJE	79-01-6	10
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5	
Tetrachloroethene	1.6	ug/L	1	06/06/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6	
Toluene-d8 (S)	111	%		06/06/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	110	%		06/06/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		06/06/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907546
Client Sample ID: NIC-GPW-GPA-19-7-20-060198

Date Collected: 06/01/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907553 #9 Date Collected: 06/01/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-19-7-29-060198 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3			
Vinyl Chloride	7.3	ug/L	1	06/06/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4			
Methylene Chloride	1.6	ug/L	1	06/06/98	DJE	75-09-2	8	B	UB
1,1-Dichloroethene	5.9	ug/L	1	06/06/98	DJE	75-35-4			
trans-1,2-Dichloroethene	5.9	ug/L	1	06/06/98	DJE	156-60-5			
1,1-Dichloroethane	2.5	ug/L	1	06/06/98	DJE	75-34-3			
cis-1,2-Dichloroethene	85	ug/L	25	06/06/98	DJE	156-59-2	1	D	
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2			
Trichloroethene	620	ug/L	25	06/06/98	DJE	79-01-6	1	D	
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5			
Tetrachloroethene	1.7	ug/L	1	06/06/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6			
Toluene-d8 (S)	105	%		06/06/98	DJE	2037-26-5			
Dibromofluoromethane (S)	104	%		06/06/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	101	%		06/06/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

D2B

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907553 #9 Date Collected: 06/01/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-19-7-29-060198 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907561
Client Sample ID: NIC-GPW-GPA-19-8-22-060198
Date Collected: 06/01/98
Date Received: 06/03/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/06/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/06/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/06/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.2	ug/L	1	06/06/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/06/98	DJE	75-34-3	
cis-1,2-Dichloroethene	26	ug/L	1	06/06/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2	
Trichloroethene	190	ug/L	5	06/06/98	DJE	79-01-6	7
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/06/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6	
Toluene-d8 (S)	105	%		06/06/98	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		06/06/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	77	%		06/06/98	DJE	460-00-4	11

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

D2B

Pace Sample No: 601907561 #9 Date Collected: 06/01/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-19-8-22-060198 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98
PAGE: 27

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907579
Client Sample ID: NIC-GPW-GPA-19-8-30-060198
Date Collected: 06/01/98
Date Received: 06/03/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3	
Vinyl Chloride	9.2	ug/L	1	06/06/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/06/98	DJE	75-09-2	
1,1-Dichloroethene	9.0	ug/L	1	06/06/98	DJE	75-35-4	
trans-1,2-Dichloroethene	9.5	ug/L	1	06/06/98	DJE	156-60-5	
1,1-Dichloroethane	4.2	ug/L	1	06/06/98	DJE	75-34-3	
cis-1,2-Dichloroethene	110	ug/L	100	06/06/98	DJE	156-59-2	12
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2	
Trichloroethene	790	ug/L	100	06/06/98	DJE	79-01-6	12
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5	
Tetrachloroethene	2.3	ug/L	1	06/06/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6	
Toluene-d8 (S)	112	%		06/06/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	108	%		06/06/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		06/06/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907579 #9 SD2B
Client Sample ID: NIC-GPW-GPA-19-8-30-060198

Date Collected: 06/01/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907587 #9 (D2B)
Client Sample ID: NIC-GPW-GPA-19-6-20-060198

Date Collected: 06/01/98
Date Received: 06/03/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260				LAB Q
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3		
Vinyl Chloride	2.7	ug/L	1	06/06/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4		
Methylene Chloride	ND	ug/L	1	06/06/98	DJE	75-09-2		
1,1-Dichloroethene	2.5	ug/L	1	06/06/98	DJE	75-35-4		
trans-1,2-Dichloroethene	3.0	ug/L	1	06/06/98	DJE	156-60-5		
1,1-Dichloroethane	1.7	ug/L	1	06/06/98	DJE	75-34-3		D
cis-1,2-Dichloroethene	40	ug/L	25	06/06/98	DJE	156-59-2	1	
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5		
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2		
Trichloroethene	310	ug/L	25	06/06/98	DJE	79-01-6	1	D
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4		
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5		
Tetrachloroethene	2.2	ug/L	1	06/06/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7		
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6		
Toluene-d8 (S)	114	%		06/06/98	DJE	2037-26-5	2	S
Dibromofluoromethane (S)	114	%		06/06/98	DJE	1868-53-7		
4-Bromofluorobenzene (S)	111	%		06/06/98	DJE	460-00-4		

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907587 #9 D2B
Client Sample ID: NIC-GPW-GPA-19-6-20-060198

Date Collected: 06/01/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907595 #9
Client Sample ID: NIC-GPW-GPA-19-6-28-060198

Date Collected: 06/01/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3	
Vinyl Chloride	2.7	ug/L	1	06/06/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/06/98	DJE	75-09-2	
1,1-Dichloroethene	2.4	ug/L	1	06/06/98	DJE	75-35-4	
trans-1,2-Dichloroethene	4.4	ug/L	1	06/06/98	DJE	156-60-5	
1,1-Dichloroethane	2.1	ug/L	1	06/06/98	DJE	75-34-3	
cis-1,2-Dichloroethene	66	ug/L	25	06/06/98	DJE	156-59-2	1
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2	
Trichloroethene	440	ug/L	25	06/06/98	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5	
Tetrachloroethene	1.0	ug/L	1	06/06/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6	
Toluene-d8 (S)	119	%		06/06/98	DJE	2037-26-5	2
Dibromofluoromethane (S)	117	%		06/06/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	114	%		06/06/98	DJE	460-00-4	

LAB O CDM Q

D D S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DJE

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907595 #9 Date Collected: 06/01/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-19-6-28-060198 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/10/98

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907603 #9 D2B
Client Sample ID: NIC-GPW-GPA-19-6-28N-060198
Date Collected: 06/01/98
Date Received: 06/03/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/09/98	DJE	74-87-3		Q	Q
Vinyl Chloride	ND	ug/L	1	06/09/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/09/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/09/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/09/98	DJE	75-69-4			
Methylene Chloride	1.6	ug/L	1	06/09/98	DJE	75-09-2	8	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/09/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/09/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/09/98	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/L	1	06/09/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/09/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/09/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/09/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/09/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/09/98	DJE	107-06-2			
Trichloroethene	ND	ug/L	1	06/09/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/09/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/09/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/09/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/09/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/09/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/09/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/09/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/09/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/09/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/09/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/09/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/09/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/09/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/09/98	DJE	95-47-6			
Toluene-d8 (S)	97	%		06/09/98	DJE	2037-26-5			
Dibromofluoromethane (S)	101	%		06/09/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	104	%		06/09/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

D26

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907603 #9 Date Collected: 06/01/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-19-6-28N-060198 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/09/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907611 #3 D2B
Client Sample ID: NIC-GPW-GPA-19-7-20M-060198

Date Collected: 06/01/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/09/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/09/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/09/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/09/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/09/98	DJE	75-69-4	
Methylene Chloride	1.8	ug/L	1	06/09/98	DJE	75-09-2	8
1,1-Dichloroethene	ND	ug/L	1	06/09/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/09/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/09/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/09/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/09/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/09/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/09/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/09/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/09/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/09/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/09/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/09/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/09/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/09/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/09/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/09/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/09/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/09/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/09/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/09/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	541-73-1	
1,4-Dichlorobenzene	2.0	ug/L	1	06/09/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/09/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/09/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/09/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/09/98	DJE	95-47-6	
Toluene-d8 (S)	96	%		06/09/98	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		06/09/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		06/09/98	DJE	460-00-4	

LAB Q B UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907611 #9-026
Client Sample ID: NIC-GPW-GPA-19-7-20M-060198

Date Collected: 06/01/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		06/09/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907629 #9 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-19-5-20-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS -- VOA								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3		
Vinyl Chloride	31	ug/L	1	06/06/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4		
Methylene Chloride	3.0	ug/L	1	06/06/98	DJE	75-09-2	8	B
1,1-Dichloroethene	1.4	ug/L	1	06/06/98	DJE	75-35-4		
trans-1,2-Dichloroethene	1.9	ug/L	1	06/06/98	DJE	156-60-5		
1,1-Dichloroethane	1.2	ug/L	1	06/06/98	DJE	75-34-3		
cis-1,2-Dichloroethene	70	ug/L	5	06/06/98	DJE	156-59-2	7	D
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5		
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2		
Trichloroethene	45	ug/L	5	06/06/98	DJE	79-01-6	7	D
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4		
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5		
Tetrachloroethene	ND	ug/L	1	06/06/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7		
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6		
Toluene-d8 (S)	117	%		06/06/98	DJE	2037-26-5	2	S
Dibromofluoromethane (S)	111	%		06/06/98	DJE	1868-53-7		
4-Bromofluorobenzene (S)	112	%		06/06/98	DJE	460-00-4		

LAB C
MBM 1
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907629 *9
Client Sample ID: NIC-GPW-GPA-19-5-20-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DLB

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907637 #9 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-19-5-29-060298 Date Received: 06/03/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/06/98	DJE	74-87-3			
Vinyl Chloride	4.5	ug/L	1	06/06/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/06/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/06/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/06/98	DJE	75-69-4			
Methylene Chloride	2.7	ug/L	1	06/06/98	DJE	75-09-2	8	B	UG
1,1-Dichloroethene	6.6	ug/L	1	06/06/98	DJE	75-35-4			
trans-1,2-Dichloroethene	5.8	ug/L	1	06/06/98	DJE	156-60-5			
1,1-Dichloroethane	2.5	ug/L	1	06/06/98	DJE	75-34-3			
cis-1,2-Dichloroethene	56	ug/L	50	06/06/98	DJE	156-59-2	13	D	
Chloroform	ND	ug/L	1	06/06/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/06/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/06/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/06/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/06/98	DJE	107-06-2			
Trichloroethene	330	ug/L	50	06/06/98	DJE	79-01-6	13	D	
1,2-Dichloropropane	ND	ug/L	1	06/06/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/06/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/06/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/06/98	DJE	79-00-5			
Tetrachloroethene	1.2	ug/L	1	06/06/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/06/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/06/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/06/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/06/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/06/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/06/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/06/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/06/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/06/98	DJE	95-47-6			
Toluene-d8 (S)	121	%		06/06/98	DJE	2037-26-5	2	S	
Dibromofluoromethane (S)	120	%		06/06/98	DJE	1868-53-7	3	S	
4-Bromofluorobenzene (S)	112	%		06/06/98	DJE	460-00-4		S	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

DD2B

Pace Sample No: 601907637 #9 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-19-5-29-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		06/06/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:25.
[2]	The recovery exceeds laboratory established control limits of 110%.
[3]	The recovery exceeds laboratory established control limits of 118%.
[4]	The recovery exceeds laboratory established control limits of 115%.
[5]	The recovery exceeds laboratory established control limits of 120%. The sample was reanalyzed with similar results.
[6]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[7]	The value for this analyte was determined from a secondary dilution of 1:5.
[8]	Analyte is found in the associated blank as well as in the sample (CLP B-Flag).
[9]	The sample was not reanalyzed due to insufficient volume.
[10]	The value for this analyte was determined from a secondary dilution of 1:10.
[11]	The recovery is below laboratory established control limits of 86%.
[12]	The value for this analyte was determined from a secondary dilution of 1:100.
[13]	The value for this analyte was determined from a secondary dilution of 1:50.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor
SDG Number: 22003

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 46302
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601902968 601902984 601903016 601903032 601903040 601903057 601903073 601903149 601907520 601907538 601907546 601907553 601907561 601907579 601907587 601907595 601907603 601907611 601907629 601907637

METHOD BLANK: 601906373
Associated Pace Samples:
601903016 601903040

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601906373
Associated Pace Samples:
601903016 601903040

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	109		
Dibromofluoromethane (S)	%	105		
4-Bromofluorobenzene (S)	%	110		
1,2-Dichloroethane-d4 (S)	%	102		

METHOD BLANK: 601919434
Associated Pace Samples:
601902968 601902984 601903032

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601919434
Associated Pace Samples:
601902968 601902984 601903032

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	111		1
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	93		

METHOD BLANK: 601919442
Associated Pace Samples:
601903149 601907520 601907629 601907637

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	4.5	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601919442
Associated Pace Samples:

601903149 601907520 601907629 601907637

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	109		
Dibromofluoromethane (S)	%	103		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	97		

METHOD BLANK: 601919459
Associated Pace Samples:

601907538 601907546 601907553 601907561 601907579 601907587 601907595

Parameter	Units	Method Blank Result	PRL	Footnotes

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601919459
Associated Pace Samples:

601907538 601907546 601907553 601907561 601907579 601907587 601907595

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.7	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	104		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	96		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601919467
Associated Pace Samples:
601907603 601907611

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.2	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	100		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	95		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601919558
Associated Pace Samples:
601903057 601903073

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	115		1
Dibromofluoromethane (S)	%	110		
4-Bromofluorobenzene (S)	%	113		
1,2-Dichloroethane-d4 (S)	%	105		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 601912405 601912413

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/L	4.0	6.815	170	6.851	171	1	
Vinyl Chloride	ug/L	4.0	5.368	134	5.493	137	2	
Bromomethane	ug/L	4.0	3.293	82.3	3.439	86.0	4	
Chloroethane	ug/L	4.0	4.803	120	4.852	121	1	
Trichlorofluoromethane	ug/L	4.0	5.008	125	5.044	126	1	
Methylene Chloride	ug/L	4.0	5.717	143	5.951	149	4	
1,1-Dichloroethene	ug/L	4.0	5.942	149	5.899	147	1	2
trans-1,2-Dichloroethene	ug/L	4.0	4.991	125	5.079	127	2	
1,1-Dichloroethane	ug/L	4.0	4.657	116	4.711	118	2	
cis-1,2-Dichloroethene	ug/L	4.0	4.631	116	4.504	113	3	
Chloroform	ug/L	4.0	4.443	111	4.538	113	2	
1,1,1-Trichloroethane	ug/L	4.0	4.570	114	4.600	115	1	
Carbon Tetrachloride	ug/L	4.0	4.767	119	4.785	120	1	
Benzene	ug/L	4.0	4.469	112	4.458	111	1	
1,2-Dichloroethane	ug/L	4.0	4.293	107	4.355	109	2	
Trichloroethene	ug/L	4.0	5.259	131	4.534	113	15	3
1,2-Dichloropropane	ug/L	4.0	4.195	105	4.291	107	2	
Bromodichloromethane	ug/L	4.0	4.250	106	4.324	108	2	
Toluene	ug/L	4.0	4.403	110	4.547	114	4	
1,1,2-Trichloroethane	ug/L	4.0	4.027	101	4.096	102	1	
Tetrachloroethene	ug/L	4.0	4.621	116	4.369	109	6	
Dibromochloromethane	ug/L	4.0	4.409	110	4.464	112	2	
Chlorobenzene	ug/L	4.0	4.228	106	4.185	105	1	
Ethylbenzene	ug/L	4.0	3.951	98.8	4.008	100	1	
Bromoform	ug/L	4.0	4.094	102	4.226	106	4	
1,1,2,2-Tetrachloroethane	ug/L	4.0	3.909	97.7	4.079	102	4	
1,3-Dichlorobenzene	ug/L	4.0	4.027	101	4.061	102	1	
1,4-Dichlorobenzene	ug/L	4.0	4.195	105	4.193	105	0	
1,2-Dichlorobenzene	ug/L	4.0	4.154	104	4.217	105	1	
cis-1,3-Dichloropropene	ug/L	4.0	3.731	93.3	3.910	97.8	5	
trans-1,3-Dichloropropene	ug/L	4.0	3.730	93.2	3.724	93.1	0	
M&P-Xylene	ug/L	8.0	8.173	102	8.137	102	0	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	3.974	99.4	4.060	102	3	
Toluene-d8 (S)				103		103		
Dibromofluoromethane (S)				103		103		
4-Bromofluorobenzene (S)				101		100		
1,2-Dichloroethane-d4 (S)				97		99		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022003
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 110%.
[2]	The recovery exceeds laboratory established control limits of 146%.
[3]	The RPD exceeds laboratory established control limits of 14%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## ~~5/28/98~~ 5-29-98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6022003
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 31-6-20 -052998	1345	Water	60-1902968	3					X	X	
2	NIC-GPW-GPA 31-6-16 -052998	1355	Water	60-1902984	3					X	X	
3	NIC-GPW-GPA 31-5-20 -052998	1430	Water	60-1903016	3					X	X	
4	NIC-GPW-GPA 31-5-28 -052998	1440	Water	60-1903032	3					X	X	
5	NIC-GPW-GPA 31-9-20 -052998	1510	Water	60-1903040	3					X	X	
6	NIC-GPW-GPA 31-9-27 -052998	1520	Water	60-1903057	3					X	X	
7	NIC-GPW-GPA 31-7-20 -052998	1540	Water	60-1903023	3					X	X	
8	NIC-GPW-GPA 31-7-30 -052998	1550	Water	60-1903149	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard Holland	ASAP	5-29	1630

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-Ri.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## ~~5/28/98~~ 5-29-98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	602200 3
*Requested Due Date:	7 day TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml pur	REMARKS
1	~~NIC-GPW-GPA 31-8-22~~ -052998		Water							X	X	ND 5ml/L
2	NIC-GPW-GPA 31-8-23 -052998	1630	Water	60-190720	3					X	X	
3	NIC-GPW-GPA 31-8-35 -052998	1701	Water	60-190738	3					X	X	
4	NIC-GPW-GPA -052998		Water							X	X	
5	NIC-GPW-GPA -052998		Water							X	X	
6	NIC-GPW-GPA -052998		Water							X	X	
7	NIC-GPW-GPA -052998		Water							X	X	
8	NIC-GPW-GPA -052998		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Fed Ex	ACE	6/2/98	4:20
	ACE	[illegible]	6/3/98	845

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/1/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 6022003
*Requested Due Date: 7 day TAT
Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED	REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	8260 - 25 ml purge	
1	NIC-GPW-GP# 19-7-20 -060198	920	Water	60-19075?6	3					X	X	
2	NIC-GPW-GP# 19-7-21 -060198	930	Water	60-1907553	3					X	X	
3	NIC-GPW-GP# 19-8-22 -060198	1038	Water	60-1907521	3					X	X	
4	NIC-GPW-GP# 19-9-30 -060198	1050	Water	60-1907579	3					X	X	
5	NIC-GPW-GP# 19-6-20 -060198	1115	Water	60-1907587	3					X	X	
6	NIC-GPW-GP# 19-6-29 -060198	1125	Water	60-1907595	3					X	X	
7	NIC-GPW-GP# 19-6-29N -060198	1130	Water	60-1907603	3					X	X	
8	NIC-GPW-GP# 19-7-20M -060198	921	Water	60-1907611	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Tena Rum	ACE	6/2/98	4:20
	ACE	MStanley	6/3/98	8:43

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/2/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 60229813
*Requested Due Date: 7 day TAT
Sampler Signature:

	ITEM NO.	SAMPLE DESCRIPTION		TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED																REMARKS
							# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	8260 - 25 ml purge																
11	1	NIC-GPW-GP# 19-5-20	-060298	800	Water	60-190629	3					X	X																
12	2	NIC-GPW-GP# 19-5-29	-060298	815	Water	60-190630	3					X	X																
13	3	NIC-GPW-GP# 19-4-20	-060298	835	Water		3					X	X																
14	4	NIC-GPW-GP# 19-4-28	-060298	845	Water		3					X	X																
15	5	NIC-GPW-GP# 19-1-20	-060298	915 910	Water		3					X	X																Time 9:10
16	6	NIC-GPW-GP# 19-1-27	-060298	920	Water		3					X	X																
17	7	NIC-GPW-GP# 19-3-20	-060298	1000	Water		3					X	X																
18	8	NIC-GPW-GP# 19-3-28	-060298	1010	Water		3					X	X																

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	From Pace	ALE	6/2/98	4:20
	ALE	MShirley	6/3/98	8:43

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by TB
7/28/98

June 17, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on June 3, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 06/17/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor
SDG Number: 22038

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601907645	NIC-GPW-GP-19-4-20-060298	EPA 8260	46440		
601907652	NIC-GPW-GP-19-4-28-060298	EPA 8260	46440		
601907660	NIC-GPW-GP-19-1-20-060298	EPA 8260	46440		
601907678	NIC-GPW-GP-19-1-27-060298	EPA 8260	46440		
601907686	NIC-GPW-GP-19-3-20-060298	EPA 8260	46440		
601907694	NIC-GPW-GP-19-3-28-060299	EPA 8260	46440		
601907702	NIC-GPW-GPA-25-4-20-060298	EPA 8260	46440		
601907710	NIC-GPW-GPA-25-4-28-060298	EPA 8260	46440		
601907728	NIC-GPW-GPA-25-5-20-060298	EPA 8260	46440		
601907736	NIC-GPW-GPA-25-5-29-060298	EPA 8260	46440		
601907744	NIC-GPW-GPA-25-5-29Q1-060298	EPA 8260	46440		
601907751	NIC-GPW-GPA-28-6-20-060298	EPA 8260	46440		
601907769	NIC-GPW-GPA-28-6-29-060298	EPA 8260	46440		
601907777	NIC-GPW-GPA-6-3-20-060298	EPA 8260	46440		
601907785	NIC-GPW-GPA-6-3-38-060298	EPA 8260	46440		
601907793	NIC-GPW-GPA-19-2-19-060298	EPA 8260	46440		
601907801	NIC-GPW-GPA-19-2-30-060298	EPA 8260	46440		
601907819	NIC-GPW-GPA-23-1-18-060298	EPA 8260	46440		
601907827	NIC-GPW-GPA-23-1-32-060298	EPA 8260	46440		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98
PAGE: 1

5

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor
SDG Number: 22038

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

D+B

Pace Sample No: 601907645 #
Client Sample ID: NIC-GPW-GP-19-4-20-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/07/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/07/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/07/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/07/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/07/98	DJE	75-69-4	
Methylene Chloride	2.6	ug/L	1	06/07/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/07/98	DJE	75-35-4	
trans-1,2-Dichloroethene	2.7	ug/L	1	06/07/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/07/98	DJE	75-34-3	
cis-1,2-Dichloroethene	32	ug/L	1	06/07/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/07/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/07/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/07/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/07/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/07/98	DJE	107-06-2	
Trichloroethene	83	ug/L	5	06/07/98	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/L	1	06/07/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/07/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/07/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/07/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/07/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/07/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/07/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/07/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/07/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/07/98	DJE	79-34-5	

LAB B — B — CDM Q — UB — D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

22LB

Pace Sample No: 601907645 #
Client Sample ID: NIC-GPW-GP-19-4-20-060298
Date Collected: 06/02/98
Date Received: 06/03/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	06/07/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/07/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/07/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/07/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/07/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/07/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/07/98	DJE	95-47-6	
Toluene-d8 (S)	117	%		06/07/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	115	%		06/07/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	108	%		06/07/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%		06/07/98	DJE	17060-07-0	

LAB Q COM Q

S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98
PAGE: 3

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907652 #
Client Sample ID: NIC-GPW-GP-19-4-28-060298
Date Collected: 06/02/98
Date Received: 06/03/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/07/98	DJE	74-87-3	
Vinyl Chloride	14	ug/L	1	06/07/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/07/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/07/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/07/98	DJE	75-69-4	
Methylene Chloride	2.5	ug/L	1	06/07/98	DJE	75-09-2	1
1,1-Dichloroethene	9.7	ug/L	1	06/07/98	DJE	75-35-4	
trans-1,2-Dichloroethene	6.6	ug/L	1	06/07/98	DJE	156-60-5	
1,1-Dichloroethane	6.4	ug/L	1	06/07/98	DJE	75-34-3	
cis-1,2-Dichloroethene	100	ug/L	50	06/07/98	DJE	156-59-2	4
Chloroform	ND	ug/L	1	06/07/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/07/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/07/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/07/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/07/98	DJE	107-06-2	
Trichloroethene	360	ug/L	50	06/07/98	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/L	1	06/07/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/07/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/07/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/07/98	DJE	79-00-5	
Tetrachloroethene	1.0	ug/L	1	06/07/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/07/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/07/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/07/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/07/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/07/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/07/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/07/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/07/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/07/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/07/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/07/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/07/98	DJE	95-47-6	
Toluene-d8 (S)	115	%		06/07/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	112	%		06/07/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	110	%		06/07/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907652 *
Client Sample ID: NIC-GPW-GP-19-4-28-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		06/07/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601907660 #
Client Sample ID: NIC-GPW-GP-19-1-20-060298
Date Collected: 06/02/98
Date Received: 06/03/98
Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CAM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
Chloromethane	ND	ug/L	1	06/09/98	DJE	74-87-3			
Vinyl Chloride	1.0	ug/L	1	06/09/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/09/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/09/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/09/98	DJE	75-69-4			
Methylene Chloride	1.8	ug/L	1	06/09/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/09/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/09/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/09/98	DJE	75-34-3			
cis-1,2-Dichloroethene	13	ug/L	1	06/09/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/09/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/09/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/09/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/09/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/09/98	DJE	107-06-2			
Trichloroethene	46	ug/L	1	06/09/98	DJE	79-01-6	5	E	
1,2-Dichloropropane	ND	ug/L	1	06/09/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/09/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/09/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/09/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/09/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/09/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/09/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/09/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/09/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/09/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/09/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/09/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/09/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/09/98	DJE	95-47-6			
Toluene-d8 (S)	96	%		06/09/98	DJE	2037-26-5			
Dibromofluoromethane (S)	97	%		06/09/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	105	%		06/09/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

DUP

Pace Sample No: 601907660 #
Client Sample ID: NIC-GPW-GP-19-1-20-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		06/09/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98
PAGE: 7

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907678
Client Sample ID: NIC-GPW-GP-19-1-27-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3	
Vinyl Chloride	5.3	ug/L	1	06/10/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/10/98	DJE	75-69-4	
Methylene Chloride	1.6	ug/L	1	06/10/98	DJE	75-09-2	1
1,1-Dichloroethene	6.8	ug/L	1	06/10/98	DJE	75-35-4	
trans-1,2-Dichloroethene	3.8	ug/L	1	06/10/98	DJE	156-60-5	
1,1-Dichloroethane	3.0	ug/L	1	06/10/98	DJE	75-34-3	
cis-1,2-Dichloroethene	46	ug/L	25	06/10/98	DJE	156-59-2	6
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3	
1,1,1-Trichloroethane	1.1	ug/L	1	06/10/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2	
Trichloroethene	220	ug/L	25	06/10/98	DJE	79-01-6	6
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5	
Tetrachloroethene	1.0	ug/L	1	06/10/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6	
Toluene-d8 (S)	98	%		06/10/98	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		06/10/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/10/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

DJE

Pace Sample No: 601907678 #
Client Sample ID: NIC-GPW-GP-19-1-27-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98
PAGE: 9

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907686
Client Sample ID: NIC-GPW-GP-19-3-20-060298
Date Collected: 06/02/98
Date Received: 06/03/98
Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3	
Vinyl Chloride	8.4	ug/L	1	06/10/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/10/98	DJE	75-69-4	
Methylene Chloride	1.7	ug/L	1	06/10/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/10/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/10/98	DJE	156-60-5	
1,1-Dichloroethane	1.4	ug/L	1	06/10/98	DJE	75-34-3	
cis-1,2-Dichloroethene	31	ug/L	1	06/10/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/10/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2	
Trichloroethene	32	ug/L	1	06/10/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/10/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6	
Toluene-d8 (S)	96	%		06/10/98	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		06/10/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/10/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601907686
Client Sample ID: NIC-GPW-GP-19-3-20-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98
PAGE: 11

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601907694
Client Sample ID: NIC-GPW-GP-19-3-28-060299

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3			
Vinyl Chloride	7.6	ug/L	1	06/10/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/10/98	DJE	75-69-4			
Methylene Chloride	1.7	ug/L	1	06/10/98	DJE	75-09-2	1	B	VB
1,1-Dichloroethene	5.3	ug/L	1	06/10/98	DJE	75-35-4			
trans-1,2-Dichloroethene	5.3	ug/L	1	06/10/98	DJE	156-60-5			
1,1-Dichloroethane	2.9	ug/L	1	06/10/98	DJE	75-34-3			
cis-1,2-Dichloroethene	65	ug/L	25	06/10/98	DJE	156-59-2	6	D	
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/10/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2			
Trichloroethene	280	ug/L	25	06/10/98	DJE	79-01-6	6	D	
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5			
Tetrachloroethene	1.2	ug/L	1	06/10/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6			
Toluene-d8 (S)	98	%		06/10/98	DJE	2037-26-5			
Dibromofluoromethane (S)	100	%		06/10/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	103	%		06/10/98	DJE	460-00-4			

LAB Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

DdB

Pace Sample No: 601907694 #
Client Sample ID: NIC-GPW-GP-19-3-28-060299

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907702 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-4-20-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/09/98	DJE	74-87-3	
Vinyl Chloride	1.4	ug/L	1	06/09/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/09/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/09/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/09/98	DJE	75-69-4	
Methylene Chloride	1.5	ug/L	1	06/09/98	DJE	75-09-2	1
1,1-Dichloroethene	3.7	ug/L	1	06/09/98	DJE	75-35-4	
trans-1,2-Dichloroethene	4.2	ug/L	1	06/09/98	DJE	156-60-5	
1,1-Dichloroethane	2.0	ug/L	1	06/09/98	DJE	75-34-3	
cis-1,2-Dichloroethene	160	ug/L	25	06/09/98	DJE	156-59-2	6
Chloroform	ND	ug/L	1	06/09/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/09/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/09/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/09/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/09/98	DJE	107-06-2	
Trichloroethene	5.6	ug/L	1	06/09/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/09/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/09/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/09/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/09/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/09/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/09/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/09/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/09/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/09/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/09/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/09/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/09/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/09/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/09/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/09/98	DJE	95-47-6	
Toluene-d8 (S)	112	%		06/09/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	112	%		06/09/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/09/98	DJE	460-00-4	

LAB Q
CDM Q
B
UB
D
S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907702 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-4-20-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		06/09/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

9

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907710 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-4-28-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/11/98	DJE	74-87-3		Q	Q
Vinyl Chloride	3.7	ug/L	1	06/11/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/11/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/11/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/11/98	DJE	75-69-4			
Methylene Chloride	1.3	ug/L	1	06/11/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	5.4	ug/L	1	06/11/98	DJE	75-35-4			
trans-1,2-Dichloroethene	4.1	ug/L	1	06/11/98	DJE	156-60-5			
1,1-Dichloroethane	2.8	ug/L	1	06/11/98	DJE	75-34-3			
cis-1,2-Dichloroethene	310	ug/L	5	06/11/98	DJE	156-59-2	2,5	D,E	
Chloroform	ND	ug/L	1	06/11/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/11/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/11/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/11/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/11/98	DJE	107-06-2			
Trichloroethene	4.0	ug/L	1	06/11/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/11/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/11/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/11/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/11/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/11/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/11/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/11/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/11/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/11/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/11/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/11/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/11/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/11/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/11/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/11/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/11/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/11/98	DJE	95-47-6			
Toluene-d8 (S)	86	%		06/11/98	DJE	2037-26-5	7	S	
Dibromofluoromethane (S)	86	%		06/11/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	99	%		06/11/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907710 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-4-28-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	86	%		06/11/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907728 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-5-20-060298 Date Received: 06/03/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3	
Vinyl Chloride	1.7	ug/L	1	06/10/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/10/98	DJE	75-69-4	
Methylene Chloride	1.1	ug/L	1	06/10/98	DJE	75-09-2	1
1,1-Dichloroethene	2.5	ug/L	1	06/10/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.9	ug/L	1	06/10/98	DJE	156-60-5	
1,1-Dichloroethane	2.3	ug/L	1	06/10/98	DJE	75-34-3	
cis-1,2-Dichloroethene	38	ug/L	1	06/10/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/10/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2	
Trichloroethene	190	ug/L	5	06/10/98	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/10/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6	
Toluene-d8 (S)	118	%		06/10/98	DJE	2037-26-5	3
Dibromofluoromethane (S)	117	%		06/10/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	109	%		06/10/98	DJE	460-00-4	

LAB Q

B UB

D

S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907728 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-5-20-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907736 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-5-29-060298 Date Received: 06/03/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3	
Vinyl Chloride	3.3	ug/L	1	06/10/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/10/98	DJE	75-69-4	
Methylene Chloride	1.6	ug/L	1	06/10/98	DJE	75-09-2	1
1,1-Dichloroethene	6.5	ug/L	1	06/10/98	DJE	75-35-4	
trans-1,2-Dichloroethene	3.6	ug/L	1	06/10/98	DJE	156-60-5	
1,1-Dichloroethane	2.7	ug/L	1	06/10/98	DJE	75-34-3	
cis-1,2-Dichloroethene	58	ug/L	25	06/10/98	DJE	156-59-2	6
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3	
1,1,1-Trichloroethane	1.2	ug/L	1	06/10/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2	
Trichloroethene	270	ug/L	25	06/10/98	DJE	79-01-6	6
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5	
Tetrachloroethene	1.1	ug/L	1	06/10/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6	
Toluene-d8 (S)	99	%		06/10/98	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		06/10/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/10/98	DJE	460-00-4	

LAB Q
COM Q
B
UB
D
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907736 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-5-29-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907744 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-5-29Q1-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3			
Vinyl Chloride	3.4	ug/L	1	06/10/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/10/98	DJE	75-69-4			
Methylene Chloride	1.8	ug/L	1	06/10/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	6.6	ug/L	1	06/10/98	DJE	75-35-4			
trans-1,2-Dichloroethene	3.6	ug/L	1	06/10/98	DJE	156-60-5			
1,1-Dichloroethane	2.8	ug/L	1	06/10/98	DJE	75-34-3			
cis-1,2-Dichloroethene	50	ug/L	25	06/10/98	DJE	156-59-2	6	D	
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/10/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2			
Trichloroethene	300	ug/L	25	06/10/98	DJE	79-01-6	6	D	
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5			
Tetrachloroethene	1.2	ug/L	1	06/10/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6			
Toluene-d8 (S)	96	%		06/10/98	DJE	2037-26-5			
Dibromofluoromethane (S)	99	%		06/10/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	104	%		06/10/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907744 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-25-5-29Q1-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907751 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-28-6-20-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS -- VOA								LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3			
Vinyl Chloride	1.5	ug/L	1	06/10/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/10/98	DJE	75-69-4			
Methylene Chloride	1.8	ug/L	1	06/10/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	1.4	ug/L	1	06/10/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/10/98	DJE	156-60-5			
1,1-Dichloroethane	1.2	ug/L	1	06/10/98	DJE	75-34-3			
cis-1,2-Dichloroethene	84	ug/L	5	06/10/98	DJE	156-59-2	2	D	
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/10/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2			
Trichloroethene	4.0	ug/L	1	06/10/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/10/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6			
Toluene-d8 (S)	97	%		06/10/98	DJE	2037-26-5			
Dibromofluoromethane (S)	95	%		06/10/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	105	%		06/10/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907751 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-28-6-20-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	91	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907769 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-28-6-29-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3			
Vinyl Chloride	2.8	ug/L	1	06/10/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/10/98	DJE	75-69-4			
Methylene Chloride	1.8	ug/L	1	06/10/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	3.0	ug/L	1	06/10/98	DJE	75-35-4			
trans-1,2-Dichloroethene	1.9	ug/L	1	06/10/98	DJE	156-60-5			
1,1-Dichloroethane	2.3	ug/L	1	06/10/98	DJE	75-34-3			
cis-1,2-Dichloroethene	160	ug/L	5	06/10/98	DJE	156-59-2	2	D	
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/10/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2			
Trichloroethene	17	ug/L	1	06/10/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/10/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6			
Toluene-d8 (S)	97	%		06/10/98	DJE	2037-26-5			
Dibromofluoromethane (S)	95	%		06/10/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	105	%		06/10/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907769 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-28-6-29-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907777 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-3-20-060298 Date Received: 06/03/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/10/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/10/98	DJE	75-69-4			
Methylene Chloride	1.7	ug/L	1	06/10/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/10/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/10/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/10/98	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/L	1	06/10/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/10/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2			
Trichloroethene	ND	ug/L	1	06/10/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/10/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6			
Toluene-d8 (S)	93	%		06/10/98	DJE	2037-26-5			
Dibromofluoromethane (S)	93	%		06/10/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	102	%		06/10/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907777 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-3-20-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907785 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-3-38-060298 Date Received: 06/03/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	CDM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/10/98	DJE	74-87-3		Q	Q
Vinyl Chloride	ND	ug/L	1	06/10/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/10/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/10/98	DJE	75-00-3			
Trichlorofluoromethane	1.5	ug/L	1	06/10/98	DJE	75-69-4			
Methylene Chloride	1.6	ug/L	1	06/10/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/10/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/10/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/10/98	DJE	75-34-3			
cis-1,2-Dichloroethene	46	ug/L	25	06/10/98	DJE	156-59-2	6	D	
Chloroform	ND	ug/L	1	06/10/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/10/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/10/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/10/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/10/98	DJE	107-06-2			
Trichloroethene	250	ug/L	25	06/10/98	DJE	79-01-6	6	D	
1,2-Dichloropropane	ND	ug/L	1	06/10/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/10/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/10/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/10/98	DJE	79-00-5			
Tetrachloroethene	5.7	ug/L	1	06/10/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/10/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/10/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/10/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/10/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/10/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/10/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/10/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/10/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/10/98	DJE	95-47-6			
Toluene-d8 (S)	94	%		06/10/98	DJE	2037-26-5			
Dibromofluoromethane (S)	93	%		06/10/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	100	%		06/10/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907785 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-3-38-060298 Date Received: 06/03/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	91	%		06/10/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DLB

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907793 #
Client Sample ID: NIC-GPW-GPA-19-2-19-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CLIENT Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
Chloromethane	ND	ug/L	1	06/11/98	DJE	74-87-3			
Vinyl Chloride	30	ug/L	1	06/11/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/11/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/11/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/11/98	DJE	75-69-4			
Methylene Chloride	1.4	ug/L	1	06/11/98	DJE	75-09-2	1	B	VB
1,1-Dichloroethene	1.9	ug/L	1	06/11/98	DJE	75-35-4			
trans-1,2-Dichloroethene	2.0	ug/L	1	06/11/98	DJE	156-60-5			
1,1-Dichloroethane	1.5	ug/L	1	06/11/98	DJE	75-34-3			
cis-1,2-Dichloroethene	61	ug/L	5	06/11/98	DJE	156-59-2	2	D	
Chloroform	ND	ug/L	1	06/11/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/11/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/11/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/11/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/11/98	DJE	107-06-2			
Trichloroethene	140	ug/L	5	06/11/98	DJE	79-01-6	2	D	
1,2-Dichloropropane	ND	ug/L	1	06/11/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/11/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/11/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/11/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/11/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/11/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/11/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/11/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/11/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/11/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/11/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/11/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/11/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/11/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/11/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/11/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/11/98	DJE	95-47-6			
Toluene-d8 (S)	94	%		06/11/98	DJE	2037-26-5			
Dibromofluoromethane (S)	93	%		06/11/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	106	%		06/11/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DLB

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907793 #
Client Sample ID: NIC-GPW-GP~~A~~-19-2-19-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	91	%		06/11/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907801 #
Client Sample ID: NIC-GPW-GPX-19-2-30-060298
Date Collected: 06/02/98
Date Received: 06/03/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	7.1	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/12/98	DJE	75-09-2	
1,1-Dichloroethene	3.1	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	2.7	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	1.8	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	58	ug/L	5	06/12/98	DJE	156-59-2	2
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	240	ug/L	5	06/12/98	DJE	79-01-6	2,5
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	99	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/12/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

P26

Pace Sample No: 601907801 #
Client Sample ID: NIC-GPW-GP4-19-2-30-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98
PAGE: 35

D2B

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601907819 #
Client Sample ID: NIC-GPW-GP4-23-1-18-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/12/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	7.2	ug/L	1	06/12/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	22	ug/L	1	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	95	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		06/12/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

DUP B

Pace Sample No: 601907819 #
Client Sample ID: NIC-GPW-GP4-23-1-18-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

DUP

Pace Sample No: 601907827 #
Client Sample ID: NIC-GPW-GPX-23-1-32-060298

Date Collected: 06/02/98
Date Received: 06/03/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3		Q	Q
Vinyl Chloride	16	ug/L	1	06/12/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4			
Methylene Chloride	ND	ug/L	1	06/12/98	DJE	75-09-2			
1,1-Dichloroethene	16	ug/L	1	06/12/98	DJE	75-35-4			
trans-1,2-Dichloroethene	3.6	ug/L	1	06/12/98	DJE	156-60-5			
1,1-Dichloroethane	4.5	ug/L	1	06/12/98	DJE	75-34-3			
cis-1,2-Dichloroethene	70	ug/L	25	06/12/98	DJE	156-59-2	6	D	
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3			
1,1,1-Trichloroethane	1.9	ug/L	1	06/12/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2			
Trichloroethene	250	ug/L	25	06/12/98	DJE	79-01-6	6	D	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6			
Toluene-d8 (S)	95	%		06/12/98	DJE	2037-26-5			
Dibromofluoromethane (S)	100	%		06/12/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	101	%		06/12/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

WDB

Pace Sample No: 601907827 #
Client Sample ID: NIC-GPW-GPA-23-1-32-060298
Date Collected: 06/02/98
Date Received: 06/03/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Analyte is found in the associated blank as well as in the sample (CLP B-Flag).
[2]	The value for this analyte was determined from a secondary dilution of 1:5.
[3]	The recovery exceeds laboratory established control limits of 110%.
[4]	The value for this analyte was determined from a secondary dilution of 1:50.
[5]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[6]	The value for this analyte was determined from a secondary dilution of 1:25.
[7]	The recovery is below laboratory established control limits of 88%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor
SDG Number: 22038

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 46440
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601907645 601907652 601907660 601907678 601907686 601907694 601907702 601907710 601907728 601907736 601907744 601907751 601907769 601907777 601907785 601907793 601907801 601907819 601907827

METHOD BLANK: 601913692
Associated Pace Samples:
601907645 601907652

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	4.5	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601913692
Associated Pace Samples:
601907645 601907652

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	109		
Dibromofluoromethane (S)	%	103		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	97		

METHOD BLANK: 601922594
Associated Pace Samples:
601907660

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.2	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601922594
Associated Pace Samples:
601907660

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	100		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	95		

METHOD BLANK: 601922602
Associated Pace Samples:
601907678 601907686 601907694 601907702 601907710 601907728 601907736
601907744 601907751 601907769 601907777 601907785

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601922602
Associated Pace Samples:

601907678 601907686 601907694 601907702 601907710 601907728 601907736
601907744 601907751 601907769 601907777 601907785

Parameter	Units	Method Blank Result	PRL	Footnotes
Methylene Chloride	ug/L	1.9	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	94		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601922610
Associated Pace Samples:
601907793

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.7	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	99		
4-Bromofluorobenzene (S)	%	116		
1,2-Dichloroethane-d4 (S)	%	95		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601931355
Associated Pace Samples:

601907801 601907819 601907827

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	94		
4-Bromofluorobenzene (S)	%	96		
1,2-Dichloroethane-d4 (S)	%	88		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601913700 601913718

Parameter	Units	601907785	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0.7387	10	13.15	124	12.91	122	2	
Benzene	ug/L	0	10	10.44	104	10.33	103	1	
Trichloroethene	ug/L	252.5	10	308.8	563	332.1	796	34	1,1
Toluene	ug/L	0	10	10.68	107	10.60	106	1	
Chlorobenzene	ug/L	0	10	10.33	103	10.12	101	2	
Toluene-d8 (S)					94		94		
Dibromofluoromethane (S)					95		96		
4-Bromofluorobenzene (S)					104		102		
1,2-Dichloroethane-d4 (S)					97		95		

LABORATORY CONTROL SAMPLE: 601913726

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	5.839	146	
Vinyl Chloride	ug/L	4.0	5.491	137	
Bromomethane	ug/L	4.0	4.571	114	
Chloroethane	ug/L	4.0	4.798	120	
Trichlorofluoromethane	ug/L	4.0	5.149	129	
Methylene Chloride	ug/L	4.0	7.431	186	2
1,1-Dichloroethene	ug/L	4.0	6.061	152	3
trans-1,2-Dichloroethene	ug/L	4.0	5.106	128	
1,1-Dichloroethane	ug/L	4.0	4.778	119	
cis-1,2-Dichloroethene	ug/L	4.0	4.650	116	
Chloroform	ug/L	4.0	4.515	113	
1,1,1-Trichloroethane	ug/L	4.0	4.503	113	
Carbon Tetrachloride	ug/L	4.0	4.855	121	
Benzene	ug/L	4.0	4.576	114	
1,2-Dichloroethane	ug/L	4.0	4.335	108	
Trichloroethene	ug/L	4.0	4.858	121	
1,2-Dichloropropane	ug/L	4.0	4.349	109	
Bromodichloromethane	ug/L	4.0	4.424	111	
Toluene	ug/L	4.0	4.575	114	
1,1,2-Trichloroethane	ug/L	4.0	4.223	106	
Tetrachloroethene	ug/L	4.0	4.378	109	
Dibromochloromethane	ug/L	4.0	4.457	111	
Chlorobenzene	ug/L	4.0	4.210	105	
Ethylbenzene	ug/L	4.0	3.844	96.1	
Bromoform	ug/L	4.0	4.168	104	
1,1,2,2-Tetrachloroethane	ug/L	4.0	4.223	106	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601913726

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/L	4.0	3.845	96.1	
1,4-Dichlorobenzene	ug/L	4.0	3.920	98.0	
1,2-Dichlorobenzene	ug/L	4.0	4.129	103	
cis-1,3-Dichloropropene	ug/L	4.0	3.970	99.3	
trans-1,3-Dichloropropene	ug/L	4.0	3.730	93.3	
M&P-Xylene	ug/L	8.0	7.600	95.0	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	3.851	96.3	
Toluene-d8 (S)				105	
Dibromofluoromethane (S)				106	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				104	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022038
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	Due to high analyte concentration the matrix spike and/or matrix spike duplicate do not provide reliable recovery data.
[2]	The recovery exceeds laboratory established control limits of 180%.
[3]	The recovery exceeds laboratory established control limits of 146%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/2/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 6022038
*Requested Due Date: 7 day TAT
Sampler Signature:

	ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
11	1	NIC-GPW-GP# 19-5-20 -060298	820	Water	—	3					X	X	
12	2	NIC-GPW-GP# 19-5-29 -060298	815	Water	—	3					X	X	
13	3	NIC-GPW-GP# 19-4-20 -060298	835	Water	60-1907645	3					X	X	
14	4	NIC-GPW-GP# 19-4-28 -060298	845	Water	60-1907652	3					X	X	
15	5	NIC-GPW-GP# 19-1-20 -060298	910	Water	60-1907660	3					X	X	Time 9.10
16	6	NIC-GPW-GP# 19-1-27 -060298	9.20	Water	60-1907678	3					X	X	
17	7	NIC-GPW-GP# 19-3-20 -060298	1000	Water	60-1907685	3					X	X	
18	8	NIC-GPW-GP# 19-3-28 -060298	1010	Water	60-1907694	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	From Fed Ex	ALS	6/2/98	4:20
	ALS	MShelley	6/3/98	8:43

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/2/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 6022038
*Requested Due Date: 7 day TAT
Sampler Signature: Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	# OF CONT	PRESERVATIVES: Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 25-4-20 -060298	1140	Water	60-1907702	3					X	X	BTEX ODor Low Detect Solvents
2	NIC-GPW-GPA 25-4-28 -060298	1150	Water	60-1907710	3					X	X	BTEX ODor Low Detect Solvents.
3	NIC-GPW-GPA 25-5-20 -060298	1130	Water	60-1907728	3					X	X	
4	NIC-GPW-GPA 25-5-29 -060298	1140	Water	60-1907736	3					X	X	
5	NIC-GPW-GPA 25-5-29D1 -060298	1141	Water	60-1907744	3					X	X	
6	NIC-GPW-GPA -060298		Water							X	X	
7	NIC-GPW-GPA -060298		Water							X	X	FV
8	NIC-GPW-GPA -060298		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Fran Lewis	ALE	6/2/98	4:20
	ALE	MShirley	6/3/98	8:43

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/2/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	L020038
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

	ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml pur	REMARKS
24	1	NIC-GPW-GPA 28-6-20 -060298	1330	Water	Lo-190775	3					X	X	Low Detect Solvents Higher Blk Opt
25	2	NIC-GPW-GPA 28-6-29 -060298	1340	Water	Lo-190774	3					X	X	"
26	3	NIC-GPW-GPA 6-3-20 -060298	1430	Water	Lo-190777	3					X	X	
28	4	NIC-GPW-GPA 6-3-38 -060298	1440	Water	Lo-190785	6					X	X	MS/MSD
	5	NIC-GPW-GPA -060298		Water							X	X	
	6	NIC-GPW-GPA -060298		Water							X	X	
	7	NIC-GPW-GPA -060298		Water							X	X	FW
	8	NIC-GPW-GPA -060298		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	[signature]	ACE	6/2/98	4:20
	ACE	MShelley	6/3/98	8:43

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/2/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6022038
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GP# 19-2-19 -060298	1200	Water	60-1907723	3					X	X	19-2-19
2	NIC-GPW-GP# 19-2-30 -060298	1210	Water	60-1907831	3					X	X	
3	NIC-GPW-GP# 23-1-18 -060298	1535	Water	60-1907819	3					X	X	
4	NIC-GPW-GP# 23-1-32 -060298	1545	Water	60-1907827	3					X	X	
5	NIC-GPW-GP# -060298		Water							X	X	
6	NIC-GPW-GP# -060298		Water							X	X	
7	NIC-GPW-GP# -060298		Water							X	X	
8	NIC-GPW-GP# -060298		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	[signature]	ALS	6/2/98	4:20
	ALS	[signature]	6/3/98	8:43

06 19 98

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by TB
7/28/98

June 17, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on June 5, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 06/17/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor
SDG Number: 22105

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601912454	NIC-GPW-GPA 1-4-15 -060398	EPA 8260	46646		
601912488	NIC-GPW-GPA 1-4-36 -060398	EPA 8260	46646		
601912496	NIC-GPW-GPA 1-4-15M -060398	EPA 8260	46646		
601912504	NIC-GPW-GPA 1-6-19 -060398	EPA 8260	46646		
601912512	NIC-GPW-GPA 1-6-38 -060398	EPA 8260	46646		
601912520	NIC-GPW-GPA 6-5-20 -060398	EPA 8260	46646		
601912538	NIC-GPW-GPA 6-5-36 -060398	EPA 8260	46646		
601912546	NIC-GPW-GPA 6-5-36Q1-060398	EPA 8260	46646		
601912595	NIC-GPW-GP_ 53-3-15 -060398	EPA 8260	46646		
601912686	NIC-GPW-GP_ 53-3-36 -060398	EPA 8260	46646		
601912728	NIC-GPW-GP_ 53-2-18 -060398	EPA 8260	46646		
601912751	NIC-GPW-GP_ 53-2-36 -060398	EPA 8260	46646		
601912777	NIC-GPW-GP_ 53-2-36N-060398	EPA 8260	46646		
601912793	NIC-GPW-GP_ 53-1-18 -060398	EPA 8260	46646		
601912827	NIC-GPW-GP_ 53-1-36 -060398	EPA 8260	46646		
601912843	NIC-GPW-GPA 6-6-20 -060498	EPA 8260	46646		
601912868	NIC-GPW-GPA 6-6-36 -060498	EPA 8260	46646		
601912884	NIC-GPW-GPA 44-1-20 -060498	EPA 8260	46646		
601912900	NIC-GPW-GPA 44-1-34 -060498	EPA 8260	46646		
601912934	NIC-GPW-GPA 44-1-34Q1-060498	EPA 8260	46646		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor
SDG Number: 22105

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601912454 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-4-15 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/12/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912454 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-4-15 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	98	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		06/12/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912488 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-4-36 -060398 Date Received: 06/05/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	1.1	ug/L	1	06/12/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	1.8	ug/L	1	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	96	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/12/98	DJE	460-00-4	

1 B

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912488 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-4-36 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912496 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-4-15M -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	1.3	ug/L	1	06/12/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	1.9	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	96	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		06/12/98	DJE	460-00-4	

LAB C
CDM 6
B
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912496 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-4-15M -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912504 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-6-19 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	1.2	ug/L	1	06/12/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	92	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	95	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		06/12/98	DJE	460-00-4	

Lab Q CDM Q

1 B UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912504 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-6-19 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912512 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-6-38 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/13/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4	
Methylene Chloride	1.3	ug/L	1	06/13/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/13/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/13/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6	
Toluene-d8 (S)	105	%		06/13/98	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		06/13/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	108	%		06/13/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912512 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-6-38 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912520 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-5-20 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/13/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4	
Methylene Chloride	1.0	ug/L	1	06/13/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2	
Trichloroethene	2.0	ug/L	1	06/13/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/13/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6	
Toluene-d8 (S)	99	%		06/13/98	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		06/13/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		06/13/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912520 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-5-20 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

16

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912538 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-5-36 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/13/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/13/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/L	1	06/13/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3	
cis-1,2-Dichloroethene	39	ug/L	1	06/13/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2	
Trichloroethene	280	ug/L	5	06/13/98	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5	
Tetrachloroethene	2.2	ug/L	1	06/13/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6	
Toluene-d8 (S)	99	%		06/13/98	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		06/13/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		06/13/98	DJE	460-00-4	

LAB Q CJM Q

F

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912538 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-5-36 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912546 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-5-36Q1-060398 Date Received: 06/05/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/13/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/13/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/L	1	06/13/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3	
cis-1,2-Dichloroethene	45	ug/L	5	06/13/98	DJE	156-59-2	2
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2	
Trichloroethene	310	ug/L	5	06/13/98	DJE	79-01-6	2,3
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/13/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6	
Toluene-d8 (S)	95	%		06/13/98	DJE	2037-26-5	
Dibromofluoromethane (S)	95	%		06/13/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		06/13/98	DJE	460-00-4	

LAB Q

CDM Q

D

D E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912546 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-5-36Q1-060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912595 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#53-3-15 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/13/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/13/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/13/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/13/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6	
Toluene-d8 (S)	97	%		06/13/98	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		06/13/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/13/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912595
Client Sample ID: NIC-GPW-GP# 53-3-15 -060398
Date Collected: 06/03/98
Date Received: 06/05/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

D2B

Pace Sample No: 601912686 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#53-3-36 -060398 Date Received: 06/05/98

LAB Q COM Q

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/13/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4			
Methylene Chloride	1.9	ug/L	1	06/13/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2			
Trichloroethene	6.0	ug/L	1	06/13/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/13/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6			
Toluene-d8 (S)	98	%		06/13/98	DJE	2037-26-5			
Dibromofluoromethane (S)	99	%		06/13/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	101	%		06/13/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

D2B

Pace Sample No: 601912686 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#53-3-36 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601912728 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#53-2-18 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	0.99	ug/L	1	06/12/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	1.2	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	103	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		06/12/98	DJE	460-00-4	

Lab (2) CDM (1)

1 B UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

D2B

Pace Sample No: 601912728 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#53-2-18 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

DLB

Pace Sample No: 601912751 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP# 53-2-36 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	1.3	ug/L	1	06/12/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	2.0	ug/L	1	06/12/98	DJE	156-59-2	
Chloroform	2.7	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	24	ug/L	1	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	98	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		06/12/98	DJE	460-00-4	

LAB Q

CJM Q

B

UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

DUP

Pace Sample No: 601912751 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP4 53-2-36 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912777 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#53-2-36N-060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4			
Methylene Chloride	1.3	ug/L	1	06/12/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/12/98	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2			
Trichloroethene	ND	ug/L	1	06/12/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6			
Toluene-d8 (S)	103	%		06/12/98	DJE	2037-26-5			
Dibromofluoromethane (S)	107	%		06/12/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	111	%		06/12/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912777 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#53-2-36N-060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

528

Pace Sample No: 601912793 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP# 53-1-18 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/12/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	1.1	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	2.3	ug/L	1	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	103	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	106	%		06/12/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

D28

Pace Sample No: 601912793 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#53-1-18 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912827 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP# 53-1-36 -060398 Date Received: 06/05/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	5	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	5	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	5	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	5	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	5	06/12/98	DJE	75-69-4	
Methylene Chloride	9.1	ug/L	5	06/12/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	5	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	5	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	5	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	5	06/12/98	DJE	156-59-2	
Chloroform	ND	ug/L	5	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	5	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	5	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	5	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	5	06/12/98	DJE	107-06-2	
Trichloroethene	9.4	ug/L	5	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	5	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	5	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	5	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	5	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	5	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	5	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	5	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	5	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	5	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	5	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	5	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	5	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	5	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	6.5	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	5.5	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	100	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	~~505~~ 101	%		06/12/98	DJE	460-00-4	

LAB Q B
CDM Q UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601912827 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#53-1-36 -060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98
PAGE: 31

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912843 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-6-20 -060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/12/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/12/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/12/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/12/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/12/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/12/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/12/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/12/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/12/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/12/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/12/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/12/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/12/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/12/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/12/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/12/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/12/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/12/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/12/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/12/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/12/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/12/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/12/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/12/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/12/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/12/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/12/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/12/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/12/98	DJE	95-47-6	
Toluene-d8 (S)	102	%		06/12/98	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		06/12/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/12/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912843 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-6-20 -060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/12/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/17/98

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912868 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-6-36 -060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS -- VOA								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/13/98	DJE	74-87-3		
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4		
Methylene Chloride	1.3	ug/L	1	06/13/98	DJE	75-09-2		
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4		
trans-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-60-5		
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3		
cis-1,2-Dichloroethene	43	ug/L	1	06/13/98	DJE	156-59-2	3	E
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5		
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2		
Trichloroethene	180	ug/L	10	06/13/98	DJE	79-01-6	5	D
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4		
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5		
Tetrachloroethene	3.6	ug/L	1	06/13/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7		
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6		
Toluene-d8 (S)	99	%		06/13/98	DJE	2037-26-5		
Dibromofluoromethane (S)	103	%		06/13/98	DJE	1868-53-7		
4-Bromofluorobenzene (S)	102	%		06/13/98	DJE	460-00-4		

LAB Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912868 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-6-36 -060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912884 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 44-1-20 -060498 Date Received: 06/05/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.2	ug/L	1	06/13/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4	
Methylene Chloride	1.5	ug/L	1	06/13/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/13/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3	
cis-1,2-Dichloroethene	8.3	ug/L	1	06/13/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2	
Trichloroethene	23	ug/L	1	06/13/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5	
Tetrachloroethene	1.9	ug/L	1	06/13/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6	
Toluene-d8 (S)	98	%		06/13/98	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		06/13/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/13/98	DJE	460-00-4	

LAB Q — B — CDM Q — UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912884 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 44-1-20 -060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912900 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 44-1-34 -060498 Date Received: 06/05/98

GC/MS -- VOA

LAB Q COM Q

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/13/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4	
Methylene Chloride	1.2	ug/L	1	06/13/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/L	1	06/13/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3	
cis-1,2-Dichloroethene	53	ug/L	1	06/13/98	DJE	156-59-2	3 E
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2	
Trichloroethene	26	ug/L	1	06/13/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/13/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6	
Toluene-d8 (S)	102	%		06/13/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		06/13/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/13/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912900 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 44-1-34 -060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912934 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 44-1-34Q1-060498 Date Received: 06/05/98

GC/MS -- VOA

LAB Q COM Q

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/13/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/13/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/13/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/13/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/13/98	DJE	75-69-4	
Methylene Chloride	1.1	ug/L	1	06/13/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/13/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/L	1	06/13/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/13/98	DJE	75-34-3	
cis-1,2-Dichloroethene	50	ug/L	1	06/13/98	DJE	156-59-2	3 E
Chloroform	ND	ug/L	1	06/13/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/13/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/13/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/13/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/13/98	DJE	107-06-2	
Trichloroethene	22	ug/L	1	06/13/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/13/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/13/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/13/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/13/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/13/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/13/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/13/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/13/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/13/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/13/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/13/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/13/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/13/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/13/98	DJE	95-47-6	
Toluene-d8 (S)	96	%		06/13/98	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		06/13/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		06/13/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601912934 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 44-1-34Q1-060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		06/13/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Analyte is found in the associated blank as well as in the sample (CLP B-Flag).
[2]	The value for this analyte was determined from a secondary dilution of 1:5.
[3]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[4]	This sample was not analyzed at a lower dilution due to limited liquid sample volume.
[5]	The value for this analyte was determined from a secondary dilution of 1:10.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor
SDG Number: 22105

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 46646
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601912454 601912488 601912496 601912504 601912512 601912520 601912538 601912546 601912595 601912686 601912728 601912751 601912777 601912793 601912827 601912843 601912868 601912884 601912900 601912934

METHOD BLANK: 601922529
Associated Pace Samples:
601912454 601912728 601912751 601912777 601912793 601912827 601912843

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	0.58	1	1
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601922529
Associated Pace Samples:

601912454 601912728 601912751 601912777 601912793 601912827 601912843

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	94		
4-Bromofluorobenzene (S)	%	96		
1,2-Dichloroethane-d4 (S)	%	88		

METHOD BLANK: 601932668
Associated Pace Samples:

6019124B8 601912496 601912504 601912512 601912520 601912538 601912546
601912595 601912686

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.1	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601932668
Associated Pace Samples:

601912488 601912496 601912504 601912512 601912520 601912538 601912546
601912595 601912686

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	105		
1,2-Dichloroethane-d4 (S)	%	101		

METHOD BLANK: 601932676
Associated Pace Samples:

601912868 601912884 601912900 601912934

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601932676
Associated Pace Samples:

601912868 601912884 601912900 601912934

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	2.4	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	93		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601922537 601922545

Parameter	Units	601912686	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0	10	11.91	119	11.26	113	6	
Benzene	ug/L	0	10	10.09	101	9.994	99.9	1	
Trichloroethene	ug/L	6.045	10	15.90	98.6	17.08	110	11	
Toluene	ug/L	0	10	10.13	101	10.08	101	0	
Chlorobenzene	ug/L	0	10	9.648	96.5	9.651	96.5	0	
Toluene-d8 (S)					96		96		
Dibromofluoromethane (S)					99		98		
4-Bromofluorobenzene (S)					94		99		
1,2-Dichloroethane-d4 (S)					101		101		

LABORATORY CONTROL SAMPLE: 601922552

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.638	91.0	
Vinyl Chloride	ug/L	4.0	3.879	97.0	
Bromomethane	ug/L	4.0	2.426	60.6	
Chloroethane	ug/L	4.0	4.076	102	
Trichlorofluoromethane	ug/L	4.0	4.356	109	
Methylene Chloride	ug/L	4.0	6.244	156	
1,1-Dichloroethene	ug/L	4.0	5.023	126	
trans-1,2-Dichloroethene	ug/L	4.0	4.479	112	
1,1-Dichloroethane	ug/L	4.0	4.453	111	
cis-1,2-Dichloroethene	ug/L	4.0	4.142	104	
Chloroform	ug/L	4.0	4.268	107	
1,1,1-Trichloroethane	ug/L	4.0	4.485	112	
Carbon Tetrachloride	ug/L	4.0	4.531	113	
Benzene	ug/L	4.0	4.224	106	
1,2-Dichloroethane	ug/L	4.0	4.409	110	
Trichloroethene	ug/L	4.0	4.508	113	
1,2-Dichloropropane	ug/L	4.0	4.037	101	
Bromodichloromethane	ug/L	4.0	4.010	100	
Toluene	ug/L	4.0	4.252	106	
1,1,2-Trichloroethane	ug/L	4.0	3.787	94.7	
Tetrachloroethene	ug/L	4.0	4.083	102	
Dibromochloromethane	ug/L	4.0	3.974	99.3	
Chlorobenzene	ug/L	4.0	4.050	101	
Ethylbenzene	ug/L	4.0	4.115	103	
Bromoform	ug/L	4.0	3.593	89.8	
1,1,2,2-Tetrachloroethane	ug/L	4.0	3.676	91.9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601922552

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/L	4.0	3.599	90.0	
1,4-Dichlorobenzene	ug/L	4.0	3.880	97.0	
1,2-Dichlorobenzene	ug/L	4.0	4.198	105	
cis-1,3-Dichloropropene	ug/L	4.0	3.486	87.2	
trans-1,3-Dichloropropene	ug/L	4.0	3.152	78.8	2
M&P-Xylene	ug/L	8.0	7.742	96.8	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	4.150	104	
Toluene-d8 (S)				96	
Dibromofluoromethane (S)				99	
4-Bromofluorobenzene (S)				97	
1,2-Dichloroethane-d4 (S)				98	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022105
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	Detected but below the PRL; therefore, result is an estimated concentration (CLP J-Flag).
[2]	The recovery is below laboratory established control limits of 82%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee	Report To: Darren Brown	Lab Client No.:	
Address: 555 North Woodlawn, Bldg. 1, Ste. 215	Bill To: Darren Brown	Lab Project Manager: Tena Tiruneh	
Wichita, KS 67208	P.O.# / Billing Reference: 2395-20456-RI.TSK3	Lab Project No.:	6022105
Phone #: 316-691-9940	Project Name / No: Wichita NIC	*Requested Due Date: 7 day TAT	
Fax #: 316-691-9949	Sampled By (Print): Richard Holland	Sampler Signature:	Richard Holland
	Date Sampled: ## 6/3/98		

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED												REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		8260 - 25 ml pur												
1	NIC-GPW-GPA 1-4-15 -060398	920	Water		3					X		X												6019124 54
2	NIC-GPW-GPA 1-4-36 -060398	930	Water		3					X		X												6019124 88
3	NIC-GPW-GPA 1-4-15 A -060398	921	Water		3					X		X												6019124 96
4	NIC-GPW-GPA 1-6-19 -060398	1025	Water		3					X		X												6019125 04
5	NIC-GPW-GPA 1-6-38 -060398	1035	Water		3					X		X												6019125 12
6	NIC-GPW-GPA 6-5-20 -060398	1500	Water		3					X		X												6019125 20
7	NIC-GPW-GPA 6-5-36 -060398	1510	Water		3					X		X												6019125 38
8	NIC-GPW-GPA 6-5-36 A1 -060398	1510	Water		3					X		X												6019125 46

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ALC	6-4 1510	1510
	ALE	MSheeley	6/5/98	840

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/3/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

	ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge												REMARKS
9	1	NIC-GPW-GP# 53-3-15 -060398	1120	Water		3					X	X								6	06	19	1	2515	
11	2	NIC-GPW-GP# 53-3-36 -060398	1130	Water		6					X	X								6	01	19	12	6886	MS/MSD
12	3	NIC-GPW-GP# 53-2-18 -060398	1300	Water		3					X	X								6	01	19	12	728	Low Detect Solvents.
13	4	NIC-GPW-GP# 53-2-36 -060398	1310	Water		3					X	X								6	01	19	12	751	Low Detect Solvents + petroleum BOD.
14	5	NIC-GPW-GP# 53-2-36N -060398	1330	Water		3					X	X								6	01	19	12	777	Low Detect Solvents.
15	6	NIC-GPW-GP# 53-1-18 -060398	1345	Water		3					X	X								6	01	19	12	793	Low Detect Solvents
16	7	NIC-GPW-GP# 53-1-36 -060398	1400	Water		3					X	X								6	01	19	12	827	Low Detect Solvents
	8	NIC-GPW-GP# -060398		Water							X	X													

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ACE	6/4	1510
	ACE	MSheeley	6/5/98	840

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/4/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

	ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED 8260 - 25 ml run	REMARKS
17	1	NIC-GPW-GPA 6-6-20 -060498	900	Water		3					X	X	60191284 3
18	2	NIC-GPW-GPA 6-6-36 -060498	910	Water		3					X	X	60191286
19	3	NIC-GPW-GPA 44-1-20 -060498	1418	Water		3					X	X	60191288 4
20	4	NIC-GPW-GPA 44-1-34 -060498	1420	Water		3					X	X	60191290
21	5	NIC-GPW-GPA 44-1-34A -060498	1421	Water		3					X	X	60191293 4
	6	~~NIC-GPW-GPA 44-1-34A -060498~~	~~1430~~	Water		3					X	X	No Sample
	7	NIC-GPW-GPA -060498		Water							X	X	
	8	NIC-GPW-GPA -060498		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ACE	6/4	1510
	ACE	MACAnelling	6/5/98	840

06 26 98

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Received by TB
7/28/98

June 24, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received June 5, 1998 through June 6, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 06/24/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor
SDG Number: 22114

Pace Sample No Identifier	Client Sample Identifier		QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601913056	NIC-GPW-GPA 6-7-18	060398	EPA 8260	46725		
601913080	NIC-GPW-GPA 6-7-36	060398	EPA 8260	46725		
601913130	NIC-GPW-GPA 1-5-18	060298	EPA 8260	46725		
601913155	NIC-GPW-GPA 1-5-38	060298	EPA 8260	46725		
601913163	NIC-GPW-GP_ 50-6-20	060498	EPA 8260	46725		
601913189	NIC-GPW-GP_ 50-6-37	060498	EPA 8260	46725		
601913205	NIC-GPW-GP_ 18-7-18	060498	EPA 8260	46725		
601913221	NIC-GPW-GP_ 18-7-30	060498	EPA 8260	46725		
601913429	NIC-GPW-GP_ 18-6-18	060498	EPA 8260	46725		
601913445	NIC-GPW-GP_ 18-6-30	060498	EPA 8260	46725		
601913452	NIC-GPW-GP_ 18-5-18	060498	EPA 8260	46725		
601913478	NIC-GPW-GP_ 18-5-30	060498	EPA 8260	46725		
601915192	NIC-GPW-GP_ 35-3-36	-060598	EPA 8260	46725		
601915200	NIC-GPW-GP_ 48-1-16	-060598	EPA 8260	46725		
601915218	NIC-GPW-GP_ 48-1-32	-060598	EPA 8260	46725		
601915226	NIC-GPW-GP_ 48-1-16M	-060598	EPA 8260	46725		
601915234	NIC-GPW-GP_ 35-2-16	-060598	EPA 8260	46725		
601915242	NIC-GPW-GP_ 35-2-36	-060598	EPA 8260	46725		
601915259	NIC-GPW-GP_ 35-2-36N	-060598	EPA 8260	46725		
601915267	NIC-GPW-GP_ 48-5-18	-060598	EPA 8260	46725		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

13

DATE: 06/24/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor
SDG Number: 22114

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601913056 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-7-18 060398 Date Received: 06/05/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
Chloromethane	ND	ug/L	1	06/16/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/16/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/16/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/16/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/16/98	DJE	75-69-4			
Methylene Chloride	1.0	ug/L	1	06/16/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/16/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/16/98	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/16/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/16/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/16/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/16/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/16/98	DJE	107-06-2			
Trichloroethene	ND	ug/L	1	06/16/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/16/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/16/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/16/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/16/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/16/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/16/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/16/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/16/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/16/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/16/98	DJE	79-34-5			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913056 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-7-18 060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/16/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/16/98	DJE	95-47-6	
Toluene-d8 (S)	95	%		06/16/98	DJE	2037-26-5	
Dibromofluoromethane (S)	91	%		06/16/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		06/16/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	92	%		06/16/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

13

DATE: 06/24/98

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913080 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-7-36 060398 Date Received: 06/05/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/16/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/16/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/16/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/16/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/16/98	DJE	75-69-4	
Methylene Chloride	1.1	ug/L	1	06/16/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/16/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/16/98	DJE	75-34-3	
cis-1,2-Dichloroethene	2.4	ug/L	1	06/16/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/16/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/16/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/16/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/16/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/16/98	DJE	107-06-2	
Trichloroethene	15	ug/L	1	06/16/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/16/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/16/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/16/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/16/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/16/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/16/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/16/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/16/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/16/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/16/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/16/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/16/98	DJE	95-47-6	
Toluene-d8 (S)	96	%		06/16/98	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		06/16/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/16/98	DJE	460-00-4	

LAB Q
COM Q
B
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913080 Date Collected: 06/03/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 6-7-36 060398 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		06/16/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

14

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913130 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-5-18 060298 Date Received: 06/05/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/16/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/16/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/16/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/16/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/16/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/16/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/16/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/16/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/16/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/16/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/16/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/16/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/16/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/16/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/16/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/16/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/16/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/16/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/16/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/16/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/16/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/16/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/16/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/16/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/16/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/16/98	DJE	95-47-6	
Toluene-d8 (S)	94	%		06/16/98	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		06/16/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/16/98	DJE	460-00-4	

LMB
Q

CDM
Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913130 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-5-18 060298 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		06/16/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

14

DATE: 06/24/98

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913155 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-5-38 060298 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/16/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/16/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/16/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/16/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/16/98	DJE	75-69-4	
Methylene Chloride	1.0	ug/L	1	06/16/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/16/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/16/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/16/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/16/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/16/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/16/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/16/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/16/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/16/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/16/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/16/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/16/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/16/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/16/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/16/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/16/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/16/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/16/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/16/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/16/98	DJE	95-47-6	
Toluene-d8 (S)	97	%		06/16/98	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		06/16/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		06/16/98	DJE	460-00-4	

LAB Q
COM Q
B
VB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913155 Date Collected: 06/02/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA 1-5-38 060298 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		06/16/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

(19)

DATE: 06/24/98

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913163 CAM
Client Sample ID: NIC-GPW-GP#50-6-20 060498

Date Collected: 06/04/98
Date Received: 06/05/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/23/98	DJE	74-87-3	2
Vinyl Chloride	4.0	ug/L	1	06/23/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/23/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/23/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/23/98	DJE	75-69-4	
Methylene Chloride	1.5	ug/L	1	06/23/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/23/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/23/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/23/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/23/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/23/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/23/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/23/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/23/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/23/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/23/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/23/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/23/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/23/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/23/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/23/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/23/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/23/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/23/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/23/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/23/98	DJE	95-47-6	
Toluene-d8 (S)	90	%		06/23/98	DJE	2037-26-5	
Dibromofluoromethane (S)	91	%		06/23/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	109	%		06/23/98	DJE	460-00-4	

LABQ CDM Q JH B

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913163 FF CH
Client Sample ID: NIC-GPW-GP_50-6-20 060498

Date Collected: 06/04/98
Date Received: 06/05/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		06/23/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

12

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913189 # 24
Client Sample ID: NIC-GPW-GP 50-6-37 060498

Date Collected: 06/04/98
Date Received: 06/05/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/16/98	DJE	74-87-3	
Vinyl Chloride	6.8	ug/L	1	06/16/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/16/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/16/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/16/98	DJE	75-69-4	
Methylene Chloride	1.1	ug/L	1	06/16/98	DJE	75-09-2	1
1,1-Dichloroethene	1.3	ug/L	1	06/16/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/16/98	DJE	75-34-3	
cis-1,2-Dichloroethene	20	ug/L	1	06/16/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/16/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/16/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/16/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/16/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/16/98	DJE	107-06-2	
Trichloroethene	27	ug/L	1	06/16/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/16/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/16/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/16/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/16/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/16/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/16/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/16/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/16/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/16/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/16/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/16/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/16/98	DJE	95-47-6	
Toluene-d8 (S)	95	%		06/16/98	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		06/16/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	109	%		06/16/98	DJE	460-00-4	

LAB Q
CDM Q
1 B UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913189 # 011
Client Sample ID: NIC-GPW-GP_50-6-37 060498
Date Collected: 06/04/98
Date Received: 06/05/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		06/16/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913205 #4
Client Sample ID: NIC-GPW-GP-18-7-18 060498
Date Collected: 06/04/98
Date Received: 06/05/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/16/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/16/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/16/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/16/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/16/98	DJE	75-69-4	
Methylene Chloride	1.0	ug/L	1	06/16/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/16/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/16/98	DJE	75-34-3	
cis-1,2-Dichloroethene	1.2	ug/L	1	06/16/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/16/98	DJE	67-66-3	
1,1,1-Trichloroethane	2.6	ug/L	1	06/16/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/16/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/16/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/16/98	DJE	107-06-2	
Trichloroethene	2.9	ug/L	1	06/16/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/16/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/16/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/16/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/16/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/16/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/16/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/16/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/16/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/16/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/16/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/16/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/16/98	DJE	95-47-6	
Toluene-d8 (S)	97	%		06/16/98	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		06/16/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		06/16/98	DJE	460-00-4	

Footnotes: 1 B

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913205 # 011 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GP_ 18-7-18 060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		06/16/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913221 #a14 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GP18-7-30 060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/16/98	DJE	74-87-3			
Vinyl Chloride	6.5	ug/L	1	06/16/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/16/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/16/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/16/98	DJE	75-69-4			
Methylene Chloride	1.1	ug/L	1	06/16/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	2.7	ug/L	1	06/16/98	DJE	75-35-4			
trans-1,2-Dichloroethene	3.2	ug/L	1	06/16/98	DJE	156-60-5			
1,1-Dichloroethane	2.3	ug/L	1	06/16/98	DJE	75-34-3			
cis-1,2-Dichloroethene	71	ug/L	10	06/16/98	DJE	156-59-2	3	D	
Chloroform	ND	ug/L	1	06/16/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/16/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/16/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/16/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/16/98	DJE	107-06-2			
Trichloroethene	170	ug/L	10	06/16/98	DJE	79-01-6	3	D	
1,2-Dichloropropane	ND	ug/L	1	06/16/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/16/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/16/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/16/98	DJE	79-00-5			
Tetrachloroethene	1.7	ug/L	1	06/16/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/16/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/16/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/16/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/16/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/16/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/16/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/16/98	DJE	95-47-6			
Toluene-d8 (S)	99	%		06/16/98	DJE	2037-26-5			
Dibromofluoromethane (S)	99	%		06/16/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	108	%		06/16/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913221 #CO4 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-18-7-30 060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/16/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913429 #041 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GP 18-6-18 060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/16/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/16/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/16/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/16/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/16/98	DJE	75-69-4	
Methylene Chloride	1.0	ug/L	1	06/16/98	DJE	75-09-2	1
1,1-Dichloroethene	38	ug/L	1	06/16/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/16/98	DJE	156-60-5	
1,1-Dichloroethane	1.3	ug/L	1	06/16/98	DJE	75-34-3	
cis-1,2-Dichloroethene	8.9	ug/L	1	06/16/98	DJE	156-59-2	
Chloroform	9.9	ug/L	1	06/16/98	DJE	67-66-3	
1,1,1-Trichloroethane	100	ug/L	5	06/16/98	DJE	71-55-6	4
Carbon Tetrachloride	ND	ug/L	1	06/16/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/16/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/16/98	DJE	107-06-2	
Trichloroethene	50	ug/L	5	06/16/98	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/L	1	06/16/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/16/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/16/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/16/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/16/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/16/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/16/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/16/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/16/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/16/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/16/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/16/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/16/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/16/98	DJE	95-47-6	
Toluene-d8 (S)	98	%		06/16/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		06/16/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/16/98	DJE	460-00-4	

LAB Q B D D

CSM Q UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913429 #004 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-18-6-18 060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		06/16/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

13

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913445 #04
Client Sample ID: NIC-GPW-GP-18-6-30 060498
Date Collected: 06/04/98
Date Received: 06/05/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/17/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/17/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/17/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/17/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/17/98	DJE	75-69-4	
Methylene Chloride	2.0	ug/L	1	06/17/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/17/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/17/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/17/98	DJE	75-34-3	
cis-1,2-Dichloroethene	9.4	ug/L	1	06/17/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/17/98	DJE	67-66-3	
1,1,1-Trichloroethane	2.1	ug/L	1	06/17/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/17/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/17/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/17/98	DJE	107-06-2	
Trichloroethene	58	ug/L	1	06/17/98	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/L	1	06/17/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/17/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/17/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/17/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/17/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/17/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/17/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/17/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/17/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/17/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/17/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/17/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/17/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/17/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/17/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/17/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/17/98	DJE	95-47-6	
Toluene-d8 (S)	95	%		06/17/98	DJE	2037-26-5	
Dibromofluoromethane (S)	95	%		06/17/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	108	%		06/17/98	DJE	460-00-4	

LA3 Q
B
E
CDM Q
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913445 # 004
Client Sample ID: NIC-GPW-GP 18-6-30 060498
Date Collected: 06/04/98
Date Received: 06/05/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		06/17/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913452 #041 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GP_18-5-18 060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/17/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/17/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/17/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/17/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/17/98	DJE	75-69-4			
Methylene Chloride	2.4	ug/L	1	06/17/98	DJE	75-09-2	1	B	UB
1,1-Dichloroethene	33	ug/L	1	06/17/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/17/98	DJE	156-60-5			
1,1-Dichloroethane	12	ug/L	1	06/17/98	DJE	75-34-3			
cis-1,2-Dichloroethene	12	ug/L	1	06/17/98	DJE	156-59-2			
Chloroform	1.2	ug/L	1	06/17/98	DJE	67-66-3			
1,1,1-Trichloroethane	110	ug/L	10	06/17/98	DJE	71-55-6	3	D	
Carbon Tetrachloride	ND	ug/L	1	06/17/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/17/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/17/98	DJE	107-06-2			
Trichloroethene	180	ug/L	10	06/17/98	DJE	79-01-6	3	D	
1,2-Dichloropropane	ND	ug/L	1	06/17/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/17/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/17/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/17/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/17/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/17/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/17/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/17/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/17/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/17/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/17/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/17/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/17/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/17/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/17/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/17/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/17/98	DJE	95-47-6			
Toluene-d8 (S)	96	%		06/17/98	DJE	2037-26-5			
Dibromofluoromethane (S)	97	%		06/17/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	109	%		06/17/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913452 # 041 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GP_18-5-18 060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/17/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913478 # 004 Date Collected: 06/04/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-18-5-30 060498 Date Received: 06/05/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/18/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/18/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/18/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/18/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/18/98	DJE	75-69-4	
Methylene Chloride	1.6	ug/L	1	06/18/98	DJE	75-09-2	1
1,1-Dichloroethene	6.0	ug/L	1	06/18/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/18/98	DJE	156-60-5	
1,1-Dichloroethane	2.7	ug/L	1	06/18/98	DJE	75-34-3	
cis-1,2-Dichloroethene	10	ug/L	1	06/18/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/18/98	DJE	67-66-3	
1,1,1-Trichloroethane	12	ug/L	1	06/18/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/18/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/18/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/18/98	DJE	107-06-2	
Trichloroethene	39	ug/L	1	06/18/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/18/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/18/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/18/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/18/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/18/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/18/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/18/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/18/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/18/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/18/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/18/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/18/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/18/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/18/98	DJE	95-47-6	
Toluene-d8 (S)	108	%		06/18/98	DJE	2037-26-5	
Dibromofluoromethane (S)	109	%		06/18/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	116	%		06/18/98	DJE	460-00-4	6

LAO Q
CPM Q
B
UB
S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601913478 #04
Client Sample ID: NIC-GPW-GP 18-5-30 060498
Date Collected: 06/04/98
Date Received: 06/05/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		06/18/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915192 # 011 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-35-3-36 -060598 Date Received: 06/06/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	1.7	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	1.3	ug/L	1	06/19/98	DJE	75-09-2	1
1,1-Dichloroethene	52	ug/L	1	06/19/98	DJE	75-35-4	5
trans-1,2-Dichloroethene	15	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	10	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	240	ug/L	25	06/19/98	DJE	156-59-2	7
Chloroform	4.0	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	15	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	5.3	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	1.2	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	1.4	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	530	ug/L	25	06/19/98	DJE	79-01-6	7
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	100	%		06/19/98	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	112	%		06/19/98	DJE	460-00-4	

LAB Q

B E D D

VB

CJM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915192 #044 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP 35-3-36 -060598 Date Received: 06/06/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

14

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915200 #004 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-48-1-16 -060598 Date Received: 06/06/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	1.2	ug/L	1	06/19/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/19/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	1.1	ug/L	1	06/19/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	1.9	ug/L	1	06/19/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	103	%		06/19/98	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	113	%		06/19/98	DJE	460-00-4	

LAB Q B

CLIENT Q UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915200 #044
Client Sample ID: NIC-GPW-GP-48-1-16 -060598

Date Collected: 06/05/98
Date Received: 06/06/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915218 #004 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP_48-1-32 -060598 Date Received: 06/06/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	2.9	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	9.4	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	2.7	ug/L	1	06/19/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/19/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	2.8	ug/L	1	06/19/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	9.3	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/19/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	90	%		06/19/98	DJE	2037-26-5	
Dibromofluoromethane (S)	95	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		06/19/98	DJE	460-00-4	

LAB COM
Q Q
B UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915218 # CAH
Client Sample ID: NIC-GPW-GP_48-1-32 -060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

14

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915226 # CM
Client Sample ID: NIC-GPW-GP_48-1-16M -060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	1.3	ug/L	1	06/19/98	DJE	75-09-2	1 B
1,1-Dichloroethene	ND	ug/L	1	06/19/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/19/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	1.9	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	100	%		06/19/98	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	110	%		06/19/98	DJE	460-00-4	

LAB Q

DM Q

UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915226 # 044 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP_48-1-16M -060598 Date Received: 06/06/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915234 #011 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP_35-2-16 -060598 Date Received: 06/06/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	1.4	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/19/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	14	ug/L	1	06/19/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	61	ug/L	1	06/19/98	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	111	%		06/19/98	DJE	2037-26-5	8
Dibromofluoromethane (S)	118	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	119	%		06/19/98	DJE	460-00-4	6

LAB Q COM Q E S S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915234 # 011 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP_35-2-16 -060598 Date Received: 06/06/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	128	%		06/19/98	DJE	17060-07-0	9

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915242 # CH
Client Sample ID: NIC-GPW-GP-35-2-36 -060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/20/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	DJE	75-69-4	
Methylene Chloride	2.9	ug/L	1	06/20/98	DJE	75-09-2	1
1,1-Dichloroethene	ND	ug/L	1	06/20/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/20/98	DJE	75-34-3	
cis-1,2-Dichloroethene	3.0	ug/L	1	06/20/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/20/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	DJE	107-06-2	
Trichloroethene	37	ug/L	1	06/20/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/20/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	DJE	95-47-6	
Toluene-d8 (S)	96	%		06/20/98	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		06/20/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	106	%		06/20/98	DJE	460-00-4	

LAB Q
CDM Q
B
UG

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915242 # CUH
Client Sample ID: NIC-GPW-GP35-2-36 -060598

Date Collected: 06/05/98
Date Received: 06/06/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/20/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915259 # 044
Client Sample ID: NIC-GPW-GP[illegible]35-2-36N -060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/19/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/19/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	94	%		06/19/98	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		06/19/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915259 # CU1
Client Sample ID: NIC-GPW-GP-35-2-36N -060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915267 #011 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-48-5-18 -060598 Date Received: 06/06/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/19/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/19/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	96	%		06/19/98	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/19/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915267 #04
Client Sample ID: NIC-GPW-GP_48-5-18 -060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Analyte is found in the associated blank as well as in the sample (CLP B-Flag).
[2]	The original analysis had low internal standrd counts, so the data could not be used. The sample was reanalyzed outside holding time.
[3]	The value for this analyte was determined from a secondary dilution of 1:10.
[4]	The value for this analyte was determined from a secondary dilution of 1:5.
[5]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[6]	The recovery exceeds laboratory established control limits of 115%.
[7]	The value for this analyte was determined from a secondary dilution of 1:25.
[8]	The recovery exceeds laboratory established control limits of 110%.
[9]	The recovery exceeds laboratory established control limits of 120%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor
SDG Number: 22114

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 46725
Analysis Method: EPA 8260
QC Batch Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601913056 601913080 601913130 601913155 601913163 601913189 601913205 601913221 601913429 601913445 601913452 601913478 601915192 601915200 601915218 601915226 601915234 601915242 601915259 601915267

METHOD BLANK: 601926678
Associated Pace Samples:
601913056 601913080 601913130 601913155 601913189 601913205 601913221 601913429

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	2.0	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 601926678
Associated Pace Samples:

601913056 601913080 601913130 601913155 601913189 601913205 601913221 601913429

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	105		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	111		
1,2-Dichloroethane-d4 (S)	%	100		

METHOD BLANK: 601944051
Associated Pace Samples:

601913445 601913452

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	2.9	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 601944051
Associated Pace Samples:

601913445 601913452

Parameter	Units	Method Blank Result	PRL	Footnotes
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	94		
Dibromofluoromethane (S)	%	103		
4-Bromofluorobenzene (S)	%	121		1
1,2-Dichloroethane-d4 (S)	%	110		

METHOD BLANK: 601944069
Associated Pace Samples:

601913478

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 601944069
Associated Pace Samples:

601913478

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	0.55	1	2
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	95		
4-Bromofluorobenzene (S)	%	108		
1,2-Dichloroethane-d4 (S)	%	99		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 601944077
Associated Pace Samples: 601915192 601915200 601915218 601915226 601915234 601915259 601915267

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	0.71	1	2
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	107		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	112		
1,2-Dichloroethane-d4 (S)	%	114		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 601944168
Associated Pace Samples:
601915242

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	0.66	1	2
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	111		
1,2-Dichloroethane-d4 (S)	%	109		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 601945777
Associated Pace Samples:

601913163

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.3	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	107		
Dibromofluoromethane (S)	%	105		
4-Bromofluorobenzene (S)	%	120		1
1,2-Dichloroethane-d4 (S)	%	117		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601926686 601926694

Parameter	Units	601913130	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0	10	11.12	111	11.16	112	0	
Benzene	ug/L	0	10	10.27	103	10.36	104	1	
Trichloroethene	ug/L	0	10	10.23	102	10.33	103	1	
Toluene	ug/L	0	10	9.951	99.5	10.17	102	2	
Chlorobenzene	ug/L	0	10	9.768	97.7	9.982	99.8	2	
Toluene-d8 (S)					92		92		
Dibromofluoromethane (S)					103		102		
4-Bromofluorobenzene (S)					104		106		
1,2-Dichloroethane-d4 (S)					111		110		

LABORATORY CONTROL SAMPLE: 601926702

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.320	83.0	
Vinyl Chloride	ug/L	4.0	3.367	84.2	
Bromomethane	ug/L	4.0	3.358	84.0	
Chloroethane	ug/L	4.0	3.554	88.8	
Trichlorofluoromethane	ug/L	4.0	3.972	99.3	
Methylene Chloride	ug/L	4.0	7.243	181	3
1,1-Dichloroethene	ug/L	4.0	4.864	122	
trans-1,2-Dichloroethene	ug/L	4.0	4.430	111	
1,1-Dichloroethane	ug/L	4.0	4.328	108	
cis-1,2-Dichloroethene	ug/L	4.0	5.809	145	4
Chloroform	ug/L	4.0	4.472	112	
1,1,1-Trichloroethane	ug/L	4.0	4.275	107	
Carbon Tetrachloride	ug/L	4.0	4.308	108	
Benzene	ug/L	4.0	4.349	109	
1,2-Dichloroethane	ug/L	4.0	4.922	123	
Trichloroethene	ug/L	4.0	5.422	136	5
1,2-Dichloropropane	ug/L	4.0	4.221	106	
Bromodichloromethane	ug/L	4.0	4.436	111	
Toluene	ug/L	4.0	4.202	105	
1,1,2-Trichloroethane	ug/L	4.0	4.107	103	
Tetrachloroethene	ug/L	4.0	3.934	98.4	
Dibromochloromethane	ug/L	4.0	4.365	109	
Chlorobenzene	ug/L	4.0	4.079	102	
Ethylbenzene	ug/L	4.0	4.143	104	
Bromoform	ug/L	4.0	3.802	95.1	
1,1,2,2-Tetrachloroethane	ug/L	4.0	3.885	97.1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

LABORATORY CONTROL SAMPLE: 601926702

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/L	4.0	3.710	92.8	
1,4-Dichlorobenzene	ug/L	4.0	3.814	95.4	
1,2-Dichlorobenzene	ug/L	4.0	4.211	105	
cis-1,3-Dichloropropene	ug/L	4.0	3.920	98.0	
trans-1,3-Dichloropropene	ug/L	4.0	3.447	86.2	
M&P-Xylene	ug/L	8.0	7.938	99.2	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	4.238	106	
Toluene-d8 (S)				94	
Dibromofluoromethane (S)				101	
4-Bromofluorobenzene (S)				109	
1,2-Dichloroethane-d4 (S)				108	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Project Number: 6022114
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 115%.
[2]	Detected but below the PRL; therefore, result is an estimated concentration (CLP J-Flag).
[3]	The recovery exceeds laboratory established control limits of 180%.
[4]	The recovery exceeds laboratory established control limits of 126%.
[5]	The recovery exceeds laboratory established control limits of 132%.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/3/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	60221 14
*Requested Due Date:	7 day TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION		TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 6-7-18	-060398	1440	Water		3					X	X	60 1912 056
2	NIC-GPW-GPA 6-7-36	-060398	1450	Water		3					X	X	60 1913 060
3	NIC-GPW-GPA	-060398		Water							X	X	
4	NIC-GPW-GPA	-060398		Water							X	X	
5	NIC-GPW-GPA	-060398		Water							X	X	
6	NIC-GPW-GPA	-060398		Water							X	X	
7	NIC-GPW-GPA	-060398		Water							X	X	
8	NIC-GPW-GPA	-060398		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ACE	6-4	1510
	ACE	MStarling	6/5/98	840

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/2/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 6022114
*Requested Due Date: 7 day TAT
Sampler Signature: R. Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 1-5-18 -060298	1120	Water		3					X	X	6019 13130
2	NIC-GPW-GPA 1-5-38 -060298	1650	Water		3					X	X	6019 13155
3	NIC-GPW-GPA -060298		Water							X	X	
4	NIC-GPW-GPA -060298		Water							X	X	
5	NIC-GPW-GPA -060298		Water							X	X	
6	NIC-GPW-GPA -060298		Water							X	X	
7	NIC-GPW-GPA -060298		Water							X	X	
8	NIC-GPW-GPA -060298		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	R. Holland	ACE	6-4	1510
	ACE	MSherling	6/8/98	840

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/4/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	60022114
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

	ITEM NO.	SAMPLE DESCRIPTION		TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED 8260 - 25 ml purge		REMARKS
24	1	NIC-GPW-GP# 50-6-20	-060498	1005	Water		3					X	X		60191363
27	2	NIC-GPW-GP# 50-6-37	-060498	1015	Water		3					X	X		60191389
28	3	NIC-GPW-GP# 18-7-18	-060498	1100	Water		3					X	X		60191205
29	4	NIC-GPW-GP# 18-7-30	-060498	1110	Water		3					X	X		60191221
30	5	NIC-GPW-GP# 18-6-18	-060498	1215	Water		3					X	X		60191229
31	6	NIC-GPW-GP# 18-6-30	-060498	1230	Water		3					X	X		60191495
32	7	NIC-GPW-GP# 18-5-18	-060498	1305	Water		3					X	X		60191452
33	8	NIC-GPW-GP# 18-5-30	-060498	1315	Water		3					X	X		60191478

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ALE	6-4	1510
	ALE	AMSterling	6/5/98	840

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/5/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.:
*Requested Due Date: 7 day TAT
Sampler Signature: Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H_2SO_4	HNO_3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GP# 35-3-36 -060598	1152	Water		6					X	X	MS/MSD
2	NIC-GPW-GP# 48-1-16 -060598	1300	Water		3					X	X	
3	NIC-GPW-GP# 48-1-32 -060598	1316	Water		3					X	X	Low Detect Schedule
4	NIC-GPW-GP# 48-2-16M -060598	846	Water		3					X	X	
5	NIC-GPW-GP# 35-2-16 -060598	1355	Water		3					X	X	
6	NIC-GPW-GP# 35-2-36 -060598	1415	Water		3					X	X	
7	NIC-GPW-GP# 35-2-36M -060598	1420	Water		3					X	X	
8	NIC-GPW-GP# 48-5-16 -060598	1450	Water		3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard Holland	ASAP	6-5-98	1700
	ASAP	MCKelley	6/6/98	1010

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by
TB 7/28/98

June 25, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received June 6, 1998 through June 10, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor
SDG Number: 22153

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601915622	NIC-GPW-GP-48-2-16-060598	EPA 8260	46861		
601915630	NIC-GPW-GP-48-2-36-060598	EPA 8260	46861		
601915648	NIC-GPW-GP-48-2-36Q1-060598	EPA 8260	46861		
601915655	NIC-GPW-GP-48-3-16-060598	EPA 8260	46861		
601915671	NIC-GPW-GP-48-3-36-060598	EPA 8260	46861		
601915689	NIC-GPW-GP-48-4-18-060598	EPA 8260	46861		
601915697	NIC-GPW-GP-48-4-36-060598	EPA 8260	46861		
601915705	NIC-GPW-GP-35-3-25-060598	EPA 8260	46861		
601915713	NIC-GPW-GP-48-5-36-060598	EPA 8260	46861		
601919947	NIC-GPW-GP-48-6-18-060598	EPA 8260	46861		
601919954	NIC-GPW-GP-48-6-36-060598	EPA 8260	46861		
601919962	NIC-GPW-GP-48-7-18-060598	EPA 8260	46861		
601919970	NIC-GPW-GP-48-7-36-060598	EPA 8260	46861		
601919988	NIC-GPW-GP-35-1-16-060898	EPA 8260	46861		
601919996	NIC-GPW-GP-35-1-36-060898	EPA 8260	46861		
601920002	NIC-GPW-GP-34-7-18-060898	EPA 8260	46861		
601920010	NIC-GPW-GP-35-1-16M-060898	EPA 8260	46861		
601920028	NIC-GPW-GP-34-7-36-~~060598~~ 060898	EPA 8260	46861		
601920036	NIC-GPW-GP-34-7-36Q1-060898	EPA 8260	46861		
601920044	NIC-GPW-GP-34-8-18-~~060598~~ 060898	EPA 8260	46861		

D28

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor
SDG Number: 22153

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601915622 DJB
Client Sample ID: NIC-GPW-GP-48-2-16-060598

Date Collected: 06/05/98
Date Received: 06/06/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/19/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/19/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915622 # 028 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-48-2-16-060598 Date Received: 06/06/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	101	%		06/19/98	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	111	%		06/19/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	118	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915630 # DJB Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-48-2-36-060598 Date Received: 06/06/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	8.2	ug/L	1	06/18/98	DJE	74-87-3	
Vinyl Chloride	40	ug/L	1	06/18/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/18/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/18/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/18/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/18/98	DJE	75-09-2	
1,1-Dichloroethene	2.3	ug/L	1	06/18/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/18/98	DJE	156-60-5	
1,1-Dichloroethane	3.6	ug/L	1	06/18/98	DJE	75-34-3	
cis-1,2-Dichloroethene	25	ug/L	1	06/18/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/18/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/18/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/18/98	DJE	56-23-5	
Benzene	140	ug/L	5	06/18/98	DJE	71-43-2	1 D
1,2-Dichloroethane	ND	ug/L	1	06/18/98	DJE	107-06-2	
Trichloroethene	53	ug/L	5	06/18/98	DJE	79-01-6	1 D
1,2-Dichloropropane	ND	ug/L	1	06/18/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/18/98	DJE	75-27-4	
Toluene	1.2	ug/L	1	06/18/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/18/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/18/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/18/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/18/98	DJE	108-90-7	
Ethylbenzene	2.4	ug/L	1	06/18/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/18/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/18/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/18/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/18/98	DJE	10061-02-6	
M&P-Xylene	1.4	ug/L	1.3	06/18/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/18/98	DJE	95-47-6	
Toluene-d8 (S)	62	%		06/18/98	DJE	2037-26-5	2 S
Dibromofluoromethane (S)	64	%		06/18/98	DJE	1868-53-7	3 S
4-Bromofluorobenzene (S)	78	%		06/18/98	DJE	460-00-4	3 S

LAB Q

COM Q

13

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915630 # D36
Client Sample ID: NIC-GPW-GP-48-2-36-060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	90	%		06/18/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

13

DATE: 06/25/98

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915648 # DUB
Client Sample ID: NIC-GPW-GP-48-2-36Q1-060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS -- VOA								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	6.3	ug/L	1	06/18/98	DJE	74-87-3		
Vinyl Chloride	35	ug/L	1	06/18/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	06/18/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	06/18/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/18/98	DJE	75-69-4		
Methylene Chloride	ND	ug/L	1	06/18/98	DJE	75-09-2		
1,1-Dichloroethene	2.0	ug/L	1	06/18/98	DJE	75-35-4		
trans-1,2-Dichloroethene	ND	ug/L	1	06/18/98	DJE	156-60-5		
1,1-Dichloroethane	3.2	ug/L	1	06/18/98	DJE	75-34-3		
cis-1,2-Dichloroethene	22	ug/L	1	06/18/98	DJE	156-59-2		
Chloroform	ND	ug/L	1	06/18/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/18/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/18/98	DJE	56-23-5		
Benzene	140	ug/L	5	06/18/98	DJE	71-43-2	1	D
1,2-Dichloroethane	ND	ug/L	1	06/18/98	DJE	107-06-2		
Trichloroethene	56	ug/L	5	06/18/98	DJE	79-01-6	1	D
1,2-Dichloropropane	ND	ug/L	1	06/18/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/18/98	DJE	75-27-4		
Toluene	1.1	ug/L	1	06/18/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/18/98	DJE	79-00-5		
Tetrachloroethene	ND	ug/L	1	06/18/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/18/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/18/98	DJE	108-90-7		
Ethylbenzene	2.1	ug/L	1	06/18/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	06/18/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/18/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/18/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/18/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/18/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/18/98	DJE	95-47-6		
Toluene-d8 (S)	80	%		06/18/98	DJE	2037-26-5	2	S
Dibromofluoromethane (S)	84	%		06/18/98	DJE	1868-53-7	3	S
4-Bromofluorobenzene (S)	108	%		06/18/98	DJE	460-00-4		

LAB Q

QDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915648 # D
Client Sample ID: NIC-GPW-GP-48-2-36Q1-060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		06/18/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

13

DATE: 06/25/98

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915655 #2B
Client Sample ID: NIC-GPW-GP#48-3-16-060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/18/98	DJE	74-87-3			
Vinyl Chloride	1.9	ug/L	1	06/18/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/18/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/18/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/18/98	DJE	75-69-4			
Methylene Chloride	2.8	ug/L	1	06/1B/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	39	ug/L	1	06/18/98	DJE	75-35-4			
trans-1,2-Dichloroethene	38	ug/L	1	06/18/98	DJE	156-60-5			
1,1-Dichloroethane	14	ug/L	1	06/18/98	DJE	75-34-3			
cis-1,2-Dichloroethene	360	ug/L	25	06/18/98	DJE	156-59-2	5	D	
Chloroform	ND	ug/L	1	06/18/98	DJE	67-66-3			
1,1,1-Trichloroethane	7.6	ug/L	1	06/18/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/18/98	DJE	56-23-5			
Benzene	2.2	ug/L	1	06/18/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/18/98	DJE	107-06-2			
Trichloroethene	360	ug/L	25	06/18/98	DJE	79-01-6	5	D	
1,2-Dichloropropane	ND	ug/L	1	06/18/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/18/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/18/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/18/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/18/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/18/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/18/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/18/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/18/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/18/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/18/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/18/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/18/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/18/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/18/98	DJE	95-47-6			
Toluene-d8 (S)	95	%		06/18/98	DJE	2037-26-5			
Dibromofluoromethane (S)	97	%		06/18/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	105	%		06/18/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601915655 #
Client Sample ID: NIC-GPW-GP-48-3-16-060598

Date Collected: 06/05/98
Date Received: 06/06/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		06/18/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

14

DATE: 06/25/98

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DLB

Pace Sample No: 601915671 #
Client Sample ID: NIC-GPW-GP-48-3-36-060598

Date Collected: 06/05/98
Date Received: 06/06/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3		LAB Q
Vinyl Chloride	2.0	ug/L	1	06/19/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4		
Methylene Chloride	1.0	ug/L	1	06/19/98	DJE	75-09-2	4	B
1,1-Dichloroethene	45	ug/L	25	06/19/98	DJE	75-35-4	5	D
trans-1,2-Dichloroethene	11	ug/L	1	06/19/98	DJE	156-60-5		
1,1-Dichloroethane	11	ug/L	1	06/19/98	DJE	75-34-3		
cis-1,2-Dichloroethene	200	ug/L	25	06/19/98	DJE	156-59-2	5	D
Chloroform	4.0	ug/L	1	06/19/98	DJE	67-66-3		
1,1,1-Trichloroethane	15	ug/L	1	06/19/98	DJE	71-55-6		
Carbon Tetrachloride	5.8	ug/L	1	06/19/98	DJE	56-23-5		
Benzene	1.4	ug/L	1	06/19/98	DJE	71-43-2		
1,2-Dichloroethane	1.6	ug/L	1	06/19/98	DJE	107-06-2		
Trichloroethene	590	ug/L	25	06/19/98	DJE	79-01-6	5	D
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4		
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5		
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7		
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6		
Toluene-d8 (S)	101	%		06/19/98	DJE	2037-26-5		
Dibromofluoromethane (S)	105	%		06/19/98	DJE	1868-53-7		
4-Bromofluorobenzene (S)	109	%		06/19/98	DJE	460-00-4		

CDM Q

UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

5 of 13

Pace Sample No: 601915671 #
Client Sample ID: NIC-GPW-GP-48-3-36-060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915689
Client Sample ID: NIC-GPW-GP-48-4-18-060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/19/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	3.2	ug/L	1	06/19/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	12	ug/L	1	06/19/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	100	%		06/19/98	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	109	%		06/19/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915689 # 22B
Client Sample ID: NIC-GPW-GP-48-4-18-060598

Date Collected: 06/05/98
Date Received: 06/06/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915697 # 022B
Client Sample ID: NIC-GPW-GP-48-4-36-060598

Date Collected: 06/05/98
Date Received: 06/06/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	1.8	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	5.5	ug/L	1	06/19/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	56	ug/L	1	06/19/98	GPO	79-01-6	6
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	96	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	94	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	94	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DLB

Pace Sample No: 601915697 #
Client Sample ID: NIC-GPW-GP-48-4-36-060598

Date Collected: 06/05/98
Date Received: 06/06/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98
PAGE: 15

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915705 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#35-3-25-060598 Date Received: 06/06/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	1.9	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	12	ug/L	1	06/19/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	41	ug/L	1	06/19/98	GPO	79-01-6	6
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	94	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	110	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	96	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915705 #
Client Sample ID: NIC-GPW-GP-35-3-25-060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915713
Client Sample ID: NIC-GPW-GP-48-5-36-060598
Date Collected: 06/05/98
Date Received: 06/06/98
Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	52	ug/L	1	06/19/98	GPO	75-01-4	6
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	11	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	1.9	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	5.7	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	100	ug/L	10	06/19/98	GPO	156-59-2	7
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	2.2	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	140	ug/L	10	06/19/98	GPO	79-01-6	7
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	1.7	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	110	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	102	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	96	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601915713 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#48-5-36-060598 Date Received: 06/06/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98
PAGE: 19

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601919947
Client Sample ID: NIC-GPW-GP#48-6-18-060598
Date Collected: 06/05/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	13	ug/L	1	06/19/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	10	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	2.5	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	5.8	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	50	ug/L	5	06/19/98	GPO	156-59-2	1
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	1.0	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	140	ug/L	5	06/19/98	GPO	79-01-6	1
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	95	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	100	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	91	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

D2B

Pace Sample No: 601919947 #
Client Sample ID: NIC-GPW-GP-48-6-18-060598

Date Collected: 06/05/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98
PAGE: 21

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601919954
Client Sample ID: NIC-GPW-GP-48-6-36-060598
Date Collected: 06/05/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	60	ug/L	25	06/19/98	GPO	75-01-4	5
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	23	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	3.4	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	12	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	120	ug/L	25	06/19/98	GPO	156-59-2	5
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	1.4	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	6.4	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	360	ug/L	25	06/19/98	GPO	79-01-6	5
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	97	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	105	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	93	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601919954 #328
Client Sample ID: NIC-GPW-GP-48-6-36-060598
Date Collected: 06/05/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601919962 #
Client Sample ID: NIC-GPW-GP-48-7-18-060598
Date Collected: 06/05/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	14	ug/L	1	06/19/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	10	ug/L	1	06/19/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	101	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	92	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	93	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DLB

Pace Sample No: 601919962 #
Client Sample ID: NIC-GPW-GP-48-7-18-060598
Date Collected: 06/05/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601919970 #
Client Sample ID: NIC-GPW-GP-48-7-36-060598
Date Collected: 06/05/98
Date Received: 06/10/98
Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3			
Vinyl Chloride	70	ug/L	25	06/19/98	GPO	75-01-4	5	D	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9			
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4			
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2			
1,1-Dichloroethene	50	ug/L	25	06/19/98	GPO	75-35-4	5	D	
trans-1,2-Dichloroethene	27	ug/L	1	06/19/98	GPO	156-60-5			
1,1-Dichloroethane	22	ug/L	1	06/19/98	GPO	75-34-3			
cis-1,2-Dichloroethene	170	ug/L	25	06/19/98	GPO	156-59-2	5	D	
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3			
1,1,1-Trichloroethane	5.7	ug/L	1	06/19/98	GPO	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5			
Benzene	7.1	ug/L	1	06/19/98	GPO	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2			
Trichloroethene	600	ug/L	25	06/19/98	GPO	79-01-6	5	D	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4			
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1			
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7			
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4			
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6			
Toluene-d8 (S)	98	%		06/19/98	GPO	2037-26-5			
Dibromofluoromethane (S)	107	%		06/19/98	GPO	1868-53-7			
4-Bromofluorobenzene (S)	91	%		06/19/98	GPO	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601919970 Date Collected: 06/05/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-48-7-36-060598 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		06/19/98	GPO	17060-07-0	8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601919988 #
Client Sample ID: NIC-GPW-GP-35-1-16-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/19/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/19/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/19/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/19/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/19/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/19/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	DJE	107-06-2	
Trichloroethene	2.0	ug/L	1	06/19/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/19/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	DJE	95-47-6	
Toluene-d8 (S)	97	%		06/19/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		06/19/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/19/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601919988 #
Client Sample ID: NIC-GPW-GP-35-1-16-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		06/19/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601919996
Client Sample ID: NIC-GPW-GP-35-1-36-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	CDM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/20/98	DJE	74-87-3		Q	Q
Vinyl Chloride	1.1	ug/L	1	06/20/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/20/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/20/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/20/98	DJE	75-69-4			
Methylene Chloride	1.3	ug/L	1	06/20/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/20/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/20/98	DJE	75-34-3			
cis-1,2-Dichloroethene	59	ug/L	10	06/20/98	DJE	156-59-2	7	D	
Chloroform	ND	ug/L	1	06/20/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/20/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/20/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/20/98	DJE	107-06-2			
Trichloroethene	190	ug/L	10	06/20/98	DJE	79-01-6	7	D	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/20/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/20/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/20/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/20/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/20/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/20/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/20/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/20/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	DJE	95-47-6			
Toluene-d8 (S)	104	%		06/20/98	DJE	2037-26-5			
Dibromofluoromethane (S)	110	%		06/20/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	113	%		06/20/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

D26

Pace Sample No: 601919996 #
Client Sample ID: NIC-GPW-GP-35-1-36-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	123	%		06/20/98	DJE	17060-07-0	8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DUP

Pace Sample No: 601920002 #
Client Sample ID: NIC-GPW-GP-34-7-18-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/20/98	DJE	74-87-3			
Vinyl Chloride	3.3	ug/L	1	06/20/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/20/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/20/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/20/98	DJE	75-69-4			
Methylene Chloride	1.2	ug/L	1	06/20/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	8.6	ug/L	1	06/20/98	DJE	75-35-4			
trans-1,2-Dichloroethene	3.4	ug/L	1	06/20/98	DJE	156-60-5			
1,1-Dichloroethane	4.3	ug/L	1	06/20/98	DJE	75-34-3			
cis-1,2-Dichloroethene	160	ug/L	10	06/20/98	DJE	156-59-2	7	D	
Chloroform	ND	ug/L	1	06/20/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/20/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/20/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/20/98	DJE	107-06-2			
Trichloroethene	120	ug/L	10	06/20/98	DJE	79-01-6	7	D	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/20/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/20/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/20/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/20/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/20/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/20/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/20/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/20/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	DJE	95-47-6			
Toluene-d8 (S)	102	%		06/20/98	DJE	2037-26-5			
Dibromofluoromethane (S)	102	%		06/20/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	111	%		06/20/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DLB

Pace Sample No: 601920002 #
Client Sample ID: NIC-GPW-GP-34-7-18-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		06/20/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601920010 #
Client Sample ID: NIC-GPW-GP-35-1-16M-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/20/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/20/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/20/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/20/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/20/98	DJE	75-69-4			
Methylene Chloride	1.2	ug/L	1	06/20/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/20/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/20/98	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/L	1	06/20/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/20/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/20/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/20/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/20/98	DJE	107-06-2			
Trichloroethene	ND	ug/L	1	06/20/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/20/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/20/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/20/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/20/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/20/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/20/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/20/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/20/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/20/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	DJE	95-47-6			
Toluene-d8 (S)	101	%		06/20/98	DJE	2037-26-5			
Dibromofluoromethane (S)	103	%		06/20/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	108	%		06/20/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

D26

Pace Sample No: 601920010 #
Client Sample ID: NIC-GPW-GP-35-1-16M-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		06/20/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DZB

Pace Sample No: 601920028 # 060990
Client Sample ID: NIC-GPW-GP-34-7-36-060598

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
Chloromethane	1.6	ug/L	1	06/20/98	DJE	74-87-3			
Vinyl Chloride	18	ug/L	1	06/20/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/20/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/20/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/20/98	DJE	75-69-4			
Methylene Chloride	1.4	ug/L	1	06/20/98	DJE	75-09-2			
1,1-Dichloroethene	14	ug/L	1	06/20/98	DJE	75-35-4			
trans-1,2-Dichloroethene	3.4	ug/L	1	06/20/98	DJE	156-60-5			
1,1-Dichloroethane	4.4	ug/L	1	06/20/98	DJE	75-34-3			
cis-1,2-Dichloroethene	220	ug/L	10	06/20/98	DJE	156-59-2	7	D	
Chloroform	ND	ug/L	1	06/20/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/20/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/20/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/20/98	DJE	107-06-2			
Trichloroethene	52	ug/L	10	06/20/98	DJE	79-01-6	7	D	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/20/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/20/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/20/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/20/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/20/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/20/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/20/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/20/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	DJE	95-47-6			
Toluene-d8 (S)	111	%		06/20/98	DJE	2037-26-5	9	S	
Dibromofluoromethane (S)	109	%		06/20/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	113	%		06/20/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DLB

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920028 # 060898 Date Collected: 06/08/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-7-36-060598 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	135	%		06/20/98	DJE	17060-07-0	8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DLB

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920036 #
Client Sample ID: NIC-GPW-GP-34-7-36Q1-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.4	ug/L	1	06/20/98	DJE	74-87-3			
Vinyl Chloride	17	ug/L	1	06/20/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/20/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/20/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/20/98	DJE	75-69-4			
Methylene Chloride	1.3	ug/L	1	06/20/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	14	ug/L	1	06/20/98	DJE	75-35-4			
trans-1,2-Dichloroethene	3.4	ug/L	1	06/20/98	DJE	156-60-5			
1,1-Dichloroethane	4.4	ug/L	1	06/20/98	DJE	75-34-3			
cis-1,2-Dichloroethene	220	ug/L	10	06/20/98	DJE	156-59-2	7	D	
Chloroform	ND	ug/L	1	06/20/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/20/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/20/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/20/98	DJE	107-06-2			
Trichloroethene	51	ug/L	10	06/20/98	DJE	79-01-6	7	D	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/20/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/20/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/20/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/20/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/20/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/20/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/20/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/20/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	DJE	95-47-6			
Toluene-d8 (S)	110	%		06/20/98	DJE	2037-26-5			
Dibromofluoromethane (S)	109	%		06/20/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	115	%		06/20/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601920036 #
Client Sample ID: NIC-GPW-GP-34-7-36Q1-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	130	%		06/20/98	DJE	17060-07-0	8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

D2B

Pace Sample No: 601920044 # 060898 Date Collected: 06/08/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-8-18-060598 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/20/98	DJE	74-87-3		Q	Q
Vinyl Chloride	ND	ug/L	1	06/20/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/20/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/20/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/20/98	DJE	75-69-4			
Methylene Chloride	1.2	ug/L	1	06/20/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	1.7	ug/L	1	06/20/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/20/98	DJE	75-34-3			
cis-1,2-Dichloroethene	14	ug/L	1	06/20/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/20/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/20/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/20/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/20/98	DJE	107-06-2			
Trichloroethene	20	ug/L	1	06/20/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/20/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/20/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/20/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/20/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/20/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/20/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/20/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/20/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/20/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	DJE	95-47-6			
Toluene-d8 (S)	103	%		06/20/98	DJE	2037-26-5			
Dibromofluoromethane (S)	103	%		06/20/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	108	%		06/20/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920044 # 060898 Date Collected: 06/08/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-8-18-060598 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		06/20/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:5.
[2]	The recovery is below laboratory established control limits of 88%.
[3]	The recovery is below laboratory established control limits of 86%.
[4]	Analyte is found in the associated blank as well as in the sample (CLP B-Flag).
[5]	The value for this analyte was determined from a secondary dilution of 1:25.
[6]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[7]	The value for this analyte was determined from a secondary dilution of 1:10.
[8]	The recovery exceeds laboratory established control limits of 120%.
[9]	The recovery exceeds laboratory established control limits of 110%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor
SDG Number: 22153

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 46861
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601915622 601915630 601915648 601915655 601915671
601915689 601915697 601915705 601915713 601919947
601919954 601919962 601919970 601919988 601919996
601920002 601920010 601920028 601920036 601920044

METHOD BLANK: 601932320
Associated Pace Samples:
601915630 601915648 601915655

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	0.55	1	1
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601932320
Associated Pace Samples:
601915630 601915648 601915655

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	95		
4-Bromofluorobenzene (S)	%	108		
1,2-Dichloroethane-d4 (S)	%	99		

METHOD BLANK: 601944606
Associated Pace Samples:
601915622 601915671 601915689 601919988 601919996 601920002

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	0.71	1	1
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601944606
Associated Pace Samples:
601915622 601915671 601915689 601919988 601919996 601920002

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	107		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	112		
1,2-Dichloroethane-d4 (S)	%	114		

METHOD BLANK: 601944614
Associated Pace Samples:
601920010 601920028 601920036 601920044

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.9	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601944614
Associated Pace Samples:

601920010 601920028 601920036 601920044

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	108		
Dibromofluoromethane (S)	%	108		
4-Bromofluorobenzene (S)	%	117		
1,2-Dichloroethane-d4 (S)	%	116		

METHOD BLANK: 601945702
Associated Pace Samples:

601915697 601915705 601915713 601919947 601919954 601919962 601919970

Parameter	Units	Method Blank Result	PRL	Footnotes

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601945702
Associated Pace Samples: 601915697 601915705 601915713 601919947 601919954 601919962 601919970

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	88		
4-Bromofluorobenzene (S)	%	94		
1,2-Dichloroethane-d4 (S)	%	88		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601932338 601932346

Parameter	Units	601919996	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0	10	11.25	112	11.25	112	0	
Benzene	ug/L	0.5212	10	10.43	99.1	10.63	101	2	
Trichloroethene	ug/L	187.0	10	186.2	-7.80	199.4	124	227	2,2
Toluene	ug/L	0	10	9.805	98.1	9.985	99.9	2	
Chlorobenzene	ug/L	0	10	9.521	95.2	9.744	97.4	2	
Toluene-d8 (S)					95		95		
Dibromofluoromethane (S)					101		102		
4-Bromofluorobenzene (S)					108		105		
1,2-Dichloroethane-d4 (S)					110		116		

LABORATORY CONTROL SAMPLE: 601932353

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.621	90.5	
Vinyl Chloride	ug/L	4.0	3.571	89.3	
Bromomethane	ug/L	4.0	3.666	91.6	
Chloroethane	ug/L	4.0	3.680	92.0	
Trichlorofluoromethane	ug/L	4.0	4.105	103	
Methylene Chloride	ug/L	4.0	4.893	122	
1,1-Dichloroethene	ug/L	4.0	4.825	121	
trans-1,2-Dichloroethene	ug/L	4.0	4.379	109	
1,1-Dichloroethane	ug/L	4.0	4.312	108	
cis-1,2-Dichloroethene	ug/L	4.0	4.050	101	
Chloroform	ug/L	4.0	4.248	106	
1,1,1-Trichloroethane	ug/L	4.0	4.453	111	
Carbon Tetrachloride	ug/L	4.0	4.465	112	
Benzene	ug/L	4.0	4.304	108	
1,2-Dichloroethane	ug/L	4.0	4.629	116	
Trichloroethene	ug/L	4.0	4.354	109	
1,2-Dichloropropane	ug/L	4.0	4.167	104	
Bromodichloromethane	ug/L	4.0	4.281	107	
Toluene	ug/L	4.0	3.807	95.2	
1,1,2-Trichloroethane	ug/L	4.0	4.343	109	
Tetrachloroethene	ug/L	4.0	3.906	97.6	
Dibromochloromethane	ug/L	4.0	4.235	106	
Chlorobenzene	ug/L	4.0	3.935	98.4	
Ethylbenzene	ug/L	4.0	3.819	95.5	
Bromoform	ug/L	4.0	3.211	80.3	
1,1,2,2-Tetrachloroethane	ug/L	4.0	4.147	104	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601932353

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/L	4.0	4.199	105	
1,4-Dichlorobenzene	ug/L	4.0	3.786	94.7	
1,2-Dichlorobenzene	ug/L	4.0	4.163	104	
cis-1,3-Dichloropropene	ug/L	4.0	3.991	99.8	
trans-1,3-Dichloropropene	ug/L	4.0	3.948	98.7	
M&P-Xylene	ug/L	8.0	7.565	94.6	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	4.079	102	
Toluene-d8 (S)				88	
Dibromofluoromethane (S)				99	
4-Bromofluorobenzene (S)				105	
1,2-Dichloroethane-d4 (S)				110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022153
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	Detected but below the PRL; therefore, result is an estimated concentration (CLP J-Flag).
[2]	Due to high analyte concentration the matrix spike and/or matrix spike duplicate do not provide reliable recovery data.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/5/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6022153
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H_2SO_4	HNO_3	NaOH	HCL-VOA	ANALYSES REQUESTED 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GP# 48-2-16 -060598	845	Water	60-1915422	3					X	X	
2	NIC-GPW-GP# 48-2-36 -060598	900	Water	60-1915430	3					X	X	~~All Listed~~ Petroleum Oper
3	NIC-GPW-GP# 48-2-36 Q1-060598	900	Water	60-1915448	3					X	X	Low Detect Solvents #2
4	NIC-GPW-GP# 48-3-16 -060598	955	Water	60-1915455	3					X	X	
5	NIC-GPW-GP# 48-3-36 -060598	1040	Water	60-1915471	3					X	X	Petroleum Oper Low Detect Solvents.
6	NIC-GPW-GP# 48-4-18 -060598	1040	Water	60-1915489	3					X	X	
7	NIC-GPW-GP# 48-4-36 -060598	1100	Water	60-1915497	3					X	X	
8	NIC-GPW-GP# 35-3-25 -060598	1130	Water	60-1915705	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

NIC-GPW-GP# 48-5-36-060598 was inadvertently listed on COC. 6/8/98

COOLER TEMPERATURE: ESN-60915713

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	6-5-98	1700
	ASAP	ASAP	6/6/98	1000

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/5/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 6022153
*Requested Due Date: 7 day TAT
Sampler Signature: Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED	REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	8260 - 25 ml purge	
1	NIC-GPW-GP# ~~48-5-36~~ -060598	~~1500~~	Water		3					X	X	At Lab Already
2	NIC-GPW-GP# 48-6-18 -060598	1530	Water	60-1919947	3					X	X	
3	NIC-GPW-GP# 48-6-36 -060598	1540	Water	60-1919954	3					X	X	
4	NIC-GPW-GP# 48-7-18 -060598	1610	Water	60-1919962	3					X	X	
5	NIC-GPW-GP# 48-7-36 -060598	1620	Water	60-1919970	3					X	X	
6	NIC-GPW-GP# -060598		Water							X	X	
7	NIC-GPW-GP# -060598		Water							X	X	
8	NIC-GPW-GP# -060598		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard Holland	ASAP	6/9/98	4:20
	ASAP	Matthew Dacus	6/10/98	145

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/8/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6022153
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	# OF CONT	PRESERVATIVES: Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GP# 35-1-16 -060898	930	Water	60-19199[illegible]	2					X	X	
2	NIC-GPW-GP# 35-1-36 -060898	935	Water	60-191999	6					X	X	MS/MSD
3	NIC-GPW-GP# 34-7-18 -060898	1020	Water	60-192009	3					X	X	
4	NIC-GPW-GP# 35-1-16 M -060898	915	Water	60-192001	3					X	X	
5	NIC-GPW-GP# 34-7-36 -060898	1030	Water	60-192002	3					X	X	
6	NIC-GPW-GP# 34-7-36 D -060898	1031	Water	60-192003	3					X	X	
7	NIC-GPW-GP# 34-8-18 -060898	1115	Water	60-192004	3					X	X	
8	NIC-GPW-GP# 34-8-36 -060898	1120	Water	—	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	[signature]	ASAP	6/9/98	9:20
	ASAP	Matthew Dawson	6/10/98	345

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Received by TB
7/9/98

June 25, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on June 10, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Received by TB
7/9/98

June 25, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on June 10, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 06/25/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor
SDG Number: 22209

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601920051	NIC-GPW-GP-34-8-36-060898	EPA 8260	47007		
601920069	NIC-GPW-GP-34-9-18-060898	EPA 8260	47007		
601920077	NIC-GPW-GP-34-9-36-060898	EPA 8260	47007		
601920085	NIC-GPW-GP-34-10-18-060898	EPA 8260	47007		
601920093	NIC-GPW-GP-34-10-36-060898	EPA 8260	47007		
601920101	NIC-GPW-GP-35-4-20-060898	EPA 8260	47007		
601920119	NIC-GPW-GP-35-4-36-060898	EPA 8260	47007		
601920127	NIC-GPW-GP-35-5-20-060898	EPA 8260	47007		
601920135	NIC-GPW-GP-35-5-37-060898	EPA 8260	47007		
601920143	NIC-GPW-GP-16-4-18-060998	EPA 8260	47007		
601920150	NIC-GPW-GP-16-4-38-060998	EPA 8260	47007		
601920168	NIC-GPW-GP-16-4-38N-060998	EPA 8260	47007		
601920176	NIC-GPW-GP-16-6-18-060998	EPA 8260	47007		
601920184	NIC-GPW-GP-16-6-38-060998	EPA 8260	47007		
601920192	NIC-GPW-GP-10-4-18-060998	EPA 8260	47007		
601920242	NIC-GPW-GP-10-4-36-060998	EPA 8260	47007		
601920259	NIC-GPW-GP-35-8-20-060998	EPA 8260	47007		
601920291	NIC-GPW-GP-35-8-36-060998	EPA 8260	47007		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor
SDG Number: 22209

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601920051
Client Sample ID: NIC-GPW-GP-34-8-36-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	30	ug/L	1	06/19/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	13	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	4.4	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	130	ug/L	5	06/19/98	GPO	156-59-2	1
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	150	ug/L	5	06/19/98	GPO	79-01-6	1
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920051 #
Client Sample ID: NIC-GPW-GP-34-8-36-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	96	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	102	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	92	%		06/19/98	GPO	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920069
Client Sample ID: NIC-GPW-GP-34-9-18-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	3.4	ug/L	1	06/19/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	2.7	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	1.5	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	59	ug/L	1	06/19/98	GPO	156-59-2	2
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	17	ug/L	1	06/19/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	96	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	101	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	95	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920069 *
Client Sample ID: NIC-GPW-GP-34-9-18-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920077
Client Sample ID: NIC-GPW-GP-34-9-36-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS -- VOA								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3		
Vinyl Chloride	30	ug/L	1	06/19/98	GPO	75-01-4		
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9		
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4		
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2		
1,1-Dichloroethene	9.8-	ug/L	1	06/19/98	GPO	75-35-4		
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	GPO	156-60-5		
1,1-Dichloroethane	3.7	ug/L	1	06/19/98	GPO	75-34-3		
cis-1,2-Dichloroethene	130	ug/L	5	06/19/98	GPO	156-59-2	1	D
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	GPO	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5		
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2		
Trichloroethene	97	ug/L	5	06/19/98	GPO	79-01-6	1	D
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4		
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5		
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1		
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7		
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4		
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6		
Toluene-d8 (S)	100	%		06/19/98	GPO	2037-26-5		
Dibromofluoromethane (S)	105	%		06/19/98	GPO	1868-53-7		
4-Bromofluorobenzene (S)	97	%		06/19/98	GPO	460-00-4		

LAB Q

COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920077 Date Collected: 06/08/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-9-36-060898 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98
PAGE: 7

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920085 Date Collected: 06/08/98 Matrix: Water
Client Sample ID: NIC-GPW-GP#34-10-18-060898 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	3.1	ug/L	1	06/19/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	5.1	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	1.1	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	2.3	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	57	ug/L	5	06/19/98	GPO	156-59-2	1
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	22	ug/L	1	06/19/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	95	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	99	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	95	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920085 #
Client Sample ID: NIC-GPW-GP-34-10-18-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920093 #
Client Sample ID: NIC-GPW-GP-34-10-36-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	34	ug/L	1	06/19/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	21	ug/L	1	06/19/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	6.9	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	160	ug/L	10	06/19/98	GPO	156-59-2	3
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	1.1	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	240	ug/L	10	06/19/98	GPO	79-01-6	3
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	101	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	107	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	94	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920093 Date Collected: 06/08/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-34-10-36-060898 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920101 Date Collected: 06/08/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-35-4-20-060898 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/19/98	GPO	74-87-3	
Vinyl Chloride	25	ug/L	1	06/19/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/19/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/19/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/19/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/19/98	GPO	75-09-2	
1,1-Dichloroethene	48	ug/L	1	06/19/98	GPO	75-35-4	2
trans-1,2-Dichloroethene	30	ug/L	1	06/19/98	GPO	156-60-5	
1,1-Dichloroethane	14	ug/L	1	06/19/98	GPO	75-34-3	
cis-1,2-Dichloroethene	170	ug/L	25	06/19/98	GPO	156-59-2	4
Chloroform	ND	ug/L	1	06/19/98	GPO	67-66-3	
1,1,1-Trichloroethane	6.4	ug/L	1	06/19/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/19/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/19/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/19/98	GPO	107-06-2	
Trichloroethene	490	ug/L	25	06/19/98	GPO	79-01-6	4
1,2-Dichloropropane	ND	ug/L	1	06/19/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/19/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/19/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/19/98	GPO	79-00-5	
Tetrachloroethene	1.7	ug/L	1	06/19/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/19/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/19/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/19/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/19/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/19/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/19/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/19/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/19/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/19/98	GPO	95-47-6	
Toluene-d8 (S)	100	%		06/19/98	GPO	2037-26-5	
Dibromofluoromethane (S)	103	%		06/19/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	93	%		06/19/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920101
Client Sample ID: NIC-GPW-GP-35-4-20-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		06/19/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

12

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920119 #
Client Sample ID: NIC-GPW-GP-35-4-36-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	CDM
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3		Q	Q
Vinyl Chloride	54	ug/L	1	06/20/98	GPO	75-01-4	2	E	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9			
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4			
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2			
1,1-Dichloroethene	77	ug/L	25	06/20/98	GPO	75-35-4	4	D	
trans-1,2-Dichloroethene	54	ug/L	1	06/20/98	GPO	156-60-5	2	E	
1,1-Dichloroethane	21	ug/L	1	06/20/98	GPO	75-34-3			
cis-1,2-Dichloroethene	310	ug/L	25	06/20/98	GPO	156-59-2	4	D	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3			
1,1,1-Trichloroethane	10	ug/L	1	06/20/98	GPO	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5			
Benzene	4.1	ug/L	1	06/20/98	GPO	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2			
Trichloroethene	890	ug/L	25	06/20/98	GPO	79-01-6	4	D	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4			
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1			
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7			
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4			
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6			
Toluene-d8 (S)	91	%		06/20/98	GPO	2037-26-5			
Dibromofluoromethane (S)	105	%		06/20/98	GPO	1868-53-7			
4-Bromofluorobenzene (S)	94	%		06/20/98	GPO	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920119 #
Client Sample ID: NIC-GPW-GP-35-4-36-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920127
Client Sample ID: NIC-GPW-GP-35-5-20-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	48	ug/L	1	06/20/98	GPO	75-01-4	2
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	4.4	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	11	ug/L	1	06/20/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	43	ug/L	1	06/20/98	GPO	71-43-2	2
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	19	ug/L	1	06/20/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	91	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	97	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	100	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920127
Client Sample ID: NIC-GPW-GP35-5-20-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920135
Client Sample ID: NIC-GPW-GP-35-5-37-060898
Date Collected: 06/08/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	5.4	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	30	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	3.7	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	5.4	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	100	ug/L	25	06/20/98	GPO	156-59-2	4
Chloroform	2.6	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	11	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	3.9	ug/L	1	06/20/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	460	ug/L	25	06/20/98	GPO	79-01-6	4
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	97	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	99	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	90	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920135 #
Client Sample ID: NIC-GPW-GP-35-5-37-060898

Date Collected: 06/08/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98
PAGE: 19

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920143 A
Client Sample ID: NIC-GPW-GP-16-4-18-060998

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	1.3	ug/L	1	06/20/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/20/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	5.8	ug/L	1	06/20/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	95	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	100	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	96	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920143 A
Client Sample ID: NIC-GPW-GP-16-4-18-060998 A

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98
PAGE: 21

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920150 A
Client Sample ID: NIC-GPW-GP-16-4-38-060998
Date Collected: 06/09/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	13	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	18	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	2.6	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	5.0	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	89	ug/L	10	06/20/98	GPO	156-59-2	3
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	2.9	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/20/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	320	ug/L	10	06/20/98	GPO	79-01-6	3
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	98	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	103	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	96	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920150 A
Client Sample ID: NIC-GPW-GP-16-4-38-060998

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920168 A
Client Sample ID: NIC-GPW-GP-16-4-38N-060998
Date Collected: 06/09/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/20/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	2.7	ug/L	1	06/20/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	95	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	101	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	93	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

DJB

Pace Sample No: 601920168 A
Client Sample ID: NIC-GPW-GP-16-4-38N-060998

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920176 A
Client Sample ID: NIC-GPW-GP-16-6-18-060998
Date Collected: 06/09/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/20/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	ND	ug/L	1	06/20/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	96	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	101	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	93	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

D&B

Pace Sample No: 601920176 A
Client Sample ID: NIC-GPW-GP-16-6-18-060998

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/25/98
PAGE: 27

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920184 A
Client Sample ID: NIC-GPW-GP-16-6-38-060998
Date Collected: 06/09/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	3.7	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	3.6	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	1.1	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	18	ug/L	1	06/20/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/20/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	60	ug/L	5	06/20/98	GPO	79-01-6	1
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	95	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	113	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	96	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920184 Date Collected: 06/09/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-16-6-38-060998 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DJB

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920192 A
Client Sample ID: NIC-GPW-GP-10-4-18-060998

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/20/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	ND	ug/L	1	06/20/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	94	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	104	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	93	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

D/B

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920192 A
Client Sample ID: NIC-GPW-GP-10-4-18-060998

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920242 A
Client Sample ID: NIC-GPW-GP-10-4-36-060998
Date Collected: 06/09/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/20/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	ND	ug/L	1	06/20/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	96	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	108	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	92	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

D26

Pace Sample No: 601920242 A Date Collected: 06/09/98 Matrix: Water
Client Sample ID: NIC-GPW-GP-10-4-36-060998 Date Received: 06/10/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920259
Client Sample ID: NIC-GPW-GP-35-8-20-060998

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	100	ug/L	5	06/20/98	GPO	71-43-2	1
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	ND	ug/L	1	06/20/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	10	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	3.1	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	34	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	6.7	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	59	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	91	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	180	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

DLB

Pace Sample No: 601920259 #
Client Sample ID: NIC-GPW-GP-35-8-20-060998

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920291 #
Client Sample ID: NIC-GPW-GP-35-8-36-060998

Date Collected: 06/09/98
Date Received: 06/10/98

Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/20/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/20/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/20/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/20/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/20/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/20/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/20/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/20/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/20/98	GPO	75-34-3	
cis-1,2-Dichloroethene	21	ug/L	1	06/20/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/20/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/20/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/20/98	GPO	56-23-5	
Benzene	9.2	ug/L	1	06/20/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/20/98	GPO	107-06-2	
Trichloroethene	2.3	ug/L	1	06/20/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/20/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/20/98	GPO	75-27-4	
Toluene	ND	ug/L	1	06/20/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/20/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/20/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/20/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/20/98	GPO	108-90-7	
Ethylbenzene	3.2	ug/L	1	06/20/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/20/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/20/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/20/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/20/98	GPO	10061-02-6	
M&P-Xylene	2.3	ug/L	1.3	06/20/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/20/98	GPO	95-47-6	
Toluene-d8 (S)	99	%		06/20/98	GPO	2037-26-5	
Dibromofluoromethane (S)	102	%		06/20/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	96	%		06/20/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601920291
Client Sample ID: NIC-GPW-GP-35-8-36-060998
Date Collected: 06/09/98
Date Received: 06/10/98
Matrix: Water

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		06/20/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:5.
[2]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[3]	The value for this analyte was determined from a secondary dilution of 1:10.
[4]	The value for this analyte was determined from a secondary dilution of 1:25.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor
SDG Number: 22209

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 47007
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601920051 601920069 601920077 601920085 601920093 601920101 601920119 601920127 601920135 601920143 601920150 601920168 601920176 601920184 601920192 601920242 601920259 601920291

METHOD BLANK: 601939325
Associated Pace Samples:
601920051 601920069 601920077 601920085 601920093 601920101

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601939325
Associated Pace Samples:
601920051 601920069 601920077 601920085 601920093 601920101

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	88		
4-Bromofluorobenzene (S)	%	94		
1,2-Dichloroethane-d4 (S)	%	88		

METHOD BLANK: 601946775
Associated Pace Samples:
601920119 601920127 601920135 601920143 601920150 601920168 601920176
601920184 601920192 601920242 601920259 601920291

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601946775
Associated Pace Samples:

601920119 601920127 601920135 601920143 601920150 601920168 601920176
601920184 601920192 601920242 601920259 601920291

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	94		
4-Bromofluorobenzene (S)	%	94		
1,2-Dichloroethane-d4 (S)	%	90		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601939333 601939341

Parameter	Units	601920291	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0	10	13.60	136	11.55	116	16	
Benzene	ug/L	9.250	10	18.16	89.1	20.94	117	27	
Trichloroethene	ug/L	2.267	10	13.20	109	12.75	105	4	
Toluene	ug/L	0	10	12.41	124	10.13	101	20	
Chlorobenzene	ug/L	0	10	10.49	105	10.24	102	2	
Toluene-d8 (S)					103		80		
Dibromofluoromethane (S)					84		90		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601939333 601939341

Parameter	Units	601920291	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
4-Bromofluorobenzene (S)					106		98		
1,2-Dichloroethane-d4 (S)					92		101		

LABORATORY CONTROL SAMPLE: 601939358

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.529	88.2	
Vinyl Chloride	ug/L	4.0	4.051	101	
Bromomethane	ug/L	4.0	4.591	115	
Chloroethane	ug/L	4.0	4.374	109	
Trichlorofluoromethane	ug/L	4.0	4.703	118	
Methylene Chloride	ug/L	4.0	3.809	95.2	
1,1-Dichloroethene	ug/L	4.0	4.897	122	
trans-1,2-Dichloroethene	ug/L	4.0	4.414	110	
1,1-Dichloroethane	ug/L	4.0	4.365	109	
cis-1,2-Dichloroethene	ug/L	4.0	4.463	112	
Chloroform	ug/L	4.0	4.539	113	
1,1,1-Trichloroethane	ug/L	4.0	4.292	107	
Carbon Tetrachloride	ug/L	4.0	4.637	116	
Benzene	ug/L	4.0	4.245	106	
1,2-Dichloroethane	ug/L	4.0	4.733	118	
Trichloroethene	ug/L	4.0	4.550	114	
1,2-Dichloropropane	ug/L	4.0	4.406	110	
Bromodichloromethane	ug/L	4.0	4.607	115	
Toluene	ug/L	4.0	4.294	107	
1,1,2-Trichloroethane	ug/L	4.0	5.120	128	
Tetrachloroethene	ug/L	4.0	4.416	110	
Dibromochloromethane	ug/L	4.0	4.221	106	
Chlorobenzene	ug/L	4.0	4.127	103	
Ethylbenzene	ug/L	4.0	3.868	96.7	
Bromoform	ug/L	4.0	4.362	109	
1,1,2,2-Tetrachloroethane	ug/L	4.0	4.116	103	
1,3-Dichlorobenzene	ug/L	4.0	4.010	100	
1,4-Dichlorobenzene	ug/L	4.0	3.987	99.7	
1,2-Dichlorobenzene	ug/L	4.0	3.896	97.4	
cis-1,3-Dichloropropene	ug/L	4.0	4.074	102	
trans-1,3-Dichloropropene	ug/L	4.0	3.891	97.3	
M&P-Xylene	ug/L	8.0	8.779	110	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	4.399	110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022209
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601939358

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Toluene-d8 (S)				105	
Dibromofluoromethane (S)				100	
4-Bromofluorobenzene (S)				89	
1,2-Dichloroethane-d4 (S)				103	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/8/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6022209
*Requested Due Date:	7 day TAT
Sampler Signature:	R. L. Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA FV	ANALYSES REQUESTED: 8260 - 25 ml run	REMARKS
1	NIC-GPW-GP# 35-1-16 -060898	930	Water		3					X	X	
2	NIC-GPW-GP# 35-1-36 -060898	935	Water		6					X	X	MS/MSD
3	NIC-GPW-GP# 34-7-18 -060898	1020	Water		3					X	X	
4	NIC-GPW-GP# 35-1-16 11 -060898	945	Water		3					X	X	
5	NIC-GPW-GP# 34-7-36 -060898	1030	Water		3					X	X	
6	NIC-GPW-GP# 34-7-36 21 -060898	1031	Water		3					X	X	
7	NIC-GPW-GP# 34-8-18 -060898	1115	Water		3					X	X	
8	NIC-GPW-GP# 34-8-36 -060898	1120	Water	40-192065	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	[signature]	ASAP	6/9/98	4:20
	ASAP	Matthew Dawson	6/10/98	345

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee	Report To: Darren Brown	Lab Client No.:	
Address: 555 North Woodlawn, Bldg. 1, Ste. 215	Bill To: Darren Brown	Lab Project Manager: Tena Tiruneh	
Wichita, KS 67208	P.O.# / Billing Reference: 2395-20456-RI.TSK3	Lab Project No.: 6022209	
Phone #: 316-691-9940	Project Name / No: Wichita NIC	*Requested Due Date: 7 day TAT	
Fax #: 316-691-9949	Sampled By (Print): Richard Holland	Sampler Signature: Richard Holland	
	Date Sampled: ## 6/8/98		

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml pur	REMARKS
1	NIC-GPW-GP# 34-9-18 -060898	1155	Water	60-1920019	3					X	X	
2	NIC-GPW-GP# 34-9-36 -060898	1200	Water	60-1920077	3					X	X	
3	NIC-GPW-GP# 34-10-18 -060898	1410	Water	60-1920085	3					X	X	
4	NIC-GPW-GP# 34-10-36 -060898	1420	Water	60-1920093	3					X	X	
5	NIC-GPW-GP# 35-4-20 -060898	1510	Water	60-1920101	3					X	X	
6	NIC-GPW-GP# 35-4-36 -060898	1520	Water	60-1920119	3					X	X	
7	NIC-GPW-GP# 35-5-20 -060898	1600	Water	60-1920127	3					X	X	BTEX, Low Detect 5.0 ug/l
8	NIC-GPW-GP# 35-5-37 -060898	1615	Water	60-1920135	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	[signature]	ASAP	6/9/98	4:20
	ASAP	Matthew Dames	6/10/98	845

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/9/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6022209
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard H.

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml pur	REMARKS
1	NIC-GPW-GPA 16-4-18 -060998	700	Water	60-1920143	3					X	X	
2	NIC-GPW-GPA 16-4-38 -060998	910	Water	60-1920150	3					X	X	
3	NIC-GPW-GPA 16-4-38N -060998	930	Water	60-1920118	3					X	X	
4	NIC-GPW-GPA 16-6-18 -060998	1000	Water	60-1920176	3					X	X	
5	NIC-GPW-GPA 16-6-38 -060998	1010	Water	60-1920184	3					X	X	
6	NIC-GPW-GPA 10-4-18 -060998	1315	Water	60-1920192	3					X	X	
7	NIC-GPW-GPA 10-4-36 -060998	1330	Water	60-1920242	3					X	X	
8	NIC-GPW-GPA -060998		Water	-						X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	[signature]	ASAP	6/9/98	4:20
	ASAP	Matthew Dannan	6/10/98	345

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/9/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 602220 9
*Requested Due Date: 7 day TAT
Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED															REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	8260 - 25 ml purge															
1	NIC-GPW-GP# 35-8-20 -060998	1178 15	Water	40-192029	3					X	X															
2	NIC-GPW-GP# 35-8-36 -060998	1140	Water	40-192029	3					X	X															Low Detect Solvents
3	NIC-GPW-GP# -060998		Water							X	X															Low Detect Solvents.
4	NIC-GPW-GP# -060998		Water							X	X															
5	NIC-GPW-GP# -060998		Water							X	X															
6	NIC-GPW-GP# -060998		Water							X	X															
7	NIC-GPW-GP# -060998		Water							X	X															
8	NIC-GPW-GP# -060998		Water							X	X															

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	[signature]	ASAP	6/9/98	4:20
	ASAP	[signature]	6/10/98	945

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

June 30, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on June 12, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures
Reserve TB 7kz19g

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 06/30/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor
SDG Number: 22277

Attn: Mr. DARREN 8ROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601925662	NIC-GPW-GPA-16-5-18-061198	EPA 8260	47078		
601925688	NIC-GPW-GPA-16-5-38-061198	EPA 8260	47078		
601925696	NIC-GPW-GPA-31-4-18-061198	EPA 8260	47078		
601925704	NIC-GPW-GPA-31-4-33-061198	EPA 8260	47078		
601925712	NIC-GPW-GPA-31-4-33Q1-061198	EPA 8260	47078		
601925720	NIC-GPW-GPA-6-4-23-061198	EPA 8260	47078		
601925738	NIC-GPW-GPA-6-4-27-061198	EPA 8260	47078		
601925746	NIC-GPW-GPA-6-4-28N-061198	EPA 8260	47078		
601925753	NIC-GPW-GPA-44-2-20-061198	EPA 8260	47078		
601925779	NIC-GPW-GPA-44-2-31-061198	EPA 8260	47078		
601925787	NIC-GPW-GPA-10-5-18-061198	EPA 8260	47078		
601925795	NIC-GPW-GPA-10-5-34-061198	EPA 8260	47078		
601925803	NIC-GPW-GPA-10-6-20-061198	EPA 8260	47078		
601925811	NIC-GPW-GPA-10-6-32-061198	EPA 8260	47078		
601925829	NIC-GPW-GPA-10-7-21-061198	EPA 8260	47078		
601925837	NIC-GPW-GPA-10-7-35-061198	EPA 8260	47078		
601925845	NIC-GPW-GPA-10-8-20-061198	EPA 8260	47078		
601925852	NIC-GPW-GPA-10-8-32-061198	EPA 8260	47078		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 06/30/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor
SDG Number: 22277

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601925662 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-16-5-18-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/22/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/22/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/22/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/22/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/22/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/22/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/22/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/22/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/22/98	GPO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/22/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/22/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/22/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/22/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/22/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/22/98	GPO	107-06-2	
Trichloroethene	ND	ug/L	1	06/22/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/22/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/22/98	GPO	75-27-4	
Toluene	2.0	ug/L	1	06/22/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/22/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/22/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/22/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/22/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/22/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/22/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/22/98	GPO	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925662 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-16-5-18-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/22/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/22/98	GPO	95-47-6	
Toluene-d8 (S)	106	%		06/22/98	GPO	2037-26-5	
Dibromofluoromethane (S)	96	%		06/22/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	98	%		06/22/98	GPO	460-00-4	
1,2-Dichloroethane-d4 (S)	81	%		06/22/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925688 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-16-5-38-061198 Date Received: 06/12/98

GC/MS -- VOA

LABQ EDMQ

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/22/98	GPO	74-87-3		
Vinyl Chloride	30	ug/L	1	06/22/98	GPO	75-01-4		
Bromomethane	ND	ug/L	1	06/22/98	GPO	74-83-9		
Chloroethane	ND	ug/L	1	06/22/98	GPO	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/22/98	GPO	75-69-4		
Methylene Chloride	ND	ug/L	1	06/22/98	GPO	75-09-2		
1,1-Dichloroethene	26	ug/L	1	06/22/98	GPO	75-35-4		
trans-1,2-Dichloroethene	ND	ug/L	1	06/22/98	GPO	156-60-5		
1,1-Dichloroethane	6.8	ug/L	1	06/22/98	GPO	75-34-3		
cis-1,2-Dichloroethene	110	ug/L	25	06/22/98	GPO	156-59-2	1	D
Chloroform	ND	ug/L	1	06/22/98	GPO	67-66-3		
1,1,1-Trichloroethane	2.7	ug/L	1	06/22/98	GPO	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/22/98	GPO	56-23-5		
Benzene	1.2	ug/L	1	06/22/98	GPO	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	06/22/98	GPO	107-06-2		
Trichloroethene	340	ug/L	25	06/22/98	GPO	79-01-6	1	D
1,2-Dichloropropane	ND	ug/L	1	06/22/98	GPO	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/22/98	GPO	75-27-4		
Toluene	5.0	ug/L	1	06/22/98	GPO	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/22/98	GPO	79-00-5		
Tetrachloroethene	ND	ug/L	1	06/22/98	GPO	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/22/98	GPO	124-48-1		
Chlorobenzene	ND	ug/L	1	06/22/98	GPO	108-90-7		
Ethylbenzene	ND	ug/L	1	06/22/98	GPO	100-41-4		
Bromoform	ND	ug/L	1	06/22/98	GPO	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/22/98	GPO	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/22/98	GPO			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/22/98	GPO	95-47-6		
Toluene-d8 (S)	100	%		06/22/98	GPO	2037-26-5		
Dibromofluoromethane (S)	95	%		06/22/98	GPO	1868-53-7		
4-Bromofluorobenzene (S)	98	%		06/22/98	GPO	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925688 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-16-5-38-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		06/22/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925696 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-4-18-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/22/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/22/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/22/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/22/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/22/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/22/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/22/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/22/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/22/98	GPO	75-34-3	
cis-1,2-Dichloroethene	22	ug/L	1	06/22/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/22/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/22/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/22/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/22/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/22/98	GPO	107-06-2	
Trichloroethene	44	ug/L	5	06/22/98	GPO	79-01-6	2
1,2-Dichloropropane	ND	ug/L	1	06/22/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/22/98	GPO	75-27-4	
Toluene	1.4	ug/L	1	06/22/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/22/98	GPO	79-00-5	
Tetrachloroethene	11	ug/L	1	06/22/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/22/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/22/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/22/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/22/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/22/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/22/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/22/98	GPO	95-47-6	
Toluene-d8 (S)	100	%		06/22/98	GPO	2037-26-5	
Dibromofluoromethane (S)	92	%		06/22/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	94	%		06/22/98	GPO	460-00-4	

LAB G

CDM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925696 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-4-18-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	90	%		06/22/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925704 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-4-33-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/22/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/22/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/22/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/22/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/22/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/22/98	GPO	75-09-2	
1,1-Dichloroethene	1.5	ug/L	1	06/22/98	GPO	75-35-4	
trans-1,2-Dichloroethene	3.3	ug/L	1	06/22/98	GPO	156-60-5	
1,1-Dichloroethane	2.1	ug/L	1	06/22/98	GPO	75-34-3	
cis-1,2-Dichloroethene	54	ug/L	10	06/22/98	GPO	156-59-2	3 D
Chloroform	ND	ug/L	1	06/22/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/22/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/22/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/22/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/22/98	GPO	107-06-2	
Trichloroethene	270	ug/L	10	06/22/98	GPO	79-01-6	3 D
1,2-Dichloropropane	ND	ug/L	1	06/22/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/22/98	GPO	75-27-4	
Toluene	3.8	ug/L	1	06/22/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/22/98	GPO	79-00-5	
Tetrachloroethene	6.7	ug/L	1	06/22/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/22/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/22/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/22/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/22/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/22/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/22/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/22/98	GPO	95-47-6	
Toluene-d8 (S)	101	%		06/22/98	GPO	2037-26-5	
Dibromofluoromethane (S)	101	%		06/22/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	94	%		06/22/98	GPO	460-00-4	

LAB Q CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925704 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-4-33-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		06/22/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925712 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-4-33Q1-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			LABQ	CDMQ
Chloromethane	ND	ug/L	1	06/22/98	GPO	74-87-3			
Vinyl Chloride	2.3	ug/L	1	06/22/98	GPO	75-01-4			
Bromomethane	ND	ug/L	1	06/22/98	GPO	74-83-9			
Chloroethane	ND	ug/L	1	06/22/98	GPO	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/22/98	GPO	75-69-4			
Methylene Chloride	ND	ug/L	1	06/22/98	GPO	75-09-2			
1,1-Dichloroethene	1.9	ug/L	1	06/22/98	GPO	75-35-4			
trans-1,2-Dichloroethene	3.8	ug/L	1	06/22/98	GPO	156-60-5			
1,1-Dichloroethane	2.6	ug/L	1	06/22/98	GPO	75-34-3			
cis-1,2-Dichloroethene	58	ug/L	25	06/22/98	GPO	156-59-2	1	D	
Chloroform	ND	ug/L	1	06/22/98	GPO	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/22/98	GPO	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/22/98	GPO	56-23-5			
Benzene	ND	ug/L	1	06/22/98	GPO	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/22/98	GPO	107-06-2			
Trichloroethene	280	ug/L	25	06/22/98	GPO	79-01-6	1	D	
1,2-Dichloropropane	ND	ug/L	1	06/22/98	GPO	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/22/98	GPO	75-27-4			
Toluene	3.3	ug/L	1	06/22/98	GPO	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/22/98	GPO	79-00-5			
Tetrachloroethene	8.7	ug/L	1	06/22/98	GPO	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/22/98	GPO	124-48-1			
Chlorobenzene	ND	ug/L	1	06/22/98	GPO	108-90-7			
Ethylbenzene	ND	ug/L	1	06/22/98	GPO	100-41-4			
Bromoform	ND	ug/L	1	06/22/98	GPO	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/22/98	GPO	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/22/98	GPO				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/22/98	GPO	95-47-6			
Toluene-d8 (S)	103	%		06/22/98	GPO	2037-26-5			
Dibromofluoromethane (S)	101	%		06/22/98	GPO	1868-53-7			
4-Bromofluorobenzene (S)	96	%		06/22/98	GPO	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925712 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-31-4-33Q1-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		06/22/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925720 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-4-23-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/22/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/22/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/22/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/22/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/22/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/22/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/22/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/22/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/22/98	GPO	75-34-3	
cis-1,2-Dichloroethene	1.7	ug/L	1	06/22/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/22/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/22/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/22/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/22/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/22/98	GPO	107-06-2	
Trichloroethene	11	ug/L	1	06/22/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/22/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/22/98	GPO	75-27-4	
Toluene	1.8	ug/L	1	06/22/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/22/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/22/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/22/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/22/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/22/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/22/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/22/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/22/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/22/98	GPO	95-47-6	
Toluene-d8 (S)	99	%		06/22/98	GPO	2037-26-5	
Dibromofluoromethane (S)	96	%		06/22/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	93	%		06/22/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925720 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-4-23-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/22/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925738 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-4-27-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/22/98	GPO	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/22/98	GPO	75-01-4	
Bromomethane	ND	ug/L	1	06/22/98	GPO	74-83-9	
Chloroethane	ND	ug/L	1	06/22/98	GPO	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/22/98	GPO	75-69-4	
Methylene Chloride	ND	ug/L	1	06/22/98	GPO	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/22/98	GPO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/22/98	GPO	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/22/98	GPO	75-34-3	
cis-1,2-Dichloroethene	2.0	ug/L	1	06/22/98	GPO	156-59-2	
Chloroform	ND	ug/L	1	06/22/98	GPO	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/22/98	GPO	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/22/98	GPO	56-23-5	
Benzene	ND	ug/L	1	06/22/98	GPO	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/22/98	GPO	107-06-2	
Trichloroethene	15	ug/L	1	06/22/98	GPO	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/22/98	GPO	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/22/98	GPO	75-27-4	
Toluene	1.1	ug/L	1	06/22/98	GPO	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/22/98	GPO	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/22/98	GPO	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/22/98	GPO	124-48-1	
Chlorobenzene	ND	ug/L	1	06/22/98	GPO	108-90-7	
Ethylbenzene	ND	ug/L	1	06/22/98	GPO	100-41-4	
Bromoform	ND	ug/L	1	06/22/98	GPO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/22/98	GPO	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/22/98	GPO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/22/98	GPO	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/22/98	GPO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/22/98	GPO	95-47-6	
Toluene-d8 (S)	96	%		06/22/98	GPO	2037-26-5	
Dibromofluoromethane (S)	99	%		06/22/98	GPO	1868-53-7	
4-Bromofluorobenzene (S)	94	%		06/22/98	GPO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925738 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-4-27-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/22/98	GPO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925746 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-4-28N-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/23/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/23/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/23/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/23/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/23/98	DJE	75-69-4	
Methylene Chloride	1.4	ug/L	1	06/23/98	DJE	75-09-2	4
1,1-Dichloroethene	ND	ug/L	1	06/23/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/23/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/23/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/23/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/23/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/23/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/23/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/23/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/23/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/23/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/23/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/23/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/23/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/23/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/23/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/23/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/23/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/23/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/23/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/23/98	DJE	95-47-6	
Toluene-d8 (S)	99	%		06/23/98	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		06/23/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	111	%		06/23/98	DJE	460-00-4	

LAB Q B

CDM Q UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925746 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-6-4-28N-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		06/23/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925753 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-44-2-20-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/23/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/23/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/23/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/23/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/23/98	DJE	75-69-4			
Methylene Chloride	1.4	ug/L	1	06/23/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/23/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/23/98	DJE	75-34-3			
cis-1,2-Dichloroethene	3.1	ug/L	1	06/23/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/23/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/23/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/23/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/23/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/23/98	DJE	107-06-2			
Trichloroethene	21	ug/L	1	06/23/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/23/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/23/98	DJE	75-27-4			
Toluene	4.8	ug/L	1	06/23/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/23/98	DJE	79-00-5			
Tetrachloroethene	1.3	ug/L	1	06/23/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/23/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/23/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/23/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/23/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/23/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/23/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/23/98	DJE	95-47-6			
Toluene-d8 (S)	95	%		06/23/98	DJE	2037-26-5			
Dibromofluoromethane (S)	98	%		06/23/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	108	%		06/23/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925753 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-44-2-20-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		06/23/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925779 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-44-2-31-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260					
Chloromethane	ND	ug/L	1	06/23/98	DJE	74-87-3				
Vinyl Chloride	ND	ug/L	1	06/23/98	DJE	75-01-4				
Bromomethane	ND	ug/L	1	06/23/98	DJE	74-83-9				
Chloroethane	ND	ug/L	1	06/23/98	DJE	75-00-3				
Trichlorofluoromethane	ND	ug/L	1	06/23/98	DJE	75-69-4				
Methylene Chloride	1.5	ug/L	1	06/23/98	DJE	75-09-2	4		B	UB
1,1-Dichloroethene	ND	ug/L	1	06/23/98	DJE	75-35-4				
trans-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-60-5				
1,1-Dichloroethane	ND	ug/L	1	06/23/98	DJE	75-34-3				
cis-1,2-Dichloroethene	18	ug/L	1	06/23/98	DJE	156-59-2				
Chloroform	ND	ug/L	1	06/23/98	DJE	67-66-3				
1,1,1-Trichloroethane	ND	ug/L	1	06/23/98	DJE	71-55-6				
Carbon Tetrachloride	ND	ug/L	1	06/23/98	DJE	56-23-5				
Benzene	ND	ug/L	1	06/23/98	DJE	71-43-2				
1,2-Dichloroethane	ND	ug/L	1	06/23/98	DJE	107-06-2				
Trichloroethene	20	ug/L	1	06/23/98	DJE	79-01-6				
1,2-Dichloropropane	ND	ug/L	1	06/23/98	DJE	78-87-5				
Bromodichloromethane	ND	ug/L	1	06/23/98	DJE	75-27-4				
Toluene	3.4	ug/L	1	06/23/98	DJE	108-88-3				
1,1,2-Trichloroethane	ND	ug/L	1	06/23/98	DJE	79-00-5				
Tetrachloroethene	ND	ug/L	1	06/23/98	DJE	127-18-4				
Dibromochloromethane	ND	ug/L	1	06/23/98	DJE	124-48-1				
Chlorobenzene	ND	ug/L	1	06/23/98	DJE	108-90-7				
Ethylbenzene	ND	ug/L	1	06/23/98	DJE	100-41-4				
Bromoform	ND	ug/L	1	06/23/98	DJE	75-25-2				
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/23/98	DJE	79-34-5				
1,3-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	541-73-1				
1,4-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	106-46-7				
1,2-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	95-50-1				
cis-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-01-5				
trans-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-02-6				
M&P-Xylene	ND	ug/L	1.3	06/23/98	DJE					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/23/98	DJE	95-47-6				
Toluene-d8 (S)	100	%		06/23/98	DJE	2037-26-5				
Dibromofluoromethane (S)	100	%		06/23/98	DJE	1868-53-7				
4-Bromofluorobenzene (S)	111	%		06/23/98	DJE	460-00-4				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925779 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-44-2-31-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		06/23/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925787 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-5-18-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/23/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/23/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/23/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/23/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/23/98	DJE	75-69-4			
Methylene Chloride	1.3	ug/L	1	06/23/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/23/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/23/98	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/23/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/23/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/23/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/23/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/23/98	DJE	107-06-2			
Trichloroethene	ND	ug/L	1	06/23/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/23/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/23/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/23/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/23/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/23/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/23/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/23/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/23/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/23/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/23/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/23/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/23/98	DJE	95-47-6			
Toluene-d8 (S)	95	%		06/23/98	DJE	2037-26-5			
Dibromofluoromethane (S)	97	%		06/23/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	108	%		06/23/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925787 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-5-18-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		06/23/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925795 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-5-34-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/23/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/23/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/23/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/23/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/23/98	DJE	75-69-4	
Methylene Chloride	1.5	ug/L	1	06/23/98	DJE	75-09-2	4
1,1-Dichloroethene	ND	ug/L	1	06/23/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/23/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/23/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/23/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/23/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/23/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/23/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/23/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/23/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/23/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/23/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/23/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/23/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/23/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/23/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/23/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/23/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/23/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/23/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/23/98	DJE	95-47-6	
Toluene-d8 (S)	102	%		06/23/98	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		06/23/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	114	%		06/23/98	DJE	460-00-4	

LAB Q
B
CDM Q
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925795 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-5-34-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		06/23/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925803 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-6-20-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			LAB Q	CDM Q
Chloromethane	2.9	ug/L	1	06/23/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/23/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/23/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/23/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/23/98	DJE	75-69-4			
Methylene Chloride	2.2	ug/L	1	06/23/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/23/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-60-5			
1,1-Dichloroethane	1.5	ug/L	1	06/23/98	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/23/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/23/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/23/98	DJE	56-23-5			
Benzene	66	ug/L	5	06/23/98	DJE	71-43-2	2	D	
1,2-Dichloroethane	3.6	ug/L	1	06/23/98	DJE	107-06-2			
Trichloroethene	ND	ug/L	1	06/23/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/23/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/23/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/23/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/23/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/23/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/23/98	DJE	124-48-1			
Chlorobenzene	1.5	ug/L	1	06/23/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/23/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/23/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/23/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-02-6			
M&P-Xylene	1.6	ug/L	1.3	06/23/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/23/98	DJE	95-47-6			
Toluene-d8 (S)	93	%		06/23/98	DJE	2037-26-5			
Dibromofluoromethane (S)	100	%		06/23/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	104	%		06/23/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925803 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-6-20-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
1,2-Dichloroethane-d4 (S)	121	%		06/23/98	DJE	17060-07-0	5	S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925811 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-6-32-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.3	ug/L	1	06/23/98	DJE	74-87-3			
Vinyl Chloride	5.7	ug/L	1	06/23/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/23/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/23/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/23/98	DJE	75-69-4			
Methylene Chloride	1.8	ug/L	1	06/23/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/23/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/23/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/23/98	DJE	75-34-3			
cis-1,2-Dichloroethene	32	ug/L	1	06/23/98	DJE	156-59-2			
Chloroform	3.2	ug/L	1	06/23/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/23/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/23/98	DJE	56-23-5			
Benzene	46	ug/L	1	06/23/98	DJE	71-43-2	6	E	
1,2-Dichloroethane	1.9	ug/L	1	06/23/98	DJE	107-06-2			
Trichloroethene	20	ug/L	1	06/23/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/23/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/23/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/23/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/23/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/23/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/23/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/23/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/23/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/23/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/23/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/23/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/23/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/23/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/23/98	DJE	95-47-6			
Toluene-d8 (S)	102	%		06/23/98	DJE	2037-26-5			
Dibromofluoromethane (S)	102	%		06/23/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	111	%		06/23/98	DJE	460-00-4			

LAB Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925811 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-6-32-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		06/23/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925829 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-7-21-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.3	ug/L	1	06/24/98	DJE	74-87-3			
Vinyl Chloride	3.2	ug/L	1	06/24/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/24/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/24/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/24/98	DJE	75-69-4			
Methylene Chloride	1.6	ug/L	1	06/24/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/24/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/24/98	DJE	156-60-5			
1,1-Dichloroethane	5.7	ug/L	1	06/24/98	DJE	75-34-3			
cis-1,2-Dichloroethene	9.5	ug/L	1	06/24/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/24/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/24/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/24/98	DJE	56-23-5			
Benzene	12	ug/L	1	06/24/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/24/98	DJE	107-06-2			
Trichloroethene	ND	ug/L	1	06/24/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/24/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/24/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/24/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/24/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/24/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/24/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/24/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/24/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/24/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/24/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/24/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/24/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/24/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/24/98	DJE	95-47-6			
Toluene-d8 (S)	95	%		06/24/98	DJE	2037-26-5			
Dibromofluoromethane (S)	95	%		06/24/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	105	%		06/24/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925829 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-7-21-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		06/24/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925837 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-7-35-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	8.1	ug/L	1	06/24/98	DJE	74-87-3			
Vinyl Chloride	17	ug/L	1	06/24/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/24/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/24/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/24/98	DJE	75-69-4			
Methylene Chloride	5.1	ug/L	1	06/24/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	2.7	ug/L	1	06/24/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/24/98	DJE	156-60-5			
1,1-Dichloroethane	1.7	ug/L	1	06/24/98	DJE	75-34-3			
cis-1,2-Dichloroethene	65	ug/L	5	06/24/98	DJE	156-59-2	2	D	
Chloroform	35	ug/L	1	06/24/98	DJE	67-66-3			
1,1,1-Trichloroethane	1.7	ug/L	1	06/24/98	DJE	71-55-6			
Carbon Tetrachloride	13	ug/L	1	06/24/98	DJE	56-23-5			
Benzene	68	ug/L	5	06/24/98	DJE	71-43-2	2	D	
1,2-Dichloroethane	2.5	ug/L	1	06/24/98	DJE	107-06-2			
Trichloroethene	25	ug/L	1	06/24/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/24/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/24/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/24/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/24/98	DJE	79-00-5			
Tetrachloroethene	5.9	ug/L	1	06/24/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/24/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/24/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/24/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/24/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/24/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/24/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/24/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/24/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/24/98	DJE	95-47-6			
Toluene-d8 (S)	95	%		06/24/98	DJE	2037-26-5			
Dibromofluoromethane (S)	94	%		06/24/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	106	%		06/24/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925837 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-7-35-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		06/24/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925845 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-8-20-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	QDM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.5	ug/L	1	06/24/98	DJE	74-87-3		Q	Q
Vinyl Chloride	35	ug/L	1	06/24/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/24/98	DJE	74-83-9			
Chloroethane	2.8	ug/L	1	06/24/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/24/98	DJE	75-69-4			
Methylene Chloride	3.7	ug/L	1	06/24/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	ND	ug/L	1	06/24/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/24/98	DJE	156-60-5			
1,1-Dichloroethane	30	ug/L	1	06/24/98	DJE	75-34-3			
cis-1,2-Dichloroethene	11	ug/L	1	06/24/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/24/98	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/L	1	06/24/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/24/98	DJE	56-23-5			
Benzene	420	ug/L	25	06/24/98	DJE	71-43-2	1	D	
1,2-Dichloroethane	16	ug/L	1	06/24/98	DJE	107-06-2			
Trichloroethene	ND	ug/L	1	06/24/98	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/L	1	06/24/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/24/98	DJE	75-27-4			
Toluene	4.3	ug/L	1	06/24/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/24/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/24/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/24/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/24/98	DJE	108-90-7			
Ethylbenzene	1.1	ug/L	1	06/24/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/24/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/24/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/24/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/24/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/24/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	1.4	ug/L	1.1	06/24/98	DJE	95-47-6			
Toluene-d8 (S)	98	%		06/24/98	DJE	2037-26-5			
Dibromofluoromethane (S)	103	%		06/24/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	111	%		06/24/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925845 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-8-20-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		06/24/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925852 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-8-32-061198 Date Received: 06/12/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			LAB Q	CDM Q
Chloromethane	ND	ug/L	1	06/24/98	DJE	74-87-3			
Vinyl Chloride	8.3	ug/L	1	06/24/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/24/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/24/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/24/98	DJE	75-69-4			
Methylene Chloride	5.0	ug/L	1	06/24/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	17	ug/L	1	06/24/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/24/98	DJE	156-60-5			
1,1-Dichloroethane	17	ug/L	1	06/24/98	DJE	75-34-3			
cis-1,2-Dichloroethene	72	ug/L	5	06/24/98	DJE	156-59-2	2	D	
Chloroform	150	ug/L	5	06/24/98	DJE	67-66-3	2	D	
1,1,1-Trichloroethane	19	ug/L	1	06/24/98	DJE	71-55-6			
Carbon Tetrachloride	30	ug/L	1	06/24/98	DJE	56-23-5			
Benzene	180	ug/L	5	06/24/98	DJE	71-43-2	2	D	
1,2-Dichloroethane	6.2	ug/L	1	06/24/98	DJE	107-06-2			
Trichloroethene	210	ug/L	5	06/24/98	DJE	79-01-6	2,6	DE	
1,2-Dichloropropane	ND	ug/L	1	06/24/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/24/98	DJE	75-27-4			
Toluene	10	ug/L	1	06/24/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/24/98	DJE	79-00-5			
Tetrachloroethene	12	ug/L	1	06/24/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/24/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/24/98	DJE	108-90-7			
Ethylbenzene	1.7	ug/L	1	06/24/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/24/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/24/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/24/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/24/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/24/98	DJE	10061-02-6			
M&P-Xylene	2.6	ug/L	1.3	06/24/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	1.6	ug/L	1.1	06/24/98	DJE	95-47-6			
Toluene-d8 (S)	100	%		06/24/98	DJE	2037-26-5			
Dibromofluoromethane (S)	102	%		06/24/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	115	%		06/24/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601925852 Date Collected: 06/11/98 Matrix: Water
Client Sample ID: NIC-GPW-GPA-10-8-32-061198 Date Received: 06/12/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		06/24/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:25.
[2]	The value for this analyte was determined from a secondary dilution of 1:5.
[3]	The value for this analyte was determined from a secondary dilution of 1:10.
[4]	Analyte is found in the associated blank as well as in the sample (CLP B-Flag).
[5]	The recovery exceeds laboratory established control limits of 120%.
[6]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor
SDG Number: 22277

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 47078
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601925662 601925688 601925696 601925704 601925712 601925720 601925738 601925746 601925753 601925779 601925787 601925795 601925803 601925811 601925829 601925837 601925845 601925852

METHOD BLANK: 601942584
Associated Pace Samples:
601925662 601925688 601925696 601925704 601925712 601925720 601925738

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	ND	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601942584
Associated Pace Samples:

601925662 601925688 601925696 601925704 601925712 601925720 601925738

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	108		
Dibromofluoromethane (S)	%	89		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	94		

METHOD BLANK: 601948B13
Associated Pace Samples:

601925746 601925753 601925779 601925787 601925795 601925803 601925811
601925829 601925837 601925845

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.3	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601948813
Associated Pace Samples:
601925746 601925753 601925779 601925787 601925795 601925803 601925811
601925829 601925837 601925845

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	107		
Dibromofluoromethane (S)	%	105		
4-Bromofluorobenzene (S)	%	120		1
1,2-Dichloroethane-d4 (S)	%	117		

METHOD BLANK: 601948B21
Associated Pace Samples:
601925852

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601948821
Associated Pace Samples:
601925852

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.0	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	111		2
Dibromofluoromethane (S)	%	110		
4-Bromofluorobenzene (S)	%	123		1
1,2-Dichloroethane-d4 (S)	%	116		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601942592 601942600

Parameter	Units	601925688	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	26.40	10	28.58	21.8	35.82	94.2	125	3
Benzene	ug/L	1.183	10	11.17	99.8	15.03	138	32	4,5
Trichloroethene	ug/L	340.0	10	225.6	-1140	256.0	-840	31	6,6,7
Toluene	ug/L	5.017	10	13.85	88.3	19.07	141	46	8,9
Chlorobenzene	ug/L	0	10	9.901	99.0	13.19	132	28	10
Toluene-d8 (S)					95		94		
Dibromofluoromethane (S)					98		104		
4-Bromofluorobenzene (S)					100		105		
1,2-Dichloroethane-d4 (S)					108		123		11

LABORATORY CONTROL SAMPLE: 601942618

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	2.682	67.1	
Vinyl Chloride	ug/L	4.0	3.205	80.1	
Bromomethane	ug/L	4.0	3.662	91.6	
Chloroethane	ug/L	4.0	3.417	85.4	
Trichlorofluoromethane	ug/L	4.0	3.742	93.6	
Methylene Chloride	ug/L	4.0	4.560	114	
1,1-Dichloroethene	ug/L	4.0	4.797	120	
trans-1,2-Dichloroethene	ug/L	4.0	4.456	111	
1,1-Dichloroethane	ug/L	4.0	4.287	107	
cis-1,2-Dichloroethene	ug/L	4.0	4.223	106	
Chloroform	ug/L	4.0	4.144	104	
1,1,1-Trichloroethane	ug/L	4.0	4.088	102	
Carbon Tetrachloride	ug/L	4.0	4.164	104	
Benzene	ug/L	4.0	4.133	103	
1,2-Dichloroethane	ug/L	4.0	4.216	105	
Trichloroethene	ug/L	4.0	4.150	104	
1,2-Dichloropropane	ug/L	4.0	4.146	104	
Bromodichloromethane	ug/L	4.0	4.082	102	
Toluene	ug/L	4.0	4.140	104	
1,1,2-Trichloroethane	ug/L	4.0	4.227	106	
Tetrachloroethene	ug/L	4.0	4.052	101	
Dibromochloromethane	ug/L	4.0	4.216	105	
Chlorobenzene	ug/L	4.0	3.832	95.8	
Ethylbenzene	ug/L	4.0	3.721	93.0	
Bromoform	ug/L	4.0	3.480	87.0	
1,1,2,2-Tetrachloroethane	ug/L	4.0	4.221	106	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601942618

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/L	4.0	4.029	101	
1,4-Dichlorobenzene	ug/L	4.0	3.997	99.9	
1,2-Dichlorobenzene	ug/L	4.0	4.224	106	
cis-1,3-Dichloropropene	ug/L	4.0	4.090	102	
trans-1,3-Dichloropropene	ug/L	4.0	3.914	97.9	
M&P-Xylene	ug/L	8.0	7.115	88.9	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	3.794	94.9	
Toluene-d8 (S)				100	
Dibromofluoromethane (S)				105	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				105	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022277
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 115%.
[2]	The recovery exceeds laboratory established control limits of 110%.
[3]	The RPD exceeds laboratory established control limits of 15%.
[4]	The recovery exceeds laboratory established control limits of 123%.
[5]	The RPD exceeds laboratory established control limits of 18%.
[6]	Due to high analyte concentration the matrix spike and/or matrix spike duplicate do not provide reliable recovery data.
[7]	The RPD exceeds laboratory established control limits of 11%.
[8]	The recovery exceeds laboratory established control limits of 137%.
[9]	The RPD exceeds laboratory established control limits of 12%.
[10]	The RPD exceeds laboratory established control limits of 16%.
[11]	The recovery exceeds laboratory established control limits of 120%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/11/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: L022277
*Requested Due Date: 7 day TAT
Sampler Signature: Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 16-5-18 -061198	1000	Water	40-1925662	3					X	X	
2	NIC-GPW-GPA 16-5-38 -061198	1010	Water	40-1925688	6					X	X	MS/MSD
3	NIC-GPW-GPA 31-4-18 -061198	1100	Water	40-1925696	3					X	X	
4	NIC-GPW-GPA 31-4-33 -061198	1120	Water	40-1925704	3					X	X	
5	NIC-GPW-GPA 31-4-33Q1 -061198	1122	Water	40-1925712	3					X	X	
6	NIC-GPW-GPA ~~6-4-18~~ -061198	~~1250~~	Water		3					X	X	NO SAMPLE
7	NIC-GPW-GPA 6-4-23 -061198	1315	Water	40-1925720	3					X	X	
8	NIC-GPW-GPA 6-4-~~27~~ 27 -061198	1340	Water	40-1925738	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	6-11	1500
	ASAP	MCKelley	6/12/98	8:45

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/11/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6022277
*Requested Due Date:	7 day TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
1	NIC-GPW-GPA 6-4-28N -061198	1345	Water	40-1925740	3					X	X	
2	NIC-GPW-GPA 44-2-20 -061198	1410	Water	40-1925755	3					X	X	
3	NIC-GPW-GPA 44-2-31 -061198	1420	Water	40-1925779	3					X	X	
4	NIC-GPW-GPA -061198		Water							X	X	
5	NIC-GPW-GPA -061198		Water							X	X	
6	NIC-GPW-GPA -061198		Water							X	X	
7	NIC-GPW-GPA -061198		Water							X	X	
8	NIC-GPW-GPA -061198		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	6-11	1500
	ASAP	MShelley	6/12/98	845

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/9/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 6022277
*Requested Due Date: 7 day TAT

Sampler Signature: Richard Holland

	ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED 8260 - 25 ml pur	REMARKS
12	1	NIC-GPW-GPA 10-5-18 -060998	1400	Water	60-1925787	3					X	X	
13	2	NIC-GPW-GPA 10-5-34 -060998	1415	Water	60-1925795	3					X	X	
14	3	NIC-GPW-GPA 10-6-20 -060998	1700	Water	60-1925803	3					X	X	Low Detect Limits
15	4	NIC-GPW-GPA 10-6-32 -060998	1705	Water	60-1925811	3					X	X	
16	5	NIC-GPW-GPA 10-7-21 -060998	1540	Water	60-1925829	3					X	X	
17	6	NIC-GPW-GPA 10-7-35 -060998	1550	Water	60-1925837	3					X	X	
18	7	NIC-GPW-GPA 10-8-20 -060998	1620	Water	60-1925845	3					X	X	
19	8	NIC-GPW-GPA 10-8-32 -060998	1630	Water	60-1925852	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	6/11/98	1500
	ASAP	MFShelley	6/12/98	845

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Rcvd by TB
7/ee/98

July 01, 1998

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on June 17, 1998. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 07/01/98

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
601935364	NIC-GW-WND-3-061698	EPA 8260	47221		
601935372	NIC-GW-EXC-MW7B-061698	EPA 8260	47221		
601935380	NIC-GW-EXC-MW7BQ1-061698	EPA 8260	47221		
601935398	NIC-GW-EXC-MW6A-061698	EPA 8260	47221		
601935406	NIC-GW-EXC-MW6B-061698	EPA 8260	47221		
601935414	NIC-GW-WND-37DQ3-061698	EPA 8260	47221		
601935422	NIC-GW-WND-34SQ3-061698	EPA 8260	47221		
601935430	NIC-GW-WND-34DQ3-061698	EPA 8260	47221		
601935448	NIC-GW-WND-135-061698	EPA 8260	47221		
601935455	NIC-GW-WND-13D-061698	EPA 8260	47221		
601935463	NIC-GW-EXC-MW1A-061598	EPA 8260	47221		
601935471	NIC-GW-EXC-MW3A-061598	EPA 8260	47221		
601935489	NIC-GW-EXC-MW3B-061598	EPA 8260	47221		
601935497	NIC-GW-EXC-MW3BN-061598	EPA 8260	47221		
601935505	NIC-GW-EXC-MW4A-061598	EPA 8260	47221		
601935513	NIC-GW-EXC-MW4B-061598	EPA 8260	47221		
601935521	NIC-GW-EXC-MW5B-061598	EPA 8260	47221		
601935539	NIC-GW-WND4-061598	EPA 8260	47221		
601935547	NIC-GW-EXC-MW1AM-061598	EPA 8260	47221		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 07/01/98
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 601935364 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-3-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB
GC/MS -- VOA								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	5.1	ug/L	1	06/26/98	DJE	74-87-3		
Vinyl Chloride	3.3	ug/L	1	06/26/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4		
Methylene Chloride	ND	ug/L	1	06/26/98	DJE	75-09-2		
1,1-Dichloroethene	25	ug/L	1	06/26/98	DJE	75-35-4		
trans-1,2-Dichloroethene	92	ug/L	25	06/26/98	DJE	156-60-5	1	D
1,1-Dichloroethane	6.9	ug/L	1	06/26/98	DJE	75-34-3		
cis-1,2-Dichloroethene	760	ug/L	25	06/26/98	DJE	156-59-2	1	D
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/26/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5		
Benzene	7.4	ug/L	1	06/26/98	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2		
Trichloroethene	72	ug/L	25	06/26/98	DJE	79-01-6	1	D
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4		
Toluene	6.7	ug/L	1	06/26/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5		
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7		
Ethylbenzene	40	ug/L	25	06/26/98	DJE	100-41-4	1	D
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935364 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-3-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	27	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	3.2	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	91	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	85	%		06/26/98	DJE	1868-53-7	2
4-Bromofluorobenzene (S)	97	%		06/26/98	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	125	%		06/26/98	DJE	17060-07-0	3

LDB Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935372 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW7B-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS -- VOA									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/L	1	06/26/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/26/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4			
Methylene Chloride	1.4	ug/L	1	06/26/98	DJE	75-09-2	4	B	UB
1,1-Dichloroethene	6.4	ug/L	1	06/26/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/L	1	06/26/98	DJE	75-34-3			
cis-1,2-Dichloroethene	25	ug/L	1	06/26/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3			
1,1,1-Trichloroethane	2.0	ug/L	1	06/26/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/26/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2			
Trichloroethene	99	ug/L	5	06/26/98	DJE	79-01-6	5	D	
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/26/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6			
Toluene-d8 (S)	98	%		06/26/98	DJE	2037-26-5			
Dibromofluoromethane (S)	95	%		06/26/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	105	%		06/26/98	DJE	460-00-4			

LAB Q CPM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935372 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW7B-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	91	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935380 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW7BQ1-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/26/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/26/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4	
Methylene Chloride	1.6	ug/L	1	06/26/98	DJE	75-09-2	4
1,1-Dichloroethene	7.3	ug/L	1	06/26/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-60-5	
1,1-Dichloroethane	1.1	ug/L	1	06/26/98	DJE	75-34-3	
cis-1,2-Dichloroethene	24	ug/L	1	06/26/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3	
1,1,1-Trichloroethane	2.3	ug/L	1	06/26/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/26/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2	
Trichloroethene	96	ug/L	5	06/26/98	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/26/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	106	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		06/26/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	114	%		06/26/98	DJE	460-00-4	

LW3 Q B D CDM Q VB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935380 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW7BQ1-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935398 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW6A-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/26/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/26/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4	
Methylene Chloride	1.5	ug/L	1	06/26/98	DJE	75-09-2	4
1,1-Dichloroethene	5.3	ug/L	1	06/26/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/26/98	DJE	75-34-3	
cis-1,2-Dichloroethene	9.9	ug/L	1	06/26/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3	
1,1,1-Trichloroethane	2.2	ug/L	1	06/26/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/26/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2	
Trichloroethene	100	ug/L	5	06/26/98	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/26/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	91	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	92	%		06/26/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		06/26/98	DJE	460-00-4	

LAB Q
CDM Q
B
GB
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935398 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW6A-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935406 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW6B-061698 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/26/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/26/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4	
Methylene Chloride	1.3	ug/L	1	06/26/98	DJE	75-09-2	4
1,1-Dichloroethene	5.3	ug/L	1	06/26/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/26/98	DJE	75-34-3	
cis-1,2-Dichloroethene	7.1	ug/L	1	06/26/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3	
1,1,1-Trichloroethane	1.7	ug/L	1	06/26/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/26/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2	
Trichloroethene	92	ug/L	5	06/26/98	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/26/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	92	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	92	%		06/26/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		06/26/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935406 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW6B-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	91	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935414 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-37DQ3-061698 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	1.3	ug/L	1	06/26/98	DJE	74-87-3	
Vinyl Chloride	12	ug/L	1	06/26/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4	
Methylene Chloride	1.2	ug/L	1	06/26/98	DJE	75-09-2	4
1,1-Dichloroethene	70	ug/L	50	06/26/98	DJE	75-35-4	6
trans-1,2-Dichloroethene	20	ug/L	1	06/26/98	DJE	156-60-5	
1,1-Dichloroethane	12	ug/L	1	06/26/98	DJE	75-34-3	
cis-1,2-Dichloroethene	220	ug/L	50	06/26/98	DJE	156-59-2	6
Chloroform	3.1	ug/L	1	06/26/98	DJE	67-66-3	
1,1,1-Trichloroethane	21	ug/L	1	06/26/98	DJE	71-55-6	
Carbon Tetrachloride	2.6	ug/L	1	06/26/98	DJE	56-23-5	
Benzene	2.9	ug/L	1	06/26/98	DJE	71-43-2	
1,2-Dichloroethane	1.7	ug/L	1	06/26/98	DJE	107-06-2	
Trichloroethene	900	ug/L	50	06/26/98	DJE	79-01-6	6
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4	
Toluene	1.2	ug/L	1	06/26/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5	
Tetrachloroethene	1.4	ug/L	1	06/26/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	94	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	95	%		06/26/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		06/26/98	DJE	460-00-4	

DAB Q
COM Q
B
D
D
D
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935414 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-37DQ3-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935422 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-34SQ3-061698 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	5.9	ug/L	1	06/26/98	DJE	74-87-3		
Vinyl Chloride	79	ug/L	5	06/26/98	DJE	75-01-4	5	D
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9		
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4		
Methylene Chloride	ND	ug/L	1	06/26/98	DJE	75-09-2		
1,1-Dichloroethene	2.9	ug/L	1	06/26/98	DJE	75-35-4		
trans-1,2-Dichloroethene	2.7	ug/L	1	06/26/98	DJE	156-60-5		
1,1-Dichloroethane	8.5	ug/L	1	06/26/98	DJE	75-34-3		
cis-1,2-Dichloroethene	33	ug/L	1	06/26/98	DJE	156-59-2		
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/26/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5		
Benzene	120	ug/L	5	06/26/98	DJE	71-43-2	5	D
1,2-Dichloroethane	4.6	ug/L	1	06/26/98	DJE	107-06-2		
Trichloroethene	17	ug/L	1	06/26/98	DJE	79-01-6		
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4		
Toluene	1.3	ug/L	1	06/26/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5		
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7		
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6		
Toluene-d8 (S)	78	%		06/26/98	DJE	2037-26-5	7	S
Dibromofluoromethane (S)	81	%		06/26/98	DJE	1868-53-7	2	S
4-Bromofluorobenzene (S)	96	%		06/26/98	DJE	460-00-4		

LAB Q
COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935422 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-34SQ3-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 07/01/98

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935430 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-34DQ3-061698 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260				
Chloromethane	7.9	ug/L	1	06/26/98	DJE	74-87-3		
Vinyl Chloride	31	ug/L	1	06/26/98	DJE	75-01-4		
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9		
Chloroethane	1.0	ug/L	1	06/26/98	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4		
Methylene Chloride	ND	ug/L	1	06/26/98	DJE	75-09-2		
1,1-Dichloroethene	10	ug/L	1	06/26/98	DJE	75-35-4		
trans-1,2-Dichloroethene	2.2	ug/L	1	06/26/98	DJE	156-60-5		
1,1-Dichloroethane	7.1	ug/L	1	06/26/98	DJE	75-34-3		
cis-1,2-Dichloroethene	74	ug/L	10	06/26/98	DJE	156-59-2	8	D
Chloroform	5.2	ug/L	1	06/26/98	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/L	1	06/26/98	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5		
Benzene	230	ug/L	10	06/26/98	DJE	71-43-2	8	D
1,2-Dichloroethane	7.2	ug/L	1	06/26/98	DJE	107-06-2		
Trichloroethene	160	ug/L	10	06/26/98	DJE	79-01-6	8	D
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5		
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4		
Toluene	1.4	ug/L	1	06/26/98	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5		
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4		
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1		
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7		
Ethylbenzene	1.3	ug/L	1	06/26/98	DJE	100-41-4		
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6		
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6		
Toluene-d8 (S)	82	%		06/26/98	DJE	2037-26-5	7	S
Dibromofluoromethane (S)	80	%		06/26/98	DJE	1868-53-7	2	S
4-Bromofluorobenzene (S)	98	%		06/26/98	DJE	460-00-4		

LAB Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935430 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-34DQ3-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935448 S cm1 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-13[illegible]-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/26/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/26/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4	
Methylene Chloride	1.2	ug/L	1	06/26/98	DJE	75-09-2	4
1,1-Dichloroethene	ND	ug/L	1	06/26/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/26/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/26/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/26/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/26/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/26/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	90	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	92	%		06/26/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/26/98	DJE	460-00-4	

LAB Q EDM Q

4 B UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935448 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-135-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935455 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-13D-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/26/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/26/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4	
Methylene Chloride	ND	ug/L	1	06/26/98	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/L	1	06/26/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/26/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/26/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/26/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/26/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/26/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	89	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		06/26/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		06/26/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935455 Date Collected: 06/16/98 Matrix: Water
Client Sample ID: NIC-GW-WND-13D-061698 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 07/01/98

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935463 Date Collected: 06/15 98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW1A-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS -- VOA							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/26/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/26/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4	
Methylene Chloride	1.1	ug/L	1	06/26/98	DJE	75-09-2	4
1,1-Dichloroethene	ND	ug/L	1	06/26/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/26/98	DJE	75-34-3	
cis-1,2-Dichloroethene	17	ug/L	1	06/26/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/26/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/26/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2	
Trichloroethene	13	ug/L	1	06/26/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/26/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	96	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		06/26/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		06/26/98	DJE	460-00-4	

LAB Q
CDM Q
B
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

15 day

Pace Sample No: 601935463 Date Collected: 06/~~16~~15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW1A-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935471 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW3A-061598 Date Received: 06/17/98

GC/MS -- VOA

LAB Q CDM Q

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/25/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/25/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/25/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/25/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/25/98	DJE	75-69-4	
Methylene Chloride	1.0	ug/L	1	06/25/98	DJE	75-09-2	4 B UB
1,1-Dichloroethene	ND	ug/L	1	06/25/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/25/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/25/98	DJE	75-34-3	
cis-1,2-Dichloroethene	2.0	ug/L	1	06/25/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/25/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/25/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/25/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/25/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/25/98	DJE	107-06-2	
Trichloroethene	4.8	ug/L	1	06/25/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/25/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/25/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/25/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/25/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/25/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/25/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/25/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/25/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/25/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/25/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/25/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/25/98	DJE	95-47-6	
Toluene-d8 (S)	91	%		06/25/98	DJE	2037-26-5	
Dibromofluoromethane (S)	92	%		06/25/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		06/25/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935471 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW3A-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		06/25/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935489 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW3B-061598 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/25/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/25/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/25/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/25/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/25/98	DJE	75-69-4	
Methylene Chloride	1.1	ug/L	1	06/25/98	DJE	75-09-2	4
1,1-Dichloroethene	5.5	ug/L	1	06/25/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/25/98	DJE	156-60-5	
1,1-Dichloroethane	1.6	ug/L	1	06/25/98	DJE	75-34-3	
cis-1,2-Dichloroethene	21	ug/L	1	06/25/98	DJE	156-59-2	
Chloroform	1.9	ug/L	1	06/25/98	DJE	67-66-3	
1,1,1-Trichloroethane	1.9	ug/L	1	06/25/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/25/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/25/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/25/98	DJE	107-06-2	
Trichloroethene	100	ug/L	5	06/25/98	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/L	1	06/25/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/25/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/25/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/25/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/25/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/25/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/25/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/25/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/25/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/25/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/25/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/25/98	DJE	95-47-6	
Toluene-d8 (S)	99	%		06/25/98	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		06/25/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		06/25/98	DJE	460-00-4	

LAB Q
B
D
cDM Q
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935489 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW3B-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		06/25/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935497 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW3BN-061598 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/25/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/25/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/25/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/25/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/25/98	DJE	75-69-4	
Methylene Chloride	1.0	ug/L	1	06/25/98	DJE	75-09-2	4
1,1-Dichloroethene	ND	ug/L	1	06/25/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/25/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/25/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/25/98	DJE	156-59-2	
Chloroform	8.8	ug/L	1	06/25/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/25/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/25/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/25/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/25/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/25/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/25/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/25/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/25/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/25/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/25/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/25/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/25/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/25/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/25/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/25/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/25/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/25/98	DJE	95-47-6	
Toluene-d8 (S)	99	%		06/25/98	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		06/25/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		06/25/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935497 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW3BN-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		06/25/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935505 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW4A-061598 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/25/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/25/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/25/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/25/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/25/98	DJE	75-69-4	
Methylene Chloride	1.0	ug/L	1	06/25/98	DJE	75-09-2	4
1,1-Dichloroethene	18	ug/L	1	06/25/98	DJE	75-35-4	
trans-1,2-Dichloroethene	1.1	ug/L	1	06/25/98	DJE	156-60-5	
1,1-Dichloroethane	3.5	ug/L	1	06/25/98	DJE	75-34-3	
cis-1,2-Dichloroethene	86	ug/L	10	06/25/98	DJE	156-59-2	8
Chloroform	ND	ug/L	1	06/25/98	DJE	67-66-3	
1,1,1-Trichloroethane	3.9	ug/L	1	06/25/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/25/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/25/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/25/98	DJE	107-06-2	
Trichloroethene	330	ug/L	10	06/25/98	DJE	79-01-6	8
1,2-Dichloropropane	ND	ug/L	1	06/25/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/25/98	DJE	75-27-4	
Toluene	1.5	ug/L	1	06/25/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/25/98	DJE	79-00-5	
Tetrachloroethene	1.5	ug/L	1	06/25/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/25/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/25/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/25/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/25/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/25/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/25/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/25/98	DJE	95-47-6	
Toluene-d8 (S)	99	%		06/25/98	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		06/25/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	109	%		06/25/98	DJE	460-00-4	

LAB Q
B
D
D
UB
Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935505 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW4A-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		06/25/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935513 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW4B-061598 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/L	1	06/25/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/25/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/25/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/25/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/25/98	DJE	75-69-4	
Methylene Chloride	1.0	ug/L	1	06/25/98	DJE	75-09-2	4
1,1-Dichloroethene	1.1	ug/L	1	06/25/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/25/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/25/98	DJE	75-34-3	
cis-1,2-Dichloroethene	1.6	ug/L	1	06/25/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/25/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/25/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/25/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/25/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/25/98	DJE	107-06-2	
Trichloroethene	19	ug/L	1	06/25/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/25/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/25/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/25/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/25/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/25/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/25/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/25/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/25/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/25/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/25/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/25/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/25/98	DJE	95-47-6	
Toluene-d8 (S)	104	%		06/25/98	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		06/25/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	110	%		06/25/98	DJE	460-00-4	

LAB Q
B
CDM Q
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935513 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW4B-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		06/25/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935521 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW5B-061598 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	CDM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260				Q	Q
Chloromethane	ND	ug/L	1	06/25/98	DJE	74-87-3			
Vinyl Chloride	ND	ug/L	1	06/25/98	DJE	75-01-4			
Bromomethane	ND	ug/L	1	06/25/98	DJE	74-83-9			
Chloroethane	ND	ug/L	1	06/25/98	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/L	1	06/25/98	DJE	75-69-4			UB
Methylene Chloride	1.1	ug/L	1	06/25/98	DJE	75-09-2	4	B	
1,1-Dichloroethene	17	ug/L	1	06/25/98	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/L	1	06/25/98	DJE	156-60-5			
1,1-Dichloroethane	2.0	ug/L	1	06/25/98	DJE	75-34-3			
cis-1,2-Dichloroethene	38	ug/L	1	06/25/98	DJE	156-59-2			
Chloroform	ND	ug/L	1	06/25/98	DJE	67-66-3			
1,1,1-Trichloroethane	5.0	ug/L	1	06/25/98	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/L	1	06/25/98	DJE	56-23-5			
Benzene	ND	ug/L	1	06/25/98	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/L	1	06/25/98	DJE	107-06-2			
Trichloroethene	270	ug/L	10	06/25/98	DJE	79-01-6	8	D	
1,2-Dichloropropane	ND	ug/L	1	06/25/98	DJE	78-87-5			
Bromodichloromethane	ND	ug/L	1	06/25/98	DJE	75-27-4			
Toluene	ND	ug/L	1	06/25/98	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/L	1	06/25/98	DJE	79-00-5			
Tetrachloroethene	ND	ug/L	1	06/25/98	DJE	127-18-4			
Dibromochloromethane	ND	ug/L	1	06/25/98	DJE	124-48-1			
Chlorobenzene	ND	ug/L	1	06/25/98	DJE	108-90-7			
Ethylbenzene	ND	ug/L	1	06/25/98	DJE	100-41-4			
Bromoform	ND	ug/L	1	06/25/98	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/25/98	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/L	1	06/25/98	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/L	1	06/25/98	DJE	10061-02-6			
M&P-Xylene	ND	ug/L	1.3	06/25/98	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/25/98	DJE	95-47-6			
Toluene-d8 (S)	110	%		06/25/98	DJE	2037-26-5			
Dibromofluoromethane (S)	109	%		06/25/98	DJE	1868-53-7			
4-Bromofluorobenzene (S)	114	%		06/25/98	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935521 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW5B-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		06/25/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935539 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-WND4-061598 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/26/98	DJE	74-87-3	
Vinyl Chloride	1.2	ug/L	1	06/26/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4	
Methylene Chloride	1.6	ug/L	1	06/26/98	DJE	75-09-2	4
1,1-Dichloroethene	31	ug/L	1	06/26/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-60-5	
1,1-Dichloroethane	3.9	ug/L	1	06/26/98	DJE	75-34-3	
cis-1,2-Dichloroethene	77	ug/L	25	06/26/98	DJE	156-59-2	1
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3	
1,1,1-Trichloroethane	12	ug/L	1	06/26/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/26/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2	
Trichloroethene	550	ug/L	25	06/26/98	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/26/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5	
Tetrachloroethene	1.1	ug/L	1	06/26/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	103	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		06/26/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	108	%		06/26/98	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935539 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-WND4-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935547 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW1AM-061598 Date Received: 06/17/98

GC/MS -- VOA

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/L	1	06/26/98	DJE	74-87-3	
Vinyl Chloride	ND	ug/L	1	06/26/98	DJE	75-01-4	
Bromomethane	ND	ug/L	1	06/26/98	DJE	74-83-9	
Chloroethane	ND	ug/L	1	06/26/98	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/L	1	06/26/98	DJE	75-69-4	
Methylene Chloride	1.0	ug/L	1	06/26/98	DJE	75-09-2	4
1,1-Dichloroethene	ND	ug/L	1	06/26/98	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/L	1	06/26/98	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/L	1	06/26/98	DJE	156-59-2	
Chloroform	ND	ug/L	1	06/26/98	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/L	1	06/26/98	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/L	1	06/26/98	DJE	56-23-5	
Benzene	ND	ug/L	1	06/26/98	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/L	1	06/26/98	DJE	107-06-2	
Trichloroethene	ND	ug/L	1	06/26/98	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/L	1	06/26/98	DJE	78-87-5	
Bromodichloromethane	ND	ug/L	1	06/26/98	DJE	75-27-4	
Toluene	ND	ug/L	1	06/26/98	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/L	1	06/26/98	DJE	79-00-5	
Tetrachloroethene	ND	ug/L	1	06/26/98	DJE	127-18-4	
Dibromochloromethane	ND	ug/L	1	06/26/98	DJE	124-48-1	
Chlorobenzene	ND	ug/L	1	06/26/98	DJE	108-90-7	
Ethylbenzene	ND	ug/L	1	06/26/98	DJE	100-41-4	
Bromoform	ND	ug/L	1	06/26/98	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/L	1	06/26/98	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	541-73-1	
1,4-Dichlorobenzene	2.1	ug/L	1	06/26/98	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/L	1	06/26/98	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1	06/26/98	DJE	10061-02-6	
M&P-Xylene	ND	ug/L	1.3	06/26/98	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/L	1.1	06/26/98	DJE	95-47-6	
Toluene-d8 (S)	91	%		06/26/98	DJE	2037-26-5	
Dibromofluoromethane (S)	95	%		06/26/98	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		06/26/98	DJE	460-00-4	

LAB Q
COM Q
B
UB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Pace Sample No: 601935547 Date Collected: 06/15/98 Matrix: Water
Client Sample ID: NIC-GW-EXC-MW1AM-061598 Date Received: 06/17/98

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		06/26/98	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:25.
[2]	The recovery is below laboratory established control limits of 86%.
[3]	The recovery exceeds laboratory established control limits of 120%.
[4]	Analyte is found in the associated blank as well as in the sample (CLP B-Flag).
[5]	The value for this analyte was determined from a secondary dilution of 1:5.
[6]	The value for this analyte was determined from a secondary dilution of 1:50.
[7]	The recovery is below laboratory established control limits of 88%.
[8]	The value for this analyte was determined from a secondary dilution of 1:10.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 47221
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 601935364 601935372 601935380 601935398 601935406 601935414 601935422 601935430 601935448 601935455 601935463 601935471 601935489 601935497 601935505 601935513 601935521 601935539 601935547

METHOD BLANK: 601947609
Associated Pace Samples:
601935471 601935489 601935497 601935505 601935513 601935521 601935539

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.5	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601947609
Associated Pace Samples:

601935471 601935489 601935497 601935505 601935513 601935521 601935539

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	91		
Dibromofluoromethane (S)	%	92		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	88		

METHOD BLANK: 601953151
Associated Pace Samples:

601935364 601935372 601935380 601935398 601935406 601935414 601935422
601935430 601935448 601935455

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.9	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 601953151
Associated Pace Samples:

601935364 601935372 601935380 601935398 601935406 601935414 601935422
601935430 601935448 601935455

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	98		

METHOD BLANK: 601953169
Associated Pace Samples:

601935463 601935547

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/L	ND	1	
Vinyl Chloride	ug/L	ND	1	
Bromomethane	ug/L	ND	1	
Chloroethane	ug/L	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 601953169
Associated Pace Samples:
601935463 601935547

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/L	ND	1	
Methylene Chloride	ug/L	1.6	1	
1,1-Dichloroethene	ug/L	ND	1	
trans-1,2-Dichloroethene	ug/L	ND	1	
1,1-Dichloroethane	ug/L	ND	1	
cis-1,2-Dichloroethene	ug/L	ND	1	
Chloroform	ug/L	ND	1	
1,1,1-Trichloroethane	ug/L	ND	1	
Carbon Tetrachloride	ug/L	ND	1	
Benzene	ug/L	ND	1	
1,2-Dichloroethane	ug/L	ND	1	
Trichloroethene	ug/L	ND	1	
1,2-Dichloropropane	ug/L	ND	1	
Bromodichloromethane	ug/L	ND	1	
Toluene	ug/L	ND	1	
1,1,2-Trichloroethane	ug/L	ND	1	
Tetrachloroethene	ug/L	ND	1	
Dibromochloromethane	ug/L	ND	1	
Chlorobenzene	ug/L	ND	1	
Ethylbenzene	ug/L	ND	1	
Bromoform	ug/L	ND	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	1	
1,3-Dichlorobenzene	ug/L	ND	1	
1,4-Dichlorobenzene	ug/L	ND	1	
1,2-Dichlorobenzene	ug/L	ND	1	
cis-1,3-Dichloropropene	ug/L	ND	1	
trans-1,3-Dichloropropene	ug/L	ND	1	
M&P-Xylene	ug/L	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/L	ND	1.1	
Toluene-d8 (S)	%	94		
Dibromofluoromethane (S)	%	89		
4-Bromofluorobenzene (S)	%	98		
1,2-Dichloroethane-d4 (S)	%	85		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 601947617 601947625

Parameter	Units	601935463	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/L	0.7241	10	11.23	105	11.55	108	3	
Benzene	ug/L	0	10	9.817	98.2	10.04	100	2	
Trichloroethene	ug/L	12.67	10	22.22	95.5	23.65	110	14	1
Toluene	ug/L	0	10	10.11	101	10.31	103	2	
Chlorobenzene	ug/L	0	10	9.510	95.1	9.877	98.8	4	
Toluene-d8 (S)					93		92		
Dibromofluoromethane (S)					97		98		
4-Bromofluorobenzene (S)					98		99		
1,2-Dichloroethane-d4 (S)					98		99		

LABORATORY CONTROL SAMPLE: 601947633

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/L	4.0	3.122	78.0	
Vinyl Chloride	ug/L	4.0	3.308	82.7	
Bromomethane	ug/L	4.0	4.125	103	
Chloroethane	ug/L	4.0	3.751	93.8	
Trichlorofluoromethane	ug/L	4.0	3.716	92.9	
Methylene Chloride	ug/L	4.0	4.838	121	
1,1-Dichloroethene	ug/L	4.0	4.879	122	
trans-1,2-Dichloroethene	ug/L	4.0	4.560	114	
1,1-Dichloroethane	ug/L	4.0	4.406	110	
cis-1,2-Dichloroethene	ug/L	4.0	4.208	105	
Chloroform	ug/L	4.0	4.334	108	
1,1,1-Trichloroethane	ug/L	4.0	4.134	103	
Carbon Tetrachloride	ug/L	4.0	4.167	104	
Benzene	ug/L	4.0	4.088	102	
1,2-Dichloroethane	ug/L	4.0	4.389	110	
Trichloroethene	ug/L	4.0	4.049	101	
1,2-Dichloropropane	ug/L	4.0	4.238	106	
Bromodichloromethane	ug/L	4.0	4.235	106	
Toluene	ug/L	4.0	4.205	105	
1,1,2-Trichloroethane	ug/L	4.0	4.057	101	
Tetrachloroethene	ug/L	4.0	4.131	103	
Dibromochloromethane	ug/L	4.0	4.342	109	
Chlorobenzene	ug/L	4.0	4.567	114	
Ethylbenzene	ug/L	4.0	4.149	104	
Bromoform	ug/L	4.0	3.470	86.8	
1,1,2,2-Tetrachloroethane	ug/L	4.0	4.260	106	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 601947633

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/L	4.0	4.262	107	
1,4-Dichlorobenzene	ug/L	4.0	4.206	105	
1,2-Dichlorobenzene	ug/L	4.0	4.392	110	
cis-1,3-Dichloropropene	ug/L	4.0	4.167	104	
trans-1,3-Dichloropropene	ug/L	4.0	3.463	86.6	
M&P-Xylene	ug/L	8.0	8.576	107	
O-Xylene (1,2-Dimethylbenzene)	ug/L	4.0	4.388	110	
Toluene-d8 (S)				92	
Dibromofluoromethane (S)				97	
4-Bromofluorobenzene (S)				101	
1,2-Dichloroethane-d4 (S)				95	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Project Number: 6022384
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 11%.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456-RI.TSK3
Project Name / No:	Wichita NIC
Sampled By (Print):	Richard Holland
Date Sampled:	## 6/16/98

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6022384
*Requested Due Date:	7 day TAT
Sampler Signature:	Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml pur	REMARKS
1	NIC-GW WND-3 -061698	910	Water	60 1935364	3					X	X	Pet. ODor Low Detect solvents
2	NIC-GW EXC MW 7B -061698	920	Water	60 1935372	3					X	X	
3	NIC-GW EXC MW 7BQ1 -061698	924	Water	60 1935380	3					X	X	
4	NIC-GW EXC MW 6A -061698	950	Water	60 1935398	3					X	X	
5	NIC-GW EXC MW 6B -061698	1015	Water	60 1935406	3					X	X	
6	NIC-GW WND-37DQ3 061698	1130	Water	60 1935414	3					X	X	
7	NIC-GW WND-34S Q3 -061698	1204	Water	60 1935422	3					X	X	Petroleum ODor- Low Dilled Solvents
8	NIC-GW WND 34D Q3 -061698	1230	Water	60 1935430	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	3-16	1700
	ASAP	Megan Sheeley	6/17/98	915

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee	Report To:	Darren Brown	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Darren Brown	Lab Project Manager:	Tena Tiruneh
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456-RI.TSK3	Lab Project No.:	6022384
Phone #:	316-691-9940	Project Name / No:	Wichita NIC	*Requested Due Date:	7 day TAT
Fax #:	316-691-9949	Sampled By (Print):	Richard Holland		
		Date Sampled:	## 6/16/98	Sampler Signature:	Richard Holland

	ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	PJ	ANALYSES REQUESTED 8260 - 25 ml pur												REMARKS
9	1	NIC-GW WND 135 -061698	1350	Water	60 1935448	3					X		X												
10	2	NIC-GW WND 131 -061698	1405	Water	60 1935455	3					X		X												
	3	NIC-GW -061698		Water							X		X												
	4	NIC-GW -061698		Water							X		X												
	5	NIC-GW -061698		Water							X		X												
	6	NIC-GW -061698		Water							X		X												
	7	NIC-GW -061698		Water							X		X												
	8	NIC-GW -061698		Water							X		X												

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	3-16	1700
	ASAP	Melynn Sheeley	6/17/98	8:15

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/15/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 60022384
*Requested Due Date: 7 day TAT
Sampler Signature: Richard Holland

	ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	pH	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
11	1	NIC-GW EXC-MW 1A -061598	1150	Water	60 1935463	6					X		X	MS/MSD
12	2	NIC-GW EXC-MW 3A -061598	1215	Water	60 1935471	3					X		X	
13	3	NIC-GW EXC-MW 3B -061598	1255	Water	60 1935489	3					X		X	
14	4	NIC-GW EXC-MW3BN-061598	1235	Water	60 1935497	3					X		X	
15	5	NIC-GW EXC-MW 4A -061598	1310	Water	60 1935505	3					X		X	
16	6	NIC-GW EXC-MW 4B -061598	1345	Water	60 1935513	3					X		X	
17	7	NIC-GW EXC-MW 5B-061598	1445	Water	60 1935521	3					X		X	
18	8	NIC-GW -061598		Water							X		X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	3-16-98	17:00
	ASAP	Meghan Shelley	6/17/98	915

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Darren Brown
Bill To: Darren Brown
P.O.# / Billing Reference: 2395-20456-RI.TSK3
Project Name / No: Wichita NIC
Sampled By (Print): Richard Holland
Date Sampled: ## 6/15/98

Lab Client No.:
Lab Project Manager: Tena Tiruneh
Lab Project No.: 6022384
*Requested Due Date: 7 day TAT
Sampler Signature: Richard Holland

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: 8260 - 25 ml purge	REMARKS
18 1	NIC-GW MW 4 -061598	1420	Water	60 1935539	3					X	X	
19 2	NIC-GW EXC-MW/AM -061598	1140	Water	60 1935547	3					X	X	
3	NIC-GW -061598		Water							X	X	
4	NIC-GW -061598		Water							X	X	
5	NIC-GW -061598		Water							X	X	
6	NIC-GW -061598		Water							X	X	
7	NIC-GW -061598		Water							X	X	
8	NIC-GW -061598		Water							X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l).

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
	Richard	ASAP	6-16	1710
	ASAP	Megan Sheeley	6/17/98	815

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by
Todd Burgesser
11/15/99

November 09, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on October 19, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 11/09/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor
SDG Number: 6034688D

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
602964033	NIC-GPW-GPA03-1M-20-101599	EPA 8260	71398		
602964041	NIC-GPW-GPA03-1-20-101599	EPA 8260	71398		
602964058	NIC-GPW-GPA05-3-20-101599	EPA 8260	71398		
602964066	NIC-GPW-GPA18-4-20-101599	EPA 8260	71398		
602964074	NIC-GPW-GP#19-2-19-101599	EPA 8260	71398		
602964082	NIC-GPW-GP#19-6-20-101599	EPA 8260	71398		
602964090	NIC-GPW-GPA24-2-20-101599	EPA 8260	71398		
602964108	NIC-GPW-GPA25-1-20-101599	EPA 8260	71398		
602964116	NIC-GPW-GPA28-2-20-101599	EPA 8260	71398		
602964124	NIC-GPW-GPA30-3-20-101599	EPA 8260	71398		
602964132	NIC-GPW-GPA31-1-20-101599	EPA 8260	71398		
602964140	NIC-GPW-GP#18-7-18-101599	EPA 8260	71398		
602964157	NIC-GPW-GP#18-6-18-101599	EPA 8260	71398		
602964165	NIC-GPW-GP#18-1-20-101599	EPA 8260	71398		
602964173	NIC-GPW-GP#18-2-20-101599	EPA 8260	71398		
602964181	NIC-GPW-GP#18-5-18-101599	EPA 8260	71398		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/09/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor
SDG Number: 6034688D

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 602964033 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA03-1M-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260				Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/20/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/20/99		75-01-4	
Bromomethane	ND	ug/l	1	10/20/99		74-83-9	
Chloroethane	ND	ug/l	1	10/20/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/20/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/20/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-59-2	
Chloroform	1.7	ug/l	1	10/20/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5	
Benzene	ND	ug/l	1	10/20/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/20/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4	
Toluene	ND	ug/l	1	10/20/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4	
Bromoform	ND	ug/l	1	10/20/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964033 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA03-1M-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/20/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6	
Toluene-d8 (S)	98	%		10/20/99		2037-26-5	
Dibromofluoromethane (S)	102	%		10/20/99		1868-53-7	
4-Bromofluorobenzene (S)	113	%		10/20/99		460-00-4	
1,2-Dichloroethane-d4 (S)	110	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964041 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA03-1-20-101599 Date Received: 10/19/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/20/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/20/99		75-01-4	
Bromomethane	ND	ug/l	1	10/20/99		74-83-9	
Chloroethane	ND	ug/l	1	10/20/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/20/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/20/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-59-2	
Chloroform	ND	ug/l	1	10/20/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5	
Benzene	ND	ug/l	1	10/20/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/20/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4	
Toluene	ND	ug/l	1	10/20/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4	
Bromoform	ND	ug/l	1	10/20/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/20/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6	
Toluene-d8 (S)	91	%		10/20/99		2037-26-5	
Dibromofluoromethane (S)	102	%		10/20/99		1868-53-7	
4-Bromofluorobenzene (S)	109	%		10/20/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964041 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA03-1-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964058 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA05-3-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/20/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/20/99		75-01-4	
Bromomethane	ND	ug/l	1	10/20/99		74-83-9	
Chloroethane	ND	ug/l	1	10/20/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/20/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/20/99		75-34-3	
cis-1,2-Dichloroethene	6.4	ug/l	1	10/20/99		156-59-2	
Chloroform	ND	ug/l	1	10/20/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5	
Benzene	ND	ug/l	1	10/20/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2	
Trichloroethene	160	ug/l	5	10/20/99		79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4	
Toluene	ND	ug/l	1	10/20/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4	
Bromoform	ND	ug/l	1	10/20/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/20/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6	
Toluene-d8 (S)	96	%		10/20/99		2037-26-5	
Dibromofluoromethane (S)	101	%		10/20/99		1868-53-7	
4-Bromofluorobenzene (S)	111	%		10/20/99		460-00-4	

Lab Q

D)M Q

1 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964058 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA05-3-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964066 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA18-4-20-101599 Date Received: 10/19/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/20/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/20/99		75-01-4	
Bromomethane	ND	ug/l	1	10/20/99		74-83-9	
Chloroethane	ND	ug/l	1	10/20/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/20/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/20/99		75-34-3	
cis-1,2-Dichloroethene	5.2	ug/l	1	10/20/99		156-59-2	
Chloroform	ND	ug/l	1	10/20/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5	
Benzene	ND	ug/l	1	10/20/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2	
Trichloroethene	27	ug/l	1	10/20/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4	
Toluene	ND	ug/l	1	10/20/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4	
Bromoform	ND	ug/l	1	10/20/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/20/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6	
Toluene-d8 (S)	98	%		10/20/99		2037-26-5	
Dibromofluoromethane (S)	103	%		10/20/99		1868-53-7	
4-Bromofluorobenzene (S)	110	%		10/20/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964066 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA18-4-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964074 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#19-2-19-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/20/99		74-87-3	
Vinyl Chloride	32	ug/l	1	10/20/99		75-01-4	
Bromomethane	ND	ug/l	1	10/20/99		74-83-9	
Chloroethane	1.3	ug/l	1	10/20/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/20/99		75-35-4	
trans-1,2-Dichloroethene	2.1	ug/l	1	10/20/99		156-60-5	
1,1-Dichloroethane	1.3	ug/l	1	10/20/99		75-34-3	
cis-1,2-Dichloroethene	35	ug/l	1	10/20/99		156-59-2	
Chloroform	ND	ug/l	1	10/20/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5	
Benzene	ND	ug/l	1	10/20/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2	
Trichloroethene	55	ug/l	1	10/20/99		79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4	
Toluene	ND	ug/l	1	10/20/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4	
Bromoform	ND	ug/l	1	10/20/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/20/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6	
Toluene-d8 (S)	95	%		10/20/99		2037-26-5	
Dibromofluoromethane (S)	102	%		10/20/99		1868-53-7	
4-Bromofluorobenzene (S)	110	%		10/20/99		460-00-4	

Lab Q

CDM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964074 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#19-2-19-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964082 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#19-6-20-101599 Date Received: 10/19/99

GC/MS Volatiles

LAB Q CDM Q

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/20/99		74-87-3	
Vinyl Chloride	1.2	ug/l	1	10/20/99		75-01-4	
Bromomethane	ND	ug/l	1	10/20/99		74-83-9	
Chloroethane	ND	ug/l	1	10/20/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2	
1,1-Dichloroethene	1.3	ug/l	1	10/20/99		75-35-4	
trans-1,2-Dichloroethene	2.3	ug/l	1	10/20/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/20/99		75-34-3	
cis-1,2-Dichloroethene	27	ug/l	1	10/20/99		156-59-2	
Chloroform	ND	ug/l	1	10/20/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5	
Benzene	ND	ug/l	1	10/20/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2	
Trichloroethene	160	ug/l	5	10/20/99		79-01-6	1 D
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4	
Toluene	ND	ug/l	1	10/20/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5	
Tetrachloroethene	3.4	ug/l	1	10/20/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4	
Bromoform	ND	ug/l	1	10/20/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/20/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6	
Toluene-d8 (S)	97	%		10/20/99		2037-26-5	
Dibromofluoromethane (S)	103	%		10/20/99		1868-53-7	
4-Bromofluorobenzene (S)	110	%		10/20/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964082 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#19-6-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964090 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA24-2-20-101599 Date Received: 10/19/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/20/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/20/99		75-01-4	
Bromomethane	ND	ug/l	1	10/20/99		74-83-9	
Chloroethane	ND	ug/l	1	10/20/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/20/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/20/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-59-2	
Chloroform	ND	ug/l	1	10/20/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5	
Benzene	ND	ug/l	1	10/20/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2	
Trichloroethene	15	ug/l	1	10/20/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4	
Toluene	ND	ug/l	1	10/20/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4	
Bromoform	ND	ug/l	1	10/20/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/20/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6	
Toluene-d8 (S)	96	%		10/20/99		2037-26-5	
Dibromofluoromethane (S)	102	%		10/20/99		1868-53-7	
4-Bromofluorobenzene (S)	111	%		10/20/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964090 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA24-2-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/09/99

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964108 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA25-1-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								LAB Q / CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/20/99		74-87-3		
Vinyl Chloride	7.4	ug/l	1	10/20/99		75-01-4		
Bromomethane	ND	ug/l	1	10/20/99		74-83-9		
Chloroethane	ND	ug/l	1	10/20/99		75-00-3		
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4		
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2		
1,1-Dichloroethene	4.1	ug/l	1	10/20/99		75-35-4		
trans-1,2-Dichloroethene	5.3	ug/l	1	10/20/99		156-60-5		
1,1-Dichloroethane	2.2	ug/l	1	10/20/99		75-34-3		
cis-1,2-Dichloroethene	59	ug/l	10	10/20/99		156-59-2	3	D
Chloroform	ND	ug/l	1	10/20/99		67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6		
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5		
Benzene	ND	ug/l	1	10/20/99		71-43-2		
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2		
Trichloroethene	290	ug/l	10	10/20/99		79-01-6	3	D
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5		
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4		
Toluene	ND	ug/l	1	10/20/99		108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5		
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4		
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1		
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7		
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4		
Bromoform	ND	ug/l	1	10/20/99		75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6		
M&P-Xylene	ND	ug/l	1.3	10/20/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6		
Toluene-d8 (S)	99	%		10/20/99		2037-26-5		
Dibromofluoromethane (S)	101	%		10/20/99		1868-53-7		
4-Bromofluorobenzene (S)	111	%		10/20/99		460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964108 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA25-1-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964116 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA28-2-20-101599 Date Received: 10/19/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	CAS#	Footnotes	Lab	QM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/20/99	74-87-3		Q2	Q
Vinyl Chloride	ND	ug/l	1	10/20/99	75-01-4			
Bromomethane	ND	ug/l	1	10/20/99	74-83-9			
Chloroethane	ND	ug/l	1	10/20/99	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/20/99	75-69-4			
Methylene Chloride	ND	ug/l	1	10/20/99	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	10/20/99	75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	1	10/20/99	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	10/20/99	75-34-3			
cis-1,2-Dichloroethene	14	ug/l	1	10/20/99	156-59-2			
Chloroform	ND	ug/l	1	10/20/99	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/20/99	56-23-5			
Benzene	ND	ug/l	1	10/20/99	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/20/99	107-06-2			
Trichloroethene	60	ug/l	1	10/20/99	79-01-6	2	E	
1,2-Dichloropropane	ND	ug/l	1	10/20/99	78-87-5			
Bromodichloromethane	ND	ug/l	1	10/20/99	75-27-4			
Toluene	ND	ug/l	1	10/20/99	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99	79-00-5			
Tetrachloroethene	6.8	ug/l	1	10/20/99	127-18-4			
Dibromochloromethane	ND	ug/l	1	10/20/99	124-48-1			
Chlorobenzene	ND	ug/l	1	10/20/99	108-90-7			
Ethylbenzene	ND	ug/l	1	10/20/99	100-41-4			
Bromoform	ND	ug/l	1	10/20/99	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/20/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99	95-47-6			
Toluene-d8 (S)	99	%		10/20/99	2037-26-5			
Dibromofluoromethane (S)	104	%		10/20/99	1868-53-7			
4-Bromofluorobenzene (S)	111	%		10/20/99	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964116 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA28-2-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964124 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA30-3-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/20/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/20/99		75-01-4	
Bromomethane	ND	ug/l	1	10/20/99		74-83-9	
Chloroethane	ND	ug/l	1	10/20/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/20/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/20/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/20/99		156-59-2	
Chloroform	ND	ug/l	1	10/20/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5	
Benzene	ND	ug/l	1	10/20/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2	
Trichloroethene	2.3	ug/l	1	10/20/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4	
Toluene	ND	ug/l	1	10/20/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4	
Bromoform	ND	ug/l	1	10/20/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/20/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6	
Toluene-d8 (S)	98	%		10/20/99		2037-26-5	
Dibromofluoromethane (S)	102	%		10/20/99		1868-53-7	
4-Bromofluorobenzene (S)	110	%		10/20/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964124 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA30-3-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964132 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-1-20-101599 Date Received: 10/19/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/20/99		74-87-3		
Vinyl Chloride	ND	ug/l	1	10/20/99		75-01-4		
Bromomethane	ND	ug/l	1	10/20/99		74-83-9		
Chloroethane	ND	ug/l	1	10/20/99		75-00-3		
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4		
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2		
1,1-Dichloroethene	ND	ug/l	1	10/20/99		75-35-4		
trans-1,2-Dichloroethene	3.5	ug/l	1	10/20/99		156-60-5		
1,1-Dichloroethane	ND	ug/l	1	10/20/99		75-34-3		
cis-1,2-Dichloroethene	40	ug/l	2.5	10/20/99		156-59-2	4	D
Chloroform	ND	ug/l	1	10/20/99		67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6		
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5		
Benzene	ND	ug/l	1	10/20/99		71-43-2		
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2		
Trichloroethene	66	ug/l	2.5	10/20/99		79-01-6	4	D
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5		
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4		
Toluene	ND	ug/l	1	10/20/99		108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5		
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4		
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1		
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7		
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4		
Bromoform	ND	ug/l	1	10/20/99		75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6		
M&P-Xylene	ND	ug/l	1.3	10/20/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6		
Toluene-d8 (S)	96	%		10/20/99		2037-26-5		
Dibromofluoromethane (S)	101	%		10/20/99		1868-53-7		
4-Bromofluorobenzene (S)	112	%		10/20/99		460-00-4		

LAB Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964132 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-1-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964140 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-7-18-101599 Date Received: 10/19/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	10/20/99		74-87-3			
Vinyl Chloride	4.1	ug/l	1	10/20/99		75-01-4			
Bromomethane	ND	ug/l	1	10/20/99		74-83-9			
Chloroethane	ND	ug/l	1	10/20/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/20/99		75-69-4			
Methylene Chloride	ND	ug/l	1	10/20/99		75-09-2			
1,1-Dichloroethene	2.0	ug/l	1	10/20/99		75-35-4			
trans-1,2-Dichloroethene	5.7	ug/l	1	10/20/99		156-60-5			
1,1-Dichloroethane	1.4	ug/l	1	10/20/99		75-34-3			
cis-1,2-Dichloroethene	86	ug/l	5	10/20/99		156-59-2	5		D
Chloroform	ND	ug/l	1	10/20/99		67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	10/20/99		71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/20/99		56-23-5			
Benzene	ND	ug/l	1	10/20/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/20/99		107-06-2			
Trichloroethene	170	ug/l	5	10/20/99		79-01-6	1		D
1,2-Dichloropropane	ND	ug/l	1	10/20/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	10/20/99		75-27-4			
Toluene	ND	ug/l	1	10/20/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/20/99		79-00-5			
Tetrachloroethene	ND	ug/l	1	10/20/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	10/20/99		124-48-1			
Chlorobenzene	ND	ug/l	1	10/20/99		108-90-7			
Ethylbenzene	ND	ug/l	1	10/20/99		100-41-4			
Bromoform	ND	ug/l	1	10/20/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/20/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/20/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/20/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/20/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/20/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/20/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/20/99		95-47-6			
Toluene-d8 (S)	96	%		10/20/99		2037-26-5			
Dibromofluoromethane (S)	102	%		10/20/99		1868-53-7			
4-Bromofluorobenzene (S)	111	%		10/20/99		460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964140 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-7-18-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		10/20/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964157 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-6-18-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								LAB Q / QDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/21/99		74-87-3		
Vinyl Chloride	ND	ug/l	1	10/21/99		75-01-4		
Bromomethane	ND	ug/l	1	10/21/99		74-83-9		
Chloroethane	ND	ug/l	1	10/21/99		75-00-3		
Trichlorofluoromethane	ND	ug/l	1	10/21/99		75-69-4		
Methylene Chloride	ND	ug/l	1	10/21/99		75-09-2		
1,1-Dichloroethene	52	ug/l	5	10/21/99		75-35-4	1	D
trans-1,2-Dichloroethene	ND	ug/l	1	10/21/99		156-60-5		
1,1-Dichloroethane	3.4	ug/l	1	10/21/99		75-34-3		
cis-1,2-Dichloroethene	6.3	ug/l	1	10/21/99		156-59-2		
Chloroform	5.8	ug/l	1	10/21/99		67-66-3		
1,1,1-Trichloroethane	180	ug/l	5	10/21/99		71-55-6	1	D
Carbon Tetrachloride	ND	ug/l	1	10/21/99		56-23-5		
Benzene	ND	ug/l	1	10/21/99		71-43-2		
1,2-Dichloroethane	ND	ug/l	1	10/21/99		107-06-2		
Trichloroethene	35	ug/l	1	10/21/99		79-01-6		
1,2-Dichloropropane	ND	ug/l	1	10/21/99		78-87-5		
Bromodichloromethane	ND	ug/l	1	10/21/99		75-27-4		
Toluene	ND	ug/l	1	10/21/99		108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	10/21/99		79-00-5		
Tetrachloroethene	ND	ug/l	1	10/21/99		127-18-4		
Dibromochloromethane	ND	ug/l	1	10/21/99		124-48-1		
Chlorobenzene	ND	ug/l	1	10/21/99		108-90-7		
Ethylbenzene	ND	ug/l	1	10/21/99		100-41-4		
Bromoform	ND	ug/l	1	10/21/99		75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/21/99		79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	10/21/99		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	10/21/99		106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	10/21/99		95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	10/21/99		10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	10/21/99		10061-02-6		
M&P-Xylene	ND	ug/l	1.3	10/21/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/21/99		95-47-6		
Toluene-d8 (S)	94	%		10/21/99		2037-26-5		
Dibromofluoromethane (S)	98	%		10/21/99		1868-53-7		
4-Bromofluorobenzene (S)	112	%		10/21/99		460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964157 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-6-18-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		10/21/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964165 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-1-20-101599 Date Received: 10/19/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/21/99		74-87-3		
Vinyl Chloride	1.0	ug/l	1	10/21/99		75-01-4		
Bromomethane	ND	ug/l	1	10/21/99		74-83-9		
Chloroethane	ND	ug/l	1	10/21/99		75-00-3		
Trichlorofluoromethane	ND	ug/l	1	10/21/99		75-69-4		
Methylene Chloride	ND	ug/l	1	10/21/99		75-09-2		
1,1-Dichloroethene	ND	ug/l	1	10/21/99		75-35-4		
trans-1,2-Dichloroethene	ND	ug/l	1	10/21/99		156-60-5		
1,1-Dichloroethane	4.4	ug/l	1	10/21/99		75-34-3		
cis-1,2-Dichloroethene	9.7	ug/l	1	10/21/99		156-59-2		
Chloroform	ND	ug/l	1	10/21/99		67-66-3		
1,1,1-Trichloroethane	5.5	ug/l	1	10/21/99		71-55-6		
Carbon Tetrachloride	ND	ug/l	1	10/21/99		56-23-5		
Benzene	ND	ug/l	1	10/21/99		71-43-2		
1,2-Dichloroethane	ND	ug/l	1	10/21/99		107-06-2		
Trichloroethene	12	ug/l	1	10/21/99		79-01-6		
1,2-Dichloropropane	ND	ug/l	1	10/21/99		78-87-5		
Bromodichloromethane	ND	ug/l	1	10/21/99		75-27-4		
Toluene	9.1	ug/l	1	10/21/99		108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	10/21/99		79-00-5		
Tetrachloroethene	ND	ug/l	1	10/21/99		127-18-4		
Dibromochloromethane	ND	ug/l	1	10/21/99		124-48-1		
Chlorobenzene	ND	ug/l	1	10/21/99		108-90-7		
Ethylbenzene	110	ug/l	10	10/21/99		100-41-4	6	D
Bromoform	ND	ug/l	1	10/21/99		75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/21/99		79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	10/21/99		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	10/21/99		106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	10/21/99		95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	10/21/99		10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	10/21/99		10061-02-6		
M&P-Xylene	38	ug/l	13	10/21/99			6	D
O-Xylene (1,2-Dimethylbenzene)	10	ug/l	1.1	10/21/99		95-47-6		
Toluene-d8 (S)	102	%		10/21/99		2037-26-5		
Dibromofluoromethane (S)	97	%		10/21/99		1868-53-7		
4-Bromofluorobenzene (S)	107	%		10/21/99		460-00-4		

Lab Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964165 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-1-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	183	%		10/21/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964173 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-2-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	8.8	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	1.0	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	9.2	ug/l	1	10/23/99		156-59-2	
Chloroform	1.0	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	38	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	ND	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	26	ug/l	1	10/23/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	101	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	107	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	117	%		10/23/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964173 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-2-20-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964181 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-5-18-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/21/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/21/99		75-01-4	
Bromomethane	ND	ug/l	1	10/21/99		74-83-9	
Chloroethane	ND	ug/l	1	10/21/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/21/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/21/99		75-09-2	
1,1-Dichloroethene	26	ug/l	1	10/21/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/21/99		156-60-5	
1,1-Dichloroethane	6.6	ug/l	1	10/21/99		75-34-3	
cis-1,2-Dichloroethene	10	ug/l	1	10/21/99		156-59-2	
Chloroform	2.0	ug/l	1	10/21/99		67-66-3	
1,1,1-Trichloroethane	99	ug/l	5	10/21/99		71-55-6	1
Carbon Tetrachloride	ND	ug/l	1	10/21/99		56-23-5	
Benzene	ND	ug/l	1	10/21/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/21/99		107-06-2	
Trichloroethene	120	ug/l	5	10/21/99		79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	10/21/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/21/99		75-27-4	
Toluene	ND	ug/l	1	10/21/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/21/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/21/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/21/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/21/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/21/99		100-41-4	
Bromoform	ND	ug/l	1	10/21/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/21/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/21/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/21/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/21/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/21/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/21/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/21/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/21/99		95-47-6	
Toluene-d8 (S)	97	%		10/21/99		2037-26-5	
Dibromofluoromethane (S)	99	%		10/21/99		1868-53-7	
4-Bromofluorobenzene (S)	115	%		10/21/99		460-00-4	

LAB Q

CDM Q

1 D

5 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602964181 Date Collected: 10/15/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-5-18-101599 Date Received: 10/19/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		10/21/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:5.
[2]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[3]	The value for this analyte was determined from a secondary dilution of 1:10 on 10/20/99.
[4]	The value for this analyte was determined from a secondary dilution of 1:2.5.
[5]	The value for this analyte was determined from a secondary dilution of 1:5.
[6]	The value for this analyte was determined from a secondary dilution of 1:10.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor
SDG Number: 6034688D

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 71398
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 602964033 602964041 602964058 602964066 602964074 602964082 602964090 602964108 602964116 602964124 602964132 602964140 602964157 602964165 602964173 602964181

METHOD BLANK: 602965550
Associated Pace Samples:
602964033 602964041 602964058 602964066 602964074 602964082 602964090 602964108 602964116 602964124 602964132 602964140

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602965550
Associated Pace Samples:

602964033 602964041 602964058 602964066 602964074 602964082 602964090
602964108 602964116 602964124 602964132 602964140

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	111		
1,2-Dichloroethane-d4 (S)	%	109		

METHOD BLANK: 602977399
Associated Pace Samples:

602964157 602964165 602964181

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602977399
Associated Pace Samples:
602964157 602964165 602964181

Parameter	Units	Method Blank Result	PRL	Footnotes
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	101		
4-Bromofluorobenzene (S)	%	111		
1,2-Dichloroethane-d4 (S)	%	113		

METHOD BLANK: 602977407
Associated Pace Samples:
602964173

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602977407
Associated Pace Samples:
602964173

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	108		
4-Bromofluorobenzene (S)	%	116		
1,2-Dichloroethane-d4 (S)	%	117		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 602965568 602965576

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	5.389	53.9	5.686	56.9	5	
Vinyl Chloride	ug/l	10	6.071	60.7	6.414	64.1	5	
Bromomethane	ug/l	10	6.990	69.9	7.179	71.8	3	
Chloroethane	ug/l	10	7.283	72.8	7.620	76.2	5	
Trichlorofluoromethane	ug/l	10	8.591	85.9	8.807	88.1	3	
Methylene Chloride	ug/l	10	8.932	89.3	9.397	94.0	5	
1,1-Dichloroethene	ug/l	10	9.695	97.0	10.28	103	6	
trans-1,2-Dichloroethene	ug/l	10	9.454	94.5	10.05	100	6	
1,1-Dichloroethane	ug/l	10	9.426	94.3	9.554	95.5	1	
cis-1,2-Dichloroethene	ug/l	10	8.833	88.3	8.928	89.3	1	
Chloroform	ug/l	10	9.642	96.4	9.752	97.5	1	
1,1,1-Trichloroethane	ug/l	10	10.74	107	10.89	109	2	
Carbon Tetrachloride	ug/l	10	10.74	107	10.91	109	2	
Benzene	ug/l	10	8.927	89.3	9.089	90.9	2	
1,2-Dichloroethane	ug/l	10	9.607	96.1	9.746	97.5	1	
Trichloroethene	ug/l	10	10.75	108	11.18	112	4	
1,2-Dichloropropane	ug/l	10	8.813	88.1	9.130	91.3	4	
Bromodichloromethane	ug/l	10	9.870	98.7	9.699	97.0	2	
Toluene	ug/l	10	9.272	92.7	9.471	94.7	2	
1,1,2-Trichloroethane	ug/l	10	8.802	88.0	9.377	93.8	6	
Tetrachloroethene	ug/l	10	9.527	95.3	9.668	96.7	1	
Dibromochloromethane	ug/l	10	9.382	93.8	9.576	95.8	2	
Chlorobenzene	ug/l	10	8.848	88.5	9.082	90.8	3	
Ethylbenzene	ug/l	10	9.459	94.6	9.323	93.2	1	
Bromoform	ug/l	10	9.250	92.5	9.510	95.1	3	
1,1,2,2-Tetrachloroethane	ug/l	10	8.103	81.0	7.859	78.6	3	
1,3-Dichlorobenzene	ug/l	10	9.154	91.5	9.351	93.5	2	
1,4-Dichlorobenzene	ug/l	10	8.659	86.6	8.810	88.1	2	
1,2-Dichlorobenzene	ug/l	10	9.340	93.4	9.321	93.2	0	
cis-1,3-Dichloropropene	ug/l	10	9.015	90.1	9.353	93.5	4	
trans-1,3-Dichloropropene	ug/l	10	8.690	86.9	8.792	87.9	1	
M&P-Xylene	ug/l	20	17.99	89.9	18.49	92.4	3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.179	91.8	9.115	91.1	1	
Toluene-d8 (S)				100		102		
Dibromofluoromethane (S)				101		102		
4-Bromofluorobenzene (S)				97		101		
1,2-Dichloroethane-d4 (S)				103		108		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034688
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request 6034688

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	5000-12801
Project Name / No:	Gilbert-Mosley Plumes
Sampled By (Print):	Adam Falberg
Date Sampled:	10/15/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED												REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260												
1	NIC-GPW-GPA03-1M-20-101599	8:00	Water		3	PV				X	X												6029640 33
2	NIC-GPW-GPA03-1-20-101599	8:55	Water		3					X	X												6029640 41
3	NIC-GPW-GPA05-3-20-101599	9:25	Water		3					X	X												6029640 58
4	NIC-GPW-GPA18-4-20-101599	9:48	Water		3					X	X												6029640 66
5	NIC-GPW-GP#19-2-19-101599	10:15	Water		3					X	X												6029640 74
6	NIC-GPW-GP#19-6-20-101599	10:39	Water		3					X	X												6029640 82
7	NIC-GPW-GPA24-2-20-101599	11:12	Water		3					X	X												6029640 90
8	NIC-GPW-GPA25-1-20-101599	11:33	Water		3					X	X												6029641 08

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8			10/18/99	1112
		F.McKennen	10/19/99	8 50

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request 6034688

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	5000-12801
Project Name / No:	Gilbert-Mosley Plumes
Sampled By (Print):	Adam Falberg
Date Sampled:	10/15/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS
1	NIC-GPW-GPA28-2-20-101599	12:10	Water		3	PU				X	X	602964116
2	NIC-GPW-GPA30-3-20-101599	13:15	Water		3					X	X	602964134
3	NIC-GPW-GPA31-1-20-101599	13:42	Water		3					X	X	602964132
4	NIC-GPW-GP#18-7-18-101599	14:08	Water		3					X	X	602964140
5	NIC-GPW-GP#18-6-18-101599	14:35	Water		3					X	X	602964157
6	NIC-GPW-GP#18-1-20-101599	15:03	Water		3					X	X	602964165
7	NIC-GPW-GP#18-2-20-101599	15:35	Water		3					X	X	602964173
8	NIC-GPW-GP#18-5-18-101599	16:02	Water		3					X	X	602964181

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8			10/14/99	1112
		EMERGENCY	10/19/99	8:50

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by
Todd Burgesser
11/23/99

November 12, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on October 21, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 11/12/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor
SDG Number: 6034749B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
602970881	NIC-GPW-GPA40-1M-20-101999	EPA 8260	71579		
602970907	NIC-GPW-GPA40-1-20-101999	EPA 8260	71579		
602970915	NIC-GPW-GPA55-1-20-101999	EPA 8260	71579		
602970923	NIC-GPW-GPA08-2-20-101999	EPA 8260	71579		
602970931	NIC-GPW-GPA08-4-20-101999	EPA 8260	71579		
602970949	NIC-GPW-GP35-2-20-101999	EPA 8260	71579		
602970956	NIC-GPW-GP50-3-20-101999	EPA 8260	71579		
602970972	NIC-GPW-GP50-3Q1-20-101999	EPA 8260	71579		
602970980	NIC-GPW-GP50-3N-20-101999	EPA 8260	71579		
602971012	NIC-GPW-GP47-1-20-101999	EPA 8260	71579		
602971046	NIC-GPW-GP35-4-20-101999	EPA 8260	71579		
602971061	NIC-GPW-GPA15-2-20-101999	EPA 8260	71579		
602971095	NIC-GPW-GPA15-2P-20-101999	EPA 8260	71579		
602971111	NIC-GPW-GPA34-3-20-102099	EPA 8260	71579		
602971129	NIC-GPW-GPA31-3-20-102099	EPA 8260	71579		
602971145	NIC-GPW-GPA29-6-20-102099	EPA 8260	71579		
602971160	NIC-GPW-GPA28-3-20-102099	EPA 8260	71579		
602971186	NIC-GPW-GP56-2-20-102099	EPA 8260	71579		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/12/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor
SDG Number: 6034749B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 602970881 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA40-1M-20-101999 Date Received: 10/21/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-59-2	
Chloroform	1.6	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	ND	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/23/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970881 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA40-1M-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	100	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	108	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	115	%		10/23/99		460-00-4	
1,2-Dichloroethane-d4 (S)	121	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970907 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA40-1-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	1.0	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	5.1	ug/l	1	10/23/99		156-59-2	
Chloroform	ND	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	ND	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	11	ug/l	1	10/23/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	98	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	108	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	115	%		10/23/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970907 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA40-1-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	123	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970915 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA55-1-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	13	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	1.7	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	1.9	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	37	ug/l	1	10/26/99		156-59-2	
Chloroform	4.2	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	11	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	9.2	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	440	ug/l	25	10/26/99		79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	94	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	103	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	101	%		10/26/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970915 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA55-1-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970923 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA08-2-20-101999 Date Received: 10/21/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	7.4	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	2.4	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	74	ug/l	5	10/23/99		156-59-2	2
Chloroform	ND	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	ND	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	45	ug/l	5	10/23/99		79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	98	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	110	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	116	%		10/23/99		460-00-4	

LAB CP

CDM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970923 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA08-2-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	125	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970931 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA08-4-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	1.1	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	24	ug/l	1	10/23/99		156-59-2	
Chloroform	ND	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	ND	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	130	ug/l	5	10/23/99		79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	1.7	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	95	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	110	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	116	%		10/23/99		460-00-4	

LAB a

CDM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970931 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA08-4-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	125	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970949 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP35-2-20-101999 Date Received: 10/21/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-59-2	
Chloroform	ND	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	ND	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	3.7	ug/l	1	10/23/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	99	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	108	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	117	%		10/23/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970949 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP35-2-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970956 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP50-3-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	1.3	ug/l	1	10/23/99		156-59-2	
Chloroform	ND	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	ND	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/23/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	101	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	110	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	115	%		10/23/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970956 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP50-3-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970972 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP50-3Q1-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-59-2	
Chloroform	ND	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	ND	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/23/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	100	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	110	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	117	%		10/23/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970972 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP50-3Q1-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	125	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970980 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP50-3N-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/23/99		156-59-2	
Chloroform	ND	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	ND	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/23/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	95	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	109	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	117	%		10/23/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602970980 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP50-3N-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	123	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971012 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP47-1-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/23/99		74-87-3	
Vinyl Chloride	23	ug/l	1	10/23/99		75-01-4	
Bromomethane	ND	ug/l	1	10/23/99		74-83-9	
Chloroethane	ND	ug/l	1	10/23/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/23/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/23/99		75-09-2	
1,1-Dichloroethene	10	ug/l	1	10/23/99		75-35-4	
trans-1,2-Dichloroethene	7.0	ug/l	1	10/23/99		156-60-5	
1,1-Dichloroethane	6.1	ug/l	1	10/23/99		75-34-3	
cis-1,2-Dichloroethene	51	ug/l	5	10/23/99		156-59-2	2
Chloroform	ND	ug/l	1	10/23/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/23/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/23/99		56-23-5	
Benzene	1.5	ug/l	1	10/23/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/23/99		107-06-2	
Trichloroethene	89	ug/l	5	10/23/99		79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	10/23/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/23/99		75-27-4	
Toluene	ND	ug/l	1	10/23/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/23/99		79-00-5	
Tetrachloroethene	2.2	ug/l	1	10/23/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/23/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/23/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/23/99		100-41-4	
Bromoform	ND	ug/l	1	10/23/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/23/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/23/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/23/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/23/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/23/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/23/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/23/99		95-47-6	
Toluene-d8 (S)	96	%		10/23/99		2037-26-5	
Dibromofluoromethane (S)	107	%		10/23/99		1868-53-7	
4-Bromofluorobenzene (S)	115	%		10/23/99		460-00-4	

LAB Q COM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971012 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP47-1-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		10/23/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/12/99

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971046 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP35-4-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	12	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	15	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	14	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	5.3	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	78	ug/l	25	10/26/99		156-59-2	1
Chloroform	ND	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	2.7	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	220	ug/l	25	10/26/99		79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	98	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	102	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	103	%		10/26/99		460-00-4	

LAB Q CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971046 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GP35-4-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971061 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA15-2-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/25/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/25/99		75-01-4	
Bromomethane	ND	ug/l	1	10/25/99		74-83-9	
Chloroethane	ND	ug/l	1	10/25/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/25/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/25/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/25/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/25/99		156-60-5	
1,1-Dichloroethane	2.5	ug/l	1	10/25/99		75-34-3	
cis-1,2-Dichloroethene	1.9	ug/l	1	10/25/99		156-59-2	
Chloroform	ND	ug/l	1	10/25/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/25/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/25/99		56-23-5	
Benzene	ND	ug/l	1	10/25/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/25/99		107-06-2	
Trichloroethene	5.1	ug/l	1	10/25/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/25/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/25/99		75-27-4	
Toluene	ND	ug/l	1	10/25/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/25/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/25/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/25/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/25/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/25/99		100-41-4	
Bromoform	ND	ug/l	1	10/25/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/25/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/25/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/25/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/25/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/25/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/25/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/25/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/25/99		95-47-6	
Toluene-d8 (S)	94	%		10/25/99		2037-26-5	
Dibromofluoromethane (S)	98	%		10/25/99		1868-53-7	
4-Bromofluorobenzene (S)	101	%		10/25/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971061 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA15-2-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		10/25/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971095 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA15-2P-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/25/99		74-87-3	3
Vinyl Chloride	36	ug/l	1	10/25/99		75-01-4	
Bromomethane	ND	ug/l	1	10/25/99		74-83-9	
Chloroethane	ND	ug/l	1	10/25/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/25/99		75-69-4	
Methylene Chloride	120	ug/l	1	10/25/99		75-09-2	4
1,1-Dichloroethene	62	ug/l	1	10/25/99		75-35-4	4
trans-1,2-Dichloroethene	150	ug/l	1	10/25/99		156-60-5	4
1,1-Dichloroethane	ND	ug/l	1	10/25/99		75-34-3	
cis-1,2-Dichloroethene	170	ug/l	1	10/25/99		156-59-2	4
Chloroform	1.3	ug/l	1	10/25/99		67-66-3	
1,1,1-Trichloroethane	160	ug/l	1	10/25/99		71-55-6	4
Carbon Tetrachloride	170	ug/l	1	10/25/99		56-23-5	4
Benzene	80	ug/l	1	10/25/99		71-43-2	4
1,2-Dichloroethane	140	ug/l	1	10/25/99		107-06-2	4
Trichloroethene	130	ug/l	1	10/25/99		79-01-6	4
1,2-Dichloropropane	87	ug/l	1	10/25/99		78-87-5	4
Bromodichloromethane	ND	ug/l	1	10/25/99		75-27-4	
Toluene	76	ug/l	1	10/25/99		108-88-3	4
1,1,2-Trichloroethane	180	ug/l	1	10/25/99		79-00-5	4
Tetrachloroethene	110	ug/l	1	10/25/99		127-18-4	4
Dibromochloromethane	ND	ug/l	1	10/25/99		124-48-1	
Chlorobenzene	120	ug/l	1	10/25/99		108-90-7	4
Ethylbenzene	130	ug/l	1	10/25/99		100-41-4	4
Bromoform	ND	ug/l	1	10/25/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/25/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/25/99		541-73-1	
1,4-Dichlorobenzene	95	ug/l	1	10/25/99		106-46-7	4
1,2-Dichlorobenzene	180	ug/l	1	10/25/99		95-50-1	4
cis-1,3-Dichloropropene	ND	ug/l	1	10/25/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/25/99		10061-02-6	
M&P-Xylene	310	ug/l	1.3	10/25/99			4
O-Xylene (1,2-Dimethylbenzene)	120	ug/l	1.1	10/25/99		95-47-6	4
Toluene-d8 (S)	97	%		10/25/99		2037-26-5	
Dibromofluoromethane (S)	98	%		10/25/99		1868-53-7	
4-Bromofluorobenzene (S)	107	%		10/25/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971095 Date Collected: 10/19/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA15-2P-20-101999 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		10/25/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/12/99

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971111 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA34-3-20-102099 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	CDM
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	10/25/99		74-87-3		Q	Q
Vinyl Chloride	3.5	ug/l	1	10/25/99		75-01-4			
Bromomethane	ND	ug/l	1	10/25/99		74-83-9			
Chloroethane	ND	ug/l	1	10/25/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/25/99		75-69-4			
Methylene Chloride	ND	ug/l	1	10/25/99		75-09-2			
1,1-Dichloroethene	13	ug/l	1	10/25/99		75-35-4			
trans-1,2-Dichloroethene	2.0	ug/l	1	10/25/99		156-60-5			
1,1-Dichloroethane	12	ug/l	1	10/25/99		75-34-3			
cis-1,2-Dichloroethene	47	ug/l	5	10/25/99		156-59-2	2	D	
Chloroform	ND	ug/l	1	10/25/99		67-66-3			
1,1,1-Trichloroethane	52	ug/l	5	10/25/99		71-55-6	2	D	
Carbon Tetrachloride	ND	ug/l	1	10/25/99		56-23-5			
Benzene	ND	ug/l	1	10/25/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/25/99		107-06-2			
Trichloroethene	180	ug/l	5	10/25/99		79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	10/25/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	10/25/99		75-27-4			
Toluene	ND	ug/l	1	10/25/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/25/99		79-00-5			
Tetrachloroethene	1.6	ug/l	1	10/25/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	10/25/99		124-48-1			
Chlorobenzene	ND	ug/l	1	10/25/99		108-90-7			
Ethylbenzene	ND	ug/l	1	10/25/99		100-41-4			
Bromoform	ND	ug/l	1	10/25/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/25/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/25/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/25/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/25/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/25/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/25/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/25/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/25/99		95-47-6			
Toluene-d8 (S)	95	%		10/25/99		2037-26-5			
Dibromofluoromethane (S)	101	%		10/25/99		1868-53-7			
4-Bromofluorobenzene (S)	103	%		10/25/99		460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971111 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA34-3-20-102099 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		10/25/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971129 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-3-20-102099 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	2.7	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	1.2	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	5.4	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	1.6	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	50	ug/l	1	10/26/99		156-59-2	4
Chloroform	ND	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	260	ug/l	25	10/26/99		79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	9.2	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	95	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	103	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	105	%		10/26/99		460-00-4	

LAB O

CDM Q

E

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971129 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-3-20-102099 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971145 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA29-6-20-102099 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/26/99		156-59-2	
Chloroform	ND	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	1.8	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	43	ug/l	1	10/26/99		79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	96	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	108	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	104	%		10/26/99		460-00-4	

Lab Q CDM 9

F

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971145 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA29-6-20-102099 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971160 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA28-3-20-102099 Date Received: 10/21/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	6.6	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	92	ug/l	5	10/26/99		156-59-2	2
Chloroform	ND	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	130	ug/l	5	10/26/99		79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	9.3	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	92	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	100	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		10/26/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971160 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GPA28-3-20-102099 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971186 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP56-2-20-102099 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	2.3	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	36	ug/l	1	10/26/99		156-59-2	
Chloroform	ND	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	28	ug/l	1	10/26/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	98	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	101	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	83	%		10/26/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602971186 Date Collected: 10/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP56-2-20-102099 Date Received: 10/21/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:25.
[2]	The value for this analyte was determined from a secondary dilution of 1:5.
[3]	Dilutions of this sample using the other vials provided did not match results from the undiluted sample. Results are from the original analysis.
[4]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[5]	The value for this analyte was determined from a secondary dilution of 1:5.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor
SDG Number: 6034749B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 71579
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 602970881 602970907 602970915 602970923 602970931 602970949 602970956 602970972 602970980 602971012 602971046 602971061 602971095 602971111 602971129 602971145 602971160 602971186

METHOD BLANK: 602974289
Associated Pace Samples:
602970881 602970907 602970923 602970931 602970949 602970956 602970972 602970980 602971012

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602974289
Associated Pace Samples:
602970881 602970907 602970923 602970931 602970949 602970956 602970972
602970980 602971012

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	108		
4-Bromofluorobenzene (S)	%	116		
1,2-Dichloroethane-d4 (S)	%	117		

METHOD BLANK: 602997470
Associated Pace Samples:
602970915

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602997470
Associated Pace Samples:
602970915

Parameter	Units	Method Blank Result	PRL	Footnotes
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	100		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	101		

METHOD BLANK: 602997488
Associated Pace Samples:
602971046 602971061 602971095 602971111 602971129 602971145 602971160 602971186

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602997488
Associated Pace Samples:
602971046 602971061 602971095 602971111 602971129 602971145 602971160
602971186

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	96		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	90		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 602974537 602974545

Parameter	Units	602970956	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	10.93	109	10.60	106	3	
Benzene	ug/l	0	10	10.26	103	10.20	102	1	
Trichloroethene	ug/l	0	10	11.11	111	11.10	111	0	
Toluene	ug/l	0	10	9.822	98.2	9.700	97.0	1	
Chlorobenzene	ug/l	0	10	9.977	99.8	9.660	96.6	3	
Toluene-d8 (S)					99		100		
Dibromofluoromethane (S)					102		102		
4-Bromofluorobenzene (S)					102		101		
1,2-Dichloroethane-d4 (S)					108		110		

LABORATORY CONTROL SAMPLE: 602974297

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	8.566	85.7	
Vinyl Chloride	ug/l	10	8.765	87.6	
Bromomethane	ug/l	10	10.32	103	
Chloroethane	ug/l	10	9.825	98.2	
Trichlorofluoromethane	ug/l	10	13.82	138	
Methylene Chloride	ug/l	10	9.001	90.0	
1,1-Dichloroethene	ug/l	10	11.07	111	
trans-1,2-Dichloroethene	ug/l	10	10.89	109	
1,1-Dichloroethane	ug/l	10	10.74	107	
cis-1,2-Dichloroethene	ug/l	10	9.712	97.1	
Chloroform	ug/l	10	11.27	113	
1,1,1-Trichloroethane	ug/l	10	14.46	145	1
Carbon Tetrachloride	ug/l	10	15.13	151	2
Benzene	ug/l	10	9.624	96.2	
1,2-Dichloroethane	ug/l	10	11.35	114	
Trichloroethene	ug/l	10	12.11	121	
1,2-Dichloropropane	ug/l	10	9.287	92.9	
Bromodichloromethane	ug/l	10	11.05	111	
Toluene	ug/l	10	10.68	107	
1,1,2-Trichloroethane	ug/l	10	9.181	91.8	
Tetrachloroethene	ug/l	10	12.71	127	
Dibromochloromethane	ug/l	10	10.20	102	
Chlorobenzene	ug/l	10	9.789	97.9	
Ethylbenzene	ug/l	10	10.74	107	
Bromoform	ug/l	10	8.184	81.8	
1,1,2,2-Tetrachloroethane	ug/l	10	8.859	88.6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 602974297

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/l	10	10.50	105	
1,4-Dichlorobenzene	ug/l	10	9.698	97.0	
1,2-Dichlorobenzene	ug/l	10	10.00	100	
cis-1,3-Dichloropropene	ug/l	10	10.37	104	
trans-1,3-Dichloropropene	ug/l	10	9.916	99.2	
M&P-Xylene	ug/l	20	20.85	104	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.10	101	
Toluene-d8 (S)				103	
Dibromofluoromethane (S)				101	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034749
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 136%.
[2]	The recovery exceeds laboratory established control limits of 141%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by TB 11/23/99

November 17, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on October 23, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 11/17/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor
SDG Number: 6034796B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
602976805	NIC-GPW-GP 34-7M-18-102199	EPA 8260	71720		
602976821	NIC-GPW-GP 34-7-18-102199	EPA 8260	71720		
602976896	NIC-GPW-GP02B-01-37-102199	EPA 8260	71720		
602976904	NIC-GPW-GP 32-01-20-102199	EPA 8260	71720		
602976912	NIC-GPW-GP02E-01-32-102199	EPA 8260	71720		
602976920	NIC-GPW-GP02F-02-31-102199	EPA 8260	71720		
602976938	NIC-GPW-GP02G-01-35-102199	EPA 8260	71720		
602976946	NIC-GPW-GP02H-01-39-102199	EPA 8260	71720		
602976953	NIC-GPW-GP02H-02-19-102299	EPA 8260	71720		
602976961	NIC-GPW-GP02H-02-36-102299	EPA 8260	71720		
602976979	NIC-GPW-GP02H-01-17-102299	EPA 8260	71720		
602976987	NIC-GPW-GP02G-01-17-102299	EPA 8260	71720		
602976995	NIC-GPW-GP02G-01-17Q1-102299	EPA 8260	71720		
602977001	NIC-GPW-GP02G-01-17N-102299	EPA 8260	71720		
602977019	NIC-GPW-GP02E-01-17-102299	EPA 8260	71720		
602977027	NIC-GPW-GP02F-02-17-102299	EPA 8260	71720		
602977035	NIC-GPW-GP02B-01-17-102299	EPA 8260	71720		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/17/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor
SDG Number: 6034796B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 602976805 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP 34-7M-18-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/26/99		156-59-2	
Chloroform	1.5	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/26/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976805 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP 34-7M-18-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	99	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	107	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	103	%		10/26/99		460-00-4	
1,2-Dichloroethane-d4 (S)	113	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976821 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP 34-7-18-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	1.7	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	3.1	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	1.4	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	55	ug/l	1	10/26/99		156-59-2	1
Chloroform	ND	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	37	ug/l	1	10/26/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	96	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	105	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	104	%		10/26/99		460-00-4	

LABQ CDM Q

1 E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976821 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP 34-7-18-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976896 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-01-37-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/26/99		156-59-2	
Chloroform	ND	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	17	ug/l	1	10/26/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	99	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	107	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		10/26/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976896 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-01-37-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976904 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP 32-01-20-102199 Date Received: 10/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/26/99		74-87-3	
Vinyl Chloride	1.4	ug/l	1	10/26/99		75-01-4	
Bromomethane	ND	ug/l	1	10/26/99		74-83-9	
Chloroethane	ND	ug/l	1	10/26/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/26/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/26/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/26/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/26/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/26/99		75-34-3	
cis-1,2-Dichloroethene	5.9	ug/l	1	10/26/99		156-59-2	
Chloroform	ND	ug/l	1	10/26/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/26/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/26/99		56-23-5	
Benzene	ND	ug/l	1	10/26/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/26/99		107-06-2	
Trichloroethene	5.8	ug/l	1	10/26/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/26/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/26/99		75-27-4	
Toluene	ND	ug/l	1	10/26/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/26/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/26/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/26/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/26/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/26/99		100-41-4	
Bromoform	ND	ug/l	1	10/26/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/26/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/26/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/26/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/26/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/26/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/26/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/26/99		95-47-6	
Toluene-d8 (S)	99	%		10/26/99		2037-26-5	
Dibromofluoromethane (S)	110	%		10/26/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		10/26/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976904 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP 32-01-20-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		10/26/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976912 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-01-32-102199 Date Received: 10/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/27/99		74-87-3		
Vinyl Chloride	3.4	ug/l	1	10/27/99		75-01-4		
Bromomethane	ND	ug/l	1	10/27/99		74-83-9		
Chloroethane	ND	ug/l	1	10/27/99		75-00-3		
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4		
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2		
1,1-Dichloroethene	4.9	ug/l	1	10/27/99		75-35-4		
trans-1,2-Dichloroethene	5.6	ug/l	1	10/27/99		156-60-5		
1,1-Dichloroethane	2.5	ug/l	1	10/27/99		75-34-3		
cis-1,2-Dichloroethene	51	ug/l	20	10/27/99		156-59-2	2	D
Chloroform	ND	ug/l	1	10/27/99		67-66-3		
1,1,1-Trichloroethane	1.0	ug/l	1	10/27/99		71-55-6		
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5		
Benzene	ND	ug/l	1	10/27/99		71-43-2		
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2		
Trichloroethene	280	ug/l	20	10/27/99		79-01-6	2	D
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5		
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4		
Toluene	ND	ug/l	1	10/27/99		108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5		
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4		
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1		
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7		
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4		
Bromoform	ND	ug/l	1	10/27/99		75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6		
M&P-Xylene	ND	ug/l	1.3	10/27/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6		
Toluene-d8 (S)	101	%		10/27/99		2037-26-5		
Dibromofluoromethane (S)	110	%		10/27/99		1868-53-7		
4-Bromofluorobenzene (S)	103	%		10/27/99		460-00-4		

Lab Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976912 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-01-32-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976920 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-02-31-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	10/27/99		74-87-3			
Vinyl Chloride	5.4	ug/l	1	10/27/99		75-01-4			
Bromomethane	ND	ug/l	1	10/27/99		74-83-9			
Chloroethane	ND	ug/l	1	10/27/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4			
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2			
1,1-Dichloroethene	3.5	ug/l	1	10/27/99		75-35-4			
trans-1,2-Dichloroethene	6.2	ug/l	1	10/27/99		156-60-5			
1,1-Dichloroethane	2.5	ug/l	1	10/27/99		75-34-3			
cis-1,2-Dichloroethene	48	ug/l	20	10/27/99		156-59-2	2	D	
Chloroform	ND	ug/l	1	10/27/99		67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5			
Benzene	ND	ug/l	1	10/27/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2			
Trichloroethene	280	ug/l	20	10/27/99		79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4			
Toluene	ND	ug/l	1	10/27/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5			
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1			
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7			
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4			
Bromoform	ND	ug/l	1	10/27/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/27/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6			
Toluene-d8 (S)	98	%		10/27/99		2037-26-5			
Dibromofluoromethane (S)	111	%		10/27/99		1868-53-7			
4-Bromofluorobenzene (S)	104	%		10/27/99		460-00-4			

Lab Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976920 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-02-31-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976938 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-01-35-102199 Date Received: 10/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-59-2	
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	10	ug/l	1	10/27/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	92	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	106	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		10/27/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976938 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-01-35-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976946 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-01-39-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	5.2	ug/l	1	10/27/99		156-59-2	
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	2.8	ug/l	1	10/27/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	98	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	111	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		10/27/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976946 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-01-39-102199 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976953 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-02-19-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	2.5	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	46	ug/l	5	10/27/99		156-59-2	3
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	72	ug/l	5	10/27/99		79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	96	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	109	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	103	%		10/27/99		460-00-4	

LAB Q

CDM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976953 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-02-19-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976961 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-02-36-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-59-2	
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	1.5	ug/l	1	10/27/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	100	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	105	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	100	%		10/27/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976961 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-02-36-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976979 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-01-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-59-2	
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/27/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	94	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	106	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	98	%		10/27/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976979 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-01-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976987 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-01-17-102299 Date Received: 10/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-59-2	
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/27/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	96	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	103	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	101	%		10/27/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976987 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-01-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976995 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-01-17Q1-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-59-2	
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/27/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	93	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	101	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	98	%		10/27/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602976995 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-01-17Q1-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602977001 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-01-17N-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-59-2	
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/27/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	97	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	102	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	98	%		10/27/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602977001 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-01-17N-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602977019 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-01-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	17	ug/l	1	10/27/99		156-59-2	
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	27	ug/l	1	10/27/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	95	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	102	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	100	%		10/27/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602977019 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-01-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602977027 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-02-17-102299 Date Received: 10/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/27/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/27/99		75-01-4	
Bromomethane	ND	ug/l	1	10/27/99		74-83-9	
Chloroethane	ND	ug/l	1	10/27/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/27/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/27/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/27/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/27/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/27/99		75-34-3	
cis-1,2-Dichloroethene	3.3	ug/l	1	10/27/99		156-59-2	
Chloroform	ND	ug/l	1	10/27/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/27/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/27/99		56-23-5	
Benzene	ND	ug/l	1	10/27/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/27/99		107-06-2	
Trichloroethene	14	ug/l	1	10/27/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/27/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/27/99		75-27-4	
Toluene	ND	ug/l	1	10/27/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/27/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/27/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/27/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/27/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/27/99		100-41-4	
Bromoform	ND	ug/l	1	10/27/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/27/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/27/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/27/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/27/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/27/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/27/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/27/99		95-47-6	
Toluene-d8 (S)	95	%		10/27/99		2037-26-5	
Dibromofluoromethane (S)	104	%		10/27/99		1868-53-7	
4-Bromofluorobenzene (S)	98	%		10/27/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602977027 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-02-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		10/27/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602977035 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-01-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/28/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/28/99		75-01-4	
Bromomethane	ND	ug/l	1	10/28/99		74-83-9	
Chloroethane	ND	ug/l	1	10/28/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/28/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/28/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/28/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/28/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/28/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/28/99		156-59-2	
Chloroform	ND	ug/l	1	10/28/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/28/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/28/99		56-23-5	
Benzene	ND	ug/l	1	10/28/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/28/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/28/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/28/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/28/99		75-27-4	
Toluene	ND	ug/l	1	10/28/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/28/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/28/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/28/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/28/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/28/99		100-41-4	
Bromoform	ND	ug/l	1	10/28/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/28/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/28/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/28/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/28/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/28/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/28/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/28/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/28/99		95-47-6	
Toluene-d8 (S)	86	%		10/28/99		2037-26-5	
Dibromofluoromethane (S)	106	%		10/28/99		1868-53-7	
4-Bromofluorobenzene (S)	97	%		10/28/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602977035 Date Collected: 10/21/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-01-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		10/28/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[2]	The value for this analyte was determined from a secondary dilution of 1:20.
[3]	The value for this analyte was determined from a secondary dilution of 1:5.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor
SDG Number: 6034796B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 71720
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 602976805 602976821 602976896 602976904 602976912 602976920 602976938 602976946 602976953 602976961 602976979 602976987 602976995 602977001 602977019 602977027 602977035

METHOD BLANK: 602981656
Associated Pace Samples:
602976805 602976821 602976896 602976904 602976912 602976920 602976946 602976953

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602981656
Associated Pace Samples:
602976805 602976821 602976896 602976904 602976912 602976920 602976946 602976953

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	105		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	110		

METHOD BLANK: 602997439
Associated Pace Samples:
602976938 602976961 602976979 602976987 602976995 602977001 602977019

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602997439
Associated Pace Samples:
602976938 602976961 602976979 602976987 602976995 602977001 602977019

Parameter	Units	Method Blank Result	PRL	Footnotes
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	107		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	111		

METHOD BLANK: 602997447
Associated Pace Samples:
602977027 602977035

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602997447
Associated Pace Samples:
602977027 602977035

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	103		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	110		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 602981664 602981672

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	5.237	52.4	5.496	55.0	5	
Vinyl Chloride	ug/l	10	6.338	63.4	6.625	66.2	4	
Bromomethane	ug/l	10	7.285	72.9	7.751	77.5	6	
Chloroethane	ug/l	10	7.510	75.1	7.923	79.2	5	
Trichlorofluoromethane	ug/l	10	9.646	96.5	9.537	95.4	1	
Methylene Chloride	ug/l	10	9.764	97.6	9.771	97.7	0	
1,1-Dichloroethene	ug/l	10	10.11	101	10.35	104	3	
trans-1,2-Dichloroethene	ug/l	10	9.968	99.7	10.08	101	1	
1,1-Dichloroethane	ug/l	10	9.896	99.0	9.759	97.6	1	
cis-1,2-Dichloroethene	ug/l	10	9.156	91.6	9.073	90.7	1	
Chloroform	ug/l	10	10.36	104	10.19	102	2	
1,1,1-Trichloroethane	ug/l	10	11.66	117	11.48	115	2	
Carbon Tetrachloride	ug/l	10	11.97	120	11.71	117	3	
Benzene	ug/l	10	9.193	91.9	9.198	92.0	0	
1,2-Dichloroethane	ug/l	10	10.53	105	10.57	106	1	
Trichloroethene	ug/l	10	10.45	104	10.30	103	1	
1,2-Dichloropropane	ug/l	10	9.088	90.9	9.347	93.5	3	
Bromodichloromethane	ug/l	10	10.50	105	10.28	103	2	
Toluene	ug/l	10	9.666	96.7	9.690	96.9	0	
1,1,2-Trichloroethane	ug/l	10	9.364	93.6	9.163	91.6	2	
Tetrachloroethene	ug/l	10	9.853	98.5	9.703	97.0	2	
Dibromochloromethane	ug/l	10	9.879	98.8	9.641	96.4	2	
Chlorobenzene	ug/l	10	8.986	89.9	8.897	89.0	1	
Ethylbenzene	ug/l	10	9.245	92.5	9.224	92.2	0	
Bromoform	ug/l	10	9.587	95.9	9.989	99.9	4	
1,1,2,2-Tetrachloroethane	ug/l	10	9.020	90.2	9.140	91.4	1	
1,3-Dichlorobenzene	ug/l	10	9.331	93.3	9.927	99.3	6	
1,4-Dichlorobenzene	ug/l	10	8.712	87.1	8.863	88.6	2	
1,2-Dichlorobenzene	ug/l	10	9.304	93.0	9.563	95.6	3	
cis-1,3-Dichloropropene	ug/l	10	10.33	103	10.23	102	1	
trans-1,3-Dichloropropene	ug/l	10	9.494	94.9	9.552	95.5	1	
M&P-Xylene	ug/l	20	18.73	93.6	18.81	94.0	0	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.214	92.1	9.594	95.9	4	
Toluene-d8 (S)				102		101		
Dibromofluoromethane (S)				105		107		
4-Bromofluorobenzene (S)				107		101		
1,2-Dichloroethane-d4 (S)				110		109		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034796
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Review by Todd Burgesser
11/23/99

November 18, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on October 27, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 11/18/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor
SDG Number: 6034881B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
602983777	NIC-GPW-GP02G-02-17M-102599	EPA 8260	71834		
602983793	NIC-GPW-GP02G-02-17-102599	EPA 8260	71834		
602983801	NIC-GPW-GP02G-02-35-102599	EPA 8260	71834		
602983827	NIC-GPW-GP03B-01-17-102599	EPA 8260	71834		
602983835	NIC-GPW-GP03B-01-35-102599	EPA 8260	71834		
602983843	NIC-GPW-GP03B-02-17-102599	EPA 8260	71834		
602983850	NIC-GPW-GP03B-02-35-102599	EPA 8260	71834		
602983868	NIC-GPW-GP06I-01-17-102599	EPA 8260	71834		
602983876	NIC-GPW-GP06I-01-41-102599	EPA 8260	71834		
602983884	NIC-GPW-GP06K-01-23-102599	EPA 8260	71834		
602983892	NIC-GPW-GP06K-01-32-102599	EPA 8260	71834		
602983900	NIC-GPW-GP04E-01-17-102599	EPA 8260	71834		
602983918	NIC-GPW-GP04E-01-29-102599	EPA 8260	71834		
602983926	NIC-GPW-GP04E-01Q1-29-102599	EPA 8260	71834		
602983934	NIC-GPW-GP04E-01N-29-102599	EPA 8260	71834		
602983942	NIC-GPW-GP04D-01-20-102599	EPA 8260	71834		
602983959	NIC-GPW-GP04D-01-32-102599	EPA 8260	71834		
602983967	NIC-GPW-GP04H-01-17-102599	EPA 8260	71834		
602984015	NIC-GPW-GP04H-01-32-102599	EPA 8260	71834		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/18/99
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor
SDG Number: 6034881B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

10/25/99

Pace Sample No: 602983777 Date Collected: ~~10/26/99~~ Matrix: Water
Client Sample ID: NIC-GPW-GP02G-02-17M-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/28/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/28/99		75-01-4	
Bromomethane	ND	ug/l	1	10/28/99		74-83-9	
Chloroethane	ND	ug/l	1	10/28/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/28/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/28/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/28/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/28/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/28/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/28/99		156-59-2	
Chloroform	1.6	ug/l	1	10/28/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/28/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/28/99		56-23-5	
Benzene	ND	ug/l	1	10/28/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/28/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/28/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/28/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/28/99		75-27-4	
Toluene	ND	ug/l	1	10/28/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/28/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/28/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/28/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/28/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/28/99		100-41-4	
Bromoform	ND	ug/l	1	10/28/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/28/99		79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983777 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-02-17M-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	10/28/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/28/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/28/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/28/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/28/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/28/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/28/99		95-47-6	
Toluene-d8 (S)	102	%		10/28/99		2037-26-5	
Dibromofluoromethane (S)	99	%		10/28/99		1868-53-7	
4-Bromofluorobenzene (S)	99	%		10/28/99		460-00-4	
1,2-Dichloroethane-d4 (S)	105	%		10/28/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983793 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-02-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/28/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/28/99		75-01-4	
Bromomethane	ND	ug/l	1	10/28/99		74-83-9	
Chloroethane	ND	ug/l	1	10/28/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/28/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/28/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/28/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/28/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/28/99		75-34-3	
cis-1,2-Dichloroethene	5.9	ug/l	1	10/28/99		156-59-2	
Chloroform	ND	ug/l	1	10/28/99		67-66-3	
1,1,1-Trichloroethane	2.2	ug/l	1	10/28/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/28/99		56-23-5	
Benzene	ND	ug/l	1	10/28/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/28/99		107-06-2	
Trichloroethene	44	ug/l	1	10/28/99		79-01-6	1 E
1,2-Dichloropropane	ND	ug/l	1	10/28/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/28/99		75-27-4	
Toluene	ND	ug/l	1	10/28/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/28/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/28/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/28/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/28/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/28/99		100-41-4	
Bromoform	ND	ug/l	1	10/28/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/28/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/28/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/28/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/28/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/28/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/28/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/28/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/28/99		95-47-6	
Toluene-d8 (S)	98	%		10/28/99		2037-26-5	
Dibromofluoromethane (S)	100	%		10/28/99		1868-53-7	
4-Bromofluorobenzene (S)	97	%		10/28/99		460-00-4	

Lab Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983793 Date Collected: ~~10/26~~/99 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-02-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		10/28/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983801 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-02-35-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/29/99		74-87-3		
Vinyl Chloride	4.6	ug/l	1	10/29/99		75-01-4		
Bromomethane	ND	ug/l	1	10/29/99		74-83-9		
Chloroethane	ND	ug/l	1	10/29/99		75-00-3		
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4		
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2		
1,1-Dichloroethene	6.5	ug/l	1	10/29/99		75-35-4		
trans-1,2-Dichloroethene	4.4	ug/l	1	10/29/99		156-60-5		
1,1-Dichloroethane	2.8	ug/l	1	10/29/99		75-34-3		
cis-1,2-Dichloroethene	46	ug/l	25	10/29/99		156-59-2	2	D
Chloroform	ND	ug/l	1	10/29/99		67-66-3		
1,1,1-Trichloroethane	1.6	ug/l	1	10/29/99		71-55-6		
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5		
Benzene	ND	ug/l	1	10/29/99		71-43-2		
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2		
Trichloroethene	320	ug/l	25	10/29/99		79-01-6	2	D
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5		
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4		
Toluene	ND	ug/l	1	10/29/99		108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5		
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4		
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1		
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7		
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4		
Bromoform	ND	ug/l	1	10/29/99		75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6		
M&P-Xylene	ND	ug/l	1.3	10/29/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6		
Toluene-d8 (S)	100	%		10/29/99		2037-26-5		
Dibromofluoromethane (S)	104	%		10/29/99		1868-53-7		
4-Bromofluorobenzene (S)	99	%		10/29/99		460-00-4		

LAB Q

COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983801 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-02-35-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983827 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-01-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/29/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/29/99		75-01-4	
Bromomethane	ND	ug/l	1	10/29/99		74-83-9	
Chloroethane	ND	ug/l	1	10/29/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/29/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/29/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-59-2	
Chloroform	ND	ug/l	1	10/29/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5	
Benzene	ND	ug/l	1	10/29/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2	
Trichloroethene	1.2	ug/l	1	10/29/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4	
Toluene	ND	ug/l	1	10/29/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4	
Bromoform	ND	ug/l	1	10/29/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/29/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6	
Toluene-d8 (S)	97	%		10/29/99		2037-26-5	
Dibromofluoromethane (S)	103	%		10/29/99		1868-53-7	
4-Bromofluorobenzene (S)	103	%		10/29/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983827 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-01-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983835 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-01-35-102599 Date Received: 10/27/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/29/99	DJE	74-87-3		
Vinyl Chloride	8.6	ug/l	1	10/29/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	10/29/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	10/29/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	10/29/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	10/29/99	DJE	75-09-2		
1,1-Dichloroethene	4.2	ug/l	1	10/29/99	DJE	75-35-4		
trans-1,2-Dichloroethene	2.7	ug/l	1	10/29/99	DJE	156-60-5		
1,1-Dichloroethane	1.9	ug/l	1	10/29/99	DJE	75-34-3		
cis-1,2-Dichloroethene	ND	ug/l	1	10/29/99	DJE	156-59-2		
Chloroform	35	ug/l	5	10/29/99	DJE	67-66-3	3	D
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	10/29/99	DJE	56-23-5		
Benzene	ND	ug/l	1	10/29/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	10/29/99	DJE	107-06-2		
Trichloroethene	110	ug/l	5	10/29/99	DJE	79-01-6	3	D
1,2-Dichloropropane	ND	ug/l	1	10/29/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	10/29/99	DJE	75-27-4		
Toluene	ND	ug/l	1	10/29/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	10/29/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	10/29/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	10/29/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	10/29/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	10/29/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	10/29/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99	DJE	95-47-6		
Toluene-d8 (S)	98	%		10/29/99	DJE	2037-26-5		
Dibromofluoromethane (S)	102	%		10/29/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	101	%		10/29/99	DJE	460-00-4		

Lab Q CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983835 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-01-35-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		10/29/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983843 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-02-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/29/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/29/99		75-01-4	
Bromomethane	ND	ug/l	1	10/29/99		74-83-9	
Chloroethane	ND	ug/l	1	10/29/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/29/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/29/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-59-2	
Chloroform	ND	ug/l	1	10/29/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5	
Benzene	ND	ug/l	1	10/29/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2	
Trichloroethene	12	ug/l	1	10/29/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4	
Toluene	ND	ug/l	1	10/29/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4	
Bromoform	ND	ug/l	1	10/29/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/29/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6	
Toluene-d8 (S)	96	%		10/29/99		2037-26-5	
Dibromofluoromethane (S)	105	%		10/29/99		1868-53-7	
4-Bromofluorobenzene (S)	98	%		10/29/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983843 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-02-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/18/99

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983850 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-02-35-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/29/99		74-87-3		
Vinyl Chloride	11	ug/l	1	10/29/99		75-01-4		
Bromomethane	ND	ug/l	1	10/29/99		74-83-9		
Chloroethane	ND	ug/l	1	10/29/99		75-00-3		
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4		
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2		
1,1-Dichloroethene	8.5	ug/l	1	10/29/99		75-35-4		
trans-1,2-Dichloroethene	2.4	ug/l	1	10/29/99		156-60-5		
1,1-Dichloroethane	3.0	ug/l	1	10/29/99		75-34-3		
cis-1,2-Dichloroethene	38	ug/l	10	10/29/99		156-59-2	4	D
Chloroform	ND	ug/l	1	10/29/99		67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6		
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5		
Benzene	ND	ug/l	1	10/29/99		71-43-2		
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2		
Trichloroethene	150	ug/l	10	10/29/99		79-01-6	4	D
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5		
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4		
Toluene	ND	ug/l	1	10/29/99		108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5		
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4		
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1		
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7		
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4		
Bromoform	ND	ug/l	1	10/29/99		75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6		
M&P-Xylene	ND	ug/l	1.3	10/29/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6		
Toluene-d8 (S)	100	%		10/29/99		2037-26-5		
Dibromofluoromethane (S)	109	%		10/29/99		1868-53-7		
4-Bromofluorobenzene (S)	100	%		10/29/99		460-00-4		

Lab Q

COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983850 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-02-35-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/18/99

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983868 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-01-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/29/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/29/99		75-01-4	
Bromomethane	ND	ug/l	1	10/29/99		74-83-9	
Chloroethane	ND	ug/l	1	10/29/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/29/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/29/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-59-2	
Chloroform	ND	ug/l	1	10/29/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5	
Benzene	ND	ug/l	1	10/29/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/29/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4	
Toluene	ND	ug/l	1	10/29/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4	
Bromoform	ND	ug/l	1	10/29/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/29/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6	
Toluene-d8 (S)	90	%		10/29/99		2037-26-5	
Dibromofluoromethane (S)	110	%		10/29/99		1868-53-7	
4-Bromofluorobenzene (S)	100	%		10/29/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983868 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-01-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983876 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-01-41-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								LAB Q / EDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/29/99		74-87-3		
Vinyl Chloride	7.3	ug/l	1	10/29/99		75-01-4		
Bromomethane	ND	ug/l	1	10/29/99		74-83-9		
Chloroethane	ND	ug/l	1	10/29/99		75-00-3		
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4		
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2		
1,1-Dichloroethene	2.3	ug/l	1	10/29/99		75-35-4		
trans-1,2-Dichloroethene	2.4	ug/l	1	10/29/99		156-60-5		
1,1-Dichloroethane	1.1	ug/l	1	10/29/99		75-34-3		
cis-1,2-Dichloroethene	53	ug/l	1	10/29/99		156-59-2	1	E
Chloroform	ND	ug/l	1	10/29/99		67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6		
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5		
Benzene	ND	ug/l	1	10/29/99		71-43-2		
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2		
Trichloroethene	46	ug/l	1	10/29/99		79-01-6	1	E
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5		
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4		
Toluene	ND	ug/l	1	10/29/99		108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5		
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4		
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1		
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7		
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4		
Bromoform	ND	ug/l	1	10/29/99		75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6		
M&P-Xylene	ND	ug/l	1.3	10/29/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6		
Toluene-d8 (S)	99	%		10/29/99		2037-26-5		
Dibromofluoromethane (S)	101	%		10/29/99		1868-53-7		
4-Bromofluorobenzene (S)	100	%		10/29/99		460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983876 Date Collected: ~~10/26/99~~ 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-01-41-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983884 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06K-01-23-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/29/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/29/99		75-01-4	
Bromomethane	ND	ug/l	1	10/29/99		74-83-9	
Chloroethane	ND	ug/l	1	10/29/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/29/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/29/99		75-34-3	
cis-1,2-Dichloroethene	12	ug/l	1	10/29/99		156-59-2	
Chloroform	ND	ug/l	1	10/29/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5	
Benzene	ND	ug/l	1	10/29/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2	
Trichloroethene	24	ug/l	1	10/29/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4	
Toluene	ND	ug/l	1	10/29/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4	
Bromoform	ND	ug/l	1	10/29/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/29/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6	
Toluene-d8 (S)	98	%		10/29/99		2037-26-5	
Dibromofluoromethane (S)	101	%		10/29/99		1868-53-7	
4-Bromofluorobenzene (S)	98	%		10/29/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983884 Date Collected: 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06K-01-23-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983892 Date Collected: 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06K-01-32-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/29/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/29/99		75-01-4	
Bromomethane	ND	ug/l	1	10/29/99		74-83-9	
Chloroethane	ND	ug/l	1	10/29/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/29/99		75-35-4	
trans-1,2-Dichloroethene	2.4	ug/l	1	10/29/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/29/99		75-34-3	
cis-1,2-Dichloroethene	39	ug/l	1	10/29/99		156-59-2	
Chloroform	ND	ug/l	1	10/29/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5	
Benzene	ND	ug/l	1	10/29/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2	
Trichloroethene	30	ug/l	1	10/29/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4	
Toluene	ND	ug/l	1	10/29/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4	
Bromoform	ND	ug/l	1	10/29/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/29/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6	
Toluene-d8 (S)	100	%		10/29/99		2037-26-5	
Dibromofluoromethane (S)	102	%		10/29/99		1868-53-7	
4-Bromofluorobenzene (S)	101	%		10/29/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983892 Date Collected: 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06K-01-32-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983900 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-01-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/29/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/29/99		75-01-4	
Bromomethane	ND	ug/l	1	10/29/99		74-83-9	
Chloroethane	ND	ug/l	1	10/29/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/29/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/29/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-59-2	
Chloroform	ND	ug/l	1	10/29/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5	
Benzene	ND	ug/l	1	10/29/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2	
Trichloroethene	1.5	ug/l	1	10/29/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4	
Toluene	ND	ug/l	1	10/29/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5	
Tetrachloroethene	7.9	ug/l	1	10/29/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4	
Bromoform	ND	ug/l	1	10/29/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/29/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6	
Toluene-d8 (S)	99	%		10/29/99		2037-26-5	
Dibromofluoromethane (S)	106	%		10/29/99		1868-53-7	
4-Bromofluorobenzene (S)	101	%		10/29/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983900 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-01-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983918 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-01-29-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/29/99	DJE	74-87-3	
Vinyl Chloride	2.6	ug/l	1	10/29/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	10/29/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	10/29/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/29/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	10/29/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/29/99	DJE	75-35-4	
trans-1,2-Dichloroethene	1.5	ug/l	1	10/29/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/29/99	DJE	75-34-3	
cis-1,2-Dichloroethene	33	ug/l	1	10/29/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	10/29/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/29/99	DJE	56-23-5	
Benzene	ND	ug/l	1	10/29/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/29/99	DJE	107-06-2	
Trichloroethene	49	ug/l	2	10/29/99	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	10/29/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	10/29/99	DJE	75-27-4	
Toluene	ND	ug/l	1	10/29/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	10/29/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	10/29/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	10/29/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	10/29/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	10/29/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/29/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		10/29/99	DJE	2037-26-5	
Dibromofluoromethane (S)	110	%		10/29/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		10/29/99	DJE	460-00-4	

Lab Q

COM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983918 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-01-29-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		10/29/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/18/99

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983926 Date Collected: 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-01Q1-29-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/29/99		74-87-3	
Vinyl Chloride	2.5	ug/l	1	10/29/99		75-01-4	
Bromomethane	ND	ug/l	1	10/29/99		74-83-9	
Chloroethane	ND	ug/l	1	10/29/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/29/99		75-35-4	
trans-1,2-Dichloroethene	1.5	ug/l	1	10/29/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/29/99		75-34-3	
cis-1,2-Dichloroethene	31	ug/l	1	10/29/99		156-59-2	
Chloroform	ND	ug/l	1	10/29/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5	
Benzene	ND	ug/l	1	10/29/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2	
Trichloroethene	61	ug/l	1	10/29/99		79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4	
Toluene	ND	ug/l	1	10/29/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4	
Bromoform	ND	ug/l	1	10/29/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/29/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6	
Toluene-d8 (S)	101	%		10/29/99		2037-26-5	
Dibromofluoromethane (S)	105	%		10/29/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		10/29/99		460-00-4	

LAB Q

CDM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983926 Date Collected: 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-01Q1-29-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/18/99

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983934 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-01N-29-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/29/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/29/99		75-01-4	
Bromomethane	ND	ug/l	1	10/29/99		74-83-9	
Chloroethane	ND	ug/l	1	10/29/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/29/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/29/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/29/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/29/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/29/99		156-59-2	
Chloroform	ND	ug/l	1	10/29/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/29/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/29/99		56-23-5	
Benzene	ND	ug/l	1	10/29/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/29/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/29/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/29/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/29/99		75-27-4	
Toluene	ND	ug/l	1	10/29/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/29/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/29/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/29/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/29/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/29/99		100-41-4	
Bromoform	ND	ug/l	1	10/29/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/29/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/29/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/29/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/29/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/29/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/29/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/29/99		95-47-6	
Toluene-d8 (S)	80	%		10/29/99		2037-26-5	
Dibromofluoromethane (S)	105	%		10/29/99		1868-53-7	
4-Bromofluorobenzene (S)	101	%		10/29/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983934 Date Collected: 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-01N-29-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		10/29/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983942 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04D-01-20-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/30/99		74-87-3	
Vinyl Chloride	2.2	ug/l	1	10/30/99		75-01-4	
Bromomethane	ND	ug/l	1	10/30/99		74-83-9	
Chloroethane	ND	ug/l	1	10/30/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/30/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/30/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/30/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/30/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/30/99		75-34-3	
cis-1,2-Dichloroethene	3.0	ug/l	1	10/30/99		156-59-2	
Chloroform	ND	ug/l	1	10/30/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/30/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/30/99		56-23-5	
Benzene	ND	ug/l	1	10/30/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/30/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/30/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/30/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/30/99		75-27-4	
Toluene	ND	ug/l	1	10/30/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/30/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/30/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/30/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/30/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/30/99		100-41-4	
Bromoform	ND	ug/l	1	10/30/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/30/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/30/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/30/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/30/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/30/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/30/99		95-47-6	
Toluene-d8 (S)	103	%		10/30/99		2037-26-5	
Dibromofluoromethane (S)	104	%		10/30/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		10/30/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983942 Date Collected: 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04D-01-20-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		10/30/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983959 Date Collected: 10/~~26~~25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04D-01-32-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/30/99		74-87-3	
Vinyl Chloride	7.5	ug/l	1	10/30/99		75-01-4	
Bromomethane	ND	ug/l	1	10/30/99		74-83-9	
Chloroethane	ND	ug/l	1	10/30/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/30/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/30/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/30/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/30/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/30/99		75-34-3	
cis-1,2-Dichloroethene	32	ug/l	1	10/30/99		156-59-2	
Chloroform	ND	ug/l	1	10/30/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/30/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/30/99		56-23-5	
Benzene	ND	ug/l	1	10/30/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/30/99		107-06-2	
Trichloroethene	16	ug/l	1	10/30/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/30/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/30/99		75-27-4	
Toluene	ND	ug/l	1	10/30/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/30/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/30/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/30/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/30/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/30/99		100-41-4	
Bromoform	ND	ug/l	1	10/30/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/30/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/30/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/30/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/30/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/30/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/30/99		95-47-6	
Toluene-d8 (S)	101	%		10/30/99		2037-26-5	
Dibromofluoromethane (S)	104	%		10/30/99		1868-53-7	
4-Bromofluorobenzene (S)	103	%		10/30/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983959 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04D-01-32-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		10/30/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983967 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-01-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/01/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/01/99		75-01-4	
Bromomethane	ND	ug/l	1	11/01/99		74-83-9	
Chloroethane	ND	ug/l	1	11/01/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/01/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/01/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/01/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/01/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/01/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/01/99		156-59-2	
Chloroform	ND	ug/l	1	11/01/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/01/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/01/99		56-23-5	
Benzene	ND	ug/l	1	11/01/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/01/99		107-06-2	
Trichloroethene	ND	ug/l	1	11/01/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/01/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/01/99		75-27-4	
Toluene	ND	ug/l	1	11/01/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/01/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/01/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/01/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/01/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/01/99		100-41-4	
Bromoform	ND	ug/l	1	11/01/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/01/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/01/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/01/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/01/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/01/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/01/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/01/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/01/99		95-47-6	
Toluene-d8 (S)	93	%		11/01/99		2037-26-5	
Dibromofluoromethane (S)	119	%		11/01/99		1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/01/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602983967 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-01-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	133	%		11/01/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984015 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-01-32-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/30/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/30/99		75-01-4	
Bromomethane	ND	ug/l	1	10/30/99		74-83-9	
Chloroethane	ND	ug/l	1	10/30/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/30/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/30/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/30/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/30/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/30/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/30/99		156-59-2	
Chloroform	ND	ug/l	1	10/30/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/30/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/30/99		56-23-5	
Benzene	ND	ug/l	1	10/30/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/30/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/30/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/30/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/30/99		75-27-4	
Toluene	ND	ug/l	1	10/30/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/30/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/30/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/30/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/30/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/30/99		100-41-4	
Bromoform	ND	ug/l	1	10/30/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/30/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/30/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/30/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/30/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/30/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/30/99		95-47-6	
Toluene-d8 (S)	105	%		10/30/99		2037-26-5	
Dibromofluoromethane (S)	113	%		10/30/99		1868-53-7	
4-Bromofluorobenzene (S)	104	%		10/30/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984015 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-01-32-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	128	%		10/30/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[2]	The value for this analyte was determined from a secondary dilution of 1:25.
[3]	The value for this analyte was determined from a secondary dilution of 1:5.
[4]	The value for this analyte was determined from a secondary dilution of 1:10.
[5]	The value for this analyte was determined from a secondary dilution of 1:2 on 11/1/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor
SDG Number: 6034881B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 71834
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 602983777 602983793 602983801 602983827 602983835 602983843 602983850 602983868 602983876 602983884 602983892 602983900 602983918 602983926 602983934 602983942 602983959 602983967 602984015

METHOD BLANK: 602987075
Associated Pace Samples:
602983777 602983793 602983801 602983835 602983843 602983850 602983868

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602987075
Associated Pace Samples:

602983777 602983793 602983801 602983835 602983843 602983850 602983868

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	99		
4-Bromofluorobenzene (S)	%	98		
1,2-Dichloroethane-d4 (S)	%	103		

METHOD BLANK: 603008673
Associated Pace Samples:

602983827 602983876 602983884 602983892 602983900 602983918 602983926
602983934 602983942 602983959

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603008673
Associated Pace Samples:
602983827 602983876 602983884 602983892 602983900 602983918 602983926
602983934 602983942 602983959

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	104		
Dibromofluoromethane (S)	%	101		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	105		

METHOD BLANK: 603008681
Associated Pace Samples:
602983967

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603008681
Associated Pace Samples:
602983967

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	114		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	130		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603008699
Associated Pace Samples:
602984015

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	104		
Dibromofluoromethane (S)	%	106		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	120		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 602987083 602987091

Parameter	Units	602983900	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	9.074	90.7	11.33	113	22	1
Benzene	ug/l	0	10	8.592	85.9	11.04	110	25	2
Trichloroethene	ug/l	1.484	10	12.60	111	15.13	136	20	
Toluene	ug/l	0	10	8.113	81.1	10.44	104	25	3
Chlorobenzene	ug/l	0	10	7.658	76.6	9.662	96.6	23	4
Toluene-d8 (S)					100		101		
Dibromofluoromethane (S)					113		112		
4-Bromofluorobenzene (S)					101		107		
1,2-Dichloroethane-d4 (S)					131		129		

LABORATORY CONTROL SAMPLE: 602987109

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	9.728	97.3	
Vinyl Chloride	ug/l	10	10.19	102	
Bromomethane	ug/l	10	11.41	114	
Chloroethane	ug/l	10	10.68	107	
Trichlorofluoromethane	ug/l	10	13.70	137	
Methylene Chloride	ug/l	10	9.292	92.9	
1,1-Dichloroethene	ug/l	10	11.68	117	
trans-1,2-Dichloroethene	ug/l	10	11.23	112	
1,1-Dichloroethane	ug/l	10	11.00	110	
cis-1,2-Dichloroethene	ug/l	10	9.982	99.8	
Chloroform	ug/l	10	10.90	109	
1,1,1-Trichloroethane	ug/l	10	13.75	137	5
Carbon Tetrachloride	ug/l	10	14.01	140	
Benzene	ug/l	10	9.370	93.7	
1,2-Dichloroethane	ug/l	10	10.83	108	
Trichloroethene	ug/l	10	11.59	116	
1,2-Dichloropropane	ug/l	10	9.302	93.0	
Bromodichloromethane	ug/l	10	10.58	106	
Toluene	ug/l	10	10.05	101	
1,1,2-Trichloroethane	ug/l	10	8.637	86.4	
Tetrachloroethene	ug/l	10	11.35	114	
Dibromochloromethane	ug/l	10	9.739	97.4	
Chlorobenzene	ug/l	10	9.117	91.2	
Ethylbenzene	ug/l	10	10.28	103	
Bromoform	ug/l	10	9.600	96.0	
1,1,2,2-Tetrachloroethane	ug/l	10	8.487	84.9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 602987109

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/l	10	10.07	101	
1,4-Dichlorobenzene	ug/l	10	9.265	92.7	
1,2-Dichlorobenzene	ug/l	10	10.09	101	
cis-1,3-Dichloropropene	ug/l	10	10.13	101	
trans-1,3-Dichloropropene	ug/l	10	9.786	97.9	
M&P-Xylene	ug/l	20	19.22	96.1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.588	95.9	
Toluene-d8 (S)				99	
Dibromofluoromethane (S)				102	
4-Bromofluorobenzene (S)				94	
1,2-Dichloroethane-d4 (S)				107	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034881
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 18%.
[2]	The RPD exceeds laboratory established control limits of 11%.
[3]	The RPD exceeds laboratory established control limits of 13%.
[4]	The RPD exceeds laboratory established control limits of 12%.
[5]	The recovery exceeds laboratory established control limits of 136%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Todd Burgesser
11/24/99

November 22, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received October 23, 1999 through October 27, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 11/22/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor
SDG Number: 6034884B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
602984163	NIC-GPW-GP03E-01-17-102699	EPA 8260	71907		
602984171	NIC-GPW-GP03E-01-35-102699	EPA 8260	71907		
602984189	NIC-GPW-GP03E-02-17-102699	EPA 8260	71907		
602984197	NIC-GPW-GP03E-02-34-102699	EPA 8260	71907		
602984205	NIC-GPW-GP03E-05-17-102599	EPA 8260	71907		
602984213	NIC-GPW-GP03E-05-32-102599	EPA 8260	71907		
602984221	NIC-GPW-GP03E-06-17-102599	EPA 8260	71907		
602984239	NIC-GPW-GP03E-06-24-102599	EPA 8260	71907		
602984247	NIC-GPW-GP03E-03-17-102599	EPA 8260	71907		
602984254	NIC-GPW-GP03E-03-26-102599	EPA 8260	71907		
602984262	NIC-GPW-GP03E-07-17-102699	EPA 8260	71907		
602984288	NIC-GPW-GP03E-07-25-102699	EPA 8260	71907		
602984296	NIC-GPW-GP03E-09-17-102699	EPA 8260	71907		
602984304	NIC-GPW-GP03E-09-29-102699	EPA 8260	71907		
602984312	NIC-GPW-GP03E-09P-102699	EPA 8260	71907		
602986440	NIC-GPW-GP03D-01-17-102299	EPA 8260	71907		
602986473	NIC-GPW-GP03D-01-30-102299	EPA 8260	71907		
602986481	NIC-GPW-GP02H-04-17-102299	EPA 8260	71907		
602986499	NIC-GPW-GP02H-04-33-102299	EPA 8260	71907		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/22/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor
SDG Number: 6034884B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 602984163 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-01-17-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/02/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/02/99		75-01-4	
Bromomethane	ND	ug/l	1	11/02/99		74-83-9	
Chloroethane	ND	ug/l	1	11/02/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/02/99		75-69-4	
Methylene Chloride	1.6	ug/l	1	11/02/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/02/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/02/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/02/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/02/99		156-59-2	
Chloroform	ND	ug/l	1	11/02/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/02/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/02/99		56-23-5	
Benzene	ND	ug/l	1	11/02/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/02/99		107-06-2	
Trichloroethene	3.1	ug/l	1	11/02/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/02/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/02/99		75-27-4	
Toluene	ND	ug/l	1	11/02/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/02/99		79-00-5	
Tetrachloroethene	3.4	ug/l	1	11/02/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/02/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/02/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/02/99		100-41-4	
Bromoform	ND	ug/l	1	11/02/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/02/99		79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984163 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-01-17-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/02/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/02/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/02/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/02/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/02/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/02/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/02/99		95-47-6	
Toluene-d8 (S)	89	%		11/02/99		2037-26-5	
Dibromofluoromethane (S)	99	%		11/02/99		1868-53-7	
4-Bromofluorobenzene (S)	100	%		11/02/99		460-00-4	
1,2-Dichloroethane-d4 (S)	101	%		11/02/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984171 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-01-35-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/01/99		74-87-3	
Vinyl Chloride	3.4	ug/l	1	11/01/99		75-01-4	
Bromomethane	ND	ug/l	1	11/01/99		74-83-9	
Chloroethane	ND	ug/l	1	11/01/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/01/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/01/99		75-09-2	
1,1-Dichloroethene	4.9	ug/l	1	11/01/99		75-35-4	
trans-1,2-Dichloroethene	4.0	ug/l	1	11/01/99		156-60-5	
1,1-Dichloroethane	2.5	ug/l	1	11/01/99		75-34-3	
cis-1,2-Dichloroethene	58	ug/l	20	11/01/99		156-59-2	1
Chloroform	ND	ug/l	1	11/01/99		67-66-3	
1,1,1-Trichloroethane	1.9	ug/l	1	11/01/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/01/99		56-23-5	
Benzene	ND	ug/l	1	11/01/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/01/99		107-06-2	
Trichloroethene	190	ug/l	20	11/01/99		79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/01/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/01/99		75-27-4	
Toluene	ND	ug/l	1	11/01/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/01/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/01/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/01/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/01/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/01/99		100-41-4	
Bromoform	ND	ug/l	1	11/01/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/01/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/01/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/01/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/01/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/01/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/01/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/01/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/01/99		95-47-6	
Toluene-d8 (S)	96	%		11/01/99		2037-26-5	
Dibromofluoromethane (S)	116	%		11/01/99		1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/01/99		460-00-4	

Lab D Q
CDM Q
D JP
D JP

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984171 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-01-35-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab
1,2-Dichloroethane-d4 (S)	140	%		11/01/99		17060-07-0	2	S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984189 Date Collected: Matrix: Water
Client Sample ID: NIC-GPW-GP03E-02-17-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/30/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/30/99		75-01-4	
Bromomethane	ND	ug/l	1	10/30/99		74-83-9	
Chloroethane	ND	ug/l	1	10/30/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/30/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/30/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/30/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/30/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/30/99		75-34-3	
cis-1,2-Dichloroethene	4.4	ug/l	1	10/30/99		156-59-2	
Chloroform	ND	ug/l	1	10/30/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/30/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/30/99		56-23-5	
Benzene	ND	ug/l	1	10/30/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/30/99		107-06-2	
Trichloroethene	41	ug/l	1	10/30/99		79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	10/30/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/30/99		75-27-4	
Toluene	ND	ug/l	1	10/30/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/30/99		79-00-5	
Tetrachloroethene	6.6	ug/l	1	10/30/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/30/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/30/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/30/99		100-41-4	
Bromoform	ND	ug/l	1	10/30/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/30/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/30/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/30/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/30/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/30/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/30/99		95-47-6	
Toluene-d8 (S)	98	%		10/30/99		2037-26-5	
Dibromofluoromethane (S)	107	%		10/30/99		1868-53-7	
4-Bromofluorobenzene (S)	106	%		10/30/99		460-00-4	

Lab Q

CM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984189 Date Collected: Matrix: Water
Client Sample ID: NIC-GPW-GP03E-02-17-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		10/30/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/22/99

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984197 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-02-34-102699 Date Received: 10/27/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	CAS#	Footnotes	LAB	CDM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			Q	Q
Chloromethane	ND	ug/l	1	10/31/99	74-87-3			
Vinyl Chloride	2.9	ug/l	1	10/31/99	75-01-4			
Bromomethane	ND	ug/l	1	10/31/99	74-83-9			
Chloroethane	ND	ug/l	1	10/31/99	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/31/99	75-69-4			
Methylene Chloride	ND	ug/l	1	10/31/99	75-09-2			
1,1-Dichloroethene	2.7	ug/l	1	10/31/99	75-35-4			
trans-1,2-Dichloroethene	2.7	ug/l	1	10/31/99	156-60-5			
1,1-Dichloroethane	1.5	ug/l	1	10/31/99	75-34-3			
cis-1,2-Dichloroethene	46	ug/l	1	10/31/99	156-59-2	3	E	
Chloroform	ND	ug/l	1	10/31/99	67-66-3			
1,1,1-Trichloroethane	1.1	ug/l	1	10/31/99	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/31/99	56-23-5			
Benzene	ND	ug/l	1	10/31/99	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/31/99	107-06-2			
Trichloroethene	260	ug/l	10	10/31/99	79-01-6	4	D	JP
1,2-Dichloropropane	ND	ug/l	1	10/31/99	78-87-5			
Bromodichloromethane	ND	ug/l	1	10/31/99	75-27-4			
Toluene	ND	ug/l	1	10/31/99	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/31/99	79-00-5			
Tetrachloroethene	ND	ug/l	1	10/31/99	127-18-4			
Dibromochloromethane	ND	ug/l	1	10/31/99	124-48-1			
Chlorobenzene	ND	ug/l	1	10/31/99	108-90-7			
Ethylbenzene	ND	ug/l	1	10/31/99	100-41-4			
Bromoform	ND	ug/l	1	10/31/99	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/31/99	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/31/99	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/31/99	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/31/99	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/31/99	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/31/99	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/31/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/31/99	95-47-6			
Toluene-d8 (S)	103	%		10/31/99	2037-26-5			
Dibromofluoromethane (S)	108	%		10/31/99	1868-53-7			
4-Bromofluorobenzene (S)	106	%		10/31/99	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984197 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-02-34-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		10/31/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984205 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-05-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/31/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/31/99		75-01-4	
Bromomethane	ND	ug/l	1	10/31/99		74-83-9	
Chloroethane	ND	ug/l	1	10/31/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/31/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/31/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/31/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/31/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/31/99		75-34-3	
cis-1,2-Dichloroethene	11	ug/l	1	10/31/99		156-59-2	
Chloroform	ND	ug/l	1	10/31/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/31/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/31/99		56-23-5	
Benzene	ND	ug/l	1	10/31/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/31/99		107-06-2	
Trichloroethene	12	ug/l	1	10/31/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/31/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/31/99		75-27-4	
Toluene	ND	ug/l	1	10/31/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/31/99		79-00-5	
Tetrachloroethene	4.1	ug/l	1	10/31/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/31/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/31/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/31/99		100-41-4	
Bromoform	ND	ug/l	1	10/31/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/31/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/31/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/31/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/31/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/31/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/31/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/31/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/31/99		95-47-6	
Toluene-d8 (S)	100	%		10/31/99		2037-26-5	
Dibromofluoromethane (S)	108	%		10/31/99		1868-53-7	
4-Bromofluorobenzene (S)	105	%		10/31/99		460-00-4	

Lab Q

COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984205 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-05-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		10/31/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984213 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-05-32-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	Com Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	10/31/99		74-87-3			
Vinyl Chloride	5.9	ug/l	1	10/31/99		75-01-4			
Bromomethane	ND	ug/l	1	10/31/99		74-83-9			
Chloroethane	ND	ug/l	1	10/31/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/31/99		75-69-4			
Methylene Chloride	ND	ug/l	1	10/31/99		75-09-2			
1,1-Dichloroethene	2.3	ug/l	1	10/31/99		75-35-4			
trans-1,2-Dichloroethene	5.3	ug/l	1	10/31/99		156-60-5			
1,1-Dichloroethane	2.7	ug/l	1	10/31/99		75-34-3			
cis-1,2-Dichloroethene	83	ug/l	25	10/31/99		156-59-2	5	D	JP
Chloroform	ND	ug/l	1	10/31/99		67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	10/31/99		71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/31/99		56-23-5			
Benzene	ND	ug/l	1	10/31/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/31/99		107-06-2			
Trichloroethene	560	ug/l	25	10/31/99		79-01-6	5	D	JP
1,2-Dichloropropane	ND	ug/l	1	10/31/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	10/31/99		75-27-4			
Toluene	ND	ug/l	1	10/31/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/31/99		79-00-5			
Tetrachloroethene	5.1	ug/l	1	10/31/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	10/31/99		124-48-1			
Chlorobenzene	ND	ug/l	1	10/31/99		108-90-7			
Ethylbenzene	ND	ug/l	1	10/31/99		100-41-4			
Bromoform	ND	ug/l	1	10/31/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/31/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/31/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/31/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/31/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/31/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/31/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/31/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/31/99		95-47-6			
Toluene-d8 (S)	102	%		10/31/99		2037-26-5			
Dibromofluoromethane (S)	107	%		10/31/99		1868-53-7			
4-Bromofluorobenzene (S)	103	%		10/31/99		460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984213 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-05-32-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		10/31/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984221 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-06-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	10/31/99		74-87-3			
Vinyl Chloride	ND	ug/l	1	10/31/99		75-01-4			
Bromomethane	ND	ug/l	1	10/31/99		74-83-9			
Chloroethane	ND	ug/l	1	10/31/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/31/99		75-69-4			
Methylene Chloride	ND	ug/l	1	10/31/99		75-09-2			
1,1-Dichloroethene	ND	ug/l	1	10/31/99		75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	1	10/31/99		156-60-5			
1,1-Dichloroethane	ND	ug/l	1	10/31/99		75-34-3			
cis-1,2-Dichloroethene	12	ug/l	1	10/31/99		156-59-2			
Chloroform	ND	ug/l	1	10/31/99		67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	10/31/99		71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/31/99		56-23-5			
Benzene	ND	ug/l	1	10/31/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/31/99		107-06-2			
Trichloroethene	76	ug/l	5	10/31/99		79-01-6	6	D	JP
1,2-Dichloropropane	ND	ug/l	1	10/31/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	10/31/99		75-27-4			
Toluene	ND	ug/l	1	10/31/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/31/99		79-00-5			
Tetrachloroethene	7.0	ug/l	1	10/31/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	10/31/99		124-48-1			
Chlorobenzene	ND	ug/l	1	10/31/99		108-90-7			
Ethylbenzene	ND	ug/l	1	10/31/99		100-41-4			
Bromoform	ND	ug/l	1	10/31/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/31/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/31/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/31/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/31/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/31/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/31/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/31/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/31/99		95-47-6			
Toluene-d8 (S)	100	%		10/31/99		2037-26-5			
Dibromofluoromethane (S)	107	%		10/31/99		1868-53-7			
4-Bromofluorobenzene (S)	106	%		10/31/99		460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984221 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-06-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		10/31/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984239 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-06-24-102599 Date Received: 10/27/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	CAS#	Footnotes	Lab Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/31/99	74-87-3			
Vinyl Chloride	1.6	ug/l	1	10/31/99	75-01-4			
Bromomethane	ND	ug/l	1	10/31/99	74-83-9			
Chloroethane	ND	ug/l	1	10/31/99	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/31/99	75-69-4			
Methylene Chloride	ND	ug/l	1	10/31/99	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	10/31/99	75-35-4			
trans-1,2-Dichloroethene	3.1	ug/l	1	10/31/99	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	10/31/99	75-34-3			
cis-1,2-Dichloroethene	33	ug/l	1	10/31/99	156-59-2			
Chloroform	ND	ug/l	1	10/31/99	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	10/31/99	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/31/99	56-23-5			
Benzene	ND	ug/l	1	10/31/99	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/31/99	107-06-2			
Trichloroethene	250	ug/l	10	10/31/99	79-01-6	4	D	JP
1,2-Dichloropropane	ND	ug/l	1	10/31/99	78-87-5			
Bromodichloromethane	ND	ug/l	1	10/31/99	75-27-4			
Toluene	ND	ug/l	1	10/31/99	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/31/99	79-00-5			
Tetrachloroethene	7.9	ug/l	1	10/31/99	127-18-4			
Dibromochloromethane	ND	ug/l	1	10/31/99	124-48-1			
Chlorobenzene	ND	ug/l	1	10/31/99	108-90-7			
Ethylbenzene	ND	ug/l	1	10/31/99	100-41-4			
Bromoform	ND	ug/l	1	10/31/99	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/31/99	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/31/99	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/31/99	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/31/99	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/31/99	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/31/99	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/31/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/31/99	95-47-6			
Toluene-d8 (S)	101	%		10/31/99	2037-26-5			
Dibromofluoromethane (S)	109	%		10/31/99	1868-53-7			
4-Bromofluorobenzene (S)	107	%		10/31/99	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984239 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-06-24-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		10/31/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/22/99

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984247 Date Collected: 06/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-03-17-102599 Date Received: 10/27/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	CAS#	Footnotes	Lab		EDM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	10/31/99	74-87-3				
Vinyl Chloride	ND	ug/l	1	10/31/99	75-01-4				
Bromomethane	ND	ug/l	1	10/31/99	74-83-9				
Chloroethane	ND	ug/l	1	10/31/99	75-00-3				
Trichlorofluoromethane	ND	ug/l	1	10/31/99	75-69-4				
Methylene Chloride	ND	ug/l	1	10/31/99	75-09-2				
1,1-Dichloroethene	ND	ug/l	1	10/31/99	75-35-4				
trans-1,2-Dichloroethene	1.5	ug/l	1	10/31/99	156-60-5				
1,1-Dichloroethane	ND	ug/l	1	10/31/99	75-34-3				
cis-1,2-Dichloroethene	13	ug/l	1	10/31/99	156-59-2				
Chloroform	ND	ug/l	1	10/31/99	67-66-3				
1,1,1-Trichloroethane	ND	ug/l	1	10/31/99	71-55-6				
Carbon Tetrachloride	ND	ug/l	1	10/31/99	56-23-5				
Benzene	ND	ug/l	1	10/31/99	71-43-2				
1,2-Dichloroethane	ND	ug/l	1	10/31/99	107-06-2				
Trichloroethene	76	ug/l	5	10/31/99	79-01-6	6	D		JP
1,2-Dichloropropane	ND	ug/l	1	10/31/99	78-87-5				
Bromodichloromethane	ND	ug/l	1	10/31/99	75-27-4				
Toluene	ND	ug/l	1	10/31/99	108-88-3				
1,1,2-Trichloroethane	ND	ug/l	1	10/31/99	79-00-5				
Tetrachloroethene	1.5	ug/l	1	10/31/99	127-18-4				
Dibromochloromethane	ND	ug/l	1	10/31/99	124-48-1				
Chlorobenzene	ND	ug/l	1	10/31/99	108-90-7				
Ethylbenzene	ND	ug/l	1	10/31/99	100-41-4				
Bromoform	ND	ug/l	1	10/31/99	75-25-2				
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/31/99	79-34-5				
1,3-Dichlorobenzene	ND	ug/l	1	10/31/99	541-73-1				
1,4-Dichlorobenzene	ND	ug/l	1	10/31/99	106-46-7				
1,2-Dichlorobenzene	ND	ug/l	1	10/31/99	95-50-1				
cis-1,3-Dichloropropene	ND	ug/l	1	10/31/99	10061-01-5				
trans-1,3-Dichloropropene	ND	ug/l	1	10/31/99	10061-02-6				
M&P-Xylene	ND	ug/l	1.3	10/31/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/31/99	95-47-6				
Toluene-d8 (S)	99	%		10/31/99	2037-26-5				
Dibromofluoromethane (S)	111	%		10/31/99	1868-53-7				
4-Bromofluorobenzene (S)	105	%		10/31/99	460-00-4				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984247 Date Collected: 06/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-03-17-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		10/31/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984254 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-03-26-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	10/31/99		74-87-3			
Vinyl Chloride	1.5	ug/l	1	10/31/99		75-01-4			
Bromomethane	ND	ug/l	1	10/31/99		74-83-9			
Chloroethane	ND	ug/l	1	10/31/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/31/99		75-69-4			
Methylene Chloride	ND	ug/l	1	10/31/99		75-09-2			
1,1-Dichloroethene	1.5	ug/l	1	10/31/99		75-35-4			
trans-1,2-Dichloroethene	2.6	ug/l	1	10/31/99		156-60-5			
1,1-Dichloroethane	1.2	ug/l	1	10/31/99		75-34-3			
cis-1,2-Dichloroethene	36	ug/l	1	10/31/99		156-59-2			
Chloroform	ND	ug/l	1	10/31/99		67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	10/31/99		71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/31/99		56-23-5			
Benzene	ND	ug/l	1	10/31/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/31/99		107-06-2			
Trichloroethene	530	ug/l	10	10/31/99		79-01-6	7	D	JP
1,2-Dichloropropane	ND	ug/l	1	10/31/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	10/31/99		75-27-4			
Toluene	ND	ug/l	1	10/31/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/31/99		79-00-5			
Tetrachloroethene	ND	ug/l	1	10/31/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	10/31/99		124-48-1			
Chlorobenzene	ND	ug/l	1	10/31/99		108-90-7			
Ethylbenzene	ND	ug/l	1	10/31/99		100-41-4			
Bromoform	ND	ug/l	1	10/31/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/31/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/31/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/31/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/31/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/31/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/31/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/31/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/31/99		95-47-6			
Toluene-d8 (S)	102	%		10/31/99		2037-26-5			
Dibromofluoromethane (S)	113	%		10/31/99		1868-53-7			
4-Bromofluorobenzene (S)	102	%		10/31/99		460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984254 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-03-26-102599 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		10/31/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/22/99

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984262 Date Collected: 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-07-17-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	10/30/99	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	1	10/30/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	10/30/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	10/30/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/30/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	10/30/99	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	10/30/99	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	1	10/30/99	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	10/30/99	DJE	75-34-3			
cis-1,2-Dichloroethene	12	ug/l	1	10/30/99	DJE	156-59-2			
Chloroform	ND	ug/l	1	10/30/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	10/30/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/30/99	DJE	56-23-5			
Benzene	ND	ug/l	1	10/30/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/30/99	DJE	107-06-2			
Trichloroethene	100	ug/l	5	10/30/99	DJE	79-01-6	6	D	JP
1,2-Dichloropropane	ND	ug/l	1	10/30/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	10/30/99	DJE	75-27-4			
Toluene	ND	ug/l	1	10/30/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/30/99	DJE	79-00-5			
Tetrachloroethene	2.9	ug/l	1	10/30/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	10/30/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	10/30/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	10/30/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	10/30/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/30/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/30/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/30/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/30/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/30/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/30/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/30/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/30/99	DJE	95-47-6			
Toluene-d8 (S)	99	%		10/30/99	DJE	2037-26-5			
Dibromofluoromethane (S)	104	%		10/30/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	106	%		10/30/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984262 Date Collected: 10/25/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-07-17-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		10/30/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984288 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-07-25-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/02/99		74-87-3			
Vinyl Chloride	2.2	ug/l	1	11/02/99		75-01-4			
Bromomethane	ND	ug/l	1	11/02/99		74-83-9			
Chloroethane	ND	ug/l	1	11/02/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/02/99		75-69-4			
Methylene Chloride	ND	ug/l	1	11/02/99		75-09-2			
1,1-Dichloroethene	1.9	ug/l	1	11/02/99		75-35-4			
trans-1,2-Dichloroethene	4.0	ug/l	1	11/02/99		156-60-5			
1,1-Dichloroethane	1.7	ug/l	1	11/02/99		75-34-3			
cis-1,2-Dichloroethene	48	ug/l	20	11/02/99		156-59-2	1	D	JP
Chloroform	ND	ug/l	1	11/02/99		67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/02/99		71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/02/99		56-23-5			
Benzene	ND	ug/l	1	11/02/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/02/99		107-06-2			
Trichloroethene	130	ug/l	20	11/02/99		79-01-6	8	D	JP
1,2-Dichloropropane	ND	ug/l	1	11/02/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	11/02/99		75-27-4			
Toluene	ND	ug/l	1	11/02/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/02/99		79-00-5			
Tetrachloroethene	ND	ug/l	1	11/02/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	11/02/99		124-48-1			
Chlorobenzene	ND	ug/l	1	11/02/99		108-90-7			
Ethylbenzene	ND	ug/l	1	11/02/99		100-41-4			
Bromoform	ND	ug/l	1	11/02/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/02/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/02/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/02/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/02/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/02/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/02/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/02/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/02/99		95-47-6			
Toluene-d8 (S)	96	%		11/02/99		2037-26-5			
Dibromofluoromethane (S)	112	%		11/02/99		1868-53-7			
4-Bromofluorobenzene (S)	100	%		11/02/99		460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984288 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-07-25-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	132	%		11/02/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/22/99

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984296 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-09-17-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/02/99		74-87-3			
Vinyl Chloride	ND	ug/l	1	11/02/99		75-01-4			
Bromomethane	ND	ug/l	1	11/02/99		74-83-9			
Chloroethane	ND	ug/l	1	11/02/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/02/99		75-69-4			
Methylene Chloride	ND	ug/l	1	11/02/99		75-09-2			
1,1-Dichloroethene	ND	ug/l	1	11/02/99		75-35-4			
trans-1,2-Dichloroethene	1.2	ug/l	1	11/02/99		156-60-5			
1,1-Dichloroethane	ND	ug/l	1	11/02/99		75-34-3			
cis-1,2-Dichloroethene	16	ug/l	1	11/02/99		156-59-2			
Chloroform	ND	ug/l	1	11/02/99		67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/02/99		71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/02/99		56-23-5			
Benzene	ND	ug/l	1	11/02/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/02/99		107-06-2			
Trichloroethene	44	ug/l	5	11/02/99		79-01-6	6	D	JP
1,2-Dichloropropane	ND	ug/l	1	11/02/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	11/02/99		75-27-4			
Toluene	ND	ug/l	1	11/02/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/02/99		79-00-5			
Tetrachloroethene	ND	ug/l	1	11/02/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	11/02/99		124-48-1			
Chlorobenzene	ND	ug/l	1	11/02/99		108-90-7			
Ethylbenzene	ND	ug/l	1	11/02/99		100-41-4			
Bromoform	ND	ug/l	1	11/02/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/02/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/02/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/02/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/02/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/02/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/02/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/02/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/02/99		95-47-6			
Toluene-d8 (S)	95	%		11/02/99		2037-26-5			
Dibromofluoromethane (S)	110	%		11/02/99		1868-53-7			
4-Bromofluorobenzene (S)	103	%		11/02/99		460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984296 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-09-17-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	131	%		11/02/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/22/99

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984304 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-09-29-102699 Date Received: 10/27/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	CAS#	Footnotes	LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/02/99	74-87-3			
Vinyl Chloride	5.1	ug/l	1	11/02/99	75-01-4			
Bromomethane	ND	ug/l	1	11/02/99	74-83-9			
Chloroethane	ND	ug/l	1	11/02/99	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/02/99	75-69-4			
Methylene Chloride	ND	ug/l	1	11/02/99	75-09-2			
1,1-Dichloroethene	3.7	ug/l	1	11/02/99	75-35-4			
trans-1,2-Dichloroethene	7.2	ug/l	1	11/02/99	156-60-5			
1,1-Dichloroethane	2.8	ug/l	1	11/02/99	75-34-3			
cis-1,2-Dichloroethene	65	ug/l	25	11/02/99	156-59-2	5	D	JP
Chloroform	ND	ug/l	1	11/02/99	67-66-3			
1,1,1-Trichloroethane	1.1	ug/l	1	11/02/99	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/02/99	56-23-5			
Benzene	ND	ug/l	1	11/02/99	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/02/99	107-06-2			
Trichloroethene	220	ug/l	25	11/02/99	79-01-6	5	D	JP
1,2-Dichloropropane	ND	ug/l	1	11/02/99	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/02/99	75-27-4			
Toluene	ND	ug/l	1	11/02/99	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/02/99	79-00-5			
Tetrachloroethene	2.9	ug/l	1	11/02/99	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/02/99	124-48-1			
Chlorobenzene	ND	ug/l	1	11/02/99	108-90-7			
Ethylbenzene	ND	ug/l	1	11/02/99	100-41-4			
Bromoform	ND	ug/l	1	11/02/99	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/02/99	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/02/99	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/02/99	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/02/99	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/02/99	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/02/99	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/02/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/02/99	95-47-6			
Toluene-d8 (S)	95	%		11/02/99	2037-26-5			
Dibromofluoromethane (S)	110	%		11/02/99	1868-53-7			
4-Bromofluorobenzene (S)	101	%		11/02/99	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984304 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-09-29-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	133	%		11/02/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984312 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-09P-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/02/99		74-87-3	
Vinyl Chloride	13	ug/l	1	11/02/99		75-01-4	
Bromomethane	ND	ug/l	1	11/02/99		74-83-9	
Chloroethane	ND	ug/l	1	11/02/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/02/99		75-69-4	
Methylene Chloride	38	ug/l	5	11/02/99		75-09-2	6
1,1-Dichloroethene	22	ug/l	1	11/02/99		75-35-4	
trans-1,2-Dichloroethene	42	ug/l	5	11/02/99		156-60-5	9
1,1-Dichloroethane	ND	ug/l	1	11/02/99		75-34-3	
cis-1,2-Dichloroethene	47	ug/l	5	11/02/99		156-59-2	9
Chloroform	ND	ug/l	1	11/02/99		67-66-3	
1,1,1-Trichloroethane	46	ug/l	5	11/02/99		71-55-6	9
Carbon Tetrachloride	47	ug/l	5	11/02/99		56-23-5	9
Benzene	28	ug/l	1	11/02/99		71-43-2	
1,2-Dichloroethane	43	ug/l	5	11/02/99		107-06-2	9
Trichloroethene	36	ug/l	5	11/02/99		79-01-6	9
1,2-Dichloropropane	29	ug/l	1	11/02/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/02/99		75-27-4	
Toluene	27	ug/l	1	11/02/99		108-88-3	
1,1,2-Trichloroethane	53	ug/l	1	11/02/99		79-00-5	3
Tetrachloroethene	43	ug/l	1	11/02/99		127-18-4	3
Dibromochloromethane	ND	ug/l	1	11/02/99		124-48-1	
Chlorobenzene	39	ug/l	1	11/02/99		108-90-7	
Ethylbenzene	35	ug/l	5	11/02/99		100-41-4	9
Bromoform	ND	ug/l	1	11/02/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/02/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/02/99		541-73-1	
1,4-Dichlorobenzene	36	ug/l	1	11/02/99		106-46-7	
1,2-Dichlorobenzene	52	ug/l	5	11/02/99		95-50-1	9
cis-1,3-Dichloropropene	ND	ug/l	1	11/02/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/02/99		10061-02-6	
M&P-Xylene	89	ug/l	6.5	11/02/99			6
O-Xylene (1,2-Dimethylbenzene)	39	ug/l	1.1	11/02/99		95-47-6	
Toluene-d8 (S)	100	%		11/02/99		2037-26-5	
Dibromofluoromethane (S)	110	%		11/02/99		1868-53-7	
4-Bromofluorobenzene (S)	108	%		11/02/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602984312 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-09P-102699 Date Received: 10/27/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	133	%		11/02/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602986440 Date Collected: 10/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-01-17-102299 Date Received: 10/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	10/30/99		74-87-3	
Vinyl Chloride	2.9	ug/l	1	10/30/99		75-01-4	
Bromomethane	ND	ug/l	1	10/30/99		74-83-9	
Chloroethane	ND	ug/l	1	10/30/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/30/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/30/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/30/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/30/99		156-60-5	
1,1-Dichloroethane	1.3	ug/l	1	10/30/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	10/30/99		156-59-2	
Chloroform	ND	ug/l	1	10/30/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/30/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/30/99		56-23-5	
Benzene	3.3	ug/l	1	10/30/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/30/99		107-06-2	
Trichloroethene	ND	ug/l	1	10/30/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/30/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/30/99		75-27-4	
Toluene	ND	ug/l	1	10/30/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/30/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/30/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/30/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/30/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/30/99		100-41-4	
Bromoform	ND	ug/l	1	10/30/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/30/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/30/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/30/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/30/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/30/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/30/99		95-47-6	
Toluene-d8 (S)	100	%		10/30/99		2037-26-5	
Dibromofluoromethane (S)	104	%		10/30/99		1868-53-7	
4-Bromofluorobenzene (S)	110	%		10/30/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602986440 Date Collected: 10/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-01-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		10/30/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602986473 Date Collected: 10/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-01-30-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	10/30/99		74-87-3			
Vinyl Chloride	2.3	ug/l	1	10/30/99		75-01-4			
Bromomethane	ND	ug/l	1	10/30/99		74-83-9			
Chloroethane	ND	ug/l	1	10/30/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/30/99		75-69-4			
Methylene Chloride	ND	ug/l	1	10/30/99		75-09-2			
1,1-Dichloroethene	3.7	ug/l	1	10/30/99		75-35-4			
trans-1,2-Dichloroethene	2.7	ug/l	1	10/30/99		156-60-5			
1,1-Dichloroethane	1.6	ug/l	1	10/30/99		75-34-3			
cis-1,2-Dichloroethene	41	ug/l	1	10/30/99		156-59-2	3	E	
Chloroform	ND	ug/l	1	10/30/99		67-66-3			
1,1,1-Trichloroethane	1.4	ug/l	1	10/30/99		71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/30/99		56-23-5			
Benzene	ND	ug/l	1	10/30/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/30/99		107-06-2			
Trichloroethene	210	ug/l	10	10/30/99		79-01-6	4	HPD	JP
1,2-Dichloropropane	ND	ug/l	1	10/30/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	10/30/99		75-27-4			
Toluene	ND	ug/l	1	10/30/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/30/99		79-00-5			
Tetrachloroethene	ND	ug/l	1	10/30/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	10/30/99		124-48-1			
Chlorobenzene	ND	ug/l	1	10/30/99		108-90-7			
Ethylbenzene	ND	ug/l	1	10/30/99		100-41-4			
Bromoform	ND	ug/l	1	10/30/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/30/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/30/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/30/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/30/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/30/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/30/99		95-47-6			
Toluene-d8 (S)	100	%		10/30/99		2037-26-5			
Dibromofluoromethane (S)	106	%		10/30/99		1868-53-7			
4-Bromofluorobenzene (S)	105	%		10/30/99		460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602986473 Date Collected: 10/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-01-30-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		10/30/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/22/99

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602986481 Date Collected: 10/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-04-17-102299 Date Received: 10/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	CAS#	Footnotes	Lab Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	10/30/99	74-87-3			
Vinyl Chloride	ND	ug/l	1	10/30/99	75-01-4			
Bromomethane	ND	ug/l	1	10/30/99	74-83-9			
Chloroethane	ND	ug/l	1	10/30/99	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	10/30/99	75-69-4			
Methylene Chloride	ND	ug/l	1	10/30/99	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	10/30/99	75-35-4			
trans-1,2-Dichloroethene	9.5	ug/l	1	10/30/99	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	10/30/99	75-34-3			
cis-1,2-Dichloroethene	68	ug/l	5	10/30/99	156-59-2	6	D	JP
Chloroform	ND	ug/l	1	10/30/99	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	10/30/99	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	10/30/99	56-23-5			
Benzene	ND	ug/l	1	10/30/99	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	10/30/99	107-06-2			
Trichloroethene	16	ug/l	1	10/30/99	79-01-6			
1,2-Dichloropropane	ND	ug/l	1	10/30/99	78-87-5			
Bromodichloromethane	ND	ug/l	1	10/30/99	75-27-4			
Toluene	ND	ug/l	1	10/30/99	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	10/30/99	79-00-5			
Tetrachloroethene	ND	ug/l	1	10/30/99	127-18-4			
Dibromochloromethane	ND	ug/l	1	10/30/99	124-48-1			
Chlorobenzene	ND	ug/l	1	10/30/99	108-90-7			
Ethylbenzene	ND	ug/l	1	10/30/99	100-41-4			
Bromoform	ND	ug/l	1	10/30/99	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/30/99	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	10/30/99	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	10/30/99	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	10/30/99	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	10/30/99	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	10/30/99	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	10/30/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/30/99	95-47-6			
Toluene-d8 (S)	99	%		10/30/99	2037-26-5			
Dibromofluoromethane (S)	105	%		10/30/99	1868-53-7			
4-Bromofluorobenzene (S)	104	%		10/30/99	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602986481 Date Collected: 10/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-04-17-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		10/30/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602986499 Date Collected: 10/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-04-33-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	10/30/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	10/30/99		75-01-4	
Bromomethane	ND	ug/l	1	10/30/99		74-83-9	
Chloroethane	ND	ug/l	1	10/30/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	10/30/99		75-69-4	
Methylene Chloride	ND	ug/l	1	10/30/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	10/30/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	10/30/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	10/30/99		75-34-3	
cis-1,2-Dichloroethene	17	ug/l	1	10/30/99		156-59-2	
Chloroform	ND	ug/l	1	10/30/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	10/30/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	10/30/99		56-23-5	
Benzene	ND	ug/l	1	10/30/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	10/30/99		107-06-2	
Trichloroethene	1.2	ug/l	1	10/30/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	10/30/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	10/30/99		75-27-4	
Toluene	ND	ug/l	1	10/30/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	10/30/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	10/30/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	10/30/99		124-48-1	
Chlorobenzene	ND	ug/l	1	10/30/99		108-90-7	
Ethylbenzene	ND	ug/l	1	10/30/99		100-41-4	
Bromoform	ND	ug/l	1	10/30/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	10/30/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	10/30/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	10/30/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	10/30/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	10/30/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	10/30/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	10/30/99		95-47-6	
Toluene-d8 (S)	101	%		10/30/99		2037-26-5	
Dibromofluoromethane (S)	105	%		10/30/99		1868-53-7	
4-Bromofluorobenzene (S)	105	%		10/30/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602986499 Date Collected: 10/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-04-33-102299 Date Received: 10/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		10/30/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:20.
[2]	The recovery exceeds laboratory established control limits of 135%. The recovery for the dilution was within control limits.
[3]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[4]	The value for this analyte was determined from a secondary dilution of 1:10.
[5]	The value for this analyte was determined from a secondary dilution of 1:25.
[6]	The value for this analyte was determined from a secondary dilution of 1:5.
[7]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/1/99.
[8]	The value for this analyte was determined from a secondary dilution of 1:20 on 11/2/99.
[9]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/3/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor
SDG Number: 6034884B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 71907
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 602984163 602984171 602984189 602984197 602984205 602984213 602984221 602984239 602984247 602984254 602984262 602984288 602984296 602984304 602984312 602986440 602986473 602986481 602986499

METHOD BLANK: 602990202
Associated Pace Samples:
602984189 602984197 602984262 602986440 602986473 602986481 602986499

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 602990202
Associated Pace Samples:

602984189 602984197 602984262 602986440 602986473 602986481 602986499

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	101		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	100		

METHOD BLANK: 603009580
Associated Pace Samples:

602984205 602984213 602984221 602984239 602984247 602984254

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603009580
Associated Pace Samples:
602984205 602984213 602984221 602984239 602984247 602984254

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	106		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	105		
1,2-Dichloroethane-d4 (S)	%	111		

METHOD BLANK: 603009598
Associated Pace Samples:
602984163

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603009598
Associated Pace Samples:
602984163

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	96		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	95		

METHOD BLANK: 603009606
Associated Pace Samples:
602984171

Parameter	Units	Method Blank Result	PRL	Footnotes

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603009606
Associated Pace Samples:
602984171

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	114		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	130		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603009614
Associated Pace Samples:

602984288 602984296 602984304 602984312

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	109		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	123		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 602990210 602990228

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	7.592	75.9	8.530	85.3	12	
Vinyl Chloride	ug/l	10	6.579	65.8	8.993	89.9	(31)	1 RPD
Bromomethane	ug/l	10	9.163	91.6	9.819	98.2	7	
Chloroethane	ug/l	10	8.098	81.0	9.115	91.1	12	
Trichlorofluoromethane	ug/l	10	8.426	84.3	13.64	136	(47)	2 RPD
Methylene Chloride	ug/l	10	8.550	85.5	8.951	89.5	5	
1,1-Dichloroethene	ug/l	10	8.229	82.3	11.08	111	(30)	3 RPD
trans-1,2-Dichloroethene	ug/l	10	9.722	97.2	10.99	110	12	
1,1-Dichloroethane	ug/l	10	10.18	102	10.75	107	5	
cis-1,2-Dichloroethene	ug/l	10	9.244	92.4	9.489	94.9	3	
Chloroform	ug/l	10	10.82	108	11.27	113	5	
1,1,1-Trichloroethane	ug/l	10	11.70	(117) OK	14.16	(142)	19	4 O/R
Carbon Tetrachloride	ug/l	10	10.84	108	14.56	(146)	(30)	5 O/R RPD
Benzene	ug/l	10	8.936	89.4	9.613	96.1	7	
1,2-Dichloroethane	ug/l	10	11.34	113	11.58	116	3	
Trichloroethene	ug/l	10	12.63	126	13.28	133	5	
1,2-Dichloropropane	ug/l	10	8.866	88.7	9.118	91.2	3	
Bromodichloromethane	ug/l	10	10.78	108	11.04	110	2	
Toluene	ug/l	10	9.473	94.7	10.33	103	8	
1,1,2-Trichloroethane	ug/l	10	8.091	80.9	8.266	82.7	2	
Tetrachloroethene	ug/l	10	8.934	89.3	10.77	108	(19)	6 RPD
Dibromochloromethane	ug/l	10	9.457	94.6	9.591	95.9	1	
Chlorobenzene	ug/l	10	8.409	84.1	8.445	84.4	0	
Ethylbenzene	ug/l	10	8.805	88.1	10.29	103	16	
Bromoform	ug/l	10	8.937	89.4	8.919	89.2	0	
1,1,2,2-Tetrachloroethane	ug/l	10	6.598	66.0	6.893	68.9	4	
1,3-Dichlorobenzene	ug/l	10	9.684	96.8	9.870	98.7	2	
1,4-Dichlorobenzene	ug/l	10	8.655	86.6	9.090	90.9	5	
1,2-Dichlorobenzene	ug/l	10	9.456	94.6	9.814	98.1	4	
cis-1,3-Dichloropropene	ug/l	10	9.739	97.4	9.905	99.0	2	
trans-1,3-Dichloropropene	ug/l	10	8.891	88.9	8.731	87.3	2	
M&P-Xylene	ug/l	20	17.13	85.6	18.11	90.6	6	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	8.491	84.9	8.912	89.1	5	
Toluene-d8 (S)				103		104		
Dibromofluoromethane (S)				104		105		
4-Bromofluorobenzene (S)				104		98		
1,2-Dichloroethane-d4 (S)				110		112		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034884
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 21%.
[2]	The RPD exceeds laboratory established control limits of 22%.
[3]	The RPD exceeds laboratory established control limits of 17%.
[4]	The recovery exceeds laboratory established control limits of 136%. The RPD exceeds laboratory established control limits of 13%.
[5]	The recovery exceeds laboratory established control limits of 141%. The RPD exceeds limits of 15%.
[6]	The RPD exceeds laboratory established control limits of 13%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Todd Bryesser
11/24/99

November 17, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on October 28, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 11/17/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
602992547	NIC-GPW-GP03E-08-17-102699	EPA 8260	72086		
602992554	NIC-GPW-GP03E-08-32-102699	EPA 8260	72086		
602992562	NIC-GPW-GP03C-01-20-102699	EPA 8260	72086		
602992570	NIC-GPW-GP03C-01-28-102699	EPA 8260	72086		
602992588	NIC-GPW-GP03C-01Q1-28-102699	EPA 8260	72086		
602992596	NIC-GPW-GP03C-01N-28-102699	EPA 8260	72086		
602992604	NIC-GPW-GP03C-02-20-102799	EPA 8260	72086		
602992612	NIC-GPW-GP03C-02-29-102799	EPA 8260	72086		
602992620	NIC-GPW-GP03B-04-17-102799	EPA 8260	72086		
602992646	NIC-GPW-GP03B-04-29-102799	EPA 8260	72086		
602992661	NIC-GPW-GP06I-02-23-102799	EPA 8260	72086		
602992703	NIC-GPW-GP06I-02-35-102799	EPA 8260	72086		
602992729	NIC-GPW-GP06I-03-26-102799	EPA 8260	72086		
602992745	NIC-GPW-GP06I-03-34-102799	EPA 8260	72086		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/17/99
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 602992547 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-08-17-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/04/99	DJE	74-87-3			
Vinyl Chloride	12	ug/l	1	11/04/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/04/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/04/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/04/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/04/99	DJE	75-09-2			
1,1-Dichloroethene	2.1	ug/l	1	11/04/99	DJE	75-35-4			
trans-1,2-Dichloroethene	12	ug/l	1	11/04/99	DJE	156-60-5			
1,1-Dichloroethane	15	ug/l	1	11/04/99	DJE	75-34-3			
cis-1,2-Dichloroethene	120	ug/l	10	11/04/99	DJE	156-59-2	1	D	
Chloroform	ND	ug/l	1	11/04/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/04/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/04/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/04/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/04/99	DJE	107-06-2			
Trichloroethene	56	ug/l	10	11/04/99	DJE	79-01-6	1	D	
1,2-Dichloropropane	ND	ug/l	1	11/04/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/04/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/04/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/04/99	DJE	79-00-5			
Tetrachloroethene	17	ug/l	10	11/04/99	DJE	127-18-4	1	D	
Dibromochloromethane	ND	ug/l	1	11/04/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/04/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/04/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/04/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/04/99	DJE	79-34-5			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992547 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-08-17-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/04/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/04/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/04/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/04/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/04/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/04/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/04/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		11/04/99	DJE	2037-26-5	
Dibromofluoromethane (S)	111	%		11/04/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/04/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%		11/04/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/17/99

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992554 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-08-32-102699 Date Received: 10/28/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/04/99		74-87-3			
Vinyl Chloride	9.4	ug/l	1	11/04/99		75-01-4			
Bromomethane	ND	ug/l	1	11/04/99		74-83-9			
Chloroethane	ND	ug/l	1	11/04/99		75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/04/99		75-69-4			
Methylene Chloride	ND	ug/l	1	11/04/99		75-09-2			
1,1-Dichloroethene	3.7	ug/l	1	11/04/99		75-35-4			
trans-1,2-Dichloroethene	7.2	ug/l	1	11/04/99		156-60-5			
1,1-Dichloroethane	2.9	ug/l	1	11/04/99		75-34-3			
cis-1,2-Dichloroethene	59	ug/l	20	11/04/99		156-59-2	2	D	
Chloroform	ND	ug/l	1	11/04/99		67-66-3			
1,1,1-Trichloroethane	1.7	ug/l	1	11/04/99		71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/04/99		56-23-5			
Benzene	ND	ug/l	1	11/04/99		71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/04/99		107-06-2			
Trichloroethene	350	ug/l	20	11/04/99		79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	11/04/99		78-87-5			
Bromodichloromethane	ND	ug/l	1	11/04/99		75-27-4			
Toluene	ND	ug/l	1	11/04/99		108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/04/99		79-00-5			
Tetrachloroethene	ND	ug/l	1	11/04/99		127-18-4			
Dibromochloromethane	ND	ug/l	1	11/04/99		124-48-1			
Chlorobenzene	ND	ug/l	1	11/04/99		108-90-7			
Ethylbenzene	ND	ug/l	1	11/04/99		100-41-4			
Bromoform	ND	ug/l	1	11/04/99		75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/04/99		79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/04/99		541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/04/99		106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/04/99		95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/04/99		10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/04/99		10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/04/99					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/04/99		95-47-6			
Toluene-d8 (S)	95	%		11/04/99		2037-26-5			
Dibromofluoromethane (S)	107	%		11/04/99		1868-53-7			
4-Bromofluorobenzene (S)	104	%		11/04/99		460-00-4			

Lab Q CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992554 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-08-32-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		11/04/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992562 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-01-20-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/05/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/05/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/05/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/05/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/05/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/05/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/05/99	DJE	75-34-3	
cis-1,2-Dichloroethene	5.3	ug/l	1	11/05/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/05/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/05/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99	DJE	107-06-2	
Trichloroethene	25	ug/l	1	11/05/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/05/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/05/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/05/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99	DJE	95-47-6	
Toluene-d8 (S)	89	%		11/05/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		11/05/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/05/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992562 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-01-20-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		11/05/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992570 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-01-28-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/05/99	DJE	74-87-3	
Vinyl Chloride	6.9	ug/l	1	11/05/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/05/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/05/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99	DJE	75-09-2	
1,1-Dichloroethene	4.9	ug/l	1	11/05/99	DJE	75-35-4	
trans-1,2-Dichloroethene	6.0	ug/l	1	11/05/99	DJE	156-60-5	
1,1-Dichloroethane	2.2	ug/l	1	11/05/99	DJE	75-34-3	
cis-1,2-Dichloroethene	42	ug/l	10	11/05/99	DJE	156-59-2	1
Chloroform	ND	ug/l	1	11/05/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/05/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99	DJE	107-06-2	
Trichloroethene	240	ug/l	10	11/05/99	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/05/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/05/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/05/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99	DJE	95-47-6	
Toluene-d8 (S)	92	%		11/05/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		11/05/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		11/05/99	DJE	460-00-4	

Lab Q

CQM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992570 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-01-28-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		11/05/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992588 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-01Q1-28-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/05/99	DJE	74-87-3	
Vinyl Chloride	5.2	ug/l	1	11/05/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/05/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/05/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99	DJE	75-09-2	
1,1-Dichloroethene	3.6	ug/l	1	11/05/99	DJE	75-35-4	
trans-1,2-Dichloroethene	4.1	ug/l	1	11/05/99	DJE	156-60-5	
1,1-Dichloroethane	2.0	ug/l	1	11/05/99	DJE	75-34-3	
cis-1,2-Dichloroethene	43	ug/l	10	11/05/99	DJE	156-59-2	1
Chloroform	ND	ug/l	1	11/05/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/05/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99	DJE	107-06-2	
Trichloroethene	240	ug/l	10	11/05/99	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/05/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/05/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/05/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99	DJE	95-47-6	
Toluene-d8 (S)	92	%		11/05/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		11/05/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/05/99	DJE	460-00-4	

LAB Q

COM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992588 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-01Q1-28-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		11/05/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992596 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-01N-28-102699 Date Received: 10/28/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/05/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/05/99		75-01-4	
Bromomethane	ND	ug/l	1	11/05/99		74-83-9	
Chloroethane	ND	ug/l	1	11/05/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/05/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/05/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/05/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/05/99		156-59-2	
Chloroform	ND	ug/l	1	11/05/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99		56-23-5	
Benzene	ND	ug/l	1	11/05/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99		107-06-2	
Trichloroethene	ND	ug/l	1	11/05/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/05/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99		75-27-4	
Toluene	ND	ug/l	1	11/05/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99		100-41-4	
Bromoform	ND	ug/l	1	11/05/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99		95-47-6	
Toluene-d8 (S)	85	%		11/05/99		2037-26-5	
Dibromofluoromethane (S)	102	%		11/05/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/05/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992596 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-01N-28-102699 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		11/05/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992604 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-02-20-102799 Date Received: 10/28/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/05/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/05/99		75-01-4	
Bromomethane	ND	ug/l	1	11/05/99		74-83-9	
Chloroethane	ND	ug/l	1	11/05/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/05/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/05/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/05/99		75-34-3	
cis-1,2-Dichloroethene	10	ug/l	1	11/05/99		156-59-2	
Chloroform	ND	ug/l	1	11/05/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99		56-23-5	
Benzene	ND	ug/l	1	11/05/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99		107-06-2	
Trichloroethene	32	ug/l	1	11/05/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/05/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99		75-27-4	
Toluene	ND	ug/l	1	11/05/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99		100-41-4	
Bromoform	ND	ug/l	1	11/05/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99		95-47-6	
Toluene-d8 (S)	99	%		11/05/99		2037-26-5	
Dibromofluoromethane (S)	102	%		11/05/99		1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/05/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992604 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-02-20-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		11/05/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992612 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-02-29-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/05/99	DJE	74-87-3		
Vinyl Chloride	20	ug/l	1	11/05/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	11/05/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	11/05/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/05/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	11/05/99	DJE	75-09-2		
1,1-Dichloroethene	5.2	ug/l	1	11/05/99	DJE	75-35-4		
trans-1,2-Dichloroethene	3.5	ug/l	1	11/05/99	DJE	156-60-5		
1,1-Dichloroethane	3.0	ug/l	1	11/05/99	DJE	75-34-3		
cis-1,2-Dichloroethene	46	ug/l	5	11/05/99	DJE	156-59-2	3	D
Chloroform	ND	ug/l	1	11/05/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/05/99	DJE	56-23-5		
Benzene	ND	ug/l	1	11/05/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/05/99	DJE	107-06-2		
Trichloroethene	140	ug/l	5	11/05/99	DJE	79-01-6	3	D
1,2-Dichloropropane	ND	ug/l	1	11/05/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/05/99	DJE	75-27-4		
Toluene	ND	ug/l	1	11/05/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/05/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/05/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	11/05/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	11/05/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	11/05/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/05/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99	DJE	95-47-6		
Toluene-d8 (S)	92	%		11/05/99	DJE	2037-26-5		
Dibromofluoromethane (S)	101	%		11/05/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	103	%		11/05/99	DJE	460-00-4		

Lab Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992612 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-02-29-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		11/05/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992620 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-04-17-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/05/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/05/99		75-01-4	
Bromomethane	ND	ug/l	1	11/05/99		74-83-9	
Chloroethane	ND	ug/l	1	11/05/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/05/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/05/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/05/99		75-34-3	
cis-1,2-Dichloroethene	33	ug/l	1	11/05/99		156-59-2	
Chloroform	ND	ug/l	1	11/05/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99		56-23-5	
Benzene	ND	ug/l	1	11/05/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99		107-06-2	
Trichloroethene	ND	ug/l	1	11/05/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/05/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99		75-27-4	
Toluene	ND	ug/l	1	11/05/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99		100-41-4	
Bromoform	ND	ug/l	1	11/05/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99		95-47-6	
Toluene-d8 (S)	98	%		11/05/99		2037-26-5	
Dibromofluoromethane (S)	92	%		11/05/99		1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/05/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992620 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-04-17-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		11/05/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992646 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-04-29-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/05/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/05/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/05/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/05/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/05/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/05/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/05/99	DJE	75-34-3	
cis-1,2-Dichloroethene	9.2	ug/l	1	11/05/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/05/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/05/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99	DJE	107-06-2	
Trichloroethene	65	ug/l	5	11/05/99	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	11/05/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/05/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/05/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		11/05/99	DJE	2037-26-5	
Dibromofluoromethane (S)	92	%		11/05/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/05/99	DJE	460-00-4	

Lab Q

COM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992646 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-04-29-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		11/05/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992661 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-02-23-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/05/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/05/99		75-01-4	
Bromomethane	ND	ug/l	1	11/05/99		74-83-9	
Chloroethane	ND	ug/l	1	11/05/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/05/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/05/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/05/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/05/99		156-59-2	
Chloroform	4.2	ug/l	1	11/05/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99		56-23-5	
Benzene	ND	ug/l	1	11/05/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99		107-06-2	
Trichloroethene	ND	ug/l	1	11/05/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/05/99		78-87-5	
Bromodichloromethane	2.6	ug/l	1	11/05/99		75-27-4	
Toluene	ND	ug/l	1	11/05/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99		127-18-4	
Dibromochloromethane	1.2	ug/l	1	11/05/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99		100-41-4	
Bromoform	ND	ug/l	1	11/05/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99		95-47-6	
Toluene-d8 (S)	85	%		11/05/99		2037-26-5	
Dibromofluoromethane (S)	92	%		11/05/99		1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/05/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992661 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-02-23-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		11/05/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992703 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-02-35-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/05/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/05/99		75-01-4	
Bromomethane	ND	ug/l	1	11/05/99		74-83-9	
Chloroethane	ND	ug/l	1	11/05/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/05/99		75-35-4	
trans-1,2-Dichloroethene	1.1	ug/l	1	11/05/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/05/99		75-34-3	
cis-1,2-Dichloroethene	16	ug/l	1	11/05/99		156-59-2	
Chloroform	ND	ug/l	1	11/05/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99		56-23-5	
Benzene	ND	ug/l	1	11/05/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99		107-06-2	
Trichloroethene	24	ug/l	1	11/05/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/05/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99		75-27-4	
Toluene	ND	ug/l	1	11/05/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99		100-41-4	
Bromoform	ND	ug/l	1	11/05/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99		95-47-6	
Toluene-d8 (S)	93	%		11/05/99		2037-26-5	
Dibromofluoromethane (S)	93	%		11/05/99		1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/05/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992703 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-02-35-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		11/05/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992729 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-03-26-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/05/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/05/99		75-01-4	
Bromomethane	ND	ug/l	1	11/05/99		74-83-9	
Chloroethane	ND	ug/l	1	11/05/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/05/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/05/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/05/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/05/99		156-59-2	
Chloroform	ND	ug/l	1	11/05/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99		56-23-5	
Benzene	ND	ug/l	1	11/05/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99		107-06-2	
Trichloroethene	1.7	ug/l	1	11/05/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/05/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99		75-27-4	
Toluene	ND	ug/l	1	11/05/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99		100-41-4	
Bromoform	ND	ug/l	1	11/05/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99		95-47-6	
Toluene-d8 (S)	94	%		11/05/99		2037-26-5	
Dibromofluoromethane (S)	93	%		11/05/99		1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/05/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992729 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-03-26-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		11/05/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992745 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-03-34-102799 Date Received: 10/28/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/05/99	DJE	74-87-3	
Vinyl Chloride	2.7	ug/l	1	11/05/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/05/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/05/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/05/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/05/99	DJE	75-09-2	
1,1-Dichloroethene	2.3	ug/l	1	11/05/99	DJE	75-35-4	
trans-1,2-Dichloroethene	1.9	ug/l	1	11/05/99	DJE	156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	11/05/99	DJE	75-34-3	
cis-1,2-Dichloroethene	28	ug/l	1	11/05/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/05/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/05/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/05/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/05/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/05/99	DJE	107-06-2	
Trichloroethene	53	ug/l	2	11/05/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/05/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/05/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/05/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/05/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/05/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/05/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/05/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/05/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/05/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/05/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/05/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/05/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/05/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/05/99	DJE	95-47-6	
Toluene-d8 (S)	93	%		11/05/99	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		11/05/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/05/99	DJE	460-00-4	

Lab Q CDM Q

4 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992745 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06I-03-34-102799 Date Received: 10/28/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		11/05/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/5/99.
[2]	The value for this analyte was determined from a secondary dilution of 1:20 on 11/5/99.
[3]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/5/99.
[4]	The value for this analyte was determined from a secondary dilution of 1:2 on 11/8/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 72086
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 602992547 602992554 602992562 602992570 602992588 602992596 602992604 602992612 602992620 602992646 602992661 602992703 602992729 602992745

METHOD BLANK: 603000464
Associated Pace Samples:
602992547 602992554 602992562 602992570 602992588 602992596 602992604 602992612

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603000464
Associated Pace Samples:
602992547 602992554 602992562 602992570 602992588 602992596 602992604 602992612

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	106		
4-Bromofluorobenzene (S)	%	108		
1,2-Dichloroethane-d4 (S)	%	107		

METHOD BLANK: 603025628
Associated Pace Samples:
602992620 602992646 602992661 602992703 602992729 602992745

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603025628
Associated Pace Samples: 602992620 602992646 602992661 602992703 602992729 602992745

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	106		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603000472 603000480

Parameter	Units	602992562	Spike Conc.	Matrix Spike Result	Matrix Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	9.398	94.0	8.703	87.0	8	
Benzene	ug/l	0	10	11.40	114	11.20	112	2	
Trichloroethene	ug/l	24.71	10	42.42	177	37.05	123	36	1,2
Toluene	ug/l	0	10	8.733	87.3	8.314	83.1	5	
Chlorobenzene	ug/l	0	10	11.44	114	11.42	114	0	
Toluene-d8 (S)					90		89		
Dibromofluoromethane (S)					99		100		
4-Bromofluorobenzene (S)					95		99		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603000472 603000480

Parameter	Units	602992562	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,2-Dichloroethane-d4 (S)					99		103		

LABORATORY CONTROL SAMPLE: 603000498

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	12.81	128	
Vinyl Chloride	ug/l	10	12.49	125	
Bromomethane	ug/l	10	12.51	125	
Chloroethane	ug/l	10	12.53	125	
Trichlorofluoromethane	ug/l	10	12.11	121	
Methylene Chloride	ug/l	10	10.81	108	
1,1-Dichloroethene	ug/l	10	11.46	115	
trans-1,2-Dichloroethene	ug/l	10	11.43	114	
1,1-Dichloroethane	ug/l	10	11.20	112	
cis-1,2-Dichloroethene	ug/l	10	10.50	105	
Chloroform	ug/l	10	11.03	110	
1,1,1-Trichloroethane	ug/l	10	11.30	113	
Carbon Tetrachloride	ug/l	10	11.37	114	
Benzene	ug/l	10	10.69	107	
1,2-Dichloroethane	ug/l	10	11.29	113	
Trichloroethene	ug/l	10	13.24	132	
1,2-Dichloropropane	ug/l	10	10.70	107	
Bromodichloromethane	ug/l	10	11.34	113	
Toluene	ug/l	10	10.82	108	
1,1,2-Trichloroethane	ug/l	10	10.38	104	
Tetrachloroethene	ug/l	10	9.753	97.5	
Dibromochloromethane	ug/l	10	10.36	104	
Chlorobenzene	ug/l	10	10.16	102	
Ethylbenzene	ug/l	10	10.28	103	
Bromoform	ug/l	10	10.34	103	
1,1,2,2-Tetrachloroethane	ug/l	10	8.008	80.1	
1,3-Dichlorobenzene	ug/l	10	10.62	106	
1,4-Dichlorobenzene	ug/l	10	10.12	101	
1,2-Dichlorobenzene	ug/l	10	10.21	102	
cis-1,3-Dichloropropene	ug/l	10	10.48	105	
trans-1,3-Dichloropropene	ug/l	10	9.918	99.2	
M&P-Xylene	ug/l	20	19.92	99.6	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.42	104	
Toluene-d8 (S)				101	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603000498

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Dibromofluoromethane (S)				101	
4-Bromofluorobenzene (S)				99	
1,2-Dichloroethane-d4 (S)				109	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034971
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 151%.
[2]	The RPD exceeds laboratory established control limits of 30%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by
Todd Borgesen
12/1/99

November 24, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on October 29, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 11/24/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
602992778	NIC-GPW-GP02E-02-17-102799	EPA 8260	72289		
602992786	NIC-GPW-GP02E-02-32-102799	EPA 8260	72289		
602992794	NIC-GPW-GP02E-09-17-102799	EPA 8260	72289		
602992802	NIC-GPW-GP02E-09-31-102799	EPA 8260	72289		
602992810	NIC-GPW-GP04E-04-17-102799	EPA 8260	72289		
602992828	NIC-GPW-GP04E-04-34-102799	EPA 8260	72289		
602992836	NIC-GPW-GP04E-05-17-102799	EPA 8260	72289		
602992844	NIC-GPW-GP04E-05-38-102799	EPA 8260	72289		
602992851	NIC-GPW-GP02H-03-17M-102899	EPA 8260	72289		
602992869	NIC-GPW-GP02H-03-17-102899	EPA 8260	72289		
602992877	NIC-GPW-GP02H-03-35-102899	EPA 8260	72289		
602992885	NIC-GPW-GP02H-03-35Q1-102899	EPA 8260	72289		
602992893	NIC-GPW-GP02H-03-35N-102899	EPA 8260	72289		
602992901	NIC-GPW-GP04H-02-17-102899	EPA 8260	72289		
602992919	NIC-GPW-GP04H-02-34-102899	EPA 8260	72289		
602992927	NIC-GPW-GP04E-02-17-102899	EPA 8260	72289		
602992935	NIC-GPW-GP04E-02-40-102699	EPA 8260	72289		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/24/99
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 602992778 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-02-17-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/09/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/09/99		75-01-4	
Bromomethane	ND	ug/l	1	11/09/99		74-83-9	
Chloroethane	ND	ug/l	1	11/09/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/09/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/09/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/09/99		75-35-4	
trans-1,2-Dichloroethene	1.7	ug/l	1	11/09/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/09/99		75-34-3	
cis-1,2-Dichloroethene	13	ug/l	1	11/09/99		156-59-2	
Chloroform	ND	ug/l	1	11/09/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/09/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/09/99		56-23-5	
Benzene	ND	ug/l	1	11/09/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/09/99		107-06-2	
Trichloroethene	67	ug/l	5	11/09/99		79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/09/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/09/99		75-27-4	
Toluene	ND	ug/l	1	11/09/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/09/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/09/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/09/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/09/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/09/99		100-41-4	
Bromoform	ND	ug/l	1	11/09/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/09/99		79-34-5	

LAB Q

CDM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992778 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-02-17-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/09/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/09/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/09/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/09/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/09/99		95-47-6	
Toluene-d8 (S)	89	%		11/09/99		2037-26-5	
Dibromofluoromethane (S)	107	%		11/09/99		1868-53-7	
4-Bromofluorobenzene (S)	108	%		11/09/99		460-00-4	
1,2-Dichloroethane-d4 (S)	105	%		11/09/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992786 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-02-32-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/09/99		74-87-3		
Vinyl Chloride	5.1	ug/l	1	11/09/99		75-01-4		
Bromomethane	ND	ug/l	1	11/09/99		74-83-9		
Chloroethane	ND	ug/l	1	11/09/99		75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/09/99		75-69-4		
Methylene Chloride	ND	ug/l	1	11/09/99		75-09-2		
1,1-Dichloroethene	3.8	ug/l	1	11/09/99		75-35-4		
trans-1,2-Dichloroethene	9.4	ug/l	1	11/09/99		156-60-5		
1,1-Dichloroethane	3.4	ug/l	1	11/09/99		75-34-3		
cis-1,2-Dichloroethene	33	ug/l	25	11/09/99		156-59-2	2	
Chloroform	ND	ug/l	1	11/09/99		67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	11/09/99		71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/09/99		56-23-5		
Benzene	ND	ug/l	1	11/09/99		71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/09/99		107-06-2		
Trichloroethene	500	ug/l	25	11/09/99		79-01-6	2	
1,2-Dichloropropane	ND	ug/l	1	11/09/99		78-87-5		
Bromodichloromethane	ND	ug/l	1	11/09/99		75-27-4		
Toluene	ND	ug/l	1	11/09/99		108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/09/99		79-00-5		
Tetrachloroethene	1.6	ug/l	1	11/09/99		127-18-4		
Dibromochloromethane	ND	ug/l	1	11/09/99		124-48-1		
Chlorobenzene	ND	ug/l	1	11/09/99		108-90-7		
Ethylbenzene	ND	ug/l	1	11/09/99		100-41-4		
Bromoform	ND	ug/l	1	11/09/99		75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/09/99		79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/09/99		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/09/99		106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/09/99		95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/09/99				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/09/99		95-47-6		
Toluene-d8 (S)	90	%		11/09/99		2037-26-5		
Dibromofluoromethane (S)	105	%		11/09/99		1868-53-7		
4-Bromofluorobenzene (S)	104	%		11/09/99		460-00-4		

LAb Q

CDM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992786 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-02-32-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		11/09/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992794 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-09-17-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/09/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/09/99		75-01-4	
Bromomethane	ND	ug/l	1	11/09/99		74-83-9	
Chloroethane	ND	ug/l	1	11/09/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/09/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/09/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/09/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/09/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/09/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/09/99		156-59-2	
Chloroform	ND	ug/l	1	11/09/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/09/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/09/99		56-23-5	
Benzene	ND	ug/l	1	11/09/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/09/99		107-06-2	
Trichloroethene	11	ug/l	1	11/09/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/09/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/09/99		75-27-4	
Toluene	ND	ug/l	1	11/09/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/09/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/09/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/09/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/09/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/09/99		100-41-4	
Bromoform	ND	ug/l	1	11/09/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/09/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/09/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/09/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/09/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/09/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/09/99		95-47-6	
Toluene-d8 (S)	89	%		11/09/99		2037-26-5	
Dibromofluoromethane (S)	108	%		11/09/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/09/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992794 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-09-17-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		11/09/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992802 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-09-31-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/09/99	DJE	74-87-3	
Vinyl Chloride	5.7	ug/l	1	11/09/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/09/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/09/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/09/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/09/99	DJE	75-09-2	
1,1-Dichloroethene	3.9	ug/l	1	11/09/99	DJE	75-35-4	
trans-1,2-Dichloroethene	11	ug/l	1	11/09/99	DJE	156-60-5	
1,1-Dichloroethane	3.9	ug/l	1	11/09/99	DJE	75-34-3	
cis-1,2-Dichloroethene	88	ug/l	25	11/09/99	DJE	156-59-2	2
Chloroform	ND	ug/l	1	11/09/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/09/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/09/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/09/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/09/99	DJE	107-06-2	
Trichloroethene	640	ug/l	25	11/09/99	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	11/09/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/09/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/09/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/09/99	DJE	79-00-5	
Tetrachloroethene	1.5	ug/l	1	11/09/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/09/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/09/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/09/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/09/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/09/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/09/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/09/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/09/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/09/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/09/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/09/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/09/99	DJE	95-47-6	
Toluene-d8 (S)	91	%		11/09/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/09/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/09/99	DJE	460-00-4	

Lab Q CDM Q

D D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992802 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-09-31-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		11/09/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/24/99

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992810 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-04-17-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/09/99		74-87-3	
Vinyl Chloride	1.3	ug/l	1	11/09/99		75-01-4	
Bromomethane	ND	ug/l	1	11/09/99		74-83-9	
Chloroethane	ND	ug/l	1	11/09/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/09/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/09/99		75-09-2	
1,1-Dichloroethene	1.7	ug/l	1	11/09/99		75-35-4	
trans-1,2-Dichloroethene	3.1	ug/l	1	11/09/99		156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	11/09/99		75-34-3	
cis-1,2-Dichloroethene	33	ug/l	1	11/09/99		156-59-2	
Chloroform	ND	ug/l	1	11/09/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/09/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/09/99		56-23-5	
Benzene	ND	ug/l	1	11/09/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/09/99		107-06-2	
Trichloroethene	54	ug/l	2	11/09/99		79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	11/09/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/09/99		75-27-4	
Toluene	ND	ug/l	1	11/09/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/09/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/09/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/09/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/09/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/09/99		100-41-4	
Bromoform	ND	ug/l	1	11/09/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/09/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/09/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/09/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/09/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/09/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/09/99		95-47-6	
Toluene-d8 (S)	93	%		11/09/99		2037-26-5	
Dibromofluoromethane (S)	104	%		11/09/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/09/99		460-00-4	

Lab Q

CDM Q

D

TB

pH (15 days)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992810 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-04-17-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		11/09/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/24/99

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992828 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-04-34-102799 Date Received: 10/29/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/09/99	DJE	74-87-3	
Vinyl Chloride	3.5	ug/l	1	11/09/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/09/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/09/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/09/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/09/99	DJE	75-09-2	
1,1-Dichloroethene	4.6	ug/l	1	11/09/99	DJE	75-35-4	
trans-1,2-Dichloroethene	5.9	ug/l	1	11/09/99	DJE	156-60-5	
1,1-Dichloroethane	3.2	ug/l	1	11/09/99	DJE	75-34-3	
cis-1,2-Dichloroethene	110	ug/l	10	11/09/99	DJE	156-59-2	4
Chloroform	ND	ug/l	1	11/09/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/09/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/09/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/09/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/09/99	DJE	107-06-2	
Trichloroethene	200	ug/l	10	11/09/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/09/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/09/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/09/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/09/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/09/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/09/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/09/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/09/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/09/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/09/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/09/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/09/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/09/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/09/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/09/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/09/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/09/99	DJE	95-47-6	
Toluene-d8 (S)	93	%		11/09/99	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		11/09/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/09/99	DJE	460-00-4	

LAB Q COM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992828 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-04-34-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		11/09/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992836 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-05-17-102799 Date Received: 10/29/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/09/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/09/99		75-01-4	
Bromomethane	ND	ug/l	1	11/09/99		74-83-9	
Chloroethane	ND	ug/l	1	11/09/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/09/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/09/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/09/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/09/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/09/99		75-34-3	
cis-1,2-Dichloroethene	13	ug/l	1	11/09/99		156-59-2	
Chloroform	ND	ug/l	1	11/09/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/09/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/09/99		56-23-5	
Benzene	ND	ug/l	1	11/09/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/09/99		107-06-2	
Trichloroethene	14	ug/l	1	11/09/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/09/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/09/99		75-27-4	
Toluene	ND	ug/l	1	11/09/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/09/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/09/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/09/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/09/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/09/99		100-41-4	
Bromoform	ND	ug/l	1	11/09/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/09/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/09/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/09/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/09/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/09/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/09/99		95-47-6	
Toluene-d8 (S)	93	%		11/09/99		2037-26-5	
Dibromofluoromethane (S)	107	%		11/09/99		1868-53-7	
4-Bromofluorobenzene (S)	94	%		11/09/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992836 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-05-17-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		11/09/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992844 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-05-38-102799 Date Received: 10/29/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/09/99	DJE	74-87-3			
Vinyl Chloride	1.7	ug/l	1	11/09/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/09/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/09/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/09/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/09/99	DJE	75-09-2			
1,1-Dichloroethene	1.9	ug/l	1	11/09/99	DJE	75-35-4			
trans-1,2-Dichloroethene	2.0	ug/l	1	11/09/99	DJE	156-60-5			
1,1-Dichloroethane	1.8	ug/l	1	11/09/99	DJE	75-34-3			
cis-1,2-Dichloroethene	69	ug/l	5	11/09/99	DJE	156-59-2	1	D	
Chloroform	ND	ug/l	1	11/09/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/09/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/09/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/09/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/09/99	DJE	107-06-2			
Trichloroethene	120	ug/l	5	11/09/99	DJE	79-01-6	1	D	
1,2-Dichloropropane	ND	ug/l	1	11/09/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/09/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/09/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/09/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/09/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/09/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/09/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/09/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/09/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/09/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/09/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/09/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/09/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/09/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/09/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/09/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/09/99	DJE	95-47-6			
Toluene-d8 (S)	98	%		11/09/99	DJE	2037-26-5			
Dibromofluoromethane (S)	106	%		11/09/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	101	%		11/09/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992844 Date Collected: 10/27/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-05-38-102799 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		11/09/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992851 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-17M-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/10/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/10/99		75-01-4	
Bromomethane	ND	ug/l	1	11/10/99		74-83-9	
Chloroethane	ND	ug/l	1	11/10/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/10/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/10/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/10/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/10/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-59-2	
Chloroform	1.6	ug/l	1	11/10/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/10/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/10/99		56-23-5	
Benzene	ND	ug/l	1	11/10/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/10/99		107-06-2	
Trichloroethene	ND	ug/l	1	11/10/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/10/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/10/99		75-27-4	
Toluene	ND	ug/l	1	11/10/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/10/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/10/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/10/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/10/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/10/99		100-41-4	
Bromoform	ND	ug/l	1	11/10/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/10/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/10/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/10/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/10/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/10/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/10/99		95-47-6	
Toluene-d8 (S)	98	%		11/10/99		2037-26-5	
Dibromofluoromethane (S)	105	%		11/10/99		1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/10/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992851 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-17M-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		11/10/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992869 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-17-102899 Date Received: 10/29/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/10/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/10/99		75-01-4	
Bromomethane	ND	ug/l	1	11/10/99		74-83-9	
Chloroethane	ND	ug/l	1	11/10/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/10/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/10/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/10/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/10/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-59-2	
Chloroform	ND	ug/l	1	11/10/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/10/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/10/99		56-23-5	
Benzene	ND	ug/l	1	11/10/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/10/99		107-06-2	
Trichloroethene	3.8	ug/l	1	11/10/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/10/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/10/99		75-27-4	
Toluene	ND	ug/l	1	11/10/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/10/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/10/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/10/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/10/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/10/99		100-41-4	
Bromoform	ND	ug/l	1	11/10/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/10/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/10/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/10/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/10/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/10/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/10/99		95-47-6	
Toluene-d8 (S)	93	%		11/10/99		2037-26-5	
Dibromofluoromethane (S)	109	%		11/10/99		1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/10/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992869 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-17-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		11/10/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992877 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-35-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/10/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/10/99		75-01-4	
Bromomethane	ND	ug/l	1	11/10/99		74-83-9	
Chloroethane	ND	ug/l	1	11/10/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/10/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/10/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/10/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/10/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-59-2	
Chloroform	ND	ug/l	1	11/10/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/10/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/10/99		56-23-5	
Benzene	ND	ug/l	1	11/10/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/10/99		107-06-2	
Trichloroethene	ND	ug/l	1	11/10/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/10/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/10/99		75-27-4	
Toluene	ND	ug/l	1	11/10/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/10/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/10/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/10/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/10/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/10/99		100-41-4	
Bromoform	ND	ug/l	1	11/10/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/10/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/10/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/10/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/10/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/10/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/10/99		95-47-6	
Toluene-d8 (S)	95	%		11/10/99		2037-26-5	
Dibromofluoromethane (S)	106	%		11/10/99		1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/10/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992877 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-35-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		11/10/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992885 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-35Q1-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/08/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/08/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/08/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/08/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/08/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/08/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/08/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/08/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/08/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/08/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/08/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/08/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/08/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/08/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/08/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/08/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/08/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/08/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/08/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/08/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/08/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/08/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/08/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/08/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/08/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/08/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/08/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/08/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/08/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/08/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/08/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/08/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/08/99	DJE	95-47-6	
Toluene-d8 (S)	94	%		11/08/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		11/08/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/08/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992885 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-35Q1-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		11/08/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992893 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-35N-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260					Prep Method: EPA 8260	
Chloromethane	ND	ug/l	1	11/10/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/10/99		75-01-4	
Bromomethane	ND	ug/l	1	11/10/99		74-83-9	
Chloroethane	ND	ug/l	1	11/10/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/10/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/10/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/10/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/10/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-59-2	
Chloroform	ND	ug/l	1	11/10/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/10/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/10/99		56-23-5	
Benzene	ND	ug/l	1	11/10/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/10/99		107-06-2	
Trichloroethene	ND	ug/l	1	11/10/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/10/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/10/99		75-27-4	
Toluene	ND	ug/l	1	11/10/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/10/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/10/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/10/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/10/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/10/99		100-41-4	
Bromoform	ND	ug/l	1	11/10/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/10/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/10/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/10/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/10/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/10/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/10/99		95-47-6	
Toluene-d8 (S)	91	%		11/10/99		2037-26-5	
Dibromofluoromethane (S)	104	%		11/10/99		1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/10/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992893 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-03-35N-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		11/10/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992901 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-02-17-102899 Date Received: 10/29/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/10/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/10/99		75-01-4	
Bromomethane	ND	ug/l	1	11/10/99		74-83-9	
Chloroethane	ND	ug/l	1	11/10/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/10/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/10/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/10/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/10/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-59-2	
Chloroform	2.3	ug/l	1	11/10/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/10/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/10/99		56-23-5	
Benzene	ND	ug/l	1	11/10/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/10/99		107-06-2	
Trichloroethene	ND	ug/l	1	11/10/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/10/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/10/99		75-27-4	
Toluene	ND	ug/l	1	11/10/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/10/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/10/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/10/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/10/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/10/99		100-41-4	
Bromoform	ND	ug/l	1	11/10/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/10/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/10/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/10/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/10/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/10/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/10/99		95-47-6	
Toluene-d8 (S)	88	%		11/10/99		2037-26-5	
Dibromofluoromethane (S)	105	%		11/10/99		1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/10/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992901 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-02-17-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		11/10/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992919 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-02-34-102899 Date Received: 10/29/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/10/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/10/99		75-01-4	
Bromomethane	ND	ug/l	1	11/10/99		74-83-9	
Chloroethane	ND	ug/l	1	11/10/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/10/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/10/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/10/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/10/99		156-60-5	
1,1-Dichloroethane	1.8	ug/l	1	11/10/99		75-34-3	
cis-1,2-Dichloroethene	9.0	ug/l	1	11/10/99		156-59-2	
Chloroform	ND	ug/l	1	11/10/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/10/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/10/99		56-23-5	
Benzene	ND	ug/l	1	11/10/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/10/99		107-06-2	
Trichloroethene	14	ug/l	1	11/10/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/10/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/10/99		75-27-4	
Toluene	ND	ug/l	1	11/10/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/10/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/10/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/10/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/10/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/10/99		100-41-4	
Bromoform	ND	ug/l	1	11/10/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/10/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/10/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/10/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/10/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/10/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/10/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/10/99		95-47-6	
Toluene-d8 (S)	101	%		11/10/99		2037-26-5	
Dibromofluoromethane (S)	107	%		11/10/99		1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/10/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992919 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-02-34-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		11/10/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992927 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-02-17-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99		74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99		75-01-4	
Bromomethane	ND	ug/l	1	11/11/99		74-83-9	
Chloroethane	ND	ug/l	1	11/11/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99		75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99		75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99		156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99		75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99		156-59-2	
Chloroform	ND	ug/l	1	11/11/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99		56-23-5	
Benzene	ND	ug/l	1	11/11/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99		107-06-2	
Trichloroethene	7.1	ug/l	1	11/11/99		79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99		75-27-4	
Toluene	ND	ug/l	1	11/11/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99		100-41-4	
Bromoform	ND	ug/l	1	11/11/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99		95-47-6	
Toluene-d8 (S)	92	%		11/11/99		2037-26-5	
Dibromofluoromethane (S)	108	%		11/11/99		1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/11/99		460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992927 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-02-17-102899 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		11/11/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992935 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-02-40-102699 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/09/99		74-87-3	
Vinyl Chloride	3.3	ug/l	1	11/09/99		75-01-4	
Bromomethane	ND	ug/l	1	11/09/99		74-83-9	
Chloroethane	ND	ug/l	1	11/09/99		75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/09/99		75-69-4	
Methylene Chloride	ND	ug/l	1	11/09/99		75-09-2	
1,1-Dichloroethene	1.5	ug/l	1	11/09/99		75-35-4	
trans-1,2-Dichloroethene	3.1	ug/l	1	11/09/99		156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	11/09/99		75-34-3	
cis-1,2-Dichloroethene	37	ug/l	1	11/09/99		156-59-2	
Chloroform	ND	ug/l	1	11/09/99		67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/09/99		71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/09/99		56-23-5	
Benzene	ND	ug/l	1	11/09/99		71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/09/99		107-06-2	
Trichloroethene	67	ug/l	1	11/09/99		79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	11/09/99		78-87-5	
Bromodichloromethane	ND	ug/l	1	11/09/99		75-27-4	
Toluene	ND	ug/l	1	11/09/99		108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/09/99		79-00-5	
Tetrachloroethene	ND	ug/l	1	11/09/99		127-18-4	
Dibromochloromethane	ND	ug/l	1	11/09/99		124-48-1	
Chlorobenzene	ND	ug/l	1	11/09/99		108-90-7	
Ethylbenzene	ND	ug/l	1	11/09/99		100-41-4	
Bromoform	ND	ug/l	1	11/09/99		75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/09/99		79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/09/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/09/99		106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/09/99		95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/09/99		10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/09/99			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/09/99		95-47-6	
Toluene-d8 (S)	88	%		11/09/99		2037-26-5	
Dibromofluoromethane (S)	102	%		11/09/99		1868-53-7	
4-Bromofluorobenzene (S)	110	%		11/09/99		460-00-4	

LAB Q CDM Q

TB ~~D~~ E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992935 Date Collected: 10/26/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-02-40-102699 Date Received: 10/29/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		11/09/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:5.
[2]	The value for this analyte was determined from a secondary dilution of 1:25.
[3]	The value for this analyte was determined from a secondary dilution of 1:2 on 11/11/99.
[4]	The value for this analyte was determined from a secondary dilution of 1:10 ON 11/10/99.
[5]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 72289
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 602992778 602992786 602992794 602992802 602992810 602992828 602992836 602992844 602992851 602992869 602992877 602992885 602992893 602992901 602992919 602992927 602992935

METHOD BLANK: 603009226
Associated Pace Samples:
602992778 602992786 602992794 602992802 602992810 602992828 602992836 602992844 602992935

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603009226
Associated Pace Samples:
602992778 602992786 602992794 602992802 602992810 602992828 602992836
602992844 602992935

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	101		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	101		

METHOD BLANK: 603028424
Associated Pace Samples:
602992851 602992869 602992877 602992885 602992893 602992901 602992919
602992927

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603028424
Associated Pace Samples:
602992851 602992869 602992877 602992885 602992893 602992901 602992919 602992927

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	105		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603009234 603009242

Parameter	Units	602992869	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	9.640	96.4	10.20	102	6	
Benzene	ug/l	0	10	11.90	119	11.50	115	3	
Trichloroethene	ug/l	3.773	10	16.30	125	14.90	111	12	
Toluene	ug/l	0	10	9.870	98.7	9.530	95.3	4	
Chlorobenzene	ug/l	0	10	11.90	119	11.70	117	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603009234 603009242

Parameter	Units	602992869	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Toluene-d8 (S)					92		96		
Dibromofluoromethane (S)					108		108		
4-Bromofluorobenzene (S)					104		105		
1,2-Dichloroethane-d4 (S)					110		110		

LABORATORY CONTROL SAMPLE: 603009259

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	9.137	91.4	
Vinyl Chloride	ug/l	10	9.387	93.9	
Bromomethane	ug/l	10	12.00	120	
Chloroethane	ug/l	10	10.08	101	
Trichlorofluoromethane	ug/l	10	10.88	109	
Methylene Chloride	ug/l	10	10.89	109	
1,1-Dichloroethene	ug/l	10	10.56	106	
trans-1,2-Dichloroethene	ug/l	10	11.37	114	
1,1-Dichloroethane	ug/l	10	11.19	112	
cis-1,2-Dichloroethene	ug/l	10	10.88	109	
Chloroform	ug/l	10	11.63	116	
1,1,1-Trichloroethane	ug/l	10	11.86	119	
Carbon Tetrachloride	ug/l	10	12.14	121	
Benzene	ug/l	10	10.58	106	
1,2-Dichloroethane	ug/l	10	11.83	118	
Trichloroethene	ug/l	10	12.90	129	
1,2-Dichloropropane	ug/l	10	11.27	113	
Bromodichloromethane	ug/l	10	12.47	125	
Toluene	ug/l	10	10.99	110	
1,1,2-Trichloroethane	ug/l	10	11.20	112	
Tetrachloroethene	ug/l	10	10.17	102	
Dibromochloromethane	ug/l	10	13.06	131	
Chlorobenzene	ug/l	10	10.68	107	
Ethylbenzene	ug/l	10	10.69	107	
Bromoform	ug/l	10	11.45	115	
1,1,2,2-Tetrachloroethane	ug/l	10	8.972	89.7	
1,3-Dichlorobenzene	ug/l	10	10.44	104	
1,4-Dichlorobenzene	ug/l	10	10.29	103	
1,2-Dichlorobenzene	ug/l	10	10.94	109	
cis-1,3-Dichloropropene	ug/l	10	12.95	130	1
trans-1,3-Dichloropropene	ug/l	10	12.79	128	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603009259

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
M&P-Xylene	ug/l	20	20.74	104	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.86	109	
Toluene-d8 (S)				99	
Dibromofluoromethane (S)				104	
4-Bromofluorobenzene (S)				101	
1,2-Dichloroethane-d4 (S)				110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034972
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 128%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Todd Burgesser
12/8/99

December 03, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on October 30, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/03/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
602992968	NIC GPW-GP06B-01-17-102899	EPA 8260	73166		
602992976	NIC GPW-GP06B-01-44-102899	EPA 8260	73166		
602992984	NIC GPW-GP02A-04-17-102899	EPA 8260	73166		
602992992	NIC GPW-GP02A-04-27-102899	EPA 8260	73166		
602993008	NIC GPW-GP02A-05-17-102899	EPA 8260	73166		
602993016	NIC GPW-GP02A-05-35-102899	EPA 8260	73166		
602993024	NIC GPW-GP02A-06-17-102899	EPA 8260	73166		
602993032	NIC GPW-GP02A-06-44-102899	EPA 8260	73166		
602993040	NIC GPW-GP06B-01M-17-102899	EPA 8260	73166		
602993057	NIC GPW-GP02C-10-17-102999	EPA 8260	73166		
602993073	NIC GPW-GP02C-10-28-102999	EPA 8260	73166		
602993081	NIC GPW-GP02C-06-17-102999	EPA 8260	73166		
602993123	NIC GPW-GP02C-06-29-102999	EPA 8260	73166		
602993156	NIC GPW-GP06F-02-17-102999	EPA 8260	73166		
602993164	NIC GPW-GP06F-02-32-102999	EPA 8260	73166		
602993198	NIC GPW-GP02F-04-20-102999	EPA 8260	73166		
602993214	NIC GPW-GP02F-04-29-102999	EPA 8260	73166		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 602992968 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP06B-01-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/11/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992968 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP06B-01-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	87	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/11/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	110	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992976 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP06B-01-44-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/11/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	106	%		11/11/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992976 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP06B-01-44-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992984 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-04-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/11/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	90	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/11/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992984 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-04-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992992 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-04-27-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	12	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	64	ug/l	5	11/11/99	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	110	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/11/99	DJE	460-00-4	

Lab Q
CDM Q
D
H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602992992 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-04-27-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	179	%		11/11/99	DJE	17060-07-0	2

Lab Q S CPM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993008 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-05-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	5.0	ug/l	1	11/11/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	91	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/11/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993008 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-05-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993016 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-05-35-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	20	ug/l	1	11/11/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/11/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993016 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-05-35-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993024 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-06-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/11/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	95	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/11/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993024 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-06-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993032 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-06-44-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	9.0	ug/l	1	11/11/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	92	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/11/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993032 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP02A-06-44-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993040 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP06B-01M-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	1.6	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/11/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/11/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993040 Date Collected: 10/28/99 Matrix: Water
Client Sample ID: NIC GPW-GP06B-01M-17-102899 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993057 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02C-10-17-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	3.2	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	3.9	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	6.0	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	2.5	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	36	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	79	ug/l	5	11/11/99	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	91	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/11/99	DJE	460-00-4	

LAB Q

COM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993057 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02C-10-17-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993073 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GPO2C-10-28-102999 Date Received: 10/30/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	1.3	ug/l	1	11/12/99	DJE	74-87-3		
Vinyl Chloride	41	ug/l	1	11/12/99	DJE	75-01-4	4	E
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2		
1,1-Dichloroethene	34	ug/l	1	11/12/99	DJE	75-35-4		
trans-1,2-Dichloroethene	27	ug/l	1	11/12/99	DJE	156-60-5		
1,1-Dichloroethane	13	ug/l	1	11/12/99	DJE	75-34-3		
cis-1,2-Dichloroethene	170	ug/l	25	11/12/99	DJE	156-59-2	5	D
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3		
1,1,1-Trichloroethane	4.6	ug/l	1	11/12/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5		
Benzene	1.6	ug/l	1	11/12/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2		
Trichloroethene	460	ug/l	25	11/12/99	DJE	79-01-6	5	D
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4		
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6		
Toluene-d8 (S)	102	%		11/12/99	DJE	2037-26-5		
Dibromofluoromethane (S)	109	%		11/12/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	106	%		11/12/99	DJE	460-00-4		

LAB Q EDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993073 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02C-10-28-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993081 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02C-06-17-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/11/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/11/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/11/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/11/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/11/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/11/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/11/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/11/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/11/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/11/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/11/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/11/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/11/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/11/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/11/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/11/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/11/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/11/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/11/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/11/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/11/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/11/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/11/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/11/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/11/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/11/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/11/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/11/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/11/99	DJE	95-47-6	
Toluene-d8 (S)	86	%		11/11/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/11/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		11/11/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993081 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02C-06-17-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		11/11/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993123 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02C-06-29-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	1.8	ug/l	1	11/12/99	DJE	74-87-3		
Vinyl Chloride	39	ug/l	1	11/12/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9		
Chloroethane	2.5	ug/l	1	11/12/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2		
1,1-Dichloroethene	22	ug/l	1	11/12/99	DJE	75-35-4		
trans-1,2-Dichloroethene	21	ug/l	1	11/12/99	DJE	156-60-5		
1,1-Dichloroethane	11	ug/l	1	11/12/99	DJE	75-34-3		
cis-1,2-Dichloroethene	120	ug/l	20	11/12/99	DJE	156-59-2	6	D
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3		
1,1,1-Trichloroethane	1.3	ug/l	1	11/12/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5		
Benzene	2.3	ug/l	1	11/12/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2		
Trichloroethene	370	ug/l	20	11/12/99	DJE	79-01-6	6	D
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4		
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6		
Toluene-d8 (S)	101	%		11/12/99	DJE	2037-26-5		
Dibromofluoromethane (S)	109	%		11/12/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	104	%		11/12/99	DJE	460-00-4		

LAB Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993123 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02C-06-29-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993156 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP06F-02-17-102999 Date Received: 10/30/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/12/99	DJE	74-87-3	
Vinyl Chloride	14	ug/l	1	11/12/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2	
1,1-Dichloroethene	22	ug/l	1	11/12/99	DJE	75-35-4	
trans-1,2-Dichloroethene	20	ug/l	1	11/12/99	DJE	156-60-5	
1,1-Dichloroethane	10	ug/l	1	11/12/99	DJE	75-34-3	
cis-1,2-Dichloroethene	140	ug/l	10	11/12/99	DJE	156-59-2	7
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3	
1,1,1-Trichloroethane	1.8	ug/l	1	11/12/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/12/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2	
Trichloroethene	250	ug/l	10	11/12/99	DJE	79-01-6	7
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		11/12/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/12/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/12/99	DJE	460-00-4	

LAB Q

CDM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993156 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GPO6F-02-17-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993164 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP06F-02-32-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.4	ug/l	1	11/12/99	DJE	74-87-3			
Vinyl Chloride	42	ug/l	25	11/12/99	DJE	75-01-4	5	D	
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2			
1,1-Dichloroethene	35	ug/l	1	11/12/99	DJE	75-35-4			
trans-1,2-Dichloroethene	29	ug/l	1	11/12/99	DJE	156-60-5			
1,1-Dichloroethane	14	ug/l	1	11/12/99	DJE	75-34-3			
cis-1,2-Dichloroethene	190	ug/l	25	11/12/99	DJE	156-59-2	5	D	
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3			
1,1,1-Trichloroethane	5.4	ug/l	1	11/12/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5			
Benzene	1.5	ug/l	1	11/12/99	DJE	71-43-2			
1,2-Dichloroethane	1.1	ug/l	1	11/12/99	DJE	107-06-2			
Trichloroethene	520	ug/l	25	11/12/99	DJE	79-01-6	5	D	
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6			
Toluene-d8 (S)	100	%		11/12/99	DJE	2037-26-5			
Dibromofluoromethane (S)	107	%		11/12/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	105	%		11/12/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993164 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP06F-02-32-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993198 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02F-04-20-102999 Date Received: 10/30/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/12/99	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	1	11/12/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	11/12/99	DJE	75-35-4			
trans-1,2-Dichloroethene	1.4	ug/l	1	11/12/99	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	11/12/99	DJE	75-34-3			
cis-1,2-Dichloroethene	20	ug/l	1	11/12/99	DJE	156-59-2			
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/12/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/12/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2			
Trichloroethene	53	ug/l	1	11/12/99	DJE	79-01-6	4		D
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6			
Toluene-d8 (S)	98	%		11/12/99	DJE	2037-26-5			
Dibromofluoromethane (S)	107	%		11/12/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	106	%		11/12/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993198 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02F-04-20-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993214 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02F-04-29-102999 Date Received: 10/30/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/12/99	DJE	74-87-3	
Vinyl Chloride	5.9	ug/l	1	11/12/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2	
1,1-Dichloroethene	2.8	ug/l	1	11/12/99	DJE	75-35-4	
trans-1,2-Dichloroethene	6.0	ug/l	1	11/12/99	DJE	156-60-5	
1,1-Dichloroethane	2.5	ug/l	1	11/12/99	DJE	75-34-3	
cis-1,2-Dichloroethene	72	ug/l	20	11/12/99	DJE	156-59-2	6
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/12/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/12/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2	
Trichloroethene	370	ug/l	20	11/12/99	DJE	79-01-6	8
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		11/12/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/12/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		11/12/99	DJE	460-00-4	

LAB Q

CDM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993214 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC GPW-GP02F-04-29-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/12/99.
[2]	The recovery exceeds laboratory established control limits of 135% due to matrix interference.
[3]	The value for this analyte was determined from a secondary dilution of 1:5.
[4]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[5]	The value for this analyte was determined from a secondary dilution of 1:25 on 11/12/99.
[6]	The value for this analyte was determined from a secondary dilution of 1:20 on 11/12/99.
[7]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/12/99.
[8]	The value for this analyte was determined from a secondary dilution of 1:20.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73166
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 602992968 602992976 602992984 602992992 602993008 602993016 602993024 602993032 602993040 602993057 602993073 602993081 602993123 602993156 602993164 602993198 602993214

METHOD BLANK: 603024597
Associated Pace Samples:
602992968 602992976 602992984

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603024597
Associated Pace Samples:
602992968 602992976 602992984

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	105		

METHOD BLANK: 603037300
Associated Pace Samples:
602992992 602993016 602993024 602993032 602993040 602993057 602993081

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603037300
Associated Pace Samples: 602992992 602993016 602993024 602993032 602993040 602993057 602993081

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	107		
4-Bromofluorobenzene (S)	%	105		
1,2-Dichloroethane-d4 (S)	%	107		

METHOD BLANK: 603037318
Associated Pace Samples: 602993008 602993073 602993123 602993156 602993164 602993198 602993214

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603037318
Associated Pace Samples: 602993008 602993073 602993123 602993156 602993164 602993198 602993214

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	104		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	100		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603024605 603024613

Parameter	Units	602993198	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	7.063	70.6	8.771	87.7	22	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603024605 603024613

Parameter	Units	602993198	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Benzene	ug/l	0	10	11.04	110	11.27	113	2	
Trichloroethene	ug/l	53.10	10	47.17	-59.3	69.21	161	433	2,2
Toluene	ug/l	0	10	8.579	85.8	8.563	85.6	0	
Chlorobenzene	ug/l	0	10	10.53	105	11.06	111	5	
Toluene-d8 (S)					95		96		
Dibromofluoromethane (S)					105		104		
4-Bromofluorobenzene (S)					97		100		
1,2-Dichloroethane-d4 (S)					117		109		

LABORATORY CONTROL SAMPLE: 603024621

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	8.144	81.4	
Vinyl Chloride	ug/l	10	8.868	88.7	
Bromomethane	ug/l	10	11.05	111	
Chloroethane	ug/l	10	9.666	96.7	
Trichlorofluoromethane	ug/l	10	10.71	107	
Methylene Chloride	ug/l	10	9.943	99.4	
1,1-Dichloroethene	ug/l	10	10.60	106	
trans-1,2-Dichloroethene	ug/l	10	10.90	109	
1,1-Dichloroethane	ug/l	10	10.29	103	
cis-1,2-Dichloroethene	ug/l	10	9.774	97.7	
Chloroform	ug/l	10	10.50	105	
1,1,1-Trichloroethane	ug/l	10	11.12	111	
Carbon Tetrachloride	ug/l	10	11.58	116	
Benzene	ug/l	10	10.20	102	
1,2-Dichloroethane	ug/l	10	10.21	102	
Trichloroethene	ug/l	10	11.78	118	
1,2-Dichloropropane	ug/l	10	10.21	102	
Bromodichloromethane	ug/l	10	10.88	109	
Toluene	ug/l	10	10.22	102	
1,1,2-Trichloroethane	ug/l	10	10.64	106	
Tetrachloroethene	ug/l	10	10.92	109	
Dibromochloromethane	ug/l	10	10.95	110	
Chlorobenzene	ug/l	10	10.42	104	
Ethylbenzene	ug/l	10	10.85	109	
Bromoform	ug/l	10	10.10	101	
1,1,2,2-Tetrachloroethane	ug/l	10	8.935	89.4	
1,3-Dichlorobenzene	ug/l	10	10.35	104	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603024621

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,4-Dichlorobenzene	ug/l	10	9.838	98.4	
1,2-Dichlorobenzene	ug/l	10	10.72	107	
cis-1,3-Dichloropropene	ug/l	10	11.20	112	
trans-1,3-Dichloropropene	ug/l	10	11.69	117	
M&P-Xylene	ug/l	20	20.88	104	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.58	106	
Toluene-d8 (S)				97	
Dibromofluoromethane (S)				99	
4-Bromofluorobenzene (S)				105	
1,2-Dichloroethane-d4 (S)				101	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034973
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 18%.
[2]	Due to high analyte concentration the matrix spike and/or matrix spike duplicate do not provide reliable recovery data.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

November 24, 1999

Received
by DJB

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on October 30, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 11/24/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
602993297	NIC-GPW-GP02F-04Q1-29-102999	EPA 8260	73279		
602993305	NIC-GPW-GP02F-04N-29-102999	EPA 8260	73279		
602993313	NIC-GPW-GP02F-05-17-102999	EPA 8260	73279		
602993321	NIC-GPW-GP02F-05-31-102999	EPA 8260	73279		
602993339	NIC-GPW-GP02F-06-17-102999	EPA 8260	73279		
602993347	NIC-GPW-GP02F-06-32-102999	EPA 8260	73279		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/24/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 602993297 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-04Q1-29-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	Com Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/12/99	DJE	74-87-3			
Vinyl Chloride	5.6	ug/l	1	11/12/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2			
1,1-Dichloroethene	2.6	ug/l	1	11/12/99	DJE	75-35-4			
trans-1,2-Dichloroethene	5.3	ug/l	1	11/12/99	DJE	156-60-5			
1,1-Dichloroethane	2.5	ug/l	1	11/12/99	DJE	75-34-3			
cis-1,2-Dichloroethene	68	ug/l	10	11/12/99	DJE	156-59-2	1	D	TB TH
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/12/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/12/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2			
Trichloroethene	380	ug/l	10	11/12/99	DJE	79-01-6	1	D	TB TH
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993297 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-04Q1-29-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6	
Toluene-d8 (S)	100	%		11/12/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/12/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/12/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993305 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-04N-29-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/12/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/12/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/12/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/12/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/12/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/12/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/12/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/12/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/12/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6	
Toluene-d8 (S)	94	%		11/12/99	DJE	2037-26-5	
Dibromofluoromethane (S)	109	%		11/12/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/12/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993305 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-04N-29-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993313 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-05-17-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/12/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/12/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/12/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/12/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/12/99	DJE	75-34-3	
cis-1,2-Dichloroethene	1.9	ug/l	1	11/12/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/12/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/12/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2	
Trichloroethene	20	ug/l	1	11/12/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		11/12/99	DJE	2037-26-5	
Dibromofluoromethane (S)	109	%		11/12/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/12/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993313 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-05-17-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 11/24/99

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993321 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-05-31-102999 Date Received: 10/30/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	QM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/12/99	DJE	74-87-3			
Vinyl Chloride	7.4	ug/l	1	11/12/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2			
1,1-Dichloroethene	2.9	ug/l	1	11/12/99	DJE	75-35-4			
trans-1,2-Dichloroethene	9.5	ug/l	1	11/12/99	DJE	156-60-5			
1,1-Dichloroethane	3.0	ug/l	1	11/12/99	DJE	75-34-3			
cis-1,2-Dichloroethene	78	ug/l	20	11/12/99	DJE	156-59-2	2	D	JH
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/12/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/12/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2			
Trichloroethene	410	ug/l	20	11/12/99	DJE	79-01-6	2	D	JH
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6			
Toluene-d8 (S)	97	%		11/12/99	DJE	2037-26-5			
Dibromofluoromethane (S)	109	%		11/12/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	104	%		11/12/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993321 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-05-31-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993339 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-06-17-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/12/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/12/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/12/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/12/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/12/99	DJE	75-34-3	
cis-1,2-Dichloroethene	2.8	ug/l	1	11/12/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/12/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/12/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2	
Trichloroethene	22	ug/l	1	11/12/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		11/12/99	DJE	2037-26-5	
Dibromofluoromethane (S)	110	%		11/12/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/12/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993339 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-06-17-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993347 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-06-32-102999 Date Received: 10/30/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/12/99	DJE	74-87-3			
Vinyl Chloride	3.4	ug/l	1	11/12/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/12/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/12/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/12/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/12/99	DJE	75-09-2			
1,1-Dichloroethene	2.4	ug/l	1	11/12/99	DJE	75-35-4			
trans-1,2-Dichloroethene	7.0	ug/l	1	11/12/99	DJE	156-60-5			
1,1-Dichloroethane	2.4	ug/l	1	11/12/99	DJE	75-34-3			
cis-1,2-Dichloroethene	60	ug/l	20	11/12/99	DJE	156-59-2	2	D	JH
Chloroform	ND	ug/l	1	11/12/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/12/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/12/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/12/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/12/99	DJE	107-06-2			
Trichloroethene	350	ug/l	20	11/12/99	DJE	79-01-6	2	D	JH
1,2-Dichloropropane	ND	ug/l	1	11/12/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/12/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/12/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/12/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/12/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/12/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/12/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/12/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/12/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/12/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/12/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/12/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/12/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/12/99	DJE	95-47-6			
Toluene-d8 (S)	95	%		11/12/99	DJE	2037-26-5			
Dibromofluoromethane (S)	110	%		11/12/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	105	%		11/12/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

Pace Sample No: 602993347 Date Collected: 10/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-06-32-102999 Date Received: 10/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		11/12/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/13/99.
[2]	The value for this analyte was determined from a secondary dilution of 1:20 on 11/14/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

QC Batch ID: 73279
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 602993297 602993305 602993313 602993321 602993339 602993347

METHOD BLANK: 603029406
Associated Pace Samples:
602993305 602993313 602993321 602993339 602993347

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603029406
Associated Pace Samples:
602993305 602993313 602993321 602993339 602993347

Parameter	Units	Method Blank Result	PRL	Footnotes
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	105		
Dibromofluoromethane (S)	%	108		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	110		

METHOD BLANK: 603037409
Associated Pace Samples:
602993297

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603037409
Associated Pace Samples:
602993297

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	104		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	100		

LABORATORY CONTROL SAMPLE & LCSD: 603029414 603029422

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	7.713	77.1	7.879	78.8	2	
Vinyl Chloride	ug/l	10	8.053	80.5	8.669	86.7	7	
Bromomethane	ug/l	10	9.855	98.5	9.845	98.5	0	
Chloroethane	ug/l	10	9.010	90.1	9.391	93.9	4	
Trichlorofluoromethane	ug/l	10	12.80	128	13.68	137	7	
Methylene Chloride	ug/l	10	10.51	105	10.43	104	1	
1,1-Dichloroethene	ug/l	10	9.544	95.4	10.28	103	8	
trans-1,2-Dichloroethene	ug/l	10	10.27	103	10.23	102	1	
1,1-Dichloroethane	ug/l	10	9.917	99.2	10.12	101	2	
cis-1,2-Dichloroethene	ug/l	10	10.07	101	10.02	100	1	
Chloroform	ug/l	10	10.83	108	10.78	108	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603029414 603029422

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
1,1,1-Trichloroethane	ug/l	10	10.75	108	10.92	109	1	
Carbon Tetrachloride	ug/l	10	12.75	127	13.22	132	4	
Benzene	ug/l	10	10.01	100	10.16	102	2	
1,2-Dichloroethane	ug/l	10	11.56	116	11.27	113	3	
Trichloroethene	ug/l	10	12.09	121	12.15	121	0	
1,2-Dichloropropane	ug/l	10	10.74	107	10.91	109	2	
Bromodichloromethane	ug/l	10	11.60	116	11.48	115	1	
Toluene	ug/l	10	10.64	106	10.77	108	2	
1,1,2-Trichloroethane	ug/l	10	10.54	105	10.27	103	2	
Tetrachloroethene	ug/l	10	9.278	92.8	9.377	93.8	1	
Dibromochloromethane	ug/l	10	10.91	109	10.66	107	2	
Chlorobenzene	ug/l	10	9.881	98.8	9.638	96.4	2	
Ethylbenzene	ug/l	10	10.01	100	9.972	99.7	0	
Bromoform	ug/l	10	10.78	108	10.42	104	4	
1,1,2,2-Tetrachloroethane	ug/l	10	8.311	83.1	8.590	85.9	3	
1,3-Dichlorobenzene	ug/l	10	9.798	98.0	9.969	99.7	2	
1,4-Dichlorobenzene	ug/l	10	9.561	95.6	9.833	98.3	3	
1,2-Dichlorobenzene	ug/l	10	10.41	104	10.58	106	2	
cis-1,3-Dichloropropene	ug/l	10	11.87	119	11.77	118	1	
trans-1,3-Dichloropropene	ug/l	10	11.23	112	10.79	108	4	
M&P-Xylene	ug/l	20	19.47	97.4	19.20	96.0	1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.40	104	10.15	101	3	
Toluene-d8 (S)				104		103		
Dibromofluoromethane (S)				106		108		
4-Bromofluorobenzene (S)				103		100		
1,2-Dichloroethane-d4 (S)				118		113		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6034975
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	10/29/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60 34975
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED																REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260																
1	NIC-GPW-GP02F-04Q1-29-102999	13:33	Water	✓	3					X	X																60299329?
2	NIC-GPW-GP02F-04N-29-102999	13:41	Water	✓	3					X	X																60299330?
3	NIC-GPW-GP02F-05-17-102999	14:05	Water	✓	3					X	X																60299331?
4	NIC-GPW-GP02F-05-31-102999	14:12	Water	✓	3					X	X																60299332?
5	NIC-GPW-GP02F-06-17-102999	14:52	Water	✓	3					X	X																60299333?
6	NIC-GPW-GP02F-06-32-102999	15:10	Water	✓	3					X	X																60299334?

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-6	Frank Winslow	ASAP	10/29	16:00

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Todd Bryssen 12/9/99

December 03, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received November 2, 1999 through November 3, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/03/99
PAGE: 41

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor
SDG Number: 6035131B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603008921	NIC-GPW-GP02C-09-23-110199	EPA 8260	73362		
603008970	NIC-GPW-GP02C-09-32-110199	EPA 8260	73362		
603008988	NIC-GPW-GP02C-08-17-110199	EPA 8260	73362		
603008996	NIC-GPW-GP02C-08-35-110199	EPA 8260	73362		
603009002	NIC-GPW-GP02C-11-17-110199	EPA 8260	73362		
603009010	NIC-GPW-GP02C-11-32-110199	EPA 8260	73362		
603009028	NIC-GPW-GP02C-07-17-110199	EPA 8260	73362		
603009036	NIC-GPW-GP02C-07-32-110199	EPA 8260	73362		
603009044	NIC-GPW-GP02C-04-20-110199	EPA 8260	73362		
603009051	NIC-GPW-GP02C-04-32-110199	EPA 8260	73362		
603009069	NIC-GPW-GP06F-01-17-110199	EPA 8260	73362		
603009077	NIC-GPW-GP06F-01-35-110199	EPA 8260	73362		
603009101	NIC-GPW-GP06F-03-17-110199	EPA 8260	73362		
603009119	NIC-GPW-GP06F-03-32-110199	EPA 8260	73362		
603009325	NIC-GPW-GP02E-06-17-110199	EPA 8260	73362		
603009341	NIC-GPW-GP02E-06-32-110199	EPA 8260	73362		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor
SDG Number: 6035131B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603008921 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-09-23-110199 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3		
Vinyl Chloride	12	ug/l	1	11/13/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2		
1,1-Dichloroethene	3.6	ug/l	1	11/13/99	DJE	75-35-4		
trans-1,2-Dichloroethene	3.0	ug/l	1	11/13/99	DJE	156-60-5		
1,1-Dichloroethane	2.9	ug/l	1	11/13/99	DJE	75-34-3		
cis-1,2-Dichloroethene	150	ug/l	10	11/13/99	DJE	156-59-2	1	D
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	11/13/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5		
Benzene	9.2	ug/l	1	11/13/99	DJE	71-43-2		
1,2-Dichloroethane	1.2	ug/l	1	11/13/99	DJE	107-06-2		
Trichloroethene	ND	ug/l	1	11/13/99	DJE	79-01-6		
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4		
Toluene	8.3	ug/l	1	11/13/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7		
Ethylbenzene	270	ug/l	1	11/13/99	DJE	100-41-4	2	E
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5		

LMb Q, CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603008921 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-09-23-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6	
M&P-Xylene	160	ug/l	1.3	11/13/99	DJE		2
O-Xylene (1,2-Dimethylbenzene)	9.5	ug/l	1.1	11/13/99	DJE	95-47-6	
Toluene-d8 (S)	112	%		11/13/99	DJE	2037-26-5	
Dibromofluoromethane (S)	92	%		11/13/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/13/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	158	%		11/13/99	DJE	17060-07-0	3

LAB Q
E
S
CSM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603008970 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-09-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.6	ug/l	1	11/14/99	DJE	74-87-3	
Vinyl Chloride	32	ug/l	1	11/14/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/14/99	DJE	74-83-9	
Chloroethane	1.5	ug/l	1	11/14/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/14/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/14/99	DJE	75-09-2	
1,1-Dichloroethene	34	ug/l	1	11/14/99	DJE	75-35-4	
trans-1,2-Dichloroethene	33	ug/l	1	11/14/99	DJE	156-60-5	
1,1-Dichloroethane	11	ug/l	1	11/14/99	DJE	75-34-3	
cis-1,2-Dichloroethene	190	ug/l	25	11/14/99	DJE	156-59-2	4
Chloroform	ND	ug/l	1	11/14/99	DJE	67-66-3	
1,1,1-Trichloroethane	7.6	ug/l	1	11/14/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/14/99	DJE	56-23-5	
Benzene	1.0	ug/l	1	11/14/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/14/99	DJE	107-06-2	
Trichloroethene	570	ug/l	25	11/14/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/14/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/14/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/14/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/14/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/14/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/14/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/14/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/14/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/14/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/14/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/14/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/14/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		11/14/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/14/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/14/99	DJE	460-00-4	

LAB Q

QDM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603008970 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-09-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/14/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603008988 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-08-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/14/99	DJE	74-87-3			
Vinyl Chloride	7.9	ug/l	1	11/14/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/14/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/14/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/14/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/14/99	DJE	75-09-2			
1,1-Dichloroethene	11	ug/l	1	11/14/99	DJE	75-35-4			
trans-1,2-Dichloroethene	16	ug/l	1	11/14/99	DJE	156-60-5			
1,1-Dichloroethane	5.1	ug/l	1	11/14/99	DJE	75-34-3			
cis-1,2-Dichloroethene	94	ug/l	10	11/14/99	DJE	156-59-2	1	D	
Chloroform	ND	ug/l	1	11/14/99	DJE	67-66-3			
1,1,1-Trichloroethane	2.6	ug/l	1	11/14/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/14/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/14/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/14/99	DJE	107-06-2			
Trichloroethene	240	ug/l	10	11/14/99	DJE	79-01-6	1	D	
1,2-Dichloropropane	ND	ug/l	1	11/14/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/14/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/14/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/14/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/14/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/14/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/14/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/14/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/14/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/14/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/14/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/14/99	DJE	95-47-6			
Toluene-d8 (S)	94	%		11/14/99	DJE	2037-26-5			
Dibromofluoromethane (S)	106	%		11/14/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	100	%		11/14/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603008988 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-08-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		11/14/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603008996 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-08-35-110199 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.6	ug/l	1	11/14/99	DJE	74-87-3	
Vinyl Chloride	37	ug/l	1	11/14/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/14/99	DJE	74-83-9	
Chloroethane	1.4	ug/l	1	11/14/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/14/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/14/99	DJE	75-09-2	
1,1-Dichloroethene	40	ug/l	1	11/14/99	DJE	75-35-4	
trans-1,2-Dichloroethene	41	ug/l	1	11/14/99	DJE	156-60-5	
1,1-Dichloroethane	13	ug/l	1	11/14/99	DJE	75-34-3	
cis-1,2-Dichloroethene	220	ug/l	25	11/14/99	DJE	156-59-2	4
Chloroform	ND	ug/l	1	11/14/99	DJE	67-66-3	
1,1,1-Trichloroethane	8.4	ug/l	1	11/14/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/14/99	DJE	56-23-5	
Benzene	2.8	ug/l	1	11/14/99	DJE	71-43-2	
1,2-Dichloroethane	1.4	ug/l	1	11/14/99	DJE	107-06-2	
Trichloroethene	660	ug/l	25	11/14/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/14/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/14/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/14/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/14/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/14/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/14/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/14/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/14/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/14/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/14/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/14/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/14/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/14/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/14/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/14/99	DJE	460-00-4	

LAB CDM

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603008996 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-08-35-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		11/14/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009002 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-11-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3	
Vinyl Chloride	1.6	ug/l	1	11/13/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2	
1,1-Dichloroethene	4.0	ug/l	1	11/13/99	DJE	75-35-4	
trans-1,2-Dichloroethene	7.2	ug/l	1	11/13/99	DJE	156-60-5	
1,1-Dichloroethane	2.2	ug/l	1	11/13/99	DJE	75-34-3	
cis-1,2-Dichloroethene	41	ug/l	1	11/13/99	DJE	156-59-2	2
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/13/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/13/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2	
Trichloroethene	90	ug/l	5	11/13/99	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6	
Toluene-d8 (S)	92	%		11/13/99	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		11/13/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/13/99	DJE	460-00-4	

LAB Q ODM Q

E D 3

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009002 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-11-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009010 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-11-32-110199 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	EDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.2	ug/l	1	11/13/99	DJE	74-87-3			
Vinyl Chloride	36	ug/l	1	11/13/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9			
Chloroethane	2.4	ug/l	1	11/13/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2			
1,1-Dichloroethene	30	ug/l	1	11/13/99	DJE	75-35-4			
trans-1,2-Dichloroethene	27	ug/l	1	11/13/99	DJE	156-60-5			
1,1-Dichloroethane	11	ug/l	1	11/13/99	DJE	75-34-3			
cis-1,2-Dichloroethene	140	ug/l	20	11/13/99	DJE	156-59-2	6	D	
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3			
1,1,1-Trichloroethane	3.9	ug/l	1	11/13/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5			
Benzene	1.5	ug/l	1	11/13/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2			
Trichloroethene	400	ug/l	20	11/13/99	DJE	79-01-6	6	D	
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6			
Toluene-d8 (S)	101	%		11/13/99	DJE	2037-26-5			
Dibromofluoromethane (S)	103	%		11/13/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	104	%		11/13/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009010 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-11-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009028 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-07-17-110199 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3	
Vinyl Chloride	78	ug/l	5	11/13/99	DJE	75-01-4	5
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2	
1,1-Dichloroethene	1.5	ug/l	1	11/13/99	DJE	75-35-4	
trans-1,2-Dichloroethene	4.9	ug/l	1	11/13/99	DJE	156-60-5	
1,1-Dichloroethane	4.2	ug/l	1	11/13/99	DJE	75-34-3	
cis-1,2-Dichloroethene	39	ug/l	1	11/13/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/13/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/13/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2	
Trichloroethene	6.1	ug/l	1	11/13/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/13/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/13/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	92	%		11/13/99	DJE	460-00-4	

Lab & D CDMQ

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009028 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-07-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009036 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-07-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.5	ug/l	1	11/13/99	DJE	74-87-3	
Vinyl Chloride	37	ug/l	1	11/13/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9	
Chloroethane	2.0	ug/l	1	11/13/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2	
1,1-Dichloroethene	33	ug/l	1	11/13/99	DJE	75-35-4	
trans-1,2-Dichloroethene	34	ug/l	1	11/13/99	DJE	156-60-5	
1,1-Dichloroethane	12	ug/l	1	11/13/99	DJE	75-34-3	
cis-1,2-Dichloroethene	170	ug/l	25	11/13/99	DJE	156-59-2	4
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3	
1,1,1-Trichloroethane	5.8	ug/l	1	11/13/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5	
Benzene	2.1	ug/l	1	11/13/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2	
Trichloroethene	470	ug/l	25	11/13/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6	
Toluene-d8 (S)	101	%		11/13/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/13/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/13/99	DJE	460-00-4	

LAB Q CDM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009036 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-07-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009044 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-04-20-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/13/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/13/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/13/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/13/99	DJE	75-34-3	
cis-1,2-Dichloroethene	18	ug/l	1	11/13/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/13/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/13/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/13/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6	
Toluene-d8 (S)	101	%		11/13/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		11/13/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/13/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009044 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-04-20-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009051 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-04-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles								LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3			
Vinyl Chloride	2.2	ug/l	1	11/13/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2			
1,1-Dichloroethene	26	ug/l	1	11/13/99	DJE	75-35-4			
trans-1,2-Dichloroethene	15	ug/l	1	11/13/99	DJE	156-60-5			
1,1-Dichloroethane	6.5	ug/l	1	11/13/99	DJE	75-34-3			
cis-1,2-Dichloroethene	150	ug/l	25	11/13/99	DJE	156-59-2	4	D	
Chloroform	2.5	ug/l	1	11/13/99	DJE	67-66-3			
1,1,1-Trichloroethane	9.6	ug/l	1	11/13/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/13/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2			
Trichloroethene	480	ug/l	25	11/13/99	DJE	79-01-6	7	D	
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6			
Toluene-d8 (S)	96	%		11/13/99	DJE	2037-26-5			
Dibromofluoromethane (S)	104	%		11/13/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	102	%		11/13/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009051 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-04-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009069 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-01-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/13/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/13/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/13/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/13/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/13/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/13/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/13/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/13/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6	
Toluene-d8 (S)	90	%		11/13/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/13/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/13/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009069 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-01-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009077 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-01-35-110199 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	1.7	ug/l	1	11/13/99	DJE	74-87-3		LMB Q
Vinyl Chloride	42	ug/l	25	11/13/99	DJE	75-01-4	7	D
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2		
1,1-Dichloroethene	32	ug/l	1	11/13/99	DJE	75-35-4		
trans-1,2-Dichloroethene	26	ug/l	1	11/13/99	DJE	156-60-5		
1,1-Dichloroethane	14	ug/l	1	11/13/99	DJE	75-34-3		
cis-1,2-Dichloroethene	170	ug/l	25	11/13/99	DJE	156-59-2	7	D
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3		
1,1,1-Trichloroethane	3.7	ug/l	1	11/13/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5		
Benzene	1.8	ug/l	1	11/13/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2		
Trichloroethene	470	ug/l	25	11/13/99	DJE	79-01-6	7	D
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4		
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6		
Toluene-d8 (S)	100	%		11/13/99	DJE	2037-26-5		
Dibromofluoromethane (S)	106	%		11/13/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	102	%		11/13/99	DJE	460-00-4		

CPM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009077 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-01-35-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009101 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-03-17-110199 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3	
Vinyl Chloride	3.3	ug/l	1	11/13/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/13/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/13/99	DJE	156-60-5	
1,1-Dichloroethane	1.3	ug/l	1	11/13/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/13/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/13/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5	
Benzene	4.1	ug/l	1	11/13/99	DJE	71-43-2	
1,2-Dichloroethane	2.4	ug/l	1	11/13/99	DJE	107-06-2	
Trichloroethene	1.0	ug/l	1	11/13/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4	
Toluene	79	ug/l	5	11/13/99	DJE	108-88-3	8
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7	
Ethylbenzene	2.7	ug/l	1	11/13/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6	
M&P-Xylene	7.1	ug/l	1.3	11/13/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	4.8	ug/l	1.1	11/13/99	DJE	95-47-6	
Toluene-d8 (S)	103	%		11/13/99	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		11/13/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	108	%		11/13/99	DJE	460-00-4	

LAB Q COM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009101 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-03-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009119 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-03-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3	
Vinyl Chloride	38	ug/l	1	11/13/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9	
Chloroethane	1.1	ug/l	1	11/13/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2	
1,1-Dichloroethene	16	ug/l	1	11/13/99	DJE	75-35-4	
trans-1,2-Dichloroethene	11	ug/l	1	11/13/99	DJE	156-60-5	
1,1-Dichloroethane	10	ug/l	1	11/13/99	DJE	75-34-3	
cis-1,2-Dichloroethene	120	ug/l	10	11/13/99	DJE	156-59-2	1
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/13/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5	
Benzene	1.1	ug/l	1	11/13/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2	
Trichloroethene	240	ug/l	10	11/13/99	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4	
Toluene	8.8	ug/l	1	11/13/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5	
Tetrachloroethene	2.3	ug/l	1	11/13/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		11/13/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/13/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/13/99	DJE	460-00-4	

LAB Q COM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009119 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-03-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009325 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-06-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/13/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/13/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/13/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/13/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/13/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/13/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/13/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2	
Trichloroethene	7.1	ug/l	1	11/13/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6	
Toluene-d8 (S)	89	%		11/13/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/13/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/13/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009325 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-06-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009341 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-06-32-110199 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/13/99	DJE	74-87-3		LAB Q
Vinyl Chloride	3.6	ug/l	1	11/13/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	11/13/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	11/13/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/13/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	11/13/99	DJE	75-09-2		
1,1-Dichloroethene	3.6	ug/l	1	11/13/99	DJE	75-35-4		
trans-1,2-Dichloroethene	7.5	ug/l	1	11/13/99	DJE	156-60-5		
1,1-Dichloroethane	2.6	ug/l	1	11/13/99	DJE	75-34-3		
cis-1,2-Dichloroethene	82	ug/l	25	11/13/99	DJE	156-59-2	7	D
Chloroform	ND	ug/l	1	11/13/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	11/13/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/13/99	DJE	56-23-5		
Benzene	ND	ug/l	1	11/13/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/13/99	DJE	107-06-2		
Trichloroethene	490	ug/l	25	11/13/99	DJE	79-01-6	7	D
1,2-Dichloropropane	ND	ug/l	1	11/13/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/13/99	DJE	75-27-4		
Toluene	ND	ug/l	1	11/13/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/13/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/13/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/13/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	11/13/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	11/13/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	11/13/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/13/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/13/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/13/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/13/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/13/99	DJE	95-47-6		
Toluene-d8 (S)	98	%		11/13/99	DJE	2037-26-5		
Dibromofluoromethane (S)	108	%		11/13/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	104	%		11/13/99	DJE	460-00-4		

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603009341 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-06-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		11/13/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/14/99.
[2]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[3]	The recovery exceeds laboratory established control limits of 135%. The recovery for the dilution was within control limits. This is a possible matrix effect.
[4]	The value for this analyte was determined from a secondary dilution of 1:25 on 11/14/99.
[5]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/14/99.
[6]	The value for this analyte was determined from a secondary dilution of 1:20 on 11/14/99.
[7]	The value for this analyte was determined from a secondary dilution of 1:25 ON 11/14/99.
[8]	The value for this analyte was determined from a secondary dilution of 1:5 ON 11/15/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor
SDG Number: 6035131B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73362
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603008921 603008970 603008988 603008996 603009002 603009010 603009028 603009036 603009044 603009051 603009069 603009077 603009101 603009119 603009325 603009341

METHOD BLANK: 603034869
Associated Pace Samples:
603008921

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603034869
Associated Pace Samples:
603008921

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	104		
Dibromofluoromethane (S)	%	105		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	110		

METHOD BLANK: 603044140
Associated Pace Samples:
603008970 603008988 603008996

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603044140
Associated Pace Samples:
603008970 603008988 603008996

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	103		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	99		

METHOD BLANK: 603044157
Associated Pace Samples:
603009002 603009010 603009028 603009036 603009044 603009051 603009069
603009077 603009101 603009119 603009325 603009341

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603044157
Associated Pace Samples:

603009002 603009010 603009028 603009036 603009044 603009051 603009069
603009077 603009101 603009119 603009325 603009341

Parameter	Units	Method Blank Result	PRL	Footnotes
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	104		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	98		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603034877 603034885

Parameter	Units	603009325	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	7.833	78.3	8.290	82.9	6	
Benzene	ug/l	0	10	11.20	112	11.44	114	2	
Trichloroethene	ug/l	7.079	10	17.41	103	18.94	119	14	
Toluene	ug/l	0	10	8.478	84.8	8.422	84.2	1	
Chlorobenzene	ug/l	0	10	10.15	102	10.34	103	2	
Toluene-d8 (S)					94		97		
Dibromofluoromethane (S)					105		109		
4-Bromofluorobenzene (S)					98		97		
1,2-Dichloroethane-d4 (S)					118		120		

LABORATORY CONTROL SAMPLE: 603034893

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	7.263	72.6	
Vinyl Chloride	ug/l	10	7.962	79.6	
Bromomethane	ug/l	10	11.15	112	
Chloroethane	ug/l	10	9.162	91.6	
Trichlorofluoromethane	ug/l	10	13.32	133	
Methylene Chloride	ug/l	10	10.06	101	
1,1-Dichloroethene	ug/l	10	9.349	93.5	
trans-1,2-Dichloroethene	ug/l	10	10.10	101	
1,1-Dichloroethane	ug/l	10	10.50	105	
cis-1,2-Dichloroethene	ug/l	10	9.877	98.8	
Chloroform	ug/l	10	11.46	115	
1,1,1-Trichloroethane	ug/l	10	11.50	115	
Carbon Tetrachloride	ug/l	10	13.54	135	
Benzene	ug/l	10	10.25	103	
1,2-Dichloroethane	ug/l	10	12.33	123	
Trichloroethene	ug/l	10	12.38	124	
1,2-Dichloropropane	ug/l	10	11.01	110	
Bromodichloromethane	ug/l	10	12.37	124	
Toluene	ug/l	10	10.77	108	
1,1,2-Trichloroethane	ug/l	10	10.33	103	
Tetrachloroethene	ug/l	10	9.198	92.0	
Dibromochloromethane	ug/l	10	11.62	116	
Chlorobenzene	ug/l	10	9.534	95.3	
Ethylbenzene	ug/l	10	9.652	96.5	
Bromoform	ug/l	10	10.92	109	
1,1,2,2-Tetrachloroethane	ug/l	10	8.802	88.0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603034893

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/l	10	10.31	103	
1,4-Dichlorobenzene	ug/l	10	9.741	97.4	
1,2-Dichlorobenzene	ug/l	10	10.85	109	
cis-1,3-Dichloropropene	ug/l	10	12.16	122	
trans-1,3-Dichloropropene	ug/l	10	11.38	114	
M&P-Xylene	ug/l	20	19.00	95.0	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.24	102	
Toluene-d8 (S)				103	
Dibromofluoromethane (S)				104	
4-Bromofluorobenzene (S)				102	
1,2-Dichloroethane-d4 (S)				117	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035131
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Jack Burgesser
12/7/99

December 03, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on November 3, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/03/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor
SDG Number: 6035730B

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603019522	NIC-GPW-GP02E-06Q1-32-110199	EPA 8260	73363		
603019530	NIC-GPW-GP02E-06N-32-110199	EPA 8260	73363		
603019548	NIC-GPW-GP02F-03-17-110199	EPA 8260	73363		
603019555	NIC-GPW-GP02F-03-31-110199	EPA 8260	73363		
603019563	NIC-GPW-GP02C-09M-23-110199	EPA 8260	73363		
603019571	NIC-GPW-GP02E-03-17-110299	EPA 8260	73363		
603019589	NIC-GPW-GP02E-03-31-110299	EPA 8260	73363		
603019597	NIC-GPW-GP02F-01-17-110299	EPA 8260	73363		
603019605	NIC-GPW-GP02F-01-29-110299	EPA 8260	73363		
603019613	NIC-GPW-GP02G-03-17-110299	EPA 8260	73363		
603019621	NIC-GPW-GP02G-03-29-110299	EPA 8260	73363		
603019639	NIC-GPW-GP02G-04-17-110299	EPA 8260	73363		
603019647	NIC-GPW-GP02G-04-38-110299	EPA 8260	73363		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor
SDG Number: 6035730B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603019522 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-06Q1-32-110199 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/14/99	DJE	74-87-3	
Vinyl Chloride	3.5	ug/l	1	11/14/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/14/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/14/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/14/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/14/99	DJE	75-09-2	
1,1-Dichloroethene	3.4	ug/l	1	11/14/99	DJE	75-35-4	
trans-1,2-Dichloroethene	6.1	ug/l	1	11/14/99	DJE	156-60-5	
1,1-Dichloroethane	2.6	ug/l	1	11/14/99	DJE	75-34-3	
cis-1,2-Dichloroethene	76	ug/l	20	11/14/99	DJE	156-59-2	1 D
Chloroform	ND	ug/l	1	11/14/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/14/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/14/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/14/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/14/99	DJE	107-06-2	
Trichloroethene	410	ug/l	20	11/14/99	DJE	79-01-6	2 D
1,2-Dichloropropane	ND	ug/l	1	11/14/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/14/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/14/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/14/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/14/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/14/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/14/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/14/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/14/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/14/99	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019522 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-06Q1-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/14/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/14/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		11/14/99	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		11/14/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		11/14/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	118	%		11/14/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019530 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-06N-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/14/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/14/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/14/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/14/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/14/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/14/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/14/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/14/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/14/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/14/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/14/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/14/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/14/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/14/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/14/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/14/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/14/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/14/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/14/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/14/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/14/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/14/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/14/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/14/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/14/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/14/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/14/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/14/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/14/99	DJE	2037-26-5	
Dibromofluoromethane (S)	110	%		11/14/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		11/14/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019530 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-06N-32-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/14/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019548 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-03-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3	3
Vinyl Chloride	ND	ug/l	1	11/16/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/16/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/16/99	DJE	75-34-3	
cis-1,2-Dichloroethene	5.8	ug/l	1	11/16/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/16/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/16/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2	
Trichloroethene	19	ug/l	1	11/16/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/16/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6	
Toluene-d8 (S)	83	%		11/16/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/16/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/16/99	DJE	460-00-4	

LAB @ H

CDM @ JH

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019548 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-03-17-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019555 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-03-31-110199 Date Received: 11/03/99

GC/MS Volatiles

Lab Q COM Q

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3		
Vinyl Chloride	4.3	ug/l	1	11/15/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2		
1,1-Dichloroethene	3.6	ug/l	1	11/15/99	DJE	75-35-4		
trans-1,2-Dichloroethene	6.4	ug/l	1	11/15/99	DJE	156-60-5		
1,1-Dichloroethane	2.9	ug/l	1	11/15/99	DJE	75-34-3		
cis-1,2-Dichloroethene	69	ug/l	20	11/15/99	DJE	156-59-2	4	D
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5		
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2		
Trichloroethene	470	ug/l	20	11/15/99	DJE	79-01-6	4	D
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4		
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6		
Toluene-d8 (S)	97	%		11/15/99	DJE	2037-26-5		
Dibromofluoromethane (S)	111	%		11/15/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	103	%		11/15/99	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019555 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-03-31-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019563 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-09M-23-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/14/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/14/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/14/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/14/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/14/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/14/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/14/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/14/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/14/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/14/99	DJE	156-59-2	
Chloroform	1.8	ug/l	1	11/14/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/14/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/14/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/14/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/14/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/14/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/14/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/14/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/14/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/14/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/14/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/14/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/14/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/14/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/14/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/14/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/14/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/14/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/14/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/14/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/14/99	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		11/14/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/14/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019563 Date Collected: 11/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-09M-23-110199 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		11/14/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019571 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-03-17-110299 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/15/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/15/99	DJE	75-35-4	
trans-1,2-Dichloroethene	1.7	ug/l	1	11/15/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/15/99	DJE	75-34-3	
cis-1,2-Dichloroethene	22	ug/l	1	11/15/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2	
Trichloroethene	21	ug/l	1	11/15/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6	
Toluene-d8 (S)	93	%		11/15/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/15/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/15/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019571 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-03-17-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019589 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-03-31-110299 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3			
Vinyl Chloride	2.3	ug/l	1	11/15/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2			
1,1-Dichloroethene	2.5	ug/l	1	11/15/99	DJE	75-35-4			
trans-1,2-Dichloroethene	6.8	ug/l	1	11/15/99	DJE	156-60-5			
1,1-Dichloroethane	2.1	ug/l	1	11/15/99	DJE	75-34-3			
cis-1,2-Dichloroethene	55	ug/l	20	11/15/99	DJE	156-59-2	4	D	
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2			
Trichloroethene	420	ug/l	20	11/15/99	DJE	79-01-6	4	D	
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6			
Toluene-d8 (S)	91	%		11/15/99	DJE	2037-26-5			
Dibromofluoromethane (S)	108	%		11/15/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	102	%		11/15/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019589 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-03-31-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019597 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-01-17-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/15/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/15/99	DJE	75-35-4	
trans-1,2-Dichloroethene	2.6	ug/l	1	11/15/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/15/99	DJE	75-34-3	
cis-1,2-Dichloroethene	32	ug/l	1	11/15/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2	
Trichloroethene	13	ug/l	1	11/15/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		11/15/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/15/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/15/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019597 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-01-17-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019605 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-01-29-110299 Date Received: 11/03/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			LMB Q / RDM Q
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3		
Vinyl Chloride	7.8	ug/l	1	11/15/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2		
1,1-Dichloroethene	4.4	ug/l	1	11/15/99	DJE	75-35-4		
trans-1,2-Dichloroethene	6.2	ug/l	1	11/15/99	DJE	156-60-5		
1,1-Dichloroethane	4.9	ug/l	1	11/15/99	DJE	75-34-3		
cis-1,2-Dichloroethene	84	ug/l	25	11/15/99	DJE	156-59-2	5	D
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5		
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2		
Trichloroethene	520	ug/l	25	11/15/99	DJE	79-01-6	5	D
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4		
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6		
Toluene-d8 (S)	97	%		11/15/99	DJE	2037-26-5		
Dibromofluoromethane (S)	107	%		11/15/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	104	%		11/15/99	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019605 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02F-01-29-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019613 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-03-17-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/15/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/15/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/15/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/15/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		11/15/99	DJE	2037-26-5	
Dibromofluoromethane (S)	109	%		11/15/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		11/15/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019613 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-03-17-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019621 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-03-29-110299 Date Received: 11/03/99

GC/MS Volatiles

LAB Q CDM Q

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/15/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/15/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-60-5	
1,1-Dichloroethane	1.0	ug/l	1	11/15/99	DJE	75-34-3	
cis-1,2-Dichloroethene	11	ug/l	1	11/15/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3	
1,1,1-Trichloroethane	1.5	ug/l	1	11/15/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2	
Trichloroethene	77	ug/l	5	11/15/99	DJE	79-01-6	6 D
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/15/99	DJE	2037-26-5	
Dibromofluoromethane (S)	109	%		11/15/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	39	%		11/15/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019621 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-03-29-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019639 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-04-17-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/15/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/15/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/15/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2	
Trichloroethene	4.4	ug/l	1	11/15/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6	
Toluene-d8 (S)	91	%		11/15/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/15/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/15/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019639 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-04-17-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019647 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-04-38-110299 Date Received: 11/03/99

GC/MS Volatiles

LAB Q CDM Q

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3		
Vinyl Chloride	3.5	ug/l	1	11/15/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2		
1,1-Dichloroethene	5.0	ug/l	1	11/15/99	DJE	75-35-4		
trans-1,2-Dichloroethene	5.4	ug/l	1	11/15/99	DJE	156-60-5		
1,1-Dichloroethane	2.6	ug/l	1	11/15/99	DJE	75-34-3		
cis-1,2-Dichloroethene	67	ug/l	20	11/15/99	DJE	156-59-2	4	D
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3		
1,1,1-Trichloroethane	1.1	ug/l	1	11/15/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5		
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2		
Trichloroethene	320	ug/l	20	11/15/99	DJE	79-01-6	4	D
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4		
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6		
Toluene-d8 (S)	96	%		11/15/99	DJE	2037-26-5		
Dibromofluoromethane (S)	109	%		11/15/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	100	%		11/15/99	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019647 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-04-38-110299 Date Received: 11/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:20 ON 11/15/99.
[2]	The value for this analyte was determined from a secondary dilution of 1:20 on 11/15/99.
[3]	The sample was originally analyzed within holding time at dilution due to indications that there was the presence of possible product in the sample. Product was not indicated in the dilution so it was reanalyzed on 11/16/99.
[4]	The value for this analyte was determined from a secondary dilution of 1:20 on 11/15/99.
[5]	The value for this analyte was determined from a secondary dilution of 1:25 on 11/15/99.
[6]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/15/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor
SDG Number: 6035730B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73363
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603019522 603019530 603019548 603019555 603019563 603019571 603019589 603019597 603019605 603019613 603019621 603019639 603019647

METHOD BLANK: 603034901
Associated Pace Samples:
603019522 603019530 603019563

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603034901
Associated Pace Samples:
603019522 603019530 603019563

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	106		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	117		

METHOD BLANK: 603044165
Associated Pace Samples:
603019548

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603044165
Associated Pace Samples:
603019548

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	103		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	114		

METHOD BLANK: 603044173
Associated Pace Samples:
603019555

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603044173
Associated Pace Samples:
603019555

Parameter	Units	Method Blank Result	PRL	Footnotes
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	108		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	115		

METHOD BLANK: 603044181
Associated Pace Samples:
603019571 603019589 603019597 603019605 603019613 603019621 603019639
603019647

Parameter	Units	Method Blank Result	PRL	Footnotes

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603044181
Associated Pace Samples:
603019571 603019589 603019597 603019605 603019613 603019621 603019639 603019647

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	113		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603034919 603034927

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	7.471	74.7	7.690	76.9	3	
Vinyl Chloride	ug/l	10	8.329	83.3	8.191	81.9	2	
Bromomethane	ug/l	10	11.51	115	11.88	119	3	
Chloroethane	ug/l	10	9.331	93.3	9.290	92.9	0	
Trichlorofluoromethane	ug/l	10	14.42	144	14.10	141	2	
Methylene Chloride	ug/l	10	10.06	101	9.891	98.9	2	
1,1-Dichloroethene	ug/l	10	9.922	99.2	9.886	98.9	0	
trans-1,2-Dichloroethene	ug/l	10	10.67	107	10.17	102	5	
1,1-Dichloroethane	ug/l	10	10.75	107	10.50	105	2	
cis-1,2-Dichloroethene	ug/l	10	10.24	102	10.07	101	1	
Chloroform	ug/l	10	11.70	117	11.47	115	2	
1,1,1-Trichloroethane	ug/l	10	12.26	123	11.76	118	4	
Carbon Tetrachloride	ug/l	10	14.54	145	14.03	140	4	1
Benzene	ug/l	10	10.62	106	10.33	103	3	
1,2-Dichloroethane	ug/l	10	12.63	126	12.18	122	3	
Trichloroethene	ug/l	10	12.52	125	12.28	123	2	
1,2-Dichloropropane	ug/l	10	11.28	113	11.00	110	3	
Bromodichloromethane	ug/l	10	12.56	126	12.27	123	2	
Toluene	ug/l	10	11.18	112	10.82	108	4	
1,1,2-Trichloroethane	ug/l	10	10.10	101	9.792	97.9	3	
Tetrachloroethene	ug/l	10	9.674	96.7	9.174	91.7	5	
Dibromochloromethane	ug/l	10	11.31	113	10.76	108	5	
Chlorobenzene	ug/l	10	9.663	96.6	9.287	92.9	4	
Ethylbenzene	ug/l	10	10.28	103	9.158	91.6	12	
Bromoform	ug/l	10	10.74	107	10.34	103	4	
1,1,2,2-Tetrachloroethane	ug/l	10	8.809	88.1	8.569	85.7	3	
1,3-Dichlorobenzene	ug/l	10	10.67	107	9.991	99.9	7	
1,4-Dichlorobenzene	ug/l	10	9.933	99.3	9.716	97.2	2	
1,2-Dichlorobenzene	ug/l	10	10.84	108	10.55	106	2	
cis-1,3-Dichloropropene	ug/l	10	12.03	120	12.25	123	2	
trans-1,3-Dichloropropene	ug/l	10	11.24	112	11.00	110	2	
M&P-Xylene	ug/l	20	19.63	98.1	19.02	95.1	3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.21	102	9.578	95.8	6	
Toluene-d8 (S)				101		102		
Dibromofluoromethane (S)				105		106		
4-Bromofluorobenzene (S)				95		103		
1,2-Dichloroethane-d4 (S)				127		123		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035730
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 141%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

December 03, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on November 6, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/03/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor
SDG Number: 6035770B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603019936	NIC-GPW-GP02G-05-17-110299	EPA 8260	73364		
603019944	NIC-GPW-GP02G-05-35-110299	EPA 8260	73364		
603019951	NIC-GPW-GP02G-06-17-110299	EPA 8260	73364		
603019969	NIC-GPW-GP02G-06-35-110299	EPA 8260	73364		
603019977	NIC-GPW-GP02G-08-17-110299	EPA 8260	73364		
603019985	NIC-GPW-GP02G-08-38-110299	EPA 8260	73364		
603019993	NIC-GPW-GP02H-05-17-110299	EPA 8260	73364		
603020009	NIC-GPW-GP02H-05-38-110299	EPA 8260	73364		
603020017	NIC-GPW-GP04B-08N-0-110399	EPA 8260	73364		
603020025	NIC-GPW-GP04B-08-20-110399	EPA 8260	73364		
603020033	NIC-GPW-GP04B-08-44-110399	EPA 8260	73364		
603020041	NIC-GPW-GP04B-08Q-44-110399	EPA 8260	73364		
603020058	NIC-GPW-GP04B-04-23-110399	EPA 8260	73364		
603020066	NIC-GPW-GP04B-04-41-110399	EPA 8260	73364		
603020074	NIC-GPW-GP04B-09-26-110399	EPA 8260	73364		
603020082	NIC-GPW-GP04B-09-44-110399	EPA 8260	73364		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor
SDG Number: 6035770B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603019936 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-05-17-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/15/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/15/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/15/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2	
Trichloroethene	9.2	ug/l	1	11/15/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019936 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-05-17-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6	
Toluene-d8 (S)	94	%		11/15/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/15/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/15/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	121	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019944 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-05-35-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3			
Vinyl Chloride	2.7	ug/l	1	11/15/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2			
1,1-Dichloroethene	3.3	ug/l	1	11/15/99	DJE	75-35-4			
trans-1,2-Dichloroethene	4.9	ug/l	1	11/15/99	DJE	156-60-5			
1,1-Dichloroethane	2.0	ug/l	1	11/15/99	DJE	75-34-3			
cis-1,2-Dichloroethene	49	ug/l	10	11/15/99	DJE	156-59-2	1	D	H
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2			
Trichloroethene	270	ug/l	10	11/15/99	DJE	79-01-6	2	D	H
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6			
Toluene-d8 (S)	94	%		11/15/99	DJE	2037-26-5			
Dibromofluoromethane (S)	110	%		11/15/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	100	%		11/15/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019944 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-05-35-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019951 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-06-17-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/15/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/15/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/15/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2	
Trichloroethene	10	ug/l	1	11/15/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6	
Toluene-d8 (S)	93	%		11/15/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/15/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/15/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019951 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-06-17-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019969 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-06-35-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3			
Vinyl Chloride	2.7	ug/l	1	11/15/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2			
1,1-Dichloroethene	3.5	ug/l	1	11/15/99	DJE	75-35-4			
trans-1,2-Dichloroethene	4.9	ug/l	1	11/15/99	DJE	156-60-5			
1,1-Dichloroethane	1.9	ug/l	1	11/15/99	DJE	75-34-3			
cis-1,2-Dichloroethene	44	ug/l	10	11/15/99	DJE	156-59-2	1	D	H
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2			
Trichloroethene	220	ug/l	10	11/15/99	DJE	79-01-6	2	D	H
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6			
Toluene-d8 (S)	95	%		11/15/99	DJE	2037-26-5			
Dibromofluoromethane (S)	110	%		11/15/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	102	%		11/15/99	DJE	460-00-4			

Lab Q

COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019969 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-06-35-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019977 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-08-17-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/15/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/15/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/15/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/15/99	DJE	156-59-2	
Chloroform	12	ug/l	1	11/15/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/15/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2	
Trichloroethene	1.3	ug/l	1	11/15/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6	
Toluene-d8 (S)	94	%		11/15/99	DJE	2037-26-5	
Dibromofluoromethane (S)	109	%		11/15/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		11/15/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019977 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-08-17-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019985 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-08-38-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/15/99	DJE	74-87-3	
Vinyl Chloride	1.9	ug/l	1	11/15/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/15/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/15/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/15/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/15/99	DJE	75-09-2	
1,1-Dichloroethene	2.7	ug/l	1	11/15/99	DJE	75-35-4	
trans-1,2-Dichloroethene	2.0	ug/l	1	11/15/99	DJE	156-60-5	
1,1-Dichloroethane	1.9	ug/l	1	11/15/99	DJE	75-34-3	
cis-1,2-Dichloroethene	38	ug/l	1	11/15/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/15/99	DJE	67-66-3	
1,1,1-Trichloroethane	1.8	ug/l	1	11/15/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/15/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/15/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/15/99	DJE	107-06-2	
Trichloroethene	170	ug/l	10	11/15/99	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/15/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/15/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/15/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/15/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/15/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/15/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/15/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/15/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/15/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/15/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/15/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/15/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/15/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/15/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		11/15/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/15/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/15/99	DJE	460-00-4	

LAB Q
CDM Q
D
H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019985 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-08-38-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/15/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019993 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-05-17-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/16/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/16/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/16/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-59-2	
Chloroform	1.5	ug/l	1	11/16/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/16/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2	
Trichloroethene	13	ug/l	1	11/16/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/16/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/16/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/16/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/16/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603019993 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-05-17-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020009 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-05-38-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/16/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/16/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/16/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/16/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/16/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/16/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/16/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		11/16/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/16/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		11/16/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020009 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-05-38-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020017 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-08N-0-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/16/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/16/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/16/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/16/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/16/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/16/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/16/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6	
Toluene-d8 (S)	79	%		11/16/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/16/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		11/16/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020017 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-08N-0-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020025 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-08-20-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3	
Vinyl Chloride	1.0	ug/l	1	11/16/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2	
1,1-Dichloroethene	6.3	ug/l	1	11/16/99	DJE	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/l	1	11/16/99	DJE	156-60-5	
1,1-Dichloroethane	1.2	ug/l	1	11/16/99	DJE	75-34-3	
cis-1,2-Dichloroethene	36	ug/l	1	11/16/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/16/99	DJE	67-66-3	
1,1,1-Trichloroethane	3.9	ug/l	1	11/16/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2	
Trichloroethene	240	ug/l	10	11/16/99	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/16/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/16/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/16/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/16/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020025 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-08-20-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020033 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-08-44-110399 Date Received: 11/06/99 13

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	CDM
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3			
Vinyl Chloride	2.8	ug/l	1	11/16/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2			
1,1-Dichloroethene	17	ug/l	1	11/16/99	DJE	75-35-4			
trans-1,2-Dichloroethene	5.1	ug/l	1	11/16/99	DJE	156-60-5			
1,1-Dichloroethane	2.9	ug/l	1	11/16/99	DJE	75-34-3			
cis-1,2-Dichloroethene	78	ug/l	25	11/16/99	DJE	156-59-2	3	D	H
Chloroform	ND	ug/l	1	11/16/99	DJE	67-66-3			
1,1,1-Trichloroethane	7.5	ug/l	1	11/16/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2			
Trichloroethene	530	ug/l	25	11/16/99	DJE	79-01-6	3	D	H
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5			
Tetrachloroethene	2.9	ug/l	1	11/16/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6			
Toluene-d8 (S)	97	%		11/16/99	DJE	2037-26-5			
Dibromofluoromethane (S)	105	%		11/16/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	102	%		11/16/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020033 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-08-44-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1.2-Dichloroethane-d4 (S)	122	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020041 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-08Q-44-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3	
Vinyl Chloride	2.9	ug/l	1	11/16/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2	
1,1-Dichloroethene	17	ug/l	1	11/16/99	DJE	75-35-4	
trans-1,2-Dichloroethene	5.4	ug/l	1	11/16/99	DJE	156-60-5	
1,1-Dichloroethane	2.9	ug/l	1	11/16/99	DJE	75-34-3	
cis-1,2-Dichloroethene	80	ug/l	25	11/16/99	DJE	156-59-2	3
Chloroform	ND	ug/l	1	11/16/99	DJE	67-66-3	
1,1,1-Trichloroethane	7.4	ug/l	1	11/16/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2	
Trichloroethene	560	ug/l	25	11/16/99	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5	
Tetrachloroethene	2.5	ug/l	1	11/16/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		11/16/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/16/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/16/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020041 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-08Q-44-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020058 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-04-23-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3	
Vinyl Chloride	1.3	ug/l	1	11/16/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2	
1,1-Dichloroethene	3.6	ug/l	1	11/16/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-60-5	
1,1-Dichloroethane	3.7	ug/l	1	11/16/99	DJE	75-34-3	
cis-1,2-Dichloroethene	35	ug/l	1	11/16/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/16/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/16/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2	
Trichloroethene	83	ug/l	5	11/16/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/16/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6	
Toluene-d8 (S)	102	%		11/16/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/16/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/16/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020058 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-04-23-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	125	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020066 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-04-41-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/16/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2	
1,1-Dichloroethene	3.8	ug/l	1	11/16/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-60-5	
1,1-Dichloroethane	1.0	ug/l	1	11/16/99	DJE	75-34-3	
cis-1,2-Dichloroethene	19	ug/l	1	11/16/99	DJE	156-59-2	
Chloroform	4.6	ug/l	1	11/16/99	DJE	67-66-3	
1,1,1-Trichloroethane	1.1	ug/l	1	11/16/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2	
Trichloroethene	100	ug/l	5	11/16/99	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/16/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6	
Toluene-d8 (S)	102	%		11/16/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/16/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		11/16/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020066 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-04-41-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020074 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-09-26-110399 Date Received: 11/06/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3			
Vinyl Chloride	1.5	ug/l	1	11/16/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2			
1,1-Dichloroethene	22	ug/l	1	11/16/99	DJE	75-35-4			
trans-1,2-Dichloroethene	5.5	ug/l	1	11/16/99	DJE	156-60-5			
1,1-Dichloroethane	5.5	ug/l	1	11/16/99	DJE	75-34-3			
cis-1,2-Dichloroethene	120	ug/l	25	11/16/99	DJE	156-59-2	6	D	H
Chloroform	ND	ug/l	1	11/16/99	DJE	67-66-3			
1,1,1-Trichloroethane	11	ug/l	1	11/16/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2			
Trichloroethene	830	ug/l	25	11/16/99	DJE	79-01-6	6	D	H
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/16/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6			
Toluene-d8 (S)	94	%		11/16/99	DJE	2037-26-5			
Dibromofluoromethane (S)	111	%		11/16/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	101	%		11/16/99	DJE	460-00-4			

LAB Q

COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020074 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-09-26-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	123	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020082 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-09-44-110399 Date Received: 11/06/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3			
Vinyl Chloride	2.5	ug/l	1	11/16/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2			
1,1-Dichloroethene	42	ug/l	1	11/16/99	DJE	75-35-4			
trans-1,2-Dichloroethene	3.2	ug/l	1	11/16/99	DJE	156-60-5			
1,1-Dichloroethane	6.2	ug/l	1	11/16/99	DJE	75-34-3			
cis-1,2-Dichloroethene	86	ug/l	50	11/16/99	DJE	156-59-2	7	D	H
Chloroform	ND	ug/l	1	11/16/99	DJE	67-66-3			
1,1,1-Trichloroethane	16	ug/l	1	11/16/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2			
Trichloroethene	700	ug/l	50	11/16/99	DJE	79-01-6	7	D	H
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5			
Tetrachloroethene	2.4	ug/l	1	11/16/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6			
Toluene-d8 (S)	98	%		11/16/99	DJE	2037-26-5			
Dibromofluoromethane (S)	107	%		11/16/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	101	%		11/16/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603020082 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-09-44-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/17/99.
[2]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/17/99.
[3]	The value for this analyte was determined from a secondary dilution of 1:25 on 11/18/99.
[4]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/18/99.
[5]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/20/99.
[6]	The value for this analyte was determined from a secondary dilution of 1:25 on 11/20/99.
[7]	The value for this analyte was determined from a secondary dilution of 1:50 on 11/20/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor
SDG Number: 6035770B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73364
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603019936 603019944 603019951 603019969 603019977 603019985 603019993 603020009 603020017 603020025 603020033 603020041 603020058 603020066 603020074 603020082

METHOD BLANK: 603034935
Associated Pace Samples:
603019936

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603034935
Associated Pace Samples:
603019936

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	113		

METHOD BLANK: 603044249
Associated Pace Samples:
603019944 603019951 603019969 603019977 603019985 603019993

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603044249
Associated Pace Samples:
603019944 603019951 603019969 603019977 603019985 603019993

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	108		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	115		

METHOD BLANK: 603044256
Associated Pace Samples:
603020009 603020017 603020025 603020033 603020041 603020058 603020066
603020074 603020082

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603044256
Associated Pace Samples:
603020009 603020017 603020025 603020033 603020041 603020058 603020066
603020074 603020082

Parameter	Units	Method Blank Result	PRL	Footnotes
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	106		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	116		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603034943 603034950

Parameter	Units	603020033	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	16.65	10	27.90	112	25.70	90.5	22	1
Benzene	ug/l	0.5212	10	11.60	111	11.30	108	3	
Trichloroethene	ug/l	532.5	10	651.0	1185	657.0	1245	5	2,2
Toluene	ug/l	0	10	9.840	98.4	9.350	93.5	5	
Chlorobenzene	ug/l	0	10	9.360	93.6	9.590	95.9	2	
Toluene-d8 (S)					100		98		
Dibromofluoromethane (S)					108		109		
4-Bromofluorobenzene (S)					95		98		
1,2-Dichloroethane-d4 (S)					131		125		

LABORATORY CONTROL SAMPLE: 603034968

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	7.116	71.2	
Vinyl Chloride	ug/l	10	7.518	75.2	
Bromomethane	ug/l	10	10.17	102	
Chloroethane	ug/l	10	8.826	88.3	
Trichlorofluoromethane	ug/l	10	13.76	138	
Methylene Chloride	ug/l	10	9.780	97.8	
1,1-Dichloroethene	ug/l	10	9.676	96.8	
trans-1,2-Dichloroethene	ug/l	10	10.27	103	
1,1-Dichloroethane	ug/l	10	10.29	103	
cis-1,2-Dichloroethene	ug/l	10	9.780	97.8	
Chloroform	ug/l	10	11.11	111	
1,1,1-Trichloroethane	ug/l	10	11.78	118	
Carbon Tetrachloride	ug/l	10	14.11	141	
Benzene	ug/l	10	10.08	101	
1,2-Dichloroethane	ug/l	10	12.12	121	
Trichloroethene	ug/l	10	10.55	105	
1,2-Dichloropropane	ug/l	10	10.72	107	
Bromodichloromethane	ug/l	10	12.03	120	
Toluene	ug/l	10	10.86	109	
1,1,2-Trichloroethane	ug/l	10	9.738	97.4	
Tetrachloroethene	ug/l	10	9.414	94.1	
Dibromochloromethane	ug/l	10	10.80	108	
Chlorobenzene	ug/l	10	9.373	93.7	
Ethylbenzene	ug/l	10	9.778	97.8	
Bromoform	ug/l	10	10.52	105	
1,1,2,2-Tetrachloroethane	ug/l	10	10.64	106	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603034968

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/l	10	10.14	101	
1,4-Dichlorobenzene	ug/l	10	9.484	94.8	
1,2-Dichlorobenzene	ug/l	10	10.32	103	
cis-1,3-Dichloropropene	ug/l	10	12.29	123	
trans-1,3-Dichloropropene	ug/l	10	11.35	114	
M&P-Xylene	ug/l	20	18.98	94.9	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.790	97.9	
Toluene-d8 (S)				103	
Dibromofluoromethane (S)				106	
4-Bromofluorobenzene (S)				104	
1,2-Dichloroethane-d4 (S)				122	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035770
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 18%.
[2]	Due to high analyte concentration the matrix spike and/or matrix spike duplicate do not provide reliable recovery data.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Todd Bryson
12/9/99

December 03, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on November 6, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/03/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor
SDG Number: 6035854B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603025651	NIC-GPW-G004B-05-26-110399	EPA 8260	73515		
603025669	NIC-GPW-GP04B-05-44-110399	EPA 8260	73515		
603025677	NIC-GPW-GP04B-01-23-110399	EPA 8260	73515		
603025685	NIC-GPW-GP04B-01-41-110399	EPA 8260	73515		
603025693	NIC-GPW-GP04B-02-20-110399	EPA 8260	73515		
603025701	NIC-GPW-GP04B-02-41-110399	EPA 8260	73515		
603025719	NIC-GPW-GP04B-07-23-110499	EPA 8260	73515		
603025727	NIC-GPW-GP04B-07-41-110499	EPA 8260	73515		
603025735	NIC-GPW-GP04B-06-26-110499	EPA 8260	73515		
603025743	NIC-GPW-GP04B-06-37-110499	EPA 8260	73515		
603025750	NIC-GPW-GP04B-10-20-110499	EPA 8260	73515		
603025768	NIC-GPW-GP04B-10-41-110499	EPA 8260	73515		
603025776	NIC-GPW-GP02G-05M-0-110299	EPA 8260	73515		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor
SDG Number: 6035854B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603025651 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-G004B-05-26-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2	
1,1-Dichloroethene	1.5	ug/l	1	11/17/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/17/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/17/99	NLA	75-34-3	
cis-1,2-Dichloroethene	29	ug/l	1	11/17/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/17/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2	
Trichloroethene	65	ug/l	5	11/17/99	NLA	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025651 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-G004B-05-26-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6	
Toluene-d8 (S)	97	%		11/17/99	NLA	2037-26-5	
Dibromofluoromethane (S)	101	%		11/17/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/17/99	NLA	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025669 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-05-44-110399 Date Received: 11/06/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2	
1,1-Dichloroethene	10	ug/l	1	11/17/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/17/99	NLA	156-60-5	
1,1-Dichloroethane	1.5	ug/l	1	11/17/99	NLA	75-34-3	
cis-1,2-Dichloroethene	38	ug/l	1	11/17/99	NLA	156-59-2	
Chloroform	2.3	ug/l	1	11/17/99	NLA	67-66-3	
1,1,1-Trichloroethane	2.8	ug/l	1	11/17/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2	
Trichloroethene	230	ug/l	10	11/17/99	NLA	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6	
Toluene-d8 (S)	96	%		11/17/99	NLA	2037-26-5	
Dibromofluoromethane (S)	104	%		11/17/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/17/99	NLA	460-00-4	

Lab Q D H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025669 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-05-44-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025677 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-01-23-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			LAB Q	GDM Q
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3			
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2			
1,1-Dichloroethene	3.4	ug/l	1	11/17/99	NLA	75-35-4			
trans-1,2-Dichloroethene	3.9	ug/l	1	11/17/99	NLA	156-60-5			
1,1-Dichloroethane	1.3	ug/l	1	11/17/99	NLA	75-34-3			
cis-1,2-Dichloroethene	110	ug/l	10	11/17/99	NLA	156-59-2	2	D	H
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3			
1,1,1-Trichloroethane	2.6	ug/l	1	11/17/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5			
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2			
Trichloroethene	150	ug/l	10	11/17/99	NLA	79-01-6	2	D	H
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6			
Toluene-d8 (S)	87	%		11/17/99	NLA	2037-26-5			
Dibromofluoromethane (S)	104	%		11/17/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	99	%		11/17/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025677 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-01-23-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/03/99

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025685 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-01-41-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3			
Vinyl Chloride	1.2	ug/l	1	11/17/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2			
1,1-Dichloroethene	7.4	ug/l	1	11/17/99	NLA	75-35-4			
trans-1,2-Dichloroethene	1.2	ug/l	1	11/17/99	NLA	156-60-5			
1,1-Dichloroethane	1.5	ug/l	1	11/17/99	NLA	75-34-3			
cis-1,2-Dichloroethene	81	ug/l	10	11/17/99	NLA	156-59-2	3	D	H
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3			
1,1,1-Trichloroethane	3.2	ug/l	1	11/17/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5			
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2			
Trichloroethene	210	ug/l	10	11/17/99	NLA	79-01-6	3	D	H
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6			
Toluene-d8 (S)	94	%		11/17/99	NLA	2037-26-5			
Dibromofluoromethane (S)	104	%		11/17/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	100	%		11/17/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025685 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-01-41-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025693 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-02-20-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3			
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2			
1,1-Dichloroethene	9.9	ug/l	1	11/17/99	NLA	75-35-4			
trans-1,2-Dichloroethene	4.9	ug/l	1	11/17/99	NLA	156-60-5			
1,1-Dichloroethane	3.8	ug/l	1	11/17/99	NLA	75-34-3			
cis-1,2-Dichloroethene	110	ug/l	10	11/17/99	NLA	156-59-2	3	D	H
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3			
1,1,1-Trichloroethane	1.7	ug/l	1	11/17/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5			
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2			
Trichloroethene	200	ug/l	10	11/17/99	NLA	79-01-6	3	D	H
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6			
Toluene-d8 (S)	95	%		11/17/99	NLA	2037-26-5			
Dibromofluoromethane (S)	105	%		11/17/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	101	%		11/17/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025693 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-02-20-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025701 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-02-41-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2	
1,1-Dichloroethene	26	ug/l	1	11/17/99	NLA	75-35-4	
trans-1,2-Dichloroethene	5.2	ug/l	1	11/17/99	NLA	156-60-5	
1,1-Dichloroethane	4.0	ug/l	1	11/17/99	NLA	75-34-3	
cis-1,2-Dichloroethene	59	ug/l	1	11/17/99	NLA	156-59-2	4
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3	
1,1,1-Trichloroethane	11	ug/l	1	11/17/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2	
Trichloroethene	440	ug/l	25	11/17/99	NLA	79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5	
Tetrachloroethene	1.3	ug/l	1	11/17/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6	
Toluene-d8 (S)	82	%		11/17/99	NLA	2037-26-5	
Dibromofluoromethane (S)	103	%		11/17/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	100	%		11/17/99	NLA	460-00-4	

LAB CQ CDM Q

4 E D[13] J[3] X

5 D H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025701 Date Collected: 11/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-02-41-110399 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025719 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-07-23-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2	
1,1-Dichloroethene	3.2	ug/l	1	11/17/99	NLA	75-35-4	
trans-1,2-Dichloroethene	2.2	ug/l	1	11/17/99	NLA	156-60-5	
1,1-Dichloroethane	1.6	ug/l	1	11/17/99	NLA	75-34-3	
cis-1,2-Dichloroethene	23	ug/l	1	11/17/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3	
1,1,1-Trichloroethane	2.0	ug/l	1	11/17/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2	
Trichloroethene	170	ug/l	10	11/17/99	NLA	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6	
Toluene-d8 (S)	90	%		11/17/99	NLA	2037-26-5	
Dibromofluoromethane (S)	105	%		11/17/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	102	%		11/17/99	NLA	460-00-4	

LAB Q | CDM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025719 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-07-23-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025727 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-07-41-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/17/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/17/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/17/99	NLA	75-34-3	
cis-1,2-Dichloroethene	1.4	ug/l	1	11/17/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/17/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2	
Trichloroethene	33	ug/l	1	11/17/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6	
Toluene-d8 (S)	90	%		11/17/99	NLA	2037-26-5	
Dibromofluoromethane (S)	103	%		11/17/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	99	%		11/17/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025727 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-07-41-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025735 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-06-26-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	CDM
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3		Q	Q
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2			
1,1-Dichloroethene	2.2	ug/l	1	11/17/99	NLA	75-35-4			
trans-1,2-Dichloroethene	1.2	ug/l	1	11/17/99	NLA	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	11/17/99	NLA	75-34-3			
cis-1,2-Dichloroethene	12	ug/l	1	11/17/99	NLA	156-59-2			
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3			
1,1,1-Trichloroethane	1.8	ug/l	1	11/17/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5			
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2			
Trichloroethene	100	ug/l	5	11/17/99	NLA	79-01-6	6	D	H
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6			
Toluene-d8 (S)	92	%		11/17/99	NLA	2037-26-5			
Dibromofluoromethane (S)	104	%		11/17/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	99	%		11/17/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025735 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-06-26-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025743 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-06-37-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2	
1,1-Dichloroethene	1.9	ug/l	1	11/17/99	NLA	75-35-4	
trans-1,2-Dichloroethene	2.0	ug/l	1	11/17/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/17/99	NLA	75-34-3	
cis-1,2-Dichloroethene	20	ug/l	1	11/17/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3	
1,1,1-Trichloroethane	1.5	ug/l	1	11/17/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2	
Trichloroethene	70	ug/l	5	11/17/99	NLA	79-01-6	6
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6	
Toluene-d8 (S)	85	%		11/17/99	NLA	2037-26-5	
Dibromofluoromethane (S)	106	%		11/17/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	97	%		11/17/99	NLA	460-00-4	

LAB Q

CDM Q

D H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025743 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-06-37-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025750 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-10-20-110499 Date Received: 11/06/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3			
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2			
1,1-Dichloroethene	7.3	ug/l	1	11/17/99	NLA	75-35-4			
trans-1,2-Dichloroethene	1.5	ug/l	1	11/17/99	NLA	156-60-5			
1,1-Dichloroethane	2.0	ug/l	1	11/17/99	NLA	75-34-3			
cis-1,2-Dichloroethene	32	ug/l	1	11/17/99	NLA	156-59-2			
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3			
1,1,1-Trichloroethane	2.9	ug/l	1	11/17/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5			
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2			
Trichloroethene	190	ug/l	10	11/17/99	NLA	79-01-6	7	D	H
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6			
Toluene-d8 (S)	96	%		11/17/99	NLA	2037-26-5			
Dibromofluoromethane (S)	103	%		11/17/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	96	%		11/17/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025750 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-10-20-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025768 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-10-41-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/17/99	NLA	74-87-3			
Vinyl Chloride	ND	ug/l	1	11/17/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/17/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/17/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/17/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/17/99	NLA	75-09-2			
1,1-Dichloroethene	7.0	ug/l	1	11/17/99	NLA	75-35-4			
trans-1,2-Dichloroethene	1.7	ug/l	1	11/17/99	NLA	156-60-5			
1,1-Dichloroethane	1.3	ug/l	1	11/17/99	NLA	75-34-3			
cis-1,2-Dichloroethene	45	ug/l	10	11/17/99	NLA	156-59-2	7	D	H
Chloroform	ND	ug/l	1	11/17/99	NLA	67-66-3			
1,1,1-Trichloroethane	3.4	ug/l	1	11/17/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/17/99	NLA	56-23-5			
Benzene	ND	ug/l	1	11/17/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/17/99	NLA	107-06-2			
Trichloroethene	180	ug/l	10	11/17/99	NLA	79-01-6	7	D	H
1,2-Dichloropropane	ND	ug/l	1	11/17/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/17/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/17/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/17/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/17/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/17/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/17/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/17/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/17/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	NLA	95-47-6			
Toluene-d8 (S)	84	%		11/17/99	NLA	2037-26-5			
Dibromofluoromethane (S)	106	%		11/17/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	96	%		11/17/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025768 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-10-41-110499 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		11/17/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025776 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-05M-0-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/16/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/16/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/16/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/16/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/16/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/16/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/16/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/16/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/16/99	DJE	156-59-2	
Chloroform	1.7	ug/l	1	11/16/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/16/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/16/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/16/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/16/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/16/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/16/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/16/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/16/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/16/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/16/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/16/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/16/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/16/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/16/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/16/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/16/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/16/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/16/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/16/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		11/16/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/16/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		11/16/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603025776 Date Collected: 11/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-05M-0-110299 Date Received: 11/06/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		11/16/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/18/99.
[2]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/18/99.
[3]	The value for this analyte was determined from a secondary dilution of 1:10 ON 11/18/99.
[4]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[5]	The value for this analyte was determined from a secondary dilution of 1:25 ON 11/18/99.
[6]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/19/99.
[7]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/19/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor
SDG Number: 6035854B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73515
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603025651 603025669 603025677 603025685 603025693 603025701 603025719 603025727 603025735 603025743 603025750 603025768 603025776

METHOD BLANK: 603040403
Associated Pace Samples:
603025685 603025693 603025701 603025719 603025727 603025735 603025743 603025750 603025768

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603040403
Associated Pace Samples:
603025685 603025693 603025701 603025719 603025727 603025735 603025743
603025750 603025768

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	95		
1,2-Dichloroethane-d4 (S)	%	105		

METHOD BLANK: 603041856
Associated Pace Samples:
603025651 603025669 603025677

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603041856
Associated Pace Samples:
603025651 603025669 603025677

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	96		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	95		

METHOD BLANK: 603054743
Associated Pace Samples:
603025776

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603054743
Associated Pace Samples:
603025776

Parameter	Units	Method Blank Result	PRL	Footnotes
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	114		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603040411 603040429

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	11.36	114	9.761	97.6	16	
Vinyl Chloride	ug/l	10	11.15	112	9.307	93.1	18	
Bromomethane	ug/l	10	11.62	116	10.55	105	10	
Chloroethane	ug/l	10	12.08	121	10.71	107	12	
Trichlorofluoromethane	ug/l	10	11.97	120	10.69	107	11	
Methylene Chloride	ug/l	10	10.28	103	9.870	98.7	4	
1,1-Dichloroethene	ug/l	10	11.95	119	10.90	109	9	
trans-1,2-Dichloroethene	ug/l	10	11.86	119	11.07	111	7	
1,1-Dichloroethane	ug/l	10	10.45	104	9.937	99.4	5	
cis-1,2-Dichloroethene	ug/l	10	11.15	112	10.68	107	5	
Chloroform	ug/l	10	10.36	104	9.969	99.7	4	
1,1,1-Trichloroethane	ug/l	10	10.48	105	9.791	97.9	7	
Carbon Tetrachloride	ug/l	10	10.53	105	9.933	99.3	6	
Benzene	ug/l	10	10.84	108	10.21	102	6	
1,2-Dichloroethane	ug/l	10	9.577	95.8	9.681	96.8	1	
Trichloroethene	ug/l	10	11.17	112	10.48	105	6	
1,2-Dichloropropane	ug/l	10	10.43	104	10.15	101	3	
Bromodichloromethane	ug/l	10	10.66	107	10.23	102	5	
Toluene	ug/l	10	11.01	110	10.39	104	6	
1,1,2-Trichloroethane	ug/l	10	10.96	110	10.88	109	1	
Tetrachloroethene	ug/l	10	11.81	118	10.71	107	10	
Dibromochloromethane	ug/l	10	11.21	112	11.00	110	2	
Chlorobenzene	ug/l	10	11.21	112	10.60	106	6	
Ethylbenzene	ug/l	10	11.71	117	10.84	108	8	
Bromoform	ug/l	10	11.24	112	11.07	111	1	
1,1,2,2-Tetrachloroethane	ug/l	10	11.03	110	10.69	107	3	
1,3-Dichlorobenzene	ug/l	10	11.10	111	10.31	103	7	
1,4-Dichlorobenzene	ug/l	10	10.88	109	10.27	103	6	
1,2-Dichlorobenzene	ug/l	10	11.23	112	10.65	107	5	
cis-1,3-Dichloropropene	ug/l	10	11.03	110	10.93	109	1	
trans-1,3-Dichloropropene	ug/l	10	10.65	107	10.50	105	2	
M&P-Xylene	ug/l	20	22.94	115	21.55	108	6	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	11.66	117	11.06	111	5	
Toluene-d8 (S)				98		99		
Dibromofluoromethane (S)				96		97		
4-Bromofluorobenzene (S)				98		99		
1,2-Dichloroethane-d4 (S)				85		90		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035854
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by
Todd Dyesser
12/8/99

December 06, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on November 10, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/06/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor
SDG Number: 6035899B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603028929	NIC-GPW-GP04B-12-29-110499	EPA 8260	73577		
603028937	NIC-GPW-GP04B-12-40-110499	EPA 8260	73577		
603028945	NIC-GPW-GP#55-01-20-110499	EPA 8260	73577		
603028986	NIC-GPW-GP#55-01Q1-20-110499	EPA 8260	73577		
603028994	NIC-GPW-GP#55-01N-20-110499	EPA 8260	73577		
603029000	NIC-GPW-GP04B-14-20-110499	EPA 8260	73577		
603029026	NIC-GPW-GP04B-14-44-110499	EPA 8260	73577		
603029034	NIC-GPW-GP04B-03-26-110599	EPA 8260	73577		
603029042	NIC-GPW-GP04B-03-41-110599	EPA 8260	73577		
603029059	NIC-GPW-GP02I-01-17-110599	EPA 8260	73577		
603029067	NIC-GPW-GP02I-01-31-110599	EPA 8260	73577		
603029075	NIC-GPW-GP02G-07-17-110599	EPA 8260	73577		
603029083	NIC-GPW-GP02G-07-26-110599	EPA 8260	73577		
603029091	NIC-GPW-GP05B-02-17-110599	EPA 8260	73577		
603029109	NIC-GPW-GP05B-02-35-110599	EPA 8260	73577		
603029133	NIC-GPW-GP#62-03-20-110599	EPA 8260	73577		
603029141	NIC-GPW-GP05B-03-20-110599	EPA 8260	73577		
603029158	NIC-GPW-GP05B-03-35-110599	EPA 8260	73577		
603029166	NIC-GPW-GP03A-01-17-110599	EPA 8260	73577		
603029182	NIC-GPW-GP03A-01-29-110599	EPA 8260	73577		
603029190	NIC-GPW-GP04B-03M-110599	EPA 8260	73587		
603029208	NIC-GPW-GP04B-03P-110599	EPA 8260	73587		
603029216	NIC-GPW-GP02I-01P-110599	EPA 8260	73587		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/06/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor
SDG Number: 6035899B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603028929 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-12-29-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/17/99	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	1	11/17/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/17/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/17/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/17/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/17/99	DJE	75-09-2			
1,1-Dichloroethene	8.1	ug/l	1	11/17/99	DJE	75-35-4			
trans-1,2-Dichloroethene	1.5	ug/l	1	11/17/99	DJE	156-60-5			
1,1-Dichloroethane	2.5	ug/l	1	11/17/99	DJE	75-34-3			
cis-1,2-Dichloroethene	38	ug/l	1	11/17/99	DJE	156-59-2			
Chloroform	ND	ug/l	1	11/17/99	DJE	67-66-3			
1,1,1-Trichloroethane	4.3	ug/l	1	11/17/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/17/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/17/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/17/99	DJE	107-06-2			
Trichloroethene	180	ug/l	10	11/17/99	DJE	79-01-6	1		
1,2-Dichloropropane	ND	ug/l	1	11/17/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/17/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/17/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/17/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/17/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/17/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/17/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/17/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/17/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/17/99	DJE	79-34-5			

Lab Q
COM Q
D
H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028929 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-12-29-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/17/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/17/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/17/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/17/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/17/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/17/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/17/99	DJE	95-47-6	
Toluene-d8 (S)	100	%		11/17/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		11/17/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/17/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	115	%		11/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028937 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-12-40-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/18/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/18/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/18/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/18/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/18/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/18/99	DJE	75-09-2	
1,1-Dichloroethene	6.1	ug/l	1	11/18/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/18/99	DJE	156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	11/18/99	DJE	75-34-3	
cis-1,2-Dichloroethene	16	ug/l	1	11/18/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/18/99	DJE	67-66-3	
1,1,1-Trichloroethane	3.4	ug/l	1	11/18/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/18/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/18/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/18/99	DJE	107-06-2	
Trichloroethene	150	ug/l	5	11/18/99	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	11/18/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/18/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/18/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/18/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/18/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/18/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/18/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/18/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/18/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/18/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/18/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		11/18/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/18/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		11/18/99	DJE	460-00-4	

MDM Q

LAB Q

D H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028937 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-12-40-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		11/18/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028945 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#55-01-20-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/18/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/18/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/18/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/18/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/18/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/18/99	DJE	75-09-2	
1,1-Dichloroethene	9.6	ug/l	1	11/18/99	DJE	75-35-4	
trans-1,2-Dichloroethene	1.5	ug/l	1	11/18/99	DJE	156-60-5	
1,1-Dichloroethane	2.1	ug/l	1	11/18/99	DJE	75-34-3	
cis-1,2-Dichloroethene	33	ug/l	1	11/18/99	DJE	156-59-2	
Chloroform	4.9	ug/l	1	11/18/99	DJE	67-66-3	
1,1,1-Trichloroethane	8.3	ug/l	1	11/18/99	DJE	71-55-6	
Carbon Tetrachloride	16	ug/l	1	11/18/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/18/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/18/99	DJE	107-06-2	
Trichloroethene	350	ug/l	10	11/18/99	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/18/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/18/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/18/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/18/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/18/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/18/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/18/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/18/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/18/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/18/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/18/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		11/18/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/18/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		11/18/99	DJE	460-00-4	

Lab a
COM Q
D
H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028945 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#55-01-20-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		11/18/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028986 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#55-01Q1-20-110499 Date Received: 11/10/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/18/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/18/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/18/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/18/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/18/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/18/99	DJE	75-09-2	
1,1-Dichloroethene	9.6	ug/l	1	11/18/99	DJE	75-35-4	
trans-1,2-Dichloroethene	2.0	ug/l	1	11/18/99	DJE	156-60-5	
1,1-Dichloroethane	2.1	ug/l	1	11/18/99	DJE	75-34-3	
cis-1,2-Dichloroethene	34	ug/l	1	11/18/99	DJE	156-59-2	
Chloroform	4.5	ug/l	1	11/18/99	DJE	67-66-3	
1,1,1-Trichloroethane	9.5	ug/l	1	11/18/99	DJE	71-55-6	
Carbon Tetrachloride	17	ug/l	1	11/18/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/18/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/18/99	DJE	107-06-2	
Trichloroethene	320	ug/l	20	11/18/99	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	11/18/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/18/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/18/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/18/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/18/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/18/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/18/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/18/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/18/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/18/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/18/99	DJE	95-47-6	
Toluene-d8 (S)	93	%		11/18/99	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		11/18/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/18/99	DJE	460-00-4	

LAB Q CDM Q D H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028986 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#55-01Q1-20-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/18/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/18/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/18/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/18/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/18/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/18/99	DJE	75-09-2	
1,1-Dichloroethene	9.6	ug/l	1	11/18/99	DJE	75-35-4	
trans-1,2-Dichloroethene	2.0	ug/l	1	11/18/99	DJE	156-60-5	
1,1-Dichloroethane	2.1	ug/l	1	11/18/99	DJE	75-34-3	
cis-1,2-Dichloroethene	34	ug/l	1	11/18/99	DJE	156-59-2	
Chloroform	4.5	ug/l	1	11/18/99	DJE	67-66-3	
1,1,1-Trichloroethane	9.5	ug/l	1	11/18/99	DJE	71-55-6	
Carbon Tetrachloride	17	ug/l	1	11/18/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/18/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/18/99	DJE	107-06-2	
Trichloroethene	320	ug/l	20	11/18/99	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	11/18/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/18/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/18/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/18/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/18/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/18/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/18/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/18/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/18/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/18/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/18/99	DJE	95-47-6	
Toluene-d8 (S)	93	%		11/18/99	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		11/18/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/18/99	DJE	460-00-4	

LAB Q COM Q

3 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028986 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#55-01Q1-20-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		11/18/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028994 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#55-01N-20-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/18/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/18/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/18/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/18/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/18/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/18/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/18/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/18/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/18/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/18/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/18/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/18/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/18/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/18/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/18/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/18/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/18/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/18/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/18/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/18/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/18/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/18/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/18/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/18/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/18/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/18/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/18/99	DJE	95-47-6	
Toluene-d8 (S)	93	%		11/18/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/18/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/18/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603028994 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#55-01N-20-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/18/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029000 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-14-20-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/18/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/18/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/18/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/18/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/18/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/18/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/18/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/18/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/18/99	DJE	75-34-3	
cis-1,2-Dichloroethene	3.8	ug/l	1	11/18/99	DJE	156-59-2	
Chloroform	1.9	ug/l	1	11/18/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/18/99	DJE	71-55-6	
Carbon Tetrachloride	3.7	ug/l	1	11/18/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/18/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/18/99	DJE	107-06-2	
Trichloroethene	57	ug/l	1	11/18/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/18/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/18/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/18/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/18/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/18/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/18/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/18/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/18/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/18/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/18/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/18/99	DJE	95-47-6	
Toluene-d8 (S)	83	%		11/18/99	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		11/18/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		11/18/99	DJE	460-00-4	

LAB Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029000 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-14-20-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/18/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029026 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-14-44-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/18/99	DJE	74-87-3			
Vinyl Chloride	3.4	ug/l	1	11/18/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/18/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/18/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/18/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/18/99	DJE	75-09-2			
1,1-Dichloroethene	28	ug/l	1	11/18/99	DJE	75-35-4			
trans-1,2-Dichloroethene	9.3	ug/l	1	11/18/99	DJE	156-60-5			
1,1-Dichloroethane	4.4	ug/l	1	11/18/99	DJE	75-34-3			
cis-1,2-Dichloroethene	98	ug/l	25	11/18/99	DJE	156-59-2	5	D	H
Chloroform	ND	ug/l	1	11/18/99	DJE	67-66-3			
1,1,1-Trichloroethane	13	ug/l	1	11/18/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/18/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/18/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/18/99	DJE	107-06-2			
Trichloroethene	640	ug/l	25	11/18/99	DJE	79-01-6	5	D	H
1,2-Dichloropropane	ND	ug/l	1	11/18/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/18/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/18/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/18/99	DJE	79-00-5			
Tetrachloroethene	2.6	ug/l	1	11/18/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/18/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/18/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/18/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/18/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/18/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/18/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/18/99	DJE	95-47-6			
Toluene-d8 (S)	95	%		11/18/99	DJE	2037-26-5			
Dibromofluoromethane (S)	108	%		11/18/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	97	%		11/18/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029026 Date Collected: 11/04/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-14-44-110499 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	123	%		11/18/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029034 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-03-26-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/19/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/19/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/19/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/19/99	DJE	75-34-3	
cis-1,2-Dichloroethene	15	ug/l	1	11/19/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/19/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2	
Trichloroethene	33	ug/l	1	11/19/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4	
Toluene	1.2	ug/l	1	11/19/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6	
Toluene-d8 (S)	103	%		11/19/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/19/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		11/19/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029034 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-03-26-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	125	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029042 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-03-41-110599 Date Received: 11/10/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3			
Vinyl Chloride	1.5	ug/l	1	11/19/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2			
1,1-Dichloroethene	27	ug/l	1	11/19/99	DJE	75-35-4			
trans-1,2-Dichloroethene	1.5	ug/l	1	11/19/99	DJE	156-60-5			
1,1-Dichloroethane	4.0	ug/l	1	11/19/99	DJE	75-34-3			
cis-1,2-Dichloroethene	66	ug/l	20	11/19/99	DJE	156-59-2	3	D	H
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3			
1,1,1-Trichloroethane	12	ug/l	1	11/19/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/19/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2			
Trichloroethene	480	ug/l	20	11/19/99	DJE	79-01-6	3	D	H
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6			
Toluene-d8 (S)	98	%		11/19/99	DJE	2037-26-5			
Dibromofluoromethane (S)	105	%		11/19/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	98	%		11/19/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029042 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-03-41-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029059 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-01-17-110599 Date Received: 11/10/99

GC/MS Volatiles

LAB Q

CDM Q

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3	
Vinyl Chloride	3.1	ug/l	1	11/19/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/19/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/19/99	DJE	156-60-5	
1,1-Dichloroethane	9.2	ug/l	1	11/19/99	DJE	75-34-3	
cis-1,2-Dichloroethene	46	ug/l	1	11/19/99	DJE	156-59-2	4
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5	
Benzene	3.0	ug/l	1	11/19/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/19/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6	
Toluene-d8 (S)	101	%		11/19/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/19/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/19/99	DJE	460-00-4	

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029059 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-01-17-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/19/99	DJE	17060-07-0	

Comments : FUEL ODOR

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029067 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-01-31-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3	
Vinyl Chloride	1.3	ug/l	1	11/19/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/19/99	DJE	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/l	1	11/19/99	DJE	156-60-5	
1,1-Dichloroethane	1.3	ug/l	1	11/19/99	DJE	75-34-3	
cis-1,2-Dichloroethene	22	ug/l	1	11/19/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/19/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2	
Trichloroethene	130	ug/l	5	11/19/99	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6	
Toluene-d8 (S)	95	%		11/19/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/19/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		11/19/99	DJE	460-00-4	

LAB Q

CDM Q

D

H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029067 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-01-31-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029075 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-07-17-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/19/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/19/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/19/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/19/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/19/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/19/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2	
Trichloroethene	11	ug/l	1	11/19/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6	
Toluene-d8 (S)	92	%		11/19/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		11/19/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		11/19/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029075 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-07-17-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029083 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-07-26-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/19/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4	
Methylene Chloride	1.2	ug/l	1	11/19/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/19/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/19/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/19/99	DJE	75-34-3	
cis-1,2-Dichloroethene	7.8	ug/l	1	11/19/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/19/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2	
Trichloroethene	47	ug/l	1	11/19/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		11/19/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/19/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/19/99	DJE	460-00-4	

LAB Q

CDM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029083 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02G-07-26-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029091 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-02-17-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3	
Vinyl Chloride	9.3	ug/l	1	11/19/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/19/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/19/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/19/99	DJE	75-34-3	
cis-1,2-Dichloroethene	40	ug/l	1	11/19/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5	
Benzene	1.6	ug/l	1	11/19/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/19/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		11/19/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		11/19/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		11/19/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029091 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-02-17-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029109 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-02-35-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/19/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/19/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/19/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/19/99	DJE	75-34-3	
cis-1,2-Dichloroethene	7.2	ug/l	1	11/19/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/19/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2	
Trichloroethene	11	ug/l	1	11/19/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6	
Toluene-d8 (S)	91	%		11/19/99	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		11/19/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/19/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029109 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-02-35-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029133 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#62-03-20-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	DQM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3			
Vinyl Chloride	19	ug/l	1	11/19/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2			
1,1-Dichloroethene	2.9	ug/l	1	11/19/99	DJE	75-35-4			
trans-1,2-Dichloroethene	5.6	ug/l	1	11/19/99	DJE	156-60-5			
1,1-Dichloroethane	5.5	ug/l	1	11/19/99	DJE	75-34-3			
cis-1,2-Dichloroethene	790	ug/l	25	11/19/99	DJE	156-59-2	5	D	H
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/19/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2			
Trichloroethene	480	ug/l	25	11/19/99	DJE	79-01-6	5	D	H
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6			
Toluene-d8 (S)	102	%		11/19/99	DJE	2037-26-5			
Dibromofluoromethane (S)	108	%		11/19/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	98	%		11/19/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029133 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#62-03-20-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029141 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-03-20-110599 Date Received: 11/10/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3	
Vinyl Chloride	1.4	ug/l	1	11/19/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/19/99	DJE	75-35-4	
trans-1,2-Dichloroethene	1.8	ug/l	1	11/19/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/19/99	DJE	75-34-3	
cis-1,2-Dichloroethene	32	ug/l	1	11/19/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/19/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2	
Trichloroethene	41	ug/l	1	11/19/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/19/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/19/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	94	%		11/19/99	DJE	460-00-4	

LAB Q CDM Q E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029141 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-03-20-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029158 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-03-35-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/19/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/19/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/19/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/19/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/19/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/19/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/19/99	DJE	75-35-4	
trans-1,2-Dichloroethene	1.5	ug/l	1	11/19/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/19/99	DJE	75-34-3	
cis-1,2-Dichloroethene	16	ug/l	1	11/19/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/19/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/19/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/19/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/19/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/19/99	DJE	107-06-2	
Trichloroethene	90	ug/l	5	11/19/99	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	11/19/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/19/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/19/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/19/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/19/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/19/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/19/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/19/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/19/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/19/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/19/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/19/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/19/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/19/99	DJE	95-47-6	
Toluene-d8 (S)	92	%		11/19/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		11/19/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/19/99	DJE	460-00-4	

LAB Q CDM Q D H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029158 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-03-35-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/19/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029166 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-01-17-110599 Date Received: 11/10/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/20/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/20/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/20/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/20/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/20/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/20/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/20/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/20/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/20/99	DJE	75-34-3	
cis-1,2-Dichloroethene	4.7	ug/l	1	11/20/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/20/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/20/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/20/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/20/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/20/99	DJE	107-06-2	
Trichloroethene	56	ug/l	1	11/20/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	11/20/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/20/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/20/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/20/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/20/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/20/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/20/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/20/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/20/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/20/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/20/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/20/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/20/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/20/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/20/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/20/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/20/99	DJE	95-47-6	
Toluene-d8 (S)	88	%		11/20/99	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		11/20/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	94	%		11/20/99	DJE	460-00-4	

LQB Q

CDM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029166 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-01-17-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		11/20/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029182 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-01-29-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/20/99	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	1	11/20/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/20/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/20/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/20/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/20/99	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	11/20/99	DJE	75-35-4			
trans-1,2-Dichloroethene	1.1	ug/l	1	11/20/99	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	11/20/99	DJE	75-34-3			
cis-1,2-Dichloroethene	20	ug/l	1	11/20/99	DJE	156-59-2			
Chloroform	ND	ug/l	1	11/20/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/20/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/20/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/20/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/20/99	DJE	107-06-2			
Trichloroethene	140	ug/l	5	11/20/99	DJE	79-01-6	2	D	H
1,2-Dichloropropane	ND	ug/l	1	11/20/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/20/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/20/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/20/99	DJE	79-00-5			
Tetrachloroethene	1.5	ug/l	1	11/20/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/20/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/20/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/20/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/20/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/20/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/20/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/20/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/20/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/20/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/20/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/20/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/20/99	DJE	95-47-6			
Toluene-d8 (S)	88	%		11/20/99	DJE	2037-26-5			
Dibromofluoromethane (S)	102	%		11/20/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	93	%		11/20/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029182 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-01-29-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		11/20/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029190 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-03M-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/18/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/18/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/18/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/18/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/18/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/18/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/18/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/18/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/18/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/18/99	NLA	156-59-2	
Chloroform	1.3	ug/l	1	11/18/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/18/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/18/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/18/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/18/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	11/18/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/18/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/18/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/18/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/18/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/18/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/18/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/18/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/18/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/18/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/18/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/18/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/18/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/18/99	NLA	95-47-6	
Toluene-d8 (S)	99	%		11/18/99	NLA	2037-26-5	
Dibromofluoromethane (S)	104	%		11/18/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	99	%		11/18/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029190 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-03M-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		11/18/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029208 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-03P-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	QDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/18/99	NLA	74-87-3			
Vinyl Chloride	17	ug/l	1	11/18/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/18/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/18/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/18/99	NLA	75-69-4			
Methylene Chloride	45	ug/l	2	11/18/99	NLA	75-09-2	6	D	
1,1-Dichloroethene	35	ug/l	1	11/18/99	NLA	75-35-4			
trans-1,2-Dichloroethene	26	ug/l	1	11/18/99	NLA	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	11/18/99	NLA	75-34-3			
cis-1,2-Dichloroethene	29	ug/l	1	11/18/99	NLA	156-59-2			
Chloroform	ND	ug/l	1	11/18/99	NLA	67-66-3			
1,1,1-Trichloroethane	12	ug/l	1	11/18/99	NLA	71-55-6			
Carbon Tetrachloride	57	ug/l	2	11/18/99	NLA	56-23-5	6	D	
Benzene	51	ug/l	2	11/18/99	NLA	71-43-2	6	D	
1,2-Dichloroethane	35	ug/l	1	11/18/99	NLA	107-06-2			
Trichloroethene	27	ug/l	1	11/18/99	NLA	79-01-6			
1,2-Dichloropropane	40	ug/l	2	11/18/99	NLA	78-87-5	6	D	
Bromodichloromethane	ND	ug/l	1	11/18/99	NLA	75-27-4			
Toluene	12	ug/l	1	11/18/99	NLA	108-88-3			
1,1,2-Trichloroethane	24	ug/l	1	11/18/99	NLA	79-00-5			
Tetrachloroethene	17	ug/l	1	11/18/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/18/99	NLA	124-48-1			
Chlorobenzene	58	ug/l	2	11/18/99	NLA	108-90-7	6	D	
Ethylbenzene	21	ug/l	1	11/18/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/18/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	NLA	541-73-1			
1,4-Dichlorobenzene	58	ug/l	2	11/18/99	NLA	106-46-7	6	D	
1,2-Dichlorobenzene	73	ug/l	2	11/18/99	NLA	95-50-1	6	D	
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	NLA	10061-02-6			
M&P-Xylene	46	ug/l	1.3	11/18/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	45	ug/l	2.2	11/18/99	NLA	95-47-6	6	D	
Toluene-d8 (S)	101	%		11/18/99	NLA	2037-26-5			
Dibromofluoromethane (S)	103	%		11/18/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	102	%		11/18/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029208 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-03P-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		11/18/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029216 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-01P-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/18/99	NLA	74-87-3	
Vinyl Chloride	27	ug/l	1	11/18/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/18/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/18/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/18/99	NLA	75-69-4	
Methylene Chloride	46	ug/l	5	11/18/99	NLA	75-09-2	7
1,1-Dichloroethene	16	ug/l	5	11/18/99	NLA	75-35-4	7
trans-1,2-Dichloroethene	45	ug/l	5	11/18/99	NLA	156-60-5	7
1,1-Dichloroethane	ND	ug/l	1	11/18/99	NLA	75-34-3	
cis-1,2-Dichloroethene	63	ug/l	5	11/18/99	NLA	156-59-2	7
Chloroform	1.0	ug/l	1	11/18/99	NLA	67-66-3	
1,1,1-Trichloroethane	56	ug/l	5	11/18/99	NLA	71-55-6	7
Carbon Tetrachloride	57	ug/l	5	11/18/99	NLA	56-23-5	7
Benzene	30	ug/l	5	11/18/99	NLA	71-43-2	7
1,2-Dichloroethane	64	ug/l	5	11/18/99	NLA	107-06-2	7
Trichloroethene	41	ug/l	5	11/18/99	NLA	79-01-6	7
1,2-Dichloropropane	38	ug/l	5	11/18/99	NLA	78-87-5	7
Bromodichloromethane	ND	ug/l	1	11/18/99	NLA	75-27-4	
Toluene	28	ug/l	5	11/18/99	NLA	108-88-3	7
1,1,2-Trichloroethane	80	ug/l	5	11/18/99	NLA	79-00-5	7
Tetrachloroethene	33	ug/l	5	11/18/99	NLA	127-18-4	7
Dibromochloromethane	ND	ug/l	1	11/18/99	NLA	124-48-1	
Chlorobenzene	50	ug/l	5	11/18/99	NLA	108-90-7	7
Ethylbenzene	46	ug/l	5	11/18/99	NLA	100-41-4	7
Bromoform	ND	ug/l	1	11/18/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/18/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/18/99	NLA	541-73-1	
1,4-Dichlorobenzene	42	ug/l	5	11/18/99	NLA	106-46-7	7
1,2-Dichlorobenzene	85	ug/l	5	11/18/99	NLA	95-50-1	7
cis-1,3-Dichloropropene	ND	ug/l	1	11/18/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/18/99	NLA	10061-02-6	
M&P-Xylene	120	ug/l	6.5	11/18/99	NLA		7
O-Xylene (1,2-Dimethylbenzene)	46	ug/l	5.5	11/18/99	NLA	95-47-6	7
Toluene-d8 (S)	102	%		11/18/99	NLA	2037-26-5	
Dibromofluoromethane (S)	105	%		11/18/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	108	%		11/18/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603029216 Date Collected: 11/05/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-01P-110599 Date Received: 11/10/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		11/18/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/23/99.
[2]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/23/99.
[3]	The value for this analyte was determined from a secondary dilution of 1:20 on 11/23/99.
[4]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[5]	The value for this analyte was determined from a secondary dilution of 1:25 on 11/23/99.
[6]	The value for this analyte was determined from a secondary dilution of 1:2 on 11/18/99.
[7]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/18/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor
SDG Number: 6035899B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73577
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603028929 603028937 603028945 603028986 603028994
603029000 603029026 603029034 603029042 603029059
603029067 603029075 603029083 603029091 603029109
603029133 603029141 603029158 603029166 603029182

METHOD BLANK: 603042599
Associated Pace Samples:
603028929

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603042599
Associated Pace Samples:
603028929

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	96		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	100		

METHOD BLANK: 603068297
Associated Pace Samples:
603028937 603028945 603028986 603028994 603029000 603029026

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603068297
Associated Pace Samples:
603028937 603028945 603028986 603028994 603029000 603029026

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	101		
4-Bromofluorobenzene (S)	%	95		
1,2-Dichloroethane-d4 (S)	%	110		

METHOD BLANK: 603068305
Associated Pace Samples:
603029034 603029042 603029059 603029067 603029075 603029083 603029091
603029109 603029133 603029141 603029158

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603068305
Associated Pace Samples:

603029034 603029042 603029059 603029067 603029075 603029083 603029091
603029109 603029133 603029141 603029158

Parameter	Units	Method Blank Result	PRL	Footnotes
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	1.5	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	103		
4-Bromofluorobenzene (S)	%	98		
1,2-Dichloroethane-d4 (S)	%	114		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603068313
Associated Pace Samples:
603029166 603029182

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	93		
1,2-Dichloroethane-d4 (S)	%	104		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603042607 603042615

Parameter	Units	603028945	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	9.556	10	15.52	59.7	19.16	96.1	47	1,2
Benzene	ug/l	0	10	11.63	116	11.74	117	1	
Trichloroethene	ug/l	351.0	10	305.2	-458	371.4	204	521	3,3
Toluene	ug/l	0	10	8.988	89.9	9.329	93.3	4	
Chlorobenzene	ug/l	0	10	9.176	91.8	9.137	91.4	0	
Toluene-d8 (S)					93		95		
Dibromofluoromethane (S)					102		101		
4-Bromofluorobenzene (S)					94		88		
1,2-Dichloroethane-d4 (S)					131		126		

LABORATORY CONTROL SAMPLE: 603042623

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	6.648	66.5	
Vinyl Chloride	ug/l	10	7.807	78.1	
Bromomethane	ug/l	10	11.04	110	
Chloroethane	ug/l	10	9.597	96.0	
Trichlorofluoromethane	ug/l	10	13.27	133	
Methylene Chloride	ug/l	10	9.361	93.6	
1,1-Dichloroethene	ug/l	10	9.732	97.3	
trans-1,2-Dichloroethene	ug/l	10	10.14	101	
1,1-Dichloroethane	ug/l	10	10.98	110	
cis-1,2-Dichloroethene	ug/l	10	9.705	97.0	
Chloroform	ug/l	10	10.87	109	
1,1,1-Trichloroethane	ug/l	10	11.73	117	
Carbon Tetrachloride	ug/l	10	13.94	139	
Benzene	ug/l	10	10.74	107	
1,2-Dichloroethane	ug/l	10	11.32	113	
Trichloroethene	ug/l	10	10.68	107	
1,2-Dichloropropane	ug/l	10	11.52	115	
Bromodichloromethane	ug/l	10	11.46	115	
Toluene	ug/l	10	11.08	111	
1,1,2-Trichloroethane	ug/l	10	9.027	90.3	
Tetrachloroethene	ug/l	10	10.79	108	
Dibromochloromethane	ug/l	10	10.03	100	
Chlorobenzene	ug/l	10	9.307	93.1	
Ethylbenzene	ug/l	10	9.420	94.2	
Bromoform	ug/l	10	10.24	102	
1,1,2,2-Tetrachloroethane	ug/l	10	11.53	115	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603042623

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/l	10	10.07	101	
1,4-Dichlorobenzene	ug/l	10	9.343	93.4	
1,2-Dichlorobenzene	ug/l	10	10.21	102	
cis-1,3-Dichloropropene	ug/l	10	12.34	123	
trans-1,3-Dichloropropene	ug/l	10	10.96	110	
M&P-Xylene	ug/l	20	18.60	93.0	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.356	93.6	
Toluene-d8 (S)				101	
Dibromofluoromethane (S)				98	
4-Bromofluorobenzene (S)				92	
1,2-Dichloroethane-d4 (S)				111	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor
SDG Number: 6035899B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73587
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603029190 603029208 603029216

METHOD BLANK: 603042789
Associated Pace Samples:
603029190 603029208 603029216

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603042789
Associated Pace Samples:
603029190 603029208 603029216

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	95		
1,2-Dichloroethane-d4 (S)	%	105		

LABORATORY CONTROL SAMPLE & LCSD: 603042797 603042805

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	11.35	113	10.78	108	5	
Vinyl Chloride	ug/l	10	11.41	114	10.70	107	6	
Bromomethane	ug/l	10	11.34	113	10.33	103	9	
Chloroethane	ug/l	10	12.10	121	11.52	115	5	
Trichlorofluoromethane	ug/l	10	11.77	118	11.32	113	4	
Methylene Chloride	ug/l	10	10.79	108	10.70	107	1	
1,1-Dichloroethene	ug/l	10	11.23	112	10.67	107	5	
trans-1,2-Dichloroethene	ug/l	10	11.28	113	10.85	109	4	
1,1-Dichloroethane	ug/l	10	11.50	115	11.12	111	4	
cis-1,2-Dichloroethene	ug/l	10	11.01	110	10.68	107	3	
Chloroform	ug/l	10	11.25	113	10.95	110	3	
1,1,1-Trichloroethane	ug/l	10	11.60	116	11.13	111	4	
Carbon Tetrachloride	ug/l	10	11.90	119	11.37	114	4	
Benzene	ug/l	10	11.30	113	10.96	110	3	
1,2-Dichloroethane	ug/l	10	12.03	120	11.94	119	1	
Trichloroethene	ug/l	10	11.82	118	11.34	113	4	
1,2-Dichloropropane	ug/l	10	11.68	117	11.31	113	3	
Bromodichloromethane	ug/l	10	11.76	118	11.51	115	3	
Toluene	ug/l	10	11.51	115	11.03	110	4	
1,1,2-Trichloroethane	ug/l	10	11.39	114	11.21	112	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603042797 603042805

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Tetrachloroethene	ug/l	10	11.23	112	10.88	109	3	
Dibromochloromethane	ug/l	10	11.64	116	11.37	114	2	
Chlorobenzene	ug/l	10	11.29	113	10.92	109	4	
Ethylbenzene	ug/l	10	11.31	113	11.02	110	3	
Bromoform	ug/l	10	11.48	115	11.77	118	3	
1,1,2,2-Tetrachloroethane	ug/l	10	10.72	107	10.74	107	0	
1,3-Dichlorobenzene	ug/l	10	10.92	109	10.93	109	0	
1,4-Dichlorobenzene	ug/l	10	10.70	107	10.90	109	2	
1,2-Dichlorobenzene	ug/l	10	11.04	110	10.99	110	0	
cis-1,3-Dichloropropene	ug/l	10	12.32	123	11.87	119	3	
trans-1,3-Dichloropropene	ug/l	10	11.60	116	11.35	114	2	
M&P-Xylene	ug/l	20	21.85	109	21.12	106	3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	11.10	111	10.73	107	4	
Toluene-d8 (S)				102		102		
Dibromofluoromethane (S)				101		100		
4-Bromofluorobenzene (S)				104		101		
1,2-Dichloroethane-d4 (S)				108		106		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035899
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery is below laboratory established control limits of 75%.
[2]	The RPD exceeds laboratory established control limits of 17%.
[3]	Due to high analyte concentration the matrix spike and/or matrix spike duplicate do not provide reliable recovery data.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

RACK O-12.6 B-10

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	6035809
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	3427
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	11/4/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED	REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260	
1	NIC-GPW-GP04B-12-29-110499 (3) pv	14:23	Water		3					X	X	60302892 9
2	NIC-GPW-GP04B-12-40-110499 (3) pv	14:37	Water		3					X	X	60302893 7
3	NIC-GPW-GP#55-01-20-110499 (4) (2) pv	15:15	Water		6					X	X	MS/MSD 60302894 5
4	NIC-GPW-GP#55-01Q1-20-110499 (2) pv	15:15	Water		3					X	X	60302898 0
5	NIC-GPW-GP#55-01N-20-110499 (3) pv	15:25	Water		3					X	X	60302899 4
6	NIC-GPW-GP04B-14-20-110499 (3) pv	16:02	Water		3					X	X	60302900 0
7	NIC-GPW-GP04B-14-44-110499 (3) pv	16:15	Water		3					X	X	60302901 0

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-7	Frank Winslow	ASAP	11/9/99	16:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

RACK B-10
R-15

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg
		Date Sampled:	11/5/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED	REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260	
1	NIC-GPW-GP04B-03-26-110599 (3)pv	9:00	Water		3					X	X	603029034
2	NIC-GPW-GP04B-03-41-110599 (3)pv	9:12	Water		3					X	X	603029042
3	NIC-GPW-GP02I-01-17-110599 (3)pv	10:10	Water		3					X	X	Fuel Odor 603029059
4	NIC-GPW-GP02I-01-31-110599 (3)pv	10:20	Water		3					X	X	603029067
5	NIC-GPW-GP02G-07-17-110599 (3)pv	10:50	Water		3					X	X	603029075
6	NIC-GPW-GP02G-07-26-110599 (3)pv	10:59	Water		3					X	X	603029083
7	NIC-GPW-GP05B-02-17-110599 (3)pv	12:32	Water		3					X	X	603029091
8	NIC-GPW-GP05B-02-35-110599 (3)pv	12:42	Water		3					X	X	603029109

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	11/9/99	16:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Rack R-15
B-307

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	11/5/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP#62-03-20-110599 (3) pv	13:42	Water		3					X	X														6030291 33
2	NIC-GPW-GP05B-03-20-110599 (3) pv	14:20	Water		3					X	X														6030291 41
3	NIC-GPW-GP05B-03-35-110599 (3) pv	14:33	Water		3					X	X														6030291 48
4	NIC-GPW-GP03A-01-17-110599 (3) pv	15:04	Water		3					X	X														6030291 64
5	NIC-GPW-GP03A-01-29-110599 (3) pv	15:15	Water		3					X	X														6030291 87
6	NIC-GPW-GP04B-03M-110599 (3) pv	8:00	Water		3					X	X														6030291 90
7	NIC-GPW-GP04B-03P-110599 (2) pv	8:30	Water		2					X	X														3226-4X 6030291 208
8	NIC-GPW-GP02I-01P-110599	8:45	Water		2					X	X														3227-8X 6030291 216

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	11/9/99	16:00

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Darren Brown 2/14/00

December 15, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on November 13, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Peagin-Hyslop

Andrea Peagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/15/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor
SDG Number: 6035988B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603037557	NIC-GPW-GP05C-02-17-111099	EPA 8260	73745		
603037565	NIC-GPW-GP05C-02-29-111099	EPA 8260	73745		
603037573	NIC-GPW-GP05C-01-20-111099	EPA 8260	73745		
603037581	NIC-GPW-GP05C-01-31-111099	EPA 8260	73745		
603037599	NIC-GPW-GP02C-03-17-111099	EPA 8260	73745		
603037607	NIC-GPW-GP02C-03-38-111099	EPA 8260	73745		
603037615	NIC-GPW-GP02C-03Q1-38-111099	EPA 8260	73745		
603037623	NIC-GPW-GP02C-03N-38-111099	EPA 8260	73745		
603037631	NIC-GPW-GP05C-02M-111099	EPA 8260	73745		
603037649	NIC-GPW-GP04G-02-17-111099	EPA 8260	73745		
603037656	NIC-GPW-GP04G-02-26-111099	EPA 8260	73745		
603037664	NIC-GPW-GP04G-01-17-111099	EPA 8260	73745		
603037672	NIC-GPW-GP04G-01-35-111099	EPA 8260	73745		
603037680	NIC-GPW-GP04E-03-17-111099	EPA 8260	73745		
603037698	NIC-GPW-GP04E-03-38-111099	EPA 8260	73745		
603037706	NIC-GPW-GP03B-03-17-111099	EPA 8260	73745		
603037714	NIC-GPW-GP03B-03-35-111099	EPA 8260	73745		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/15/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor
SDG Number: 6035988B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603037557 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-02-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/22/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/22/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/22/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/22/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/22/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/22/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/22/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/22/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/22/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/22/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/22/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/22/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/22/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/22/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/22/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	11/22/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/22/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/22/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/22/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/22/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/22/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/22/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/22/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/22/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/22/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/22/99	NLA	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037557 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-02-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/22/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/22/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/22/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/22/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/22/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/22/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/22/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		11/22/99	NLA	2037-26-5	
Dibromofluoromethane (S)	105	%		11/22/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	103	%		11/22/99	NLA	460-00-4	
1,2-Dichloroethane-d4 (S)	112	%		11/22/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/15/99

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037565 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-02-29-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/22/99	NLA	74-87-3	
Vinyl Chloride	34	ug/l	1	11/22/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/22/99	NLA	74-83-9	
Chloroethane	2.8	ug/l	1	11/22/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/22/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/22/99	NLA	75-09-2	
1,1-Dichloroethene	18	ug/l	1	11/22/99	NLA	75-35-4	
trans-1,2-Dichloroethene	21	ug/l	1	11/22/99	NLA	156-60-5	
1,1-Dichloroethane	9.7	ug/l	1	11/22/99	NLA	75-34-3	
cis-1,2-Dichloroethene	120	ug/l	10	11/22/99	NLA	156-59-2	1
Chloroform	ND	ug/l	1	11/22/99	NLA	67-66-3	
1,1,1-Trichloroethane	1.9	ug/l	1	11/22/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/22/99	NLA	56-23-5	
Benzene	1.0	ug/l	1	11/22/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/22/99	NLA	107-06-2	
Trichloroethene	290	ug/l	10	11/22/99	NLA	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	11/22/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/22/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/22/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/22/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/22/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/22/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/22/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/22/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/22/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/22/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/22/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/22/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/22/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/22/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/22/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/22/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/22/99	NLA	95-47-6	
Toluene-d8 (S)	89	%		11/22/99	NLA	2037-26-5	
Dibromofluoromethane (S)	106	%		11/22/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	106	%		11/22/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037565 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-02-29-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		11/22/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/15/99

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037573 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-01-20-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/23/99	NLA	74-87-3			
Vinyl Chloride	1.8	ug/l	1	11/23/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/23/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/23/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/23/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/23/99	NLA	75-09-2			
1,1-Dichloroethene	2.3	ug/l	1	11/23/99	NLA	75-35-4			
trans-1,2-Dichloroethene	5.2	ug/l	1	11/23/99	NLA	156-60-5			
1,1-Dichloroethane	2.1	ug/l	1	11/23/99	NLA	75-34-3			
cis-1,2-Dichloroethene	97	ug/l	5	11/23/99	NLA	156-59-2	2	D	H
Chloroform	ND	ug/l	1	11/23/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/23/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/23/99	NLA	56-23-5			
Benzene	ND	ug/l	1	11/23/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/23/99	NLA	107-06-2			
Trichloroethene	2.9	ug/l	1	11/23/99	NLA	79-01-6			
1,2-Dichloropropane	ND	ug/l	1	11/23/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/23/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/23/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/23/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/23/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/23/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/23/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/23/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/23/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/23/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/23/99	NLA	95-47-6			
Toluene-d8 (S)	88	%		11/23/99	NLA	2037-26-5			
Dibromofluoromethane (S)	106	%		11/23/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	93	%		11/23/99	NLA	460-00-4			

LAB Q
CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037573 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-01-20-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		11/23/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/15/99

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037581 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-01-31-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	QDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	5.0	ug/l	1	11/23/99	NLA	74-87-3			
Vinyl Chloride	39	ug/l	1	11/23/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/23/99	NLA	74-83-9			
Chloroethane	1.5	ug/l	1	11/23/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/23/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/23/99	NLA	75-09-2			
1,1-Dichloroethene	6.4	ug/l	1	11/23/99	NLA	75-35-4			
trans-1,2-Dichloroethene	4.4	ug/l	1	11/23/99	NLA	156-60-5			
1,1-Dichloroethane	8.0	ug/l	1	11/23/99	NLA	75-34-3			
cis-1,2-Dichloroethene	75	ug/l	5	11/23/99	NLA	156-59-2	2	D	H
Chloroform	ND	ug/l	1	11/23/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/23/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/23/99	NLA	56-23-5			
Benzene	5.0	ug/l	1	11/23/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/23/99	NLA	107-06-2			
Trichloroethene	150	ug/l	5	11/23/99	NLA	79-01-6	2	D	H
1,2-Dichloropropane	ND	ug/l	1	11/23/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/23/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/23/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/23/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/23/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/23/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/23/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/23/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/23/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/23/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/23/99	NLA	95-47-6			
Toluene-d8 (S)	95	%		11/23/99	NLA	2037-26-5			
Dibromofluoromethane (S)	105	%		11/23/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	102	%		11/23/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037581 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-01-31-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		11/23/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037599 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-03-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	11/24/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	81	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	106	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	97	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037599 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-03-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

12

Pace Sample No: 603037607 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-03-38-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.6	ug/l	1	11/23/99	NLA	74-87-3			
Vinyl Chloride	24	ug/l	1	11/23/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/23/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/23/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/23/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/23/99	NLA	75-09-2			
1,1-Dichloroethene	40	ug/l	1	11/23/99	NLA	75-35-4			
trans-1,2-Dichloroethene	36	ug/l	1	11/23/99	NLA	156-60-5			
1,1-Dichloroethane	10	ug/l	1	11/23/99	NLA	75-34-3			
cis-1,2-Dichloroethene	250	ug/l	25	11/23/99	NLA	156-59-2	3	D	H
Chloroform	1.9	ug/l	1	11/23/99	NLA	67-66-3			
1,1,1-Trichloroethane	11	ug/l	1	11/23/99	NLA	71-55-6			
Carbon Tetrachloride	1.5	ug/l	1	11/23/99	NLA	56-23-5			
Benzene	3.1	ug/l	1	11/23/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/23/99	NLA	107-06-2			
Trichloroethene	710	ug/l	25	11/23/99	NLA	79-01-6	3	D	H
1,2-Dichloropropane	ND	ug/l	1	11/23/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/23/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/23/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/23/99	NLA	79-00-5			
Tetrachloroethene	1.1	ug/l	1	11/23/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/23/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/23/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/23/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/23/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/23/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/23/99	NLA	95-47-6			
Toluene-d8 (S)	83	%		11/23/99	NLA	2037-26-5			
Dibromofluoromethane (S)	107	%		11/23/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	97	%		11/23/99	NLA	460-00-4			

Lab Q

COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037607 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-03-38-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		11/23/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037615 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-03Q1-38-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/23/99	NLA	74-87-3		G	Q
Vinyl Chloride	24	ug/l	1	11/23/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/23/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/23/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/23/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/23/99	NLA	75-09-2			
1,1-Dichloroethene	39	ug/l	1	11/23/99	NLA	75-35-4			
trans-1,2-Dichloroethene	32	ug/l	1	11/23/99	NLA	156-60-5			
1,1-Dichloroethane	10	ug/l	1	11/23/99	NLA	75-34-3			
cis-1,2-Dichloroethene	290	ug/l	10	11/23/99	NLA	156-59-2	4	D	H
Chloroform	1.9	ug/l	1	11/23/99	NLA	67-66-3			
1,1,1-Trichloroethane	10	ug/l	1	11/23/99	NLA	71-55-6			
Carbon Tetrachloride	1.2	ug/l	1	11/23/99	NLA	56-23-5			
Benzene	3.0	ug/l	1	11/23/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/23/99	NLA	107-06-2			
Trichloroethene	760	ug/l	10	11/23/99	NLA	79-01-6	4,5	DE	H
1,2-Dichloropropane	ND	ug/l	1	11/23/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/23/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/23/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/23/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/23/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/23/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/23/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/23/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/23/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/23/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/23/99	NLA	95-47-6			
Toluene-d8 (S)	85	%		11/23/99	NLA	2037-26-5			
Dibromofluoromethane (S)	105	%		11/23/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	109	%		11/23/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037615 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-03Q1-38-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		11/23/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

13

Pace Sample No: 603037623 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-03N-38-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/23/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/23/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/23/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/23/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/23/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/23/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/23/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/23/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/23/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/23/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/23/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/23/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/23/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/23/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/23/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	11/23/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/23/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/23/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/23/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/23/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/23/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/23/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/23/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/23/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/23/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/23/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/23/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/23/99	NLA	95-47-6	
Toluene-d8 (S)	69	%		11/23/99	NLA	2037-26-5	6
Dibromofluoromethane (S)	105	%		11/23/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/23/99	NLA	460-00-4	

LAb
C-

COM
Q

S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037623 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-03N-38-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		11/23/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037631 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-02M-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-59-2	
Chloroform	1.5	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	11/24/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	97	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	104	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	93	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037631 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05C-02M-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037649 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-02-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	4.1	ug/l	1	11/24/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	85	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	104	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	95	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037649 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-02-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037656 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-02-26-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	10	ug/l	1	11/24/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	8.5	ug/l	1	11/24/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	89	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	105	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	95	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037656 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-02-26-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

14

Pace Sample No: 603037664 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-01-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	2.2	ug/l	1	11/24/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	93	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	106	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037664 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-01-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

12

Pace Sample No: 603037672 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-01-35-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/22/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/22/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/22/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/22/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/22/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/22/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/22/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.8	ug/l	1	11/22/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/22/99	NLA	75-34-3	
cis-1,2-Dichloroethene	33	ug/l	1	11/22/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/22/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/22/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/22/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/22/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/22/99	NLA	107-06-2	
Trichloroethene	52	ug/l	1	11/22/99	NLA	79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	11/22/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/22/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/22/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/22/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/22/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/22/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/22/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/22/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/22/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/22/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/22/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/22/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/22/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/22/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/22/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/22/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/22/99	NLA	95-47-6	
Toluene-d8 (S)	87	%		11/22/99	NLA	2037-26-5	
Dibromofluoromethane (S)	105	%		11/22/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	105	%		11/22/99	NLA	460-00-4	

LAB Q

COM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037672 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-01-35-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		11/22/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037680 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-03-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	12	ug/l	1	11/24/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	25	ug/l	1	11/24/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	88	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	106	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	93	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037680 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-03-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037698 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-03-38-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3			
Vinyl Chloride	5.5	ug/l	1	11/24/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2			
1,1-Dichloroethene	5.2	ug/l	1	11/24/99	NLA	75-35-4			
trans-1,2-Dichloroethene	6.8	ug/l	1	11/24/99	NLA	156-60-5			
1,1-Dichloroethane	2.9	ug/l	1	11/24/99	NLA	75-34-3			
cis-1,2-Dichloroethene	110	ug/l	10	11/24/99	NLA	156-59-2	4	D	H
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5			
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2			
Trichloroethene	430	ug/l	10	11/24/99	NLA	79-01-6	4,5	DE	H
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4			
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6			
Toluene-d8 (S)	87	%		11/24/99	NLA	2037-26-5			
Dibromofluoromethane (S)	105	%		11/24/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	98	%		11/24/99	NLA	460-00-4			

LAB Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037698 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-03-38-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/15/99

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037706 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-03-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/29/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/29/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/29/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/29/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/29/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/29/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/29/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/29/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/29/99	NLA	75-34-3	
cis-1,2-Dichloroethene	8.0	ug/l	1	11/29/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/29/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/29/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/29/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/29/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/29/99	NLA	107-06-2	
Trichloroethene	10	ug/l	1	11/29/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/29/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/29/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/29/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/29/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/29/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/29/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/29/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/29/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/29/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/29/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/29/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/29/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		11/29/99	NLA	2037-26-5	
Dibromofluoromethane (S)	114	%		11/29/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	99	%		11/29/99	NLA	460-00-4	

LAB &

CDM &

H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037706 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-03-17-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		11/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037714 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-03-35-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/29/99	NLA	74-87-3	
Vinyl Chloride	8.0	ug/l	1	11/29/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/29/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/29/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/29/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/29/99	NLA	75-09-2	
1,1-Dichloroethene	6.9	ug/l	1	11/29/99	NLA	75-35-4	
trans-1,2-Dichloroethene	2.5	ug/l	1	11/29/99	NLA	156-60-5	
1,1-Dichloroethane	2.6	ug/l	1	11/29/99	NLA	75-34-3	
cis-1,2-Dichloroethene	41	ug/l	1	11/29/99	NLA	156-59-2	5
Chloroform	ND	ug/l	1	11/29/99	NLA	67-66-3	
1,1,1-Trichloroethane	1.1	ug/l	1	11/29/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/29/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/29/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/29/99	NLA	107-06-2	
Trichloroethene	200	ug/l	1	11/29/99	NLA	79-01-6	5,7
1,2-Dichloropropane	ND	ug/l	1	11/29/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/29/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/29/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/29/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/29/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/29/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/29/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/29/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/29/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/29/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/29/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/29/99	NLA	95-47-6	
Toluene-d8 (S)	85	%		11/29/99	NLA	2037-26-5	
Dibromofluoromethane (S)	109	%		11/29/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	95	%		11/29/99	NLA	460-00-4	

LAB Q — E — E ~~D F~~ — COM Q H

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037714 Date Collected: 11/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-03-35-111099 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		11/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/23/99.
[2]	The value for this analyte was determined from a secondary dilution of 1:5 on 12/7/99.
[3]	The value for this analyte was determined from a secondary dilution of 1:25 on 12/7/99.
[4]	The value for this analyte was determined from a secondary dilution of 1:10 on 12/7/99.
[5]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[6]	The recovery is below laboratory established control limits of 78%. The sample was reanalyzed on 12/7/99 confirming the initial results except that surrogate recoveries were within limits.
[7]	No dilution was performed due to insufficient sample volume.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor
SDG Number: 6035988B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73745
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603037557 603037565 603037573 603037581 603037599 603037607 603037615 603037623 603037631 603037649 603037656 603037664 603037672 603037680 603037698 603037706 603037714

METHOD BLANK: 603050386
Associated Pace Samples:
603037565 603037573 603037581 603037607 603037615 603037623

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603050386
Associated Pace Samples:

603037565 603037573 603037581 603037607 603037615 603037623

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	98		
1,2-Dichloroethane-d4 (S)	%	109		

METHOD BLANK: 603085937
Associated Pace Samples:

603037557 603037672

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603085937
Associated Pace Samples:
603037557 603037672

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	95		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	111		

METHOD BLANK: 603086018
Associated Pace Samples:
603037706 603037714

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603086018
Associated Pace Samples:
603037706 603037714

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	94		
Dibromofluoromethane (S)	%	105		
4-Bromofluorobenzene (S)	%	97		
1,2-Dichloroethane-d4 (S)	%	100		

METHOD BLANK: 603086109
Associated Pace Samples:
603037599 603037631 603037649 603037656 603037664 603037680 603037698

Parameter	Units	Method Blank Result	PRL	Footnotes

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603086109
Associated Pace Samples: 603037599 603037631 603037649 603037656 603037664 603037680 603037698

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	98		
1,2-Dichloroethane-d4 (S)	%	109		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603085903 603085911

Parameter	Units	603037599	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	8.849	88.5	9.411	94.1	6	
Benzene	ug/l	0	10	11.35	114	11.80	118	4	
Trichloroethene	ug/l	0	10	10.54	105	10.75	108	2	
Toluene	ug/l	0	10	8.266	82.7	8.657	86.6	5	
Chlorobenzene	ug/l	0	10	11.10	111	11.24	112	1	
Toluene-d8 (S)					86		87		
Dibromofluoromethane (S)					108		109		
4-Bromofluorobenzene (S)					118		118		
1,2-Dichloroethane-d4 (S)					114		120		

LABORATORY CONTROL SAMPLE & LCSD: 603050394 603050402

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	10.66	107	10.89	109	2	
Vinyl Chloride	ug/l	10	10.98	110	10.65	107	3	
Bromomethane	ug/l	10	10.59	106	10.95	109	3	
Chloroethane	ug/l	10	12.10	121	11.74	117	3	
Trichlorofluoromethane	ug/l	10	11.30	113	11.22	112	1	
Methylene Chloride	ug/l	10	10.30	103	10.38	104	1	
1,1-Dichloroethene	ug/l	10	10.40	104	10.33	103	1	
trans-1,2-Dichloroethene	ug/l	10	10.44	104	10.27	103	1	
1,1-Dichloroethane	ug/l	10	11.00	110	10.82	108	2	
cis-1,2-Dichloroethene	ug/l	10	10.07	101	10.07	101	0	
Chloroform	ug/l	10	10.67	107	10.53	105	2	
1,1,1-Trichloroethane	ug/l	10	10.64	106	10.51	105	1	
Carbon Tetrachloride	ug/l	10	10.84	108	10.85	108	0	
Benzene	ug/l	10	10.64	106	10.54	105	1	
1,2-Dichloroethane	ug/l	10	11.78	118	11.44	114	3	
Trichloroethene	ug/l	10	15.04	150	14.21	142	5	1,1
1,2-Dichloropropane	ug/l	10	10.91	109	10.81	108	1	
Bromodichloromethane	ug/l	10	10.92	109	10.86	109	0	
Toluene	ug/l	10	10.56	106	10.39	104	2	
1,1,2-Trichloroethane	ug/l	10	10.60	106	10.55	105	1	
Tetrachloroethene	ug/l	10	9.886	98.9	10.03	100	1	
Dibromochloromethane	ug/l	10	10.84	108	10.93	109	1	
Chlorobenzene	ug/l	10	11.04	110	10.40	104	6	
Ethylbenzene	ug/l	10	10.69	107	10.23	102	5	
Bromoform	ug/l	10	12.01	120	12.22	122	2	
1,1,2,2-Tetrachloroethane	ug/l	10	4.957	49.6	5.901	59.0	17	2,3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603050394 603050402

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
1,3-Dichlorobenzene	ug/l	10	10.36	104	10.46	105	1	
1,4-Dichlorobenzene	ug/l	10	10.21	102	10.50	105	3	
1,2-Dichlorobenzene	ug/l	10	10.64	106	10.69	107	1	
cis-1,3-Dichloropropene	ug/l	10	8.991	89.9	9.813	98.1	9	
trans-1,3-Dichloropropene	ug/l	10	8.797	88.0	9.370	93.7	6	
M&P-Xylene	ug/l	20	21.02	105	20.36	102	3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.83	108	10.19	102	6	
Toluene-d8 (S)				101		101		
Dibromofluoromethane (S)				87		88		
4-Bromofluorobenzene (S)				115		111		
1,2-Dichloroethane-d4 (S)				110		111		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035988
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 140%.
[2]	The recovery is below laboratory established control limits of 58%.
[3]	The RPD exceeds laboratory established control limits of 14%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

ace Analytical Services, Inc.

y-359
OA104

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/10/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60-35988
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS
1	NIC-GPW-GP05C-02-17-111099 (3) PV	9:04	Water	60-3037557	3					X	X	
2	NIC-GPW-GP05C-02-29-111099	9:17	Water	60-3037565	3					X	X	
3	NIC-GPW-GP05C-01-20-111099	9:43	Water	60-3037573	3					X	X	
4	NIC-GPW-GP05C-01-31-111099	10:22	Water	60-3032587	3					X	X	
5	NIC-GPW-GP02C-03-17-111099 (6) PV	11:10	Water	60-3032599	6					X	X	MS/MSD
6	NIC-GPW-GP02C-03-38-111099 (3) PV	11:22	Water	60-3037607	3					X	X	
7	NIC-GPW-GP02C-03Q1-38-111099	11:22	Water	60-3037619	3					X	X	
8	NIC-GPW-GP02C-03N-38-111099	11:30	Water	60-3037623	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-B	Frank Winslow	ASAP	11/12/99	16:00
		Penny Dulley	11/13/99	1020

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request 0-A104

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/10/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	Lo 3598-8
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS
1	NIC-GPW-GP05C-02M-111099 (3)BV	8:00	Water	Lo-3037631	3					X	X	
2	NIC-GPW-GP04G-02-17-111099	13:00	Water	Lo-3037645	3					X	X	
3	NIC-GPW-GP04G-02-26-111099	13:10	Water	Lo-3037650	3					X	X	
4	NIC-GPW-GP04G-01-17-111099 (3)BV	13:38	Water	Lo-3037667	3					X	X	
5	NIC-GPW-GP04G-01-35-111099	13:48	Water	Lo-3037673	3					X	X	
6	NIC-GPW-GP04E-03-17-111099	14:30	Water	Lo-3037686	3					X	X	
7	NIC-GPW-GP04E-03-38-111099	14:43	Water	Lo-3037698	3					X	X	
8	NIC-GPW-GP03B-03-17-111099	15:45	Water	Lo-3037706	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

* Labels are 46-01-17 & 46-02-26 incorrect - COC is correct - per client AFH 11-15-99

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	11/12/99	16:00
		Penny Dalley	11/13/99	1020

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD 0-344

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/10/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6035988
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank Winslow for AF

ITEM NO	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP03B-03-35-111099	16:03	Water	60-303714	3					X	X													

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1	Frank Winslow	ASAP	11/12/99	16:00
		Penny Dudley	11/13/99	1020

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Received by Todd Burgesser 12/13/99

December 07, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s) received on November 13, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/07/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor
SDG Number: 6035989B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603037748	NIC-GPW-GP03B-07P-111199	EPA 8260	73754		
603037755	NIC-GPW-GP03B-07-20-111199	EPA 8260	73754		
603037763	NIC-GPW-GP03B-07-28-111199	EPA 8260	73754		
603037771	NIC-GPW-GP02H-06-17-111199	EPA 8260	73754		
603037789	NIC-GPW-GP02H-06-27-111199	EPA 8260	73754		
603037797	NIC-GPW-GP02H-07-17-111199	EPA 8260	73754		
603037805	NIC-GPW-GP02H-07-28-111199	EPA 8260	73754		
603037813	NIC-GPW-GP02H-08-17-111199	EPA 8260	73754		
603037821	NIC-GPW-GP02H-08-38-111199	EPA 8260	73754		
603037839	NIC-GPW-GP02H-09-17-111199	EPA 8260	73754		
603037847	NIC-GPW-GP02H-09-35-111199	EPA 8260	73754		
603037854	NIC-GPW-GP03D-03-17-111199	EPA 8260	73754		
603037862	NIC-GPW-GP03D-03-32-111199	EPA 8260	73754		
603037870	NIC-GPW-GP03D-03Q1-32-111199	EPA 8260	73754		
603037896	NIC-GPW-GP03D-03N-32-111199	EPA 8260	73754		
603037904	NIC-GPW-GP02E-05-17-111199	EPA 8260	73754		
603037912	NIC-GPW-GP02E-05-29-111199	EPA 8260	73754		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/07/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor
SDG Number: 6035989B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603037748 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-07P-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/23/99	DJE	74-87-3	
Vinyl Chloride	10	ug/l	1	11/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/23/99	DJE	75-69-4	
Methylene Chloride	31	ug/l	1	11/23/99	DJE	75-09-2	
1,1-Dichloroethene	15	ug/l	1	11/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	39	ug/l	1	11/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	45	ug/l	1	11/23/99	DJE	156-59-2	1
Chloroform	ND	ug/l	1	11/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	56	ug/l	1	11/23/99	DJE	71-55-6	1
Carbon Tetrachloride	45	ug/l	1	11/23/99	DJE	56-23-5	1
Benzene	24	ug/l	1	11/23/99	DJE	71-43-2	
1,2-Dichloroethane	47	ug/l	1	11/23/99	DJE	107-06-2	1
Trichloroethene	36	ug/l	1	11/23/99	DJE	79-01-6	
1,2-Dichloropropane	29	ug/l	1	11/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/23/99	DJE	75-27-4	
Toluene	22	ug/l	1	11/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	47	ug/l	1	11/23/99	DJE	79-00-5	1
Tetrachloroethene	30	ug/l	1	11/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/23/99	DJE	124-48-1	
Chlorobenzene	31	ug/l	1	11/23/99	DJE	108-90-7	
Ethylbenzene	33	ug/l	1	11/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	DJE	79-34-5	

LAB Q
EDM Q
E
E
E
E
E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037748 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-07P-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	28	ug/l	1	11/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	55	ug/l	1	11/23/99	DJE	95-50-1	1
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-02-6	
M&P-Xylene	79	ug/l	1.3	11/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	31	ug/l	1.1	11/23/99	DJE	95-47-6	
Toluene-d8 (S)	100	%		11/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		11/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		11/23/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	118	%		11/23/99	DJE	17060-07-0	

LAB
EDM
Q
E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037755 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-07-20-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	4.6	ug/l	1	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2	
Trichloroethene	17	ug/l	1	11/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	93	%		11/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037755 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-07-20-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/07/99

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037763 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-07-28-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1.7	11/24/99	DJE	74-87-3	2
Vinyl Chloride	ND	ug/l	1.7	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1.7	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1.7	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1.7	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1.7	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1.7	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1.7	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1.7	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	6.0	ug/l	1.7	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1.7	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1.7	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1.7	11/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1.7	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1.7	11/24/99	DJE	107-06-2	
Trichloroethene	43	ug/l	1.7	11/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1.7	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1.7	11/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1.7	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1.7	11/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1.7	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1.7	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1.7	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1.7	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1.7	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1.7	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1.7	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1.7	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1.7	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1.7	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1.7	11/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	2.2	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.8	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	94	%		11/24/99	DJE	460-00-4	

Lab & CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037763 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-07-28-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037771 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-06-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/23/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/23/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/23/99	DJE	107-06-2	
Trichloroethene	5.8	ug/l	1	11/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/23/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		11/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		11/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		11/23/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037771 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-06-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		11/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037789 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-06-27-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	1.4	ug/l	1	11/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/23/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/23/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/23/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/23/99	DJE	95-47-6	
Toluene-d8 (S)	94	%		11/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		11/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	92	%		11/23/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037789 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-06-27-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		11/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037797 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-07-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/23/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/23/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/23/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/23/99	DJE	95-47-6	
Toluene-d8 (S)	91	%		11/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		11/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	93	%		11/23/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037797 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-07-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	125	%		11/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037805 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-07-28-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/23/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/23/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/23/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/23/99	DJE	95-47-6	
Toluene-d8 (S)	95	%		11/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		11/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	92	%		11/23/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037805 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-07-28-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		11/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037813 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-08-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2	
Trichloroethene	4.1	ug/l	1	11/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5	
Tetrachloroethene	2.7	ug/l	1	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	94	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	90	%		11/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037813 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-08-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037821 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-08-38-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	93	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	93	%		11/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037821 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-08-38-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037839 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-09-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles								LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	1	11/24/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	11/24/99	DJE	75-35-4			
trans-1,2-Dichloroethene	2.0	ug/l	1	11/24/99	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3			
cis-1,2-Dichloroethene	43	ug/l	20	11/24/99	DJE	156-59-2	3	D	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2			
Trichloroethene	370	ug/l	20	11/24/99	DJE	79-01-6	3	D	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5			
Tetrachloroethene	3.9	ug/l	1	11/24/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6			
Toluene-d8 (S)	96	%		11/24/99	DJE	2037-26-5			
Dibromofluoromethane (S)	102	%		11/24/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	93	%		11/24/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037839 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-09-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	124	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037847 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-09-35-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2	
Trichloroethene	14	ug/l	1	11/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	94	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	90	%		11/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037847 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02H-09-35-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	123	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037854 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-03-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.3	ug/l	1	11/24/99	DJE	74-87-3	
Vinyl Chloride	1.1	ug/l	1	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	1.4	ug/l	1	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5	
Benzene	1.4	ug/l	1	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4	
Toluene	1.3	ug/l	1	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6	
M&P-Xylene	5.7	ug/l	1.3	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	105	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	91	%		11/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037854 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-03-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	146	%		11/24/99	DJE	17060-07-0	4

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037862 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-03-32-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3	
Vinyl Chloride	1.3	ug/l	1	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	1.6	ug/l	1	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	2.4	ug/l	1	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	29	ug/l	1	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2	
Trichloroethene	160	ug/l	5	11/24/99	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	92	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/24/99	DJE	460-00-4	

LAO Q

COM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037862 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-03-32-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	130	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037870 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-03Q1-32-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3	
Vinyl Chloride	1.5	ug/l	1	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	1.8	ug/l	1	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	2.2	ug/l	1	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	30	ug/l	1	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2	
Trichloroethene	160	ug/l	10	11/24/99	DJE	79-01-6	6
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	93	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	91	%		11/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037870 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-03Q1-32-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037896 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-03N-32-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	11/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	81	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	90	%		11/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037896 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-03N-32-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037904 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-05-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2	
Trichloroethene	2.7	ug/l	1	11/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6	
Toluene-d8 (S)	87	%		11/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		11/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	91	%		11/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037904 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-05-17-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037912 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-05-29-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	11/24/99	DJE	74-87-3			
Vinyl Chloride	1.6	ug/l	1	11/24/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	11/24/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	11/24/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	11/24/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	11/24/99	DJE	75-09-2			
1,1-Dichloroethene	1.5	ug/l	1	11/24/99	DJE	75-35-4			
trans-1,2-Dichloroethene	3.9	ug/l	1	11/24/99	DJE	156-60-5			
1,1-Dichloroethane	1.5	ug/l	1	11/24/99	DJE	75-34-3			
cis-1,2-Dichloroethene	52	ug/l	10	11/24/99	DJE	156-59-2	7	D	H
Chloroform	ND	ug/l	1	11/24/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	11/24/99	DJE	56-23-5			
Benzene	ND	ug/l	1	11/24/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	11/24/99	DJE	107-06-2		D	H
Trichloroethene	230	ug/l	10	11/24/99	DJE	79-01-6	7		
1,2-Dichloropropane	ND	ug/l	1	11/24/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	11/24/99	DJE	75-27-4			
Toluene	ND	ug/l	1	11/24/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	11/24/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	11/24/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	11/24/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	11/24/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	11/24/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	11/24/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	DJE	95-47-6			
Toluene-d8 (S)	93	%		11/24/99	DJE	2037-26-5			
Dibromofluoromethane (S)	104	%		11/24/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	93	%		11/24/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603037912 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-05-29-111199 Date Received: 11/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	132	%		11/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[2]	This sample was not analyzed straight due to the presence of sediment in the vial.
[3]	The value for this analyte was determined from a secondary dilution of 1:20 on 11/24/99.
[4]	The recovery exceeds laboratory established control limits of 135%.
[5]	The value for this analyte was determined from a secondary dilution of 1:5 on 11/24/99.
[6]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/24/99.
[7]	The value for this analyte was determined from a secondary dilution of 1:10 on 11/26/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor
SDG Number: 6035989B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73754
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603037748 603037755 603037763 603037771 603037789 603037797 603037805 603037813 603037821 603037839 603037847 603037854 603037862 603037870 603037896 603037904 603037912

METHOD BLANK: 603051129
Associated Pace Samples:
603037748 603037755 603037763 603037771 603037789 603037797 603037805

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603051129
Associated Pace Samples:
603037748 603037755 603037763 603037771 603037789 603037797 603037805

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	91		
1,2-Dichloroethane-d4 (S)	%	111		

METHOD BLANK: 603072133
Associated Pace Samples:
603037813 603037821 603037839 603037847 603037854 603037862 603037870
603037896 603037904

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603072133
Associated Pace Samples:
603037813 603037821 603037839 603037847 603037854 603037862 603037870
603037896 603037904

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	92		
1,2-Dichloroethane-d4 (S)	%	117		

METHOD BLANK: 603072141
Associated Pace Samples:
603037912

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603072141
Associated Pace Samples:
603037912

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	100		
4-Bromofluorobenzene (S)	%	92		
1,2-Dichloroethane-d4 (S)	%	120		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603051137 603051145

Parameter	Units	603037862	Spike Conc.	Matrix Spike Result	Matrix Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	1.590	10	10.38	87.9	11.53	99.4	12	
Benzene	ug/l	0	10	11.86	119	12.29	123	4	
Trichloroethene	ug/l	163.5	10	207.3	438	234.5	710	47	1,1
Toluene	ug/l	0	10	8.636	86.4	9.354	93.5	8	
Chlorobenzene	ug/l	0	10	9.358	93.6	9.681	96.8	3	
Toluene-d8 (S)					93		96		
Dibromofluoromethane (S)					103		103		
4-Bromofluorobenzene (S)					92		94		
1,2-Dichloroethane-d4 (S)					138		136		

LABORATORY CONTROL SAMPLE: 603051152

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	7.673	76.7	
Vinyl Chloride	ug/l	10	8.937	89.4	
Bromomethane	ug/l	10	12.86	129	
Chloroethane	ug/l	10	10.14	101	
Trichlorofluoromethane	ug/l	10	14.33	143	
Methylene Chloride	ug/l	10	9.584	95.8	
1,1-Dichloroethene	ug/l	10	10.32	103	
trans-1,2-Dichloroethene	ug/l	10	10.45	105	
1,1-Dichloroethane	ug/l	10	11.59	116	
cis-1,2-Dichloroethene	ug/l	10	9.499	95.0	
Chloroform	ug/l	10	11.27	113	
1,1,1-Trichloroethane	ug/l	10	12.35	124	
Carbon Tetrachloride	ug/l	10	14.58	146	2
Benzene	ug/l	10	10.76	108	
1,2-Dichloroethane	ug/l	10	11.83	118	
Trichloroethene	ug/l	10	11.59	116	
1,2-Dichloropropane	ug/l	10	11.82	118	
Bromodichloromethane	ug/l	10	11.59	116	
Toluene	ug/l	10	10.76	108	
1,1,2-Trichloroethane	ug/l	10	9.076	90.8	
Tetrachloroethene	ug/l	10	10.73	107	
Dibromochloromethane	ug/l	10	9.735	97.4	
Chlorobenzene	ug/l	10	9.008	90.1	
Ethylbenzene	ug/l	10	9.484	94.8	
Bromoform	ug/l	10	10.02	100	
1,1,2,2-Tetrachloroethane	ug/l	10	9.550	95.5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603051152

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/l	10	9.618	96.2	
1,4-Dichlorobenzene	ug/l	10	9.330	93.3	
1,2-Dichlorobenzene	ug/l	10	9.947	99.5	
cis-1,3-Dichloropropene	ug/l	10	11.84	118	
trans-1,3-Dichloropropene	ug/l	10	10.67	107	
M&P-Xylene	ug/l	20	18.17	90.8	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.249	92.5	
Toluene-d8 (S)				101	
Dibromofluoromethane (S)				99	
4-Bromofluorobenzene (S)				96	
1,2-Dichloroethane-d4 (S)				123	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6035989
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	Due to high analyte concentration the matrix spike and/or matrix spike duplicate do not provide reliable recovery data.
[2]	The recovery exceeds laboratory established control limits of 141%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD 0-344 6-5118

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/11/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60359859
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS
1	NIC-GPW-GP03B-07P-111199 (2)PV *	8:30	Water	60-3037416	2					X	X	3227-3X
2	NIC-GPW-GP03B-07-20-111199 (3)PV	8:44	Water	60-3037755	3					X	X	
3	NIC-GPW-GP03B-07-28-111199	8:53	Water	60-3037763	3					X	X	
4	NIC-GPW-GP02H-06-17-111199	9:57	Water	60-3037771	3					X	X	
5	NIC-GPW-GP02H-06-27-111199	10:04	Water	60-3037789	3					X	X	
6	NIC-GPW-GP02H-07-17-111199	10:30	Water	60-3037797	3					X	X	
7	NIC-GPW-GP03B-07-28-111199 *	10:40	Water	60-3037805	3					X	X	
8	NIC-GPW-GP02H-08-17-111199 (3)PV	11:25	Water	60-3037813	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

Item 7 - Label is correct 03H-07-28-
COC is incorrect per client
11-15-99
AFH

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-B	Frank Winslow	ASAP	11/12/99	16:00
		Penny Dalley	11/13/99	1020

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD G-5118 G-319

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	6035989
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	11/11/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		VOCs 8260													
1	NIC-GPW-GP02H-08-38-111199 (3)PV	11:41	Water	60-303782[illegible]	3					X		X													
2	NIC-GPW-GP02H-09-17-111199	13:04	Water	60-303783[illegible]	3					X		X													
3	NIC-GPW-GP02H-09-35-111199	13:15	Water	60-303784[illegible]	3					X		X													
4	NIC-GPW-GP03D-03-17-111199	13:53	Water	60-303785[illegible]	3					X		X													Fuel Odor
5	NIC-GPW-GP03D-03-32-111199 (6)PV	14:08	Water	60-303786[illegible]	6					X		X													
6	NIC-GPW-GP03D-03Q1-32-111199 (3)PV	14:08	Water	60-303787[illegible]	3					X		X													MS/MSD
7	NIC-GPW-GP03D-03N-32-111199	14:20	Water	60-303788[illegible]	3					X		X													
8	NIC-GPW-GP02E-05-17-111199	14:50	Water	60-303789[illegible]	3					X		X													

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-B	Frank Winslow	ASAP	11/12/99	16:00
		Penny Dulley	11/13/99	10:20

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

G-319

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	60359891
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	11/11/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		VOCs 8260													
1	NIC-GPW-GP02E-05-29-111199	15:16	Water	60-303791.2	3					X		X													
2																									
3																									
4																									
5																									
6																									
7																									
8																									

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1	Frank Winslow	ASAP	11/12/99	16:00
		Penny Dalley	11/13/99	1020

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Received
12/17/99

December 15, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on November 17, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/15/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603045261	NIC-GPW-GP02E-07-17-111199	EPA 8260	73874		
603045279	NIC-GPW-GP02E-07M-111299	EPA 8260	73874		
603045287	NIC-GPW-GP02E-07-25-111299	EPA 8260	73874		
603045295	NIC-GPW-GP02E-08-17-111299	EPA 8260	73874		
603045303	NIC-GPW-GP02E-08-26-111299	EPA 8260	73874		
603045360	NIC-GPW-GP03B-05-17-111299	EPA 8260	73874		
603045402	NIC-GPW-GP03B-05-28-111299	EPA 8260	73874		
603045410	NIC-GPW-GP03B-06-23-111299	EPA 8260	73874		
603045527	NIC-GPW-GP03B-06-29-111299	EPA 8260	73874		
603045535	NIC-GPW-GP03C-03-17-111299	EPA 8260	73874		
603045543	NIC-GPW-GP03C-03-27-111299	EPA 8260	73874		
603045550	NIC-GPW-GP03C-04-17-111299	EPA 8260	73874		
603045568	NIC-GPW-GP03C-04-27-111299	EPA 8260	73874		
603045576	NIC-GPW-GP03C-06-20-111299	EPA 8260	73874		
603045725	NIC-GPW-GP03C-07-20-111299	EPA 8260	73874		
603045584	NIC-GPW-GP03C-06-35-111299	EPA 8260	73930		
603045733	NIC-GPW-GP03C-07-34-111299	EPA 8260	73930		
603045741	NIC-GPW-GP03C-07-Q1-34-111299	EPA 8260	73930		
603045758	NIC-GPW-GP03C-07N-34-111299	EPA 8260	73930		
603045766	NIC-GPW-GP03C-07P-111299	EPA 8260	73930		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/15/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603045261 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-07-17-111199 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	5.1	ug/l	1	11/24/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	51	ug/l	1	11/24/99	NLA	79-01-6	1 E
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045261 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-07-17-111199 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	89	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	108	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	99	%		11/24/99	NLA	460-00-4	
1,2-Dichloroethane-d4 (S)	119	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045279 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-07M-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/24/99	NLA	156-59-2	
Chloroform	1.6	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	11/24/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	99	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	109	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	95	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045279 Date Collected: 11/11/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-07M-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	118	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045287 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-07-25-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	6.2	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	4.3	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	6.7	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	3.9	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	74	ug/l	25	11/24/99	NLA	156-59-2	2 D
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	540	ug/l	25	11/24/99	NLA	79-01-6	2 D
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	1.7	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	88	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	110	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045287 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-07-25-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045295 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-08-17-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.7	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	14	ug/l	1	11/24/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	110	ug/l	1	11/24/99	NLA	79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	90	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	111	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045295 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-08-17-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045303 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-08-26-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/24/99	NLA	74-87-3	
Vinyl Chloride	3.2	ug/l	1	11/24/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/24/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/24/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/24/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/24/99	NLA	75-09-2	
1,1-Dichloroethene	2.5	ug/l	1	11/24/99	NLA	75-35-4	
trans-1,2-Dichloroethene	3.8	ug/l	1	11/24/99	NLA	156-60-5	
1,1-Dichloroethane	1.9	ug/l	1	11/24/99	NLA	75-34-3	
cis-1,2-Dichloroethene	48	ug/l	10	11/24/99	NLA	156-59-2	4 D
Chloroform	ND	ug/l	1	11/24/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/24/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/24/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/24/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/24/99	NLA	107-06-2	
Trichloroethene	350	ug/l	10	11/24/99	NLA	79-01-6	4 D
1,2-Dichloropropane	ND	ug/l	1	11/24/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/24/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/24/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/24/99	NLA	79-00-5	
Tetrachloroethene	1.2	ug/l	1	11/24/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/24/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/24/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/24/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/24/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/24/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/24/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/24/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/24/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/24/99	NLA	95-47-6	
Toluene-d8 (S)	86	%		11/24/99	NLA	2037-26-5	
Dibromofluoromethane (S)	111	%		11/24/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	93	%		11/24/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045303 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02E-08-26-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/24/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045360 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-05-17-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	11/25/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	86	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	108	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	97	%		11/25/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045360 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-05-17-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		11/25/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045402 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-05-28-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	12	ug/l	1	11/25/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	79	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	110	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/25/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045402 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-05-28-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		11/25/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045410 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-06-23-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.1	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	15	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	110	ug/l	5	11/25/99	NLA	79-01-6	5 E
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	81	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	109	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	93	%		11/25/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045410 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-06-23-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		11/25/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045527 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-06-29-111299 Date Received: 11/17/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	1.5	ug/l	1	11/25/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	87	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	83	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	87	%		11/25/99	NLA	460-00-4	



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045527 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03B-06-29-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		11/25/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045535 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-03-17-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	2.0	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	2.4	ug/l	1	11/25/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	82	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	110	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/25/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045535 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-03-17-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		11/25/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045543 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-03-27-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	6.0	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	1.3	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.2	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	27	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	64	ug/l	2	11/25/99	NLA	79-01-6	7
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	84	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	111	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	101	%		11/25/99	NLA	460-00-4	

TB ED

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045543 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-03-27-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/25/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045550 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-04-17-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	1.0	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	9.2	ug/l	1	11/25/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	88	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	107	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	98	%		11/25/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045550 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-04-17-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
1,2-Dichloroethane-d4 (S)	152	%		11/25/99	NLA	17060-07-0	8	S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045568 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-04-27-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	6.8	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	3.2	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	2.3	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	1.8	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	31	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	120	ug/l	5	11/25/99	NLA	79-01-6	5 D
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	82	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	111	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	96	%		11/25/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045568 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-04-27-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/25/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045576 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-06-20-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	2.5	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	17	ug/l	1	11/25/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	80	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	110	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	97	%		11/25/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045576 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-06-20-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/25/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045584 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-06-35-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/29/99	NLA	74-87-3		
Vinyl Chloride	16	ug/l	1	11/29/99	NLA	75-01-4		
Bromomethane	ND	ug/l	1	11/29/99	NLA	74-83-9		
Chloroethane	ND	ug/l	1	11/29/99	NLA	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/29/99	NLA	75-69-4		
Methylene Chloride	ND	ug/l	1	11/29/99	NLA	75-09-2		
1,1-Dichloroethene	6.7	ug/l	1	11/29/99	NLA	75-35-4		
trans-1,2-Dichloroethene	1.6	ug/l	1	11/29/99	NLA	156-60-5		
1,1-Dichloroethane	3.1	ug/l	1	11/29/99	NLA	75-34-3		
cis-1,2-Dichloroethene	58	ug/l	10	11/29/99	NLA	156-59-2	9	D
Chloroform	ND	ug/l	1	11/29/99	NLA	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	11/29/99	NLA	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/29/99	NLA	56-23-5		
Benzene	ND	ug/l	1	11/29/99	NLA	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/29/99	NLA	107-06-2		
Trichloroethene	120	ug/l	10	11/29/99	NLA	79-01-6	9	D
1,2-Dichloropropane	ND	ug/l	1	11/29/99	NLA	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/29/99	NLA	75-27-4		
Toluene	ND	ug/l	1	11/29/99	NLA	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/29/99	NLA	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/29/99	NLA	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/29/99	NLA	124-48-1		
Chlorobenzene	ND	ug/l	1	11/29/99	NLA	108-90-7		
Ethylbenzene	ND	ug/l	1	11/29/99	NLA	100-41-4		
Bromoform	ND	ug/l	1	11/29/99	NLA	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/29/99	NLA	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/29/99	NLA			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/29/99	NLA	95-47-6		
Toluene-d8 (S)	83	%		11/29/99	NLA	2037-26-5		
Dibromofluoromethane (S)	110	%		11/29/99	NLA	1868-53-7		
4-Bromofluorobenzene (S)	95	%		11/29/99	NLA	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045584 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-06-35-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		11/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045725 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07-20-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/25/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/25/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/25/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/25/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/25/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/25/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/25/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/25/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/25/99	NLA	75-34-3	
cis-1,2-Dichloroethene	4.1	ug/l	1	11/25/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/25/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/25/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/25/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/25/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/25/99	NLA	107-06-2	
Trichloroethene	14	ug/l	1	11/25/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/25/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/25/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/25/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/25/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/25/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/25/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/25/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/25/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/25/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/25/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/25/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/25/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/25/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/25/99	NLA	95-47-6	
Toluene-d8 (S)	94	%		11/25/99	NLA	2037-26-5	
Dibromofluoromethane (S)	111	%		11/25/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	93	%		11/25/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045725 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07-20-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		11/25/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045733 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07-34-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/29/99	NLA	74-87-3		
Vinyl Chloride	12	ug/l	1	11/29/99	NLA	75-01-4		
Bromomethane	ND	ug/l	1	11/29/99	NLA	74-83-9		
Chloroethane	ND	ug/l	1	11/29/99	NLA	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/29/99	NLA	75-69-4		
Methylene Chloride	ND	ug/l	1	11/29/99	NLA	75-09-2		
1,1-Dichloroethene	4.5	ug/l	1	11/29/99	NLA	75-35-4		
trans-1,2-Dichloroethene	2.3	ug/l	1	11/29/99	NLA	156-60-5		
1,1-Dichloroethane	2.4	ug/l	1	11/29/99	NLA	75-34-3		
cis-1,2-Dichloroethene	43	ug/l	10	11/29/99	NLA	156-59-2	10	D
Chloroform	ND	ug/l	1	11/29/99	NLA	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	11/29/99	NLA	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/29/99	NLA	56-23-5		
Benzene	ND	ug/l	1	11/29/99	NLA	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/29/99	NLA	107-06-2		
Trichloroethene	130	ug/l	10	11/29/99	NLA	79-01-6	10	D
1,2-Dichloropropane	ND	ug/l	1	11/29/99	NLA	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/29/99	NLA	75-27-4		
Toluene	ND	ug/l	1	11/29/99	NLA	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/29/99	NLA	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/29/99	NLA	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/29/99	NLA	124-48-1		
Chlorobenzene	ND	ug/l	1	11/29/99	NLA	108-90-7		
Ethylbenzene	ND	ug/l	1	11/29/99	NLA	100-41-4		
Bromoform	ND	ug/l	1	11/29/99	NLA	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/29/99	NLA	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/29/99	NLA			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/29/99	NLA	95-47-6		
Toluene-d8 (S)	81	%		11/29/99	NLA	2037-26-5		
Dibromofluoromethane (S)	110	%		11/29/99	NLA	1868-53-7		
4-Bromofluorobenzene (S)	97	%		11/29/99	NLA	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045733 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07-34-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		11/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045741 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07-Q1-34-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	11/29/99	NLA	74-87-3		
Vinyl Chloride	12	ug/l	1	11/29/99	NLA	75-01-4		
Bromomethane	ND	ug/l	1	11/29/99	NLA	74-83-9		
Chloroethane	ND	ug/l	1	11/29/99	NLA	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	11/29/99	NLA	75-69-4		
Methylene Chloride	ND	ug/l	1	11/29/99	NLA	75-09-2		
1,1-Dichloroethene	5.0	ug/l	1	11/29/99	NLA	75-35-4		
trans-1,2-Dichloroethene	2.1	ug/l	1	11/29/99	NLA	156-60-5		
1,1-Dichloroethane	2.4	ug/l	1	11/29/99	NLA	75-34-3		
cis-1,2-Dichloroethene	47	ug/l	10	11/29/99	NLA	156-59-2	10	D
Chloroform	ND	ug/l	1	11/29/99	NLA	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	11/29/99	NLA	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	11/29/99	NLA	56-23-5		
Benzene	ND	ug/l	1	11/29/99	NLA	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	11/29/99	NLA	107-06-2		
Trichloroethene	160	ug/l	10	11/29/99	NLA	79-01-6	10	D
1,2-Dichloropropane	ND	ug/l	1	11/29/99	NLA	78-87-5		
Bromodichloromethane	ND	ug/l	1	11/29/99	NLA	75-27-4		
Toluene	ND	ug/l	1	11/29/99	NLA	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	11/29/99	NLA	79-00-5		
Tetrachloroethene	ND	ug/l	1	11/29/99	NLA	127-18-4		
Dibromochloromethane	ND	ug/l	1	11/29/99	NLA	124-48-1		
Chlorobenzene	ND	ug/l	1	11/29/99	NLA	108-90-7		
Ethylbenzene	ND	ug/l	1	11/29/99	NLA	100-41-4		
Bromoform	ND	ug/l	1	11/29/99	NLA	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/29/99	NLA	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	11/29/99	NLA			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/29/99	NLA	95-47-6		
Toluene-d8 (S)	76	%		11/29/99	NLA	2037-26-5		
Dibromofluoromethane (S)	110	%		11/29/99	NLA	1868-53-7		
4-Bromofluorobenzene (S)	94	%		11/29/99	NLA	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045741 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07-Q1-34-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		11/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045758 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07N-34-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/29/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	11/29/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/29/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/29/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/29/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	11/29/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	11/29/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	11/29/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/29/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	11/29/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/29/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	11/29/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	11/29/99	NLA	56-23-5	
Benzene	ND	ug/l	1	11/29/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	11/29/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	11/29/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	11/29/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/29/99	NLA	75-27-4	
Toluene	ND	ug/l	1	11/29/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	11/29/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	11/29/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/29/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	11/29/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	11/29/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/29/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/29/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	11/29/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	11/29/99	NLA	95-47-6	
Toluene-d8 (S)	80	%		11/29/99	NLA	2037-26-5	
Dibromofluoromethane (S)	108	%		11/29/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	95	%		11/29/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045758 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07N-34-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		11/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045766 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07P-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	11/29/99	NLA	74-87-3	
Vinyl Chloride	12	ug/l	1	11/29/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	11/29/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	11/29/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	11/29/99	NLA	75-69-4	
Methylene Chloride	41	ug/l	1	11/29/99	NLA	75-09-2	3 D E
1,1-Dichloroethene	27	ug/l	1	11/29/99	NLA	75-35-4	
trans-1,2-Dichloroethene	20	ug/l	1	11/29/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	11/29/99	NLA	75-34-3	
cis-1,2-Dichloroethene	22	ug/l	1	11/29/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	11/29/99	NLA	67-66-3	
1,1,1-Trichloroethane	9.4	ug/l	1	11/29/99	NLA	71-55-6	
Carbon Tetrachloride	52	ug/l	1	11/29/99	NLA	56-23-5	3 D E
Benzene	42	ug/l	1	11/29/99	NLA	71-43-2	3 D E
1,2-Dichloroethane	27	ug/l	1	11/29/99	NLA	107-06-2	
Trichloroethene	20	ug/l	1	11/29/99	NLA	79-01-6	
1,2-Dichloropropane	33	ug/l	1	11/29/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	11/29/99	NLA	75-27-4	
Toluene	8.8	ug/l	1	11/29/99	NLA	108-88-3	
1,1,2-Trichloroethane	21	ug/l	1	11/29/99	NLA	79-00-5	
Tetrachloroethene	13	ug/l	1	11/29/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	11/29/99	NLA	124-48-1	
Chlorobenzene	48	ug/l	1	11/29/99	NLA	108-90-7	3 D E
Ethylbenzene	18	ug/l	1	11/29/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	11/29/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	11/29/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	11/29/99	NLA	541-73-1	
1,4-Dichlorobenzene	47	ug/l	1	11/29/99	NLA	106-46-7	3 D E
1,2-Dichlorobenzene	56	ug/l	1	11/29/99	NLA	95-50-1	3 E
cis-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	11/29/99	NLA	10061-02-6	
M&P-Xylene	36	ug/l	1.3	11/29/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	37	ug/l	1.1	11/29/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		11/29/99	NLA	2037-26-5	
Dibromofluoromethane (S)	107	%		11/29/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	99	%		11/29/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603045766 Date Collected: 11/12/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-07P-111299 Date Received: 11/17/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		11/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[2]	This result is from a dilution of 1:25 on 12/8/99.
[3]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[4]	This result is from a dilution of 1:10 on 12/8/99.
[5]	This result is from a dilution of 1:5 on 12/8/99.
[6]	There were low internal standard area recoveries for the initial analysis of this sample. A reanalysis on 12/9/99 confirmed analytical results, but the internal standard area recoveries were high in the reanalysis.
[7]	This result is from a dilution of 1:2 on 12/8/99.
[8]	The recovery exceeds laboratory established control limits of 135%.
[9]	This result is from a dilution of 1:10 on 11/30/99.
[10]	This result is from a dilution of 1:10 on 12/7/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73874
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603045261 603045279 603045287 603045295 603045303 603045360 603045402 603045410 603045527 603045535 603045543 603045550 603045568 603045576 603045725

METHOD BLANK: 603058124
Associated Pace Samples:
603045261 603045279 603045287 603045295 603045303 603045360 603045402 603045410 603045527 603045535 603045543 603045550 603045568 603045576 603045725

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603058124
Associated Pace Samples:

603045261 603045279 603045287 603045295 603045303 603045360 603045402
603045410 603045527 603045535 603045543 603045550 603045568 603045576
603045725

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	114		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603058132 603058140

Parameter	Units	603045725	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	10.29	103	4.057	81.1	24	1
Benzene	ug/l	0	10	11.58	116	4.685	93.7	21	2
Trichloroethene	ug/l	13.61	10	26.63	130	10.08	-70.6	674	3
Toluene	ug/l	0	10	10.11	101	4.167	83.3	19	2
Chlorobenzene	ug/l	0	10	11.10	111	5.261	105	5	
Toluene-d8 (S)					96		96		
Dibromofluoromethane (S)					111		53		4
4-Bromofluorobenzene (S)					101		99		
1,2-Dichloroethane-d4 (S)					123		212		5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603058157 603058165

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	10.71	107	10.42	104	3	
Vinyl Chloride	ug/l	10	11.09	111	10.50	105	6	
Bromomethane	ug/l	10	10.75	107	9.645	96.4	10	
Chloroethane	ug/l	10	12.20	122	11.72	117	4	
Trichlorofluoromethane	ug/l	10	11.69	117	10.99	110	6	
Methylene Chloride	ug/l	10	10.88	109	11.19	112	3	
1,1-Dichloroethene	ug/l	10	10.75	108	10.22	102	6	
trans-1,2-Dichloroethene	ug/l	10	10.90	109	10.44	104	5	
1,1-Dichloroethane	ug/l	10	11.35	113	11.06	111	2	
cis-1,2-Dichloroethene	ug/l	10	10.47	105	10.49	105	0	
Chloroform	ug/l	10	11.33	113	11.13	111	2	
1,1,1-Trichloroethane	ug/l	10	11.11	111	10.86	109	2	
Carbon Tetrachloride	ug/l	10	11.40	114	11.00	110	4	
Benzene	ug/l	10	11.09	111	10.94	109	2	
1,2-Dichloroethane	ug/l	10	12.14	121	12.30	123	2	
Trichloroethene	ug/l	10	15.89	159	15.06	151	5	6,7
1,2-Dichloropropane	ug/l	10	11.30	113	11.47	115	2	
Bromodichloromethane	ug/l	10	11.79	118	11.78	118	0	
Toluene	ug/l	10	10.96	110	10.80	108	2	
1,1,2-Trichloroethane	ug/l	10	11.10	111	11.47	115	4	
Tetrachloroethene	ug/l	10	10.19	102	9.830	98.3	4	
Dibromochloromethane	ug/l	10	11.24	112	11.35	113	1	
Chlorobenzene	ug/l	10	10.88	109	11.45	115	5	
Ethylbenzene	ug/l	10	11.10	111	10.95	109	2	
Bromoform	ug/l	10	12.42	124	12.71	127	2	
1,1,2,2-Tetrachloroethane	ug/l	10	4.650	46.5	5.010	50.1	7	8,9
1,3-Dichlorobenzene	ug/l	10	10.74	107	10.54	105	2	
1,4-Dichlorobenzene	ug/l	10	10.85	109	10.34	103	6	
1,2-Dichlorobenzene	ug/l	10	10.99	110	11.04	110	0	
cis-1,3-Dichloropropene	ug/l	10	10.36	104	10.17	102	2	
trans-1,3-Dichloropropene	ug/l	10	9.391	93.9	9.608	96.1	2	
M&P-Xylene	ug/l	20	22.46	112	22.04	110	2	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	11.27	113	11.44	114	1	
Toluene-d8 (S)				102		101		
Dibromofluoromethane (S)				88		90		
4-Bromofluorobenzene (S)				115		118		
1,2-Dichloroethane-d4 (S)				112		113		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73930
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603045584 603045733 603045741 603045758 603045766

METHOD BLANK: 603070749
Associated Pace Samples:
603045584 603045733 603045741 603045758 603045766

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603070749
Associated Pace Samples: 603045584 603045733 603045741 603045758 603045766

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	94		
Dibromofluoromethane (S)	%	105		
4-Bromofluorobenzene (S)	%	97		
1,2-Dichloroethane-d4 (S)	%	100		

LABORATORY CONTROL SAMPLE & LCSD: 603059700 603059718

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	9.050	90.5	10.25	103	13	
Vinyl Chloride	ug/l	10	9.399	94.0	10.37	104	10	
Bromomethane	ug/l	10	9.863	98.6	10.51	105	6	
Chloroethane	ug/l	10	10.58	106	11.59	116	9	
Trichlorofluoromethane	ug/l	10	10.19	102	10.89	109	7	
Methylene Chloride	ug/l	10	10.64	106	11.04	110	4	
1,1-Dichloroethene	ug/l	10	9.473	94.7	10.30	103	8	
trans-1,2-Dichloroethene	ug/l	10	9.963	99.6	10.52	105	5	
1,1-Dichloroethane	ug/l	10	10.43	104	11.01	110	6	
cis-1,2-Dichloroethene	ug/l	10	10.04	100	10.59	106	6	
Chloroform	ug/l	10	10.60	106	11.22	112	6	
1,1,1-Trichloroethane	ug/l	10	9.874	98.7	10.56	106	7	
Carbon Tetrachloride	ug/l	10	10.16	102	10.76	108	6	
Benzene	ug/l	10	10.24	102	10.87	109	7	
1,2-Dichloroethane	ug/l	10	12.19	122	12.69	127	4	
Trichloroethene	ug/l	10	11.23	112	13.23	132	16	
1,2-Dichloropropane	ug/l	10	11.05	111	11.51	115	4	
Bromodichloromethane	ug/l	10	11.61	116	11.96	120	3	
Toluene	ug/l	10	10.04	100	10.54	105	5	
1,1,2-Trichloroethane	ug/l	10	11.61	116	11.56	116	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603059700 603059718

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Tetrachloroethene	ug/l	10	9.078	90.8	9.444	94.4	4	
Dibromochloromethane	ug/l	10	11.56	116	11.68	117	1	
Chlorobenzene	ug/l	10	10.28	103	10.73	107	4	
Ethylbenzene	ug/l	10	9.677	96.8	10.52	105	8	
Bromoform	ug/l	10	12.46	125	12.62	126	1	
1,1,2,2-Tetrachloroethane	ug/l	10	9.514	95.1	7.892	78.9	19	10
1,3-Dichlorobenzene	ug/l	10	9.947	99.5	10.38	104	4	
1,4-Dichlorobenzene	ug/l	10	9.804	98.0	10.50	105	7	
1,2-Dichlorobenzene	ug/l	10	10.39	104	10.88	109	5	
cis-1,3-Dichloropropene	ug/l	10	11.17	112	11.43	114	2	
trans-1,3-Dichloropropene	ug/l	10	10.61	106	10.85	108	2	
M&P-Xylene	ug/l	20	19.79	98.9	19.64	98.2	1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.48	105	10.34	103	2	
Toluene-d8 (S)				100		100		
Dibromofluoromethane (S)				103		100		
4-Bromofluorobenzene (S)				115		110		
1,2-Dichloroethane-d4 (S)				120		119		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036077
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 18%.
[2]	The RPD exceeds laboratory established control limits of 13%.
[3]	The recovery is below laboratory established control limits. The RPD exceeds laboratory established control limits.
[4]	Surrogate spike recovery outlier below the lower control limit.
[5]	Surrogate spike recovery outlier above the upper control limit.
[6]	LCS spike recovery outlier above the upper control limit.
[7]	LCSD spike recovery outlier above the upper control limit.
[8]	LCS spike recovery outlier below the lower control limit.
[9]	LCSD spike recovery outlier below the lower control limit.
[10]	LCS and LCSD RPD outlier above the control limit.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	603607 7
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	11/11/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP02E-07-17-111199 (3) PU	15:47	Water		3					X	X														60304 5261

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1	Frank Winslow	ASAP	11/16/99	16:00
		Penny Dillon	11/17/99	1130

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	6036077
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	11/12/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED	REMARKS
					# OF CONT	Unpreserved	*H2SO4	*HNO3	NaOH	*HCL-VOA	VOCs 8260	
1	NIC-GPW-GP02E-07M-111299 (3) pv	8:00	Water		3					X	X	60304529
2	NIC-GPW-GP02E-07-25-111299	9:10	Water		3					X	X	60304 5287
3	NIC-GPW-GP02E-08-17-111299	9:36	Water		3					X	X	60304 5295
4	NIC-GPW-GP02E-08-26-111299	9:50	Water		3					X	X	60304 5303
5	NIC-GPW-GP03B-05-17-111299	10:34	Water		3					X	X	60304 5360
6	NIC-GPW-GP03B-05-28-111299	10:40	Water		3					X	X	60304 5402
7	NIC-GPW-GP03B-06-23-111299	11:22	Water		3					X	X	60304 5410
8	NIC-GPW-GP03B-06-29-111299	11:35	Water		3					X	X	60304 5527

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	11/16/99	16:00
		Penny Dalley	11/17/99	1130

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Fatberg		
		Date Sampled:	11/12/99	Sampler Signature:	From Wis for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP03C-03-17-111299 (3)PV	12:53	Water		3					X	X														60304 5535
2	NIC-GPW-GP03C-03-27-111299	13:03	Water		3					X	X														60304 5543
3	NIC-GPW-GP03C-04-17-111299	13:40	Water		3					X	X														60304 5550
4	NIC-GPW-GP03C-04-27-111299	13:53	Water		3					X	X														60304 5568
5	NIC-GPW-GP03C-06-20-111299	14:20	Water		3					X	X														60304 5576
6	NIC-GPW-GP03C-06-35-111299	14:32	Water		3					X	X														60304 5584
7	NIC-GPW-GP03C-07-20-111299	15:02	Water		6					X	X														60 MS/MSD 3045725
8	NIC-GPW-GP03C-07-34-111299	15:19	Water		3					X	X														60304 5733

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	From Wis	ASAP	11/16/99	16:00
		Penny Dalley	11/17/99	1130

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	11/12/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP03C-07Q1-34-111299 (3) pv	15:19	Water		3					X	X													603045741
2	NIC-GPW-GP03C-07N-34-111299 (1) pv	15:32	Water		3					X	X													603045758
3	NIC-GPW-GP03C-07P-111299 (2) pv	15:35	Water		2					X	X													3226-3X GO 3045766

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-3	Frank Winslow	ASAP	11/16/99	16:00
		Penny Dalley	11/17/99	1130