Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by TB 2/17/00

December 10, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on November 18, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/10/99

CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

Attn: Mr. FRANK WINSLOW
Phone: (316)691-9940

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor
SDG Number: 6036118B

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603049362	NIC-SSS-RPB-05-0.5	EPA 3050	73869	EPA 6010	74252
603049388	NIC-SSS-RPB-04-0.5	EPA 3050	73869	EPA 6010	74252
603049404	NIC-SSS-RPB-01-0.5	EPA 3050	73869	EPA 6010	74252
603049412	NIC-SSS-RPB-02-0.5	EPA 3050	73869	EPA 6010	74252
603049420	NIC-SSS-RPB-03-0.5	EPA 3050	73869	EPA 6010	74252

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/10/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor
SDG Number: 6036118B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603049362 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-05-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010			Prep Method: EPA 3050			
Lead	90.6	mg/kg	4.9	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603049388 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-04-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050		
Lead	101	mg/kg	4.72	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603049404 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-01-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050		
Lead	357	mg/kg	4.95	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603049412 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-02-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050		
Lead	64.4	mg/kg	4.95	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603049420 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-03-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050		
Lead	112	mg/kg	4.85	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

DATE: 12/10/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor
SDG Number: 6036118B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 73869
QC Batch Method: EPA 3050
Analysis Method: EPA 6010
Analysis Description: Metals, ICP
Associated Pace Samples: 603049362 603049388 603049404 603049412 603049420

METHOD BLANK: 603057902
Associated Pace Samples:
603049362 603049388 603049404 603049412 603049420

Parameter	Units	Method Blank Result	PRL	Footnotes
Lead	mg/kg	ND	5	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603057910 603057928

Parameter	Units	603049362	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Lead	mg/kg	90.59	96.15	180.8	93.8	172.4	85.9	9	

LABORATORY CONTROL SAMPLE: 603057936

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Lead	mg/kg	98.04	93.24	95.1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/10/99
PAGE: 9

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor
SDG Number: 6036118B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603049362	NIC-SSS-RPB-05-0.5	EPA 3050	73869	EPA 6010	74252
603049388	NIC-SSS-RPB-04-0.5	EPA 3050	73869	EPA 6010	74252
603049404	NIC-SSS-RPB-01-0.5	EPA 3050	73869	EPA 6010	74252
603049412	NIC-SSS-RPB-02-0.5	EPA 3050	73869	EPA 6010	74252
603049420	NIC-SSS-RPB-03-0.5	EPA 3050	73869	EPA 6010	74252

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

December 10, 1999

Mr. FRANK WINSLOW
CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

RE: Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Dear Mr. WINSLOW:

Enclosed are the results of analyses for sample(s)received by the laboratory on November 18, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/10/99

CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor
SDG Number: 6036118B

Attn: Mr. FRANK WINSLOW
Phone: (316)691-9940

Solid results are reported on a wet weight basis

Pace Sample No: 603049362 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-05-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050		
Lead	90.6	mg/kg	4.9	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603049388 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-04-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050		
Lead	101	mg/kg	4.72	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603049404 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-01-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050		
Lead	357	mg/kg	4.95	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603049412 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-02-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050		
Lead	64.4	mg/kg	4.95	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603049420 Date Collected: 11/17/99 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-03-0.5 Date Received: 11/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Metals							
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050		
Lead	112	mg/kg	4.85	12/01/99	CAS	7439-92-1	
Date Digested				11/23/99			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor
SDG Number: 6036118B

Attn: Mr. FRANK WINSLOW
Phone: (316)691-9940

QC Batch ID: 73869
QC Batch Method: EPA 3050
Analysis Method: EPA 6010
Analysis Description: Metals, ICP
Associated Pace Samples: 603049362 603049388 603049404 603049412 603049420

METHOD BLANK: 603057902
Associated Pace Samples:
603049362 603049388 603049404 603049412 603049420

Parameter	Units	Method Blank Result	PRL	Footnotes
Lead	mg/kg	ND	5	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603057910 603057928

Parameter	Units	603049362	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Lead	mg/kg	90.59	96.15	180.8	93.8	172.4	85.9	9	

LABORATORY CONTROL SAMPLE: 603057936

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Lead	mg/kg	98.04	93.24	95.1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036118
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Page 1 of 1

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Brain Fisher
Date Sampled:	11/17/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60326118 B
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED Lead (Pb)	REMARKS
1	NIC-SSS-RPB-05-0.5 (1) GN	14:45	Soil		1	X					X	60304362
2	NIC-SSS-RPB-04-0.5	13:40	Soil		1	X					X	60304388
3	NIC-SSS-RPB-01-0.5	11:01	Soil		1	X					X	60304404
4	NIC-SSS-RPB-02-0.5	11:38	Soil		1	X					X	60304412
5	NIC-SSS-RPB-03-0.5	12:09	Soil		1	X					X	60304420

ADDITIONAL COMMENTS

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-5		ASAP	11/17/99	16:00
			11/18/99	1120

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

December 13, 1999

Received By TB

Mr. Mark Gudnason
Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

RE: Pace Project Number: 8513175
Client Project ID: 6036300

Dear Mr. Gudnason:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 3, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Teagen-Hystop for Mary Cruz

Mary Cruz
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/13/99

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

Pace Project Number: 8513175
Client Project ID: 6036300

Attn: Mr. Mark Gudnason
Phone: (913)599-5665

Solid results are reported on a wet weight basis

Pace Sample No: 851271510 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-05-20\603065079 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	14	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/03/99		75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

MEMORY TRANSMISSION REPORT

PAGE : 001
TIME : 26-OCT-2001 15:05
TEL NUMBER1: 13166342835
NAME : Camp Dresser & McKee Inc.

FILE NUMBER : 549

DATE : 26-OCT 15:01

TO : ☎1

DOCUMENT PAGES : 001

START TIME : 26-OCT 15:01

END TIME : 26-OCT 15:05

SENT PAGES : 000

STATUS : NG B0

FILE NUMBER : 549 *** TX FAILURE NOTICE ***

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271510 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-05-20\603065079 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	2.6	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	103	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	104	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	96	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271536 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-05-34\603065087 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260		
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	3.2	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	6.6	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	190	ug/l	10	12/03/99		79-01-6	1 D
Vinyl Chloride	41	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	1.8	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	81	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	105	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	104	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	103	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271544 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP021-04-17\603065095 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260		
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	ND	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	103	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	105	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	108	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271551 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP021-04-26\603065103 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	3.5	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	2.0	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	32	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	103	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	103	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	100	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271569 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-07-17\603065111 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260		
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	1.9	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	ND	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	108	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	108	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	107	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

12/13/99

DATE:

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271585 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-07-29\603065129 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	2.5	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	4.5	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	220	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	8.2	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	1.6	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	50	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	103	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	106	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	99	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271593 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-06-17\603065137 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	55	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	ND	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	104	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	108	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	105	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

12/13/99

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271601 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-06-31\603065145 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/04/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	10	12/04/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/04/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/04/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/04/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/04/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/04/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/04/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/04/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/04/99		106-46-7	
Benzene	19	ug/l	1	12/04/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/04/99		75-27-4	
Bromoform	ND	ug/l	1	12/04/99		75-25-2	
Bromomethane	ND	ug/l	1	12/04/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/04/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/04/99		108-90-7	
Chloroethane	ND	ug/l	1	12/04/99		75-00-3	
Chloroform	ND	ug/l	1	12/04/99		67-66-3	
Chloromethane	ND	ug/l	1	12/04/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/04/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/04/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/04/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/04/99		127-18-4	
Toluene	ND	ug/l	1	12/04/99		108-88-3	
Trichloroethene	110	ug/l	10	12/04/99		79-01-6	1 D
Vinyl Chloride	24	ug/l	1	12/04/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/04/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/04/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/04/99		75-69-4	
trans-1,2-Dichloroethene	1.7	ug/l	1	12/04/99		156-60-5	
cis-1,2-Dichloroethene	94	ug/l	1	12/04/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/04/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/04/99		10061-01-5	
Toluene-d8 (S)	103	%		12/04/99		2037-26-5	
4-Bromofluorobenzene (S)	106	%		12/04/99		460-00-4	
1,2-Dichloroethane-d4 (S)	99	%		12/04/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271619 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-14-17\603065152 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	2.8	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	62	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	6.1	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	101	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	105	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	98	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

12/13/99

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271627 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-14-29\603065160 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	4.1	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	3.8	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	630	ug/l	25	12/03/99		79-01-6	1
Vinyl Chloride	9.2	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	4.7	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	85	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	103	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	104	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	98	%		12/03/99		17060-07-0	

1 (1)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271635 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-05M \603065178 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	ND	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	103	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	110	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	105	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

12/13/99

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271643 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03C-05P \603065186 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	55	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	66	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	13	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	69	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	53	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	33	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	37	ug/l	1	12/03/99		106-46-7	
Benzene	26	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	57	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	47	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	36	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	39	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	23	ug/l	1	12/03/99		127-18-4	
Toluene	25	ug/l	1	12/03/99		108-88-3	
Trichloroethene	42	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	15	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	85	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	41	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	42	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	54	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	102	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	115	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	100	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271650 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-13-17\603065194 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	3.4	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	110	ug/l	10	12/03/99		79-01-6	1
Vinyl Chloride	ND	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	11	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	102	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	106	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	96	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271668 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-13-35\603065202 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	3.3	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	5.3	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	1.4	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	1400	ug/l	200	12/03/99		79-01-6	1
Vinyl Chloride	14	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	7.0	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	110	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	103	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	105	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	98	%		12/03/99		17060-07-0	

1 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271676 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-10-20\603065210 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	5.3	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	48	ug/l	1	12/03/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	10	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	103	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	103	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	99	%		12/03/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271684 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-10-31\603065228 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/03/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/03/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/03/99		79-00-5	
1,1-Dichloroethane	2.2	ug/l	1	12/03/99		75-34-3	
1,1-Dichloroethene	3.8	ug/l	1	12/03/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/03/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/03/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/03/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/03/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/03/99		106-46-7	
Benzene	ND	ug/l	1	12/03/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/03/99		75-27-4	
Bromoform	ND	ug/l	1	12/03/99		75-25-2	
Bromomethane	ND	ug/l	1	12/03/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/03/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/03/99		108-90-7	
Chloroethane	ND	ug/l	1	12/03/99		75-00-3	
Chloroform	ND	ug/l	1	12/03/99		67-66-3	
Chloromethane	ND	ug/l	1	12/03/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/03/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/03/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/03/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/03/99		127-18-4	
Toluene	ND	ug/l	1	12/03/99		108-88-3	
Trichloroethene	640	ug/l	10	12/03/99		79-01-6	1
Vinyl Chloride	8.9	ug/l	1	12/03/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/03/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/03/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/03/99		75-69-4	
trans-1,2-Dichloroethene	3.8	ug/l	1	12/03/99		156-60-5	
cis-1,2-Dichloroethene	75	ug/l	1	12/03/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/03/99		10061-01-5	
Toluene-d8 (S)	104	%		12/03/99		2037-26-5	
4-Bromofluorobenzene (S)	108	%		12/03/99		460-00-4	
1,2-Dichloroethane-d4 (S)	101	%		12/03/99		17060-07-0	

1 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271692 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-11-17\603065236 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/04/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/04/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/04/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/04/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/04/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/04/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/04/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/04/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/04/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/04/99		106-46-7	
Benzene	ND	ug/l	1	12/04/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/04/99		75-27-4	
Bromoform	ND	ug/l	1	12/04/99		75-25-2	
Bromomethane	ND	ug/l	1	12/04/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/04/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/04/99		108-90-7	
Chloroethane	ND	ug/l	1	12/04/99		75-00-3	
Chloroform	ND	ug/l	1	12/04/99		67-66-3	
Chloromethane	ND	ug/l	1	12/04/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/04/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/04/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/04/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/04/99		127-18-4	
Toluene	ND	ug/l	1	12/04/99		108-88-3	
Trichloroethene	ND	ug/l	1	12/04/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/04/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/04/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/04/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/04/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/04/99		156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	12/04/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/04/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/04/99		10061-01-5	
Toluene-d8 (S)	100	%		12/04/99		2037-26-5	
4-Bromofluorobenzene (S)	103	%		12/04/99		460-00-4	
1,2-Dichloroethane-d4 (S)	97	%		12/04/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271700 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03E-11-35\603065244 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	ND	ug/l	1	12/04/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/04/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/04/99		79-00-5	
1,1-Dichloroethane	ND	ug/l	1	12/04/99		75-34-3	
1,1-Dichloroethene	ND	ug/l	1	12/04/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/04/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/04/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/04/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/04/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/04/99		106-46-7	
Benzene	ND	ug/l	1	12/04/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/04/99		75-27-4	
Bromoform	ND	ug/l	1	12/04/99		75-25-2	
Bromomethane	ND	ug/l	1	12/04/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/04/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/04/99		108-90-7	
Chloroethane	ND	ug/l	1	12/04/99		75-00-3	
Chloroform	ND	ug/l	1	12/04/99		67-66-3	
Chloromethane	ND	ug/l	1	12/04/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/04/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/04/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/04/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/04/99		127-18-4	
Toluene	ND	ug/l	1	12/04/99		108-88-3	
Trichloroethene	120	ug/l	1	12/04/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/04/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/04/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/04/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/04/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/04/99		156-60-5	
cis-1,2-Dichloroethene	19	ug/l	1	12/04/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/04/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/04/99		10061-01-5	
Toluene-d8 (S)	102	%		12/04/99		2037-26-5	
4-Bromofluorobenzene (S)	104	%		12/04/99		460-00-4	
1,2-Dichloroethane-d4 (S)	99	%		12/04/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

12/13/99

DATE:

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271718 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-01-17\603065251 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	68	ug/l	1	12/04/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/04/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/04/99		79-00-5	
1,1-Dichloroethane	4.4	ug/l	1	12/04/99		75-34-3	
1,1-Dichloroethene	19	ug/l	1	12/04/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/04/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/04/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/04/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/04/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/04/99		106-46-7	
Benzene	ND	ug/l	1	12/04/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/04/99		75-27-4	
Bromoform	ND	ug/l	1	12/04/99		75-25-2	
Bromomethane	ND	ug/l	1	12/04/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/04/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/04/99		108-90-7	
Chloroethane	ND	ug/l	1	12/04/99		75-00-3	
Chloroform	ND	ug/l	1	12/04/99		67-66-3	
Chloromethane	ND	ug/l	1	12/04/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/04/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/04/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/04/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/04/99		127-18-4	
Toluene	ND	ug/l	1	12/04/99		108-88-3	
Trichloroethene	170	ug/l	10	12/04/99		79-01-6	1
Vinyl Chloride	ND	ug/l	1	12/04/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/04/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/04/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/04/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/04/99		156-60-5	
cis-1,2-Dichloroethene	13	ug/l	1	12/04/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/04/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/04/99		10061-01-5	
Toluene-d8 (S)	103	%		12/04/99		2037-26-5	
4-Bromofluorobenzene (S)	104	%		12/04/99		460-00-4	
1,2-Dichloroethane-d4 (S)	96	%		12/04/99		17060-07-0	

1 l

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

Pace Sample No: 851271726 Date Collected: 11/22/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-01-25\603065269 Date Received: 12/03/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs, Low Level		Method: EPA 8260				Prep Method: EPA 8260	
1,1,1-Trichloroethane	20	ug/l	1	12/06/99		71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/06/99		79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	12/06/99		79-00-5	
1,1-Dichloroethane	2.4	ug/l	1	12/06/99		75-34-3	
1,1-Dichloroethene	8.6	ug/l	1	12/06/99		75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	12/06/99		95-50-1	
1,2-Dichloroethane	ND	ug/l	1	12/06/99		107-06-2	
1,2-Dichloropropane	ND	ug/l	1	12/06/99		78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/06/99		541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/06/99		106-46-7	
Benzene	ND	ug/l	1	12/06/99		71-43-2	
Bromodichloromethane	ND	ug/l	1	12/06/99		75-27-4	
Bromoform	ND	ug/l	1	12/06/99		75-25-2	
Bromomethane	ND	ug/l	1	12/06/99		74-83-9	
Carbon Tetrachloride	ND	ug/l	1	12/06/99		56-23-5	
Chlorobenzene	ND	ug/l	1	12/06/99		108-90-7	
Chloroethane	ND	ug/l	1	12/06/99		75-00-3	
Chloroform	ND	ug/l	1	12/06/99		67-66-3	
Chloromethane	ND	ug/l	1	12/06/99		74-87-3	
Dibromochloromethane	ND	ug/l	1	12/06/99		124-48-1	
Ethylbenzene	ND	ug/l	1	12/06/99		100-41-4	
Methylene Chloride	ND	ug/l	1	12/06/99		75-09-2	
Tetrachloroethene	ND	ug/l	1	12/06/99		127-18-4	
Toluene	ND	ug/l	1	12/06/99		108-88-3	
Trichloroethene	48	ug/l	1	12/06/99		79-01-6	
Vinyl Chloride	ND	ug/l	1	12/06/99		75-01-4	
M&P-Xylene	ND	ug/l	1	12/06/99		7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	12/06/99		95-47-6	
Trichlorofluoromethane	ND	ug/l	1	12/06/99		75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/06/99		156-60-5	
cis-1,2-Dichloroethene	7.2	ug/l	1	12/06/99		156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	12/06/99		10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	12/06/99		10061-01-5	
Toluene-d8 (S)	102	%		12/06/99		2037-26-5	
4-Bromofluorobenzene (S)	106	%		12/06/99		460-00-4	
1,2-Dichloroethane-d4 (S)	97	%		12/06/99		17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The sample was diluted due to the presence of high levels of target analytes resulting in elevated reporting limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

DATE: 12/13/99

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

Pace Project Number: 8513175
Client Project ID: 6036300

Attn: Mr. Mark Gudnason
Phone: (913)599-5665

QC Batch ID: 32290
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs, Low Level
Associated Pace Samples: 851271510 851271536 851271544 851271551 851271569 851271585 851271593 851271601 851271619 851271627 851271635 851271643 851271650 851271668 851271676 851271684 851271692 851271700 851271718 851271726

METHOD BLANK: 851273433
Associated Pace Samples: 851271510 851271536 851271544 851271551 851271569 851271585 851271593 851271601 851271619 851271627 851271635 851271643 851271650 851271668 851271676 851271684 851271692 851271700 851271718 851271726

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

DATE: 12/13/99

Pace Project Number: 8513175
Client Project ID: 6036300

METHOD BLANK: 851273433
Associated Pace Samples:

851271510 851271536 851271544 851271551 851271569 851271585 851271593
851271601 851271619 851271627 851271635 851271643 851271650 851271668
851271676 851271684 851271692 851271700 851271718 851271726

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
Toluene-d8 (S)	%	99		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	91		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 851282749 851282756

Parameter	Units	851271635	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	50	51.16	102	54.15	108	6	
Benzene	ug/l	0	50	50.93	102	53.04	106	4	
Chlorobenzene	ug/l	0	50	53.44	107	55.25	110	3	
Toluene	ug/l	0	50	55.03	110	58.94	118	7	
Trichloroethene	ug/l	0	50	54.74	110	56.66	113	3	
Toluene-d8 (S)					100		100		
4-Bromofluorobenzene (S)					108		108		
1,2-Dichloroethane-d4 (S)					100		107		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

DATE: 12/13/99

Pace Project Number: 8513175
Client Project ID: 6036300

LABORATORY CONTROL SAMPLE & LCSD: 851273441 851273458

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
1,1,1-Trichloroethane	ug/l	50	45.11	90.2	50.09	100	10	
1,1,2,2-Tetrachloroethane	ug/l	50	53.05	106	53.84	108	2	
1,1,2-Trichloroethane	ug/l	50	48.41	96.8	53.14	106	9	
1,1-Dichloroethane	ug/l	50	45.03	90.1	48.85	97.7	8	
1,1-Dichloroethene	ug/l	50	56.67	113	48.94	97.9	14	
1,2-Dichloroethane	ug/l	50	44.33	88.7	51.62	103	15	
1,2-Dichloropropane	ug/l	50	46.85	93.7	51.85	104	10	
Benzene	ug/l	50	48.01	96.0	50.27	101	5	
Bromodichloromethane	ug/l	50	44.89	89.8	51.56	103	14	
Bromoform	ug/l	50	50.49	101	53.10	106	5	
Bromomethane	ug/l	50	45.90	91.8	49.48	99.0	8	
Carbon Tetrachloride	ug/l	50	46.26	92.5	52.93	106	14	
Chlorobenzene	ug/l	50	51.00	102	51.85	104	2	
Chloroethane	ug/l	50	47.24	94.5	52.51	105	11	
Chloroform	ug/l	50	40.05	80.1	45.31	90.6	12	
Chloromethane	ug/l	50	47.70	95.4	50.74	101	6	
Dibromochloromethane	ug/l	50	47.52	95.0	52.13	104	9	
Ethylbenzene	ug/l	50	50.37	101	52.92	106	5	
Methylene Chloride	ug/l	50	39.10	78.2	41.98	84.0	7	
Tetrachloroethene	ug/l	50	57.78	116	60.24	120	3	
Toluene	ug/l	50	49.92	99.8	52.11	104	4	
Trichloroethene	ug/l	50	53.93	108	53.61	107	1	
Vinyl Chloride	ug/l	50	49.68	99.4	56.73	113	13	
cis-1,2-Dichloroethene	ug/l	50	48.86	97.7	51.43	103	5	
M&P-Xylene	ug/l	100	105.2	105	109.5	110	5	
O-Xylene (1,2-Dimethylbenzene)	ug/l	50	53.75	108	55.41	111	3	
trans-1,2-Dichloroethene	ug/l	50	48.41	96.8	49.54	99.1	2	

LABORATORY CONTROL SAMPLE: 851273870

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	50	49.91	99.8	
1,1,2,2-Tetrachloroethane	ug/l	50	52.37	105	
1,1,2-Trichloroethane	ug/l	50	51.75	103	
1,1-Dichloroethane	ug/l	50	48.51	97.0	
1,1-Dichloroethene	ug/l	50	58.88	118	
1,2-Dichloroethane	ug/l	50	51.12	102	
1,2-Dichloropropane	ug/l	50	50.28	101	
Benzene	ug/l	50	49.40	98.8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

DATE: 12/13/99

Pace Project Number: 8513175
Client Project ID: 6036300

LABORATORY CONTROL SAMPLE: 851273870

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Bromodichloromethane	ug/l	50	50.56	101	
Bromoform	ug/l	50	53.55	107	
Bromomethane	ug/l	50	52.19	104	
Carbon Tetrachloride	ug/l	50	51.38	103	
Chlorobenzene	ug/l	50	51.29	103	
Chloroethane	ug/l	50	53.00	106	
Chloroform	ug/l	50	44.16	88.3	
Chloromethane	ug/l	50	53.93	108	
Dibromochloromethane	ug/l	50	51.65	103	
Ethylbenzene	ug/l	50	50.69	101	
Methylene Chloride	ug/l	50	42.42	84.8	
Tetrachloroethene	ug/l	50	56.76	114	
Toluene	ug/l	50	51.00	102	
Trichloroethene	ug/l	50	52.59	105	
Vinyl Chloride	ug/l	50	58.92	118	
cis-1,2-Dichloroethene	ug/l	50	50.69	101	
M&P-Xylene	ug/l	100	104.1	104	
O-Xylene (1,2-Dimethylbenzene)	ug/l	50	53.54	107	
trans-1,2-Dichloroethene	ug/l	50	49.15	98.3	

LABORATORY CONTROL SAMPLE: 851273896

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	50	41.94	83.9	
1,1,2,2-Tetrachloroethane	ug/l	50	45.93	91.9	
1,1,2-Trichloroethane	ug/l	50	46.11	92.2	
1,1-Dichloroethane	ug/l	50	43.56	87.1	
1,1-Dichloroethene	ug/l	50	44.12	88.2	
1,2-Dichloroethane	ug/l	50	44.50	89.0	
1,2-Dichloropropane	ug/l	50	44.49	89.0	
Benzene	ug/l	50	43.70	87.4	
Bromodichloromethane	ug/l	50	43.96	87.9	
Bromoform	ug/l	50	45.49	91.0	
Bromomethane	ug/l	50	45.03	90.1	
Carbon Tetrachloride	ug/l	50	41.21	82.4	
Chlorobenzene	ug/l	50	44.22	88.4	
Chloroethane	ug/l	50	45.93	91.9	
Chloroform	ug/l	50	39.60	79.2	
Chloromethane	ug/l	50	46.49	93.0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

DATE: 12/13/99

Pace Project Number: 8513175
Client Project ID: 6036300

LABORATORY CONTROL SAMPLE: 851273896

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Dibromochloromethane	ug/l	50	44.61	89.2	
Ethylbenzene	ug/l	50	42.90	85.8	
Methylene Chloride	ug/l	50	39.75	79.5	
Tetrachloroethene	ug/l	50	47.70	95.4	
Toluene	ug/l	50	45.65	91.3	
Trichloroethene	ug/l	50	46.36	92.7	
Vinyl Chloride	ug/l	50	50.08	100	
cis-1,2-Dichloroethene	ug/l	50	46.62	93.2	
M&P-Xylene	ug/l	100	88.81	88.8	
O-Xylene (1,2-Dimethylbenzene)	ug/l	50	46.69	93.4	
trans-1,2-Dichloroethene	ug/l	50	45.25	90.5	

LABORATORY CONTROL SAMPLE: 851282772

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	50	47.23	94.5	
1,1,2,2-Tetrachloroethane	ug/l	50	48.93	97.9	
1,1,2-Trichloroethane	ug/l	50	50.98	102	
1,1-Dichloroethane	ug/l	50	45.43	90.9	
1,1-Dichloroethene	ug/l	50	61.25	123	
1,2-Dichloroethane	ug/l	50	48.53	97.1	
1,2-Dichloropropane	ug/l	50	47.57	95.1	
Benzene	ug/l	50	47.86	95.7	
Bromodichloromethane	ug/l	50	48.83	97.7	
Bromoform	ug/l	50	48.72	97.4	
Bromomethane	ug/l	50	47.36	94.7	
Carbon Tetrachloride	ug/l	50	50.99	102	
Chlorobenzene	ug/l	50	50.53	101	
Chloroethane	ug/l	50	47.23	94.5	
Chloroform	ug/l	50	42.91	85.8	
Chloromethane	ug/l	50	45.61	91.2	
Dibromochloromethane	ug/l	50	48.46	96.9	
Ethylbenzene	ug/l	50	49.98	100	
Methylene Chloride	ug/l	50	38.38	76.8	
Tetrachloroethene	ug/l	50	52.81	106	
Toluene	ug/l	50	50.51	101	
Trichloroethene	ug/l	50	52.76	106	
Vinyl Chloride	ug/l	50	52.75	105	
cis-1,2-Dichloroethene	ug/l	50	48.43	96.9	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

DATE: 12/13/99

Pace Project Number: 8513175
Client Project ID: 6036300

LABORATORY CONTROL SAMPLE: 851282772

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
M&P-Xylene	ug/l	100	104.7	105	
O-Xylene (1,2-Dimethylbenzene)	ug/l	50	54.11	108	
trans-1,2-Dichloroethene	ug/l	50	45.81	91.6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513175
Client Project ID: 6036300

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/22/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60363000
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED															REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		VOCs 8260															
1	NIC-GPW-GP03C-05-20-112299	9:10	Water		3	X				X		X															60306079
2	NIC-GPW-GP03C-05-34-112299	9:19	Water		3					X		X															60306087
3	NIC-GPW-GP02I-04-17-112299	10:23	Water		3					X		X															60306095
4	NIC-GPW-GP02I-04-26-112299	10:32	Water		3					X		X															60306103
5	NIC-GPW-GP03D-07-17-112299	11:02	Water		3					X		X															60306111
6	NIC-GPW-GP03D-07-29-112299	11:13	Water		3					X		X															60306129
7	NIC-GPW-GP03D-06-17-112299	11:40	Water		3					X		X															60306137
8	NIC-GPW-GP03D-06-31-112299	11:48	Water		3					X		X															60306145

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-B	Frank Winslow	ASAP	11/23/99	16:00
		TMcKONKEY	11/24/99	13:30

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/22/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60363.00
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		VOCs 8260														
1	NIC-GPW-GP03E-14-17-112299	14:04	Water		3	P				X		X														60305152
2	NIC-GPW-GP03E-14-29-111299	14:14	Water		3					X		X														60305160
3	NIC-GPW-GP03C-05M-112299	8:00	Water		3					X		X														60305178
4	NIC-GPW-GP03C-05P-112299	8:30	Water		2					X		X														3227-5X60305185

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-4	Frank Winslow	ASAP	11/23/99	16:00
		F.Merriamen	11/24/99	13:30

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/23/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60313001
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS
1	NIC-GPW-GP03E-13-17-112399	9:50	Water		3					X	X	60306194
2	NIC-GPW-GP03E-13-35-112399	10:03	Water		3					X	X	60306202
3	NIC-GPW-GP03E-10-20-112399	11:04	Water		3					X	X	60306210
4	NIC-GPW-GP03E-10-31-112399	11:14	Water		3					X	X	60306225
5	NIC-GPW-GP03E-11-17-112399	13:17	Water		3					X	X	60306231
6	NIC-GPW-GP03E-11-35-112399	13:32	Water		3					X	X	60306244
7	NIC-GPW-GP03F-01-17-112399	14:12	Water		3					X	X	60306251
8	NIC-GPW-GP03F-01-25-112399	14:20	Water		3					X	X	60306269

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	11/23/99	16:00
		Fedex	11/24/99	13:30

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by JB
Jodi Burgesser
12/11/00

December 22, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on November 30, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/22/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor
SDG Number: 6036359B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603070988	NIC-GPW-GP03F-02-17-112399	EPA 8260	74635		
603070996	NIC-GPW-GP03F-02-35-112399	EPA 8260	74635		
603071002	NIC-GPW-GP03G-04-20-112399	EPA 8260	74635		
603071010	NIC-GPW-GP03G-04-31-112399	EPA 8260	74635		
603071028	NIC-GPW-GP03G-04Q1-31-112399	EPA 8260	74635		
603071036	NIC-GPW-GP03G-04N-31-112399	EPA 8260	74635		
603071044	NIC-GPW-GP03G-05-17-112399	EPA 8260	74635		
603071051	NIC-GPW-GP03G-05-30-112399	EPA 8260	74635		
603071069	NIC-GPW-GP03G-06-17-112499	EPA 8260	74635		
603071077	NIC-GPW-GP03G-06-32-112499	EPA 8260	74635		
603071085	NIC-GPW-GP03G-07-17-112499	EPA 8260	74635		
603071093	NIC-GPW-GP03G-07-32-112499	EPA 8260	74635		
603071101	NIC-GPW-GP04C-01-17-112499	EPA 8260	74635		
603071119	NIC-GPW-GP04C-01-38-112499	EPA 8260	74635		
603071127	NIC-GPW-GP04C-02-17-112499	EPA 8260	74635		
603071135	NIC-GPW-GP04C-02-31-112499	EPA 8260	74635		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/22/99
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor
SDG Number: 6036359B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603070988 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-02-17-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	12/07/99	JLO	74-87-3		
Vinyl Chloride	ND	ug/l	1	12/07/99	JLO	75-01-4		
Bromomethane	ND	ug/l	1	12/07/99	JLO	74-83-9		
Chloroethane	ND	ug/l	1	12/07/99	JLO	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	12/07/99	JLO	75-69-4		
Methylene Chloride	ND	ug/l	1	12/07/99	JLO	75-09-2		
1,1-Dichloroethene	32	ug/l	1	12/07/99	JLO	75-35-4		
trans-1,2-Dichloroethene	8.0	ug/l	1	12/07/99	JLO	156-60-5		
1,1-Dichloroethane	10	ug/l	1	12/07/99	JLO	75-34-3		
cis-1,2-Dichloroethene	110	ug/l	20	12/07/99	JLO	156-59-2	1	D
Chloroform	1.3	ug/l	1	12/07/99	JLO	67-66-3		
1,1,1-Trichloroethane	140	ug/l	20	12/07/99	JLO	71-55-6	1	D
Carbon Tetrachloride	ND	ug/l	1	12/07/99	JLO	56-23-5		
Benzene	ND	ug/l	1	12/07/99	JLO	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	12/07/99	JLO	107-06-2		
Trichloroethene	1100	ug/l	20	12/07/99	JLO	79-01-6	1	D
1,2-Dichloropropane	ND	ug/l	1	12/07/99	JLO	78-87-5		
Bromodichloromethane	ND	ug/l	1	12/07/99	JLO	75-27-4		
Toluene	ND	ug/l	1	12/07/99	JLO	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	JLO	79-00-5		
Tetrachloroethene	15	ug/l	1	12/07/99	JLO	127-18-4		
Dibromochloromethane	ND	ug/l	1	12/07/99	JLO	124-48-1		
Chlorobenzene	ND	ug/l	1	12/07/99	JLO	108-90-7		
Ethylbenzene	ND	ug/l	1	12/07/99	JLO	100-41-4		
Bromoform	ND	ug/l	1	12/07/99	JLO	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	JLO	79-34-5		

Lab Q

Com Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603070988 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-02-17-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	JLO	95-47-6	
Toluene-d8 (S)	89	%		12/07/99	JLO	2037-26-5	
Dibromofluoromethane (S)	94	%		12/07/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	127	%		12/07/99	JLO	460-00-4	
1,2-Dichloroethane-d4 (S)	89	%		12/07/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603070996 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-02-35-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	JLO	74-87-3	
Vinyl Chloride	1.8	ug/l	1	12/07/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	JLO	75-09-2	
1,1-Dichloroethene	4.0	ug/l	1	12/07/99	JLO	75-35-4	
trans-1,2-Dichloroethene	1.1	ug/l	1	12/07/99	JLO	156-60-5	
1,1-Dichloroethane	1.7	ug/l	1	12/07/99	JLO	75-34-3	
cis-1,2-Dichloroethene	30	ug/l	1	12/07/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	JLO	67-66-3	
1,1,1-Trichloroethane	6.9	ug/l	1	12/07/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/07/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	JLO	107-06-2	
Trichloroethene	91	ug/l	5	12/07/99	JLO	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	12/07/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/07/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	JLO	95-47-6	
Toluene-d8 (S)	101	%		12/07/99	JLO	2037-26-5	
Dibromofluoromethane (S)	90	%		12/07/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	127	%		12/07/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603070996 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-02-35-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	87	%		12/07/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071002 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-04-20-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/07/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	JLO	75-35-4	
trans-1,2-Dichloroethene	2.9	ug/l	1	12/07/99	JLO	156-60-5	
1,1-Dichloroethane	5.2	ug/l	1	12/07/99	JLO	75-34-3	
cis-1,2-Dichloroethene	15	ug/l	1	12/07/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/07/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	JLO	107-06-2	
Trichloroethene	22	ug/l	1	12/07/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/07/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	JLO	95-47-6	
Toluene-d8 (S)	92	%		12/07/99	JLO	2037-26-5	
Dibromofluoromethane (S)	98	%		12/07/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	125	%		12/07/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071002 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-04-20-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		12/07/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071010 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-04-31-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	JLO	74-87-3	
Vinyl Chloride	1.5	ug/l	1	12/07/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	JLO	75-35-4	
trans-1,2-Dichloroethene	2.8	ug/l	1	12/07/99	JLO	156-60-5	
1,1-Dichloroethane	1.2	ug/l	1	12/07/99	JLO	75-34-3	
cis-1,2-Dichloroethene	33	ug/l	1	12/07/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/07/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	JLO	107-06-2	
Trichloroethene	24	ug/l	1	12/07/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/07/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	JLO	95-47-6	
Toluene-d8 (S)	95	%		12/07/99	JLO	2037-26-5	
Dibromofluoromethane (S)	97	%		12/07/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	124	%		12/07/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071010 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-04-31-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		12/07/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071028 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-04Q1-31-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	JLO	74-87-3	
Vinyl Chloride	1.6	ug/l	1	12/07/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	JLO	75-35-4	
trans-1,2-Dichloroethene	2.6	ug/l	1	12/07/99	JLO	156-60-5	
1,1-Dichloroethane	1.2	ug/l	1	12/07/99	JLO	75-34-3	
cis-1,2-Dichloroethene	33	ug/l	1	12/07/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/07/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	JLO	107-06-2	
Trichloroethene	22	ug/l	1	12/07/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/07/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	JLO	95-47-6	
Toluene-d8 (S)	95	%		12/07/99	JLO	2037-26-5	
Dibromofluoromethane (S)	95	%		12/07/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	122	%		12/07/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071028 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-04Q1-31-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		12/07/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071036 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-04N-31-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/07/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/07/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/07/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/07/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/07/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	JLO	107-06-2	
Trichloroethene	ND	ug/l	1	12/07/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/07/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	JLO	95-47-6	
Toluene-d8 (S)	96	%		12/07/99	JLO	2037-26-5	
Dibromofluoromethane (S)	96	%		12/07/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	122	%		12/07/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071036 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-04N-31-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		12/07/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071044 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-05-17-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	JLO	74-87-3	
Vinyl Chloride	1.1	ug/l	1	12/07/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	JLO	75-35-4	
trans-1,2-Dichloroethene	2.4	ug/l	1	12/07/99	JLO	156-60-5	
1,1-Dichloroethane	1.4	ug/l	1	12/07/99	JLO	75-34-3	
cis-1,2-Dichloroethene	20	ug/l	1	12/07/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/07/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	JLO	107-06-2	
Trichloroethene	11	ug/l	1	12/07/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/07/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	JLO	95-47-6	
Toluene-d8 (S)	94	%		12/07/99	JLO	2037-26-5	
Dibromofluoromethane (S)	99	%		12/07/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	123	%		12/07/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071044 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-05-17-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		12/07/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071051 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-05-30-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/07/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/07/99	JLO	156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	12/07/99	JLO	75-34-3	
cis-1,2-Dichloroethene	16	ug/l	1	12/07/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/07/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	JLO	107-06-2	
Trichloroethene	6.5	ug/l	1	12/07/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/07/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	JLO	95-47-6	
Toluene-d8 (S)	103	%		12/07/99	JLO	2037-26-5	
Dibromofluoromethane (S)	93	%		12/07/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	123	%		12/07/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071051 Date Collected: 11/23/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-05-30-112399 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		12/07/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071069 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-06-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/08/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/08/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/08/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/08/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/08/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/08/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/08/99	NLA	75-35-4	
trans-1,2-Dichloroethene	3.1	ug/l	1	12/08/99	NLA	156-60-5	
1,1-Dichloroethane	3.3	ug/l	1	12/08/99	NLA	75-34-3	
cis-1,2-Dichloroethene	15	ug/l	1	12/08/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/08/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/08/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/08/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/08/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/08/99	NLA	107-06-2	
Trichloroethene	15	ug/l	1	12/08/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/08/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/08/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/08/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/08/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/08/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/08/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/08/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/08/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/08/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/08/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/08/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/08/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		12/08/99	NLA	2037-26-5	
Dibromofluoromethane (S)	99	%		12/08/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	83	%		12/08/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071069 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-06-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		12/08/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071077 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-06-32-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/08/99	NLA	74-87-3	
Vinyl Chloride	1.0	ug/l	1	12/08/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/08/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/08/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/08/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/08/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/08/99	NLA	75-35-4	
trans-1,2-Dichloroethene	3.1	ug/l	1	12/08/99	NLA	156-60-5	
1,1-Dichloroethane	1.7	ug/l	1	12/08/99	NLA	75-34-3	
cis-1,2-Dichloroethene	42	ug/l	1	12/08/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/08/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/08/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/08/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/08/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/08/99	NLA	107-06-2	
Trichloroethene	17	ug/l	1	12/08/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/08/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/08/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/08/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/08/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/08/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/08/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/08/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/08/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/08/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/08/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/08/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/08/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		12/08/99	NLA	2037-26-5	
Dibromofluoromethane (S)	99	%		12/08/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	82	%		12/08/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071077 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-06-32-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		12/08/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071085 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-07-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/08/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/08/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/08/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/08/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/08/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/08/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/08/99	NLA	75-35-4	
trans-1,2-Dichloroethene	4.0	ug/l	1	12/08/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/08/99	NLA	75-34-3	
cis-1,2-Dichloroethene	10	ug/l	1	12/08/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/08/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/08/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/08/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/08/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/08/99	NLA	107-06-2	
Trichloroethene	4.4	ug/l	1	12/08/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/08/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/08/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/08/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/08/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/08/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/08/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/08/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/08/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/08/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/08/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/08/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/08/99	NLA	95-47-6	
Toluene-d8 (S)	91	%		12/08/99	NLA	2037-26-5	
Dibromofluoromethane (S)	100	%		12/08/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	86	%		12/08/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071085 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-07-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		12/08/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071093 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-07-32-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/08/99	NLA	74-87-3	
Vinyl Chloride	2.8	ug/l	1	12/08/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/08/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/08/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/08/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/08/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/08/99	NLA	75-35-4	
trans-1,2-Dichloroethene	3.3	ug/l	1	12/08/99	NLA	156-60-5	
1,1-Dichloroethane	1.7	ug/l	1	12/08/99	NLA	75-34-3	
cis-1,2-Dichloroethene	42	ug/l	1	12/08/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/08/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/08/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/08/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/08/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/08/99	NLA	107-06-2	
Trichloroethene	33	ug/l	1	12/08/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/08/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/08/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/08/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/08/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/08/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/08/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/08/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/08/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/08/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/08/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/08/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/08/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		12/08/99	NLA	2037-26-5	
Dibromofluoromethane (S)	99	%		12/08/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	83	%		12/08/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071093 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-07-32-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		12/08/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071101 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-01-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/08/99	NLA	74-87-3	
Vinyl Chloride	1.7	ug/l	1	12/08/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/08/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/08/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/08/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/08/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/08/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/08/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/08/99	NLA	75-34-3	
cis-1,2-Dichloroethene	3.7	ug/l	1	12/08/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/08/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/08/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/08/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/08/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/08/99	NLA	107-06-2	
Trichloroethene	3.0	ug/l	1	12/08/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/08/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/08/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/08/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/08/99	NLA	79-00-5	
Tetrachloroethene	1.2	ug/l	1	12/08/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/08/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/08/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/08/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/08/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/08/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/08/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/08/99	NLA	95-47-6	
Toluene-d8 (S)	86	%		12/08/99	NLA	2037-26-5	
Dibromofluoromethane (S)	100	%		12/08/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	85	%		12/08/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071101 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-01-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		12/08/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071119 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-01-38-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/08/99	NLA	74-87-3	
Vinyl Chloride	6.1	ug/l	1	12/08/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/08/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/08/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/08/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/08/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/08/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.1	ug/l	1	12/08/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/08/99	NLA	75-34-3	
cis-1,2-Dichloroethene	14	ug/l	1	12/08/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/08/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/08/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/08/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/08/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/08/99	NLA	107-06-2	
Trichloroethene	17	ug/l	1	12/08/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/08/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/08/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/08/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/08/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/08/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/08/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/08/99	NLA	108-90-7	
Ethylbenzene	5.4	ug/l	1	12/08/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/08/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/08/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-02-6	
M&P-Xylene	1.6	ug/l	1.3	12/08/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/08/99	NLA	95-47-6	
Toluene-d8 (S)	95	%		12/08/99	NLA	2037-26-5	
Dibromofluoromethane (S)	98	%		12/08/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	86	%		12/08/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071119 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-01-38-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		12/08/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071127 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-02-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/08/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/08/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/08/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/08/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/08/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/08/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/08/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/08/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/08/99	NLA	75-34-3	
cis-1,2-Dichloroethene	21	ug/l	1	12/08/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/08/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/08/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/08/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/08/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/08/99	NLA	107-06-2	
Trichloroethene	4.8	ug/l	1	12/08/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/08/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/08/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/08/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/08/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/08/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/08/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/08/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/08/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/08/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/08/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/08/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/08/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/08/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/08/99	NLA	95-47-6	
Toluene-d8 (S)	98	%		12/08/99	NLA	2037-26-5	
Dibromofluoromethane (S)	99	%		12/08/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	83	%		12/08/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071127 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-02-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		12/08/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071135 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-02-31-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	JLO	74-87-3	
Vinyl Chloride	9.7	ug/l	1	12/07/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	JLO	75-09-2	
1,1-Dichloroethene	2.5	ug/l	1	12/07/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/07/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/07/99	JLO	75-34-3	
cis-1,2-Dichloroethene	56	ug/l	1	12/07/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/07/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	JLO	107-06-2	
Trichloroethene	29	ug/l	1	12/07/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/07/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	JLO	95-47-6	
Toluene-d8 (S)	99	%		12/07/99	JLO	2037-26-5	
Dibromofluoromethane (S)	93	%		12/07/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	130	%		12/07/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071135 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-02-31-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		12/07/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The result is from a dilution of 1:20 on 12/13/99.
[2]	The result is from a dilution of 1:5 on 12/13/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor
SDG Number: 6036359B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 74635
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603070988 603070996 603071002 603071010 603071028 603071036 603071044 603071051 603071069 603071077 603071085 603071093 603071101 603071119 603071127 603071135

METHOD BLANK: 603093329
Associated Pace Samples:
603070988 603070996 603071002 603071010 603071028 603071036 603071044 603071051 603071069 603071077 603071085 603071093 603071101 603071119 603071127 603071135

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603093329
Associated Pace Samples:

603070988 603070996 603071002 603071010 603071028 603071036 603071044
603071051 603071069 603071077 603071085 603071093 603071101 603071119
603071127 603071135

Parameter	Units	Method Blank Result	PRL	Footnotes
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	96		
4-Bromofluorobenzene (S)	%	130		
1,2-Dichloroethane-d4 (S)	%	91		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603093337 603093345

Parameter	Units	603071002	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	4.410	44.1	4.264	42.6	3	
Benzene	ug/l	0	10	5.589	55.9	5.665	56.6	1	
Trichloroethene	ug/l	22.11	10	18.26	-38.5	17.20	-49.1	24	
Toluene	ug/l	0	10	4.228	42.3	4.289	42.9	1	
Chlorobenzene	ug/l	0	10	5.663	56.6	5.869	58.7	4	
Toluene-d8 (S)					89		89		
Dibromofluoromethane (S)					96		97		
4-Bromofluorobenzene (S)					80		81		
1,2-Dichloroethane-d4 (S)					86		92		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603093352

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	9.552	95.5	
Vinyl Chloride	ug/l	10	9.647	96.5	
Bromomethane	ug/l	10	10.77	108	
Chloroethane	ug/l	10	9.493	94.9	
Trichlorofluoromethane	ug/l	10	9.663	96.6	
Methylene Chloride	ug/l	10	11.06	111	
1,1-Dichloroethene	ug/l	10	9.859	98.6	
trans-1,2-Dichloroethene	ug/l	10	10.46	105	
1,1-Dichloroethane	ug/l	10	10.44	104	
cis-1,2-Dichloroethene	ug/l	10	11.19	112	
Chloroform	ug/l	10	11.04	110	
1,1,1-Trichloroethane	ug/l	10	10.94	109	
Carbon Tetrachloride	ug/l	10	10.62	106	
Benzene	ug/l	10	10.51	105	
1,2-Dichloroethane	ug/l	10	11.03	110	
Trichloroethene	ug/l	10	10.31	103	
1,2-Dichloropropane	ug/l	10	11.21	112	
Bromodichloromethane	ug/l	10	11.64	116	
Toluene	ug/l	10	10.30	103	
1,1,2-Trichloroethane	ug/l	10	12.14	121	
Tetrachloroethene	ug/l	10	10.28	103	
Dibromochloromethane	ug/l	10	10.49	105	
Chlorobenzene	ug/l	10	10.35	103	
Ethylbenzene	ug/l	10	10.84	108	
Bromoform	ug/l	10	13.03	130	
1,1,2,2-Tetrachloroethane	ug/l	10	12.61	126	
1,3-Dichlorobenzene	ug/l	10	10.22	102	
1,4-Dichlorobenzene	ug/l	10	10.03	100	
1,2-Dichlorobenzene	ug/l	10	11.23	112	
cis-1,3-Dichloropropene	ug/l	10	12.44	124	
trans-1,3-Dichloropropene	ug/l	10	12.92	129	
M&P-Xylene	ug/l	20	20.88	104	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	11.39	114	
Toluene-d8 (S)				98	
Dibromofluoromethane (S)				104	
4-Bromofluorobenzene (S)				94	
1,2-Dichloroethane-d4 (S)				105	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036359
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	L036359
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	11/23/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED															REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260															
1	NIC-GPW-GP03F-02-17-112399	14:46	Water		3	pu				X	X															L0376988
2	NIC-GPW-GP03F-02-35-112399	14:58	Water		3					X	X															L0376996
3	NIC-GPW-GP03G-04-20-112399	15:39	Water		6					X	X															MS/MSD L0371002
4	NIC-GPW-GP03G-04-31-112399	15:50	Water		3					X	X															L0371010
5	NIC-GPW-GP03G-04Q1-31-112399	15:50	Water		3					X	X															L0371028
6	NIC-GPW-GP03G-04N-31-112399	15:56	Water		3					X	X															L0371036
7	NIC-GPW-GP03G-05-17-112399	16:19	Water		3					X	X															L0371044
8	NIC-GPW-GP03G-05-30-112299	16:25	Water		3					X	X															L0371051

112399 ?

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	11/29/99	16:00
		F Mekonnen	11/30/99	11:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/24/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	603b359
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS
1	NIC-GPW-GP03G-06-17-112499	9:09	Water		3	3				X	X	603071069
2	NIC-GPW-GP03G-06-32-112499	9:22	Water		3					X	X	603071077
3	NIC-GPW-GP03G-07-17-112499	9:51	Water		3					X	X	603071085
4	NIC-GPW-GP03G-07-32-112499	10:03	Water		2	3				X	X	603071093
5	NIC-GPW-GP04C-01-17-112499	10:39	Water		2					X	X	603071101
6	NIC-GPW-GP04C-01-38-112499	10:55	Water		2					X	X	603071119
7	NIC-GPW-GP04C-02-17-112499	11:40	Water		2					X	X	603071127
8	NIC-GPW-GP04C-02-31-112499	11:50	Water		2	2				X	X	603071135

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	11/29/99	16:00
		F. Mehoffer	11/30/99	1100

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Received by Jodi Burgess 12/16/00

December 23, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on November 30, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/23/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor
SDG Number: 6036360B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603071564	NIC-GPW-GP04C-03-17-112499	EPA 8260	74603		
603071572	NIC-GPW-GP04C-03-31-112499	EPA 8260	74603		
603071580	NIC-GPW-GP04G-06M-112499	EPA 8260	74603		
603071598	NIC-GPW-GP04F-01-17-112999	EPA 8260	74603		
603071606	NIC-GPW-GP04F-01-34-112999	EPA 8260	74603		
603071622	NIC-GPW-GP04F-02-17-112999	EPA 8260	74603		
603071630	NIC-GPW-GP04F-02-38-112999	EPA 8260	74603		
603071648	NIC-GPW-GP02I-03-17-112999	EPA 8260	74603		
603071655	NIC-GPW-GP02I-03-34-112999	EPA 8260	74603		
603071663	NIC-GPW-GP02I-03Q1-34-112999	EPA 8260	74603		
603071671	NIC-GPW-GP02I-03N-34-112999	EPA 8260	74603		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/23/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor
SDG Number: 6036360B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603071564 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-03-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/06/99	NLA	74-87-3	
Vinyl Chloride	2.3	ug/l	1	12/06/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/06/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/06/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/06/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/06/99	NLA	75-09-2	
1,1-Dichloroethene	1.3	ug/l	1	12/06/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.5	ug/l	1	12/06/99	NLA	156-60-5	
1,1-Dichloroethane	1.2	ug/l	1	12/06/99	NLA	75-34-3	
cis-1,2-Dichloroethene	51	ug/l	1	12/06/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/06/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/06/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/06/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/06/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/06/99	NLA	107-06-2	
Trichloroethene	7.6	ug/l	1	12/06/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/06/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/06/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/06/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/06/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/06/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/06/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/06/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/06/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/06/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/06/99	NLA	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071564 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-03-17-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/06/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/06/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/06/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/06/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/06/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/06/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/06/99	NLA	95-47-6	
Toluene-d8 (S)	85	%		12/06/99	NLA	2037-26-5	
Dibromofluoromethane (S)	101	%		12/06/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	111	%		12/06/99	NLA	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%		12/06/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071572 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-03-31-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.4	ug/l	1	12/06/99	NLA	74-87-3	
Vinyl Chloride	6.9	ug/l	1	12/06/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/06/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/06/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/06/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/06/99	NLA	75-09-2	
1,1-Dichloroethene	1.4	ug/l	1	12/06/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.9	ug/l	1	12/06/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/06/99	NLA	75-34-3	
cis-1,2-Dichloroethene	31	ug/l	1	12/06/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/06/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/06/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/06/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/06/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/06/99	NLA	107-06-2	
Trichloroethene	29	ug/l	1	12/06/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/06/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/06/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/06/99	NLA	108-88-3	
1,1,2-Trichloroethane	1.1	ug/l	1	12/06/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/06/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/06/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/06/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/06/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/06/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/06/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/06/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/06/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/06/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/06/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/06/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/06/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/06/99	NLA	95-47-6	
Toluene-d8 (S)	84	%		12/06/99	NLA	2037-26-5	
Dibromofluoromethane (S)	97	%		12/06/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	110	%		12/06/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071572 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-03-31-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		12/06/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071580 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-06M-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/07/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/07/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/07/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/07/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/07/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/07/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/07/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	NLA	95-47-6	
Toluene-d8 (S)	86	%		12/07/99	NLA	2037-26-5	
Dibromofluoromethane (S)	105	%		12/07/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	112	%		12/07/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071580 Date Collected: 11/24/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-06M-112499 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		12/07/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071598 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-01-17-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q	
GC/MS Volatiles										
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260					
Chloromethane	ND	ug/l	1	12/07/99	NLA	74-87-3				
Vinyl Chloride	ND	ug/l	1	12/07/99	NLA	75-01-4				
Bromomethane	ND	ug/l	1	12/07/99	NLA	74-83-9				
Chloroethane	ND	ug/l	1	12/07/99	NLA	75-00-3				
Trichlorofluoromethane	ND	ug/l	1	12/07/99	NLA	75-69-4				
Methylene Chloride	ND	ug/l	1	12/07/99	NLA	75-09-2				
1,1-Dichloroethene	ND	ug/l	1	12/07/99	NLA	75-35-4				
trans-1,2-Dichloroethene	6.1	ug/l	1	12/07/99	NLA	156-60-5				
1,1-Dichloroethane	ND	ug/l	1	12/07/99	NLA	75-34-3				
cis-1,2-Dichloroethene	52	ug/l	10	12/07/99	NLA	156-59-2		1	D	#TB
Chloroform	ND	ug/l	1	12/07/99	NLA	67-66-3				
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	NLA	71-55-6				
Carbon Tetrachloride	ND	ug/l	1	12/07/99	NLA	56-23-5				
Benzene	ND	ug/l	1	12/07/99	NLA	71-43-2				
1,2-Dichloroethane	ND	ug/l	1	12/07/99	NLA	107-06-2				
Trichloroethene	340	ug/l	10	12/07/99	NLA	79-01-6		1	D	#TB
1,2-Dichloropropane	1.6	ug/l	1	12/07/99	NLA	78-87-5				
Bromodichloromethane	ND	ug/l	1	12/07/99	NLA	75-27-4				
Toluene	ND	ug/l	1	12/07/99	NLA	108-88-3				
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	NLA	79-00-5				
Tetrachloroethene	ND	ug/l	1	12/07/99	NLA	127-18-4				
Dibromochloromethane	ND	ug/l	1	12/07/99	NLA	124-48-1				
Chlorobenzene	ND	ug/l	1	12/07/99	NLA	108-90-7				
Ethylbenzene	ND	ug/l	1	12/07/99	NLA	100-41-4				
Bromoform	ND	ug/l	1	12/07/99	NLA	75-25-2				
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	NLA	79-34-5				
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	541-73-1				
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	106-46-7				
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	95-50-1				
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-01-5				
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-02-6				
M&P-Xylene	ND	ug/l	1.3	12/07/99	NLA					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	NLA	95-47-6				
Toluene-d8 (S)	88	%		12/07/99	NLA	2037-26-5				
Dibromofluoromethane (S)	104	%		12/07/99	NLA	1868-53-7				
4-Bromofluorobenzene (S)	108	%		12/07/99	NLA	460-00-4				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071598 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-01-17-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		12/07/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071606 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-01-34-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/07/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/07/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/07/99	NLA	75-34-3	
cis-1,2-Dichloroethene	2.4	ug/l	1	12/07/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/07/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	NLA	107-06-2	
Trichloroethene	5.4	ug/l	1	12/07/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/07/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	NLA	95-47-6	
Toluene-d8 (S)	86	%		12/07/99	NLA	2037-26-5	
Dibromofluoromethane (S)	97	%		12/07/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	107	%		12/07/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071606 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-01-34-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		12/07/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071622 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-02-17-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/07/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/07/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/07/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/07/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/07/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	NLA	107-06-2	
Trichloroethene	7.1	ug/l	1	12/07/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/07/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	NLA	95-47-6	
Toluene-d8 (S)	90	%		12/07/99	NLA	2037-26-5	
Dibromofluoromethane (S)	101	%		12/07/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	107	%		12/07/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071622 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-02-17-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		12/07/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071630 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-02-38-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/07/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/07/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/07/99	NLA	75-34-3	
cis-1,2-Dichloroethene	1.2	ug/l	1	12/07/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/07/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/07/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/07/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	NLA	95-47-6	
Toluene-d8 (S)	85	%		12/07/99	NLA	2037-26-5	
Dibromofluoromethane (S)	102	%		12/07/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	105	%		12/07/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071630 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-02-38-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		12/07/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071648 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-03-17-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/07/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/07/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/07/99	NLA	75-34-3	
cis-1,2-Dichloroethene	6.3	ug/l	1	12/07/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	NLA	67-66-3	
1,1,1-Trichloroethane	1.2	ug/l	1	12/07/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/07/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	NLA	107-06-2	
Trichloroethene	14	ug/l	1	12/07/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/07/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	NLA	79-00-5	
Tetrachloroethene	1.6	ug/l	1	12/07/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	NLA	95-47-6	
Toluene-d8 (S)	86	%		12/07/99	NLA	2037-26-5	
Dibromofluoromethane (S)	101	%		12/07/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	110	%		12/07/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071648 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-03-17-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		12/07/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071655 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-03-34-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/07/99	NLA	74-87-3			
Vinyl Chloride	12	ug/l	1	12/07/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/07/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/07/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/07/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/07/99	NLA	75-09-2			
1,1-Dichloroethene	2.7	ug/l	1	12/07/99	NLA	75-35-4			
trans-1,2-Dichloroethene	9.0	ug/l	1	12/07/99	NLA	156-60-5			
1,1-Dichloroethane	4.2	ug/l	1	12/07/99	NLA	75-34-3			
cis-1,2-Dichloroethene	91	ug/l	10	12/07/99	NLA	156-59-2	2	D	H-T3
Chloroform	ND	ug/l	1	12/07/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/07/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/07/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/07/99	NLA	107-06-2			
Trichloroethene	360	ug/l	10	12/07/99	NLA	79-01-6	2	D	H-T3
1,2-Dichloropropane	1.4	ug/l	1	12/07/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/07/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/07/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	NLA	79-00-5			
Tetrachloroethene	7.5	ug/l	1	12/07/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/07/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/07/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/07/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/07/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/07/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	NLA	95-47-6			
Toluene-d8 (S)	90	%		12/07/99	NLA	2037-26-5			
Dibromofluoromethane (S)	100	%		12/07/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	110	%		12/07/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071655 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-03-34-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		12/07/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071663 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-03Q1-34-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q	
GC/MS Volatiles										
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260					
Chloromethane	ND	ug/l	1	12/07/99	NLA	74-87-3				
Vinyl Chloride	12	ug/l	1	12/07/99	NLA	75-01-4				
Bromomethane	ND	ug/l	1	12/07/99	NLA	74-83-9				
Chloroethane	ND	ug/l	1	12/07/99	NLA	75-00-3				
Trichlorofluoromethane	ND	ug/l	1	12/07/99	NLA	75-69-4				
Methylene Chloride	ND	ug/l	1	12/07/99	NLA	75-09-2				
1,1-Dichloroethene	2.6	ug/l	1	12/07/99	NLA	75-35-4				
trans-1,2-Dichloroethene	8.9	ug/l	1	12/07/99	NLA	156-60-5				
1,1-Dichloroethane	3.9	ug/l	1	12/07/99	NLA	75-34-3				
cis-1,2-Dichloroethene	85	ug/l	10	12/07/99	NLA	156-59-2	2	D	~~A~~TB	
Chloroform	ND	ug/l	1	12/07/99	NLA	67-66-3				
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	NLA	71-55-6				
Carbon Tetrachloride	ND	ug/l	1	12/07/99	NLA	56-23-5				
Benzene	ND	ug/l	1	12/07/99	NLA	71-43-2				
1,2-Dichloroethane	ND	ug/l	1	12/07/99	NLA	107-06-2				
Trichloroethene	310	ug/l	10	12/07/99	NLA	79-01-6	2	D	~~A~~TB	
1,2-Dichloropropane	1.3	ug/l	1	12/07/99	NLA	78-87-5				
Bromodichloromethane	ND	ug/l	1	12/07/99	NLA	75-27-4				
Toluene	ND	ug/l	1	12/07/99	NLA	108-88-3				
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	NLA	79-00-5				
Tetrachloroethene	5.4	ug/l	1	12/07/99	NLA	127-18-4				
Dibromochloromethane	ND	ug/l	1	12/07/99	NLA	124-48-1				
Chlorobenzene	ND	ug/l	1	12/07/99	NLA	108-90-7				
Ethylbenzene	ND	ug/l	1	12/07/99	NLA	100-41-4				
Bromoform	ND	ug/l	1	12/07/99	NLA	75-25-2				
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	NLA	79-34-5				
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	541-73-1				
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	106-46-7				
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	95-50-1				
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-01-5				
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-02-6				
M&P-Xylene	ND	ug/l	1.3	12/07/99	NLA					
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	NLA	95-47-6				
Toluene-d8 (S)	89	%		12/07/99	NLA	2037-26-5				
Dibromofluoromethane (S)	98	%		12/07/99	NLA	1868-53-7				
4-Bromofluorobenzene (S)	106	%		12/07/99	NLA	460-00-4				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071663 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-03Q1-34-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		12/07/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071671 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-03N-34-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/07/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/07/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/07/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/07/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/07/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/07/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/07/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/07/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/07/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/07/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/07/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/07/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/07/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/07/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/07/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/07/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/07/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/07/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/07/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/07/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/07/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/07/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/07/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/07/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/07/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/07/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/07/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/07/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/07/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/07/99	NLA	95-47-6	
Toluene-d8 (S)	80	%		12/07/99	NLA	2037-26-5	
Dibromofluoromethane (S)	101	%		12/07/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	102	%		12/07/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603071671 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-03N-34-112999 Date Received: 11/30/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		12/07/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The result is from a 1:10 dilution on 12/13/99.
[2]	The result is from a dilution of 1:10 on 12/13/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor
SDG Number: 6036360B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 74603
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603071564 603071572 603071580 603071598 603071606 603071622 603071630 603071648 603071655 603071663 603071671

METHOD BLANK: 603092453
Associated Pace Samples:
603071564 603071572 603071580 603071598 603071606 603071622 603071630 603071648 603071655 603071663 603071671

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603092453
Associated Pace Samples:
603071564 603071572 603071580 603071598 603071606 603071622 603071630
603071648 603071655 603071663 603071671

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	95		
Dibromofluoromethane (S)	%	99		
4-Bromofluorobenzene (S)	%	112		
1,2-Dichloroethane-d4 (S)	%	106		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603092461 603092479

Parameter	Units	603071648	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	10.74	107	9.888	98.9	8	
Benzene	ug/l	0	10	13.58	136	12.24	122	10	
Trichloroethene	ug/l	14.22	10	24.98	108	24.98	108	0	
Toluene	ug/l	0	10	9.835	98.3	9.835	98.3	0	
Chlorobenzene	ug/l	0	10	10.37	104	10.31	103	1	
Toluene-d8 (S)					91		91		
Dibromofluoromethane (S)					99		98		
4-Bromofluorobenzene (S)					106		109		
1,2-Dichloroethane-d4 (S)					100		100		

LABORATORY CONTROL SAMPLE: 603092487

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	12.69	127	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603092487

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Vinyl Chloride	ug/l	10	13.45	135	
Bromomethane	ug/l	10	11.31	113	
Chloroethane	ug/l	10	11.85	119	
Trichlorofluoromethane	ug/l	10	14.29	143	
Methylene Chloride	ug/l	10	10.81	108	
1,1-Dichloroethene	ug/l	10	16.39	164	
trans-1,2-Dichloroethene	ug/l	10	13.43	134	
1,1-Dichloroethane	ug/l	10	11.03	110	
cis-1,2-Dichloroethene	ug/l	10	11.00	110	
Chloroform	ug/l	10	10.50	105	
1,1,1-Trichloroethane	ug/l	10	10.00	100	
Carbon Tetrachloride	ug/l	10	11.50	115	
Benzene	ug/l	10	11.18	112	
1,2-Dichloroethane	ug/l	10	9.685	96.9	
Trichloroethene	ug/l	10	12.32	123	
1,2-Dichloropropane	ug/l	10	10.29	103	
Bromodichloromethane	ug/l	10	9.895	99.0	
Toluene	ug/l	10	11.79	118	
1,1,2-Trichloroethane	ug/l	10	9.879	98.8	
Tetrachloroethene	ug/l	10	9.988	99.9	
Dibromochloromethane	ug/l	10	8.615	86.1	
Chlorobenzene	ug/l	10	11.09	111	
Ethylbenzene	ug/l	10	12.26	123	
Bromoform	ug/l	10	6.681	66.8	
1,1,2,2-Tetrachloroethane	ug/l	10	8.825	88.3	
1,3-Dichlorobenzene	ug/l	10	10.77	108	
1,4-Dichlorobenzene	ug/l	10	10.51	105	
1,2-Dichlorobenzene	ug/l	10	10.28	103	
cis-1,3-Dichloropropene	ug/l	10	9.762	97.6	
trans-1,3-Dichloropropene	ug/l	10	8.358	83.6	
M&P-Xylene	ug/l	20	24.72	124	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	11.25	113	
Toluene-d8 (S)				107	
Dibromofluoromethane (S)				88	
4-Bromofluorobenzene (S)				128	
1,2-Dichloroethane-d4 (S)				82	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036360
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg
		Date Sampled:	11/24/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6036360
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP04C-03-17-112499	12:14	Water		3	PV				X	X														6030715L4
2	NIC-GPW-GP04C-03-31-112499	12:22	Water		3					X	X														6030715T2
3	NIC-GPW-GP03G-06M-112499	8:00	Water		3					X	X														6030715B0

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-3	Frank Winslow	ASAP	11/29/99	16:00
		F. Mekonnen	11/30/99	11:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/29/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	603636
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED															REMARKS
					# OF CONT	Unpreserved	*H2SO4	*HNO3	NaOH	*HCL-VOA	VOCs 8260															
1	NIC-GPW-GP04F-01-17-112999	9:50	Water		3					X	X															603071598
2	NIC-GPW-GP04F-01-34-112999	10:05	Water		3					X	X															603071604
3	NIC-GPW-GP04F-02-17-112999	10:50	Water		3					X	X															603071622
4	NIC-GPW-GP04F-02-38-112999	11:06	Water		3					X	X															603071630
5	NIC-GPW-GP02I-03-17-112999	12:15	Water		6					X	X															MS/MSD 603071648
6	NIC-GPW-GP02I-03-34-112999	12:45	Water		3					X	X															603071655
7	NIC-GPW-GP02I-03Q1-34-112999	12:45	Water		3					X	X															603071663
8	NIC-GPW-GP02I-03N-34-112999	12:52	Water		3					X	X															603071671

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	11/29/99	16:00
		EMERON/PA	11/30/99	11:00

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Revised by Todd Burgesser
2/16/00

December 23, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 2, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/23/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor
SDG Number: 6036561B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603087297	NIC-GPW-GP03G-03-17-112999	EPA 8260	74761		
603087313	NIC-GPW-GP03G-03-33-112999	EPA 8260	74761		
603087339	NIC-GPW-GP03G-01-17-112999	EPA 8260	74761		
603087347	NIC-GPW-GP03G-01-30-112999	EPA 8260	74761		
603087354	NIC-GPW-GP03G-01P-112999	EPA 8260	74761		
603087362	NIC-GPW-GP03G-02M-120199	EPA 8260	74761		
603087370	NIC-GPW-GP03G-02-17-120199	EPA 8260	74761		
603087388	NIC-GPW-GP03G-02-30-120199	EPA 8260	74761		
603087396	NIC-GPW-GP03G-09-17-120199	EPA 8260	74761		
603087404	NIC-GPW-GP03G-09-32-120199	EPA 8260	74761		
603087412	NIC-GPW-GP03G-08-17-120199	EPA 8260	74761		
603087420	NIC-GPW-GP03G-08-32-120199	EPA 8260	74761		
603087438	NIC-GPW-GP03F-03-17-120199	EPA 8260	74761		
603087446	NIC-GPW-GP03F-03-32-120199	EPA 8260	74761		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/23/99
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor
SDG Number: 6036561B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603087297 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-03-17-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/10/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/10/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/10/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/10/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/10/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/10/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/10/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/10/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/10/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/10/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/10/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/10/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/10/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/10/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/10/99	JLO	107-06-2	
Trichloroethene	ND	ug/l	1	12/10/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/10/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/10/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/10/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/10/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/10/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/10/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/10/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/10/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/10/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/10/99	JLO	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087297 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-03-17-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/10/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/10/99	JLO	95-47-6	
Toluene-d8 (S)	87	%		12/10/99	JLO	2037-26-5	
Dibromofluoromethane (S)	105	%		12/10/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	97	%		12/10/99	JLO	460-00-4	
1,2-Dichloroethane-d4 (S)	110	%		12/10/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087313 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-03-33-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/10/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/10/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/10/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/10/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/10/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/10/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/10/99	JLO	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/l	1	12/10/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/10/99	JLO	75-34-3	
cis-1,2-Dichloroethene	10	ug/l	1	12/10/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/10/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/10/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/10/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/10/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/10/99	JLO	107-06-2	
Trichloroethene	15	ug/l	1	12/10/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/10/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/10/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/10/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/10/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/10/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/10/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/10/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/10/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/10/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/10/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/10/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/10/99	JLO	95-47-6	
Toluene-d8 (S)	93	%		12/10/99	JLO	2037-26-5	
Dibromofluoromethane (S)	100	%		12/10/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	98	%		12/10/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087313 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-03-33-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		12/10/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087339 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-01-17-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/10/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/10/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/10/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/10/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/10/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/10/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/10/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/10/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/10/99	JLO	75-34-3	
cis-1,2-Dichloroethene	1.8	ug/l	1	12/10/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/10/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/10/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/10/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/10/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/10/99	JLO	107-06-2	
Trichloroethene	2.1	ug/l	1	12/10/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/10/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/10/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/10/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/10/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/10/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/10/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/10/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/10/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/10/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/10/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/10/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/10/99	JLO	95-47-6	
Toluene-d8 (S)	92	%		12/10/99	JLO	2037-26-5	
Dibromofluoromethane (S)	106	%		12/10/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	95	%		12/10/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087339 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-01-17-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		12/10/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087347 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-01-30-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/10/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/10/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/10/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/10/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/10/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/10/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/10/99	JLO	75-35-4	
trans-1,2-Dichloroethene	1.5	ug/l	1	12/10/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/10/99	JLO	75-34-3	
cis-1,2-Dichloroethene	7.9	ug/l	1	12/10/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/10/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/10/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/10/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/10/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/10/99	JLO	107-06-2	
Trichloroethene	7.5	ug/l	1	12/10/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/10/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/10/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/10/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/10/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/10/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/10/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/10/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/10/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/10/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/10/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/10/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/10/99	JLO	95-47-6	
Toluene-d8 (S)	92	%		12/10/99	JLO	2037-26-5	
Dibromofluoromethane (S)	104	%		12/10/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	97	%		12/10/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087347 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-01-30-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		12/10/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087354 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-01P-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	12/10/99	JLO	74-87-3		
Vinyl Chloride	5.9	ug/l	1	12/10/99	JLO	75-01-4		
Bromomethane	ND	ug/l	1	12/10/99	JLO	74-83-9		
Chloroethane	ND	ug/l	1	12/10/99	JLO	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	12/10/99	JLO	75-69-4		
Methylene Chloride	33	ug/l	1	12/10/99	JLO	75-09-2		
1,1-Dichloroethene	11	ug/l	1	12/10/99	JLO	75-35-4		
trans-1,2-Dichloroethene	30	ug/l	1	12/10/99	JLO	156-60-5		
1,1-Dichloroethane	ND	ug/l	1	12/10/99	JLO	75-34-3		
cis-1,2-Dichloroethene	50	ug/l	1	12/10/99	JLO	156-59-2	1	E
Chloroform	ND	ug/l	1	12/10/99	JLO	67-66-3		
1,1,1-Trichloroethane	47	ug/l	1	12/10/99	JLO	71-55-6	1	E
Carbon Tetrachloride	46	ug/l	1	12/10/99	JLO	56-23-5	1	E
Benzene	20	ug/l	1	12/10/99	JLO	71-43-2		
1,2-Dichloroethane	40	ug/l	1	12/10/99	JLO	107-06-2		
Trichloroethene	31	ug/l	1	12/10/99	JLO	79-01-6		
1,2-Dichloropropane	27	ug/l	1	12/10/99	JLO	78-87-5		
Bromodichloromethane	ND	ug/l	1	12/10/99	JLO	75-27-4		
Toluene	19	ug/l	1	12/10/99	JLO	108-88-3		
1,1,2-Trichloroethane	61	ug/l	1	12/10/99	JLO	79-00-5	1	E
Tetrachloroethene	26	ug/l	1	12/10/99	JLO	127-18-4		
Dibromochloromethane	ND	ug/l	1	12/10/99	JLO	124-48-1		
Chlorobenzene	37	ug/l	1	12/10/99	JLO	108-90-7		
Ethylbenzene	35	ug/l	1	12/10/99	JLO	100-41-4		
Bromoform	ND	ug/l	1	12/10/99	JLO	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/10/99	JLO	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	12/10/99	JLO	541-73-1		
1,4-Dichlorobenzene	31	ug/l	1	12/10/99	JLO	106-46-7		
1,2-Dichlorobenzene	68	ug/l	1	12/10/99	JLO	95-50-1	1	E
cis-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	12/10/99	JLO	10061-02-6		
M&P-Xylene	75	ug/l	1.3	12/10/99	JLO			
O-Xylene (1,2-Dimethylbenzene)	31	ug/l	1.1	12/10/99	JLO	95-47-6		
Toluene-d8 (S)	89	%		12/10/99	JLO	2037-26-5		
Dibromofluoromethane (S)	102	%		12/10/99	JLO	1868-53-7		
4-Bromofluorobenzene (S)	96	%		12/10/99	JLO	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087354 Date Collected: 11/29/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-01P-112999 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		12/10/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087362 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-02M-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/11/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/11/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/11/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/11/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/11/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/11/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/11/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/11/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/11/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	JLO	107-06-2	
Trichloroethene	ND	ug/l	1	12/11/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/11/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/11/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/11/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/11/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	JLO	95-47-6	
Toluene-d8 (S)	96	%		12/11/99	JLO	2037-26-5	
Dibromofluoromethane (S)	104	%		12/11/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	103	%		12/11/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087362 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-02M-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		12/11/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087370 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-02-17-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/11/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/11/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/11/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/11/99	JLO	75-34-3	
cis-1,2-Dichloroethene	1.7	ug/l	1	12/11/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/11/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/11/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/11/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/11/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	JLO	107-06-2	
Trichloroethene	1.6	ug/l	1	12/11/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/11/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/11/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	JLO	79-00-5	
Tetrachloroethene	18	ug/l	1	12/11/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/11/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	JLO	95-47-6	
Toluene-d8 (S)	95	%		12/11/99	JLO	2037-26-5	
Dibromofluoromethane (S)	106	%		12/11/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	104	%		12/11/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087370 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-02-17-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		12/11/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087388 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-02-30-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	JLO	75-35-4	
trans-1,2-Dichloroethene	1.1	ug/l	1	12/12/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	JLO	75-34-3	
cis-1,2-Dichloroethene	13	ug/l	1	12/12/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/12/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	JLO	107-06-2	
Trichloroethene	12	ug/l	1	12/12/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/12/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	JLO	79-00-5	
Tetrachloroethene	1.4	ug/l	1	12/12/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	JLO	95-47-6	
Toluene-d8 (S)	95	%		12/12/99	JLO	2037-26-5	
Dibromofluoromethane (S)	105	%		12/12/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	98	%		12/12/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087388 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-02-30-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		12/12/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087396 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-09-17-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	JLO	75-69-4	
Methylene Chloride	1.7	ug/l	1	12/12/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/12/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/12/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	JLO	107-06-2	
Trichloroethene	ND	ug/l	1	12/12/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/12/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	JLO	95-47-6	
Toluene-d8 (S)	88	%		12/12/99	JLO	2037-26-5	
Dibromofluoromethane (S)	104	%		12/12/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	97	%		12/12/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087396 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-09-17-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		12/12/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087404 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-09-32-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	JLO	75-35-4	
trans-1,2-Dichloroethene	1.9	ug/l	1	12/12/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	JLO	75-34-3	
cis-1,2-Dichloroethene	13	ug/l	1	12/12/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/12/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	JLO	107-06-2	
Trichloroethene	12	ug/l	1	12/12/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/12/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	JLO	95-47-6	
Toluene-d8 (S)	93	%		12/12/99	JLO	2037-26-5	
Dibromofluoromethane (S)	102	%		12/12/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	100	%		12/12/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087404 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-09-32-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		12/12/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087412 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-08-17-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/12/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	JLO	67-66-3	
1,1,1-Trichloroethane	6.7	ug/l	1	12/12/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/12/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	JLO	107-06-2	
Trichloroethene	ND	ug/l	1	12/12/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/12/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	JLO	95-47-6	
Toluene-d8 (S)	91	%		12/12/99	JLO	2037-26-5	
Dibromofluoromethane (S)	105	%		12/12/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	101	%		12/12/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087412 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-08-17-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		12/12/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087420 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-08-32-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	JLO	75-35-4	
trans-1,2-Dichloroethene	2.5	ug/l	1	12/12/99	JLO	156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	12/12/99	JLO	75-34-3	
cis-1,2-Dichloroethene	16	ug/l	1	12/12/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/12/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	JLO	107-06-2	
Trichloroethene	14	ug/l	1	12/12/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/12/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	JLO	95-47-6	
Toluene-d8 (S)	92	%		12/12/99	JLO	2037-26-5	
Dibromofluoromethane (S)	107	%		12/12/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	99	%		12/12/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087420 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03G-08-32-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		12/12/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087438 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-03-17-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	JLO	75-09-2	
1,1-Dichloroethene	11	ug/l	1	12/12/99	JLO	75-35-4	
trans-1,2-Dichloroethene	3.7	ug/l	1	12/12/99	JLO	156-60-5	
1,1-Dichloroethane	7.5	ug/l	1	12/12/99	JLO	75-34-3	
cis-1,2-Dichloroethene	30	ug/l	1	12/12/99	JLO	156-59-2	
Chloroform	1.3	ug/l	1	12/12/99	JLO	67-66-3	
1,1,1-Trichloroethane	70	ug/l	5	12/12/99	JLO	71-55-6	2
Carbon Tetrachloride	11	ug/l	1	12/12/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/12/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	JLO	107-06-2	
Trichloroethene	420	ug/l	5	12/12/99	JLO	79-01-6	1,2
1,2-Dichloropropane	1.3	ug/l	1	12/12/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/12/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	JLO	79-00-5	
Tetrachloroethene	3.1	ug/l	1	12/12/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	JLO	95-47-6	
Toluene-d8 (S)	102	%		12/12/99	JLO	2037-26-5	
Dibromofluoromethane (S)	103	%		12/12/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	103	%		12/12/99	JLO	460-00-4	

LAB Q

CDM Q

D

D E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087438 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-03-17-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		12/12/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087446 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-03-32-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/12/99	JLO	74-87-3			
Vinyl Chloride	ND	ug/l	1	12/12/99	JLO	75-01-4			
Bromomethane	ND	ug/l	1	12/12/99	JLO	74-83-9			
Chloroethane	ND	ug/l	1	12/12/99	JLO	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/12/99	JLO	75-69-4			
Methylene Chloride	ND	ug/l	1	12/12/99	JLO	75-09-2			
1,1-Dichloroethene	20	ug/l	1	12/12/99	JLO	75-35-4			
trans-1,2-Dichloroethene	1.2	ug/l	1	12/12/99	JLO	156-60-5			
1,1-Dichloroethane	7.5	ug/l	1	12/12/99	JLO	75-34-3			
cis-1,2-Dichloroethene	16	ug/l	1	12/12/99	JLO	156-59-2			
Chloroform	1.3	ug/l	1	12/12/99	JLO	67-66-3			
1,1,1-Trichloroethane	52	ug/l	5	12/12/99	JLO	71-55-6	2		D
Carbon Tetrachloride	12	ug/l	1	12/12/99	JLO	56-23-5			
Benzene	ND	ug/l	1	12/12/99	JLO	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/12/99	JLO	107-06-2			
Trichloroethene	71	ug/l	5	12/12/99	JLO	79-01-6	2		D
1,2-Dichloropropane	ND	ug/l	1	12/12/99	JLO	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/12/99	JLO	75-27-4			
Toluene	ND	ug/l	1	12/12/99	JLO	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	JLO	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/12/99	JLO	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/12/99	JLO	124-48-1			
Chlorobenzene	ND	ug/l	1	12/12/99	JLO	108-90-7			
Ethylbenzene	ND	ug/l	1	12/12/99	JLO	100-41-4			
Bromoform	ND	ug/l	1	12/12/99	JLO	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	JLO	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	JLO	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	JLO	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/12/99	JLO				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	JLO	95-47-6			
Toluene-d8 (S)	92	%		12/12/99	JLO	2037-26-5			
Dibromofluoromethane (S)	106	%		12/12/99	JLO	1868-53-7			
4-Bromofluorobenzene (S)	101	%		12/12/99	JLO	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087446 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-03-32-120199 Date Received: 12/02/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		12/12/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[2]	The result is from a dilution of 1:5 on 12/13/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor
SDG Number: 6036561B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 74761
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603087297 603087313 603087339 603087347 603087354 603087362 603087370 603087388 603087396 603087404 603087412 603087420 603087438 603087446

METHOD BLANK: 603098864
Associated Pace Samples:
603087297 603087313 603087339 603087347 603087354

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603098864
Associated Pace Samples:
603087297 603087313 603087339 603087347 603087354

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	95		
Dibromofluoromethane (S)	%	106		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	110		

METHOD BLANK: 603112103
Associated Pace Samples:
603087362 603087370 603087388 603087396 603087404 603087412 603087420

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603112103
Associated Pace Samples:

603087362 603087370 603087388 603087396 603087404 603087412 603087420

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	99		

METHOD BLANK: 603112111
Associated Pace Samples:

603087438 603087446

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603112111
Associated Pace Samples:
603087438 603087446

Parameter	Units	Method Blank Result	PRL	Footnotes
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	100		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	101		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603098872 603098880

Parameter	Units	603087297	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	8.962	89.6	9.370	93.7	4	
Benzene	ug/l	0	10	10.50	105	10.81	108	3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603098872 603098880

Parameter	Units	603087297	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Trichloroethene	ug/l	0	10	7.868	78.7	7.820	78.2	1	
Toluene	ug/l	0	10	8.257	82.6	9.135	91.3	10	
Chlorobenzene	ug/l	0	10	10.02	100	9.899	99.0	1	
Toluene-d8 (S)					89		94		
Dibromofluoromethane (S)					101		100		
4-Bromofluorobenzene (S)					94		103		
1,2-Dichloroethane-d4 (S)					104		103		

LABORATORY CONTROL SAMPLE: 603098898

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	9.338	93.4	
Vinyl Chloride	ug/l	10	9.946	99.5	
Bromomethane	ug/l	10	9.864	98.6	
Chloroethane	ug/l	10	9.106	91.1	
Trichlorofluoromethane	ug/l	10	9.779	97.8	
Methylene Chloride	ug/l	10	11.23	112	
1,1-Dichloroethene	ug/l	10	9.537	95.4	
trans-1,2-Dichloroethene	ug/l	10	10.13	101	
1,1-Dichloroethane	ug/l	10	9.544	95.4	
cis-1,2-Dichloroethene	ug/l	10	10.75	108	
Chloroform	ug/l	10	10.22	102	
1,1,1-Trichloroethane	ug/l	10	10.87	109	
Carbon Tetrachloride	ug/l	10	10.44	104	
Benzene	ug/l	10	10.46	105	
1,2-Dichloroethane	ug/l	10	10.62	106	
Trichloroethene	ug/l	10	11.28	113	
1,2-Dichloropropane	ug/l	10	10.63	106	
Bromodichloromethane	ug/l	10	10.73	107	
Toluene	ug/l	10	9.784	97.8	
1,1,2-Trichloroethane	ug/l	10	10.83	108	
Tetrachloroethene	ug/l	10	9.585	95.8	
Dibromochloromethane	ug/l	10	9.786	97.9	
Chlorobenzene	ug/l	10	9.718	97.2	
Ethylbenzene	ug/l	10	9.927	99.3	
Bromoform	ug/l	10	11.01	110	
1,1,2,2-Tetrachloroethane	ug/l	10	9.046	90.5	
1,3-Dichlorobenzene	ug/l	10	9.523	95.2	
1,4-Dichlorobenzene	ug/l	10	9.428	94.3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603098898

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,2-Dichlorobenzene	ug/l	10	10.51	105	
cis-1,3-Dichloropropene	ug/l	10	11.35	114	
trans-1,3-Dichloropropene	ug/l	10	11.14	111	
M&P-Xylene	ug/l	20	19.33	96.6	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.49	105	
Toluene-d8 (S)				94	
Dibromofluoromethane (S)				100	
4-Bromofluorobenzene (S)				97	
1,2-Dichloroethane-d4 (S)				105	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036561
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	11/29/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	603681
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP03G-03-17-112999	14:07	Water		3	PW				X	X													603087297
2	NIC-GPW-GP03G-03-33-112999	14:30	Water		3					X	X													603087313
3	NIC-GPW-GP03G-01-17-112999	15:18	Water		3					X	X													603087329
4	NIC-GPW-GP03G-01-30-112999	15:34	Water		3					X	X													603087347
5	NIC-GPW-GP03G-01P-112999	16:00	Water		2					X	X													3227-4X 603087354

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-5	Frank Winslow	AIAP	12/1/99	16:00
		F. Mekonnen	12/2/99	10:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	12/1/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60365641
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP03G-02M-120199	8:00	Water		3	PU				X	X														60308736 2
2	NIC-GPW-GP03G-02-17-120199	9:02	Water		3					X	X														60308737 0
3	NIC-GPW-GP03G-02-30-120199	9:26	Water		3					X	X														60308738 8
4	NIC-GPW-GP03G-09-17-120199	10:16	Water		2					X	X														60308739 6
5	NIC-GPW-GP03G-09-32-120199	10:34	Water		2					X	X														60308740 4
6	NIC-GPW-GP03G-08-17-120199	11:21	Water		2					X	X														60308741 2
7	NIC-GPW-GP03G-08-32-120199	11:34	Water		2					X	X														60308742 0
8	NIC-GPW-GP03F-03-17-120199	13:18	Water		2					X	X														60308743 8

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1B	Frank Winslow	ASAP	12/1/99	16:00
		F.McKennen	12/2/99	10:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	12/1/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	603.561
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP03F-03-32-120199	13:37	Water		3	PU				X	X													603087446

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1	Frank Winslow	ASAP	12/1/99	16:00
		Fmeronnen	12/2/99	10:00

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by
Todd Burgesser
12/14/00

December 29, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 4, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/29/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor
SDG Number: 6036564B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603087560	NIC-GPW-GP03F-04-17-120199	EPA 8260	74800		
603087578	NIC-GPW-GP03F-04-30-120199	EPA 8260	74800		
603087586	NIC-GPW-GP02C-02M-120299	EPA 8260	74800		
603087594	NIC-GPW-GP02C-02-17-120299	EPA 8260	74800		
603087602	NIC-GPW-GP02C-02-35-120299	EPA 8260	74800		
603087610	NIC-GPW-GP04E-08-17-120299	EPA 8260	74800		
603087669	NIC-GPW-GP04E-08-37-120299	EPA 8260	74800		
603087719	NIC-GPW-GP04F-03-17-120299	EPA 8260	74800		
603087727	NIC-GPW-GP04F-03-35-120299	EPA 8260	74800		
603087735	NIC-GPW-GP04G-05-17-120299	EPA 8260	74800		
603087743	NIC-GPW-GP04G-05-35-120299	EPA 8260	74800		
603087750	NIC-GPW-GP04G-05Q1-35-120299	EPA 8260	74800		
603087768	NIC-GPW-GP04G-05N-35-120299	EPA 8260	74800		
603087776	NIC-GPW-GP04G-08-17-120299	EPA 8260	74800		
603087784	NIC-GPW-GP04G-08-36-120299	EPA 8260	74800		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/29/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor
SDG Number: 6036564B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

10

Pace Sample No: 603087560 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-04-17-120199 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/11/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/11/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/11/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/11/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/11/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/11/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/11/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/11/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/11/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/11/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/11/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/11/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/11/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	NLA	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087560 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-04-17-120199 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	106-46-7	
1,2-Dichlorobenzene	2.4	ug/l	1	12/11/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	NLA	95-47-6	
Toluene-d8 (S)	84	%		12/11/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/11/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/11/99	NLA	460-00-4	
1,2-Dichloroethane-d4 (S)	81	%		12/11/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087578 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-04-30-120199 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/11/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/11/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/11/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/11/99	NLA	75-34-3	
cis-1,2-Dichloroethene	5.8	ug/l	1	12/11/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/11/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/11/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/11/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/11/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	NLA	107-06-2	
Trichloroethene	11	ug/l	1	12/11/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/11/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/11/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/11/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	NLA	95-47-6	
Toluene-d8 (S)	89	%		12/11/99	NLA	2037-26-5	
Dibromofluoromethane (S)	91	%		12/11/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/11/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087578 Date Collected: 12/01/99 Matrix: Water
Client Sample ID: NIC-GPW-GP03F-04-30-120199 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	80	%		12/11/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087586 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-02M-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/11/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/11/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/11/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/11/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/11/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/11/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/11/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/11/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/11/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/11/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/11/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/11/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/11/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	NLA	95-47-6	
Toluene-d8 (S)	94	%		12/11/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/11/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	76	%		12/11/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087586 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-02M-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	79	%		12/11/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087594 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-02-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/11/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/11/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/11/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/11/99	NLA	75-34-3	
cis-1,2-Dichloroethene	1.0	ug/l	1	12/11/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/11/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/11/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/11/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/11/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	NLA	107-06-2	
Trichloroethene	9.0	ug/l	1	12/11/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/11/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/11/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/11/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	NLA	95-47-6	
Toluene-d8 (S)	89	%		12/11/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/11/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/11/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087594 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-02-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	80	%		12/11/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087602 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-02-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	NLA	74-87-3	
Vinyl Chloride	15	ug/l	1	12/11/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	NLA	75-09-2	
1,1-Dichloroethene	37	ug/l	1	12/11/99	NLA	75-35-4	
trans-1,2-Dichloroethene	27	ug/l	1	12/11/99	NLA	156-60-5	
1,1-Dichloroethane	7.3	ug/l	1	12/11/99	NLA	75-34-3	
cis-1,2-Dichloroethene	130	ug/l	20	12/11/99	NLA	156-59-2	1
Chloroform	1.9	ug/l	1	12/11/99	NLA	67-66-3	
1,1,1-Trichloroethane	8.6	ug/l	1	12/11/99	NLA	71-55-6	
Carbon Tetrachloride	2.8	ug/l	1	12/11/99	NLA	56-23-5	
Benzene	2.2	ug/l	1	12/11/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	NLA	107-06-2	
Trichloroethene	360	ug/l	20	12/11/99	NLA	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	12/11/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/11/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/11/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	NLA	95-47-6	
Toluene-d8 (S)	91	%		12/11/99	NLA	2037-26-5	
Dibromofluoromethane (S)	95	%		12/11/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/11/99	NLA	460-00-4	

Lab & COM Q

D

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087602 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-02-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	84	%		12/11/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087610 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-08-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/11/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/11/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/11/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/11/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/11/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/11/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/11/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/11/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/11/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/11/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/11/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/11/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/11/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	NLA	95-47-6	
Toluene-d8 (S)	87	%		12/11/99	NLA	2037-26-5	
Dibromofluoromethane (S)	94	%		12/11/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	73	%		12/11/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087610 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-08-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	84	%		12/11/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087669 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-08-37-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	NLA	74-87-3	
Vinyl Chloride	5.2	ug/l	1	12/11/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	NLA	75-09-2	
1,1-Dichloroethene	1.5	ug/l	1	12/11/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.1	ug/l	1	12/11/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/11/99	NLA	75-34-3	
cis-1,2-Dichloroethene	43	ug/l	1	12/11/99	NLA	156-59-2	3
Chloroform	ND	ug/l	1	12/11/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/11/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/11/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/11/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	NLA	107-06-2	
Trichloroethene	40	ug/l	1	12/11/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/11/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/11/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/11/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		12/11/99	NLA	2037-26-5	
Dibromofluoromethane (S)	94	%		12/11/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/11/99	NLA	460-00-4	

LAB Q

COM Q

F

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087669 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-08-37-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	82	%		12/11/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087719 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-03-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/11/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/11/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/11/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/11/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/11/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/11/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/11/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/11/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/11/99	NLA	75-34-3	
cis-1,2-Dichloroethene	1.1	ug/l	1	12/11/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/11/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/11/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/11/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/11/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/11/99	NLA	107-06-2	
Trichloroethene	7.2	ug/l	1	12/11/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/11/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/11/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/11/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/11/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/11/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/11/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/11/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/11/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/11/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/11/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/11/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/11/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/11/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/11/99	NLA	95-47-6	
Toluene-d8 (S)	94	%		12/11/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/11/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	73	%		12/11/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087719 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-03-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	82	%		12/11/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087727 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-03-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	2.1	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	1.2	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087727 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04F-03-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	80	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087735 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-05-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	2.0	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	87	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087735 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-05-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	82	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087743 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-05-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	2.7	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	28	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	54	ug/l	1	12/12/99	NLA	79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	93	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	95	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	73	%		12/12/99	NLA	460-00-4	

LAB Q QDM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087743 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-05-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	84	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087750 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-05Q1-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	2.0	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	1.0	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	27	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	47	ug/l	1	12/12/99	NLA	79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	95	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/12/99	NLA	460-00-4	

LAB Q COM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087750 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-05Q1-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	82	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087768 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-05N-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	81	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087768 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-05N-35-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	83	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087776 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-08-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	7.9	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	1.3	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	91	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	97	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087776 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-08-17-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	85	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087784 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-08-36-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	14	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	7.9	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	97	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087784 Date Collected: 12/02/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04G-08-36-120299 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	82	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Result from a dilution of 1:20 on 12/11/99.
[2]	Result from a 1:20 dilution on 12/11/99.
[3]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor
SDG Number: 6036564B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 74800
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603087560 603087578 603087586 603087594 603087602 603087610 603087669 603087719 603087727 603087735 603087743 603087750 603087768 603087776 603087784

METHOD BLANK: 603100520
Associated Pace Samples:
603087610 603087669 603087719 603087727 603087735 603087743

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603100520
Associated Pace Samples:
603087610 603087669 603087719 603087727 603087735 603087743

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	92		
4-Bromofluorobenzene (S)	%	76		
1,2-Dichloroethane-d4 (S)	%	80		

METHOD BLANK: 603107079
Associated Pace Samples:
603087560 603087578 603087586 603087594 603087602

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603107079
Associated Pace Samples:

603087560 603087578 603087586 603087594 603087602

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	92		
4-Bromofluorobenzene (S)	%	77		
1,2-Dichloroethane-d4 (S)	%	84		

METHOD BLANK: 603107111
Associated Pace Samples:

603087750 603087768 603087776 603087784

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603107111
Associated Pace Samples: 603087750 603087768 603087776 603087784

Parameter	Units	Method Blank Result	PRL	Footnotes
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	95		
4-Bromofluorobenzene (S)	%	76		
1,2-Dichloroethane-d4 (S)	%	83		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603100538 603100546

Parameter	Units	603087735	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	5.000	4.348	87.0	4.164	83.3	4	
Benzene	ug/l	0	5.000	5.582	112	5.541	111	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603100538 603100546

Parameter	Units	603087735	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Trichloroethene	ug/l	0	5.000	5.275	106	5.151	103	2	
Toluene	ug/l	0	5.000	3.976	79.5	3.609	72.2	10	
Chlorobenzene	ug/l	0	5.000	5.678	114	5.655	113	0	
Toluene-d8 (S)					86		82		
Dibromofluoromethane (S)					93		95		
4-Bromofluorobenzene (S)					74		75		
1,2-Dichloroethane-d4 (S)					84		86		

LABORATORY CONTROL SAMPLE: 603100553

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	4.000	3.895	97.4	
Vinyl Chloride	ug/l	4.000	3.859	96.5	
Bromomethane	ug/l	4.000	4.372	109	
Chloroethane	ug/l	4.000	4.023	101	
Trichlorofluoromethane	ug/l	4.000	3.880	97.0	
Methylene Chloride	ug/l	4.000	4.095	102	
1,1-Dichloroethene	ug/l	4.000	4.243	106	
trans-1,2-Dichloroethene	ug/l	4.000	4.204	105	
1,1-Dichloroethane	ug/l	4.000	3.722	93.1	
cis-1,2-Dichloroethene	ug/l	4.000	3.946	98.7	
Chloroform	ug/l	4.000	4.105	103	
1,1,1-Trichloroethane	ug/l	4.000	3.437	85.9	
Carbon Tetrachloride	ug/l	4.000	3.476	86.9	
Benzene	ug/l	4.000	3.848	96.2	
1,2-Dichloroethane	ug/l	4.000	3.184	79.6	
Trichloroethene	ug/l	4.000	3.674	91.8	
1,2-Dichloropropane	ug/l	4.000	3.794	94.9	
Bromodichloromethane	ug/l	4.000	3.414	85.4	
Toluene	ug/l	4.000	3.953	98.8	
1,1,2-Trichloroethane	ug/l	4.000	3.848	96.2	
Tetrachloroethene	ug/l	4.000	4.232	106	
Dibromochloromethane	ug/l	4.000	3.593	89.8	
Chlorobenzene	ug/l	4.000	4.183	105	
Ethylbenzene	ug/l	4.000	4.078	102	
Bromoform	ug/l	4.000	4.220	105	
1,1,2,2-Tetrachloroethane	ug/l	4.000	4.606	115	
1,3-Dichlorobenzene	ug/l	4.000	4.101	103	
1,4-Dichlorobenzene	ug/l	4.000	4.139	103	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603100553

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,2-Dichlorobenzene	ug/l	4.000	4.053	101	
cis-1,3-Dichloropropene	ug/l	4.000	3.588	89.7	
trans-1,3-Dichloropropene	ug/l	4.000	3.783	94.6	
M&P-Xylene	ug/l	8.000	8.290	104	
O-Xylene (1,2-Dimethylbenzene)	ug/l	4.000	3.904	97.6	
Toluene-d8 (S)				97	
Dibromofluoromethane (S)				92	
4-Bromofluorobenzene (S)				76	
1,2-Dichloroethane-d4 (S)				80	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036564
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	L036564
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	12/1/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP03F-04-17-120199	14:40	Water		3					X	X													603087560
2	NIC-GPW-GP03F-04-30-120199	15:14	Water		3					X	X													603087578

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-2	Frank Winslow	ASAP	12/3/99	16:00
		F-McKennen	12/4/99	9:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg
		Date Sampled:	12/2/99

Lab Client No.:

Lab Project Manager: Andrea Hyslop

Lab Project No.:

*Requested Due Date: NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP02C-02M-120299	8:00	Water		3					X	X														603087586
2	NIC-GPW-GP02C-02-17-120299	9:13	Water		3					X	X														603087594
3	NIC-GPW-GP02C-02-35-120299	9:35	Water		3					X	X														603087602
4	NIC-GPW-GP04E-08-17-120299	10:56	Water		3					X	X														603087610
5	NIC-GPW-GP04E-08-37-120299	11:26	Water		3					X	X														603087669
6	NIC-GPW-GP04F-03-17-120299	13:36	Water		3					X	X														603087719
7	NIC-GPW-GP04F-03-35-120299	13:48	Water		3					X	X														603087727
8	NIC-GPW-GP04G-05-17-120299	14:45	Water		6					X	X														MS/MSD 603087735

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	12/3/99	16:00
		F. Meronnen	12/04/99	9:00

6

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	12/2/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP04G-05-35-120299	15:02	Water		3					X	X														603087743
2	NIC-GPW-GP04G-05Q1-35-120299	15:02	Water		3					X	X														603087750
3	NIC-GPW-GP04G-05N-35-120299	15:12	Water		3					X	X														603087768
4	NIC-GPW-GP04G-08-17-120299	16:01	Water		3					X	X														603087776
5	NIC-GPW-GP04G-08-36-120299	16:22	Water		3					X	X														603087784

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-5	Frank Winslow	ASAP	12/3/99	16:00
		E. McKernan	12/09/99	9:00

Pace Analytical

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Reviewed by Todd Burgesser
2/16/00

December 23, 1999

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory December 4, 1999through December 8, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 12/23/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor
SDG Number: 6036564B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603095928	NIC-GPW-GP04H-06-20-120399	EPA 8260	74800		
603095944	NIC-GPW-GP04E-06-17-120399	EPA 8260	74800		
603095951	NIC-GPW-GP04E-06-44-120399	EPA 8260	74800		
603095977	NIC-GPW-GP04H-06M-120399	EPA 8260	74800		
603096025	NIC-GPW-GP04H-06-29-120799	EPA 8260	74800		
603087842	NIC-GPW-GP04H-03-17-120399	EPA 8260	74813		
603087859	NIC-GPW-GP04H-03-32-120399	EPA 8260	74813		
603087867	NIC-GPW-GP04H-05-17-120399	EPA 8260	74813		
603087891	NIC-GPW-GP04H-05-31-120399	EPA 8260	74813		
603087909	NIC-GPW-GP04H-08-20-120399	EPA 8260	74813		
603087917	NIC-GPW-GP04H-08-29-120399	EPA 8260	74813		
603087925	NIC-GPW-GP04H-07-20-120399	EPA 8260	74813		
603087933	NIC-GPW-GP04H-07-34-120399	EPA 8260	74813		
603087941	NIC-GPW-GP04H-07P-120399	EPA 8260	74813		
603096041	NIC-GPW-GP06H-01-17-120799	EPA 8260	74813		
603096058	NIC-GPW-GP06H-01-28-120799	EPA 8260	74813		
603096074	NIC-GPW-GP06H-01P-120799	EPA 8260	74813		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 12/23/99

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor
SDG Number: 6036564B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

/0

Pace Sample No: 603087842 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-03-17-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/13/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/13/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/13/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/13/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/13/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/13/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/13/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/13/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/13/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/13/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/13/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/13/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/13/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/13/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/13/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/13/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/13/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/13/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/13/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/13/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/13/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/13/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/13/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/13/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/13/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/13/99	NLA	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087842 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-03-17-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/13/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/13/99	NLA	95-47-6	
Toluene-d8 (S)	87	%		12/13/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/13/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/13/99	NLA	460-00-4	
1,2-Dichloroethane-d4 (S)	83	%		12/13/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087859 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-03-32-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/13/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/13/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/13/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/13/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/13/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/13/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/13/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/13/99	NLA	156-60-5	
1,1-Dichloroethane	1.4	ug/l	1	12/13/99	NLA	75-34-3	
cis-1,2-Dichloroethene	13	ug/l	1	12/13/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/13/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/13/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/13/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/13/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/13/99	NLA	107-06-2	
Trichloroethene	6.8	ug/l	1	12/13/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/13/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/13/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/13/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/13/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/13/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/13/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/13/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/13/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/13/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/13/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/13/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/13/99	NLA	95-47-6	
Toluene-d8 (S)	94	%		12/13/99	NLA	2037-26-5	
Dibromofluoromethane (S)	95	%		12/13/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	76	%		12/13/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087859 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-03-32-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	84	%		12/13/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087867 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-05-17-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/13/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/13/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/13/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/13/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/13/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/13/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/13/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/13/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/13/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/13/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/13/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/13/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/13/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/13/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/13/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/13/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/13/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/13/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/13/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/13/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/13/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/13/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/13/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/13/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/13/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/13/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/13/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/13/99	NLA	95-47-6	
Toluene-d8 (S)	90	%		12/13/99	NLA	2037-26-5	
Dibromofluoromethane (S)	94	%		12/13/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/13/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087867 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-05-17-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	83	%		12/13/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087891 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-05-31-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/13/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/13/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/13/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/13/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/13/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/13/99	NLA	75-09-2	
1,1-Dichloroethene	1.2	ug/l	1	12/13/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/13/99	NLA	156-60-5	
1,1-Dichloroethane	1.6	ug/l	1	12/13/99	NLA	75-34-3	
cis-1,2-Dichloroethene	9.8	ug/l	1	12/13/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/13/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/13/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/13/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/13/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/13/99	NLA	107-06-2	
Trichloroethene	13	ug/l	1	12/13/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/13/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/13/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/13/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/13/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/13/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/13/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/13/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/13/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/13/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/13/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/13/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/13/99	NLA	95-47-6	
Toluene-d8 (S)	94	%		12/13/99	NLA	2037-26-5	
Dibromofluoromethane (S)	94	%		12/13/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/13/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087891 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-05-31-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	82	%		12/13/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087909 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-08-20-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/13/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/13/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/13/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/13/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/13/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/13/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/13/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/13/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/13/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/13/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/13/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/13/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/13/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/13/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/13/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/13/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/13/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/13/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/13/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/13/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/13/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/13/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/13/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/13/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/13/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/13/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/13/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/13/99	NLA	95-47-6	
Toluene-d8 (S)	97	%		12/13/99	NLA	2037-26-5	
Dibromofluoromethane (S)	94	%		12/13/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/13/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087909 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-08-20-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	83	%		12/13/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087917 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-08-29-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/14/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/14/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/14/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/14/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/14/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/14/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/14/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.4	ug/l	1	12/14/99	NLA	156-60-5	
1,1-Dichloroethane	2.0	ug/l	1	12/14/99	NLA	75-34-3	
cis-1,2-Dichloroethene	14	ug/l	1	12/14/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/14/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/14/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/14/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/14/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/14/99	NLA	107-06-2	
Trichloroethene	12	ug/l	1	12/14/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/14/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/14/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/14/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/14/99	NLA	79-00-5	
Tetrachloroethene	3.1	ug/l	1	12/14/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/14/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/14/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/14/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/14/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/14/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/14/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/14/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/14/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/14/99	NLA	95-47-6	
Toluene-d8 (S)	93	%		12/14/99	NLA	2037-26-5	
Dibromofluoromethane (S)	94	%		12/14/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	76	%		12/14/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087917 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-08-29-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	83	%		12/14/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087925 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-07-20-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/14/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/14/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/14/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/14/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/14/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/14/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/14/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/14/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/14/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/14/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/14/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/14/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/14/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/14/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/14/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/14/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/14/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/14/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/14/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/14/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/14/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/14/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/14/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/14/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/14/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/14/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/14/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/14/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/14/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/14/99	NLA	95-47-6	
Toluene-d8 (S)	90	%		12/14/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/14/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	73	%		12/14/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087925 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-07-20-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	81	%		12/14/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087933 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-07-34-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/14/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/14/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/14/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/14/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/14/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/14/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/14/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.0	ug/l	1	12/14/99	NLA	156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	12/14/99	NLA	75-34-3	
cis-1,2-Dichloroethene	7.8	ug/l	1	12/14/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/14/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/14/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/14/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/14/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/14/99	NLA	107-06-2	
Trichloroethene	8.8	ug/l	1	12/14/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/14/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/14/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/14/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/14/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/14/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/14/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/14/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/14/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/14/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/14/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/14/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/14/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/14/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/14/99	NLA	95-47-6	
Toluene-d8 (S)	95	%		12/14/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/14/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	73	%		12/14/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087933 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-07-34-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	80	%		12/14/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087941 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-07P-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/14/99	NLA	74-87-3	1
Vinyl Chloride	31	ug/l	1	12/14/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/14/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/14/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/14/99	NLA	75-69-4	
Methylene Chloride	97	ug/l	1	12/14/99	NLA	75-09-2	2
1,1-Dichloroethene	71	ug/l	1	12/14/99	NLA	75-35-4	2
trans-1,2-Dichloroethene	52	ug/l	1	12/14/99	NLA	156-60-5	2
1,1-Dichloroethane	ND	ug/l	1	12/14/99	NLA	75-34-3	
cis-1,2-Dichloroethene	56	ug/l	1	12/14/99	NLA	156-59-2	2
Chloroform	ND	ug/l	1	12/14/99	NLA	67-66-3	
1,1,1-Trichloroethane	20	ug/l	1	12/14/99	NLA	71-55-6	
Carbon Tetrachloride	110	ug/l	1	12/14/99	NLA	56-23-5	2
Benzene	100	ug/l	1	12/14/99	NLA	71-43-2	2
1,2-Dichloroethane	53	ug/l	1	12/14/99	NLA	107-06-2	2
Trichloroethene	51	ug/l	1	12/14/99	NLA	79-01-6	2
1,2-Dichloropropane	80	ug/l	1	12/14/99	NLA	78-87-5	2
Bromodichloromethane	ND	ug/l	1	12/14/99	NLA	75-27-4	
Toluene	23	ug/l	1	12/14/99	NLA	108-88-3	
1,1,2-Trichloroethane	49	ug/l	1	12/14/99	NLA	79-00-5	2
Tetrachloroethene	34	ug/l	1	12/14/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/14/99	NLA	124-48-1	
Chlorobenzene	130	ug/l	1	12/14/99	NLA	108-90-7	2
Ethylbenzene	20	ug/l	1	12/14/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/14/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/14/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/14/99	NLA	541-73-1	
1,4-Dichlorobenzene	120	ug/l	1	12/14/99	NLA	106-46-7	2
1,2-Dichlorobenzene	140	ug/l	1	12/14/99	NLA	95-50-1	2
cis-1,3-Dichloropropene	ND	ug/l	1	12/14/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/14/99	NLA	10061-02-6	
M&P-Xylene	100	ug/l	1.3	12/14/99	NLA		2
O-Xylene (1,2-Dimethylbenzene)	100	ug/l	1.1	12/14/99	NLA	95-47-6	2
Toluene-d8 (S)	98	%		12/14/99	NLA	2037-26-5	
Dibromofluoromethane (S)	91	%		12/14/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	81	%		12/14/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603087941 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-07P-120399 Date Received: 12/04/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	79	%		12/14/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603095928 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-06-20-120399 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	90	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603095928 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-06-20-120399 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	81	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603095944 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-06-17-120399 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603095944 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-06-17-120399 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	82	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603095951 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-06-44-120399 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.9	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	22	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	8.4	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	93	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603095951 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-06-44-120399 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	82	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603095977 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-06M-120399 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	97	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603095977 Date Collected: 12/03/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-06M-120399 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	81	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603096025 Date Collected: 12/07/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-06-29-120799 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	1.2	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	6.4	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	11	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	93	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603096025 Date Collected: 12/07/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04H-06-29-120799 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	80	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603096041 Date Collected: 12/07/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-01-17-120799 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	3.9	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	3.7	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	95	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	94	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	75	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603096041 Date Collected: 12/07/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-01-17-120799 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	82	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603096058 Date Collected: 12/07/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-01-28-120799 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/12/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/12/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/12/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/12/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/12/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/12/99	NLA	75-09-2	
1,1-Dichloroethene	4.0	ug/l	1	12/12/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/12/99	NLA	156-60-5	
1,1-Dichloroethane	5.3	ug/l	1	12/12/99	NLA	75-34-3	
cis-1,2-Dichloroethene	5.6	ug/l	1	12/12/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/12/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/12/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/12/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/12/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/12/99	NLA	107-06-2	
Trichloroethene	13	ug/l	1	12/12/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/12/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/12/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/12/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/12/99	NLA	79-00-5	
Tetrachloroethene	7.5	ug/l	1	12/12/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/12/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/12/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/12/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/12/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/12/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/12/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/12/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/12/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/12/99	NLA	95-47-6	
Toluene-d8 (S)	96	%		12/12/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/12/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	74	%		12/12/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603096058 Date Collected: 12/07/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-01-28-120799 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	81	%		12/12/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603096074 Date Collected: 12/07/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-01P-120799 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/13/99	NLA	74-87-3	
Vinyl Chloride	28	ug/l	1	12/13/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/13/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/13/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/13/99	NLA	75-69-4	
Methylene Chloride	51	ug/l	5	12/13/99	NLA	75-09-2	3
1,1-Dichloroethene	30	ug/l	5	12/13/99	NLA	75-35-4	3
trans-1,2-Dichloroethene	49	ug/l	1	12/13/99	NLA	156-60-5	2
1,1-Dichloroethane	ND	ug/l	1	12/13/99	NLA	75-34-3	
cis-1,2-Dichloroethene	53	ug/l	1	12/13/99	NLA	156-59-2	2
Chloroform	ND	ug/l	1	12/13/99	NLA	67-66-3	
1,1,1-Trichloroethane	20	ug/l	1	12/13/99	NLA	71-55-6	
Carbon Tetrachloride	57	ug/l	5	12/13/99	NLA	56-23-5	3
Benzene	61	ug/l	5	12/13/99	NLA	71-43-2	3
1,2-Dichloroethane	51	ug/l	1	12/13/99	NLA	107-06-2	2
Trichloroethene	48	ug/l	1	12/13/99	NLA	79-01-6	2
1,2-Dichloropropane	46	ug/l	5	12/13/99	NLA	78-87-5	3
Bromodichloromethane	ND	ug/l	1	12/13/99	NLA	75-27-4	
Toluene	21	ug/l	1	12/13/99	NLA	108-88-3	
1,1,2-Trichloroethane	49	ug/l	1	12/13/99	NLA	79-00-5	2
Tetrachloroethene	33	ug/l	1	12/13/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/13/99	NLA	124-48-1	
Chlorobenzene	64	ug/l	5	12/13/99	NLA	108-90-7	3
Ethylbenzene	45	ug/l	1	12/13/99	NLA	100-41-4	2
Bromoform	ND	ug/l	1	12/13/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/13/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/13/99	NLA	541-73-1	
1,4-Dichlorobenzene	70	ug/l	5	12/13/99	NLA	106-46-7	3
1,2-Dichlorobenzene	90	ug/l	5	12/13/99	NLA	95-50-1	3
cis-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/13/99	NLA	10061-02-6	
M&P-Xylene	44	ug/l	6.5	12/13/99	NLA		3
O-Xylene (1,2-Dimethylbenzene)	45	ug/l	5.5	12/13/99	NLA	95-47-6	3
Toluene-d8 (S)	95	%		12/13/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/13/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	84	%		12/13/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603096074 Date Collected: 12/07/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-01P-120799 Date Received: 12/08/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	84	%		12/13/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	There was no dilution due to insufficient sample.
[2]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[3]	Result from a 1:5 dilution on 12/15/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor
SDG Number: 6036564B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 74800
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603095928 603095944 603095951 603095977 603096025

METHOD BLANK: 603107111
Associated Pace Samples:
603095928 603095944 603095951 603095977 603096025

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603107111
Associated Pace Samples: 603095928 603095944 603095951 603095977 603096025

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	95		
4-Bromofluorobenzene (S)	%	76		
1,2-Dichloroethane-d4 (S)	%	83		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603100538 603100546

Parameter	Units	603087735	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	5.000	4.348	87.0	4.164	83.3	4	
Benzene	ug/l	0	5.000	5.582	112	5.541	111	1	
Trichloroethene	ug/l	0	5.000	5.275	106	5.151	103	2	
Toluene	ug/l	0	5.000	3.976	79.5	3.609	72.2	10	
Chlorobenzene	ug/l	0	5.000	5.678	114	5.655	113	0	
Toluene-d8 (S)					86		82		
Dibromofluoromethane (S)					93		95		
4-Bromofluorobenzene (S)					74		75		
1,2-Dichloroethane-d4 (S)					84		86		

LABORATORY CONTROL SAMPLE: 603100553

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	4.000	3.895	97.4	
Vinyl Chloride	ug/l	4.000	3.859	96.5	
Bromomethane	ug/l	4.000	4.372	109	
Chloroethane	ug/l	4.000	4.023	101	
Trichlorofluoromethane	ug/l	4.000	3.880	97.0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603100553

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Methylene Chloride	ug/l	4.000	4.095	102	
1,1-Dichloroethene	ug/l	4.000	4.243	106	
trans-1,2-Dichloroethene	ug/l	4.000	4.204	105	
1,1-Dichloroethane	ug/l	4.000	3.722	93.1	
cis-1,2-Dichloroethene	ug/l	4.000	3.946	98.7	
Chloroform	ug/l	4.000	4.105	103	
1,1,1-Trichloroethane	ug/l	4.000	3.437	85.9	
Carbon Tetrachloride	ug/l	4.000	3.476	86.9	
Benzene	ug/l	4.000	3.848	96.2	
1,2-Dichloroethane	ug/l	4.000	3.184	79.6	
Trichloroethene	ug/l	4.000	3.674	91.8	
1,2-Dichloropropane	ug/l	4.000	3.794	94.9	
Bromodichloromethane	ug/l	4.000	3.414	85.4	
Toluene	ug/l	4.000	3.953	98.8	
1,1,2-Trichloroethane	ug/l	4.000	3.848	96.2	
Tetrachloroethene	ug/l	4.000	4.232	106	
Dibromochloromethane	ug/l	4.000	3.593	89.8	
Chlorobenzene	ug/l	4.000	4.183	105	
Ethylbenzene	ug/l	4.000	4.078	102	
Bromoform	ug/l	4.000	4.220	105	
1,1,2,2-Tetrachloroethane	ug/l	4.000	4.606	115	
1,3-Dichlorobenzene	ug/l	4.000	4.101	103	
1,4-Dichlorobenzene	ug/l	4.000	4.139	103	
1,2-Dichlorobenzene	ug/l	4.000	4.053	101	
cis-1,3-Dichloropropene	ug/l	4.000	3.588	89.7	
trans-1,3-Dichloropropene	ug/l	4.000	3.783	94.6	
M&P-Xylene	ug/l	8.000	8.290	104	
O-Xylene (1,2-Dimethylbenzene)	ug/l	4.000	3.904	97.6	
Toluene-d8 (S)				97	
Dibromofluoromethane (S)				92	
4-Bromofluorobenzene (S)				76	
1,2-Dichloroethane-d4 (S)				80	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor
SDG Number: 6036564B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 74813
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603087842 603087859 603087867 603087891 603087909 603087917 603087925 603087933 603087941 603096041 603096058 603096074

METHOD BLANK: 603100934
Associated Pace Samples:
603096041 603096058

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603100934
Associated Pace Samples:
603096041 603096058

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	95		
4-Bromofluorobenzene (S)	%	76		
1,2-Dichloroethane-d4 (S)	%	83		

METHOD BLANK: 603107392
Associated Pace Samples:
603087842 603087859 603087867 603087891 603087909 603096074

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603107392
Associated Pace Samples:
603087842 603087859 603087867 603087891 603087909 603096074

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	88		
4-Bromofluorobenzene (S)	%	73		
1,2-Dichloroethane-d4 (S)	%	74		

METHOD BLANK: 603107459
Associated Pace Samples:
603087917 603087925 603087933 603087941

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603107459
Associated Pace Samples: 603087917 603087925 603087933 603087941

Parameter	Units	Method Blank Result	PRL	Footnotes
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	93		
4-Bromofluorobenzene (S)	%	74		
1,2-Dichloroethane-d4 (S)	%	81		

LABORATORY CONTROL SAMPLE & LCSD: 603111006 603111014

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	4.000	4.375	109	3.974	99.4	9	
Vinyl Chloride	ug/l	4.000	4.319	108	4.015	100	8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603111006 603111014

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Bromomethane	ug/l	4.000	4.582	115	4.298	107	7	
Chloroethane	ug/l	4.000	4.293	107	4.242	106	1	
Trichlorofluoromethane	ug/l	4.000	4.101	103	3.852	96.3	7	
Methylene Chloride	ug/l	4.000	4.308	108	4.334	108	0	
1,1-Dichloroethene	ug/l	4.000	4.275	107	4.170	104	3	
trans-1,2-Dichloroethene	ug/l	4.000	4.305	108	4.106	103	5	
1,1-Dichloroethane	ug/l	4.000	3.973	99.3	3.831	95.8	4	
cis-1,2-Dichloroethene	ug/l	4.000	4.223	106	4.066	102	4	
Chloroform	ug/l	4.000	3.780	94.5	3.664	91.6	3	
1,1,1-Trichloroethane	ug/l	4.000	3.539	88.5	3.459	86.5	2	
Carbon Tetrachloride	ug/l	4.000	3.602	90.1	3.436	85.9	5	
Benzene	ug/l	4.000	4.066	102	3.973	99.3	3	
1,2-Dichloroethane	ug/l	4.000	3.419	85.5	3.383	84.6	1	
Trichloroethene	ug/l	4.000	4.399	110	4.440	111	1	
1,2-Dichloropropane	ug/l	4.000	4.089	102	4.077	102	0	
Bromodichloromethane	ug/l	4.000	3.676	91.9	3.588	89.7	2	
Toluene	ug/l	4.000	4.060	101	4.092	102	1	
1,1,2-Trichloroethane	ug/l	4.000	4.027	101	4.035	101	0	
Tetrachloroethene	ug/l	4.000	4.412	110	4.124	103	7	
Dibromochloromethane	ug/l	4.000	3.764	94.1	3.650	91.2	3	
Chlorobenzene	ug/l	4.000	4.303	108	4.198	105	3	
Ethylbenzene	ug/l	4.000	4.159	104	4.099	102	2	
Bromoform	ug/l	4.000	4.029	101	4.128	103	2	
1,1,2,2-Tetrachloroethane	ug/l	4.000	3.714	92.9	3.548	88.7	5	
1,3-Dichlorobenzene	ug/l	4.000	4.215	105	4.176	104	1	
1,4-Dichlorobenzene	ug/l	4.000	4.222	106	4.261	107	1	
1,2-Dichlorobenzene	ug/l	4.000	4.048	101	4.193	105	4	
cis-1,3-Dichloropropene	ug/l	4.000	3.578	89.4	3.525	88.1	1	
trans-1,3-Dichloropropene	ug/l	4.000	3.674	91.9	3.684	92.1	0	
M&P-Xylene	ug/l	8.000	8.603	108	8.346	104	4	
O-Xylene (1,2-Dimethylbenzene)	ug/l	4.000	4.065	102	4.114	103	1	
Toluene-d8 (S)				97		98		
Dibromofluoromethane (S)				93		93		
4-Bromofluorobenzene (S)				77		78		
1,2-Dichloroethane-d4 (S)				82		83		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036565
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Page 1 of 1 / 2

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	603565
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	12/3/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED												REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260												
1	NIC-GPW-GP04H-06-20-120399 (3)pv	10:34	Water		3					X	X												603095928
2	NIC-GPW-GP04E-06-17-120399	15:30	Water		3					X	X												603095944
3	NIC-GPW-GP04E-06-44-120399	16:00	Water		3					X	X												603095951
4	NIC-GPW-GP04H-06M-120399	8:00	Water		3					X	X												603095977

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-4	Frank Winslow	ASAP	12/7/99	16:00
		Jimmy Lee / PACE	12/8/99	1505

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	L036565
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	12/7/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP04H-06-29-120799 (3) PV	10:15	Water		3					X	X														L036L625
2	NIC-GPW-GP06H-01-17-120799	11:18	Water		3					X	X														L036L641
3	NIC-GPW-GP06H-01-28-120799	11:45	Water		3					X	X														L036L658
4	NIC-GPW-GP06H-01P-120799 (2) PV	15:00	Water		3					X	X														3226-6X L036L672

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-4	Frank Winslow	ASAP	12/7/99	16:00
		Penny Dalley	12/8/99	15:55

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Jackie Bryesser 2/14/00

January 07, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 14, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 01/07/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603109422	NIC-GPW-GP04E-07-17-120999	EPA 8260	75156		
603109430	NIC-GPW-GP04E-07-30-120999	EPA 8260	75156		
603109448	NIC-GPW-GP04E-07Q1-30-120999	EPA 8260	75156		
603109455	NIC-GPW-GP04E-07N-30-120999	EPA 8260	75156		
603109463	NIC-GPW-GP06F-06-29-120999	EPA 8260	75156		
603109471	NIC-GPW-GP06F-06-17-120999	EPA 8260	75156		
603109489	NIC-GPW-GP02C-01-23-120999	EPA 8260	75156		
603109497	NIC-GPW-GP02C-01-28-120999	EPA 8260	75156		
603109505	NIC-GPW-GP08B-06-20-121099	EPA 8260	75156		
603109513	NIC-GPW-GP08B-06-26-121099	EPA 8260	75156		
603109547	NIC-GPW-GP08B-05-17-121099	EPA 8260	75156		
603109554	NIC-GPW-GP08B-05-34-121099	EPA 8260	75156		
603109562	NIC-GPW-GP08B-04-17-121099	EPA 8260	75156		
603109612	NIC-GPW-GP08B-04-30-121099	EPA 8260	75156		
603109620	NIC-GPW-GP08B-02-20-121099	EPA 8260	75156		
603109638	NIC-GPW-GP08B-02-28-121099	EPA 8260	75156		
603109646	NIC-GPW-GP08B-03-20-121099	EPA 8260	75156		
603109653	NIC-GPW-GP08B-03-29-121099	EPA 8260	75156		
603109661	NIC-GPW-GP08B-06M-121099	EPA 8260	75156		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/07/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

13

Pace Sample No: 603109422 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-07-17-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/22/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/22/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/22/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/22/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/22/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/22/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/22/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/22/99	DJE	75-34-3	
cis-1,2-Dichloroethene	2.5	ug/l	1	12/22/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/22/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/22/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/22/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/22/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/22/99	DJE	107-06-2	
Trichloroethene	1.2	ug/l	1	12/22/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/22/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/22/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/22/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/22/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/22/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/22/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/22/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/22/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/22/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/22/99	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109422 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-07-17-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/22/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/22/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		12/22/99	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		12/22/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		12/22/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%		12/22/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109430 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-07-30-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	12/22/99	DJE	74-87-3		
Vinyl Chloride	1.3	ug/l	1	12/22/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	12/22/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	12/22/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	12/22/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	12/22/99	DJE	75-09-2		
1,1-Dichloroethene	ND	ug/l	1	12/22/99	DJE	75-35-4		
trans-1,2-Dichloroethene	0.65	ug/l	1	12/22/99	DJE	156-60-5	1	J
1,1-Dichloroethane	0.58	ug/l	1	12/22/99	DJE	75-34-3	1	J
cis-1,2-Dichloroethene	17	ug/l	1	12/22/99	DJE	156-59-2		
Chloroform	ND	ug/l	1	12/22/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	12/22/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	12/22/99	DJE	56-23-5		
Benzene	ND	ug/l	1	12/22/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	12/22/99	DJE	107-06-2		
Trichloroethene	62	ug/l	1	12/22/99	DJE	79-01-6		
1,2-Dichloropropane	ND	ug/l	1	12/22/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	12/22/99	DJE	75-27-4		
Toluene	ND	ug/l	1	12/22/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	12/22/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	12/22/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	12/22/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	12/22/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	12/22/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	12/22/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/22/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	12/22/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/22/99	DJE	95-47-6		
Toluene-d8 (S)	97	%		12/22/99	DJE	2037-26-5		
Dibromofluoromethane (S)	103	%		12/22/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	98	%		12/22/99	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109430 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-07-30-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		12/22/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/07/00

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

13

Pace Sample No: 603109448 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-07Q1-30-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/22/99	DJE	74-87-3	
Vinyl Chloride	1.2	ug/l	1	12/22/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/22/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/22/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/22/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/22/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/22/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-60-5	
1,1-Dichloroethane	0.57	ug/l	1	12/22/99	DJE	75-34-3	1
cis-1,2-Dichloroethene	16	ug/l	1	12/22/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/22/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/22/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/22/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/22/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/22/99	DJE	107-06-2	
Trichloroethene	54	ug/l	1	12/22/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/22/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/22/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/22/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/22/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/22/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/22/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/22/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/22/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/22/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/22/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/22/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/22/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		12/22/99	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		12/22/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		12/22/99	DJE	460-00-4	

LAB QC

CDM Q

J

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109448 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-07Q1-30-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		12/22/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

13

Pace Sample No: 603109455 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-07N-30-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/22/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/22/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/22/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/22/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/22/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/22/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/22/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/22/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/22/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/22/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/22/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/22/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/22/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/22/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/22/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/22/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/22/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/22/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/22/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/22/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/22/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/22/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/22/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/22/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/22/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/22/99	DJE	95-47-6	
Toluene-d8 (S)	91	%		12/22/99	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		12/22/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		12/22/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109455 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP04E-07N-30-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		12/22/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109463 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-06-29-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	2.1	ug/l	1	12/22/99	DJE	74-87-3			
Vinyl Chloride	39	ug/l	1	12/22/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	12/22/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	12/22/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/22/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	12/22/99	DJE	75-09-2			
1,1-Dichloroethene	9.1	ug/l	1	12/22/99	DJE	75-35-4			
trans-1,2-Dichloroethene	9.4	ug/l	1	12/22/99	DJE	156-60-5			
1,1-Dichloroethane	9.2	ug/l	1	12/22/99	DJE	75-34-3			
cis-1,2-Dichloroethene	110	ug/l	5	12/22/99	DJE	156-59-2	2	D	
Chloroform	ND	ug/l	1	12/22/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/22/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/22/99	DJE	56-23-5			
Benzene	0.78	ug/l	1	12/22/99	DJE	71-43-2	1	J	J
1,2-Dichloroethane	ND	ug/l	1	12/22/99	DJE	107-06-2			
Trichloroethene	120	ug/l	5	12/22/99	DJE	79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	12/22/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/22/99	DJE	75-27-4			
Toluene	ND	ug/l	1	12/22/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/22/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/22/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/22/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	12/22/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	12/22/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	12/22/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/22/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/22/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/22/99	DJE	95-47-6			
Toluene-d8 (S)	94	%		12/22/99	DJE	2037-26-5			
Dibromofluoromethane (S)	104	%		12/22/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	94	%		12/22/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109463 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-06-29-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		12/22/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
14 Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109471 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-06-17-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/23/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/23/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/23/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/23/99	DJE	79-00-5	
Tetrachloroethene	2.4	ug/l	1	12/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/23/99	DJE	95-47-6	
Toluene-d8 (S)	89	%		12/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		12/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		12/23/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109471 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-06-17-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		12/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109489 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-01-23-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	5	12/23/99	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	5	12/23/99	DJE	75-01-4			
Bromomethane	ND	ug/l	5	12/23/99	DJE	74-83-9			
Chloroethane	ND	ug/l	5	12/23/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	5	12/23/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	5	12/23/99	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	5	12/23/99	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	5	12/23/99	DJE	156-60-5			
1,1-Dichloroethane	2.6	ug/l	5	12/23/99	DJE	75-34-3	1	J	J
cis-1,2-Dichloroethene	38	ug/l	5	12/23/99	DJE	156-59-2			
Chloroform	ND	ug/l	5	12/23/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	5	12/23/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	5	12/23/99	DJE	56-23-5			
Benzene	ND	ug/l	5	12/23/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	5	12/23/99	DJE	107-06-2			
Trichloroethene	110	ug/l	5	12/23/99	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/l	5	12/23/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	5	12/23/99	DJE	75-27-4			
Toluene	ND	ug/l	5	12/23/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	5	12/23/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	5	12/23/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	5	12/23/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	5	12/23/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	5	12/23/99	DJE	100-41-4			
Bromoform	ND	ug/l	5	12/23/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	5	12/23/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	5	12/23/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	5	12/23/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	5	12/23/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	5	12/23/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	5	12/23/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	6.5	12/23/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	5.5	12/23/99	DJE	95-47-6			
Toluene-d8 (S)	95	%		12/23/99	DJE	2037-26-5			
Dibromofluoromethane (S)	105	%		12/23/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	99	%		12/23/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109489 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-01-23-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		12/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109497 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-01-28-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	10	12/23/99	DJE	74-87-3		
Vinyl Chloride	ND	ug/l	10	12/23/99	DJE	75-01-4		
Bromomethane	ND	ug/l	10	12/23/99	DJE	74-83-9		
Chloroethane	ND	ug/l	10	12/23/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	10	12/23/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	10	12/23/99	DJE	75-09-2		
1,1-Dichloroethene	15	ug/l	10	12/23/99	DJE	75-35-4		
trans-1,2-Dichloroethene	9.3	ug/l	10	12/23/99	DJE	156-60-5	1	J
1,1-Dichloroethane	4.8	ug/l	10	12/23/99	DJE	75-34-3	1	J
cis-1,2-Dichloroethene	110	ug/l	10	12/23/99	DJE	156-59-2		
Chloroform	ND	ug/l	10	12/23/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	10	12/23/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	10	12/23/99	DJE	56-23-5		
Benzene	ND	ug/l	10	12/23/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	10	12/23/99	DJE	107-06-2		
Trichloroethene	320	ug/l	10	12/23/99	DJE	79-01-6		
1,2-Dichloropropane	ND	ug/l	10	12/23/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	10	12/23/99	DJE	75-27-4		
Toluene	ND	ug/l	10	12/23/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	10	12/23/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	10	12/23/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	10	12/23/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	10	12/23/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	10	12/23/99	DJE	100-41-4		
Bromoform	ND	ug/l	10	12/23/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	10	12/23/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	10	12/23/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	10	12/23/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	10	12/23/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	10	12/23/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	10	12/23/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	13	12/23/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	11	12/23/99	DJE	95-47-6		
Toluene-d8 (S)	92	%		12/23/99	DJE	2037-26-5		
Dibromofluoromethane (S)	106	%		12/23/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	99	%		12/23/99	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109497 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-01-28-120999 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		12/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109505 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-06-20-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/23/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/23/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/23/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/23/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		12/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		12/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		12/23/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109505 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-06-20-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		12/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

13

Pace Sample No: 603109513 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-06-26-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	1.6	ug/l	1	12/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/23/99	DJE	56-23-5	
Benzene	0.87	ug/l	1	12/23/99	DJE	71-43-2	1
1,2-Dichloroethane	ND	ug/l	1	12/23/99	DJE	107-06-2	
Trichloroethene	4.9	ug/l	1	12/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/23/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		12/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		12/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		12/23/99	DJE	460-00-4	

LAB Q

CDM Q

J

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109513 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-06-26-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		12/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109547 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-05-17-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/24/99	DJE	74-87-3	
Vinyl Chloride	2.7	ug/l	1	12/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/24/99	DJE	75-09-2	
1,1-Dichloroethene	13	ug/l	1	12/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-60-5	
1,1-Dichloroethane	36	ug/l	1	12/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/24/99	DJE	56-23-5	
Benzene	1.9	ug/l	1	12/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/24/99	DJE	107-06-2	
Trichloroethene	2.8	ug/l	1	12/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/24/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		12/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		12/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	76	%		12/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109547 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-05-17-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	132	%		12/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109554 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-05-34-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	3.1	ug/l	1	12/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/23/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/23/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/23/99	DJE	107-06-2	
Trichloroethene	13	ug/l	1	12/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/23/99	DJE	95-47-6	
Toluene-d8 (S)	94	%		12/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		12/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		12/23/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109554 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-05-34-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		12/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109562 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-04-17-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/23/99	DJE	75-09-2	
1,1-Dichloroethene	1.3	ug/l	1	12/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-60-5	
1,1-Dichloroethane	1.5	ug/l	1	12/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	4.1	ug/l	1	12/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/23/99	DJE	56-23-5	
Benzene	1.1	ug/l	1	12/23/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/23/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/23/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		12/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		12/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		12/23/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109562 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-04-17-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		12/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

13

Pace Sample No: 603109612 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-04-30-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-60-5	
1,1-Dichloroethane	1.4	ug/l	1	12/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	9.6	ug/l	1	12/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/23/99	DJE	56-23-5	
Benzene	0.70	ug/l	1	12/23/99	DJE	71-43-2	1
1,2-Dichloroethane	ND	ug/l	1	12/23/99	DJE	107-06-2	
Trichloroethene	6.9	ug/l	1	12/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/23/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		12/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		12/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		12/23/99	DJE	460-00-4	

LAB Q

CDM Q

J

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109612 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-04-30-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		12/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109620 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-02-20-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.6	ug/l	1	12/23/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/23/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/23/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/23/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/23/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/23/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/23/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/23/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/23/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/23/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/23/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/23/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/23/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/23/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/23/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/23/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/23/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/23/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/23/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/23/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/23/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/23/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/23/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/23/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/23/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/23/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/23/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/23/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/23/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		12/23/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		12/23/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		12/23/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109620 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-02-20-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		12/23/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109638 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-02-28-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/24/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/24/99	DJE	56-23-5	
Benzene	1.1	ug/l	1	12/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/24/99	DJE	107-06-2	
Trichloroethene	2.3	ug/l	1	12/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/24/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		12/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		12/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		12/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109638 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-02-28-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		12/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109646 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-03-20-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.9	ug/l	1	12/24/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/24/99	DJE	56-23-5	
Benzene	1.1	ug/l	1	12/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/24/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/24/99	DJE	95-47-6	
Toluene-d8 (S)	95	%		12/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		12/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	93	%		12/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109646 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-03-20-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		12/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109653 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-03-29-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles								LAB	COM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.1	ug/l	1	12/24/99	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	1	12/24/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	12/24/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	12/24/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/24/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	12/24/99	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	12/24/99	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	12/24/99	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-59-2			
Chloroform	ND	ug/l	1	12/24/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/24/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/24/99	DJE	56-23-5			
Benzene	0.71	ug/l	1	12/24/99	DJE	71-43-2	1	J	
1,2-Dichloroethane	ND	ug/l	1	12/24/99	DJE	107-06-2			
Trichloroethene	2.4	ug/l	1	12/24/99	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/l	1	12/24/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/24/99	DJE	75-27-4			
Toluene	ND	ug/l	1	12/24/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/24/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/24/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/24/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	12/24/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	12/24/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	12/24/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/24/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/24/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/24/99	DJE	95-47-6			
Toluene-d8 (S)	96	%		12/24/99	DJE	2037-26-5			
Dibromofluoromethane (S)	97	%		12/24/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	90	%		12/24/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109653 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-03-29-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		12/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109661 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-06M-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/24/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/24/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/24/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/24/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/24/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/24/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/24/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/24/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/24/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/24/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/24/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/24/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/24/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/24/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/24/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/24/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/24/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/24/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/24/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/24/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/24/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/24/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/24/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/24/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/24/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/24/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/24/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/24/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/24/99	DJE	95-47-6	
Toluene-d8 (S)	94	%		12/24/99	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		12/24/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	83	%		12/24/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109661 Date Collected: 12/10/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-06M-121099 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		12/24/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Detected but below the PRL; therefore, result is an estimated concentration (CLP J-Flag).
[2]	The value of this analyte was determined from a 1:5 dilution on 12/23/99

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 75156
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603109422 603109430 603109448 603109455 603109463 603109471 603109489 603109497 603109505 603109513 603109547 603109554 603109562 603109612 603109620 603109638 603109646 603109653 603109661

METHOD BLANK: 603117912
Associated Pace Samples:
603109422 603109430 603109448 603109455 603109463 603109471 603109489 603109497 603109505 603109513 603109547 603109554 603109562 603109612 603109620 603109638 603109646 603109653 603109661

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603117912
Associated Pace Samples:

603109422 603109430 603109448 603109455 603109463 603109471 603109489
603109497 603109505 603109513 603109547 603109554 603109562 603109612
603109620 603109638 603109646 603109653 603109661

Parameter	Units	Method Blank Result	PRL	Footnotes
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	101		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603117920 603117938

Parameter	Units	603109471	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	2.850	28.5	6.978	69.8	84	
Benzene	ug/l	0	10	10.89	109	10.86	109	0	
Trichloroethene	ug/l	0	10	7.848	78.5	10.84	108	32	
Toluene	ug/l	0	10	8.497	85.0	8.372	83.7	2	
Chlorobenzene	ug/l	0	10	10.24	102	10.42	104	2	
Toluene-d8 (S)					91		92		
Dibromofluoromethane (S)					103		103		
4-Bromofluorobenzene (S)					94		97		
1,2-Dichloroethane-d4 (S)					109		101		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603117946

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	9.201	92.0	
Vinyl Chloride	ug/l	10	9.687	96.9	
Bromomethane	ug/l	10	13.57	136	
Chloroethane	ug/l	10	14.97	150	
Trichlorofluoromethane	ug/l	10	10.21	102	
Methylene Chloride	ug/l	10	10.03	100	
1,1-Dichloroethene	ug/l	10	10.58	106	
trans-1,2-Dichloroethene	ug/l	10	10.52	105	
1,1-Dichloroethane	ug/l	10	9.837	98.4	
cis-1,2-Dichloroethene	ug/l	10	9.639	96.4	
Chloroform	ug/l	10	9.815	98.1	
1,1,1-Trichloroethane	ug/l	10	9.893	98.9	
Carbon Tetrachloride	ug/l	10	10.26	103	
Benzene	ug/l	10	9.735	97.3	
1,2-Dichloroethane	ug/l	10	9.914	99.1	
Trichloroethene	ug/l	10	10.09	101	
1,2-Dichloropropane	ug/l	10	9.406	94.1	
Bromodichloromethane	ug/l	10	9.909	99.1	
Toluene	ug/l	10	9.329	93.3	
1,1,2-Trichloroethane	ug/l	10	9.901	99.0	
Tetrachloroethene	ug/l	10	9.330	93.3	
Dibromochloromethane	ug/l	10	10.15	102	
Chlorobenzene	ug/l	10	9.554	95.5	
Ethylbenzene	ug/l	10	9.661	96.6	
Bromoform	ug/l	10	9.562	95.6	
1,1,2,2-Tetrachloroethane	ug/l	10	8.991	89.9	
1,3-Dichlorobenzene	ug/l	10	7.691	76.9	
1,4-Dichlorobenzene	ug/l	10	9.281	92.8	
1,2-Dichlorobenzene	ug/l	10	9.576	95.8	
cis-1,3-Dichloropropene	ug/l	10	9.206	92.1	
trans-1,3-Dichloropropene	ug/l	10	8.449	84.5	
M&P-Xylene	ug/l	20	19.40	97.0	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.526	95.3	
Toluene-d8 (S)				97	
Dibromofluoromethane (S)				104	
4-Bromofluorobenzene (S)				98	
1,2-Dichloroethane-d4 (S)				105	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036837
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	12/9/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6036837
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP04E-07-17-120999	14:18	Water		3	pU				X	X														6031094.2
2	NIC-GPW-GP04E-07-30-120999	14:33	Water		3					X	X														6031094 30
3	NIC-GPW-GP04E-07Q1-30-120999	14:33	Water		3					X	X														6031094 48
4	NIC-GPW-GP04E-07N-30-120999	14:46	Water		3					X	X														6031094 55
5	NIC-GPW-GP06F-06-17-120999	15:29	Water		6					X	X														MS/MSD 6031094 71
6	NIC-GPW-GP06F-06-29-120999	15:39	Water		3					X	X														6031094 63
7	NIC-GPW-GP02C-01-23-120999	16:27	Water		3					X	X														6031094 89
8	NIC-GPW-GP02C-01-28-120999	16:45	Water		3					X	X														6031094 97

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8		ASAP	12/13/99	16:00
		FINAL Open	12/14/99	1005

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg
		Date Sampled:	12/10/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	20368537
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED															REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260															
1	NIC-GPW-GP08B-06-20-121099	9:34	Water		3	PV				X	X															603109505
2	NIC-GPW-GP08B-06-26-121099	10:48	Water		3					X	X															603109513
3	NIC-GPW-GP08B-05-17-121099	11:26	Water		3					X	X															603109547
4	NIC-GPW-GP08B-05-34-121099	11:44	Water		3					X	X															603109554
5	NIC-GPW-GP08B-04-17-121099	13:25	Water		3					X	X															603109562
6	NIC-GPW-GP08B-04-30-121099	13:44	Water		3					X	X															603109612
7	NIC-GPW-GP08B-02-20-121099	14:26	Water		3					X	X															603109620
8	NIC-GPW-GP08B-02-28-121099	14:50	Water		3					X	X															603109638

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-B		ASAP	12/13/99	16:00
		Fmerkonnen	12/14/99	1005

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg
		Date Sampled:	12/10/99

Lab Client No.:

Lab Project Manager: Andrea Hyslop

Lab Project No.: 60 36837

*Requested Due Date: NIC Project TAT

Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP08B-03-20-121099	15:50	Water		3	PV				X	X													603109646
2	NIC-GPW-GP08B-03-29-121099	16:18	Water		3					X	X													603109653
3	NIC-GPW-GP08B-06M-121099	8:00	Water		3					X	X													603109661

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-3		ASAP	12/13/99	16:00
		F. McKennen	12/14/99	1005

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by TB Jodel Burgess 2/14/00

January 07, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 13, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 01/07/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603109695	NIC-GPW-GP06H-02-20-120899	EPA 8260	75016		
603109729	NIC-GPW-GP06H-02-31-120899	EPA 8260	75016		
603109737	NIC-GPW-GP06H-03-20-120999	EPA 8260	75016		
603109745	NIC-GPW-GP06H-03-31-120899	EPA 8260	75016		
603109752	NIC-GPW-GP06H-03Q1-31-120899	EPA 8260	75016		
603109760	NIC-GPW-GP06H-03N-31-120899	EPA 8260	75016		
603109778	NIC-GPW-GP06B-02-17-120899	EPA 8260	75016		
603109786	NIC-GPW-GP06B-02-36-120899	EPA 8260	75016		
603109794	NIC-GPW-GP06B-03-17-120899	EPA 8260	75016		
603109802	NIC-GPW-GP06B-03-35-120899	EPA 8260	75016		
603109810	NIC-GPW-GP06B-04-17-120899	EPA 8260	75016		
603109828	NIC-GPW-GP06B-04-35-120899	EPA 8260	75016		
603109836	NIC-GPW-GP06B-05-17-120899	EPA 8260	75016		
603109844	NIC-GPW-GP06B-05-35-120899	EPA 8260	75016		
603109851	NIC-GPW-GP06H-02M-120899	EPA 8260	75016		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/07/00
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603109695 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-02-20-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/15/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/15/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JLO	107-06-2	
Trichloroethene	3.7	ug/l	1	12/15/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JLO	79-00-5	
Tetrachloroethene	2.8	ug/l	1	12/15/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JLO	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109695 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-02-20-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JLO	95-47-6	
Toluene-d8 (S)	88	%		12/15/99	JLO	2037-26-5	
Dibromofluoromethane (S)	100	%		12/15/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	111	%		12/15/99	JLO	460-00-4	
1,2-Dichloroethane-d4 (S)	111	%		12/15/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109729 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-02-31-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JSR	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JSR	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JSR	75-09-2	
1,1-Dichloroethene	1.7	ug/l	1	12/15/99	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JSR	156-60-5	
1,1-Dichloroethane	2.5	ug/l	1	12/15/99	JSR	75-34-3	
cis-1,2-Dichloroethene	2.5	ug/l	1	12/15/99	JSR	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JSR	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JSR	107-06-2	
Trichloroethene	6.4	ug/l	1	12/15/99	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JSR	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JSR	79-00-5	
Tetrachloroethene	4.1	ug/l	1	12/15/99	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JSR	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JSR	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JSR	95-47-6	
Toluene-d8 (S)	88	%		12/15/99	JSR	2037-26-5	
Dibromofluoromethane (S)	101	%		12/15/99	JSR	1868-53-7	
4-Bromofluorobenzene (S)	108	%		12/15/99	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109729 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-02-31-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		12/15/99	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109737 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-03-20-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	MSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	MSR	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	MSR	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	MSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	MSR	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	MSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/15/99	MSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	MSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/15/99	MSR	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/15/99	MSR	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	MSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	MSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	MSR	56-23-5	
Benzene	ND	ug/l	1	12/15/99	MSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	MSR	107-06-2	
Trichloroethene	1.4	ug/l	1	12/15/99	MSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	MSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	MSR	75-27-4	
Toluene	ND	ug/l	1	12/15/99	MSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	MSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/15/99	MSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	MSR	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	MSR	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	MSR	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	MSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	MSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	MSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	MSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	MSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	MSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	MSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	MSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	MSR	95-47-6	
Toluene-d8 (S)	88	%		12/15/99	MSR	2037-26-5	
Dibromofluoromethane (S)	99	%		12/15/99	MSR	1868-53-7	
4-Bromofluorobenzene (S)	109	%		12/15/99	MSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109737 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-03-20-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		12/15/99	MSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109745 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-03-31-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JLO	75-09-2	
1,1-Dichloroethene	1.5	ug/l	1	12/15/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-60-5	
1,1-Dichloroethane	2.2	ug/l	1	12/15/99	JLO	75-34-3	
cis-1,2-Dichloroethene	2.2	ug/l	1	12/15/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JLO	107-06-2	
Trichloroethene	5.7	ug/l	1	12/15/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JLO	79-00-5	
Tetrachloroethene	4.5	ug/l	1	12/15/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JLO	95-47-6	
Toluene-d8 (S)	93	%		12/15/99	JLO	2037-26-5	
Dibromofluoromethane (S)	100	%		12/15/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	108	%		12/15/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109745 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-03-31-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	114	%		12/15/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109752 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-03Q1-31-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JLO	75-09-2	
1,1-Dichloroethene	1.5	ug/l	1	12/15/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-60-5	
1,1-Dichloroethane	2.3	ug/l	1	12/15/99	JLO	75-34-3	
cis-1,2-Dichloroethene	2.3	ug/l	1	12/15/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JLO	107-06-2	
Trichloroethene	5.4	ug/l	1	12/15/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JLO	79-00-5	
Tetrachloroethene	3.4	ug/l	1	12/15/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JLO	95-47-6	
Toluene-d8 (S)	91	%		12/15/99	JLO	2037-26-5	
Dibromofluoromethane (S)	100	%		12/15/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	107	%		12/15/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109752 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-03Q1-31-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	113	%		12/15/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109760 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-03N-31-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/15/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/15/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JLO	107-06-2	
Trichloroethene	ND	ug/l	1	12/15/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/15/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JLO	95-47-6	
Toluene-d8 (S)	81	%		12/15/99	JLO	2037-26-5	
Dibromofluoromethane (S)	100	%		12/15/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	110	%		12/15/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109760 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-03N-31-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		12/15/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109778 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-02-17-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/15/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/15/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JLO	107-06-2	
Trichloroethene	ND	ug/l	1	12/15/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/15/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JLO	95-47-6	
Toluene-d8 (S)	95	%		12/15/99	JLO	2037-26-5	
Dibromofluoromethane (S)	100	%		12/15/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	108	%		12/15/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109778 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-02-17-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	115	%		12/15/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109786 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-02-36-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/15/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/15/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JLO	107-06-2	
Trichloroethene	ND	ug/l	1	12/15/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/15/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JLO	95-47-6	
Toluene-d8 (S)	89	%		12/15/99	JLO	2037-26-5	
Dibromofluoromethane (S)	96	%		12/15/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	114	%		12/15/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109786 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-02-36-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		12/15/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109794 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-03-17-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JLO	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JLO	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JLO	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JLO	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JLO	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JLO	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/15/99	JLO	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/15/99	JLO	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JLO	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JLO	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JLO	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JLO	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JLO	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JLO	107-06-2	
Trichloroethene	ND	ug/l	1	12/15/99	JLO	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JLO	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JLO	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JLO	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JLO	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/15/99	JLO	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JLO	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JLO	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JLO	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JLO	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JLO	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JLO	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JLO	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JLO		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JLO	95-47-6	
Toluene-d8 (S)	82	%		12/15/99	JLO	2037-26-5	
Dibromofluoromethane (S)	103	%		12/15/99	JLO	1868-53-7	
4-Bromofluorobenzene (S)	107	%		12/15/99	JLO	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109794 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-03-17-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	120	%		12/15/99	JLO	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109802 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-03-35-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JSR	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JSR	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/15/99	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/15/99	JSR	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JSR	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JSR	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JSR	107-06-2	
Trichloroethene	ND	ug/l	1	12/15/99	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JSR	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/15/99	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JSR	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JSR	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JSR	95-47-6	
Toluene-d8 (S)	88	%		12/15/99	JSR	2037-26-5	
Dibromofluoromethane (S)	100	%		12/15/99	JSR	1868-53-7	
4-Bromofluorobenzene (S)	111	%		12/15/99	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109802 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-03-35-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		12/15/99	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109810 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-04-17-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/15/99	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/15/99	JSR	75-01-4	
Bromomethane	ND	ug/l	1	12/15/99	JSR	74-83-9	
Chloroethane	ND	ug/l	1	12/15/99	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/15/99	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	12/15/99	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/15/99	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/15/99	JSR	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/15/99	JSR	156-59-2	
Chloroform	ND	ug/l	1	12/15/99	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/15/99	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/15/99	JSR	56-23-5	
Benzene	ND	ug/l	1	12/15/99	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/15/99	JSR	107-06-2	
Trichloroethene	ND	ug/l	1	12/15/99	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/15/99	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/15/99	JSR	75-27-4	
Toluene	ND	ug/l	1	12/15/99	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/15/99	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/15/99	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/15/99	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	12/15/99	JSR	108-90-7	
Ethylbenzene	ND	ug/l	1	12/15/99	JSR	100-41-4	
Bromoform	ND	ug/l	1	12/15/99	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/15/99	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/15/99	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/15/99	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/15/99	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/15/99	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/15/99	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/15/99	JSR	95-47-6	
Toluene-d8 (S)	87	%		12/15/99	JSR	2037-26-5	
Dibromofluoromethane (S)	97	%		12/15/99	JSR	1868-53-7	
4-Bromofluorobenzene (S)	110	%		12/15/99	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109810 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-04-17-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		12/15/99	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109828 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-04-35-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/22/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/22/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/22/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/22/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/22/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/22/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/22/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/22/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/22/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/22/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/22/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/22/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/22/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/22/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/22/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/22/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/22/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/22/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/22/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/22/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/22/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/22/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/22/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/22/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/22/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/22/99	DJE	95-47-6	
Toluene-d8 (S)	91	%		12/22/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		12/22/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		12/22/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109828 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-04-35-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		12/22/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109836 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-05-17-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/22/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/22/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/22/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/22/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/22/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/22/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/22/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/22/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/22/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/22/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/22/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/22/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/22/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/22/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/22/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/22/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/22/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/22/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/22/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/22/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/22/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/22/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/22/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/22/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/22/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/22/99	DJE	95-47-6	
Toluene-d8 (S)	83	%		12/22/99	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		12/22/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		12/22/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109836 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-05-17-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		12/22/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109844 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-05-35-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/22/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/22/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/22/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/22/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/22/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/22/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/22/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/22/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/22/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/22/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/22/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/22/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/22/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/22/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/22/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/22/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/22/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/22/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/22/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/22/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/22/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/22/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/22/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/22/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/22/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/22/99	DJE	95-47-6	
Toluene-d8 (S)	87	%		12/22/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		12/22/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		12/22/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109844 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06B-05-35-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		12/22/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109851 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-02M-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/22/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/22/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/22/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/22/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/22/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/22/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/22/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/22/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/22/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/22/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/22/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/22/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/22/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/22/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/22/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/22/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/22/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/22/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/22/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/22/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/22/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/22/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/22/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/22/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/22/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/22/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/22/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/22/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/22/99	DJE	95-47-6	
Toluene-d8 (S)	95	%		12/22/99	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		12/22/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		12/22/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109851 Date Collected: 12/08/99 Matrix: Water
Client Sample ID: NIC-GPW-GP06H-02M-120899 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		12/22/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 75016
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603109695 603109729 603109737 603109745 603109752 603109760 603109778 603109786 603109794 603109802 603109810 603109828 603109836 603109844 603109851

METHOD BLANK: 603111295
Associated Pace Samples:
603109695 603109729 603109737 603109745 603109752 603109760 603109778 603109786 603109794 603109802 603109810

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603111295
Associated Pace Samples:
603109695 603109729 603109737 603109745 603109752 603109760 603109778
603109786 603109794 603109802 603109810

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	95		
Dibromofluoromethane (S)	%	94		
4-Bromofluorobenzene (S)	%	113		
1,2-Dichloroethane-d4 (S)	%	108		

METHOD BLANK: 603140898
Associated Pace Samples:
603109828 603109836 603109844 603109851

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603140898
Associated Pace Samples: 603109828 603109836 603109844 603109851

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	101		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603111303 603111311

Parameter	Units	603109737	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	4.933	49.3	9.092	90.9	59	
Benzene	ug/l	0	10	10.53	105	10.79	108	2	
Trichloroethene	ug/l	1.420	10	11.01	95.9	12.01	106	10	
Toluene	ug/l	0	10	8.398	84.0	8.326	83.3	1	
Chlorobenzene	ug/l	0	10	10.54	105	10.43	104	1	
Toluene-d8 (S)					92		93		
Dibromofluoromethane (S)					102		103		
4-Bromofluorobenzene (S)					96		95		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603111303 603111311

Parameter	Units	603109737	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,2-Dichloroethane-d4 (S)					104		105		

LABORATORY CONTROL SAMPLE: 603111329

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	9.860	98.6	
Vinyl Chloride	ug/l	10	9.803	98.0	
Bromomethane	ug/l	10	11.20	112	
Chloroethane	ug/l	10	9.262	92.6	
Trichlorofluoromethane	ug/l	10	10.19	102	
Methylene Chloride	ug/l	10	9.852	98.5	
1,1-Dichloroethene	ug/l	10	10.46	105	
trans-1,2-Dichloroethene	ug/l	10	10.57	106	
1,1-Dichloroethane	ug/l	10	9.623	96.2	
cis-1,2-Dichloroethene	ug/l	10	9.542	95.4	
Chloroform	ug/l	10	9.736	97.4	
1,1,1-Trichloroethane	ug/l	10	10.01	100	
Carbon Tetrachloride	ug/l	10	10.37	104	
Benzene	ug/l	10	9.749	97.5	
1,2-Dichloroethane	ug/l	10	9.547	95.5	
Trichloroethene	ug/l	10	11.20	112	
1,2-Dichloropropane	ug/l	10	9.118	91.2	
Bromodichloromethane	ug/l	10	9.753	97.5	
Toluene	ug/l	10	9.512	95.1	
1,1,2-Trichloroethane	ug/l	10	9.880	98.8	
Tetrachloroethene	ug/l	10	9.644	96.4	
Dibromochloromethane	ug/l	10	10.36	104	
Chlorobenzene	ug/l	10	9.813	98.1	
Ethylbenzene	ug/l	10	9.926	99.3	
Bromoform	ug/l	10	9.570	95.7	
1,1,2,2-Tetrachloroethane	ug/l	10	7.161	71.6	
1,3-Dichlorobenzene	ug/l	10	9.214	92.1	
1,4-Dichlorobenzene	ug/l	10	8.856	88.6	
1,2-Dichlorobenzene	ug/l	10	9.242	92.4	
cis-1,3-Dichloropropene	ug/l	10	9.374	93.7	
trans-1,3-Dichloropropene	ug/l	10	9.350	93.5	
M&P-Xylene	ug/l	20	19.55	97.7	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.711	97.1	
Toluene-d8 (S)				98	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603111329

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Dibromofluoromethane (S)				103	
4-Bromofluorobenzene (S)				97	
1,2-Dichloroethane-d4 (S)				102	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036838
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	60316878
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	12/8/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP06H-02-20-120899	8:26	Water		3					X	X														60310995
2	NIC-GPW-GP06H-02-31-120899	8:50	Water		3					X	X														60310[illegible]29
3	NIC-GPW-GP06H-03-20-120899	9:45	Water		6					X	X														MS/MSD 60310937
4	NIC-GPW-GP06H-03-31-120899	10:04	Water		3					X	X														60310945
5	NIC-GPW-GP06H-03Q1-31-120899	10:04	Water		3					X	X														60310952
6	NIC-GPW-GP06H-03N-31-120899	10:28	Water		3					X	X														60310960
7	NIC-GPW-GP06B-02-17-120899	11:29	Water		3					X	X														60310978
8	NIC-GPW-GP06B-02-36-120899	11:54	Water		3					X	X														60310986

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	12/9/99	16:00
	Fed Ex	Fed Ex	12/13/99	10:40

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	603838
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	12/8/99	Sampler Signature:	Frank Winslow for AF

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP06B-03-17-120899	13:15	Water		3					X	X														603109794
2	NIC-GPW-GP06B-03-35-120899	13:35	Water		3					X	X														603109802
3	NIC-GPW-GP06B-04-17-120899	14:25	Water		3					X	X														603109810
4	NIC-GPW-GP06B-04-35-120899	14:53	Water		3					X	X														603109828
5	NIC-GPW-GP06B-05-17-120899	15:34	Water		3					X	X														603109836
6	NIC-GPW-GP06B-05-35-120899	16:01	Water		3					X	X														603109844
7	NIC-GPW-GP06H-02M-120899	8:00	Water		3					X	X														603109851

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-7	Frank Winslow	ASAP	12/9/99	16:00
		FEDEX ONE	12/13/99	10 40

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Received by
Todd Burgesser
2/14/00

January 07, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 13, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 01/07/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603109885	NIC-GPW-GP05B-07-17-120999	EPA 8260	75189		
603109901	NIC-GPW-GP05B-07-38-120999	EPA 8260	75189		
603109919	NIC-GPW-GP05B-06-17-120999	EPA 8260	75189		
603109927	NIC-GPW-GP05B-06-35-120999	EPA 8260	75189		
603109935	NIC-GPW-GP05B-05-17-120999	EPA 8260	75189		
603109943	NIC-GPW-GP05B-05-35-120999	EPA 8260	75189		
603109950	NIC-GPW-GP05B-01-17-120999	EPA 8260	75189		
603109968	NIC-GPW-GP05B-01-35-120999	EPA 8260	75189		
603109976	NIC-GPW-GP05B-04-17-120999	EPA 8260	75189		
603110008	NIC-GPW-GP05B-04-35-120999	EPA 8260	75189		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/07/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

8

Pace Sample No: 603109885 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-07-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/17/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/17/99	DJE	75-34-3	
cis-1,2-Dichloroethene	14	ug/l	1	12/17/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/17/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5	
Benzene	83	ug/l	5	12/17/99	DJE	71-43-2	1
1,2-Dichloroethane	3.9	ug/l	1	12/17/99	DJE	107-06-2	
Trichloroethene	9.0	ug/l	1	12/17/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5	

LAB Q

CDM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109885 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-07-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6	
Toluene-d8 (S)	103	%		12/17/99	DJE	2037-26-5	
Dibromofluoromethane (S)	110	%		12/17/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		12/17/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	111	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109901 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-07-38-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/17/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/17/99	DJE	75-34-3	
cis-1,2-Dichloroethene	14	ug/l	1	12/17/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/17/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5	
Benzene	1.7	ug/l	1	12/17/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/17/99	DJE	107-06-2	
Trichloroethene	77	ug/l	5	12/17/99	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		12/17/99	DJE	2037-26-5	
Dibromofluoromethane (S)	109	%		12/17/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	106	%		12/17/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109901 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-07-38-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/07/00

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109919 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-06-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3		
Vinyl Chloride	34	ug/l	1	12/17/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2		
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4		
trans-1,2-Dichloroethene	12	ug/l	1	12/17/99	DJE	156-60-5		
1,1-Dichloroethane	2.9	ug/l	1	12/17/99	DJE	75-34-3		
cis-1,2-Dichloroethene	280	ug/l	10	12/17/99	DJE	156-59-2	3	D
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3		
1,1,1-Trichloroethane	1.1	ug/l	1	12/17/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5		
Benzene	ND	ug/l	1	12/17/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	12/17/99	DJE	107-06-2		
Trichloroethene	69	ug/l	10	12/17/99	DJE	79-01-6	3	D
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4		
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6		
Toluene-d8 (S)	100	%		12/17/99	DJE	2037-26-5		
Dibromofluoromethane (S)	108	%		12/17/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	104	%		12/17/99	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109919 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-06-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/07/00

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109927 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-06-35-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3		
Vinyl Chloride	33	ug/l	1	12/17/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2		
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4		
trans-1,2-Dichloroethene	1.5	ug/l	1	12/17/99	DJE	156-60-5		
1,1-Dichloroethane	2.3	ug/l	1	12/17/99	DJE	75-34-3		
cis-1,2-Dichloroethene	160	ug/l	10	12/17/99	DJE	156-59-2	3	D
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	12/17/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5		
Benzene	ND	ug/l	1	12/17/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	12/17/99	DJE	107-06-2		
Trichloroethene	44	ug/l	10	12/17/99	DJE	79-01-6	3	D
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4		
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6		
Toluene-d8 (S)	103	%		12/17/99	DJE	2037-26-5		
Dibromofluoromethane (S)	111	%		12/17/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	106	%		12/17/99	DJE	460-00-4		

Lab CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109927 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-06-35-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109935 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-05-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3	
Vinyl Chloride	1.0	ug/l	1	12/17/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/17/99	DJE	75-34-3	
cis-1,2-Dichloroethene	7.8	ug/l	1	12/17/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/17/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/17/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/17/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/17/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		12/17/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		12/17/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		12/17/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109935 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-05-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109943 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-05-35-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/17/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/17/99	DJE	75-34-3	
cis-1,2-Dichloroethene	4.6	ug/l	1	12/17/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/17/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/17/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/17/99	DJE	107-06-2	
Trichloroethene	7.1	ug/l	1	12/17/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		12/17/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		12/17/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		12/17/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109943 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-05-35-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109950 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-01-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/17/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/17/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/17/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/17/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/17/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/17/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		12/17/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		12/17/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		12/17/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109950 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-01-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109968 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-01-35-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/17/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/17/99	DJE	75-34-3	
cis-1,2-Dichloroethene	4.3	ug/l	1	12/17/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/17/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/17/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/17/99	DJE	107-06-2	
Trichloroethene	5.1	ug/l	1	12/17/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6	
Toluene-d8 (S)	101	%		12/17/99	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		12/17/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		12/17/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109968 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-01-35-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109976 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-04-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/17/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/17/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/17/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/17/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/17/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/17/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6	
Toluene-d8 (S)	100	%		12/17/99	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		12/17/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		12/17/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603109976 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-04-17-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603110008 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-04-35-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/17/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/17/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/17/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/17/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/17/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/17/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/17/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/17/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/17/99	DJE	75-34-3	
cis-1,2-Dichloroethene	4.9	ug/l	1	12/17/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/17/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/17/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/17/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/17/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/17/99	DJE	107-06-2	
Trichloroethene	6.9	ug/l	1	12/17/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/17/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/17/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/17/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/17/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/17/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/17/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/17/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/17/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/17/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/17/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/17/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/17/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/17/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/17/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		12/17/99	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		12/17/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		12/17/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603110008 Date Collected: 12/09/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05B-04-35-120999 Date Received: 12/13/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		12/17/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	This result is from a dilution of 1:5 on 12/10/99.
[2]	This result is from a dilution of 1:5 on 12/20/99.
[3]	This result is from a dilution of 1:10 on 12/20/99.

Sample was not Recieved until 12/13/99 - Dilution was performed

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 75189
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603109885 603109901 603109919 603109927 603109935 603109943 603109950 603109968 603109976 603110008

METHOD BLANK: 603119025
Associated Pace Samples:
603109885 603109901 603109919 603109927 603109935 603109943 603109950 603109968 603109976 603110008

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603119025
Associated Pace Samples:
603109885 603109901 603109919 603109927 603109935 603109943 603109950
603109968 603109976 603110008

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	103		
Dibromofluoromethane (S)	%	109		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	100		

LABORATORY CONTROL SAMPLE & LCSD: 603119033 603119041

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	8.168	81.7	9.315	93.2	13	
Vinyl Chloride	ug/l	10	8.513	85.1	9.561	95.6	12	
Bromomethane	ug/l	10	9.771	97.7	10.84	108	10	
Chloroethane	ug/l	10	8.520	85.2	8.911	89.1	4	
Trichlorofluoromethane	ug/l	10	9.882	98.8	10.85	108	9	
Methylene Chloride	ug/l	10	9.244	92.4	9.375	93.8	2	
1,1-Dichloroethene	ug/l	10	9.652	96.5	9.984	99.8	3	
trans-1,2-Dichloroethene	ug/l	10	9.800	98.0	10.31	103	5	
1,1-Dichloroethane	ug/l	10	9.087	90.9	9.508	95.1	5	
cis-1,2-Dichloroethene	ug/l	10	9.494	94.9	9.695	97.0	2	
Chloroform	ug/l	10	9.586	95.9	9.865	98.7	3	
1,1,1-Trichloroethane	ug/l	10	9.588	95.9	10.17	102	6	
Carbon Tetrachloride	ug/l	10	9.799	98.0	10.62	106	8	
Benzene	ug/l	10	9.121	91.2	9.522	95.2	4	
1,2-Dichloroethane	ug/l	10	9.778	97.8	9.831	98.3	1	
Trichloroethene	ug/l	10	9.474	94.7	9.857	98.6	4	
1,2-Dichloropropane	ug/l	10	9.241	92.4	9.459	94.6	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603119033 603119041

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Bromodichloromethane	ug/l	10	10.05	100	10.26	103	3	
Toluene	ug/l	10	9.756	97.6	9.848	98.5	1	
1,1,2-Trichloroethane	ug/l	10	9.564	95.6	9.823	98.2	3	
Tetrachloroethene	ug/l	10	8.923	89.2	9.634	96.3	8	
Dibromochloromethane	ug/l	10	9.475	94.8	9.772	97.7	3	
Chlorobenzene	ug/l	10	10.20	102	10.46	105	3	
Ethylbenzene	ug/l	10	9.755	97.5	10.24	102	5	
Bromoform	ug/l	10	10.24	102	10.52	105	3	
1,1,2,2-Tetrachloroethane	ug/l	10	9.430	94.3	8.773	87.7	7	
1,3-Dichlorobenzene	ug/l	10	10.39	104	9.968	99.7	4	
1,4-Dichlorobenzene	ug/l	10	9.576	95.8	9.592	95.9	0	
1,2-Dichlorobenzene	ug/l	10	9.803	98.0	9.913	99.1	1	
cis-1,3-Dichloropropene	ug/l	10	10.41	104	10.39	104	0	
trans-1,3-Dichloropropene	ug/l	10	9.648	96.5	9.937	99.4	3	
M&P-Xylene	ug/l	20	19.31	96.5	20.92	105	8	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.953	99.5	10.36	104	4	
Toluene-d8 (S)				103		102		
Dibromofluoromethane (S)				110		108		
4-Bromofluorobenzene (S)				98		102		
1,2-Dichloroethane-d4 (S)				103		103		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036840
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

B #14
B #~~3504~~ 16

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg
		Date Sampled:	12/9/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60036840
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP05B-07-17-120999	9:29	Water		3					X	X														60310985
2	NIC-GPW-GP05B-07-38-120999	9:40	Water		3					X	X														60310990
3	NIC-GPW-GP05B-06-17-120999	10:24	Water		3					X	X														60310991
4	NIC-GPW-GP05B-06-35-120999	10:38	Water		3					X	X														60310992
5	NIC-GPW-GP05B-05-17-120999	11:04	Water		3					X	X														60310993
6	NIC-GPW-GP05B-05-35-120999	11:15	Water		3					X	X														60310994
7	NIC-GPW-GP05B-01-17-120999	11:56	Water		3					X	X														60310995
8	NIC-GPW-GP05B-01-35-120999	12:04	Water		3					X	X														60310996

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	12/9/99	16:00
		FEDEX Ground	12/13/99	10:40

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	12/9/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60036840
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP05B-04-17-120999	12:41	Water		3					X	X														60031099 76
2	NIC-GPW-GP05B-04-35-120999	12:51	Water		3					X	X														60031000 8

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-2	Frank Winslow	ASAP	12/9/99	16:00
		E. McKennen	12/13/99	1040

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by JTB 2/4/00
Tedd Burgess

January 07, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 14, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 01/07/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603113069	NIC-GPW-GP08B-01-17-121399	EPA 8260	75329		
603113077	NIC-GPW-GP08B-01-29-121399	EPA 8260	75329		
603113085	NIC-GPW-GP05A-01-17-121399	EPA 8260	75329		
603113093	NIC-GPW-GP05A-01-28-121399	EPA 8260	75329		
603113101	NIC-GPW-GP02B-03-17-121399	EPA 8260	75329		
603113119	NIC-GPW-GP02B-03-33-121399	EPA 8260	75329		
603113127	NIC-GPW-GP02B-03Q1-33-121399	EPA 8260	75329		
603113135	NIC-GPW-GP02B-03N-33-121399	EPA 8260	75329		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/07/00
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603113069 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-01-17-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/21/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/21/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/21/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/21/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/21/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/21/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/21/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/21/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/21/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/21/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/21/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/21/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/21/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/21/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/21/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/21/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/21/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/21/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/21/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/21/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/21/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/21/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/21/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/21/99	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113069 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-01-17-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/21/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/21/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		12/21/99	DJE	2037-26-5	
Dibromofluoromethane (S)	109	%		12/21/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		12/21/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	96	%		12/21/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113077 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-01-29-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/21/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/21/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/21/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/21/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/21/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/21/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/21/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/21/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/21/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/21/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/21/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/21/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/21/99	DJE	107-06-2	
Trichloroethene	5.9	ug/l	1	12/21/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/21/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/21/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/21/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/21/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/21/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/21/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/21/99	DJE	108-90-7	
Ethylbenzene	1.3	ug/l	1	12/21/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/21/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/21/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-02-6	
M&P-Xylene	4.3	ug/l	1.3	12/21/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	1.1	ug/l	1.1	12/21/99	DJE	95-47-6	
Toluene-d8 (S)	111	%		12/21/99	DJE	2037-26-5	
Dibromofluoromethane (S)	107	%		12/21/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		12/21/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113077 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08B-01-29-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	126	%		12/21/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113085 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-01-17-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/21/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/21/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/21/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/21/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/21/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/21/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/21/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/21/99	DJE	75-34-3	
cis-1,2-Dichloroethene	4.6	ug/l	1	12/21/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/21/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/21/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/21/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/21/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/21/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/21/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/21/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/21/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/21/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/21/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/21/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/21/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/21/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/21/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/21/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/21/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/21/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/21/99	DJE	95-47-6	
Toluene-d8 (S)	98	%		12/21/99	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		12/21/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	87	%		12/21/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113085 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-01-17-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		12/21/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113093 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-01-28-121399 Date Received: 12/14/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/21/99	DJE	74-87-3			
Vinyl Chloride	8.7	ug/l	1	12/21/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	12/21/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	12/21/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/21/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	12/21/99	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	12/21/99	DJE	75-35-4			
trans-1,2-Dichloroethene	1.3	ug/l	1	12/21/99	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	12/21/99	DJE	75-34-3			
cis-1,2-Dichloroethene	39	ug/l	1	12/21/99	DJE	156-59-2			
Chloroform	ND	ug/l	1	12/21/99	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/21/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/21/99	DJE	56-23-5			
Benzene	ND	ug/l	1	12/21/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/21/99	DJE	107-06-2			
Trichloroethene	90	ug/l	5	12/21/99	DJE	79-01-6		1	D
1,2-Dichloropropane	ND	ug/l	1	12/21/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/21/99	DJE	75-27-4			
Toluene	ND	ug/l	1	12/21/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/21/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/21/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/21/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	12/21/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	12/21/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	12/21/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/21/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/21/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/21/99	DJE	95-47-6			
Toluene-d8 (S)	100	%		12/21/99	DJE	2037-26-5			
Dibromofluoromethane (S)	108	%		12/21/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	104	%		12/21/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113093 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-01-28-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		12/21/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113101 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-03-17-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/21/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/21/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/21/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/21/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/21/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/21/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/21/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/21/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/21/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/21/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/21/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/21/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/21/99	DJE	107-06-2	
Trichloroethene	32	ug/l	1	12/21/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/21/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/21/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/21/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/21/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/21/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/21/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/21/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/21/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/21/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/21/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/21/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/21/99	DJE	95-47-6	
Toluene-d8 (S)	99	%		12/21/99	DJE	2037-26-5	
Dibromofluoromethane (S)	108	%		12/21/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	106	%		12/21/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113101 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-03-17-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		12/21/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113119 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-03-33-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/21/99	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	1	12/21/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	12/21/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	12/21/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/21/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	12/21/99	DJE	75-09-2			
1,1-Dichloroethene	1.8	ug/l	1	12/21/99	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	12/21/99	DJE	75-34-3			
cis-1,2-Dichloroethene	5.8	ug/l	1	12/21/99	DJE	156-59-2			
Chloroform	ND	ug/l	1	12/21/99	DJE	67-66-3			
1,1,1-Trichloroethane	1.7	ug/l	1	12/21/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/21/99	DJE	56-23-5			
Benzene	ND	ug/l	1	12/21/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/21/99	DJE	107-06-2			
Trichloroethene	96	ug/l	5	12/21/99	DJE	79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	12/21/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/21/99	DJE	75-27-4			
Toluene	ND	ug/l	1	12/21/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/21/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/21/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/21/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	12/21/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	12/21/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	12/21/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/21/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/21/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/21/99	DJE	95-47-6			
Toluene-d8 (S)	99	%		12/21/99	DJE	2037-26-5			
Dibromofluoromethane (S)	111	%		12/21/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	107	%		12/21/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113119 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-03-33-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		12/21/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113127 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-03Q1-33-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/21/99	DJE	74-87-3		Q	Q
Vinyl Chloride	ND	ug/l	1	12/21/99	DJE	75-01-4			
Bromomethane	ND	ug/l	1	12/21/99	DJE	74-83-9			
Chloroethane	ND	ug/l	1	12/21/99	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/21/99	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	12/21/99	DJE	75-09-2			
1,1-Dichloroethene	1.6	ug/l	1	12/21/99	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	12/21/99	DJE	75-34-3			
cis-1,2-Dichloroethene	5.7	ug/l	1	12/21/99	DJE	156-59-2			
Chloroform	ND	ug/l	1	12/21/99	DJE	67-66-3			
1,1,1-Trichloroethane	1.6	ug/l	1	12/21/99	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/21/99	DJE	56-23-5			
Benzene	ND	ug/l	1	12/21/99	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/21/99	DJE	107-06-2			
Trichloroethene	86	ug/l	5	12/21/99	DJE	79-01-6	2		D
1,2-Dichloropropane	ND	ug/l	1	12/21/99	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/21/99	DJE	75-27-4			
Toluene	ND	ug/l	1	12/21/99	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/21/99	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/21/99	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/21/99	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	12/21/99	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	12/21/99	DJE	100-41-4			
Bromoform	ND	ug/l	1	12/21/99	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/21/99	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/21/99	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/21/99	DJE	95-47-6			
Toluene-d8 (S)	97	%		12/21/99	DJE	2037-26-5			
Dibromofluoromethane (S)	112	%		12/21/99	DJE	1868-53-7			
4-Bromofluorobenzene (S)	105	%		12/21/99	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113127 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-03Q1-33-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		12/21/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113135 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-03N-33-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/21/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/21/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/21/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/21/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/21/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/21/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/21/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/21/99	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/21/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/21/99	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/21/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/21/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/21/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/21/99	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	12/21/99	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/21/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/21/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/21/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/21/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/21/99	DJE	127-18-4	
Dibromochloromethane	1.8	ug/l	1	12/21/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/21/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/21/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/21/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/21/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/21/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/21/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/21/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/21/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		12/21/99	DJE	2037-26-5	
Dibromofluoromethane (S)	110	%		12/21/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		12/21/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603113135 Date Collected: 12/13/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-03N-33-121399 Date Received: 12/14/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		12/21/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	This result is from a 1:5 dilution on 12/21/99.
[2]	This result is from a 1:5 dilution on 12/23/99.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 75329
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603113069 603113077 603113085 603113093 603113101 603113119 603113127 603113135

METHOD BLANK: 603125204
Associated Pace Samples:
603113069 603113077 603113085 603113093 603113101 603113119 603113127 603113135

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603125204
Associated Pace Samples:
603113069 603113077 603113085 603113093 603113101 603113119 603113127 603113135

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	105		
Dibromofluoromethane (S)	%	107		
4-Bromofluorobenzene (S)	%	105		
1,2-Dichloroethane-d4 (S)	%	96		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603125212 603125220

Parameter	Units	603113101	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	9.062	90.6	8.771	87.7	3	
Benzene	ug/l	0	10	10.30	103	9.917	99.2	4	
Trichloroethene	ug/l	32.17	10	40.51	83.4	40.10	79.3	5	
Toluene	ug/l	0	10	9.340	93.4	8.476	84.8	10	
Chlorobenzene	ug/l	0	10	10.88	109	10.41	104	4	
Toluene-d8 (S)					97		96		
Dibromofluoromethane (S)					112		111		
4-Bromofluorobenzene (S)					105		99		
1,2-Dichloroethane-d4 (S)					104		103		

LABORATORY CONTROL SAMPLE: 603125238

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	8.322	83.2	
Vinyl Chloride	ug/l	10	7.952	79.5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603125238

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Bromomethane	ug/l	10	9.678	96.8	
Chloroethane	ug/l	10	7.502	75.0	
Trichlorofluoromethane	ug/l	10	9.480	94.8	
Methylene Chloride	ug/l	10	8.463	84.6	
1,1-Dichloroethene	ug/l	10	8.857	88.6	
trans-1,2-Dichloroethene	ug/l	10	9.585	95.9	
1,1-Dichloroethane	ug/l	10	8.651	86.5	
cis-1,2-Dichloroethene	ug/l	10	9.232	92.3	
Chloroform	ug/l	10	9.232	92.3	
1,1,1-Trichloroethane	ug/l	10	9.486	94.9	
Carbon Tetrachloride	ug/l	10	9.727	97.3	
Benzene	ug/l	10	9.031	90.3	
1,2-Dichloroethane	ug/l	10	9.616	96.2	
Trichloroethene	ug/l	10	10.81	108	
1,2-Dichloropropane	ug/l	10	9.107	91.1	
Bromodichloromethane	ug/l	10	10.15	101	
Toluene	ug/l	10	9.906	99.1	
1,1,2-Trichloroethane	ug/l	10	9.356	93.6	
Tetrachloroethene	ug/l	10	8.881	88.8	
Dibromochloromethane	ug/l	10	9.382	93.8	
Chlorobenzene	ug/l	10	10.31	103	
Ethylbenzene	ug/l	10	9.904	99.0	
Bromoform	ug/l	10	10.11	101	
1,1,2,2-Tetrachloroethane	ug/l	10	8.170	81.7	
1,3-Dichlorobenzene	ug/l	10	9.373	93.7	
1,4-Dichlorobenzene	ug/l	10	9.395	93.9	
1,2-Dichlorobenzene	ug/l	10	9.620	96.2	
cis-1,3-Dichloropropene	ug/l	10	9.804	98.0	
trans-1,3-Dichloropropene	ug/l	10	9.058	90.6	
M&P-Xylene	ug/l	20	19.92	99.6	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.14	101	
Toluene-d8 (S)				104	
Dibromofluoromethane (S)				103	
4-Bromofluorobenzene (S)				101	
1,2-Dichloroethane-d4 (S)				101	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6036873
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	12/13/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	603687.3
*Requested ~~Due Date:~~	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP08B-01-17-121399	9:17	Water		3	PU				X	X														603113069
2	NIC-GPW-GP08B-01-29-121399	9:39	Water		3					X	X														603113022
3	NIC-GPW-GP05A-01-17-121399	10:17	Water		3					X	X														603113085
4	NIC-GPW-GP05A-01-28-121399	10:30	Water		3					X	X														603113093
5	NIC-GPW-GP02B-03-17-121399	11:51	Water		6					X	X														MS/MSD 603113101
6	NIC-GPW-GP02B-03-33-121399	12:07	Water		3					X	X														603113119
7	NIC-GPW-GP02B-03Q1-33-121399	12:07	Water		3					X	X														603113127
8	NIC-GPW-GP02B-03N-33-121399	12:18	Water		3					X	X														603113135

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8		ASAP	12/13/99	16:00
		F.McKonnen	12/14/99	1005

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

January 06, 2000

Reviewed by JB

Mr. Tena Tiruneh
Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

RE: Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Dear Mr. Gudnason:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 28, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Mary Cruz
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services. Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/06/00
PAGE: 1

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Attn: Mr. Tena Tiruneh
Phone: (913)599-5665

Solid results are reported on a wet weight basis

Pace Sample No: 851307454 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131376/NIC-GPW-GP02B-02-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	5.6	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307454 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131376/NIC-GPW-GP02B-02-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	98	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	99	%		1.00	12/28/99	NZAI	460-00-4	
1,2-Dichloroethane-d4 (S)	84	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307462 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131517/NIC-GPW-GP02B-02-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	2.4	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	3.8	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	210	ug/l	10	10.0	12/28/99	NZAI	79-01-6	1 D
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	10	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	98	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	103	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307462 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131517/NIC-GPW-GP02B-02-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307470 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131525/NIC-GPW-GP02B-04-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	4.4	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	100	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	102	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307470 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131525/NIC-GPW-GP02B-04-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/06/00
PAGE: 7

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307488 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131533/NIC-GPW-GP028-04-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	68	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	2.9	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	100	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	98	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307488 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131533/NIC-GPW-GP02B-04-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307496 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131541/NIC-GPW-GP06D-01-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	58	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	23	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	97	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	101	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307496 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131541/NIC-GPW-GP06D-01-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307504 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131558/NIC-GPW-GP06D-01-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	1.6	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	3.1	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	140	ug/l	10	10.0	12/28/99	NZAI	79-01-6	1 D
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	8.7	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	98	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	103	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307504 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131558/NIC-GPW-GP06D-01-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307512 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131566/NIC-GPW-GP02B-02M Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	98	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	100	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307512 Date Collected: 12/15/99 Matrix: Water
Client Sample ID: 603131566/NIC-GPW-GP02B-02M Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307553 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131590/NIC-GPW-GP06G-01-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	99	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	104	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307553 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131590/NIC-GPW-GP06G-01-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307561 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131608/NIC-GPW-GP06G-01-38 Date Received: 12/28/99

GC/MS Volatiles

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	4.6	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	4.2	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	5.0	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	100	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	102	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307561 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131608/NIC-GPW-GP06G-01-38 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307587 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131632/NIC-GPW-GP061-04-20 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	100	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	103	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307587 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131632/NIC-GPW-GP06I-04-20 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307595 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131640/NIC-GPW-GP06I-04-41 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	1.5	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	2.4	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	65	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	8.5	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	64	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	99	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	103	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307595 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131640/NIC-GPW-GP06I-04-41 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307611 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131657/NIC-GPW-GP04G-04-17 Date Received: 12/28/99

GC/MS Volatiles

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	2.0	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	97	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	103	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307611 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131657/NIC-GPW-GP04G-04-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307629 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131665/NIC-GPW-GP04G-04-28 Date Received: 12/28/99

GC/MS Volatiles

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	66	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	25	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	100	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	100	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307629 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131665/NIC-GPW-GP04G-04-28 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307637 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131673/NIC-GPW-GP04H-04-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	99	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	104	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307637 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131673/NIC-GPW-GP04H-04-17 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307645 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131681/NIC-GPW-GP04H-04-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/28/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/28/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/28/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/28/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/28/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/28/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/28/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/28/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/28/99	NZAI	108-88-3	
Trichloroethene	4.5	ug/l	1	1.00	12/28/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/28/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/28/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/28/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/28/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/28/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	8.8	ug/l	1	1.00	12/28/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/28/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/28/99	NZAI	1634-04-4	
Toluene-d8 (S)	98	%		1.00	12/28/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	106	%		1.00	12/28/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307645 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131681/NIC-GPW-GP04H-04-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		1.00	12/28/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307652 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131806/NIC-GPW-GPA29-04-20 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/29/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/29/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/29/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/29/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/29/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/29/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/29/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/29/99	NZAI	108-88-3	
Trichloroethene	42	ug/l	1	1.00	12/29/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/29/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/29/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/29/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/29/99	NZAI	1634-04-4	
Toluene-d8 (S)	101	%		1.00	12/29/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	104	%		1.00	12/29/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307652 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131806/NIC-GPW-GPA29-04-20 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		1.00	12/29/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307702 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131814/NIC-GPW-GP05D-01-20 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/29/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/29/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/29/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/29/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/29/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/29/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/29/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/29/99	NZAI	108-88-3	
Trichloroethene	1.2	ug/l	1	1.00	12/29/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/29/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/29/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/29/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/29/99	NZAI	1634-04-4	
Toluene-d8 (S)	98	%		1.00	12/29/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	101	%		1.00	12/29/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307702 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131814/NIC-GPW-GP05D-01-20 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	90	%		1.00	12/29/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307710 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131822/NIC-GPW-GP05D-01-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	6.5	ug/l	1	1.00	12/29/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-00-5	
1,1-Dichloroethane	3.7	ug/l	1	1.00	12/29/99	NZAI	75-34-3	
1,1-Dichloroethene	20	ug/l	1	1.00	12/29/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/29/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/29/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/29/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-83-9	
Carbon Tetrachloride	3.4	ug/l	1	1.00	12/29/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/29/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/29/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/29/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/29/99	NZAI	108-88-3	
Trichloroethene	400	ug/l	10	10.0	12/29/99	NZAI	79-01-6	1 D
Vinyl Chloride	2.7	ug/l	1	1.00	12/29/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/29/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/29/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	5.3	ug/l	1	1.00	12/29/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	91	ug/l	1	1.00	12/29/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/29/99	NZAI	1634-04-4	
Toluene-d8 (S)	100	%		1.00	12/29/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	102	%		1.00	12/29/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307710 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131822/NIC-GPW-GP05D-01-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	92	%		1.00	12/29/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307728 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131830/NIC-GPW-GP05D-02-20 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/29/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	106-46-7	
Benzene	ND	ug/l	1	1.00	12/29/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/29/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	12/29/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-00-3	
Chloroform	ND	ug/l	1	1.00	12/29/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/29/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/29/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/29/99	NZAI	108-88-3	
Trichloroethene	20	ug/l	1	1.00	12/29/99	NZAI	79-01-6	
Vinyl Chloride	ND	ug/l	1	1.00	12/29/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/29/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/29/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	156-59-2	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/29/99	NZAI	1634-04-4	
Toluene-d8 (S)	98	%		1.00	12/29/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	103	%		1.00	12/29/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307728 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131830/NIC-GPW-GP05D-02-20 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		1.00	12/29/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307736 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131848/NIC-GPW-GP05D-02-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs, Low Level		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	6.8	ug/l	1	1.00	12/29/99	NZAI	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	79-00-5	
1,1-Dichloroethane	6.0	ug/l	1	1.00	12/29/99	NZAI	75-34-3	
1,1-Dichloroethene	26	ug/l	1	1.00	12/29/99	NZAI	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	12/29/99	NZAI	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	106-46-7	
Benzene	1.6	ug/l	1	1.00	12/29/99	NZAI	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-27-4	
Bromoform	ND	ug/l	1	1.00	12/29/99	NZAI	75-25-2	
Bromomethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-83-9	
Carbon Tetrachloride	2.1	ug/l	1	1.00	12/29/99	NZAI	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	12/29/99	NZAI	108-90-7	
Chloroethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-00-3	
Chloroform	1.4	ug/l	1	1.00	12/29/99	NZAI	67-66-3	
Chloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	74-87-3	
Dibromochloromethane	ND	ug/l	1	1.00	12/29/99	NZAI	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	12/29/99	NZAI	100-41-4	
Methylene Chloride	ND	ug/l	1	1.00	12/29/99	NZAI	75-09-2	
Tetrachloroethene	ND	ug/l	1	1.00	12/29/99	NZAI	127-18-4	
Toluene	ND	ug/l	1	1.00	12/29/99	NZAI	108-88-3	
Trichloroethene	530	ug/l	10	10.0	12/29/99	NZAI	79-01-6	1 D
Vinyl Chloride	13	ug/l	1	1.00	12/29/99	NZAI	75-01-4	
M&P-Xylene	ND	ug/l	1	1.00	12/29/99	NZAI	7816-60-0	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1	1.00	12/29/99	NZAI	95-47-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	12/29/99	NZAI	75-69-4	
trans-1,2-Dichloroethene	17	ug/l	1	1.00	12/29/99	NZAI	156-60-5	
cis-1,2-Dichloroethene	150	ug/l	10	10.0	12/29/99	NZAI	156-59-2	1 D
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-02-6	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	12/29/99	NZAI	10061-01-5	
Methyl-tert-butyl Ether	ND	ug/l	1	1.00	12/29/99	NZAI	1634-04-4	
Toluene-d8 (S)	98	%		1.00	12/29/99	NZAI	2037-26-5	
4-Bromofluorobenzene (S)	104	%		1.00	12/29/99	NZAI	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Pace Sample No: 851307736 Date Collected: 12/16/99 Matrix: Water
Client Sample ID: 603131848/NIC-GPW-GP05D-02-32 Date Received: 12/28/99

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		1.00	12/29/99	NZAI	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
App. DF	Applied Dilution Factor
[1]	The sample was diluted due to the presence of high levels of target analytes resulting in elevated reporting limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

Attn: Mr. Tena Tiruneh
Phone: (913)599-5665

QC Batch ID: 33214
Analysis Method: EPA 8260
QC Batch Method: EPA 8260
Analysis Description: GC/MS VOCs, Low Level
Associated Pace Samples: 851307454 851307462 851307470 851307488 851307496
851307504 851307512 851307553 851307561 851307587
851307595 851307611 851307629 851307637 851307645
851307652 851307702 851307710 851307728 851307736

METHOD BLANK: 851308833
Associated Pace Samples:
851307454 851307462 851307470 851307488 851307496 851307504 851307512
851307553 851307561 851307587 851307595 851307611 851307629 851307637
851307645 851307652 851307702 851307710 851307728 851307736

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

METHOD BLANK: 851308833
Associated Pace Samples:

851307454 851307462 851307470 851307488 851307496 851307504 851307512
851307553 851307561 851307587 851307595 851307611 851307629 851307637
851307645 851307652 851307702 851307710 851307728 851307736

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
Methyl-tert-butyl Ether	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
Toluene-d8 (S)	%	96		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	83		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 851308866 851308874

Parameter	Units	851307553	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	50	48.80	97.6	47.69	95.4	2	
Benzene	ug/l	0	50	46.36	92.7	47.99	96.0	3	
Chlorobenzene	ug/l	0	50	47.70	95.4	50.88	102	6	
Toluene	ug/l	0	50	49.46	98.9	51.00	102	3	
Trichloroethene	ug/l	0	50	50.95	102	53.26	106	4	
Toluene-d8 (S)					97		98		
4-Bromofluorobenzene (S)					103		103		
1,2-Dichloroethane-d4 (S)					105		106		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

LABORATORY CONTROL SAMPLE: 851308841

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	50	45.14	90.3	
1,1,2,2-Tetrachloroethane	ug/l	50	48.27	96.5	
1,1,2-Trichloroethane	ug/l	50	47.51	95.0	
1,1-Dichloroethane	ug/l	50	46.29	92.6	
1,1-Dichloroethene	ug/l	50	49.71	99.4	
1,2-Dichloroethane	ug/l	50	46.02	92.0	
1,2-Dichloropropane	ug/l	50	47.59	95.2	
Benzene	ug/l	50	45.10	90.2	
Bromodichloromethane	ug/l	50	44.53	89.1	
Bromoform	ug/l	50	47.59	95.2	
Bromomethane	ug/l	50	46.10	92.2	
Carbon Tetrachloride	ug/l	50	47.54	95.1	
Chlorobenzene	ug/l	50	47.53	95.1	
Chloroethane	ug/l	50	46.18	92.4	
Chloroform	ug/l	50	42.12	84.2	
Chloromethane	ug/l	50	47.60	95.2	
Dibromochloromethane	ug/l	50	48.24	96.5	
Ethylbenzene	ug/l	50	47.40	94.8	
Methylene Chloride	ug/l	50	44.24	88.5	
Tetrachloroethene	ug/l	50	51.35	103	
Toluene	ug/l	50	48.52	97.0	
Trichloroethene	ug/l	50	49.61	99.2	
Vinyl Chloride	ug/l	50	48.36	96.7	
cis-1,2-Dichloroethene	ug/l	50	48.80	97.6	
M&P-Xylene	ug/l	100	97.08	97.1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	50	52.12	104	
trans-1,2-Dichloroethene	ug/l	50	47.98	96.0	

LABORATORY CONTROL SAMPLE: 851309492

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	50	48.69	97.4	
1,1,2,2-Tetrachloroethane	ug/l	50	56.73	113	
1,1,2-Trichloroethane	ug/l	50	52.20	104	
1,1-Dichloroethane	ug/l	50	49.60	99.2	
1,1-Dichloroethene	ug/l	50	45.72	91.4	
1,2-Dichloroethane	ug/l	50	51.42	103	
1,2-Dichloropropane	ug/l	50	52.23	104	
Benzene	ug/l	50	48.48	97.0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

LABORATORY CONTROL SAMPLE: 851309492

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Bromodichloromethane	ug/l	50	50.15	100	
Bromoform	ug/l	50	52.62	105	
Bromomethane	ug/l	50	48.95	97.9	
Carbon Tetrachloride	ug/l	50	51.15	102	
Chlorobenzene	ug/l	50	50.52	101	
Chloroethane	ug/l	50	49.12	98.2	
Chloroform	ug/l	50	44.65	89.3	
Chloromethane	ug/l	50	47.94	95.9	
Dibromochloromethane	ug/l	50	52.92	106	
Ethylbenzene	ug/l	50	50.40	101	
Methylene Chloride	ug/l	50	45.61	91.2	
Tetrachloroethene	ug/l	50	54.13	108	
Toluene	ug/l	50	50.71	101	
Trichloroethene	ug/l	50	52.31	105	
Vinyl Chloride	ug/l	50	52.17	104	
cis-1,2-Dichloroethene	ug/l	50	50.89	102	
M&P-Xylene	ug/l	100	104.1	104	
O-Xylene (1,2-Dimethylbenzene)	ug/l	50	55.05	110	
trans-1,2-Dichloroethene	ug/l	50	49.46	98.9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 8513552
Client Project ID: 6037047/8260/CDM

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	12/15/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	603707
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank P. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP02B-02-17-121599	13:43	Water		3					X	X														603131376
2	NIC-GPW-GP02B-02-32-121599	14:02	Water		3					X	X														603131517
3	NIC-GPW-GP02B-04-17-121599	14:23	Water		3					X	X														603131525
4	NIC-GPW-GP02B-04-32-121599	14:36	Water		3					X	X														603131533
5	NIC-GPW-GP06D-01-17-121599	15:12	Water		3					X	X														603131541
6	NIC-GPW-GP06D-01-32-121599	15:25	Water		3					X	X														603131558
7	NIC-GPW-GP02B-02M-121599	13:00	Water		3					X	X														603131566

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-7	Frank Winslow	ASAP	12/17/99	15:00
	ASAP		12/17/99	11:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	12/16/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6037047
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank P. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP06G-01-17-121699	9:09	Water		3					X	X														603131590
2	NIC-GPW-GP06G-01-38-121699	9:23	Water		3					X	X														603131608
3	NIC-GPW-GP06I-04-20-121699	10:24	Water		3					X	X														603131632
4	NIC-GPW-GP06I-04-41-121699	10:35	Water		3					X	X														603131640
5	NIC-GPW-GP04G-04-17-121699	11:16	Water		3					X	X														603131657
6	NIC-GPW-GP04G-04-28-121699	11:32	Water		3					X	X														603131665
7	NIC-GPW-GP04H-04-17-121699	13:09	Water		3					X	X														603131673
8	NIC-GPW-GP04H-04-32-121699	13:21	Water		3					X	X														603131681

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8	Frank Winslow	ASAP	12/17/99	16:00
	ASAP		12/18/99	11:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	12/16/99

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6037047
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank P. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GPA29-4-20-121699	14:01	Water		3					X	X														603131806
2	NIC-GPW-GP05D-01-20-121699	14:54	Water		3					X	X														603131814
3	NIC-GPW-GP05D-01-32-121699	15:04	Water		3					X	X														603131822
4	NIC-GPW-GP05D-02-20-121699	15:33	Water		3					X	X														603131830
5	NIC-GPW-GP05D-02-32-121699	15:45	Water		3					X	X														603131848

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-5	Frank Winslow	ASAP	12/17/99	16:00
	ASAP	[signature]	12/18/99	11:20

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by
Todd Burgesser
2/11/00

January 11, 2000

Mr. FRANK WINSLOW
CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

RE: Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Dear Mr. WINSLOW:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 18, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 01/11/00

CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor
SDG Number: 6037054B

Attn: Mr. FRANK WINSLOW
Phone: (316)691-9940

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603133729	NIC-GPW-GP08C-01-17-121799	EPA 8260	75888		
603133737	NIC-GPW-GP08C-01-29-121799	EPA 8260	75888		
603133786	NIC-GPW-GP08C-01Q1-29-121799	EPA 8260	75888		
603133802	NIC-GPW-GP08C-01N-29-121799	EPA 8260	75888		
603133901	NIC-GPW-GP08C-02-17-121799	EPA 8260	75888		
603133919	NIC-GPW-GP08C-02-29-121799	EPA 8260	75888		
603133927	NIC-GPW-GP08C-03-17-121799	EPA 8260	75888		
603134172	NIC-GPW-GP08C-03-29-121799	EPA 8260	75888		
603134198	NIC-GPW-GP08C-04-17-121799	EPA 8260	75888		
603134214	NIC-GPW-GP08C-04-29-121799	EPA 8260	75888		
603134222	NIC-GPW-GP08C-05-17-121799 7	EPA 8260	75888		
603134230	NIC-GPW-GP08C-05-26-121799	EPA 8260	75888		
603134420	NIC-GPW-GP02B-05-17-121799	EPA 8260	75888		
603134438	NIC-GPW-GP02B-05-37-121799	EPA 8260	75888		

Remove

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/11/00
PAGE: 1

CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor
SDG Number: 6037054B

Attn: Mr. FRANK WINSLOW
Phone: (316)691-9940

Solid results are reported on a wet weight basis

13

Pace Sample No: 603133729 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-01-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/30/99	NLA	74-87-3	1
Vinyl Chloride	3.0	ug/l	1	12/30/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/30/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/30/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/30/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/30/99	NLA	75-09-2	
1,1-Dichloroethene	1.1	ug/l	1	12/30/99	NLA	75-35-4	
trans-1,2-Dichloroethene	5.6	ug/l	1	12/30/99	NLA	156-60-5	
1,1-Dichloroethane	3.1	ug/l	1	12/30/99	NLA	75-34-3	
cis-1,2-Dichloroethene	63	ug/l	1	12/30/99	NLA	156-59-2	2
Chloroform	ND	ug/l	1	12/30/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/30/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/30/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/30/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/30/99	NLA	107-06-2	
Trichloroethene	150	ug/l	1	12/30/99	NLA	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	12/30/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/30/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/30/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/30/99	NLA	79-00-5	
Tetrachloroethene	2.6	ug/l	1	12/30/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/30/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/30/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/30/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/30/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/30/99	NLA	79-34-5	

LAB Q

D

E

E

COMQ

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133729 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-01-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/30/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/30/99	NLA	95-47-6	
Toluene-d8 (S)	86	%		12/30/99	NLA	2037-26-5	
Dibromofluoromethane (S)	92	%		12/30/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	87	%		12/30/99	NLA	460-00-4	
1,2-Dichloroethane-d4 (S)	74	%		12/30/99	NLA	17060-07-0	

D LAB Q CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133737 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-01-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/30/99	NLA	74-87-3			
Vinyl Chloride	3.7	ug/l	1	12/30/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/30/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/30/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/30/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/30/99	NLA	75-09-2			
1,1-Dichloroethene	1.6	ug/l	1	12/30/99	NLA	75-35-4			
trans-1,2-Dichloroethene	7.1	ug/l	1	12/30/99	NLA	156-60-5			
1,1-Dichloroethane	3.8	ug/l	1	12/30/99	NLA	75-34-3			
cis-1,2-Dichloroethene	61	ug/l	5	12/30/99	NLA	156-59-2	3	D	H
Chloroform	ND	ug/l	1	12/30/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/30/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/30/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/30/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/30/99	NLA	107-06-2			
Trichloroethene	130	ug/l	5	12/30/99	NLA	79-01-6	4	D	H
1,2-Dichloropropane	ND	ug/l	1	12/30/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/30/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/30/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/30/99	NLA	79-00-5			
Tetrachloroethene	2.9	ug/l	1	12/30/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/30/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/30/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/30/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/30/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/30/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/30/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/30/99	NLA	95-47-6			
Toluene-d8 (S)	87	%		12/30/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/30/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	87	%		12/30/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133737 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-01-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	78	%		12/30/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/11/00

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133786 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-01Q1-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/30/99	NLA	74-87-3			
Vinyl Chloride	3.7	ug/l	1	12/30/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/30/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/30/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/30/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/30/99	NLA	75-09-2			
1,1-Dichloroethene	1.5	ug/l	1	12/30/99	NLA	75-35-4			
trans-1,2-Dichloroethene	6.7	ug/l	1	12/30/99	NLA	156-60-5			
1,1-Dichloroethane	3.6	ug/l	1	12/30/99	NLA	75-34-3			
cis-1,2-Dichloroethene	61	ug/l	5	12/30/99	NLA	156-59-2	3	D	H
Chloroform	ND	ug/l	1	12/30/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/30/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/30/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/30/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/30/99	NLA	107-06-2			
Trichloroethene	130	ug/l	5	12/30/99	NLA	79-01-6	3	D	H
1,2-Dichloropropane	ND	ug/l	1	12/30/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/30/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/30/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/30/99	NLA	79-00-5			
Tetrachloroethene	2.1	ug/l	1	12/30/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/30/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/30/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/30/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/30/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/30/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/30/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/30/99	NLA	95-47-6			
Toluene-d8 (S)	86	%		12/30/99	NLA	2037-26-5			
Dibromofluoromethane (S)	93	%		12/30/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	87	%		12/30/99	NLA	460-00-4			

COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133786 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-01Q1-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	77	%		12/30/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133802 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-01N-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/30/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/30/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/30/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/30/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/30/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/30/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/30/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/30/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/30/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/30/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/30/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/30/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/30/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/30/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/30/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/30/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/30/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/30/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/30/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/30/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/30/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/30/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/30/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/30/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/30/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/30/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/30/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/30/99	NLA	95-47-6	
Toluene-d8 (S)	89	%		12/30/99	NLA	2037-26-5	
Dibromofluoromethane (S)	91	%		12/30/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	88	%		12/30/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133802 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-01N-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	75	%		12/30/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor
13

Pace Sample No: 603133901 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-02-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/30/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/30/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/30/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/30/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/30/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/30/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/30/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/30/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/30/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/30/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/30/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/30/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/30/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/30/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/30/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/30/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/30/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/30/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/30/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/30/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/30/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/30/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/30/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/30/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/30/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/30/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/30/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/30/99	NLA	95-47-6	
Toluene-d8 (S)	82	%		12/30/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/30/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	87	%		12/30/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133901 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-02-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	77	%		12/30/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133919 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-02-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/29/99	NLA	74-87-3			
Vinyl Chloride	6.3	ug/l	1	12/29/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/29/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/29/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/29/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/29/99	NLA	75-09-2			
1,1-Dichloroethene	2.3	ug/l	1	12/29/99	NLA	75-35-4			
trans-1,2-Dichloroethene	11	ug/l	1	12/29/99	NLA	156-60-5			
1,1-Dichloroethane	5.0	ug/l	1	12/29/99	NLA	75-34-3			
cis-1,2-Dichloroethene	81	ug/l	10	12/29/99	NLA	156-59-2	5	D	H
Chloroform	ND	ug/l	1	12/29/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/29/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/29/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/29/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/29/99	NLA	107-06-2			
Trichloroethene	230	ug/l	10	12/29/99	NLA	79-01-6	5	D	H
1,2-Dichloropropane	ND	ug/l	1	12/29/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/29/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/29/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/29/99	NLA	79-00-5			
Tetrachloroethene	5.7	ug/l	1	12/29/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/29/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/29/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/29/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/29/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/29/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/29/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/29/99	NLA	95-47-6			
Toluene-d8 (S)	88	%		12/29/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/29/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	90	%		12/29/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133919 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-02-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	76	%		12/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133927 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-03-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/29/99	NLA	74-87-3			
Vinyl Chloride	ND	ug/l	1	12/29/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/29/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/29/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/29/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/29/99	NLA	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	12/29/99	NLA	75-35-4			
trans-1,2-Dichloroethene	1.7	ug/l	1	12/29/99	NLA	156-60-5			
1,1-Dichloroethane	1.1	ug/l	1	12/29/99	NLA	75-34-3			
cis-1,2-Dichloroethene	22	ug/l	1	12/29/99	NLA	156-59-2			
Chloroform	ND	ug/l	1	12/29/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/29/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/29/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/29/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/29/99	NLA	107-06-2			
Trichloroethene	48	ug/l	1	12/29/99	NLA	79-01-6	2		E
1,2-Dichloropropane	ND	ug/l	1	12/29/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/29/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/29/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/29/99	NLA	79-00-5			
Tetrachloroethene	1.3	ug/l	1	12/29/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/29/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/29/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/29/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/29/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/29/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/29/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/29/99	NLA	95-47-6			
Toluene-d8 (S)	88	%		12/29/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/29/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	88	%		12/29/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603133927 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-03-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	77	%		12/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134172 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-03-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/29/99	NLA	74-87-3			
Vinyl Chloride	9.6	ug/l	1	12/29/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/29/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/29/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/29/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/29/99	NLA	75-09-2			
1,1-Dichloroethene	2.1	ug/l	1	12/29/99	NLA	75-35-4			
trans-1,2-Dichloroethene	12	ug/l	1	12/29/99	NLA	156-60-5			
1,1-Dichloroethane	4.5	ug/l	1	12/29/99	NLA	75-34-3			
cis-1,2-Dichloroethene	77	ug/l	10	12/29/99	NLA	156-59-2	5	D	H
Chloroform	ND	ug/l	1	12/29/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/29/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/29/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/29/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/29/99	NLA	107-06-2			
Trichloroethene	210	ug/l	10	12/29/99	NLA	79-01-6	5	D	H
1,2-Dichloropropane	ND	ug/l	1	12/29/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/29/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/29/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/29/99	NLA	79-00-5			
Tetrachloroethene	6.7	ug/l	1	12/29/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/29/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/29/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/29/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/29/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/29/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/29/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/29/99	NLA	95-47-6			
Toluene-d8 (S)	87	%		12/29/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/29/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	88	%		12/29/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134172 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-03-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	77	%		12/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

12

Pace Sample No: 603134198 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-04-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/29/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/29/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/29/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/29/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/29/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/29/99	NLA	75-09-2	
1,1-Dichloroethene	2.9	ug/l	1	12/29/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/29/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/29/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/29/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/29/99	NLA	67-66-3	
1,1,1-Trichloroethane	50	ug/l	1	12/29/99	NLA	71-55-6	2
Carbon Tetrachloride	ND	ug/l	1	12/29/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/29/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/29/99	NLA	107-06-2	
Trichloroethene	1.9	ug/l	1	12/29/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/29/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/29/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/29/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/29/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/29/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/29/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/29/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/29/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/29/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/29/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/29/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/29/99	NLA	95-47-6	
Toluene-d8 (S)	82	%		12/29/99	NLA	2037-26-5	
Dibromofluoromethane (S)	94	%		12/29/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	87	%		12/29/99	NLA	460-00-4	

LAB Q

COM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134198 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-04-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	76	%		12/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134214 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-04-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/29/99	NLA	74-87-3			
Vinyl Chloride	7.1	ug/l	1	12/29/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/29/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/29/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/29/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/29/99	NLA	75-09-2			
1,1-Dichloroethene	2.1	ug/l	1	12/29/99	NLA	75-35-4			
trans-1,2-Dichloroethene	9.1	ug/l	1	12/29/99	NLA	156-60-5			
1,1-Dichloroethane	4.2	ug/l	1	12/29/99	NLA	75-34-3			
cis-1,2-Dichloroethene	66	ug/l	10	12/29/99	NLA	156-59-2	5	D	H
Chloroform	ND	ug/l	1	12/29/99	NLA	67-66-3			
1,1,1-Trichloroethane	1.9	ug/l	1	12/29/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/29/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/29/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/29/99	NLA	107-06-2			
Trichloroethene	190	ug/l	10	12/29/99	NLA	79-01-6	5	D	H
1,2-Dichloropropane	ND	ug/l	1	12/29/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/29/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/29/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/29/99	NLA	79-00-5			
Tetrachloroethene	6.9	ug/l	1	12/29/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/29/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/29/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/29/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/29/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/29/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/29/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/29/99	NLA	95-47-6			
Toluene-d8 (S)	87	%		12/29/99	NLA	2037-26-5			
Dibromofluoromethane (S)	93	%		12/29/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	88	%		12/29/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134214 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-04-29-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	76	%		12/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134222 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-05-17-121799 7 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/30/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/30/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/30/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/30/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/30/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/30/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/30/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/30/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/30/99	NLA	75-34-3	
cis-1,2-Dichloroethene	1.1	ug/l	1	12/30/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/30/99	NLA	67-66-3	
1,1,1-Trichloroethane	8.1	ug/l	1	12/30/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/30/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/30/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/30/99	NLA	107-06-2	
Trichloroethene	2.3	ug/l	1	12/30/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/30/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/30/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/30/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/30/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/30/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/30/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/30/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/30/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/30/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/30/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/30/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/30/99	NLA	95-47-6	
Toluene-d8 (S)	95	%		12/30/99	NLA	2037-26-5	
Dibromofluoromethane (S)	96	%		12/30/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	90	%		12/30/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134222 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-05-17-121799 7 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	80	%		12/30/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/11/00

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134230 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-05-26-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/29/99	NLA	74-87-3			
Vinyl Chloride	3.4	ug/l	1	12/29/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/29/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/29/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/29/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/29/99	NLA	75-09-2			
1,1-Dichloroethene	1.2	ug/l	1	12/29/99	NLA	75-35-4			
trans-1,2-Dichloroethene	8.7	ug/l	1	12/29/99	NLA	156-60-5			
1,1-Dichloroethane	3.5	ug/l	1	12/29/99	NLA	75-34-3			
cis-1,2-Dichloroethene	57	ug/l	5	12/29/99	NLA	156-59-2	4	D	H
Chloroform	ND	ug/l	1	12/29/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/29/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/29/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/29/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/29/99	NLA	107-06-2			
Trichloroethene	140	ug/l	5	12/29/99	NLA	79-01-6	4	D	H
1,2-Dichloropropane	ND	ug/l	1	12/29/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/29/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/29/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/29/99	NLA	79-00-5			
Tetrachloroethene	5.2	ug/l	1	12/29/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/29/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/29/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/29/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/29/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/29/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/29/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/29/99	NLA	95-47-6			
Toluene-d8 (S)	86	%		12/29/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/29/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	88	%		12/29/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134230 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08C-05-26-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	77	%		12/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

13

Pace Sample No: 603134420 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-05-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/30/99	NLA	74-87-3			
Vinyl Chloride	ND	ug/l	1	12/30/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/30/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/30/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/30/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/30/99	NLA	75-09-2			
1,1-Dichloroethene	1.3	ug/l	1	12/30/99	NLA	75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	1	12/30/99	NLA	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	12/30/99	NLA	75-34-3			
cis-1,2-Dichloroethene	7.7	ug/l	1	12/30/99	NLA	156-59-2			
Chloroform	ND	ug/l	1	12/30/99	NLA	67-66-3			
1,1,1-Trichloroethane	1.2	ug/l	1	12/30/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/30/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/30/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/30/99	NLA	107-06-2			
Trichloroethene	43	ug/l	5.5	12/30/99	NLA	79-01-6	6		D
1,2-Dichloropropane	ND	ug/l	1	12/30/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/30/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/30/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/30/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/30/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/30/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/30/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/30/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/30/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/30/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/30/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/30/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/30/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/30/99	NLA	95-47-6			
Toluene-d8 (S)	83	%		12/30/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/30/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	88	%		12/30/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134420 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-05-17-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	77	%		12/30/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

12

Pace Sample No: 603134438 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-05-37-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/29/99	NLA	74-87-3			
Vinyl Chloride	2.9	ug/l	1	12/29/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/29/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/29/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/29/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/29/99	NLA	75-09-2			
1,1-Dichloroethene	36	ug/l	1	12/29/99	NLA	75-35-4			
trans-1,2-Dichloroethene	16	ug/l	1	12/29/99	NLA	156-60-5			
1,1-Dichloroethane	4.5	ug/l	1	12/29/99	NLA	75-34-3			
cis-1,2-Dichloroethene	95	ug/l	25	12/29/99	NLA	156-59-2	7	D	H
Chloroform	1.8	ug/l	1	12/29/99	NLA	67-66-3			
1,1,1-Trichloroethane	12	ug/l	1	12/29/99	NLA	71-55-6			
Carbon Tetrachloride	18	ug/l	1	12/29/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/29/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/29/99	NLA	107-06-2			
Trichloroethene	500	ug/l	25	12/29/99	NLA	79-01-6	7	D	H
1,2-Dichloropropane	ND	ug/l	1	12/29/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/29/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/29/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/29/99	NLA	79-00-5			
Tetrachloroethene	2.2	ug/l	1	12/29/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/29/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/29/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/29/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/29/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/29/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/29/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/29/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/29/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/29/99	NLA	95-47-6			
Toluene-d8 (S)	88	%		12/29/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/29/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	89	%		12/29/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603134438 Date Collected: 12/17/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-05-37-121799 Date Received: 12/18/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	76	%		12/29/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	This sample was not analyzed at dilution due to insufficent sample volume.
[2]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[3]	This result is from a 1:5 dilution on 1/4/00.
[4]	This result is from a dilution of 1:5 on 1/4/00.
[5]	This result is from a dilution of 1:10 on 1/4/00.
[6]	This result is from a dilution of 5.5 on 12/30/99.
[7]	This result is from a dilution of 1:25 on 1/4/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor
SDG Number: 6037054B

Attn: Mr. FRANK WINSLOW
Phone: (316)691-9940

QC Batch ID: 75888
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603133729 603133737 603133786 603133802 603133901 603133919 603133927 603134172 603134198 603134214 603134222 603134230 603134420 603134438

METHOD BLANK: 603149998
Associated Pace Samples:
603133919 603133927 603134172 603134198 603134214 603134230 603134438

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603149998
Associated Pace Samples:

603133919 603133927 603134172 603134198 603134214 603134230 603134438

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	96		
Dibromofluoromethane (S)	%	92		
4-Bromofluorobenzene (S)	%	89		
1,2-Dichloroethane-d4 (S)	%	77		

METHOD BLANK: 603157553
Associated Pace Samples:

603133729 603133737 603133786 603133802 603133901 603134222 603134420

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603157553
Associated Pace Samples: 603133729 603133737 603133786 603133802 603133901 603134222 603134420

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	95		
Dibromofluoromethane (S)	%	92		
4-Bromofluorobenzene (S)	%	89		
1,2-Dichloroethane-d4 (S)	%	76		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603150004 603150012

Parameter	Units	603133729	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	1.108	10	7.270	61.6	6.660	55.5	10	1
Benzene	ug/l	0	10	7.630	76.3	6.830	68.3	11	2
Trichloroethene	ug/l	150.4	10	172.0	216	162.0	116	60	3,3,4
Toluene	ug/l	0	10	6.140	61.4	5.520	55.2	11	5,5
Chlorobenzene	ug/l	0	10	8.270	82.7	7.430	74.3	11	
Toluene-d8 (S)					85		86		
Dibromofluoromethane (S)					93		94		
4-Bromofluorobenzene (S)					88		89		
1,2-Dichloroethane-d4 (S)					76		78		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603150020

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	8.414	84.1	
Vinyl Chloride	ug/l	10	9.584	95.8	
Bromomethane	ug/l	10	13.78	138	
Chloroethane	ug/l	10	9.038	90.4	
Trichlorofluoromethane	ug/l	10	9.136	91.4	
Methylene Chloride	ug/l	10	8.931	89.3	
1,1-Dichloroethene	ug/l	10	9.353	93.5	
trans-1,2-Dichloroethene	ug/l	10	9.625	96.2	
1,1-Dichloroethane	ug/l	10	9.620	96.2	
cis-1,2-Dichloroethene	ug/l	10	8.723	87.2	
Chloroform	ug/l	10	9.169	91.7	
1,1,1-Trichloroethane	ug/l	10	9.008	90.1	
Carbon Tetrachloride	ug/l	10	9.055	90.5	
Benzene	ug/l	10	9.214	92.1	
1,2-Dichloroethane	ug/l	10	9.180	91.8	
Trichloroethene	ug/l	10	8.842	88.4	
1,2-Dichloropropane	ug/l	10	8.802	88.0	
Bromodichloromethane	ug/l	10	9.240	92.4	
Toluene	ug/l	10	8.829	88.3	
1,1,2-Trichloroethane	ug/l	10	8.786	87.9	
Tetrachloroethene	ug/l	10	8.507	85.1	
Dibromochloromethane	ug/l	10	8.390	83.9	
Chlorobenzene	ug/l	10	8.161	81.6	
Ethylbenzene	ug/l	10	8.538	85.4	
Bromoform	ug/l	10	8.378	83.8	
1,1,2,2-Tetrachloroethane	ug/l	10	8.523	85.2	
1,3-Dichlorobenzene	ug/l	10	8.561	85.6	
1,4-Dichlorobenzene	ug/l	10	8.340	83.4	
1,2-Dichlorobenzene	ug/l	10	8.760	87.6	
cis-1,3-Dichloropropene	ug/l	10	9.604	96.0	
trans-1,3-Dichloropropene	ug/l	10	8.750	87.5	
M&P-Xylene	ug/l	20	16.57	82.8	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	8.266	82.7	
Toluene-d8 (S)				101	
Dibromofluoromethane (S)				101	
4-Bromofluorobenzene (S)				96	
1,2-Dichloroethane-d4 (S)				108	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037054
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery is below laboratory established control limits of 57%.
[2]	The recovery is below laboratory established control limits of 77%.
[3]	Due to high analyte concentration the matrix spike and/or matrix spike duplicate do not provide reliable recovery data.
[4]	The RPD exceeds laboratory established control limits.
[5]	The recovery is below laboratory established control limits of 69%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	6037054
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	12/17/99	Sampler Signature:	Frank Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP08C-04-17-121799	11:18	Water		3					X	X													603134198
2	NIC-GPW-GP08C-04-29-121799	11:33	Water		3					X	X													603134214
3	NIC-GPW-GP08C-05-17-121799	12:05	Water		3					X	X													603134222
4	NIC-GPW-GP08C-05-26-121799	12:18	Water		3					X	X													603134230
5	NIC-GPW-GP02B-05-17-121799	13:40	Water		3					X	X													603134420
6	NIC-GPW-GP02B-05-37-121799	13:50	Water		3					X	X													603134438

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-6	Frank Winslow	ASAP	12/17/99	16:00
	ASAP		12/20/99	11:00

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Isabel Burgess
2/14/00

January 13, 2000

Mr. FRANK WINSLOW
CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

RE: Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Dear Mr. WINSLOW:

Enclosed are the results of analyses for sample(s)received by the laboratory on December 23, 1999. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 01/13/00

CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

Attn: Mr. FRANK WINSLOW
Phone: (316)691-9940

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor
SDG Number: 6037216B

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603151556	NIC-GPW-GP02B-06-17-122099	EPA 8260	75949		
603151564	NIC-GPW-GP02B-06-39-122099	EPA 8260	75949		
603151572	NIC-GPW-GP02B-07-17-122099	EPA 8260	75949		
603151580	NIC-GPW-GP02B-07-39-122099	EPA 8260	75949		
603151630	NIC-GPW-GP#48-3-16-122099	EPA 8260	75949		
603151648	NIC-GPW-GP#48-3-34-122099	EPA 8260	75949		
603151655	NIC-GPW-GP08E-01-17-122099	EPA 8260	75949		
603151663	NIC-GPW-GP08E-01-35-122099	EPA 8260	75949		
603151689	NIC-GPW-GP08E-02-17-122099	EPA 8260	75949		
603151697	NIC-GPW-GP08E-02-35-122099	EPA 8260	75949		
603151739	NIC-GPW-GP08E-02Q1-35-122099	EPA 8260	75949		
603151747	NIC-GPW-GP08E-02N-35-122099	EPA 8260	75949		
603151754	NIC-GPW-GP08E-03-17-122099	EPA 8260	75949		
603151762	NIC-GPW-GP08E-03-33-122099	EPA 8260	75949		
603151788	NIC-GPW-GP02B-06M-122099	EPA 8260	75949		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/13/00
PAGE: 1

CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor
SDG Number: 6037216B

Attn: Mr. FRANK WINSLOW
Phone: (316)691-9940

Solid results are reported on a wet weight basis

Pace Sample No: 603151556 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-06-17-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/31/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/31/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/31/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/31/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/31/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/31/99	DJE	75-09-2	
1,1-Dichloroethene	3.5	ug/l	1	12/31/99	DJE	75-35-4	
trans-1,2-Dichloroethene	2.9	ug/l	1	12/31/99	DJE	156-60-5	
1,1-Dichloroethane	1.2	ug/l	1	12/31/99	DJE	75-34-3	
cis-1,2-Dichloroethene	42	ug/l	1	12/31/99	DJE	156-59-2	1
Chloroform	1.3	ug/l	1	12/31/99	DJE	67-66-3	
1,1,1-Trichloroethane	1.9	ug/l	1	12/31/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/31/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/31/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/31/99	DJE	107-06-2	
Trichloroethene	80	ug/l	5	12/31/99	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	12/31/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/31/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/31/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/31/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/31/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/31/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/31/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/31/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151556 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-06-17-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/31/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	DJE	95-47-6	
Toluene-d8 (S)	95	%		12/31/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		12/31/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		12/31/99	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	111	%		12/31/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/13/00

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151564 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-06-39-122099 Date Received: 12/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	12/31/99	DJE	74-87-3		
Vinyl Chloride	1.9	ug/l	1	12/31/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	12/31/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	12/31/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	12/31/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	12/31/99	DJE	75-09-2		
1,1-Dichloroethene	31	ug/l	1	12/31/99	DJE	75-35-4		
trans-1,2-Dichloroethene	3.2	ug/l	1	12/31/99	DJE	156-60-5		
1,1-Dichloroethane	4.4	ug/l	1	12/31/99	DJE	75-34-3		
cis-1,2-Dichloroethene	40	ug/l	20	12/31/99	DJE	156-59-2	3	D
Chloroform	2.5	ug/l	1	12/31/99	DJE	67-66-3		
1,1,1-Trichloroethane	11	ug/l	1	12/31/99	DJE	71-55-6		
Carbon Tetrachloride	16	ug/l	1	12/31/99	DJE	56-23-5		
Benzene	ND	ug/l	1	12/31/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	12/31/99	DJE	107-06-2		
Trichloroethene	300	ug/l	20	12/31/99	DJE	79-01-6	3	D
1,2-Dichloropropane	ND	ug/l	1	12/31/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	12/31/99	DJE	75-27-4		
Toluene	ND	ug/l	1	12/31/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	12/31/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	12/31/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	12/31/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	12/31/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	12/31/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	12/31/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	DJE	95-47-6		
Toluene-d8 (S)	93	%		12/31/99	DJE	2037-26-5		
Dibromofluoromethane (S)	102	%		12/31/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	97	%		12/31/99	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151564 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-06-39-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		12/31/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/13/00

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151572 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-07-17-122099 Date Received: 12/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/31/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/31/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/31/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/31/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/31/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/31/99	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/31/99	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/31/99	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/31/99	DJE	75-34-3	
cis-1,2-Dichloroethene	2.5	ug/l	1	12/31/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/31/99	DJE	67-66-3	
1,1,1-Trichloroethane	1.0	ug/l	1	12/31/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/31/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/31/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/31/99	DJE	107-06-2	
Trichloroethene	56	ug/l	1	12/31/99	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	12/31/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/31/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/31/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/31/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/31/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/31/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/31/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/31/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/31/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	DJE	95-47-6	
Toluene-d8 (S)	92	%		12/31/99	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		12/31/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		12/31/99	DJE	460-00-4	

LAB Q

CDM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151572 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-07-17-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		12/31/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151580 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-07-39-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/31/99	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/31/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/31/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/31/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/31/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/31/99	DJE	75-09-2	
1,1-Dichloroethene	10	ug/l	1	12/31/99	DJE	75-35-4	
trans-1,2-Dichloroethene	4.2	ug/l	1	12/31/99	DJE	156-60-5	
1,1-Dichloroethane	2.4	ug/l	1	12/31/99	DJE	75-34-3	
cis-1,2-Dichloroethene	31	ug/l	1	12/31/99	DJE	156-59-2	
Chloroform	ND	ug/l	1	12/31/99	DJE	67-66-3	
1,1,1-Trichloroethane	5.6	ug/l	1	12/31/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/31/99	DJE	56-23-5	
Benzene	ND	ug/l	1	12/31/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/31/99	DJE	107-06-2	
Trichloroethene	250	ug/l	10	12/31/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	12/31/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/31/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/31/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/31/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/31/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/31/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/31/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/31/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/31/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	DJE	95-47-6	
Toluene-d8 (S)	90	%		12/31/99	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		12/31/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	94	%		12/31/99	DJE	460-00-4	

Lab Q

CDM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151580 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-07-39-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		12/31/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151630 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#48-3-16-122099 Date Received: 12/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/31/99	DJE	74-87-3	
Vinyl Chloride	14	ug/l	1	12/31/99	DJE	75-01-4	
Bromomethane	ND	ug/l	1	12/31/99	DJE	74-83-9	
Chloroethane	ND	ug/l	1	12/31/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/31/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/31/99	DJE	75-09-2	
1,1-Dichloroethene	21	ug/l	1	12/31/99	DJE	75-35-4	
trans-1,2-Dichloroethene	41	ug/l	1	12/31/99	DJE	156-60-5	1
1,1-Dichloroethane	11	ug/l	1	12/31/99	DJE	75-34-3	
cis-1,2-Dichloroethene	280	ug/l	10	12/31/99	DJE	156-59-2	4
Chloroform	1.1	ug/l	1	12/31/99	DJE	67-66-3	
1,1,1-Trichloroethane	2.3	ug/l	1	12/31/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/31/99	DJE	56-23-5	
Benzene	1.4	ug/l	1	12/31/99	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/31/99	DJE	107-06-2	
Trichloroethene	220	ug/l	10	12/31/99	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	12/31/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/31/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/31/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/31/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/31/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/31/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/31/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/31/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/31/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	DJE	95-47-6	
Toluene-d8 (S)	97	%		12/31/99	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		12/31/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		12/31/99	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151630 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#48-3-16-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		12/31/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/13/00

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151648 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#48-3-34-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/31/99	DJE	74-87-3	
Vinyl Chloride	61	ug/l	1	12/31/99	DJE	75-01-4	1
Bromomethane	ND	ug/l	1	12/31/99	DJE	74-83-9	
Chloroethane	5.3	ug/l	1	12/31/99	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/31/99	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	12/31/99	DJE	75-09-2	
1,1-Dichloroethene	13	ug/l	1	12/31/99	DJE	75-35-4	
trans-1,2-Dichloroethene	32	ug/l	1	12/31/99	DJE	156-60-5	
1,1-Dichloroethane	6.7	ug/l	1	12/31/99	DJE	75-34-3	
cis-1,2-Dichloroethene	44	ug/l	5	12/31/99	DJE	156-59-2	5
Chloroform	1.1	ug/l	1	12/31/99	DJE	67-66-3	
1,1,1-Trichloroethane	1.8	ug/l	1	12/31/99	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/31/99	DJE	56-23-5	
Benzene	21	ug/l	1	12/31/99	DJE	71-43-2	
1,2-Dichloroethane	1.1	ug/l	1	12/31/99	DJE	107-06-2	
Trichloroethene	87	ug/l	5	12/31/99	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	12/31/99	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/31/99	DJE	75-27-4	
Toluene	ND	ug/l	1	12/31/99	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/31/99	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/31/99	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	12/31/99	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	12/31/99	DJE	100-41-4	
Bromoform	ND	ug/l	1	12/31/99	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/31/99	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	DJE	95-47-6	
Toluene-d8 (S)	96	%		12/31/99	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		12/31/99	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		12/31/99	DJE	460-00-4	

Lab Q E
CDM Q D D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151648 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP#48-3-34-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		12/31/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151655 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-01-17-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	12/31/99	DJE	74-87-3		
Vinyl Chloride	ND	ug/l	1	12/31/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	12/31/99	DJE	74-83-9		
Chloroethane	ND	ug/l	1	12/31/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	12/31/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	12/31/99	DJE	75-09-2		
1,1-Dichloroethene	2.6	ug/l	1	12/31/99	DJE	75-35-4		
trans-1,2-Dichloroethene	7.9	ug/l	1	12/31/99	DJE	156-60-5		
1,1-Dichloroethane	4.3	ug/l	1	12/31/99	DJE	75-34-3		
cis-1,2-Dichloroethene	55	ug/l	1	12/31/99	DJE	156-59-2	1	
Chloroform	ND	ug/l	1	12/31/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	12/31/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	12/31/99	DJE	56-23-5		
Benzene	ND	ug/l	1	12/31/99	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	12/31/99	DJE	107-06-2		
Trichloroethene	40	ug/l	5	12/31/99	DJE	79-01-6	5	
1,2-Dichloropropane	ND	ug/l	1	12/31/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	12/31/99	DJE	75-27-4		
Toluene	ND	ug/l	1	12/31/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	12/31/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	12/31/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	12/31/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	12/31/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	12/31/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	12/31/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	DJE	95-47-6		
Toluene-d8 (S)	92	%		12/31/99	DJE	2037-26-5		
Dibromofluoromethane (S)	98	%		12/31/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	94	%		12/31/99	DJE	460-00-4		

LAB Q

COM Q

E

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151655 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-01-17-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		12/31/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151663 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-01-35-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	12/31/99	DJE	74-87-3		
Vinyl Chloride	17	ug/l	1	12/31/99	DJE	75-01-4		
Bromomethane	ND	ug/l	1	12/31/99	DJE	74-83-9		
Chloroethane	4.8	ug/l	1	12/31/99	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	12/31/99	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	12/31/99	DJE	75-09-2		
1,1-Dichloroethene	5.2	ug/l	1	12/31/99	DJE	75-35-4		
trans-1,2-Dichloroethene	3.5	ug/l	1	12/31/99	DJE	156-60-5		
1,1-Dichloroethane	8.4	ug/l	1	12/31/99	DJE	75-34-3		
cis-1,2-Dichloroethene	45	ug/l	1	12/31/99	DJE	156-59-2	1	E
Chloroform	1.6	ug/l	1	12/31/99	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	12/31/99	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	12/31/99	DJE	56-23-5		
Benzene	24	ug/l	1	12/31/99	DJE	71-43-2		
1,2-Dichloroethane	1.2	ug/l	1	12/31/99	DJE	107-06-2		
Trichloroethene	35	ug/l	5	12/31/99	DJE	79-01-6	5	D
1,2-Dichloropropane	ND	ug/l	1	12/31/99	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	12/31/99	DJE	75-27-4		
Toluene	ND	ug/l	1	12/31/99	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	12/31/99	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	12/31/99	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	12/31/99	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	12/31/99	DJE	100-41-4		
Bromoform	ND	ug/l	1	12/31/99	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	12/31/99	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	DJE	95-47-6		
Toluene-d8 (S)	97	%		12/31/99	DJE	2037-26-5		
Dibromofluoromethane (S)	98	%		12/31/99	DJE	1868-53-7		
4-Bromofluorobenzene (S)	76	%		12/31/99	DJE	460-00-4		

LAB ID

CDM CR

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151663 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-01-35-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	119	%		12/31/99	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151689 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-02-17-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/31/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/31/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/31/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/31/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/31/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/31/99	NLA	75-09-2	
1,1-Dichloroethene	1.3	ug/l	1	12/31/99	NLA	75-35-4	
trans-1,2-Dichloroethene	1.6	ug/l	1	12/31/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/31/99	NLA	75-34-3	
cis-1,2-Dichloroethene	30	ug/l	1	12/31/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/31/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/31/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/31/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/31/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/31/99	NLA	107-06-2	
Trichloroethene	37	ug/l	1	12/31/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/31/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/31/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/31/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/31/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/31/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/31/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/31/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/31/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/31/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	NLA	95-47-6	
Toluene-d8 (S)	90	%		12/31/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/31/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	86	%		12/31/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151689 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-02-17-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	78	%		12/31/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151697 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-02-35-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.8	ug/l	1	12/31/99	NLA	74-87-3			
Vinyl Chloride	17	ug/l	1	12/31/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/31/99	NLA	74-83-9			
Chloroethane	1.9	ug/l	1	12/31/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/31/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/31/99	NLA	75-09-2			
1,1-Dichloroethene	19	ug/l	1	12/31/99	NLA	75-35-4			
trans-1,2-Dichloroethene	11	ug/l	1	12/31/99	NLA	156-60-5			
1,1-Dichloroethane	5.6	ug/l	1	12/31/99	NLA	75-34-3		D	H
cis-1,2-Dichloroethene	71	ug/l	10	12/31/99	NLA	156-59-2	6		
Chloroform	2.4	ug/l	1	12/31/99	NLA	67-66-3			
1,1,1-Trichloroethane	3.2	ug/l	1	12/31/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/31/99	NLA	56-23-5			
Benzene	6.1	ug/l	1	12/31/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/31/99	NLA	107-06-2			
Trichloroethene	290	ug/l	10	12/31/99	NLA	79-01-6	7	D	H
1,2-Dichloropropane	ND	ug/l	1	12/31/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/31/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/31/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/31/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/31/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/31/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/31/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/31/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/31/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	NLA	95-47-6			
Toluene-d8 (S)	87	%		12/31/99	NLA	2037-26-5			
Dibromofluoromethane (S)	95	%		12/31/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	88	%		12/31/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151697 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-02-35-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	78	%		12/31/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151739 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-02Q1-35-122099 Date Received: 12/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.4	ug/l	1	12/31/99	NLA	74-87-3			
Vinyl Chloride	18	ug/l	1	12/31/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/31/99	NLA	74-83-9			
Chloroethane	2.0	ug/l	1	12/31/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/31/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/31/99	NLA	75-09-2			
1,1-Dichloroethene	18	ug/l	1	12/31/99	NLA	75-35-4			
trans-1,2-Dichloroethene	9.7	ug/l	1	12/31/99	NLA	156-60-5			
1,1-Dichloroethane	6.0	ug/l	1	12/31/99	NLA	75-34-3			
cis-1,2-Dichloroethene	61	ug/l	10	12/31/99	NLA	156-59-2	8	D	H
Chloroform	2.5	ug/l	1	12/31/99	NLA	67-66-3			
1,1,1-Trichloroethane	3.3	ug/l	1	12/31/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/31/99	NLA	56-23-5			
Benzene	6.2	ug/l	1	12/31/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/31/99	NLA	107-06-2			
Trichloroethene	260	ug/l	10	12/31/99	NLA	79-01-6	6	D	H
1,2-Dichloropropane	ND	ug/l	1	12/31/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/31/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/31/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/31/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/31/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/31/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/31/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/31/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/31/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	NLA	95-47-6			
Toluene-d8 (S)	87	%		12/31/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/31/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	87	%		12/31/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151739 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-02Q1-35-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	80	%		12/31/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151747 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-02N-35-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/31/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/31/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/31/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/31/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/31/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/31/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/31/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/31/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/31/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/31/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/31/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/31/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/31/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/31/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/31/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/31/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/31/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/31/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/31/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/31/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/31/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/31/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/31/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/31/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/31/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	NLA	95-47-6	
Toluene-d8 (S)	91	%		12/31/99	NLA	2037-26-5	
Dibromofluoromethane (S)	94	%		12/31/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	88	%		12/31/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151747 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-02N-35-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	79	%		12/31/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151754 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-03-17-122099 Date Received: 12/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	12/31/99	NLA	74-87-3			
Vinyl Chloride	34	ug/l	1	12/31/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/31/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/31/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/31/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/31/99	NLA	75-09-2			
1,1-Dichloroethene	2.3	ug/l	1	12/31/99	NLA	75-35-4			
trans-1,2-Dichloroethene	4.5	ug/l	1	12/31/99	NLA	156-60-5			
1,1-Dichloroethane	2.3	ug/l	1	12/31/99	NLA	75-34-3			
cis-1,2-Dichloroethene	82	ug/l	5	12/31/99	NLA	156-59-2	9	D	H
Chloroform	ND	ug/l	1	12/31/99	NLA	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	12/31/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/31/99	NLA	56-23-5			
Benzene	ND	ug/l	1	12/31/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/31/99	NLA	107-06-2			
Trichloroethene	42	ug/l	1	12/31/99	NLA	79-01-6	1	E	~~H~~ B
1,2-Dichloropropane	ND	ug/l	1	12/31/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/31/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/31/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	NLA	79-00-5			
Tetrachloroethene	ND	ug/l	1	12/31/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/31/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/31/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/31/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/31/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/31/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	NLA	95-47-6			
Toluene-d8 (S)	91	%		12/31/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/31/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	87	%		12/31/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151754 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-03-17-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	81	%		12/31/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151762 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-03-33-122099 Date Received: 12/23/99

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	1.8	ug/l	1	12/31/99	NLA	74-87-3			
Vinyl Chloride	33	ug/l	1	12/31/99	NLA	75-01-4			
Bromomethane	ND	ug/l	1	12/31/99	NLA	74-83-9			
Chloroethane	ND	ug/l	1	12/31/99	NLA	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	12/31/99	NLA	75-69-4			
Methylene Chloride	ND	ug/l	1	12/31/99	NLA	75-09-2			
1,1-Dichloroethene	26	ug/l	1	12/31/99	NLA	75-35-4			
trans-1,2-Dichloroethene	36	ug/l	1	12/31/99	NLA	156-60-5			
1,1-Dichloroethane	5.3	ug/l	1	12/31/99	NLA	75-34-3			
cis-1,2-Dichloroethene	160	ug/l	20	12/31/99	NLA	156-59-2	10	D	H
Chloroform	ND	ug/l	1	12/31/99	NLA	67-66-3			
1,1,1-Trichloroethane	5.4	ug/l	1	12/31/99	NLA	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	12/31/99	NLA	56-23-5			
Benzene	4.4	ug/l	1	12/31/99	NLA	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	12/31/99	NLA	107-06-2			
Trichloroethene	350	ug/l	20	12/31/99	NLA	79-01-6	11	D	H
1,2-Dichloropropane	ND	ug/l	1	12/31/99	NLA	78-87-5			
Bromodichloromethane	ND	ug/l	1	12/31/99	NLA	75-27-4			
Toluene	ND	ug/l	1	12/31/99	NLA	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	NLA	79-00-5			
Tetrachloroethene	1.1	ug/l	1	12/31/99	NLA	127-18-4			
Dibromochloromethane	ND	ug/l	1	12/31/99	NLA	124-48-1			
Chlorobenzene	ND	ug/l	1	12/31/99	NLA	108-90-7			
Ethylbenzene	ND	ug/l	1	12/31/99	NLA	100-41-4			
Bromoform	ND	ug/l	1	12/31/99	NLA	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	NLA	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	12/31/99	NLA				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	NLA	95-47-6			
Toluene-d8 (S)	87	%		12/31/99	NLA	2037-26-5			
Dibromofluoromethane (S)	94	%		12/31/99	NLA	1868-53-7			
4-Bromofluorobenzene (S)	88	%		12/31/99	NLA	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151762 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP08E-03-33-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	78	%		12/31/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151788 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-06M-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	12/31/99	NLA	74-87-3	
Vinyl Chloride	ND	ug/l	1	12/31/99	NLA	75-01-4	
Bromomethane	ND	ug/l	1	12/31/99	NLA	74-83-9	
Chloroethane	ND	ug/l	1	12/31/99	NLA	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	12/31/99	NLA	75-69-4	
Methylene Chloride	ND	ug/l	1	12/31/99	NLA	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	12/31/99	NLA	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	12/31/99	NLA	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	12/31/99	NLA	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	12/31/99	NLA	156-59-2	
Chloroform	ND	ug/l	1	12/31/99	NLA	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	12/31/99	NLA	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	12/31/99	NLA	56-23-5	
Benzene	ND	ug/l	1	12/31/99	NLA	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	12/31/99	NLA	107-06-2	
Trichloroethene	ND	ug/l	1	12/31/99	NLA	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	12/31/99	NLA	78-87-5	
Bromodichloromethane	ND	ug/l	1	12/31/99	NLA	75-27-4	
Toluene	ND	ug/l	1	12/31/99	NLA	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	12/31/99	NLA	79-00-5	
Tetrachloroethene	ND	ug/l	1	12/31/99	NLA	127-18-4	
Dibromochloromethane	ND	ug/l	1	12/31/99	NLA	124-48-1	
Chlorobenzene	ND	ug/l	1	12/31/99	NLA	108-90-7	
Ethylbenzene	ND	ug/l	1	12/31/99	NLA	100-41-4	
Bromoform	ND	ug/l	1	12/31/99	NLA	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	12/31/99	NLA	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	12/31/99	NLA	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	12/31/99	NLA	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	12/31/99	NLA		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	12/31/99	NLA	95-47-6	
Toluene-d8 (S)	92	%		12/31/99	NLA	2037-26-5	
Dibromofluoromethane (S)	93	%		12/31/99	NLA	1868-53-7	
4-Bromofluorobenzene (S)	88	%		12/31/99	NLA	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603151788 Date Collected: 12/20/99 Matrix: Water
Client Sample ID: NIC-GPW-GP02B-06M-122099 Date Received: 12/23/99

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	80	%		12/31/99	NLA	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[2]	This result is from a dilution of 1:5 on 1/3/00.
[3]	This result is from a dilution of 1:20 on 1/3/00.
[4]	This result is from a dilution of 1:10 on 1/4/00.
[5]	This result is from a dilution of 1:5 on 1/4/00.
[6]	This result is from a dilution of 1:10 on 1/6/00.
[7]	This result is from a 1:10 diluton on 1/6/00.
[8]	This result is from a 1:10 dilution on 1/6/00.
[9]	This result is from a 1:5 dilution on 1/6/00.
[10]	This result is from a dilution of 1:20 on 1/6/00.
[11]	This result is from a 1:20 dilution on 1/6/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
555 NORTH WOODLAWN BLDG1
SUITE 215
WICHITA, KS 67208

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor
SDG Number: 6037216B

Attn: Mr. FRANK WINSLOW
Phone: (316)691-9940

QC Batch ID: 75949
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603151556 603151564 603151572 603151580 603151630 603151648 603151655 603151663 603151689 603151697 603151739 603151747 603151754 603151762 603151788

METHOD BLANK: 603152521
Associated Pace Samples:
603151556 603151564 603151572 603151580 603151630 603151648 603151655 603151663

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603152521
Associated Pace Samples:
603151556 603151564 603151572 603151580 603151630 603151648 603151655 603151663

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	94		
4-Bromofluorobenzene (S)	%	94		
1,2-Dichloroethane-d4 (S)	%	107		

METHOD BLANK: 603157439
Associated Pace Samples:
603151689 603151697 603151739 603151747 603151754 603151762 603151788

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603157439
Associated Pace Samples:
603151689 603151697 603151739 603151747 603151754 603151762 603151788

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	94		
Dibromofluoromethane (S)	%	91		
4-Bromofluorobenzene (S)	%	87		
1,2-Dichloroethane-d4 (S)	%	72		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603152539 603152547

Parameter	Units	603151689	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	1.273	10	9.702	84.3	10.07	88.0	4	
Benzene	ug/l	0	10	10.46	105	10.76	108	3	
Trichloroethene	ug/l	37.37	10	46.86	94.9	50.33	130	31	1
Toluene	ug/l	0	10	8.631	86.3	8.714	87.1	1	
Chlorobenzene	ug/l	0	10	8.635	86.3	9.000	90.0	4	
Toluene-d8 (S)					96		96		
Dibromofluoromethane (S)					99		102		
4-Bromofluorobenzene (S)					92		90		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603152539 603152547

Parameter	Units	603151689	Spike Conc.	Matrix Spike Result	Matrix Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,2-Dichloroethane-d4 (S)					111		120		

LABORATORY CONTROL SAMPLE: 603152554

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	8.316	83.2	
Vinyl Chloride	ug/l	10	8.737	87.4	
Bromomethane	ug/l	10	10.45	104	
Chloroethane	ug/l	10	9.106	91.1	
Trichlorofluoromethane	ug/l	10	8.997	90.0	
Methylene Chloride	ug/l	10	9.911	99.1	
1,1-Dichloroethene	ug/l	10	9.221	92.2	
trans-1,2-Dichloroethene	ug/l	10	9.943	99.4	
1,1-Dichloroethane	ug/l	10	10.35	104	
cis-1,2-Dichloroethene	ug/l	10	9.370	93.7	
Chloroform	ug/l	10	9.971	99.7	
1,1,1-Trichloroethane	ug/l	10	9.654	96.5	
Carbon Tetrachloride	ug/l	10	9.623	96.2	
Benzene	ug/l	10	10.53	105	
1,2-Dichloroethane	ug/l	10	10.54	105	
Trichloroethene	ug/l	10	10.58	106	
1,2-Dichloropropane	ug/l	10	10.26	103	
Bromodichloromethane	ug/l	10	10.39	104	
Toluene	ug/l	10	9.665	96.6	
1,1,2-Trichloroethane	ug/l	10	9.871	98.7	
Tetrachloroethene	ug/l	10	8.743	87.4	
Dibromochloromethane	ug/l	10	9.388	93.9	
Chlorobenzene	ug/l	10	8.487	84.9	
Ethylbenzene	ug/l	10	8.906	89.1	
Bromoform	ug/l	10	10.01	100	
1,1,2,2-Tetrachloroethane	ug/l	10	9.172	91.7	
1,3-Dichlorobenzene	ug/l	10	8.964	89.6	
1,4-Dichlorobenzene	ug/l	10	8.809	88.1	
1,2-Dichlorobenzene	ug/l	10	9.234	92.3	
cis-1,3-Dichloropropene	ug/l	10	10.87	109	
trans-1,3-Dichloropropene	ug/l	10	9.940	99.4	
M&P-Xylene	ug/l	20	18.09	90.5	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	8.776	87.8	
Toluene-d8 (S)				98	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603152554

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Dibromofluoromethane (S)				95	
4-Bromofluorobenzene (S)				95	
1,2-Dichloroethane-d4 (S)				114	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037216
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 30%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Page 1 of 2

6037143 AFH 12-30-99

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg
		Date Sampled:	12/20/99

Lab Client No.:

Lab Project Manager: Andrea Hyslop

Lab Project No.: 6037216

*Requested Due Date: NIC Project TAT

Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS	
1	NIC-GPW-GP02B-06-17-122099 (3)	9:05	Water		3					X	X	603141367	603151556
2	NIC-GPW-GP02B-06-39-122099	9:18	Water		3					X	X	603141375	603151564
3	NIC-GPW-GP02B-07-17-122099	9:53	Water		3					X	X	603141383	603151572
4	NIC-GPW-GP02B-07-39-122099	10:04	Water		3					X	X	603141391	603151580
5	NIC-GPW-GP#48-3-16-122099	10:37	Water		3					X	X	603141409	603151630
6	NIC-GPW-GP#48-3-34-122099	11:05	Water		3					X	X	603141417	603151648
7	NIC-GPW-GP08E-01-17-122099	11:41	Water		3					X	X	603141425	603151655
8	NIC-GPW-GP08E-01-35-122099	12:06	Water		3					X	X	603141433	603151663

AFH 12-30-99

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8		ASAP	12/22/99	16:00
		Penny Dudley	12/23/99	1335

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

6037216

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	~~6037143~~ AFH 12-30-99
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg	Sampler Signature:	
		Date Sampled:	12/20/99		

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS	
1	NIC-GPW-GP08E-02-17-122099 (6)pl	13:00	Water		6					X	X	MS/MSD ~~603141441~~	603151689
2	NIC-GPW-GP08E-02-35-122099 (3)pV	13:11	Water		3					X	X	~~603141458~~	603151697
3	NIC-GPW-GP08E-02Q1-35-122099	13:11	Water		3					X	X	~~603141466~~	603151739
4	NIC-GPW-GP08E-02N-35-122099	13:25	Water		3					X	X	~~603141474~~	603151747
5	NIC-GPW-GP08E-03-17-122099	15:10	Water		3					X	X	~~603141482~~	603151754
6	NIC-GPW-GP08E-03-33-122099	15:23	Water		3					X	X	~~603141490~~	603151762
7	NIC-GPW-GP02B-06M-122099 (1)pl	8:00	Water		3					X	X	~~603141508~~	603151788

AFH 12-30-99

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-B		ASAP	12/22/99	16:00
			12/23/99	1335

COOLER TEMPERATURE:

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Reviewed by Gabriel Bruesser 2/14/00

January 20, 2000

Mr. Darren Brown
Camp Dresser & McKee Inc.
1331 17th Street
Suite 1200
Denver, CO 80202

RE: Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Dear Mr. Brown:

Enclosed are the results of analyses for sample(s)received by the laboratory on January 12, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 01/20/00

Camp Dresser & McKee Inc.
1331 17th Street
Suite 1200
Denver, CO 80202

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor
SDG Number: 6037493B

Attn: Mr. Darren Brown
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603174103	NIC-GPW-GPA31-6-17-011000	EPA 8260	76531		
603174111	NIC-GPW-GPA31-6-20-011000	EPA 8260	76531		
603174129	NIC-GPW-GP2I-6-17-011000	EPA 8260	76531		
603174137	NIC-GPW-GP2I-6-30-011000	EPA 8260	76531		
603174145	NIC-GPW-GP2I-5-17-011000	EPA 8260	76531		
603174152	NIC-GPW-GP2I-5-30-011000	EPA 8260	76531		
603174160	NIC-GPW-GP34-10-18-011000	EPA 8260	76531		
603174178	NIC-GPW-GPA31-6M-17-011000	EPA 8260	76531		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

DATE: 01/20/00
PAGE: 1

Camp Dresser & McKee Inc.
1331 17th Street
Suite 1200
Denver, CO 80202

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor
SDG Number: 6037493B

Attn: Mr. Darren Brown
Phone: (303)298-1311

Solid results are reported on a wet weight basis

3

Pace Sample No: 603174103 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-6-17-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/13/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/13/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/13/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/13/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/13/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/13/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/13/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/13/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/13/00	DJE	75-34-3	
cis-1,2-Dichloroethene	6.9	ug/l	1	01/13/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/13/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/13/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/13/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/13/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/13/00	DJE	107-06-2	
Trichloroethene	1.4	ug/l	1	01/13/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/13/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/13/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/13/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/13/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/13/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/13/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/13/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/13/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/13/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/13/00	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174103 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-6-17-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	01/13/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/13/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/13/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/13/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/13/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/13/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/13/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		01/13/00	DJE	2037-26-5	
Dibromofluoromethane (S)	89	%		01/13/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	88	%		01/13/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	110	%		01/13/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174111 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-6-20-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/14/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/14/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/14/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/14/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/14/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/14/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/14/00	DJE	75-35-4	
trans-1,2-Dichloroethene	2.3	ug/l	1	01/14/00	DJE	156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	01/14/00	DJE	75-34-3	
cis-1,2-Dichloroethene	23	ug/l	1	01/14/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/14/00	DJE	67-66-3	
1,1,1-Trichloroethane	1.3	ug/l	1	01/14/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/14/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/14/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/14/00	DJE	107-06-2	
Trichloroethene	92	ug/l	5	01/14/00	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	01/14/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/14/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/14/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/14/00	DJE	79-00-5	
Tetrachloroethene	5.6	ug/l	1	01/14/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/14/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/14/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/14/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/14/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/14/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/14/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/14/00	DJE	95-47-6	
Toluene-d8 (S)	94	%		01/14/00	DJE	2037-26-5	
Dibromofluoromethane (S)	89	%		01/14/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	88	%		01/14/00	DJE	460-00-4	

LAB Q

COM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174111 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-6-20-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		01/14/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174129 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-6-17-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/14/00	DJE	74-87-3	
Vinyl Chloride	2.8	ug/l	1	01/14/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/14/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/14/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/14/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/14/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/14/00	DJE	75-35-4	
trans-1,2-Dichloroethene	4.3	ug/l	1	01/14/00	DJE	156-60-5	
1,1-Dichloroethane	2.9	ug/l	1	01/14/00	DJE	75-34-3	
cis-1,2-Dichloroethene	43	ug/l	1	01/14/00	DJE	156-59-2	2
Chloroform	ND	ug/l	1	01/14/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/14/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/14/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/14/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/14/00	DJE	107-06-2	
Trichloroethene	100	ug/l	5	01/14/00	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	01/14/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/14/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/14/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/14/00	DJE	79-00-5	
Tetrachloroethene	4.8	ug/l	1	01/14/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/14/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/14/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/14/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/14/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/14/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/14/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/14/00	DJE	95-47-6	
Toluene-d8 (S)	94	%		01/14/00	DJE	2037-26-5	
Dibromofluoromethane (S)	90	%		01/14/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	88	%		01/14/00	DJE	460-00-4	

DAB & CDM Q

E

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174129 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-6-17-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		01/14/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174137 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-6-30-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	01/14/00	DJE	74-87-3		
Vinyl Chloride	23	ug/l	1	01/14/00	DJE	75-01-4		
Bromomethane	ND	ug/l	1	01/14/00	DJE	74-83-9		
Chloroethane	ND	ug/l	1	01/14/00	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	01/14/00	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	01/14/00	DJE	75-09-2		
1,1-Dichloroethene	2.9	ug/l	1	01/14/00	DJE	75-35-4		
trans-1,2-Dichloroethene	5.6	ug/l	1	01/14/00	DJE	156-60-5		
1,1-Dichloroethane	6.1	ug/l	1	01/14/00	DJE	75-34-3		
cis-1,2-Dichloroethene	91	ug/l	10	01/14/00	DJE	156-59-2	3	D
Chloroform	ND	ug/l	1	01/14/00	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	01/14/00	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	01/14/00	DJE	56-23-5		
Benzene	ND	ug/l	1	01/14/00	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	01/14/00	DJE	107-06-2		
Trichloroethene	310	ug/l	10	01/14/00	DJE	79-01-6	3	D
1,2-Dichloropropane	ND	ug/l	1	01/14/00	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	01/14/00	DJE	75-27-4		
Toluene	ND	ug/l	1	01/14/00	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	01/14/00	DJE	79-00-5		
Tetrachloroethene	13	ug/l	1	01/14/00	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	01/14/00	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	01/14/00	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	01/14/00	DJE	100-41-4		
Bromoform	ND	ug/l	1	01/14/00	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/14/00	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	01/14/00	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/14/00	DJE	95-47-6		
Toluene-d8 (S)	95	%		01/14/00	DJE	2037-26-5		
Dibromofluoromethane (S)	89	%		01/14/00	DJE	1868-53-7		
4-Bromofluorobenzene (S)	90	%		01/14/00	DJE	460-00-4		

LAB Q

CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174137 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-6-30-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	111	%		01/14/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174145 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-5-17-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/14/00	DJE	74-87-3	
Vinyl Chloride	18	ug/l	1	01/14/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/14/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/14/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/14/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/14/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/14/00	DJE	75-35-4	
trans-1,2-Dichloroethene	2.9	ug/l	1	01/14/00	DJE	156-60-5	
1,1-Dichloroethane	3.6	ug/l	1	01/14/00	DJE	75-34-3	
cis-1,2-Dichloroethene	60	ug/l	5	01/14/00	DJE	156-59-2	1
Chloroform	ND	ug/l	1	01/14/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/14/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/14/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/14/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/14/00	DJE	107-06-2	
Trichloroethene	30	ug/l	1	01/14/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/14/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/14/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/14/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/14/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/14/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/14/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/14/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/14/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/14/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/14/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/14/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/14/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		01/14/00	DJE	2037-26-5	
Dibromofluoromethane (S)	90	%		01/14/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	90	%		01/14/00	DJE	460-00-4	

LAB Q

EDM Q

1 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174145 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-5-17-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		01/14/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174152 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-5-30-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/14/00	DJE	74-87-3	
Vinyl Chloride	15	ug/l	1	01/14/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/14/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/14/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/14/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/14/00	DJE	75-09-2	
1,1-Dichloroethene	2.3	ug/l	1	01/14/00	DJE	75-35-4	
trans-1,2-Dichloroethene	5.6	ug/l	1	01/14/00	DJE	156-60-5	
1,1-Dichloroethane	8.3	ug/l	1	01/14/00	DJE	75-34-3	
cis-1,2-Dichloroethene	82	ug/l	10	01/14/00	DJE	156-59-2	3
Chloroform	ND	ug/l	1	01/14/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/14/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/14/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/14/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/14/00	DJE	107-06-2	
Trichloroethene	230	ug/l	10	01/14/00	DJE	79-01-6	3
1,2-Dichloropropane	ND	ug/l	1	01/14/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/14/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/14/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/14/00	DJE	79-00-5	
Tetrachloroethene	8.2	ug/l	1	01/14/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/14/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/14/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/14/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/14/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/14/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/14/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/14/00	DJE	95-47-6	
Toluene-d8 (S)	93	%		01/14/00	DJE	2037-26-5	
Dibromofluoromethane (S)	89	%		01/14/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	90	%		01/14/00	DJE	460-00-4	

LAB Q
CPM Q
D
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174152 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-5-30-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		01/14/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174160 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP34-10-18-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/14/00	DJE	74-87-3	
Vinyl Chloride	8.4	ug/l	1	01/14/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/14/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/14/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/14/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/14/00	DJE	75-09-2	
1,1-Dichloroethene	5.9	ug/l	1	01/14/00	DJE	75-35-4	
trans-1,2-Dichloroethene	8.1	ug/l	1	01/14/00	DJE	156-60-5	
1,1-Dichloroethane	3.2	ug/l	1	01/14/00	DJE	75-34-3	
cis-1,2-Dichloroethene	120	ug/l	5	01/14/00	DJE	156-59-2	4
Chloroform	ND	ug/l	1	01/14/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/14/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/14/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/14/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/14/00	DJE	107-06-2	
Trichloroethene	6.4	ug/l	1	01/14/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/14/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/14/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/14/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/14/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/14/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/14/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/14/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/14/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/14/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/14/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/14/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/14/00	DJE	95-47-6	
Toluene-d8 (S)	93	%		01/14/00	DJE	2037-26-5	
Dibromofluoromethane (S)	88	%		01/14/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	89	%		01/14/00	DJE	460-00-4	

LAB Q
CDM Q
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174160 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP34-10-18-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		01/14/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174178 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-6M-17-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/14/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/14/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/14/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/14/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/14/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/14/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/14/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/14/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/14/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/14/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/14/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/14/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/14/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/14/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/14/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/14/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/14/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/14/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/14/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/14/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/14/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/14/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/14/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/14/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/14/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/14/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/14/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/14/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/14/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/14/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		01/14/00	DJE	2037-26-5	
Dibromofluoromethane (S)	90	%		01/14/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	89	%		01/14/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603174178 Date Collected: 01/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GPA31-6M-17-011000 Date Received: 01/12/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		01/14/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	This result is from a 1:5 dilution on 1/14/00.
[2]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[3]	This result is from a 1:10 dilution on 1/14/00.
[4]	This result is from a 1:5 diluton on 1/14/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Camp Dresser & McKee Inc.
1331 17th Street
Suite 1200
Denver, CO 80202

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor
SDG Number: 6037493B

Attn: Mr. Darren Brown
Phone: (303)298-1311

QC Batch ID: 76531
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603174103 603174111 603174129 603174137 603174145 603174152 603174160 603174178

METHOD BLANK: 603176256
Associated Pace Samples:
603174103 603174111 603174129 603174137 603174145 603174152 603174160 603174178

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603176256
Associated Pace Samples:
603174103 603174111 603174129 603174137 603174145 603174152 603174160
603174178

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	87		
4-Bromofluorobenzene (S)	%	88		
1,2-Dichloroethane-d4 (S)	%	107		

LABORATORY CONTROL SAMPLE & LCSD: 603176264 603176272

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	8.672	86.7	8.965	89.6	3	
Vinyl Chloride	ug/l	10	9.908	99.1	10.23	102	3	
Bromomethane	ug/l	10	11.25	112	11.42	114	2	
Chloroethane	ug/l	10	10.43	104	10.58	106	2	
Trichlorofluoromethane	ug/l	10	9.254	92.5	9.134	91.3	1	
Methylene Chloride	ug/l	10	10.01	100	10.11	101	1	
1,1-Dichloroethene	ug/l	10	9.686	96.9	9.765	97.7	1	
trans-1,2-Dichloroethene	ug/l	10	10.10	101	10.04	100	1	
1,1-Dichloroethane	ug/l	10	11.69	117	11.57	116	1	
cis-1,2-Dichloroethene	ug/l	10	9.302	93.0	9.233	92.3	1	
Chloroform	ug/l	10	10.13	101	10.09	101	0	
1,1,1-Trichloroethane	ug/l	10	9.450	94.5	9.256	92.6	2	
Carbon Tetrachloride	ug/l	10	8.999	90.0	8.811	88.1	2	
Benzene	ug/l	10	10.84	108	10.71	107	1	
1,2-Dichloroethane	ug/l	10	10.24	102	10.30	103	1	
Trichloroethene	ug/l	10	10.47	105	10.37	104	1	
1,2-Dichloropropane	ug/l	10	10.93	109	11.04	110	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

QUALITY CONTROL DATA

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603176264 603176272

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Bromodichloromethane	ug/l	10	9.952	99.5	9.820	98.2	1	
Toluene	ug/l	10	9.488	94.9	9.346	93.5	1	
1,1,2-Trichloroethane	ug/l	10	9.483	94.8	9.445	94.5	0	
Tetrachloroethene	ug/l	10	8.227	82.3	8.088	80.9	2	
Dibromochloromethane	ug/l	10	7.290	72.9	7.245	72.4	1	
Chlorobenzene	ug/l	10	7.664	76.6	7.570	75.7	1	
Ethylbenzene	ug/l	10	7.781	77.8	7.727	77.3	1	
Bromoform	ug/l	10	8.689	86.9	8.805	88.1	1	
1,1,2,2-Tetrachloroethane	ug/l	10	9.729	97.3	9.820	98.2	1	
1,3-Dichlorobenzene	ug/l	10	8.926	89.3	8.974	89.7	0	
1,4-Dichlorobenzene	ug/l	10	8.481	84.8	8.488	84.9	0	
1,2-Dichlorobenzene	ug/l	10	8.858	88.6	8.837	88.4	0	
cis-1,3-Dichloropropene	ug/l	10	10.87	109	10.92	109	0	
trans-1,3-Dichloropropene	ug/l	10	9.842	98.4	9.725	97.2	1	
M&P-Xylene	ug/l	20	15.74	78.7	15.47	77.3	2	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	7.860	78.6	7.738	77.4	2	
Toluene-d8 (S)				96		96		
Dibromofluoromethane (S)				87		88		
4-Bromofluorobenzene (S)				88		85		
1,2-Dichloroethane-d4 (S)				115		116		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Tel: 913-599-5665
Fax: 913-599-1759

Pace Analytical

Pace Project Number: 6037493
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg
		Date Sampled:	1/10/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GPA31-6-17-011000	7:44	Water		3					X	X														
2	NIC-GPW-GPA31-6-20-011000	7:52	Water		3					X	X														
3	NIC-GPW-GP2I-6-17-011000	8:30	Water		3					X	X														
4	NIC-GPW-GP2I-6-30-011000	8:46	Water		3					X	X														
5	NIC-GPW-GP2I-5-17-011000	9:33	Water		3					X	X														
6	NIC-GPW-GP2I-5-30-011000	9:51	Water		3					X	X														
7	NIC-GPW-GP#34-10-18-011000	10:42	Water		3					X	X														
8	NIC-GPW-GPA31-6M-17-011000	7:30	Water		3					X	X														

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8			01/10/00	1600
			1/12/00	1050

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Reviewed by
Todd Burgesser
2/17/00

February 07, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on January 18, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 02/07/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor
SDG Number: 6037667B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603187766	NIC-GPW-GP03D-04-17-011300	EPA 8260	76786		
603187774	NIC-GPW-GP03D-04-32-011300	EPA 8260	76786		
603187782	NIC-GPW-GP03D-04M-011300	EPA 8260	76786		
603187790	NIC-GPW-GP03D-09-17-011400	EPA 8260	76786		
603187808	NIC-GPW-GP03D-09-32-011400	EPA 8260	76786		
603187816	NIC-GPW-GP03D-08-17-011400	EPA 8260	76786		
603187824	NIC-GPW-GP03D-08-32-011400	EPA 8260	76786		
603187832	NIC-GPW-GP02C-05-17-011400	EPA 8260	76786		
603187840	NIC-GPW-GP02C-05-26-011400	EPA 8260	76786		
603187857	NIC-GPW-GP02C-05-35-011400	EPA 8260	76786		
603187865	NIC-GPW-GP06F-04-20-011400	EPA 8260	76786		
603187873	NIC-GPW-GP06F-04-32-011400	EPA 8260	76786		
603187881	NIC-GPW-GP06F-05-20-011400	EPA 8260	76786		
603187899	NIC-GPW-GP06F-05-31-011400	EPA 8260	76786		
603187907	NIC-GPW-GP06F-07-20-011400	EPA 8260	76786		
603187915	NIC-GPW-GP06F-07-29-011400	EPA 8260	76786		
603187923	NIC-GPW-GP04C-04-20-011400	EPA 8260	76786		
603187931	NIC-GPW-GP04C-04-29-011400	EPA 8260	76786		
603187949	NIC-GPW-GP02I-02-17-011400	EPA 8260	76786		
603187956	NIC-GPW-GP02I-02-29-011400	EPA 8260	76786		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 02/07/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor
SDG Number: 6037667B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603187766 Date Collected: 01/13/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-04-17-011300 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3	
Vinyl Chloride	2.1	ug/l	1	01/19/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/19/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/19/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/19/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/19/00	DJE	75-34-3	
cis-1,2-Dichloroethene	17	ug/l	1	01/19/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/19/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/19/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2	
Trichloroethene	30	ug/l	1	01/19/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/19/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187766 Date Collected: 01/13/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-04-17-011300 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6	
Toluene-d8 (S)	93	%		01/19/00	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		01/19/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		01/19/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187774 Date Collected: 01/13/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-04-32-011300 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3	
Vinyl Chloride	7.7	ug/l	1	01/19/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/19/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2	
1,1-Dichloroethene	7.6	ug/l	1	01/19/00	DJE	75-35-4	
trans-1,2-Dichloroethene	2.9	ug/l	1	01/19/00	DJE	156-60-5	
1,1-Dichloroethane	2.4	ug/l	1	01/19/00	DJE	75-34-3	
cis-1,2-Dichloroethene	45	ug/l	1	01/19/00	DJE	156-59-2	1
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3	
1,1,1-Trichloroethane	1.1	ug/l	1	01/19/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/19/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2	
Trichloroethene	200	ug/l	10	01/19/00	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/19/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		01/19/00	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		01/19/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		01/19/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187774 Date Collected: 01/13/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-04-32-011300 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187782 Date Collected: 01/13/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-04M-011300 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/19/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/19/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/19/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/19/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/19/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/19/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/19/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/19/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/19/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/19/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		01/19/00	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		01/19/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		01/19/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187782 Date Collected: 01/13/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-04M-011300 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187790 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-09-17-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/19/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/19/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/19/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/19/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/19/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/19/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/19/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/19/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/19/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/19/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6	
Toluene-d8 (S)	88	%		01/19/00	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		01/19/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		01/19/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187790 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-09-17-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187808 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-09-32-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3			
Vinyl Chloride	9.1	ug/l	1	01/19/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/19/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2			
1,1-Dichloroethene	3.7	ug/l	1	01/19/00	DJE	75-35-4			
trans-1,2-Dichloroethene	4.0	ug/l	1	01/19/00	DJE	156-60-5			
1,1-Dichloroethane	1.7	ug/l	1	01/19/00	DJE	75-34-3			
cis-1,2-Dichloroethene	53	ug/l	10	01/19/00	DJE	156-59-2	2		D
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	01/19/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5			
Benzene	ND	ug/l	1	01/19/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2			
Trichloroethene	190	ug/l	10	01/19/00	DJE	79-01-6	2		D
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4			
Toluene	ND	ug/l	1	01/19/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6			
Toluene-d8 (S)	91	%		01/19/00	DJE	2037-26-5			
Dibromofluoromethane (S)	102	%		01/19/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	101	%		01/19/00	DJE	460-00-4			

LAB Q CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187808 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-09-32-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187816 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-08-17-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/20/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/20/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/20/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6	
Toluene-d8 (S)	93	%		01/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	91	%		01/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		01/20/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187816 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-08-17-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187824 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-08-32-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3		
Vinyl Chloride	5.1	ug/l	1	01/19/00	DJE	75-01-4		
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9		
Chloroethane	ND	ug/l	1	01/19/00	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2		
1,1-Dichloroethene	3.9	ug/l	1	01/19/00	DJE	75-35-4		
trans-1,2-Dichloroethene	2.8	ug/l	1	01/19/00	DJE	156-60-5		
1,1-Dichloroethane	1.6	ug/l	1	01/19/00	DJE	75-34-3		
cis-1,2-Dichloroethene	42	ug/l	10	01/19/00	DJE	156-59-2	2	D
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	01/19/00	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5		
Benzene	ND	ug/l	1	01/19/00	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2		
Trichloroethene	210	ug/l	10	01/19/00	DJE	79-01-6	2	D
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4		
Toluene	ND	ug/l	1	01/19/00	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4		
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6		
Toluene-d8 (S)	94	%		01/19/00	DJE	2037-26-5		
Dibromofluoromethane (S)	103	%		01/19/00	DJE	1868-53-7		
4-Bromofluorobenzene (S)	98	%		01/19/00	DJE	460-00-4		

LAB Q COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187824 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-08-32-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187832 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-05-17-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3	
Vinyl Chloride	2.7	ug/l	1	01/19/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/19/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/19/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/19/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/19/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/19/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/19/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5	
Benzene	98	ug/l	5	01/19/00	DJE	71-43-2	3
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/19/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4	
Toluene	1.6	ug/l	1	01/19/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6	
Toluene-d8 (S)	94	%		01/19/00	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		01/19/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	78	%		01/19/00	DJE	460-00-4	

LAB Q
COM Q
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187832 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-05-17-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187840 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-05-26-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3		
Vinyl Chloride	86	ug/l	10	01/19/00	DJE	75-01-4	4	D
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9		
Chloroethane	2.7	ug/l	1	01/19/00	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2		
1,1-Dichloroethene	ND	ug/l	1	01/19/00	DJE	75-35-4		
trans-1,2-Dichloroethene	ND	ug/l	1	01/19/00	DJE	156-60-5		
1,1-Dichloroethane	4.5	ug/l	1	01/19/00	DJE	75-34-3		
cis-1,2-Dichloroethene	15	ug/l	1	01/19/00	DJE	156-59-2		
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	01/19/00	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5		
Benzene	270	ug/l	10	01/19/00	DJE	71-43-2	4	D
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2		
Trichloroethene	ND	ug/l	1	01/19/00	DJE	79-01-6		
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4		
Toluene	9.7	ug/l	1	01/19/00	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7		
Ethylbenzene	1.4	ug/l	1	01/19/00	DJE	100-41-4		
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6		
M&P-Xylene	3.7	ug/l	1.3	01/19/00	DJE			
O-Xylene (1,2-Dimethylbenzene)	1.1	ug/l	1.1	01/19/00	DJE	95-47-6		
Toluene-d8 (S)	102	%		01/19/00	DJE	2037-26-5		
Dibromofluoromethane (S)	96	%		01/19/00	DJE	1868-53-7		
4-Bromofluorobenzene (S)	99	%		01/19/00	DJE	460-00-4		

LAB a CDM ©

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187840 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-05-26-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	158	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187857 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-05-35-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3		LAB Q	COM Q
Vinyl Chloride	16	ug/l	1	01/19/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/19/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2			
1,1-Dichloroethene	31	ug/l	1	01/19/00	DJE	75-35-4			
trans-1,2-Dichloroethene	20	ug/l	1	01/19/00	DJE	156-60-5			
1,1-Dichloroethane	6.9	ug/l	1	01/19/00	DJE	75-34-3			
cis-1,2-Dichloroethene	100	ug/l	10	01/19/00	DJE	156-59-2	5	D	
Chloroform	1.7	ug/l	1	01/19/00	DJE	67-66-3			
1,1,1-Trichloroethane	7.0	ug/l	1	01/19/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5			
Benzene	7.6	ug/l	1	01/19/00	DJE	71-43-2			
1,2-Dichloroethane	1.1	ug/l	1	01/19/00	DJE	107-06-2			
Trichloroethene	330	ug/l	10	01/19/00	DJE	79-01-6	5	D	
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4			
Toluene	ND	ug/l	1	01/19/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6			
Toluene-d8 (S)	92	%		01/19/00	DJE	2037-26-5			
Dibromofluoromethane (S)	90	%		01/19/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	88	%		01/19/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187857 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02C-05-35-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187865 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-04-20-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3		
Vinyl Chloride	17	ug/l	1	01/19/00	DJE	75-01-4		
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9		
Chloroethane	ND	ug/l	1	01/19/00	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2		
1,1-Dichloroethene	25	ug/l	1	01/19/00	DJE	75-35-4		
trans-1,2-Dichloroethene	12	ug/l	1	01/19/00	DJE	156-60-5		
1,1-Dichloroethane	8.2	ug/l	1	01/19/00	DJE	75-34-3		
cis-1,2-Dichloroethene	170	ug/l	10	01/19/00	DJE	156-59-2	2	
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	01/19/00	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5		
Benzene	ND	ug/l	1	01/19/00	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2		
Trichloroethene	74	ug/l	10	01/19/00	DJE	79-01-6	2	
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4		
Toluene	ND	ug/l	1	01/19/00	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4		
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6		
Toluene-d8 (S)	98	%		01/19/00	DJE	2037-26-5		
Dibromofluoromethane (S)	90	%		01/19/00	DJE	1868-53-7		
4-Bromofluorobenzene (S)	95	%		01/19/00	DJE	460-00-4		

LAB Q CDM Q

D D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187865 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-04-20-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187873 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-04-32-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			LAB Q
Chloromethane	ND	ug/l	1	01/19/00	DJE	74-87-3		
Vinyl Chloride	56	ug/l	1	01/19/00	DJE	75-01-4	1	E
Bromomethane	ND	ug/l	1	01/19/00	DJE	74-83-9		
Chloroethane	2.4	ug/l	1	01/19/00	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	01/19/00	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	01/19/00	DJE	75-09-2		
1,1-Dichloroethene	46	ug/l	1	01/19/00	DJE	75-35-4		
trans-1,2-Dichloroethene	35	ug/l	1	01/19/00	DJE	156-60-5		
1,1-Dichloroethane	13	ug/l	1	01/19/00	DJE	75-34-3		
cis-1,2-Dichloroethene	200	ug/l	20	01/19/00	DJE	156-59-2	6	D
Chloroform	ND	ug/l	1	01/19/00	DJE	67-66-3		
1,1,1-Trichloroethane	5.5	ug/l	1	01/19/00	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	01/19/00	DJE	56-23-5		
Benzene	ND	ug/l	1	01/19/00	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	01/19/00	DJE	107-06-2		
Trichloroethene	420	ug/l	20	01/19/00	DJE	79-01-6	6	D
1,2-Dichloropropane	ND	ug/l	1	01/19/00	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	01/19/00	DJE	75-27-4		
Toluene	ND	ug/l	1	01/19/00	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	01/19/00	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	01/19/00	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	01/19/00	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	01/19/00	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	01/19/00	DJE	100-41-4		
Bromoform	ND	ug/l	1	01/19/00	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/19/00	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	01/19/00	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	01/19/00	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	01/19/00	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/19/00	DJE	95-47-6		
Toluene-d8 (S)	94	%		01/19/00	DJE	2037-26-5		
Dibromofluoromethane (S)	91	%		01/19/00	DJE	1868-53-7		
4-Bromofluorobenzene (S)	96	%		01/19/00	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187873 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-04-32-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		01/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187881 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-05-20-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	2.5	ug/l	1	01/20/00	DJE	74-87-3			
Vinyl Chloride	37	ug/l	10	01/20/00	DJE	75-01-4	2	D	
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2			
1,1-Dichloroethene	29	ug/l	1	01/20/00	DJE	75-35-4			
trans-1,2-Dichloroethene	15	ug/l	1	01/20/00	DJE	156-60-5			
1,1-Dichloroethane	11	ug/l	1	01/20/00	DJE	75-34-3			
cis-1,2-Dichloroethene	120	ug/l	10	01/20/00	DJE	156-59-2	2	D	
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3			
1,1,1-Trichloroethane	1.9	ug/l	1	01/20/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5			
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2			
Trichloroethene	240	ug/l	10	01/20/00	DJE	79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4			
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6			
Toluene-d8 (S)	98	%		01/20/00	DJE	2037-26-5			
Dibromofluoromethane (S)	95	%		01/20/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	103	%		01/20/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187881 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-05-20-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187899 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-05-31-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	3.8	ug/l	1	01/20/00	DJE	74-87-3		
Vinyl Chloride	48	ug/l	10	01/20/00	DJE	75-01-4	4	D
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9		
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2		
1,1-Dichloroethene	24	ug/l	1	01/20/00	DJE	75-35-4		
trans-1,2-Dichloroethene	19	ug/l	1	01/20/00	DJE	156-60-5		
1,1-Dichloroethane	13	ug/l	1	01/20/00	DJE	75-34-3		
cis-1,2-Dichloroethene	110	ug/l	10	01/20/00	DJE	156-59-2	4	D
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3		
1,1,1-Trichloroethane	1.6	ug/l	1	01/20/00	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5		
Benzene	1.3	ug/l	1	01/20/00	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2		
Trichloroethene	270	ug/l	10	01/20/00	DJE	79-01-6	4	D
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4		
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4		
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6		
Toluene-d8 (S)	94	%		01/20/00	DJE	2037-26-5		
Dibromofluoromethane (S)	101	%		01/20/00	DJE	1868-53-7		
4-Bromofluorobenzene (S)	98	%		01/20/00	DJE	460-00-4		

LAB Q COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187899 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-05-31-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187907 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-07-20-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.9	ug/l	1	01/20/00	DJE	74-87-3	
Vinyl Chloride	30	ug/l	1	01/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2	
1,1-Dichloroethene	46	ug/l	1	01/20/00	DJE	75-35-4	1
trans-1,2-Dichloroethene	30	ug/l	1	01/20/00	DJE	156-60-5	
1,1-Dichloroethane	11	ug/l	1	01/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	160	ug/l	10	01/20/00	DJE	156-59-2	4
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	4.3	ug/l	1	01/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2	
Trichloroethene	180	ug/l	10	01/20/00	DJE	79-01-6	4
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6	
Toluene-d8 (S)	98	%		01/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		01/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		01/20/00	DJE	460-00-4	

CAb Q

CDM Q

1 E

4 D

4 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187907 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-07-20-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187915 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-07-29-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	2.1	ug/l	1	01/20/00	DJE	74-87-3		
Vinyl Chloride	23	ug/l	1	01/20/00	DJE	75-01-4		
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9		
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2		
1,1-Dichloroethene	44	ug/l	1	01/20/00	DJE	75-35-4	1	E
trans-1,2-Dichloroethene	27	ug/l	1	01/20/00	DJE	156-60-5		
1,1-Dichloroethane	9.9	ug/l	1	01/20/00	DJE	75-34-3		
cis-1,2-Dichloroethene	520	ug/l	25	01/20/00	DJE	156-59-2	7	D
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3		
1,1,1-Trichloroethane	3.7	ug/l	1	01/20/00	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5		
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2		
Trichloroethene	35	ug/l	1	01/20/00	DJE	79-01-6		
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4		
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5		
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4		
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6		
Toluene-d8 (S)	101	%		01/20/00	DJE	2037-26-5		
Dibromofluoromethane (S)	92	%		01/20/00	DJE	1868-53-7		
4-Bromofluorobenzene (S)	95	%		01/20/00	DJE	460-00-4		

Lab Q COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187915 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP06F-07-29-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187923 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-04-20-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/20/00	DJE	74-87-3	
Vinyl Chloride	3.9	ug/l	1	01/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2	
1,1-Dichloroethene	2.0	ug/l	1	01/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	1.8	ug/l	1	01/20/00	DJE	156-60-5	
1,1-Dichloroethane	1.4	ug/l	1	01/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	58	ug/l	1	01/20/00	DJE	156-59-2	1
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2	
Trichloroethene	12	ug/l	1	01/20/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		01/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		01/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		01/20/00	DJE	460-00-4	

LAB Q COM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187923 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-04-20-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187931 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-04-29-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	1.2	ug/l	1	01/20/00	DJE	74-87-3	
Vinyl Chloride	5.3	ug/l	1	01/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2	
1,1-Dichloroethene	2.3	ug/l	1	01/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	58	ug/l	1	01/20/00	DJE	156-59-2	1
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/20/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6	
Toluene-d8 (S)	94	%		01/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	86	%		01/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	89	%		01/20/00	DJE	460-00-4	

LAB O CDM Q

E

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187931 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04C-04-29-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187949 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-02-17-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/20/00	DJE	74-87-3	
Vinyl Chloride	3.1	ug/l	1	01/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	5.5	ug/l	1	01/20/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/20/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		01/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		01/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		01/20/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187949 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-02-17-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187956 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-02-29-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	1.4	ug/l	1	01/20/00	DJE	74-87-3		LAB Q
Vinyl Chloride	32	ug/l	1	01/20/00	DJE	75-01-4		
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9		
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2		
1,1-Dichloroethene	ND	ug/l	1	01/20/00	DJE	75-35-4		
trans-1,2-Dichloroethene	2.7	ug/l	1	01/20/00	DJE	156-60-5		
1,1-Dichloroethane	6.3	ug/l	1	01/20/00	DJE	75-34-3		
cis-1,2-Dichloroethene	51	ug/l	5	01/20/00	DJE	156-59-2	3	D
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	01/20/00	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5		
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2		
Trichloroethene	86	ug/l	5	01/20/00	DJE	79-01-6	3	D
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4		
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5		
Tetrachloroethene	20	ug/l	1	01/20/00	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4		
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6		
Toluene-d8 (S)	96	%		01/20/00	DJE	2037-26-5		
Dibromofluoromethane (S)	98	%		01/20/00	DJE	1868-53-7		
4-Bromofluorobenzene (S)	102	%		01/20/00	DJE	460-00-4		

COM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603187956 Date Collected: 01/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-02-29-011400 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[2]	This result is from a 1:10 dilution on 1/20/00.
[3]	This result is from a 1:5 dilution on 1/21/00.
[4]	This result is from a 1:10 dilution on 1/21/00.
[5]	This result is from a 1:10 dilution on 1/22/00.
[6]	This result is from a 1:20 dilution on 1/20/00.
[7]	This result is from a 1:25 dilution on 1/22/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor
SDG Number: 6037667B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 76786
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603187766 603187774 603187782 603187790 603187808 603187816 603187824 603187832 603187840 603187857 603187865 603187873 603187881 603187899 603187907 603187915 603187923 603187931 603187949 603187956

METHOD BLANK: 603189002
Associated Pace Samples:
603187766 603187774 603187782 603187790 603187808 603187824 603187832 603187840 603187857 603187865 603187873

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603189002
Associated Pace Samples:

603187766 603187774 603187782 603187790 603187808 603187824 603187832
603187840 603187857 603187865 603187873

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	96		

METHOD BLANK: 603194374
Associated Pace Samples:

603187816 603187915 603187923

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603194374
Associated Pace Samples:
603187816 603187915 603187923

Parameter	Units	Method Blank Result	PRL	Footnotes
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	92		
4-Bromofluorobenzene (S)	%	98		
1,2-Dichloroethane-d4 (S)	%	95		

METHOD BLANK: 603194382
Associated Pace Samples:
603187881 603187899 603187907 603187931 603187949 603187956

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603194382
Associated Pace Samples: 603187881 603187899 603187907 603187931 603187949 603187956

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	93		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	95		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603189010 603189028

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	5.893	58.9	6.210	62.1	5	
Vinyl Chloride	ug/l	10	6.547	65.5	6.513	65.1	1	
Bromomethane	ug/l	10	7.449	74.5	7.867	78.7	5	
Chloroethane	ug/l	10	7.038	70.4	7.474	74.7	6	
Trichlorofluoromethane	ug/l	10	8.304	83.0	8.374	83.7	1	
Methylene Chloride	ug/l	10	8.569	85.7	8.713	87.1	2	
1,1-Dichloroethene	ug/l	10	8.860	88.6	8.665	86.7	2	
trans-1,2-Dichloroethene	ug/l	10	9.046	90.5	9.285	92.9	3	
1,1-Dichloroethane	ug/l	10	8.605	86.0	8.859	88.6	3	
cis-1,2-Dichloroethene	ug/l	10	8.525	85.3	8.631	86.3	1	
Chloroform	ug/l	10	8.729	87.3	8.846	88.5	1	
1,1,1-Trichloroethane	ug/l	10	9.101	91.0	8.890	88.9	2	
Carbon Tetrachloride	ug/l	10	9.401	94.0	9.066	90.7	4	
Benzene	ug/l	10	8.697	87.0	8.758	87.6	1	
1,2-Dichloroethane	ug/l	10	8.651	86.5	8.717	87.2	1	
Trichloroethene	ug/l	10	8.800	88.0	8.904	89.0	1	
1,2-Dichloropropane	ug/l	10	8.561	85.6	8.666	86.7	1	
Bromodichloromethane	ug/l	10	8.875	88.7	8.904	89.0	0	
Toluene	ug/l	10	8.970	89.7	8.830	88.3	2	
1,1,2-Trichloroethane	ug/l	10	8.505	85.1	8.962	89.6	5	
Tetrachloroethene	ug/l	10	9.106	91.1	9.048	90.5	1	
Dibromochloromethane	ug/l	10	8.789	87.9	8.878	88.8	1	
Chlorobenzene	ug/l	10	8.779	87.8	8.674	86.7	1	
Ethylbenzene	ug/l	10	9.121	91.2	8.961	89.6	2	
Bromoform	ug/l	10	8.406	84.1	8.824	88.2	5	
1,1,2,2-Tetrachloroethane	ug/l	10	8.573	85.7	8.072	80.7	6	
1,3-Dichlorobenzene	ug/l	10	9.283	92.8	9.241	92.4	0	
1,4-Dichlorobenzene	ug/l	10	8.871	88.7	9.152	91.5	3	
1,2-Dichlorobenzene	ug/l	10	8.847	88.5	8.967	89.7	1	
cis-1,3-Dichloropropene	ug/l	10	9.091	90.9	9.090	90.9	0	
trans-1,3-Dichloropropene	ug/l	10	8.812	88.1	8.944	89.4	1	
M&P-Xylene	ug/l	20	16.76	83.8	17.05	85.3	2	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	8.928	89.3	8.968	89.7	0	
Toluene-d8 (S)				101		98		
Dibromofluoromethane (S)				100		97		
4-Bromofluorobenzene (S)				98		95		
1,2-Dichloroethane-d4 (S)				99		102		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037667
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

~~360~~
0140

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	603766.7
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg		
		Date Sampled:	1/13/00	Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		VOCs 8260														
1	NIC-GPW-GP03D-04-17-011300	15:23	Water	60 3187766	3					X		X														
2	NIC-GPW-GP03D-04-32-011300	15:50	Water	60 3187774	3					X		X														
3	NIC-GPW-GP03D-04M-011300	10:00	Water	60 3187782	3					X		X														

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-3		ASAP	1/17/00	16:00
		PACE	1-18-00	1030

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg/Dan Adams
		Date Sampled:	1/14/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6037667
*Requested Due Date:	NIC Project TAT
Sampler Signature:	F. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP03D-09-17-011400	11:05	Water	60 - 318770	3					X	X													
2	NIC-GPW-GP03D-09-32-011400	11:30	Water	60 - 318782	3					X	X													
3	NIC-GPW-GP03D-08-17-011400	15:05	Water	60 - 318816	3					X	X													
4	NIC-GPW-GP03D-08-32-011400	16:00	Water	60 - 318824	3					X	X													
5	NIC-GPW-GP02C-05-17-011400	9:32	Water	60 - 318793	3					X	X													
6	NIC-GPW-GP02C-05-26-011400	9:45	Water	60 - 318540	3					X	X													
7	NIC-GPW-GP02C-05-35-011400	10:10	Water	60 - 318857	3					X	X													

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-7	F. Winslow	ASAP	1/17/00	16:00
			1-18-00	1030

Pace Analytical Services, Inc.

0 5

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg
		Date Sampled:	1/14/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60376.7
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP06F-04-20-011400	10:47	Water	60-318785	3					X	X													
2	NIC-GPW-GP06F-04-32-011400	10:57	Water	60-318787	3					X	X													
3	NIC-GPW-GP06F-05-20-011400	13:15	Water	60-318788	3					X	X													
4	NIC-GPW-GP06F-05-31-011400	13:27	Water	60-318789	3					X	X													
5	NIC-GPW-GP06F-07-20-011400	13:59	Water	60-318790	3					X	X													
6	NIC-GPW-GP06F-07-29-011400	14:10	Water	60-318791	3					X	X													
7	NIC-GPW-GP04C-04-20-011400	14:45	Water	60-318792	3					X	X													
8	NIC-GPW-GP04C-04-29-011400	14:53	Water	60-318793	3					X	X													

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8		ASAP	1/17/00	16:00
		PACE	1-18-00	1030

B 314

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	1/14/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6037467
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP02I-02-17-011400	15:33	Water	60- 3187945	3					X	X														
2	NIC-GPW-GP02I-02-29-011400	15:42	Water	60- 3187956	3					X	X														

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-2		ASAP	1/17/00	16:00
		PACE	1-18-00	1030

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Reviewed by Todd Bugosse 2/17/00

February 07, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on January 18, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 02/07/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor
SDG Number: 6037669B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603188004	NIC-GPW-GP05A-03-17-011700	EPA 8260	76797		
603188012	NIC-GPW-GP05A-03-29-011700	EPA 8260	76797		
603188020	NIC-GPW-GP04B-13-17-011700	EPA 8260	76797		
603188038	NIC-GPW-GP04B-13-35-011700	EPA 8260	76797		
603188046	NIC-GPW-GP04B-11-17-011700	EPA 8260	76797		
603188053	NIC-GPW-GP04B-11-32-011700	EPA 8260	76797		
603188061	NIC-GPW-GP02A-07-17-011700	EPA 8260	76797		
603188079	NIC-GPW-GP02A-07-28-011700	EPA 8260	76797		
603188087	NIC-GPW-GP05A-02-17-011700	EPA 8260	76797		
603188095	NIC-GPW-GP05A-02-31-011700	EPA 8260	76797		
603188129	NIC-GPW-GP05A-04-17-011700	EPA 8260	76797		
603188137	NIC-GPW-GP05A-04-29-011700	EPA 8260	76797		
603188145	NIC-GPW-GP05A-04Q1-29-011700	EPA 8260	76797		
603188152	NIC-GPW-GP05A-04N-29-011700	EPA 8260	76797		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 02/07/00
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor
SDG Number: 6037669B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603188004 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-03-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/20/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	7.0	ug/l	1	01/20/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2	
Trichloroethene	30	ug/l	1	01/20/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188004 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-03-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		01/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	95	%		01/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		01/20/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188012 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-03-29-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/20/00	DJE	74-87-3	
Vinyl Chloride	4.7	ug/l	1	01/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	23	ug/l	1	01/20/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2	
Trichloroethene	88	ug/l	5	01/20/00	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/20/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		01/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		01/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		01/20/00	DJE	460-00-4	

LAB Q CDM Q D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188012 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-03-29-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188020 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-13-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	01/20/00	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	1	01/20/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	01/20/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/20/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/20/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/20/00	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	01/20/00	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	1	01/20/00	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	01/20/00	DJE	75-34-3			
cis-1,2-Dichloroethene	ND	ug/l	1	01/20/00	DJE	156-59-2			
Chloroform	ND	ug/l	1	01/20/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	01/20/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/20/00	DJE	56-23-5			
Benzene	130	ug/l	10	01/20/00	DJE	71-43-2	2	D	
1,2-Dichloroethane	ND	ug/l	1	01/20/00	DJE	107-06-2			
Trichloroethene	ND	ug/l	1	01/20/00	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/l	1	01/20/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/20/00	DJE	75-27-4			
Toluene	110	ug/l	10	01/20/00	DJE	108-88-3	3	D	
1,1,2-Trichloroethane	ND	ug/l	1	01/20/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/20/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/20/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/20/00	DJE	108-90-7			
Ethylbenzene	230	ug/l	10	01/20/00	DJE	100-41-4	3	D	
Bromoform	ND	ug/l	1	01/20/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/20/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/20/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/20/00	DJE	10061-02-6			
M&P-Xylene	300	ug/l	13	01/20/00	DJE		3	D	
O-Xylene (1,2-Dimethylbenzene)	34	ug/l	1.1	01/20/00	DJE	95-47-6			
Toluene-d8 (S)	89	%		01/20/00	DJE	2037-26-5			
Dibromofluoromethane (S)	73	%		01/20/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	77	%		01/20/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188020 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-13-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	166	%		01/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188038 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-13-35-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	01/22/00	DJE	74-87-3			
Vinyl Chloride	11	ug/l	1	01/22/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	01/22/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/22/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/22/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/22/00	DJE	75-09-2			
1,1-Dichloroethene	1.8	ug/l	1	01/22/00	DJE	75-35-4			
trans-1,2-Dichloroethene	1.4	ug/l	1	01/22/00	DJE	156-60-5			
1,1-Dichloroethane	4.3	ug/l	1	01/22/00	DJE	75-34-3			
cis-1,2-Dichloroethene	40	ug/l	2	01/22/00	DJE	156-59-2	4	D	
Chloroform	ND	ug/l	1	01/22/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	01/22/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/22/00	DJE	56-23-5			
Benzene	ND	ug/l	1	01/22/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	01/22/00	DJE	107-06-2			
Trichloroethene	57	ug/l	2	01/22/00	DJE	79-01-6	4	D	
1,2-Dichloropropane	ND	ug/l	1	01/22/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/22/00	DJE	75-27-4			
Toluene	8.1	ug/l	1	01/22/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	01/22/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/22/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/22/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/22/00	DJE	108-90-7			
Ethylbenzene	30	ug/l	1	01/22/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	01/22/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/22/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-02-6			
M&P-Xylene	45	ug/l	1.3	01/22/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	3.8	ug/l	1.1	01/22/00	DJE	95-47-6			
Toluene-d8 (S)	104	%		01/22/00	DJE	2037-26-5			
Dibromofluoromethane (S)	93	%		01/22/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	96	%		01/22/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188038 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-13-35-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	145	%		01/22/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188046 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-11-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/22/00	DJE	74-87-3	
Vinyl Chloride	3.6	ug/l	1	01/22/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/22/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/22/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/22/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/22/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/22/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/22/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/22/00	DJE	75-34-3	
cis-1,2-Dichloroethene	2.6	ug/l	1	01/22/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/22/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/22/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/22/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/22/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/22/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/22/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/22/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/22/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/22/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/22/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/22/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/22/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/22/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/22/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/22/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/22/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/22/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/22/00	DJE	95-47-6	
Toluene-d8 (S)	100	%		01/22/00	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		01/22/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		01/22/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188046 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-11-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		01/22/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188053 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-11-32-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/21/00	DJE	74-87-3	
Vinyl Chloride	6.8	ug/l	1	01/21/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/21/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/21/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/21/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/21/00	DJE	75-09-2	
1,1-Dichloroethene	4.0	ug/l	1	01/21/00	DJE	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/l	1	01/21/00	DJE	156-60-5	
1,1-Dichloroethane	6.6	ug/l	1	01/21/00	DJE	75-34-3	
cis-1,2-Dichloroethene	29	ug/l	1	01/21/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/21/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/21/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/21/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/21/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/21/00	DJE	107-06-2	
Trichloroethene	51	ug/l	1	01/21/00	DJE	79-01-6	5
1,2-Dichloropropane	ND	ug/l	1	01/21/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/21/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/21/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/21/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/21/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/21/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/21/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/21/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/21/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/21/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/21/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/21/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/21/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/21/00	DJE	95-47-6	
Toluene-d8 (S)	98	%		01/21/00	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		01/21/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		01/21/00	DJE	460-00-4	

LAB Q CDM Q

E 10 6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188053 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-11-32-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		01/21/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188061 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-07-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/21/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/21/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/21/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/21/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/21/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/21/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/21/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/21/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/21/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/21/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/21/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/21/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/21/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/21/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/21/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/21/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/21/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/21/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/21/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/21/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/21/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/21/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/21/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/21/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/21/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/21/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/21/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/21/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/21/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/21/00	DJE	95-47-6	
Toluene-d8 (S)	100	%		01/21/00	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		01/21/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		01/21/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188061 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-07-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		01/21/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188079 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-07-28-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	01/21/00	DJE	74-87-3			
Vinyl Chloride	ND	ug/l	1	01/21/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	01/21/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/21/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/21/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/21/00	DJE	75-09-2			
1,1-Dichloroethene	3.4	ug/l	1	01/21/00	DJE	75-35-4			
trans-1,2-Dichloroethene	ND	ug/l	1	01/21/00	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	01/21/00	DJE	75-34-3			
cis-1,2-Dichloroethene	9.8	ug/l	1	01/21/00	DJE	156-59-2			
Chloroform	2.5	ug/l	1	01/21/00	DJE	67-66-3			
1,1,1-Trichloroethane	1.1	ug/l	1	01/21/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/21/00	DJE	56-23-5			
Benzene	ND	ug/l	1	01/21/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	01/21/00	DJE	107-06-2			
Trichloroethene	440	ug/l	20	01/21/00	DJE	79-01-6	6		
1,2-Dichloropropane	ND	ug/l	1	01/21/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/21/00	DJE	75-27-4			
Toluene	ND	ug/l	1	01/21/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	01/21/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/21/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/21/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/21/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	01/21/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	01/21/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/21/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/21/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/21/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	01/21/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/21/00	DJE	95-47-6			
Toluene-d8 (S)	101	%		01/21/00	DJE	2037-26-5			
Dibromofluoromethane (S)	105	%		01/21/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	100	%		01/21/00	DJE	460-00-4			

Lab Q

CDM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188079 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-07-28-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		01/21/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188087 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-02-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/21/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/21/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/21/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/21/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/21/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/21/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/21/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/21/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/21/00	DJE	75-34-3	
cis-1,2-Dichloroethene	58	ug/l	2.5	01/21/00	DJE	156-59-2	7
Chloroform	ND	ug/l	1	01/21/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/21/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/21/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/21/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/21/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/21/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/21/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/21/00	DJE	75-27-4	
Toluene	14	ug/l	1	01/21/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/21/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/21/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/21/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/21/00	DJE	108-90-7	
Ethylbenzene	9.7	ug/l	1	01/21/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/21/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/21/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/21/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/21/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/21/00	DJE	10061-02-6	
M&P-Xylene	3.4	ug/l	1.3	01/21/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/21/00	DJE	95-47-6	
Toluene-d8 (S)	103	%		01/21/00	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		01/21/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	78	%		01/21/00	DJE	460-00-4	

LAB Q COM Q D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188087 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-02-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		01/21/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188095 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-02-31-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/22/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/22/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/22/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/22/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/22/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/22/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/22/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/22/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/22/00	DJE	75-34-3	
cis-1,2-Dichloroethene	3.2	ug/l	1	01/22/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/22/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/22/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/22/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/22/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/22/00	DJE	107-06-2	
Trichloroethene	150	ug/l	5	01/22/00	DJE	79-01-6	8
1,2-Dichloropropane	ND	ug/l	1	01/22/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/22/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/22/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/22/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/22/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/22/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/22/00	DJE	108-90-7	
Ethylbenzene	1.6	ug/l	1	01/22/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/22/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/22/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/22/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/22/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		01/22/00	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		01/22/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	83	%		01/22/00	DJE	460-00-4	

Cab Q
COM Q
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188095 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-02-31-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		01/22/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188129 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-04-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	01/22/00	DJE	74-87-3		LAB Q	CDM Q
Vinyl Chloride	ND	ug/l	1	01/22/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	01/22/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/22/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/22/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/22/00	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	01/22/00	DJE	75-35-4			
trans-1,2-Dichloroethene	2.8	ug/l	1	01/22/00	DJE	156-60-5			
1,1-Dichloroethane	ND	ug/l	1	01/22/00	DJE	75-34-3			
cis-1,2-Dichloroethene	21	ug/l	1	01/22/00	DJE	156-59-2			
Chloroform	ND	ug/l	1	01/22/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	01/22/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/22/00	DJE	56-23-5			
Benzene	ND	ug/l	1	01/22/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	01/22/00	DJE	107-06-2			
Trichloroethene	45	ug/l	1	01/22/00	DJE	79-01-6	5	D	
1,2-Dichloropropane	ND	ug/l	1	01/22/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/22/00	DJE	75-27-4			
Toluene	1.9	ug/l	1	01/22/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	01/22/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/22/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/22/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/22/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	01/22/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	01/22/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/22/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	01/22/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/22/00	DJE	95-47-6			
Toluene-d8 (S)	98	%		01/22/00	DJE	2037-26-5			
Dibromofluoromethane (S)	98	%		01/22/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	100	%		01/22/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188129 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-04-17-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		01/22/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188137 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-04-29-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/22/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/22/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/22/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/22/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/22/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/22/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/22/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/22/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/22/00	DJE	75-34-3	
cis-1,2-Dichloroethene	12	ug/l	1	01/22/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/22/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/22/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/22/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/22/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/22/00	DJE	107-06-2	
Trichloroethene	94	ug/l	5	01/22/00	DJE	79-01-6	8
1,2-Dichloropropane	ND	ug/l	1	01/22/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/22/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/22/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/22/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/22/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/22/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/22/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/22/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/22/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/22/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/22/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/22/00	DJE	95-47-6	
Toluene-d8 (S)	100	%		01/22/00	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		01/22/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		01/22/00	DJE	460-00-4	

LAB Q
COM Q
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188137 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-04-29-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		01/22/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188145 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-04Q1-29-011700 Date Received: 01/18/00

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/22/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/22/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/22/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/22/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/22/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/22/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/22/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/22/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/22/00	DJE	75-34-3	
cis-1,2-Dichloroethene	8.3	ug/l	1	01/22/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/22/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/22/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/22/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/22/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/22/00	DJE	107-06-2	
Trichloroethene	120	ug/l	5	01/22/00	DJE	79-01-6	8
1,2-Dichloropropane	ND	ug/l	1	01/22/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/22/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/22/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/22/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/22/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/22/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/22/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/22/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/22/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/22/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/22/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/22/00	DJE	95-47-6	
Toluene-d8 (S)	99	%		01/22/00	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		01/22/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		01/22/00	DJE	460-00-4	

LAB Q COM Q

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188145 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-04Q1-29-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		01/22/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188152 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-04N-29-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/22/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/22/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/22/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/22/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/22/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/22/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/22/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/22/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/22/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/22/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/22/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/22/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/22/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/22/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/22/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/22/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/22/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/22/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/22/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/22/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/22/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/22/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/22/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/22/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/22/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/22/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/22/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/22/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/22/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/22/00	DJE	95-47-6	
Toluene-d8 (S)	70	%		01/22/00	DJE	2037-26-5	9
Dibromofluoromethane (S)	96	%		01/22/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	96	%		01/22/00	DJE	460-00-4	

LAB Q CDM Q S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603188152 Date Collected: 01/17/00 Matrix: Water
Client Sample ID: NIC-GPW-GP05A-04N-29-011700 Date Received: 01/18/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		01/22/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	This result is from a 1:5 dilution on 1/21/00.
[2]	This result is from a dilution of 1:10 on 1/21/00.
[3]	This result is from a 1:10 dilution on 1/21/00.
[4]	This result is from a 1:2 dilution on 1/25/00.
[5]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[6]	This result is from a 1:20 dilution on 1/22/00.
[7]	This result is from a 1:2.5 dilution on 1/22/00.
[8]	This result is from a 1:5 dilution on 1/24/00.
[9]	The recovery is below laboratory established control limits of 78%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor
SDG Number: 6037669B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 76797
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603188004 603188012 603188020 603188038 603188046 603188053 603188061 603188079 603188087 603188095 603188129 603188137 603188145 603188152

METHOD BLANK: 603189341
Associated Pace Samples:
603188004 603188012 603188020

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603189341
Associated Pace Samples:
603188004 603188012 603188020

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	93		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	95		

METHOD BLANK: 603212549
Associated Pace Samples:
603188038 603188046 603188095 603188129 603188137 603188145

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603212549
Associated Pace Samples:

603188038 603188046 603188095 603188129 603188137 603188145

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	99		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	97		

METHOD BLANK: 603212556
Associated Pace Samples:

603188053 603188061 603188079 603188087

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603212556
Associated Pace Samples:
603188053 603188061 603188079 603188087

Parameter	Units	Method Blank Result	PRL	Footnotes
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	101		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	100		

METHOD BLANK: 603212564
Associated Pace Samples:
603188152

Parameter	Units	Method Blank Result	PRL	Footnotes

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603212564
Associated Pace Samples:
603188152

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	93		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	94		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603189358 603189366

Parameter	Units	603188129	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	12.60	126	12.70	127	1	
Benzene	ug/l	0	10	10.50	105	10.30	103	2	
Trichloroethene	ug/l	45.17	10	63.20	180	70.40	252	33	1,1
Toluene	ug/l	1.852	10	11.70	98.5	10.40	85.5	14	
Chlorobenzene	ug/l	0	10	9.430	94.3	9.530	95.3	1	
Toluene-d8 (S)					100		100		
Dibromofluoromethane (S)					99		99		
4-Bromofluorobenzene (S)					97		98		
1,2-Dichloroethane-d4 (S)					104		103		

LABORATORY CONTROL SAMPLE: 603189374

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	5.864	58.6	
Vinyl Chloride	ug/l	10	6.722	67.2	
Bromomethane	ug/l	10	7.677	76.8	
Chloroethane	ug/l	10	7.911	79.1	
Trichlorofluoromethane	ug/l	10	8.168	81.7	
Methylene Chloride	ug/l	10	8.608	86.1	
1,1-Dichloroethene	ug/l	10	8.912	89.1	
trans-1,2-Dichloroethene	ug/l	10	9.080	90.8	
1,1-Dichloroethane	ug/l	10	8.876	88.8	
cis-1,2-Dichloroethene	ug/l	10	8.354	83.5	
Chloroform	ug/l	10	8.527	85.3	
1,1,1-Trichloroethane	ug/l	10	8.639	86.4	
Carbon Tetrachloride	ug/l	10	8.409	84.1	
Benzene	ug/l	10	8.806	88.1	
1,2-Dichloroethane	ug/l	10	8.008	80.1	
Trichloroethene	ug/l	10	9.735	97.3	
1,2-Dichloropropane	ug/l	10	8.818	88.2	
Bromodichloromethane	ug/l	10	8.352	83.5	
Toluene	ug/l	10	8.722	87.2	
1,1,2-Trichloroethane	ug/l	10	8.318	83.2	
Tetrachloroethene	ug/l	10	8.791	87.9	
Dibromochloromethane	ug/l	10	7.402	74.0	
Chlorobenzene	ug/l	10	7.979	79.8	
Ethylbenzene	ug/l	10	8.434	84.3	
Bromoform	ug/l	10	7.929	79.3	
1,1,2,2-Tetrachloroethane	ug/l	10	6.739	67.4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603189374

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,3-Dichlorobenzene	ug/l	10	8.452	84.5	
1,4-Dichlorobenzene	ug/l	10	8.062	80.6	
1,2-Dichlorobenzene	ug/l	10	8.287	82.9	
cis-1,3-Dichloropropene	ug/l	10	8.555	85.6	
trans-1,3-Dichloropropene	ug/l	10	8.159	81.6	
M&P-Xylene	ug/l	20	16.06	80.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	8.430	84.3	
Toluene-d8 (S)				98	
Dibromofluoromethane (S)				90	
4-Bromofluorobenzene (S)				96	
1,2-Dichloroethane-d4 (S)				99	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037669
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	Due to high analyte concentration the matrix spike and/or matrix spike duplicate do not provide reliable recovery data.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

B 314

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	1/17/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60037669
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED	REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260	
1	NIC-GPW-GP05A-03-17-011700	11:52	Water	60-3188041	3					X	X	
2	NIC-GPW-GP05A-03-29-011700	12:05	Water	60-3188012	3					X	X	
3	NIC-GPW-GP04B-13-17-011700	13:22	Water	60-3188026	3					X	X	
4	NIC-GPW-GP04B-13-35-011700	13:35	Water	60-3188035	3					X	X	
5	NIC-GPW-GP04B-11-17-011700	14:11	Water	60-3188046	3					X	X	
6	NIC-GPW-GP04B-11-32-011700	14:30	Water	60-3188052	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-6		ADAP	1/17/00	16:00
		FACE	1-18-00	1030

Pace Analytical Services, Inc.

0 33 + 0140

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	1/17/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6032669
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS
033 1	NIC-GPW-GP02A-07-17-011700	9:20	Water	60-3188021	3					X	X	
2	NIC-GPW-GP02A-07-28-011700	9:40	Water	60-3188079	3					X	X	
3	NIC-GPW-GP05A-02-17-011700	10:07	Water	60-3188087	3					X	X	
4	NIC-GPW-GP05A-02-31-011700	10:23	Water	60-3188095	3					X	X	
5	NIC-GPW-GP05A-04-17-011700	11:00	Water	60-3188129	6					X	X	MS/MSD
6	NIC-GPW-GP05A-04-29-011700	11:15	Water	60-3188137	3					X	X	
7	NIC-GPW-GP05A-04Q1-29-011700	11:15	Water	60-3188145	3					X	X	
0140 8	NIC-GPW-GP05A-04N-29-011700	11:25	Water	60-3188152	3					X	X	

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8		ASAP	1/17/00	16:00
		PACE	1-18 00	1030

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Reviewed by
Todd Burgess
2/17/00

February 11, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on January 21, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Reviewed by
Todd Burgess
2/17/00

February 11, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on January 21, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 02/11/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor
SDG Number: 6037859B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603203779	NIC-GPW-GP6D-2-17-011800	EPA 8260	77268		
603203803	NIC-GPW-GP6D-2-35-011800	EPA 8260	77268		
603203811	NIC-GPW-GP6D-3-17-011800	EPA 8260	77268		
603203829	NIC-GPW-GP6D-3-35-011800	EPA 8260	77268		
603203837	NIC-GPW-GP3D-05-17-011800	EPA 8260	77268		
603203845	NIC-GPW-GP3D-05-29-011800	EPA 8260	77268		
603203852	NIC-GPW-GP3D-05M-17-011800	EPA 8260	77268		
603203860	NIC-GPW-GP03D-2-17-012000	EPA 8260	77268		
603203878	NIC-GPW-GP03D-2-32-012000	EPA 8260	77268		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 02/11/00
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor
SDG Number: 6037859B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603203779 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP6D-2-17-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	01/28/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/28/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/28/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/28/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/28/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/28/00	DJE	75-09-2	
1,1-Dichloroethene	2.8	ug/l	1	01/28/00	DJE	75-35-4	
trans-1,2-Dichloroethene	1.6	ug/l	1	01/28/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/28/00	DJE	75-34-3	
cis-1,2-Dichloroethene	27	ug/l	1	01/28/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/28/00	DJE	67-66-3	
1,1,1-Trichloroethane	2.2	ug/l	1	01/28/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/28/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/28/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/28/00	DJE	107-06-2	
Trichloroethene	130	ug/l	5	01/28/00	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	01/28/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/28/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/28/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/28/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/28/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/28/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/28/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/28/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/28/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/28/00	DJE	79-34-5	

LAB Q
COM Q
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203779 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP6D-2-17-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/28/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/28/00	DJE	95-47-6	
Toluene-d8 (S)	90	%		01/28/00	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		01/28/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	94	%		01/28/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%		01/28/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203803 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP6D-2-35-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	01/28/00	DJE	74-87-3			
Vinyl Chloride	27	ug/l	1	01/28/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	01/28/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/28/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/28/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/28/00	DJE	75-09-2			
1,1-Dichloroethene	20	ug/l	1	01/28/00	DJE	75-35-4			
trans-1,2-Dichloroethene	25	ug/l	1	01/28/00	DJE	156-60-5			
1,1-Dichloroethane	5.3	ug/l	1	01/28/00	DJE	75-34-3			
cis-1,2-Dichloroethene	210	ug/l	20	01/28/00	DJE	156-59-2	2		
Chloroform	1.1	ug/l	1	01/28/00	DJE	67-66-3			
1,1,1-Trichloroethane	5.6	ug/l	1	01/28/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/28/00	DJE	56-23-5			
Benzene	4.3	ug/l	1	01/28/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	01/28/00	DJE	107-06-2			
Trichloroethene	520	ug/l	20	01/28/00	DJE	79-01-6	2		
1,2-Dichloropropane	ND	ug/l	1	01/28/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/28/00	DJE	75-27-4			
Toluene	ND	ug/l	1	01/28/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	01/28/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/28/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/28/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/28/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	01/28/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	01/28/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/28/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	01/28/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/28/00	DJE	95-47-6			
Toluene-d8 (S)	91	%		01/28/00	DJE	2037-26-5			
Dibromofluoromethane (S)	96	%		01/28/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	93	%		01/28/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203803 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP6D-2-35-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		01/28/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203811 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP6D-3-17-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/28/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/28/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/28/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/28/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/28/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/28/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/28/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/28/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/28/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/28/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/28/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/28/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/28/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/28/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/28/00	DJE	107-06-2	
Trichloroethene	7.2	ug/l	1	01/28/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/28/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/28/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/28/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/28/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/28/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/28/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/28/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/28/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/28/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/28/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/28/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/28/00	DJE	95-47-6	
Toluene-d8 (S)	84	%		01/28/00	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		01/28/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		01/28/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203811 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP6D-3-17-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		01/28/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203829 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP6D-3-35-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	01/28/00	DJE	74-87-3			
Vinyl Chloride	20	ug/l	1	01/28/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	01/28/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/28/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/28/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/28/00	DJE	75-09-2			
1,1-Dichloroethene	21	ug/l	1	01/28/00	DJE	75-35-4			
trans-1,2-Dichloroethene	21	ug/l	1	01/28/00	DJE	156-60-5			
1,1-Dichloroethane	4.9	ug/l	1	01/28/00	DJE	75-34-3			
cis-1,2-Dichloroethene	220	ug/l	20	01/28/00	DJE	156-59-2	2	D	
Chloroform	ND	ug/l	1	01/28/00	DJE	67-66-3			
1,1,1-Trichloroethane	7.3	ug/l	1	01/28/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/28/00	DJE	56-23-5			
Benzene	2.4	ug/l	1	01/28/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	01/28/00	DJE	107-06-2			
Trichloroethene	690	ug/l	20	01/28/00	DJE	79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	01/28/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/28/00	DJE	75-27-4			
Toluene	ND	ug/l	1	01/28/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	01/28/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/28/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/28/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/28/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	01/28/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	01/28/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/28/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	01/28/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/28/00	DJE	95-47-6			
Toluene-d8 (S)	91	%		01/28/00	DJE	2037-26-5			
Dibromofluoromethane (S)	96	%		01/28/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	95	%		01/28/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203829 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP6D-3-35-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		01/28/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203837 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3D-05-17-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/28/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/28/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/28/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/28/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/28/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/28/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/28/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/28/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/28/00	DJE	75-34-3	
cis-1,2-Dichloroethene	4.8	ug/l	1	01/28/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/28/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/28/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/28/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/28/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/28/00	DJE	107-06-2	
Trichloroethene	3.6	ug/l	1	01/28/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/28/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/28/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/28/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/28/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/28/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/28/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/28/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/28/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/28/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/28/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/28/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/28/00	DJE	95-47-6	
Toluene-d8 (S)	87	%		01/28/00	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		01/28/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		01/28/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203837 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3D-05-17-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		01/28/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203845 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3D-05-29-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	01/28/00	DJE	74-87-3			
Vinyl Chloride	8.1	ug/l	1	01/28/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	01/28/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	01/28/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	01/28/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	01/28/00	DJE	75-09-2			
1,1-Dichloroethene	1.8	ug/l	1	01/28/00	DJE	75-35-4			
trans-1,2-Dichloroethene	4.4	ug/l	1	01/28/00	DJE	156-60-5			
1,1-Dichloroethane	1.2	ug/l	1	01/28/00	DJE	75-34-3			
cis-1,2-Dichloroethene	49	ug/l	5	01/28/00	DJE	156-59-2	1	D	
Chloroform	ND	ug/l	1	01/28/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	01/28/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	01/28/00	DJE	56-23-5			
Benzene	ND	ug/l	1	01/28/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	01/28/00	DJE	107-06-2			
Trichloroethene	120	ug/l	5	01/28/00	DJE	79-01-6	1	D	
1,2-Dichloropropane	ND	ug/l	1	01/28/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	01/28/00	DJE	75-27-4			
Toluene	ND	ug/l	1	01/28/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	01/28/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	01/28/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	01/28/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	01/28/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	01/28/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	01/28/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/28/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	01/28/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/28/00	DJE	95-47-6			
Toluene-d8 (S)	86	%		01/28/00	DJE	2037-26-5			
Dibromofluoromethane (S)	96	%		01/28/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	94	%		01/28/00	DJE	460-00-4			

LAB Q CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203845 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3D-05-29-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		01/28/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203852 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3D-05M-17-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/28/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/28/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/28/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/28/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/28/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/28/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/28/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/28/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/28/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/28/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/28/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/28/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/28/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/28/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/28/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/28/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/28/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/28/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/28/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/28/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/28/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/28/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/28/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/28/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/28/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/28/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/28/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/28/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		01/28/00	DJE	2037-26-5	
Dibromofluoromethane (S)	92	%		01/28/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		01/28/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203852 Date Collected: 01/18/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3D-05M-17-011800 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		01/28/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203860 Date Collected: 01/20/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-2-17-012000 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/28/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	01/28/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/28/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/28/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/28/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/28/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	01/28/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	01/28/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	01/28/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	01/28/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/28/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/28/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/28/00	DJE	56-23-5	
Benzene	3.1	ug/l	1	01/28/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/28/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	01/28/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	01/28/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/28/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/28/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/28/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/28/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/28/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/28/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/28/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/28/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/28/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/28/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/28/00	DJE	95-47-6	
Toluene-d8 (S)	88	%		01/28/00	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		01/28/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		01/28/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203860 Date Collected: 01/20/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-2-17-012000 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		01/28/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 02/11/00

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203878 Date Collected: 01/20/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-2-32-012000 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	01/28/00	DJE	74-87-3	
Vinyl Chloride	3.3	ug/l	1	01/28/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	01/28/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	01/28/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	01/28/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	01/28/00	DJE	75-09-2	
1,1-Dichloroethene	1.5	ug/l	1	01/28/00	DJE	75-35-4	
trans-1,2-Dichloroethene	3.5	ug/l	1	01/28/00	DJE	156-60-5	
1,1-Dichloroethane	1.4	ug/l	1	01/28/00	DJE	75-34-3	
cis-1,2-Dichloroethene	31	ug/l	1	01/28/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	01/28/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	01/28/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	01/28/00	DJE	56-23-5	
Benzene	ND	ug/l	1	01/28/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	01/28/00	DJE	107-06-2	
Trichloroethene	190	ug/l	5	01/28/00	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	01/28/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	01/28/00	DJE	75-27-4	
Toluene	ND	ug/l	1	01/28/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	01/28/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	01/28/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	01/28/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	01/28/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	01/28/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	01/28/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	01/28/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	01/28/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	01/28/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	01/28/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	01/28/00	DJE	95-47-6	
Toluene-d8 (S)	83	%		01/28/00	DJE	2037-26-5	
Dibromofluoromethane (S)	98	%		01/28/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		01/28/00	DJE	460-00-4	

Lab D COM Q

1 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603203878 Date Collected: 01/20/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03D-2-32-012000 Date Received: 01/21/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		01/28/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	This result is from a 1:5 dilution on 1/28/00.
[2]	This result is from a 1:20 dilution on 1/28/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor
SDG Number: 6037859B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 77268
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603203779 603203803 603203811 603203829 603203837 603203845 603203852 603203860 603203878

METHOD BLANK: 603208968
Associated Pace Samples:
603203779 603203803 603203811 603203829 603203837 603203845 603203852 603203860 603203878

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603208968
Associated Pace Samples:
603203779 603203803 603203811 603203829 603203837 603203845 603203852
603203860 603203878

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	94		
4-Bromofluorobenzene (S)	%	95		
1,2-Dichloroethane-d4 (S)	%	94		

LABORATORY CONTROL SAMPLE & LCSD: 603208976 603208984

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	12.97	130	12.86	129	1	
Vinyl Chloride	ug/l	10	12.53	125	12.63	126	1	
Bromomethane	ug/l	10	11.60	116	11.64	116	0	
Chloroethane	ug/l	10	11.11	111	11.02	110	1	
Trichlorofluoromethane	ug/l	10	10.44	104	10.44	104	0	
Methylene Chloride	ug/l	10	10.03	100	9.714	97.1	3	
1,1-Dichloroethene	ug/l	10	10.45	105	10.43	104	1	
trans-1,2-Dichloroethene	ug/l	10	10.11	101	9.822	98.2	3	
1,1-Dichloroethane	ug/l	10	9.843	98.4	9.797	98.0	0	
cis-1,2-Dichloroethene	ug/l	10	9.153	91.5	8.975	89.7	2	
Chloroform	ug/l	10	9.238	92.4	9.048	90.5	2	
1,1,1-Trichloroethane	ug/l	10	9.088	90.9	8.880	88.8	2	
Carbon Tetrachloride	ug/l	10	8.995	90.0	8.722	87.2	3	
Benzene	ug/l	10	9.715	97.1	9.691	96.9	0	
1,2-Dichloroethane	ug/l	10	9.129	91.3	9.068	90.7	1	
Trichloroethene	ug/l	10	10.77	108	10.88	109	1	
1,2-Dichloropropane	ug/l	10	9.579	95.8	9.568	95.7	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603208976 603208984

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Bromodichloromethane	ug/l	10	9.394	93.9	9.238	92.4	2	
Toluene	ug/l	10	9.663	96.6	9.369	93.7	3	
1,1,2-Trichloroethane	ug/l	10	8.967	89.7	8.996	90.0	0	
Tetrachloroethene	ug/l	10	8.856	88.6	8.776	87.8	1	
Dibromochloromethane	ug/l	10	8.065	80.7	7.987	79.9	1	
Chlorobenzene	ug/l	10	8.855	88.5	8.823	88.2	0	
Ethylbenzene	ug/l	10	8.783	87.8	8.855	88.5	1	
Bromoform	ug/l	10	9.138	91.4	9.325	93.3	2	
1,1,2,2-Tetrachloroethane	ug/l	10	7.270	72.7	7.086	70.9	3	
1,3-Dichlorobenzene	ug/l	10	9.196	92.0	9.449	94.5	3	
1,4-Dichlorobenzene	ug/l	10	9.412	94.1	9.220	92.2	2	
1,2-Dichlorobenzene	ug/l	10	9.620	96.2	9.560	95.6	1	
cis-1,3-Dichloropropene	ug/l	10	9.252	92.5	9.282	92.8	0	
trans-1,3-Dichloropropene	ug/l	10	8.384	83.8	8.690	86.9	4	
M&P-Xylene	ug/l	20	17.23	86.2	17.63	88.1	2	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	8.904	89.0	9.370	93.7	5	
Toluene-d8 (S)				101		98		
Dibromofluoromethane (S)				95		95		
4-Bromofluorobenzene (S)				96		96		
1,2-Dichloroethane-d4 (S)				107		106		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037859
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg/ Dan Adams
Date Sampled:	1/19/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	60378S9
*Requested Due Date:	NIC Project TAT

Sampler Signature: Dan Adams

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		VOCs 8260														
1	NIC-GPW-GP6D-2-17-011800 3PV	13:37	Water		3					X		X														60320379
2	NIC-GPW-GP6D-2-35-011800	13:49	Water		3					X		X														60320380
3	NIC-GPW-GP6D-3-17-011800	14:22	Water		3					X		X														60320381
4	NIC-GPW-GP6D-3-35-011800	14:32	Water		3					X		X														60320382
5	NIC-GPW-GP3D-05-17-011800	16:20	Water		3					X		X														60320383
6	NIC-GPW-GP3D-05-29-011800	17:40	Water		3					X		X														60320384
7	NIC-GPW-GP3D-05M-17-011800	15:40	Water		3					X		X														60320385

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-7		PACE	01/19/00	1600
			1-21-00	1220

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Page 1 of 1

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Shawn Maloney
		Date Sampled:	1/20/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	603785 9
*Requested Due Date:	NIC Project TAT

Sampler Signature: Frank P. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP03D-2-17-012000	16:15	Water		3					X	X			3 PV											60320386 0
2	NIC-GPW-GP03D-2-32-012000	16:40	Water		3					X	X			3 PV											60320387 8

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-2	Frank Winslow	ASAP	1/21/00	16:00
	~~Relinquished ASAP~~		1/22/00	8:35

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Reviewed by:
Todd Burgesser
8/31/00

February 16, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on January 27, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 02/16/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor
SDG Number: 6037953B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603212127	NIC-GPW-GP5C-03M-20-012500	EPA 8260	77347		
603212135	NIC-GPW-GP5C-03-20-012500	EPA 8260	77347		
603212143	NIC-GPW-GP5C-03-32-012500	EPA 8260	77347		
603212150	NIC-GPW-GP5C-06-17-012500	EPA 8260	77347		
603212168	NIC-GPW-GP5C-06-38-012500	EPA 8260	77347		
603212176	NIC-GPW-GP5C-08-17-012500	EPA 8260	77347		
603212184	NIC-GPW-GP5C-08-29-012500	EPA 8260	77347		
603212192	NIC-GPW-GP5C-07-17-012500	EPA 8260	77347		
603212200	NIC-GPW-GP5C-07-29-012500	EPA 8260	77347		
603212218	NIC-GPW-GP2I-08-17-012500	EPA 8260	77347		
603212226	NIC-GPW-GP2I-07-17-012500	EPA 8260	77347		
603212234	NIC-GPW-GP02I-04-35-012500	EPA 8260	77347		
603212242	NIC-GPW-GP3E-13-24-012500	EPA 8260	77347		
603212259	NIC-GPW-GP3E-13-35-012500	EPA 8260	77347		
603212267	NIC-GPW-GP5C-04-35-012600	EPA 8260	77347		
603212275	NIC-GPW-GP5C-05-20-012600	EPA 8260	77347		
603212283	NIC-GPW-GP5C-05-35-012600	EPA 8260	77347		
603212135	NIC-GPW-GP5C-03-20-012500	EPA 353.2	77665		
603212143	NIC-GPW-GP5C-03-32-012500	EPA 353.2	77665		
603212135	NIC-GPW-GP5C-03-20-012500	EPA 350.2	77721		
603212143	NIC-GPW-GP5C-03-32-012500	EPA 350.2	77721		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 02/16/00
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor
SDG Number: 6037953B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603212127 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-03M-20-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	02/02/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	02/02/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	02/02/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	02/02/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	02/02/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	02/02/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5	
Benzene	ND	ug/l	1	02/02/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	02/02/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4	
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	02/02/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212127 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-03M-20-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6	
Toluene-d8 (S)	98	%		02/02/00	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		02/02/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		02/02/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212135 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-03-20-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
Wet Chemistry							
Ammonia		Method: EPA 350.2			Prep Method: EPA 350.2		
Nitrogen, Ammonia	0.39	mg/l	0.2	02/07/00	DOC	7727-37-9	
Nitrogen, Nitrate plus Nitrite		Method: EPA 353.2			Prep Method: EPA 353.2		
Nitrogen, Nitrite	ND	mg/l	0.5	02/04/00	JKS		
Nitrogen, Nitrate	1.09	mg/l	0.5	02/04/00	JKS		
Nitrogen, NO2 plus NO3, Water	1.11	mg/l	0.5	02/04/00	JKS		
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3	
Vinyl Chloride	2.6	ug/l	1	02/02/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	02/02/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2	
1,1-Dichloroethene	1.6	ug/l	1	02/02/00	DJE	75-35-4	
trans-1,2-Dichloroethene	1.7	ug/l	1	02/02/00	DJE	156-60-5	
1,1-Dichloroethane	1.7	ug/l	1	02/02/00	DJE	75-34-3	
cis-1,2-Dichloroethene	14	ug/l	1	02/02/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5	
Benzene	ND	ug/l	1	02/02/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2	
Trichloroethene	50	ug/l	1	02/02/00	DJE	79-01-6	1 E
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4	
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	02/02/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5	

Lab TB Q

CDM LAB TB Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212135 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-03-20-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6	
Toluene-d8 (S)	92	%		02/02/00	DJE	2037-26-5	
Dibromofluoromethane (S)	95	%		02/02/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		02/02/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212143 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-03-32-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	CDM Q
Wet Chemistry									
Ammonia	Method: EPA 350.2				Prep Method: EPA 350.2				
Nitrogen, Ammonia	0.737	mg/l	0.24	02/07/00	DOC	7727-37-9			
Nitrogen, Nitrate plus Nitrite	Method: EPA 353.2				Prep Method: EPA 353.2				
Nitrogen, Nitrite	ND	mg/l	0.5	02/04/00	JKS				
Nitrogen, Nitrate	ND	mg/l	0.5	02/04/00	JKS				
Nitrogen, NO2 plus NO3, Water	ND	mg/l	0.5	02/04/00	JKS				
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3			
Vinyl Chloride	38	ug/l	1	02/02/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9			
Chloroethane	1.7	ug/l	1	02/02/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2			
1,1-Dichloroethene	4.2	ug/l	1	02/02/00	DJE	75-35-4			
trans-1,2-Dichloroethene	2.1	ug/l	1	02/02/00	DJE	156-60-5			
1,1-Dichloroethane	4.4	ug/l	1	02/02/00	DJE	75-34-3			
cis-1,2-Dichloroethene	39	ug/l	5	02/02/00	DJE	156-59-2	2	D	
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5			
Benzene	4.0	ug/l	1	02/02/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2			
Trichloroethene	83	ug/l	5	02/02/00	DJE	79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	02/02/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212143 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-03-32-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		02/02/00	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		02/02/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	91	%		02/02/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212150 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-06-17-012500 Date Received: 01/27/00

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3	
Vinyl Chloride	21	ug/l	1	02/02/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	02/02/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2	
1,1-Dichloroethene	6.7	ug/l	1	02/02/00	DJE	75-35-4	
trans-1,2-Dichloroethene	7.4	ug/l	1	02/02/00	DJE	156-60-5	
1,1-Dichloroethane	6.8	ug/l	1	02/02/00	DJE	75-34-3	
cis-1,2-Dichloroethene	62	ug/l	5	02/02/00	DJE	156-59-2	2
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5	
Benzene	ND	ug/l	1	02/02/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2	
Trichloroethene	130	ug/l	5	02/02/00	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4	
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	02/02/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6	
Toluene-d8 (S)	95	%		02/02/00	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		02/02/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		02/02/00	DJE	460-00-4	

LAO Q CDM Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212150 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-06-17-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212168 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-06-38-012500 Date Received: 01/27/00

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3	
Vinyl Chloride	40	ug/l	1	02/02/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9	
Chloroethane	1.7	ug/l	1	02/02/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2	
1,1-Dichloroethene	7.6	ug/l	1	02/02/00	DJE	75-35-4	
trans-1,2-Dichloroethene	3.4	ug/l	1	02/02/00	DJE	156-60-5	
1,1-Dichloroethane	6.2	ug/l	1	02/02/00	DJE	75-34-3	
cis-1,2-Dichloroethene	51	ug/l	5	02/02/00	DJE	156-59-2	2
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5	
Benzene	3.1	ug/l	1	02/02/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2	
Trichloroethene	160	ug/l	5	02/02/00	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4	
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	02/02/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		02/02/00	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		02/02/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	91	%		02/02/00	DJE	460-00-4	

LAB Q CDMQ

2 D

2 J

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212168 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-06-38-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212176 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-08-17-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3			
Vinyl Chloride	15	ug/l	1	02/02/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9			
Chloroethane	1.2	ug/l	1	02/02/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2			
1,1-Dichloroethene	7.6	ug/l	1	02/02/00	DJE	75-35-4			
trans-1,2-Dichloroethene	10	ug/l	1	02/02/00	DJE	156-60-5			
1,1-Dichloroethane	4.5	ug/l	1	02/02/00	DJE	75-34-3			
cis-1,2-Dichloroethene	52	ug/l	5	02/02/00	DJE	156-59-2	2		D
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5			
Benzene	ND	ug/l	1	02/02/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2			
Trichloroethene	150	ug/l	5	02/02/00	DJE	79-01-6	2		D
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	02/02/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6			
Toluene-d8 (S)	91	%		02/02/00	DJE	2037-26-5			
Dibromofluoromethane (S)	95	%		02/02/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	97	%		02/02/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212176 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-08-17-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212184 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-08-29-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3			
Vinyl Chloride	49	ug/l	20	02/02/00	DJE	75-01-4	3	D	
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9			
Chloroethane	3.6	ug/l	1	02/02/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2			
1,1-Dichloroethene	26	ug/l	1	02/02/00	DJE	75-35-4			
trans-1,2-Dichloroethene	27	ug/l	1	02/02/00	DJE	156-60-5			
1,1-Dichloroethane	12	ug/l	1	02/02/00	DJE	75-34-3			
cis-1,2-Dichloroethene	130	ug/l	20	02/02/00	DJE	156-59-2	3	D	
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3			
1,1,1-Trichloroethane	1.1	ug/l	1	02/02/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5			
Benzene	2.0	ug/l	1	02/02/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2			
Trichloroethene	380	ug/l	20	02/02/00	DJE	79-01-6	3	D	
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	02/02/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6			
Toluene-d8 (S)	94	%		02/02/00	DJE	2037-26-5			
Dibromofluoromethane (S)	95	%		02/02/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	98	%		02/02/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212184 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-08-29-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212192 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-07-17-012500 Date Received: 01/27/00

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3	
Vinyl Chloride	3.2	ug/l	1	02/02/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	02/02/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2	
1,1-Dichloroethene	2.1	ug/l	1	02/02/00	DJE	75-35-4	
trans-1,2-Dichloroethene	2.9	ug/l	1	02/02/00	DJE	156-60-5	
1,1-Dichloroethane	2.4	ug/l	1	02/02/00	DJE	75-34-3	
cis-1,2-Dichloroethene	22	ug/l	1	02/02/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5	
Benzene	ND	ug/l	1	02/02/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2	
Trichloroethene	68	ug/l	5	02/02/00	DJE	79-01-6	2
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4	
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	02/02/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6	
Toluene-d8 (S)	92	%		02/02/00	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		02/02/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	95	%		02/02/00	DJE	460-00-4	

LA3 Q

COM D

2 D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212192 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-07-17-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212200 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-07-29-012500 Date Received: 01/27/00

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	COM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3		Q	
Vinyl Chloride	37	ug/l	1	02/02/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9			
Chloroethane	2.1	ug/l	1	02/02/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2			
1,1-Dichloroethene	6.5	ug/l	1	02/02/00	DJE	75-35-4			
trans-1,2-Dichloroethene	6.4	ug/l	1	02/02/00	DJE	156-60-5			
1,1-Dichloroethane	7.4	ug/l	1	02/02/00	DJE	75-34-3			
cis-1,2-Dichloroethene	57	ug/l	5	02/02/00	DJE	156-59-2	2	D	
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5			
Benzene	2.4	ug/l	1	02/02/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2			
Trichloroethene	110	ug/l	5	02/02/00	DJE	79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	02/02/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6			
Toluene-d8 (S)	96	%		02/02/00	DJE	2037-26-5			
Dibromofluoromethane (S)	94	%		02/02/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	94	%		02/02/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212200 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-07-29-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212218 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-08-17-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	Lab Q	Com Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3			
Vinyl Chloride	28	ug/l	1	02/02/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	02/02/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2			
1,1-Dichloroethene	ND	ug/l	1	02/02/00	DJE	75-35-4			
trans-1,2-Dichloroethene	2.8	ug/l	1	02/02/00	DJE	156-60-5			
1,1-Dichloroethane	5.4	ug/l	1	02/02/00	DJE	75-34-3			
cis-1,2-Dichloroethene	72	ug/l	5	02/02/00	DJE	156-59-2	2	D	
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5			
Benzene	ND	ug/l	1	02/02/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2			
Trichloroethene	38	ug/l	1	02/02/00	DJE	79-01-6			
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5			
Tetrachloroethene	3.3	ug/l	1	02/02/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6			
Toluene-d8 (S)	97	%		02/02/00	DJE	2037-26-5			
Dibromofluoromethane (S)	94	%		02/02/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	97	%		02/02/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212218 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-08-17-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212226 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-07-17-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	02/02/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	02/02/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	02/02/00	DJE	75-35-4	
trans-1,2-Dichloroethene	2.1	ug/l	1	02/02/00	DJE	156-60-5	
1,1-Dichloroethane	1.4	ug/l	1	02/02/00	DJE	75-34-3	
cis-1,2-Dichloroethene	20	ug/l	1	02/02/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5	
Benzene	ND	ug/l	1	02/02/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2	
Trichloroethene	40	ug/l	1	02/02/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4	
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5	
Tetrachloroethene	5.5	ug/l	1	02/02/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		02/02/00	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		02/02/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		02/02/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212226 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP2I-07-17-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212234 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-04-35-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/02/00	DJE	74-87-3			
Vinyl Chloride	11	ug/l	1	02/02/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	02/02/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	02/02/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/02/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/02/00	DJE	75-09-2			
1,1-Dichloroethene	2.7	ug/l	1	02/02/00	DJE	75-35-4			
trans-1,2-Dichloroethene	6.1	ug/l	1	02/02/00	DJE	156-60-5			
1,1-Dichloroethane	3.4	ug/l	1	02/02/00	DJE	75-34-3			
cis-1,2-Dichloroethene	56	ug/l	10	02/02/00	DJE	156-59-2	4		D
Chloroform	ND	ug/l	1	02/02/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	02/02/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/02/00	DJE	56-23-5			
Benzene	ND	ug/l	1	02/02/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/02/00	DJE	107-06-2			
Trichloroethene	270	ug/l	10	02/02/00	DJE	79-01-6	4		D
1,2-Dichloropropane	ND	ug/l	1	02/02/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/02/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/02/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/02/00	DJE	79-00-5			
Tetrachloroethene	8.2	ug/l	1	02/02/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/02/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/02/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/02/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/02/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/02/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	02/02/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	02/02/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	02/02/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/02/00	DJE	95-47-6			
Toluene-d8 (S)	94	%		02/02/00	DJE	2037-26-5			
Dibromofluoromethane (S)	96	%		02/02/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	97	%		02/02/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212234 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02I-04-35-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	103	%		02/02/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212242 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3E-13-24-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	CDM
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/03/00	DJE	74-87-3		Q	
Vinyl Chloride	4.4	ug/l	1	02/03/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	02/03/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	02/03/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/03/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/03/00	DJE	75-09-2			
1,1-Dichloroethene	2.7	ug/l	1	02/03/00	DJE	75-35-4			
trans-1,2-Dichloroethene	4.8	ug/l	1	02/03/00	DJE	156-60-5			
1,1-Dichloroethane	2.7	ug/l	1	02/03/00	DJE	75-34-3			
cis-1,2-Dichloroethene	51	ug/l	20	02/03/00	DJE	156-59-2	3	D	
Chloroform	ND	ug/l	1	02/03/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	02/03/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/03/00	DJE	56-23-5			
Benzene	ND	ug/l	1	02/03/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/03/00	DJE	107-06-2			
Trichloroethene	350	ug/l	20	02/03/00	DJE	79-01-6	3	D	
1,2-Dichloropropane	ND	ug/l	1	02/03/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/03/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/03/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/03/00	DJE	79-00-5			
Tetrachloroethene	2.5	ug/l	1	02/03/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/03/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/03/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/03/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/03/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/03/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	02/03/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/03/00	DJE	95-47-6			
Toluene-d8 (S)	94	%		02/03/00	DJE	2037-26-5			
Dibromofluoromethane (S)	94	%		02/03/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	97	%		02/03/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212242 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3E-13-24-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		02/03/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212259 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3E-13-35-012500 Date Received: 01/27/00

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB	CDM
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/03/00	DJE	74-87-3		Q	
Vinyl Chloride	9.7	ug/l	1	02/03/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	02/03/00	DJE	74-83-9			
Chloroethane	ND	ug/l	1	02/03/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/03/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/03/00	DJE	75-09-2			
1,1-Dichloroethene	5.8	ug/l	1	02/03/00	DJE	75-35-4			
trans-1,2-Dichloroethene	7.9	ug/l	1	02/03/00	DJE	156-60-5			
1,1-Dichloroethane	3.2	ug/l	1	02/03/00	DJE	75-34-3			
cis-1,2-Dichloroethene	77	ug/l	20	02/03/00	DJE	156-59-2	3	D	
Chloroform	ND	ug/l	1	02/03/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	02/03/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/03/00	DJE	56-23-5			
Benzene	ND	ug/l	1	02/03/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/03/00	DJE	107-06-2			
Trichloroethene	580	ug/l	20	02/03/00	DJE	79-01-6	3	D	
1,2-Dichloropropane	ND	ug/l	1	02/03/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/03/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/03/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/03/00	DJE	79-00-5			
Tetrachloroethene	2.3	ug/l	1	02/03/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/03/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/03/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/03/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/03/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/03/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	02/03/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/03/00	DJE	95-47-6			
Toluene-d8 (S)	94	%		02/03/00	DJE	2037-26-5			
Dibromofluoromethane (S)	96	%		02/03/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	99	%		02/03/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212259 Date Collected: 01/25/00 Matrix: Water
Client Sample ID: NIC-GPW-GP3E-13-35-012500 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		02/03/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212267 Date Collected: 01/26/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-04-35-012600 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes	LAB Q	COM Q
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/03/00	DJE	74-87-3			
Vinyl Chloride	36	ug/l	1	02/03/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	02/03/00	DJE	74-83-9			
Chloroethane	4.0	ug/l	1	02/03/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/03/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/03/00	DJE	75-09-2			
1,1-Dichloroethene	11	ug/l	1	02/03/00	DJE	75-35-4			
trans-1,2-Dichloroethene	5.0	ug/l	1	02/03/00	DJE	156-60-5			
1,1-Dichloroethane	7.9	ug/l	1	02/03/00	DJE	75-34-3			
cis-1,2-Dichloroethene	57	ug/l	10	02/03/00	DJE	156-59-2	5	D	
Chloroform	2.0	ug/l	1	02/03/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	02/03/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/03/00	DJE	56-23-5			
Benzene	4.1	ug/l	1	02/03/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/03/00	DJE	107-06-2			
Trichloroethene	190	ug/l	10	02/03/00	DJE	79-01-6	5	D	
1,2-Dichloropropane	ND	ug/l	1	02/03/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/03/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/03/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/03/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	02/03/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/03/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/03/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/03/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/03/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/03/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	02/03/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/03/00	DJE	95-47-6			
Toluene-d8 (S)	98	%		02/03/00	DJE	2037-26-5			
Dibromofluoromethane (S)	94	%		02/03/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	88	%		02/03/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212267 Date Collected: 01/26/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-04-35-012600 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		02/03/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212275 Date Collected: 01/26/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-05-20-012600 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles							
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260		
Chloromethane	ND	ug/l	1	02/03/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	02/03/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	02/03/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	02/03/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	02/03/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	02/03/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	02/03/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	02/03/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	02/03/00	DJE	75-34-3	
cis-1,2-Dichloroethene	1.4	ug/l	1	02/03/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	02/03/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	02/03/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	02/03/00	DJE	56-23-5	
Benzene	ND	ug/l	1	02/03/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	02/03/00	DJE	107-06-2	
Trichloroethene	9.8	ug/l	1	02/03/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	02/03/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	02/03/00	DJE	75-27-4	
Toluene	ND	ug/l	1	02/03/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	02/03/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	02/03/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	02/03/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	02/03/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	02/03/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	02/03/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/03/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	02/03/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/03/00	DJE	95-47-6	
Toluene-d8 (S)	89	%		02/03/00	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		02/03/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		02/03/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212275 Date Collected: 01/26/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-05-20-012600 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		02/03/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212283 Date Collected: 01/26/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-05-35-012600 Date Received: 01/27/00

GC/MS Volatiles

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes		
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	02/03/00	DJE	74-87-3		LAB Q	COM Q
Vinyl Chloride	31	ug/l	1	02/03/00	DJE	75-01-4			
Bromomethane	ND	ug/l	1	02/03/00	DJE	74-83-9			
Chloroethane	3.4	ug/l	1	02/03/00	DJE	75-00-3			
Trichlorofluoromethane	ND	ug/l	1	02/03/00	DJE	75-69-4			
Methylene Chloride	ND	ug/l	1	02/03/00	DJE	75-09-2			
1,1-Dichloroethene	5.8	ug/l	1	02/03/00	DJE	75-35-4			
trans-1,2-Dichloroethene	2.7	ug/l	1	02/03/00	DJE	156-60-5			
1,1-Dichloroethane	4.8	ug/l	1	02/03/00	DJE	75-34-3			
cis-1,2-Dichloroethene	38	ug/l	5	02/03/00	DJE	156-59-2	2	D	
Chloroform	ND	ug/l	1	02/03/00	DJE	67-66-3			
1,1,1-Trichloroethane	ND	ug/l	1	02/03/00	DJE	71-55-6			
Carbon Tetrachloride	ND	ug/l	1	02/03/00	DJE	56-23-5			
Benzene	5.8	ug/l	1	02/03/00	DJE	71-43-2			
1,2-Dichloroethane	ND	ug/l	1	02/03/00	DJE	107-06-2			
Trichloroethene	91	ug/l	5	02/03/00	DJE	79-01-6	2	D	
1,2-Dichloropropane	ND	ug/l	1	02/03/00	DJE	78-87-5			
Bromodichloromethane	ND	ug/l	1	02/03/00	DJE	75-27-4			
Toluene	ND	ug/l	1	02/03/00	DJE	108-88-3			
1,1,2-Trichloroethane	ND	ug/l	1	02/03/00	DJE	79-00-5			
Tetrachloroethene	ND	ug/l	1	02/03/00	DJE	127-18-4			
Dibromochloromethane	ND	ug/l	1	02/03/00	DJE	124-48-1			
Chlorobenzene	ND	ug/l	1	02/03/00	DJE	108-90-7			
Ethylbenzene	ND	ug/l	1	02/03/00	DJE	100-41-4			
Bromoform	ND	ug/l	1	02/03/00	DJE	75-25-2			
1,1,2,2-Tetrachloroethane	ND	ug/l	1	02/03/00	DJE	79-34-5			
1,3-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	541-73-1			
1,4-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	106-46-7			
1,2-Dichlorobenzene	ND	ug/l	1	02/03/00	DJE	95-50-1			
cis-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-01-5			
trans-1,3-Dichloropropene	ND	ug/l	1	02/03/00	DJE	10061-02-6			
M&P-Xylene	ND	ug/l	1.3	02/03/00	DJE				
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	02/03/00	DJE	95-47-6			
Toluene-d8 (S)	97	%		02/03/00	DJE	2037-26-5			
Dibromofluoromethane (S)	92	%		02/03/00	DJE	1868-53-7			
4-Bromofluorobenzene (S)	80	%		02/03/00	DJE	460-00-4			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603212283 Date Collected: 01/26/00 Matrix: Water
Client Sample ID: NIC-GPW-GP5C-05-35-012600 Date Received: 01/27/00

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	110	%		02/03/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[2]	This result is from a 1:5 dilution on 2/3/00.
[3]	This result is from a 1:20 dilution on 2/3/00.
[4]	This result is from a 1:10 dilution on 2/4/00.
[5]	This result is from a 1:10 dilution on 2/3/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor
SDG Number: 6037953B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 77347
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603212127 603212135 603212143 603212150 603212168 603212176 603212184 603212192 603212200 603212218 603212226 603212234 603212242 603212259 603212267 603212275 603212283

METHOD BLANK: 603212481
Associated Pace Samples:
603212127 603212135 603212143 603212150 603212168 603212176 603212184 603212192 603212200 603212218 603212226 603212234

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603212481
Associated Pace Samples:

603212127 603212135 603212143 603212150 603212168 603212176 603212184
603212192 603212200 603212218 603212226 603212234

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	92		
4-Bromofluorobenzene (S)	%	97		
1,2-Dichloroethane-d4 (S)	%	98		

METHOD BLANK: 603226424
Associated Pace Samples:

603212242 603212259 603212267 603212275 603212283

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603226424
Associated Pace Samples:
603212242 603212259 603212267 603212275 603212283

Parameter	Units	Method Blank Result	PRL	Footnotes
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	92		
4-Bromofluorobenzene (S)	%	96		
1,2-Dichloroethane-d4 (S)	%	97		

LABORATORY CONTROL SAMPLE & LCSD: 603212499 603212507

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	12.88	129	12.83	128	1	
Vinyl Chloride	ug/l	10	12.66	127	12.79	128	1	
Bromomethane	ug/l	10	12.00	120	12.22	122	2	
Chloroethane	ug/l	10	11.16	112	11.40	114	2	
Trichlorofluoromethane	ug/l	10	10.95	110	11.03	110	0	
Methylene Chloride	ug/l	10	9.441	94.4	9.591	95.9	2	
1,1-Dichloroethene	ug/l	10	10.75	108	10.77	108	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603212499 603212507

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
trans-1,2-Dichloroethene	ug/l	10	10.14	101	10.16	102	1	
1,1-Dichloroethane	ug/l	10	9.831	98.3	9.817	98.2	0	
cis-1,2-Dichloroethene	ug/l	10	9.065	90.7	9.029	90.3	0	
Chloroform	ug/l	10	9.237	92.4	9.174	91.7	1	
1,1,1-Trichloroethane	ug/l	10	9.391	93.9	9.275	92.7	1	
Carbon Tetrachloride	ug/l	10	9.365	93.7	9.267	92.7	1	
Benzene	ug/l	10	9.783	97.8	9.690	96.9	1	
1,2-Dichloroethane	ug/l	10	8.917	89.2	8.902	89.0	0	
Trichloroethene	ug/l	10	10.45	104	10.52	105	1	
1,2-Dichloropropane	ug/l	10	9.365	93.6	9.439	94.4	1	
Bromodichloromethane	ug/l	10	9.273	92.7	9.195	91.9	1	
Toluene	ug/l	10	9.479	94.8	9.546	95.5	1	
1,1,2-Trichloroethane	ug/l	10	8.780	87.8	8.467	84.7	4	
Tetrachloroethene	ug/l	10	9.032	90.3	8.810	88.1	2	
Dibromochloromethane	ug/l	10	7.991	79.9	7.705	77.0	4	
Chlorobenzene	ug/l	10	8.398	84.0	8.187	81.9	3	
Ethylbenzene	ug/l	10	8.952	89.5	8.659	86.6	3	
Bromoform	ug/l	10	9.053	90.5	8.692	86.9	4	
1,1,2,2-Tetrachloroethane	ug/l	10	7.723	77.2	7.733	77.3	0	
1,3-Dichlorobenzene	ug/l	10	9.868	98.7	9.914	99.1	0	
1,4-Dichlorobenzene	ug/l	10	9.321	93.2	9.570	95.7	3	
1,2-Dichlorobenzene	ug/l	10	9.643	96.4	9.589	95.9	1	
cis-1,3-Dichloropropene	ug/l	10	9.279	92.8	9.267	92.7	0	
trans-1,3-Dichloropropene	ug/l	10	8.327	83.3	8.284	82.8	1	
M&P-Xylene	ug/l	20	17.32	86.6	16.66	83.3	4	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.041	90.4	8.776	87.8	3	
Toluene-d8 (S)				99		99		
Dibromofluoromethane (S)				93		93		
4-Bromofluorobenzene (S)				94		90		
1,2-Dichloroethane-d4 (S)				99		104		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor
SDG Number: 6037953B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 77665
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: Nitrogen, Nitrate plus Nitrite
Associated Pace Samples: 603212135 603212143

METHOD BLANK: 603226143
Associated Pace Samples:
603212135 603212143

Parameter	Units	Method Blank Result	PRL	Footnotes
Nitrogen, Nitrite	mg/l	ND	0.5	
Nitrogen, Nitrate	mg/l	ND	0.5	
Nitrogen, NO2 plus NO3, Water	mg/l	ND	0.5	

MATRIX SPIKE: 603226150

Parameter	Units	603212135	Spike Conc.	Matrix Spike Result	Spike % Rec	Footnotes
Nitrogen, NO2 plus NO3, Water	mg/l	1.111	2.500	3.575	98.6	

LABORATORY CONTROL SAMPLE: 603226176

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Nitrogen, NO2 plus NO3, Water	mg/l	2.500	2.657	106	

SAMPLE DUPLICATE: 603226168

Parameter	Units	603212135	Dup. Result	RPD	Footnotes
Nitrogen, Nitrite	mg/l	ND	ND	NC	
Nitrogen, Nitrate	mg/l	1.090	1.080	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

SAMPLE DUPLICATE: 603226168

Parameter	Units	603212135	Dup. Result	RPD	Footnotes
Nitrogen, NO2 plus NO3, Water	mg/l	1.110	1.100	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor
SDG Number: 6037953B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 77721
QC Batch Method: EPA 350.2
Analysis Method: EPA 350.2
Analysis Description: Ammonia
Associated Pace Samples: 603212135 603212143

METHOD BLANK: 603227927
Associated Pace Samples:
603212135 603212143

Parameter	Units	Method Blank Result	PRL	Footnotes
Nitrogen, Ammonia	mg/l	ND	0.2	

MATRIX SPIKE: 603228073

Parameter	Units	603212135	Spike Conc.	Matrix Spike Result	Spike % Rec	Footnotes
Nitrogen, Ammonia	mg/l	0.3895	2.000	2.638	112	

LABORATORY CONTROL SAMPLE & LCSD: 603227950 603227968

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Nitrogen, Ammonia	mg/l	2.000	2.482	124	2.395	120	3	

SAMPLE DUPLICATE: 603228081

Parameter	Units	603212135	Dup. Result	RPD	Footnotes
Nitrogen, Ammonia	mg/l	0.3900	0.3540	10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6037953
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow	Lab Project Manager:	Andrea Hyslop
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	60379513
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg / Frank Winslow	Sampler Signature:	
		Date Sampled:	1/25/00		

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		ANALYSES REQUESTED VOCs 8260	NO3+NO2 (353.2)	NH4 (350.1)	Ferrous Iron							REMARKS
1	NIC-GPW-GP5C-03M-20-012500	8:00	Water	60-3212127	3					X		X			3 Z PV							
2	NIC-GPW-GP5C-03-20-012500	11:58	Water	60-3212135	4					X		X	X	X			NT					Inadequate volume for QC. Just do what you can.
3	NIC-GPW-GP5C-03-32-012500	12:15	Water	60-3212143	4					X		X	X	X			NT					
4	NIC-GPW-GP5C-06-17-012500	13:25	Water	60-3212150	3					X		X										
5	NIC-GPW-GP5C-06-38-012500	13:49	Water	60-3212168	3					X		X										
6	NIC-GPW-GP5C-08-17-012500	14:20	Water	60-3212174	3					X		X										
7	NIC-GPW-GP5C-08-29-012500	14:47	Water	60-3212184	3					X		X										
8	NIC-GPW-GP5C-07-17-012500	15:50	Water	60-3212192	3					X		X										

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8		ASAP	1/26/00	16:00
		— /ACE	1-27-00	0945

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg / Frank Winslow
Date Sampled:	1/25/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	603953
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA		VOCs 8260													
1	NIC-GPW-GP5C-07-29-012500	16:07	Water	60-321224	3					X		X													
2	NIC-GPW-GP2I-08-17-012500	14:19	Water	60-321218	3					X		X													
3	NIC-GPW-GP2I-07-17-012500	14:40	Water	60-321222	3					X		X													
4	NIC-GPW-GP02I-04-35-012500	15:30	Water	60-321223	3					X		X													
5	NIC-GPW-GP3E-13-24-012500	16:18	Water	60-321224	3					X		X													
6	NIC-GPW-GP3E-13-35-012500	16:40	Water	60-321225	3					X		X													

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-6		ASAP	1/26/00	16:00
		PACE	1-27-00	0945

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	1/26/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	L037953
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	Wt. - 8260	REMARKS
1	NIC-GPW-GP5C-04-35-012600	9:15	Water	60-3212247	3					X	X	3 PV	
2	NIC-GPW-GP5C-05-20-012600	9:55	Water	60-3212275	3					X	X		
3	NIC-GPW-GP5C-05-35-012600	10:07	Water	60-3212283	3					X	X		

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-3		ASAP	1/26/00	16:00
		PACE	1-27-00	0945

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Reviewed BJ 3/8

March 06, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on February 16, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 03/06/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor
SDG Number: 6038441B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603253188	NIC-SSS-RPB-GM-1-0.5	EPA 3050	78347	EPA 6010	78572
603253246	NIC-SSS-RPB-GM-2-0.5	EPA 3050	78347	EPA 6010	78572
603253253	NIC-SSS-RPB-GM-3-0.5	EPA 3050	78347	EPA 6010	78572
603253279	NIC-SSS-RPB-GM-4-0.5	EPA 3050	78347	EPA 6010	78572
603253287	NIC-SSS-RPB-GM-5-0.5	EPA 3050	78347	EPA 6010	78572
603253303	NIC-SSS-RPB-GM-6-0.5	EPA 3050	78347	EPA 6010	78572
603253188	NIC-SSS-RPB-GM-1-0.5		78356		
603253246	NIC-SSS-RPB-GM-2-0.5		78356		
603253253	NIC-SSS-RPB-GM-3-0.5		78356		
603253279	NIC-SSS-RPB-GM-4-0.5		78356		
603253287	NIC-SSS-RPB-GM-5-0.5		78356		
603253303	NIC-SSS-RPB-GM-6-0.5		78356		
603253071	NIC-GPW-GP04B-09-16-021000	EPA 8260	78427		
603253089	NIC-GPW-GP04B-09M-021000	EPA 8260	78427		
603253097	HCI-GPW-GP02Q3-17-021400	EPA 8260	78427		
603253105	HCI-GPW-GP05Q3-17-021400	EPA 8260	78427		
603253113	HCI-GPW-GP06Q3-17-021400	EPA 8260	78427		
603253121	HCI-GPW-GP07Q3-17-021400	EPA 8260	78427		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 03/06/00
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor
SDG Number: 6038441B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a dry weight basis

Pace Sample No: 603253071 Date Collected: 02/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-09-16-021000 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	02/18/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	02/18/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	02/18/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	02/18/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	02/18/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	02/18/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	75-34-3	
cis-1,2-Dichloroethene	15	ug/l	1	1.00	02/18/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	02/18/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	02/18/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	02/18/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	02/18/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	02/18/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	02/18/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	02/18/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	02/18/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	02/18/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	02/18/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	02/18/00	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253071 Date Collected: 02/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-09-16-021000 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	02/18/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	02/18/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	02/18/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	02/18/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		1.00	02/18/00	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		1.00	02/18/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		1.00	02/18/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%		1.00	02/18/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253089 Date Collected: 02/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-09M-021000 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	02/18/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	02/18/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	02/18/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	02/18/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	02/18/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	02/18/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	02/18/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	02/18/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	02/18/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	02/18/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	02/18/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	02/18/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	02/18/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	02/18/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	02/18/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	02/18/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	02/18/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	02/18/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	02/18/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	02/18/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	02/18/00	DJE	95-47-6	
Toluene-d8 (S)	94	%		1.00	02/18/00	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		1.00	02/18/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		1.00	02/18/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253089 Date Collected: 02/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP04B-09M-021000 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	02/18/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253097 Date Collected: 02/14/00 Matrix: Water
Client Sample ID: HCI-GPW-GP02Q3-17-021400 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	02/18/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	02/18/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	02/18/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	02/18/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	02/18/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	02/18/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	02/18/00	DJE	156-59-2	
Chloroform	1.3	ug/l	1	1.00	02/18/00	DJE	67-66-3	
1,1,1-Trichloroethane	11	ug/l	1	1.00	02/18/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	02/18/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	02/18/00	DJE	71-43-2	
1,2-Dichloroethane	1.3	ug/l	1	1.00	02/18/00	DJE	107-06-2	
Trichloroethene	14	ug/l	1	1.00	02/18/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	02/18/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	02/18/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	02/18/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	79-00-5	
Tetrachloroethene	15	ug/l	1	1.00	02/18/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	02/18/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	02/18/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	02/18/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	02/18/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	02/18/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	02/18/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	02/18/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	02/18/00	DJE	95-47-6	
Toluene-d8 (S)	89	%		1.00	02/18/00	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		1.00	02/18/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		1.00	02/18/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253097 Date Collected: 02/14/00 Matrix: Water
Client Sample ID: HCI-GPW-GP02Q3-17-021400 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		1.00	02/18/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253105 Date Collected: 02/14/00 Matrix: Water
Client Sample ID: HCI-GPW-GP05Q3-17-021400 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	02/18/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	02/18/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	02/18/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	02/18/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	02/18/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	02/18/00	DJE	75-09-2	
1,1-Dichloroethene	2.0	ug/l	1	1.00	02/18/00	DJE	75-35-4	
trans-1,2-Dichloroethene	2.0	ug/l	1	1.00	02/18/00	DJE	156-60-5	
1,1-Dichloroethane	18	ug/l	1	1.00	02/18/00	DJE	75-34-3	
cis-1,2-Dichloroethene	29	ug/l	1	1.00	02/18/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	02/18/00	DJE	67-66-3	
1,1,1-Trichloroethane	7.0	ug/l	1	1.00	02/18/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	02/18/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	02/18/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	107-06-2	
Trichloroethene	31	ug/l	1	1.00	02/18/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	02/18/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	02/18/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	02/18/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	02/18/00	DJE	79-00-5	
Tetrachloroethene	78	ug/l	5	5.00	02/18/00	DJE	127-18-4	1 D
Dibromochloromethane	ND	ug/l	1	1.00	02/18/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	02/18/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	02/18/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	02/18/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	02/18/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	02/18/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	02/18/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	02/18/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	02/18/00	DJE	95-47-6	
Toluene-d8 (S)	86	%		1.00	02/18/00	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		1.00	02/18/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		1.00	02/18/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253105 Date Collected: 02/14/00 Matrix: Water
Client Sample ID: HCI-GPW-GP05Q3-17-021400 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	02/18/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253113 Date Collected: 02/14/00 Matrix: Water
Client Sample ID: HCI-GPW-GP06Q3-17-021400 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	02/19/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	02/19/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	02/19/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	02/19/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	02/19/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	02/19/00	DJE	75-09-2	
1,1-Dichloroethene	7.6	ug/l	1	1.00	02/19/00	DJE	75-35-4	
trans-1,2-Dichloroethene	6.0	ug/l	1	1.00	02/19/00	DJE	156-60-5	
1,1-Dichloroethane	98	ug/l	25	25.0	02/19/00	DJE	75-34-3	2 D
cis-1,2-Dichloroethene	210	ug/l	25	25.0	02/19/00	DJE	156-59-2	2 D
Chloroform	ND	ug/l	1	1.00	02/19/00	DJE	67-66-3	
1,1,1-Trichloroethane	14	ug/l	1	1.00	02/19/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	02/19/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	02/19/00	DJE	71-43-2	
1,2-Dichloroethane	9.3	ug/l	1	1.00	02/19/00	DJE	107-06-2	
Trichloroethene	110	ug/l	25	25.0	02/19/00	DJE	79-01-6	2 D
1,2-Dichloropropane	ND	ug/l	1	1.00	02/19/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	02/19/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	02/19/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	02/19/00	DJE	79-00-5	
Tetrachloroethene	1300	ug/l	25	25.0	02/19/00	DJE	127-18-4	2,3 D,E
Dibromochloromethane	ND	ug/l	1	1.00	02/19/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	02/19/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	02/19/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	02/19/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	02/19/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	02/19/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	02/19/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	02/19/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	02/19/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	02/19/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	02/19/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	02/19/00	DJE	95-47-6	
Toluene-d8 (S)	94	%		1.00	02/19/00	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		1.00	02/19/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		1.00	02/19/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253113 Date Collected: 02/14/00 Matrix: Water
Client Sample ID: HCI-GPW-GP06Q3-17-021400 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		1.00	02/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253121 Date Collected: 02/14/00 Matrix: Water
Client Sample ID: HCI-GPW-GP07Q3-17-021400 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	02/19/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	02/19/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	02/19/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	02/19/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	02/19/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	02/19/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	02/19/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	02/19/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	02/19/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	02/19/00	DJE	156-59-2	
Chloroform	2.5	ug/l	1	1.00	02/19/00	DJE	67-66-3	
1,1,1-Trichloroethane	8.5	ug/l	1	1.00	02/19/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	02/19/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	02/19/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	02/19/00	DJE	107-06-2	
Trichloroethene	69	ug/l	5	5.00	02/19/00	DJE	79-01-6	1 D
1,2-Dichloropropane	ND	ug/l	1	1.00	02/19/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	02/19/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	02/19/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	02/19/00	DJE	79-00-5	
Tetrachloroethene	33	ug/l	5	5.00	02/19/00	DJE	127-18-4	1 D
Dibromochloromethane	ND	ug/l	1	1.00	02/19/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	02/19/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	02/19/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	02/19/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	02/19/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	02/19/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	02/19/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	02/19/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	02/19/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	02/19/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	02/19/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	02/19/00	DJE	95-47-6	
Toluene-d8 (S)	86	%		1.00	02/19/00	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		1.00	02/19/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		1.00	02/19/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253121 Date Collected: 02/14/00 Matrix: Water
Client Sample ID: HCI-GPW-GP07Q3-17-021400 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		1.00	02/19/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253188 Date Collected: 02/10/00 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-GM-1-0.5 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050			
Lead	294	mg/kg	5.67	0.98	02/22/00	JAH	7439-92-1	
Date Digested					02/17/00			
Organics Prep								
Percent Moisture	Method:				Prep Method:			
Percent Moisture	13.5	%		0.86	02/18/00	SAMI		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253246 Date Collected: 02/10/00 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-GM-2-0.5 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050			
Lead	102	mg/kg	5.4	0.95	02/22/00	CAS	7439-92-1	
Date Digested					02/17/00			
Organics Prep								
Percent Moisture	Method:				Prep Method:			
Percent Moisture	11.8	%		0.88	02/18/00	SAMI		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253253 Date Collected: 02/10/00 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-GM-3-0.5 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050			
Lead	170	mg/kg	5.66	0.99	02/22/00	CAS	7439-92-1	
Date Digested					02/17/00			
Organics Prep								
Percent Moisture	Method:				Prep Method:			
Percent Moisture	12.6	%		0.87	02/18/00	SAMI		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253279 Date Collected: 02/10/00 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-GM-4-0.5 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals, ICP		Method: EPA 6010			Prep Method: EPA 3050			
Lead	139	mg/kg	5.12	0.94	02/22/00	CAS	7439-92-1	
Date Digested					02/17/00			
Organics Prep								
Percent Moisture		Method:			Prep Method:			
Percent Moisture	7.9	%		0.92	02/18/00	SAMI		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253287 Date Collected: 02/10/00 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-GM-5-0.5 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050			
Lead	205	mg/kg	5.5	0.94	02/22/00	CAS	7439-92-1	
Date Digested					02/17/00			
Organics Prep								
Percent Moisture	Method:				Prep Method:			
Percent Moisture	14.3	%		0.86	02/18/00	SAMI		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603253303 Date Collected: 02/10/00 Matrix: Soil
Client Sample ID: NIC-SSS-RPB-GM-6-0.5 Date Received: 02/16/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals, ICP	Method: EPA 6010				Prep Method: EPA 3050			
Lead	142	mg/kg	5.7	0.97	02/22/00	CAS	7439-92-1	
Date Digested					02/17/00			
Organics Prep								
Percent Moisture	Method:				Prep Method:			
Percent Moisture	14.8	%		0.85	02/18/00	SAMI		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
App. DF	Applied Dilution Factor
[1]	This result is from a 1:5 dilution on 2/21/00.
[2]	This result is from a 1:25 dilution on 2/21/00.
[3]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

DATE: 03/06/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor
SDG Number: 6038441B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 78347
QC Batch Method: EPA 3050
Analysis Method: EPA 6010
Analysis Description: Metals, ICP
Associated Pace Samples: 603253188 603253246 603253253 603253279 603253287 603253303

METHOD BLANK: 603253832
Associated Pace Samples:
603253188 603253246 603253253 603253279 603253287 603253303

Parameter	Units	Method Blank Result	PRL	Footnotes
Lead	mg/kg	ND	4.9	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603253857 603253865

Parameter	Units	603253188	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Lead	mg/kg	293.5	108	291.7	-1.70	461.3	151	205	1,2

LABORATORY CONTROL SAMPLE: 603253840

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Lead	mg/kg	95.24	85.43	89.7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

DATE: 03/06/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor
SDG Number: 6038441B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 78356
QC Batch Method:
Analysis Method:
Analysis Description: Percent Moisture
Associated Pace Samples: 603253188 603253246 603253253 603253279 603253287 603253303

SAMPLE DUPLICATE: 603254210

Parameter	Units	603253188	Dup. Result	RPD	Footnotes
Percent Moisture	%	13.50	13.70	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

DATE: 03/06/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor
SDG Number: 6038441B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 78427
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603253071 603253089 603253097 603253105 603253113 603253121

METHOD BLANK: 603256934
Associated Pace Samples:
603253071 603253089 603253097 603253105

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603256934
Associated Pace Samples:

603253071 603253089 603253097 603253105

Parameter	Units	Method Blank Result	PRL	Footnotes
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	106		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	101		

METHOD BLANK: 603261868
Associated Pace Samples:

603253113 603253121

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603261868
Associated Pace Samples:
603253113 603253121

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	94		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	102		

LABORATORY CONTROL SAMPLE & LCSD: 603256942 603256959

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	5.134	51.3	5.165	51.6	1	
Vinyl Chloride	ug/l	10	5.434	54.3	5.503	55.0	1	
Bromomethane	ug/l	10	6.086	60.9	6.814	68.1	11	
Chloroethane	ug/l	10	7.336	73.4	7.211	72.1	2	
Trichlorofluoromethane	ug/l	10	7.895	79.0	7.770	77.7	2	
Methylene Chloride	ug/l	10	10.58	106	10.95	110	4	
1,1-Dichloroethene	ug/l	10	9.653	96.5	9.566	95.7	1	
trans-1,2-Dichloroethene	ug/l	10	10.10	101	10.27	103	2	
1,1-Dichloroethane	ug/l	10	9.689	96.9	9.534	95.3	2	
cis-1,2-Dichloroethene	ug/l	10	9.588	95.9	9.597	96.0	0	
Chloroform	ug/l	10	9.814	98.1	9.649	96.5	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603256942 603256959

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
1,1,1-Trichloroethane	ug/l	10	9.202	92.0	9.060	90.6	2	
Carbon Tetrachloride	ug/l	10	9.071	90.7	8.850	88.5	2	
Benzene	ug/l	10	9.088	90.9	9.128	91.3	0	
1,2-Dichloroethane	ug/l	10	10.04	100	9.739	97.4	3	
Trichloroethene	ug/l	10	8.901	89.0	9.035	90.4	2	
1,2-Dichloropropane	ug/l	10	9.526	95.3	9.382	93.8	2	
Bromodichloromethane	ug/l	10	10.06	101	9.982	99.8	1	
Toluene	ug/l	10	9.478	94.8	9.576	95.8	1	
1,1,2-Trichloroethane	ug/l	10	10.79	108	11.15	112	4	
Tetrachloroethene	ug/l	10	8.373	83.7	8.666	86.7	4	
Dibromochloromethane	ug/l	10	9.501	95.0	9.726	97.3	2	
Chlorobenzene	ug/l	10	8.993	89.9	9.269	92.7	3	
Ethylbenzene	ug/l	10	8.784	87.8	8.831	88.3	1	
Bromoform	ug/l	10	9.574	95.7	9.936	99.4	4	
1,1,2,2-Tetrachloroethane	ug/l	10	9.480	94.8	9.696	97.0	2	
1,3-Dichlorobenzene	ug/l	10	8.972	89.7	9.068	90.7	1	
1,4-Dichlorobenzene	ug/l	10	9.656	96.6	9.761	97.6	1	
1,2-Dichlorobenzene	ug/l	10	9.396	94.0	9.227	92.3	2	
cis-1,3-Dichloropropene	ug/l	10	10.01	100	10.09	101	1	
trans-1,3-Dichloropropene	ug/l	10	9.593	95.9	9.838	98.4	3	
M&P-Xylene	ug/l	20	18.09	90.5	18.19	91.0	1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.100	91.0	9.142	91.4	0	
Toluene-d8 (S)				98		98		
Dibromofluoromethane (S)				107		103		
4-Bromofluorobenzene (S)				100		100		
1,2-Dichloroethane-d4 (S)				109		101		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6038441
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	Due to high analyte concentration and noted non homogeneity of the QC matrix, the MS/MSD did not provide reliable results for accuracy and precision. Sample results for this QC batch were accepted based on LCS/LCSD percent recoveries.
[2]	The calculated RPD was outside QC acceptance limits due to nonhomogeneous sample matrix.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

RECEIVED MAR 31 2000

Reviewed by TB

March 27, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on March 11, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 03/27/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor
SDG Number: 6039175B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603307893	NIC-GPW-GP03A-06-17-030800	EPA 8260	79801		
603307935	NIC-GPW-GP03A-06-29-030800	EPA 8260	79801		
603307950	NIC-GPW-GP03A-07-17-030800	EPA 8260	79801		
603307968	NIC-GPW-GP03A-07-36-030800	EPA 8260	79801		
603307976	NIC-GPW-GP03A-05-17-030800	EPA 8260	79801		
603307984	NIC-GPW-GP03A-05-32-030800	EPA 8260	79801		
603307992	NIC-GPW-GP02A-03-17-030800	EPA 8260	79801		
603308008	NIC-GPW-GP02A-03-31-030800	EPA 8260	79801		
603308016	NIC-GPW-GP03A-06M-030800	EPA 8260	79801		
603308024	NIC-GPW-GP02A-01-23-030800	EPA 8260	79801		
603308032	NIC-GPW-GP02A-01-32-030800	EPA 8260	79801		
603308040	NIC-GPW-GP02A-02-17-030800	EPA 8260	79801		
603308057	NIC-GPW-GP02A-02-39-030800	EPA 8260	79801		
603308065	NIC-GPW-GP02A-02-28-030800	EPA 8260	79801		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 03/27/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor
SDG Number: 6039175B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a dry weight basis

Pace Sample No: 603307893 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-06-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/17/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/17/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/17/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/17/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/17/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/17/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/17/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/17/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/17/00	DJE	75-34-3	
cis-1,2-Dichloroethene	12	ug/l	1	1.00	03/17/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/17/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/17/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/17/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/17/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/17/00	DJE	107-06-2	
Trichloroethene	64	ug/l	5	5.00	03/17/00	DJE	79-01-6	1 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/17/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/17/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/17/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/17/00	DJE	79-00-5	
Tetrachloroethene	1.7	ug/l	1	1.00	03/17/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/17/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/17/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/17/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/17/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/17/00	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307893 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-06-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/17/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/17/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/17/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/17/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/17/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/17/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/17/00	DJE	95-47-6	
Toluene-d8 (S)	91	%		1.00	03/17/00	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		1.00	03/17/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		1.00	03/17/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%		1.00	03/17/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307935 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-06-29-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/18/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/18/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/18/00	DJE	75-35-4	
trans-1,2-Dichloroethene	2.2	ug/l	1	1.00	03/18/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-34-3	
cis-1,2-Dichloroethene	24	ug/l	1	1.00	03/18/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/18/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/18/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/18/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	107-06-2	
Trichloroethene	130	ug/l	5	5.00	03/18/00	DJE	79-01-6	2 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/18/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/18/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-00-5	
Tetrachloroethene	4.8	ug/l	1	1.00	03/18/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/18/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/18/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/18/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/18/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/18/00	DJE	95-47-6	
Toluene-d8 (S)	91	%		1.00	03/18/00	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		1.00	03/18/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		1.00	03/18/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307935 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-06-29-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	95	%		1.00	03/18/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307950 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-07-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/18/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/18/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/18/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/18/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-34-3	
cis-1,2-Dichloroethene	2.1	ug/l	1	1.00	03/18/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/18/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/18/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/18/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	107-06-2	
Trichloroethene	17	ug/l	1	1.00	03/18/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/18/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/18/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/18/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/18/00	DJE	124-48-1	
Chlorobenzene	3.4	ug/l	1	1.00	03/18/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/18/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/18/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/18/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/18/00	DJE	95-47-6	
Toluene-d8 (S)	94	%		1.00	03/18/00	DJE	2037-26-5	
Dibromofluoromethane (S)	94	%		1.00	03/18/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		1.00	03/18/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307950 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-07-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	93	%		1.00	03/18/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307968 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-07-36-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	1.00	03/18/00	DJE	74-87-3		
Vinyl Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-01-4		
Bromomethane	ND	ug/l	1	1.00	03/18/00	DJE	74-83-9		
Chloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-69-4		
Methylene Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-09-2		
1,1-Dichloroethene	ND	ug/l	1	1.00	03/18/00	DJE	75-35-4		
trans-1,2-Dichloroethene	3.8	ug/l	1	1.00	03/18/00	DJE	156-60-5		
1,1-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-34-3		
cis-1,2-Dichloroethene	41	ug/l	10	10.0	03/18/00	DJE	156-59-2	3	D
Chloroform	ND	ug/l	1	1.00	03/18/00	DJE	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	1.00	03/18/00	DJE	56-23-5		
Benzene	ND	ug/l	1	1.00	03/18/00	DJE	71-43-2		
1,2-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	107-06-2		
Trichloroethene	240	ug/l	10	10.0	03/18/00	DJE	79-01-6	4	D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/18/00	DJE	78-87-5		
Bromodichloromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-27-4		
Toluene	ND	ug/l	1	1.00	03/18/00	DJE	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-00-5		
Tetrachloroethene	7.8	ug/l	1	1.00	03/18/00	DJE	127-18-4		
Dibromochloromethane	ND	ug/l	1	1.00	03/18/00	DJE	124-48-1		
Chlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	108-90-7		
Ethylbenzene	ND	ug/l	1	1.00	03/18/00	DJE	100-41-4		
Bromoform	ND	ug/l	1	1.00	03/18/00	DJE	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-02-6		
M&P-Xylene	ND	ug/l	1.3	1.00	03/18/00	DJE			
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/18/00	DJE	95-47-6		
Toluene-d8 (S)	92	%		1.00	03/18/00	DJE	2037-26-5		
Dibromofluoromethane (S)	96	%		1.00	03/18/00	DJE	1868-53-7		
4-Bromofluorobenzene (S)	103	%		1.00	03/18/00	DJE	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307968 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-07-36-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		1.00	03/18/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307976 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-05-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/18/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/18/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/18/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/18/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-34-3	
cis-1,2-Dichloroethene	6.5	ug/l	1	1.00	03/18/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/18/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/18/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/18/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	107-06-2	
Trichloroethene	40	ug/l	1	1.00	03/18/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/18/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/18/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/18/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/18/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/18/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/18/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/18/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/18/00	DJE	95-47-6	
Toluene-d8 (S)	87	%		1.00	03/18/00	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		1.00	03/18/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		1.00	03/18/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307976 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-05-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		1.00	03/18/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307984 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-05-32-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/20/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	17	ug/l	1	1.00	03/20/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	107-06-2	
Trichloroethene	48	ug/l	5	5.00	03/20/00	DJE	79-01-6	1 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/20/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		1.00	03/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		1.00	03/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		1.00	03/20/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307984 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-05-32-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	03/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307992 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-03-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/20/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/20/00	DJE	95-47-6	
Toluene-d8 (S)	97	%		1.00	03/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	101	%		1.00	03/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	106	%		1.00	03/20/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603307992 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-03-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		1.00	03/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308008 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-03-31-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/20/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/20/00	DJE	95-47-6	
Toluene-d8 (S)	90	%		1.00	03/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		1.00	03/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		1.00	03/20/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308008 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-03-31-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		1.00	03/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308016 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-06M-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/20/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/20/00	DJE	124-48-1	
Chlorobenzene	1.0	ug/l	1	1.00	03/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/20/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		1.00	03/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		1.00	03/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		1.00	03/20/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308016 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP03A-06M-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		1.00	03/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308024 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-01-23-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/20/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/20/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/20/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/20/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	75-34-3	
cis-1,2-Dichloroethene	2.0	ug/l	1	1.00	03/20/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/20/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/20/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/20/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	107-06-2	
Trichloroethene	36	ug/l	1	1.00	03/20/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/20/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/20/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/20/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/20/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/20/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/20/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/20/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/20/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/20/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/20/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/20/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/20/00	DJE	95-47-6	
Toluene-d8 (S)	90	%		1.00	03/20/00	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		1.00	03/20/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		1.00	03/20/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308024 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-01-23-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		1.00	03/20/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308032 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-01-32-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/18/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/18/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/18/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/18/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/18/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/18/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/18/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/18/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/18/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	107-06-2	
Trichloroethene	47	ug/l	1	1.00	03/18/00	DJE	79-01-6	5 E
1,2-Dichloropropane	ND	ug/l	1	1.00	03/18/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/18/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/18/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/18/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/18/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/18/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/18/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/18/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/18/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/18/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/18/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/18/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		1.00	03/18/00	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		1.00	03/18/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		1.00	03/18/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308032 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-01-32-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		1.00	03/18/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308040 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-02-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/21/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/21/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/21/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/21/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	DJE	95-47-6	
Toluene-d8 (S)	92	%		1.00	03/21/00	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		1.00	03/21/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		1.00	03/21/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308040 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-02-17-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		1.00	03/21/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308057 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-02-39-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/21/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/21/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/21/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	107-06-2	
Trichloroethene	3.9	ug/l	1	1.00	03/21/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/21/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	DJE	95-47-6	
Toluene-d8 (S)	88	%		1.00	03/21/00	DJE	2037-26-5	
Dibromofluoromethane (S)	99	%		1.00	03/21/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		1.00	03/21/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308057 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-02-39-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		1.00	03/21/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308065 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-02-28-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/21/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/21/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/21/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	107-06-2	
Trichloroethene	27	ug/l	1	1.00	03/21/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/21/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	DJE	95-47-6	
Toluene-d8 (S)	91	%		1.00	03/21/00	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		1.00	03/21/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	108	%		1.00	03/21/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308065 Date Collected: 03/08/00 Matrix: Water
Client Sample ID: NIC-GPW-GP02A-02-28-030800 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		1.00	03/21/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
App. DF	Applied Dilution Factor
[1]	This result is from a 1:5 dilution on 3/21/00.
[2]	This result is from a 1:5 dilution on 3/20/00.
[3]	This result is from a 1:10 dilution on 3/20/00
[4]	This result is from a 1:10 dilution on 3/20/00.
[5]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor
SDG Number: 6039175B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 79801
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603307893 603307935 603307950 603307968 603307976 603307984 603307992 603308008 603308016 603308024 603308032 603308040 603308057 603308065

METHOD BLANK: 603322603
Associated Pace Samples:
603307893

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603322603
Associated Pace Samples:
603307893

Parameter	Units	Method Blank Result	PRL	Footnotes
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	102		
Dibromofluoromethane (S)	%	94		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	96		

METHOD BLANK: 603333303
Associated Pace Samples:
603307935 603307950 603307968 603307976 603308032

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603333303
Associated Pace Samples:

603307935 603307950 603307968 603307976 603308032

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	93		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	94		

METHOD BLANK: 603333311
Associated Pace Samples:

603307984 603307992 603308008 603308016 603308024

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603333311
Associated Pace Samples:
603307984 603307992 603308008 603308016 603308024

Parameter	Units	Method Blank Result	PRL	Footnotes
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	96		
4-Bromofluorobenzene (S)	%	104		
1,2-Dichloroethane-d4 (S)	%	97		

METHOD BLANK: 603333329
Associated Pace Samples:
603308040 603308057 603308065

Parameter	Units	Method Blank Result	PRL	Footnotes

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603333329
Associated Pace Samples:
603308040 603308057 603308065

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	101		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	103		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603322611 603322629

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	9.393	93.9	9.377	93.8	0	
Vinyl Chloride	ug/l	10	10.66	107	10.71	107	0	
Bromomethane	ug/l	10	21.69	217	22.10	221	2	1
Chloroethane	ug/l	10	10.61	106	10.54	105	1	
Trichlorofluoromethane	ug/l	10	11.11	111	11.28	113	2	
Methylene Chloride	ug/l	10	10.34	103	10.40	104	1	
1,1-Dichloroethene	ug/l	10	11.14	111	11.28	113	2	
trans-1,2-Dichloroethene	ug/l	10	11.53	115	11.39	114	1	
1,1-Dichloroethane	ug/l	10	11.24	112	11.10	111	1	
cis-1,2-Dichloroethene	ug/l	10	10.24	102	10.37	104	2	
Chloroform	ug/l	10	11.02	110	10.88	109	1	
1,1,1-Trichloroethane	ug/l	10	11.48	115	11.39	114	1	
Carbon Tetrachloride	ug/l	10	11.41	114	11.55	115	1	
Benzene	ug/l	10	11.03	110	10.95	109	1	
1,2-Dichloroethane	ug/l	10	10.61	106	10.51	105	1	
Trichloroethene	ug/l	10	12.92	129	12.61	126	2	
1,2-Dichloropropane	ug/l	10	10.84	108	10.65	106	2	
Bromodichloromethane	ug/l	10	10.71	107	10.74	107	0	
Toluene	ug/l	10	11.19	112	11.01	110	2	
1,1,2-Trichloroethane	ug/l	10	9.930	99.3	9.891	98.9	0	
Tetrachloroethene	ug/l	10	10.89	109	10.89	109	0	
Dibromochloromethane	ug/l	10	9.716	97.2	9.607	96.1	1	
Chlorobenzene	ug/l	10	9.906	99.1	9.858	98.6	1	
Ethylbenzene	ug/l	10	11.18	112	10.88	109	3	
Bromoform	ug/l	10	9.015	90.2	8.829	88.3	2	
1,1,2,2-Tetrachloroethane	ug/l	10	7.642	76.4	7.843	78.4	3	
1,3-Dichlorobenzene	ug/l	10	10.40	104	10.37	104	0	
1,4-Dichlorobenzene	ug/l	10	9.888	98.9	9.900	99.0	0	
1,2-Dichlorobenzene	ug/l	10	10.18	102	10.30	103	1	
cis-1,3-Dichloropropene	ug/l	10	10.60	106	10.56	106	0	
trans-1,3-Dichloropropene	ug/l	10	9.832	98.3	9.853	98.5	0	
M&P-Xylene	ug/l	20	22.10	111	21.56	108	3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	11.26	113	10.84	108	5	
Toluene-d8 (S)				101		100		
Dibromofluoromethane (S)				94		94		
4-Bromofluorobenzene (S)				95		94		
1,2-Dichloroethane-d4 (S)				94		93		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039175
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 161%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Frank Winslow
		Date Sampled:	3/8/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6039175
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank P. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP03A-06-17-030800	9:04	Water		3					X	X														603307893
2	NIC-GPW-GP03A-06-29-030800	9:15	Water		3					X	X														603307935
3	NIC-GPW-GP03A-07-17-030800	9:45	Water		3					X	X														603307958
4	NIC-GPW-GP03A-07-36-030800	9:59	Water		3					X	X														603307968
5	NIC-GPW-GP03A-05-17-030800	10:35	Water		3					X	X														603307976
6	NIC-GPW-GP03A-05-32-030800	10:48	Water		3					X	X														603307984
7	NIC-GPW-GP02A-03-17-030800	12:35	Water		3					X	X														603307992
8	NIC-GPW-GP02A-03-31-030800	12:56	Water		3					X	X														603308008
9	NIC-GPW-GP03A-06M-030800	8:00	Water		3					X	X														603308016

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-9	Frank Winslow	TSAP	3/10/00	16:00
		[illegible]	3/11/00	09:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Frank Winslow
		Date Sampled:	3/8/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6039175
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank P Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP02A-01-23-030800	14:05	Water		3					X	X													603308024
2	NIC-GPW-GP02A-01-32-030800	13:50	Water		3					X	X													603308032
3	NIC-GPW-GP02A-02-17-030800	14:33	Water		3					X	X													603308040
4	NIC-GPW-GP02A-02-39-030800	14:49	Water		3					X	X													603308057
5	NIC-GPW-GP02A-02-28-030800	15:00	Water		3					X	X													603308065

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-5	Frank Winslow	ASAP	3/10/00	16:00
		R RQ	3/11/00	0900

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

RECEIVED MAR 31 2000

March 27, 2000

Roswell
by JB

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on March 11, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 03/27/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor
SDG Number: 6039179B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603308164	NIC-GPW-GP10F-08-17-030900	EPA 8260	79971		
603308172	NIC-GPW-GP10F-08-39-030900	EPA 8260	79971		
603308180	NIC-GPW-GP10F-08-28-030900	EPA 8260	79971		
603308198	NIC-GPW-GP10F-05-17-030900	EPA 8260	79971		
603308206	NIC-GPW-GP10F-05-35-030900	EPA 8260	79971		
603308214	NIC-GPW-GP10F-05-24-030900	EPA 8260	79971		
603308222	NIC-GPW-GP10F-04-20-030900	EPA 8260	79971		
603308230	NIC-GPW-GP10F-04-26-030900	EPA 8260	79971		
603308248	NIC-GPW-GP10F-04-35-030900	EPA 8260	79971		
603308255	NIC-GPW-GP10F-03-17-030900	EPA 8260	79971		
603308263	NIC-GPW-GP10F-03-26-030900	EPA 8260	79971		
603308271	NIC-GPW-GP10F-03-36-030900	EPA 8260	79971		
603308289	NIC-GPW-GP10F-02-26-031000	EPA 8260	79971		
603308537	NIC-GPW-GP10F-02-35-031000	EPA 8260	79971		
603308545	NIC-GPW-GP10F-01N-031000	EPA 8260	79971		
603308552	NIC-GPW-GP10F-01-18-031000	EPA 8260	79971		
603308578	NIC-GPW-GP10F-01-26-031000	EPA 8260	79971		
603308743	NIC-GPW-GP10F-01-37-031000	EPA 8260	79971		
603308792	NIC-GPW-GP10F-01P-031000	EPA 8260	79971		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 03/27/00
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor
SDG Number: 6039179B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a dry weight basis

Pace Sample No: 603308164 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-08-17-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/22/00	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/22/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/22/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/22/00	JSR	56-23-5	
Benzene	290	ug/l	10	10.0	03/22/00	JSR	71-43-2	1 D
1,2-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/22/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-27-4	
Toluene	8.1	ug/l	1	1.00	03/22/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/22/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	108-90-7	
Ethylbenzene	38	ug/l	1	1.00	03/22/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/22/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308164 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-08-17-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-02-6	
M&P-Xylene	21	ug/l	1.3	1.00	03/22/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/22/00	JSR	95-47-6	
Toluene-d8 (S)	106	%		1.00	03/22/00	JSR	2037-26-5	
Dibromofluoromethane (S)	82	%		1.00	03/22/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	106	%		1.00	03/22/00	JSR	460-00-4	
1,2-Dichloroethane-d4 (S)	88	%		1.00	03/22/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308172 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-08-39-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes	
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
Chloromethane	ND	ug/l	1	1.00	03/22/00	JSR	74-87-3		
Vinyl Chloride	2.9	ug/l	1	1.00	03/22/00	JSR	75-01-4		
Bromomethane	ND	ug/l	1	1.00	03/22/00	JSR	74-83-9		
Chloroethane	2.3	ug/l	1	1.00	03/22/00	JSR	75-00-3		
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-69-4		
Methylene Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-09-2		
1,1-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	75-35-4		
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-60-5		
1,1-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-34-3		
cis-1,2-Dichloroethene	16	ug/l	1	1.00	03/22/00	JSR	156-59-2		
Chloroform	ND	ug/l	1	1.00	03/22/00	JSR	67-66-3		
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	71-55-6		
Carbon Tetrachloride	ND	ug/l	1	1.00	03/22/00	JSR	56-23-5		
Benzene	280	ug/l	10	10.0	03/22/00	JSR	71-43-2	1	D
1,2-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	107-06-2		
Trichloroethene	3.3	ug/l	1	1.00	03/22/00	JSR	79-01-6		
1,2-Dichloropropane	ND	ug/l	1	1.00	03/22/00	JSR	78-87-5		
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-27-4		
Toluene	33	ug/l	1	1.00	03/22/00	JSR	108-88-3		
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-00-5		
Tetrachloroethene	ND	ug/l	1	1.00	03/22/00	JSR	127-18-4		
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	JSR	124-48-1		
Chlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	108-90-7		
Ethylbenzene	150	ug/l	10	10.0	03/22/00	JSR	100-41-4	1	D
Bromoform	ND	ug/l	1	1.00	03/22/00	JSR	75-25-2		
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-34-5		
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	106-46-7		
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	95-50-1		
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-02-6		
M&P-Xylene	200	ug/l	13	10.0	03/22/00	JSR		1	D
O-Xylene (1,2-Dimethylbenzene)	6.6	ug/l	1.1	1.00	03/22/00	JSR	95-47-6		
Toluene-d8 (S)	103	%		1.00	03/22/00	JSR	2037-26-5		
Dibromofluoromethane (S)	101	%		1.00	03/22/00	JSR	1868-53-7		
4-Bromofluorobenzene (S)	107	%		1.00	03/22/00	JSR	460-00-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308172 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-08-39-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	117	%		1.00	03/22/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308180 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-08-28-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/22/00	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/22/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/22/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/22/00	JSR	56-23-5	
Benzene	160	ug/l	10	10.0	03/22/00	JSR	71-43-2	1 D
1,2-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/22/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-27-4	
Toluene	130	ug/l	10	10.0	03/22/00	JSR	108-88-3	1 D
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/22/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	108-90-7	
Ethylbenzene	180	ug/l	10	10.0	03/22/00	JSR	100-41-4	1 D
Bromoform	ND	ug/l	1	1.00	03/22/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-02-6	
M&P-Xylene	220	ug/l	13	10.0	03/22/00	JSR		1 D
O-Xylene (1,2-Dimethylbenzene)	38	ug/l	1.1	1.00	03/22/00	JSR	95-47-6	
Toluene-d8 (S)	114	%		1.00	03/22/00	JSR	2037-26-5	
Dibromofluoromethane (S)	102	%		1.00	03/22/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	111	%		1.00	03/22/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308180 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-08-28-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	116	%		1.00	03/22/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308198 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-05-17-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/22/00	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/22/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-60-5	
1,1-Dichloroethane	5.3	ug/l	1	1.00	03/22/00	JSR	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/22/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/22/00	JSR	56-23-5	
Benzene	1500	ug/l	25	25.0	03/22/00	JSR	71-43-2	2,3 D,E
1,2-Dichloroethane	45	ug/l	1	1.00	03/22/00	JSR	107-06-2	3 E
Trichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/22/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-27-4	
Toluene	85	ug/l	25	25.0	03/22/00	JSR	108-88-3	2 D
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/22/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	108-90-7	
Ethylbenzene	250	ug/l	25	25.0	03/22/00	JSR	100-41-4	2 D
Bromoform	ND	ug/l	1	1.00	03/22/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-02-6	
M&P-Xylene	210	ug/l	32	25.0	03/22/00	JSR		2 D
O-Xylene (1,2-Dimethylbenzene)	18	ug/l	1.1	1.00	03/22/00	JSR	95-47-6	
Toluene-d8 (S)	98	%		1.00	03/22/00	JSR	2037-26-5	
Dibromofluoromethane (S)	95	%		1.00	03/22/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	101	%		1.00	03/22/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308198 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-05-17-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	89	%		1.00	03/22/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308206 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-05-35-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/21/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	75-35-4	
trans-1,2-Dichloroethene	4.5	ug/l	1	1.00	03/21/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	75-34-3	
cis-1,2-Dichloroethene	42	ug/l	10	10.0	03/21/00	DJE	156-59-2	1 D
Chloroform	ND	ug/l	1	1.00	03/21/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	DJE	56-23-5	
Benzene	2.0	ug/l	1	1.00	03/21/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	107-06-2	
Trichloroethene	260	ug/l	10	10.0	03/21/00	DJE	79-01-6	1 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-00-5	
Tetrachloroethene	3.5	ug/l	1	1.00	03/21/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		1.00	03/21/00	DJE	2037-26-5	
Dibromofluoromethane (S)	97	%		1.00	03/21/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	93	%		1.00	03/21/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308206 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-05-35-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		1.00	03/21/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308214 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-05-24-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	DJE	74-87-3	
Vinyl Chloride	3.1	ug/l	1	1.00	03/21/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	DJE	156-60-5	
1,1-Dichloroethane	8.6	ug/l	1	1.00	03/21/00	DJE	75-34-3	
cis-1,2-Dichloroethene	2.4	ug/l	1	1.00	03/21/00	DJE	156-59-2	
Chloroform	1.6	ug/l	1	1.00	03/21/00	DJE	67-66-3	
1,1,1-Trichloroethane	11	ug/l	1	1.00	03/21/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	DJE	56-23-5	
Benzene	40	ug/l	1	1.00	03/21/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	107-06-2	
Trichloroethene	3.9	ug/l	1	1.00	03/21/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	DJE	75-27-4	
Toluene	2.5	ug/l	1	1.00	03/21/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/21/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	108-90-7	
Ethylbenzene	46	ug/l	1	1.00	03/21/00	DJE	100-41-4	3 D
Bromoform	ND	ug/l	1	1.00	03/21/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	DJE	95-47-6	
Toluene-d8 (S)	94	%		1.00	03/21/00	DJE	2037-26-5	
Dibromofluoromethane (S)	96	%		1.00	03/21/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		1.00	03/21/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308214 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-05-24-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	03/21/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308222 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-04-20-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/22/00	JSR	74-87-3	
Vinyl Chloride	1.7	ug/l	1	1.00	03/22/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/22/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-60-5	
1,1-Dichloroethane	1.1	ug/l	1	1.00	03/22/00	JSR	75-34-3	
cis-1,2-Dichloroethene	4.6	ug/l	1	1.00	03/22/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/22/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/22/00	JSR	56-23-5	
Benzene	310	ug/l	10	10.0	03/22/00	JSR	71-43-2	1 D
1,2-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/22/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-27-4	
Toluene	28	ug/l	1	1.00	03/22/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/22/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	108-90-7	
Ethylbenzene	380	ug/l	10	10.0	03/22/00	JSR	100-41-4	1 D
Bromoform	ND	ug/l	1	1.00	03/22/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-02-6	
M&P-Xylene	63	ug/l	1.3	1.00	03/22/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	6.1	ug/l	1.1	1.00	03/22/00	JSR	95-47-6	
Toluene-d8 (S)	101	%		1.00	03/22/00	JSR	2037-26-5	
Dibromofluoromethane (S)	90	%		1.00	03/22/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	99	%		1.00	03/22/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308222 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-04-20-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	90	%		1.00	03/22/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308230 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-04-26-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	JSR	74-87-3	
Vinyl Chloride	6.7	ug/l	1	1.00	03/21/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	JSR	74-83-9	
Chloroethane	1.2	ug/l	1	1.00	03/21/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-09-2	
1,1-Dichloroethene	2.8	ug/l	1	1.00	03/21/00	JSR	75-35-4	
trans-1,2-Dichloroethene	2.6	ug/l	1	1.00	03/21/00	JSR	156-60-5	
1,1-Dichloroethane	5.1	ug/l	1	1.00	03/21/00	JSR	75-34-3	
cis-1,2-Dichloroethene	36	ug/l	1	1.00	03/21/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/21/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	JSR	56-23-5	
Benzene	24	ug/l	1	1.00	03/21/00	JSR	71-43-2	
1,2-Dichloroethane	2.2	ug/l	1	1.00	03/21/00	JSR	107-06-2	
Trichloroethene	37	ug/l	1	1.00	03/21/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-27-4	
Toluene	1.8	ug/l	1	1.00	03/21/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-00-5	
Tetrachloroethene	70	ug/l	5	5.00	03/21/00	JSR	127-18-4	4 D
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	108-90-7	
Ethylbenzene	23	ug/l	1	1.00	03/21/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-02-6	
M&P-Xylene	4.3	ug/l	1.3	1.00	03/21/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	JSR	95-47-6	
Toluene-d8 (S)	96	%		1.00	03/21/00	JSR	2037-26-5	
Dibromofluoromethane (S)	99	%		1.00	03/21/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	96	%		1.00	03/21/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308230 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-04-26-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		1.00	03/21/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308248 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-04-35-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	JSR	74-87-3	
Vinyl Chloride	13	ug/l	1	1.00	03/21/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	75-35-4	
trans-1,2-Dichloroethene	2.0	ug/l	1	1.00	03/21/00	JSR	156-60-5	
1,1-Dichloroethane	2.8	ug/l	1	1.00	03/21/00	JSR	75-34-3	
cis-1,2-Dichloroethene	54	ug/l	1	1.00	03/21/00	JSR	156-59-2	3 E
Chloroform	ND	ug/l	1	1.00	03/21/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	JSR	56-23-5	
Benzene	3.1	ug/l	1	1.00	03/21/00	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	107-06-2	
Trichloroethene	8.3	ug/l	1	1.00	03/21/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-00-5	
Tetrachloroethene	1.6	ug/l	1	1.00	03/21/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	108-90-7	
Ethylbenzene	1.5	ug/l	1	1.00	03/21/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	JSR	95-47-6	
Toluene-d8 (S)	96	%		1.00	03/21/00	JSR	2037-26-5	
Dibromofluoromethane (S)	96	%		1.00	03/21/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	94	%		1.00	03/21/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308248 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-04-35-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	94	%		1.00	03/21/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308255 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-03-17-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	JSR	74-87-3	
Vinyl Chloride	1.6	ug/l	1	1.00	03/21/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-69-4	
Methylene Chloride	1.5	ug/l	1	1.00	03/21/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	75-35-4	
trans-1,2-Dichloroethene	1.3	ug/l	1	1.00	03/21/00	JSR	156-60-5	
1,1-Dichloroethane	1.7	ug/l	1	1.00	03/21/00	JSR	75-34-3	
cis-1,2-Dichloroethene	26	ug/l	1	1.00	03/21/00	JSR	156-59-2	
Chloroform	28	ug/l	1	1.00	03/21/00	JSR	67-66-3	
1,1,1-Trichloroethane	2.7	ug/l	1	1.00	03/21/00	JSR	71-55-6	
Carbon Tetrachloride	20	ug/l	1	1.00	03/21/00	JSR	56-23-5	
Benzene	32	ug/l	1	1.00	03/21/00	JSR	71-43-2	
1,2-Dichloroethane	1.4	ug/l	1	1.00	03/21/00	JSR	107-06-2	
Trichloroethene	70	ug/l	5	5.00	03/21/00	JSR	79-01-6	4 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	JSR	108-88-3	
1,1,2-Trichloroethane	2.0	ug/l	1	1.00	03/21/00	JSR	79-00-5	
Tetrachloroethene	52	ug/l	1	1.00	03/21/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	JSR	95-47-6	
Toluene-d8 (S)	89	%		1.00	03/21/00	JSR	2037-26-5	
Dibromofluoromethane (S)	98	%		1.00	03/21/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	96	%		1.00	03/21/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308255 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-03-17-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	99	%		1.00	03/21/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308263 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-03-26-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-34-3	
cis-1,2-Dichloroethene	16	ug/l	1	1.00	03/21/00	JSR	156-59-2	
Chloroform	15	ug/l	1	1.00	03/21/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	71-55-6	
Carbon Tetrachloride	15	ug/l	1	1.00	03/21/00	JSR	56-23-5	
Benzene	26	ug/l	1	1.00	03/21/00	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	107-06-2	
Trichloroethene	68	ug/l	5	5.00	03/21/00	JSR	79-01-6	4 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-00-5	
Tetrachloroethene	7.1	ug/l	1	1.00	03/21/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	JSR	95-47-6	
Toluene-d8 (S)	91	%		1.00	03/21/00	JSR	2037-26-5	
Dibromofluoromethane (S)	98	%		1.00	03/21/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	95	%		1.00	03/21/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308263 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-03-26-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		1.00	03/21/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308271 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-03-36-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	75-35-4	
trans-1,2-Dichloroethene	2.2	ug/l	1	1.00	03/21/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-34-3	
cis-1,2-Dichloroethene	21	ug/l	1	1.00	03/21/00	JSR	156-59-2	
Chloroform	2.0	ug/l	1	1.00	03/21/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	71-55-6	
Carbon Tetrachloride	2.2	ug/l	1	1.00	03/21/00	JSR	56-23-5	
Benzene	1.3	ug/l	1	1.00	03/21/00	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	107-06-2	
Trichloroethene	70	ug/l	5	5.00	03/21/00	JSR	79-01-6	4 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-00-5	
Tetrachloroethene	1.7	ug/l	1	1.00	03/21/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	JSR	95-47-6	
Toluene-d8 (S)	92	%		1.00	03/21/00	JSR	2037-26-5	
Dibromofluoromethane (S)	99	%		1.00	03/21/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	94	%		1.00	03/21/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308271 Date Collected: 03/09/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-03-36-030900 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	03/21/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308289 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-02-26-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-34-3	
cis-1,2-Dichloroethene	1.5	ug/l	1	1.00	03/21/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/21/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	JSR	56-23-5	
Benzene	ND	ug/l	1	1.00	03/21/00	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/21/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	JSR	95-47-6	
Toluene-d8 (S)	85	%		1.00	03/21/00	JSR	2037-26-5	
Dibromofluoromethane (S)	96	%		1.00	03/21/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	92	%		1.00	03/21/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308289 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-02-26-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		1.00	03/21/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308537 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-02-35-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	75-35-4	
trans-1,2-Dichloroethene	3.2	ug/l	1	1.00	03/21/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-34-3	
cis-1,2-Dichloroethene	29	ug/l	1	1.00	03/21/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/21/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	JSR	56-23-5	
Benzene	ND	ug/l	1	1.00	03/21/00	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	107-06-2	
Trichloroethene	130	ug/l	5	5.00	03/21/00	JSR	79-01-6	4 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-00-5	
Tetrachloroethene	1.8	ug/l	1	1.00	03/21/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	JSR	95-47-6	
Toluene-d8 (S)	89	%		1.00	03/21/00	JSR	2037-26-5	
Dibromofluoromethane (S)	113	%		1.00	03/21/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	93	%		1.00	03/21/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308537 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-02-35-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		1.00	03/21/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308545 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01N-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/21/00	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/21/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/21/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/21/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/21/00	JSR	56-23-5	
Benzene	ND	ug/l	1	1.00	03/21/00	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/21/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/21/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/21/00	JSR	75-27-4	
Toluene	ND	ug/l	1	1.00	03/21/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/21/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/21/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/21/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/21/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/21/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/21/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/21/00	JSR	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/21/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/21/00	JSR	95-47-6	
Toluene-d8 (S)	82	%		1.00	03/21/00	JSR	2037-26-5	
Dibromofluoromethane (S)	104	%		1.00	03/21/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	94	%		1.00	03/21/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308545 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01N-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	96	%		1.00	03/21/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308552 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01-18-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	13	ug/l	1	1.00	03/22/00	JSR	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/22/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/22/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/22/00	JSR	56-23-5	
Benzene	250	ug/l	10	10.0	03/22/00	JSR	71-43-2	1 D
1,2-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/22/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-27-4	
Toluene	40	ug/l	1	1.00	03/22/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/22/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	108-90-7	
Ethylbenzene	40	ug/l	1	1.00	03/22/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/22/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-02-6	
M&P-Xylene	56	ug/l	1.3	1.00	03/22/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	9.1	ug/l	1.1	1.00	03/22/00	JSR	95-47-6	
Toluene-d8 (S)	108	%		1.00	03/22/00	JSR	2037-26-5	
Dibromofluoromethane (S)	85	%		1.00	03/22/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	112	%		1.00	03/22/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308552 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01-18-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	89	%		1.00	03/22/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308578 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01-26-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	2.7	ug/l	1	1.00	03/22/00	JSR	74-87-3	
Vinyl Chloride	3.3	ug/l	1	1.00	03/22/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/22/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-34-3	
cis-1,2-Dichloroethene	23	ug/l	1	1.00	03/22/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/22/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/22/00	JSR	56-23-5	
Benzene	74	ug/l	5	5.00	03/22/00	JSR	71-43-2	4 D
1,2-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	107-06-2	
Trichloroethene	20	ug/l	1	1.00	03/22/00	JSR	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/22/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-27-4	
Toluene	5.9	ug/l	1	1.00	03/22/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/22/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	108-90-7	
Ethylbenzene	40	ug/l	5	5.00	03/22/00	JSR	100-41-4	4 D
Bromoform	ND	ug/l	1	1.00	03/22/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-02-6	
M&P-Xylene	20	ug/l	1.3	1.00	03/22/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/22/00	JSR	95-47-6	
Toluene-d8 (S)	104	%		1.00	03/22/00	JSR	2037-26-5	
Dibromofluoromethane (S)	103	%		1.00	03/22/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	107	%		1.00	03/22/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308578 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01-26-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	100	%		1.00	03/22/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308743 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01-37-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/22/00	JSR	74-87-3	
Vinyl Chloride	1.6	ug/l	1	1.00	03/22/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/22/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/22/00	JSR	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-34-3	
cis-1,2-Dichloroethene	25	ug/l	1	1.00	03/22/00	JSR	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/22/00	JSR	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/22/00	JSR	56-23-5	
Benzene	19	ug/l	1	1.00	03/22/00	JSR	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	107-06-2	
Trichloroethene	84	ug/l	5	5.00	03/22/00	JSR	79-01-6	4 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/22/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-27-4	
Toluene	4.1	ug/l	1	1.00	03/22/00	JSR	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/22/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	JSR	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	108-90-7	
Ethylbenzene	38	ug/l	1	1.00	03/22/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/22/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-02-6	
M&P-Xylene	14	ug/l	1.3	1.00	03/22/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/22/00	JSR	95-47-6	
Toluene-d8 (S)	106	%		1.00	03/22/00	JSR	2037-26-5	
Dibromofluoromethane (S)	91	%		1.00	03/22/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	104	%		1.00	03/22/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308743 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01-37-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	98	%		1.00	03/22/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308792 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01P-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/22/00	JSR	74-87-3	
Vinyl Chloride	5.2	ug/l	1	1.00	03/22/00	JSR	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/22/00	JSR	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-69-4	
Methylene Chloride	13	ug/l	1	1.00	03/22/00	JSR	75-09-2	
1,1-Dichloroethene	13	ug/l	1	1.00	03/22/00	JSR	75-35-4	
trans-1,2-Dichloroethene	13	ug/l	1	1.00	03/22/00	JSR	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/22/00	JSR	75-34-3	
cis-1,2-Dichloroethene	13	ug/l	1	1.00	03/22/00	JSR	156-59-2	
Chloroform	1.2	ug/l	1	1.00	03/22/00	JSR	67-66-3	
1,1,1-Trichloroethane	11	ug/l	1	1.00	03/22/00	JSR	71-55-6	
Carbon Tetrachloride	6.8	ug/l	1	1.00	03/22/00	JSR	56-23-5	
Benzene	11	ug/l	1	1.00	03/22/00	JSR	71-43-2	
1,2-Dichloroethane	7.7	ug/l	1	1.00	03/22/00	JSR	107-06-2	
Trichloroethene	17	ug/l	1	1.00	03/22/00	JSR	79-01-6	
1,2-Dichloropropane	13	ug/l	1	1.00	03/22/00	JSR	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	JSR	75-27-4	
Toluene	12	ug/l	1	1.00	03/22/00	JSR	108-88-3	
1,1,2-Trichloroethane	8.8	ug/l	1	1.00	03/22/00	JSR	79-00-5	
Tetrachloroethene	8.2	ug/l	1	1.00	03/22/00	JSR	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	JSR	124-48-1	
Chlorobenzene	10	ug/l	1	1.00	03/22/00	JSR	108-90-7	
Ethylbenzene	8.5	ug/l	1	1.00	03/22/00	JSR	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/22/00	JSR	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	JSR	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	JSR	541-73-1	
1,4-Dichlorobenzene	15	ug/l	1	1.00	03/22/00	JSR	106-46-7	
1,2-Dichlorobenzene	9.4	ug/l	1	1.00	03/22/00	JSR	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	JSR	10061-02-6	
M&P-Xylene	15	ug/l	1.3	1.00	03/22/00	JSR		
O-Xylene (1,2-Dimethylbenzene)	8.1	ug/l	1.1	1.00	03/22/00	JSR	95-47-6	
Toluene-d8 (S)	93	%		1.00	03/22/00	JSR	2037-26-5	
Dibromofluoromethane (S)	100	%		1.00	03/22/00	JSR	1868-53-7	
4-Bromofluorobenzene (S)	100	%		1.00	03/22/00	JSR	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603308792 Date Collected: 03/10/00 Matrix: Water
Client Sample ID: NIC-GPW-GP10F-01P-031000 Date Received: 03/11/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	03/22/00	JSR	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
App. DF	Applied Dilution Factor
[1]	This result is from a 1:10 dilution on 3/22/00.
[2]	This result is from a 1:25 dilution on 3/22/00.
[3]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[4]	This result is from a 1:5 dilution on 3/22/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor
SDG Number: 6039179B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 79971
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603308164 603308172 603308180 603308198 603308206 603308214 603308222 603308230 603308248 603308255 603308263 603308271 603308289 603308537 603308545 603308552 603308578 603308743 603308792

METHOD BLANK: 603329194
Associated Pace Samples:
603308206 603308214 603308230 603308248 603308255 603308263 603308271 603308289 603308537

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603329194
Associated Pace Samples:

603308206 603308214 603308230 603308248 603308255 603308263 603308271
603308289 603308537

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	107		
Dibromofluoromethane (S)	%	104		
4-Bromofluorobenzene (S)	%	97		
1,2-Dichloroethane-d4 (S)	%	99		

METHOD BLANK: 603333444
Associated Pace Samples:

603308164 603308172 603308180 603308198 603308222 603308545 603308552
603308578 603308743 603308792

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603333444
Associated Pace Samples:
603308164 603308172 603308180 603308198 603308222 603308545 603308552
603308578 603308743 603308792

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	110		
4-Bromofluorobenzene (S)	%	94		
1,2-Dichloroethane-d4 (S)	%	96		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603329202 603329210

Parameter	Units	603308743	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10	8.814	88.1	11.45	114	26	1
Benzene	ug/l	19.46	10	26.44	69.7	31.14	117	51	2,3
Trichloroethene	ug/l	83.75	10	95.33	116	105.6	218	61	4
Toluene	ug/l	4.134	10	11.98	78.4	14.24	101	25	5
Chlorobenzene	ug/l	0	10	9.038	90.4	11.73	117	26	6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603329202 603329210

Parameter	Units	603308743	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Toluene-d8 (S)					102		99		
Dibromofluoromethane (S)					95		100		
4-Bromofluorobenzene (S)					106		100		
1,2-Dichloroethane-d4 (S)					100		102		

LABORATORY CONTROL SAMPLE: 603329228

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Chloromethane	ug/l	10	7.129	71.3	
Vinyl Chloride	ug/l	10	7.383	73.8	
Bromomethane	ug/l	10	7.192	71.9	
Chloroethane	ug/l	10	7.981	79.8	
Trichlorofluoromethane	ug/l	10	8.809	88.1	
Methylene Chloride	ug/l	10	9.004	90.0	
1,1-Dichloroethene	ug/l	10	9.142	91.4	
trans-1,2-Dichloroethene	ug/l	10	9.924	99.2	
1,1-Dichloroethane	ug/l	10	9.663	96.6	
cis-1,2-Dichloroethene	ug/l	10	9.706	97.1	
Chloroform	ug/l	10	9.322	93.2	
1,1,1-Trichloroethane	ug/l	10	9.105	91.0	
Carbon Tetrachloride	ug/l	10	9.438	94.4	
Benzene	ug/l	10	9.183	91.8	
1,2-Dichloroethane	ug/l	10	9.392	93.9	
Trichloroethene	ug/l	10	10.43	104	
1,2-Dichloropropane	ug/l	10	9.352	93.5	
Bromodichloromethane	ug/l	10	10.02	100	
Toluene	ug/l	10	10.05	101	
1,1,2-Trichloroethane	ug/l	10	10.36	104	
Tetrachloroethene	ug/l	10	9.139	91.4	
Dibromochloromethane	ug/l	10	9.364	93.6	
Chlorobenzene	ug/l	10	10.10	101	
Ethylbenzene	ug/l	10	9.627	96.3	
Bromoform	ug/l	10	9.603	96.0	
1,1,2,2-Tetrachloroethane	ug/l	10	9.222	92.2	
1,3-Dichlorobenzene	ug/l	10	9.253	92.5	
1,4-Dichlorobenzene	ug/l	10	9.354	93.5	
1,2-Dichlorobenzene	ug/l	10	9.475	94.7	
cis-1,3-Dichloropropene	ug/l	10	9.830	98.3	
trans-1,3-Dichloropropene	ug/l	10	9.278	92.8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE: 603329228

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
M&P-Xylene	ug/l	20	19.08	95.4	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.373	93.7	
Toluene-d8 (S)				103	
Dibromofluoromethane (S)				101	
4-Bromofluorobenzene (S)				99	
1,2-Dichloroethane-d4 (S)				96	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039179
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 18%.
[2]	The recovery is below laboratory established control limits of 77%.
[3]	The RPD exceeds laboratory established control limits of 11%.
[4]	The RPD exceeds laboratory established control limits of 30%.
[5]	The RPD exceeds laboratory established control limits of 13%.
[6]	The RPD exceeds laboratory established control limits of 12%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Frank Winslow
		Date Sampled:	3/9/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6039179
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank R. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP10F-08-17-030900	9:16	Water		3					X	X													603308164
2	NIC-GPW-GP10F-08-39-030900	9:37	Water		3					X	X													603308172
3	NIC-GPW-GP10F-08-28-030900	9:49	Water		3					X	X													603308180
4	NIC-GPW-GP10F-05-17-030900	10:43	Water		3					X	X													603308198
5	NIC-GPW-GP10F-05-35-030900	11:08	Water		3					X	X													603308206
6	NIC-GPW-GP10F-05-24-030900	11:44	Water		3					X	X													603308214
7	NIC-GPW-GP10F-04-20-030900	13:40	Water		3					X	X													603308222
8	NIC-GPW-GP10F-04-26-030900	14:00	Water		3					X	X													603308230
9	NIC-GPW-GP10F-04-35-030900	14:20	Water		3					X	X													603308248

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-9	Frank Winslow	ASAP	3/10/00	16:00
		LRL	3/11/00	09:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Frank Winslow
		Date Sampled:	3/9/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6039179
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank P. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260													
1	NIC-GPW-GP10F-03-17-030900	15:51	Water		3					X	X													603308255
2	NIC-GPW-GP10F-03-26-030900	16:07	Water		3					X	X													603308263
3	NIC-GPW-GP10F-03-36-030900	16:20	Water		3					X	X													603308271

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-3	Frank Winslow	ASAP	3/10/00	16:00
		RGH	3/11/00	09:00

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Frank Winslow
		Date Sampled:	3/10/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6039179
*Requested Due Date:	NIC Project TAT
Sampler Signature:	Frank P. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260														
1	NIC-GPW-GP10F-02-26-031000	9:37	Water		3					X	X														603308289
2	NIC-GPW-GP10F-02-35-031000	9:52	Water		3					X	X														603308537
3	NIC-GPW-GP10F-01N-031000	10:19	Water		3					X	X														603308545
4	NIC-GPW-GP10F-01-18-031000	10:41	Water		3					X	X														603308552
5	NIC-GPW-GP10F-01-26-031000	11:02	Water		3					X	X														603308578
6	NIC-GPW-GP10F-01-37-031000	11:16	Water	6	3					X	X														MS/MSD 603308743
7	NIC-GPW-GP10F-01P-031000	12:00	Water		2					X	X														3229-1X 603308792

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-7	Frank Winslow	ASAP	3/10/00	16:00
		[illegible]	3/11/00	09:30

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

March 28, 2000

Reviewed by JTB

Mr. Darren Brown
Camp Dresser & McKee Inc.
1331 17th Street
Suite 1200
Denver, CO 80202

RE: Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Dear Mr. Brown:

Enclosed are the results of analyses for sample(s)received by the laboratory on March 15, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 03/28/00

Camp Dresser & McKee Inc.
1331 17th Street
Suite 1200
Denver, CO 80202

Attn: Mr. Darren Brown
Phone: (303)298-1311

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor
SDG Number: 6039222B

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603312760	NIC-GPW-GP010F-09-26-031400	EPA 8260	80046		
603312794	NIC-GPW-GP010F-09-39-031400	EPA 8260	80046		
603312802	NIC-GPW-GP010F-07-28-031400	EPA 8260	80046		
603312810	NIC-GPW-GP010F-07-36-031400	EPA 8260	80046		
603312828	NIC-GPW-GP010F-06-26-031400	EPA 8260	80046		
603312836	NIC-GPW-GP010F-06-38-031400	EPA 8260	80046		
603312844	NIC-GPW-GP010F-09M-031400	EPA 8260	80046		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 03/28/00
PAGE: 1

Camp Dresser & McKee Inc.
1331 17th Street
Suite 1200
Denver, CO 80202

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor
SDG Number: 6039222B

Attn: Mr. Darren Brown
Phone: (303)298-1311

Solid results are reported on a dry weight basis

Pace Sample No: 603312760 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-09-26-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/22/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/22/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/22/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/22/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/22/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/22/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/22/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/22/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/22/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/22/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/22/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/22/00	DJE	56-23-5	
Benzene	98	ug/l	5	5.00	03/22/00	DJE	71-43-2	1 D
1,2-Dichloroethane	ND	ug/l	1	1.00	03/22/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/22/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/22/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/22/00	DJE	75-27-4	
Toluene	25	ug/l	1	1.00	03/22/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/22/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/22/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/22/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/22/00	DJE	108-90-7	
Ethylbenzene	50	ug/l	5	5.00	03/22/00	DJE	100-41-4	1 D
Bromoform	ND	ug/l	1	1.00	03/22/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/22/00	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312760 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-09-26-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/22/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/22/00	DJE	10061-02-6	
M&P-Xylene	76	ug/l	6.5	5.00	03/22/00	DJE		1 D
O-Xylene (1,2-Dimethylbenzene)	70	ug/l	5.5	5.00	03/22/00	DJE	95-47-6	2 D
Toluene-d8 (S)	106	%		1.00	03/22/00	DJE	2037-26-5	
Dibromofluoromethane (S)	82	%		1.00	03/22/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	93	%		1.00	03/22/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	85	%		1.00	03/22/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312794 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-09-39-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	2.9	ug/l	1	1.00	03/23/00	DJE	74-87-3	
Vinyl Chloride	62	ug/l	5	5.00	03/23/00	DJE	75-01-4	3 D
Bromomethane	ND	ug/l	1	1.00	03/23/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/23/00	DJE	75-09-2	
1,1-Dichloroethene	4.6	ug/l	1	1.00	03/23/00	DJE	75-35-4	
trans-1,2-Dichloroethene	2.2	ug/l	1	1.00	03/23/00	DJE	156-60-5	
1,1-Dichloroethane	20	ug/l	1	1.00	03/23/00	DJE	75-34-3	
cis-1,2-Dichloroethene	82	ug/l	5	5.00	03/23/00	DJE	156-59-2	3 D
Chloroform	3.9	ug/l	1	1.00	03/23/00	DJE	67-66-3	
1,1,1-Trichloroethane	35	ug/l	1	1.00	03/23/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/23/00	DJE	56-23-5	
Benzene	11	ug/l	1	1.00	03/23/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	107-06-2	
Trichloroethene	38	ug/l	1	1.00	03/23/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/23/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/23/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-00-5	
Tetrachloroethene	14	ug/l	1	1.00	03/23/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/23/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	108-90-7	
Ethylbenzene	1.6	ug/l	1	1.00	03/23/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/23/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-02-6	
M&P-Xylene	2.4	ug/l	1.3	1.00	03/23/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	2.0	ug/l	1.1	1.00	03/23/00	DJE	95-47-6	
Toluene-d8 (S)	93	%		1.00	03/23/00	DJE	2037-26-5	
Dibromofluoromethane (S)	88	%		1.00	03/23/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	100	%		1.00	03/23/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312794 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-09-39-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	85	%		1.00	03/23/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312802 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-07-28-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	13	ug/l	1	1.00	03/23/00	DJE	74-87-3	
Vinyl Chloride	16	ug/l	1	1.00	03/23/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/23/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/23/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-34-3	
cis-1,2-Dichloroethene	26	ug/l	1	1.00	03/23/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/23/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/23/00	DJE	56-23-5	
Benzene	1500	ug/l	25	25.0	03/23/00	DJE	71-43-2	4,5 D,E
1,2-Dichloroethane	39	ug/l	1	1.00	03/23/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/23/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-27-4	
Toluene	160	ug/l	25	25.0	03/23/00	DJE	108-88-3	4 D
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/23/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/23/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	108-90-7	
Ethylbenzene	240	ug/l	25	25.0	03/23/00	DJE	100-41-4	4 D
Bromoform	ND	ug/l	1	1.00	03/23/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-02-6	
M&P-Xylene	340	ug/l	32	25.0	03/23/00	DJE		4 D
O-Xylene (1,2-Dimethylbenzene)	130	ug/l	28	25.0	03/23/00	DJE	95-47-6	4 D
Toluene-d8 (S)	101	%		1.00	03/23/00	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		1.00	03/23/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		1.00	03/23/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312802 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-07-28-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	81	%		1.00	03/23/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312810 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-07-36-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	2.9	ug/l	1	1.00	03/23/00	DJE	74-87-3	
Vinyl Chloride	3.6	ug/l	1	1.00	03/23/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/23/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/23/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-34-3	
cis-1,2-Dichloroethene	34	ug/l	1	1.00	03/23/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/23/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/23/00	DJE	56-23-5	
Benzene	20	ug/l	1	1.00	03/23/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	107-06-2	
Trichloroethene	32	ug/l	1	1.00	03/23/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/23/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-27-4	
Toluene	26	ug/l	1	1.00	03/23/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/23/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/23/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	108-90-7	
Ethylbenzene	22	ug/l	1	1.00	03/23/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/23/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-02-6	
M&P-Xylene	45	ug/l	1.3	1.00	03/23/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	22	ug/l	1.1	1.00	03/23/00	DJE	95-47-6	
Toluene-d8 (S)	100	%		1.00	03/23/00	DJE	2037-26-5	
Dibromofluoromethane (S)	76	%		1.00	03/23/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		1.00	03/23/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312810 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-07-36-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	80	%		1.00	03/23/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312828 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-06-26-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	1.1	ug/l	1	1.00	03/23/00	DJE	74-87-3	
Vinyl Chloride	1.7	ug/l	1	1.00	03/23/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/23/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/23/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-34-3	
cis-1,2-Dichloroethene	1.1	ug/l	1	1.00	03/23/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/23/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/23/00	DJE	56-23-5	
Benzene	310	ug/l	10	10.0	03/23/00	DJE	71-43-2	6 D
1,2-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	79-01-6	
1,2-Dichloropropane	4.6	ug/l	1	1.00	03/23/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-27-4	
Toluene	13	ug/l	1	1.00	03/23/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/23/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/23/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	108-90-7	
Ethylbenzene	210	ug/l	10	10.0	03/23/00	DJE	100-41-4	6 D
Bromoform	ND	ug/l	1	1.00	03/23/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-02-6	
M&P-Xylene	32	ug/l	1.3	1.00	03/23/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	2.8	ug/l	1.1	1.00	03/23/00	DJE	95-47-6	
Toluene-d8 (S)	109	%		1.00	03/23/00	DJE	2037-26-5	
Dibromofluoromethane (S)	93	%		1.00	03/23/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	105	%		1.00	03/23/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312828 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-06-26-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	97	%		1.00	03/23/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312836 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-06-38-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/23/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/23/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/23/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/23/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-34-3	
cis-1,2-Dichloroethene	25	ug/l	1	1.00	03/23/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/23/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/23/00	DJE	56-23-5	
Benzene	6.4	ug/l	1	1.00	03/23/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	107-06-2	
Trichloroethene	79	ug/l	5	5.00	03/23/00	DJE	79-01-6	7 D
1,2-Dichloropropane	ND	ug/l	1	1.00	03/23/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/23/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/23/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/23/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	108-90-7	
Ethylbenzene	16	ug/l	1	1.00	03/23/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/23/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-02-6	
M&P-Xylene	1.5	ug/l	1.3	1.00	03/23/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/23/00	DJE	95-47-6	
Toluene-d8 (S)	93	%		1.00	03/23/00	DJE	2037-26-5	
Dibromofluoromethane (S)	84	%		1.00	03/23/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		1.00	03/23/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312836 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-06-38-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	89	%		1.00	03/23/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312844 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-09M-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	03/23/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	03/23/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	03/23/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	03/23/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	03/23/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	03/23/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	03/23/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	03/23/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	03/23/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	03/23/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	03/23/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	03/23/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	03/23/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	03/23/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	03/23/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	03/23/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	03/23/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	03/23/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	03/23/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	03/23/00	DJE	95-47-6	
Toluene-d8 (S)	102	%		1.00	03/23/00	DJE	2037-26-5	
Dibromofluoromethane (S)	76	%		1.00	03/23/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		1.00	03/23/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603312844 Date Collected: 03/14/00 Matrix: Water
Client Sample ID: NIC-GPW-GP010F-09M-031400 Date Received: 03/15/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	77	%		1.00	03/23/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
App. DF	Applied Dilution Factor
[1]	This result is from a 1:5 dilution on 3/22/00.
[2]	This result is from a 1: 5 dilution on 3/22/00.
[3]	This result is from a 1:5 dilution on 3/23/00.
[4]	This result is from a 1:25 dilution on 3/27/00.
[5]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[6]	This result is from a 1:10 dilution on 3/27/00.
[7]	This result is from a 1:5 dilution on 3/27/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Camp Dresser & McKee Inc.
1331 17th Street
Suite 1200
Denver, CO 80202

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor
SDG Number: 6039222B

Attn: Mr. Darren Brown
Phone: (303)298-1311

QC Batch ID: 80046
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603312760 603312794 603312802 603312810 603312828 603312836 603312844

METHOD BLANK: 603332404
Associated Pace Samples:
603312760

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603332404
Associated Pace Samples:
603312760

Parameter	Units	Method Blank Result	PRL	Footnotes
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	110		
4-Bromofluorobenzene (S)	%	94		
1,2-Dichloroethane-d4 (S)	%	96		

METHOD BLANK: 603340316
Associated Pace Samples:
603312794 603312810 603312844

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603340316
Associated Pace Samples:

603312794 603312810 603312844

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	100		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	80		

METHOD BLANK: 603340324
Associated Pace Samples:

603312802 603312828 603312836

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603340324
Associated Pace Samples:
603312802 603312828 603312836

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	105		
Dibromofluoromethane (S)	%	95		
4-Bromofluorobenzene (S)	%	105		
1,2-Dichloroethane-d4 (S)	%	79		

LABORATORY CONTROL SAMPLE & LCSD: 603332412 603332420

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	9.023	90.2	7.945	79.5	13	
Vinyl Chloride	ug/l	10	8.961	89.6	8.055	80.6	11	
Bromomethane	ug/l	10	6.646	66.5	6.331	63.3	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603332412 603332420

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloroethane	ug/l	10	9.217	92.2	8.309	83.1	10	
Trichlorofluoromethane	ug/l	10	8.189	81.9	7.396	74.0	10	
Methylene Chloride	ug/l	10	9.228	92.3	8.077	80.8	13	
1,1-Dichloroethene	ug/l	10	10.33	103	8.564	85.6	18	1
trans-1,2-Dichloroethene	ug/l	10	10.02	100	9.191	91.9	8	
1,1-Dichloroethane	ug/l	10	9.895	99.0	9.260	92.6	7	
cis-1,2-Dichloroethene	ug/l	10	9.893	98.9	9.232	92.3	7	
Chloroform	ug/l	10	9.454	94.5	9.006	90.1	5	
1,1,1-Trichloroethane	ug/l	10	8.550	85.5	8.670	86.7	1	
Carbon Tetrachloride	ug/l	10	7.484	74.8	7.037	70.4	6	
Benzene	ug/l	10	12.52	125	11.57	116	7	
1,2-Dichloroethane	ug/l	10	9.162	91.6	8.578	85.8	7	
Trichloroethene	ug/l	10	12.09	121	11.62	116	4	
1,2-Dichloropropane	ug/l	10	12.73	127	12.29	123	3	
Bromodichloromethane	ug/l	10	9.321	93.2	9.309	93.1	0	
Toluene	ug/l	10	11.56	116	11.48	115	1	
1,1,2-Trichloroethane	ug/l	10	11.40	114	11.40	114	0	
Tetrachloroethene	ug/l	10	9.533	95.3	9.382	93.8	2	
Dibromochloromethane	ug/l	10	7.460	74.6	7.180	71.8	4	
Chlorobenzene	ug/l	10	11.39	114	10.97	110	4	
Ethylbenzene	ug/l	10	10.83	108	10.84	108	0	
Bromoform	ug/l	10	8.306	83.1	8.235	82.4	1	
1,1,2,2-Tetrachloroethane	ug/l	10	11.53	115	11.07	111	4	
1,3-Dichlorobenzene	ug/l	10	10.42	104	10.17	102	2	
1,4-Dichlorobenzene	ug/l	10	10.46	105	10.04	100	5	
1,2-Dichlorobenzene	ug/l	10	10.85	109	10.61	106	3	
cis-1,3-Dichloropropene	ug/l	10	10.95	110	10.71	107	3	
trans-1,3-Dichloropropene	ug/l	10	9.232	92.3	9.515	95.1	3	
M&P-Xylene	ug/l	20	20.62	103	21.71	109	6	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	11.28	113	11.06	111	2	
Toluene-d8 (S)				99		104		
Dibromofluoromethane (S)				75		88		
4-Bromofluorobenzene (S)				106		102		
1,2-Dichloroethane-d4 (S)				77		75		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6039222
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 17%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Frank Winslow
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456
Phone #:	316-691-9940	Project Name / No:	NIC
Fax #:	316-691-9949	Sampled By (Print):	Frank Winslow
		Date Sampled:	3/14/00

Lab Client No.:

Lab Project Manager: Andrea Hyslop

Lab Project No.: 6039222

*Requested Due Date: NIC Project TAT

Sampler Signature: Frank P. Winslow

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS
1	NIC-GPW-GP010F-09-26-031400	9:37	Water		3					X	X	60331274 AFH 5-15-00
2	NIC-GPW-GP010F-09-39-031400	10:08	Water		3					X	X	60331275 AFH 5-15-00
3	NIC-GPW-GP010F-07-28-031400	11:11	Water		3					X	X	603312802
4	NIC-GPW-GP010F-07-36-031400	11:24	Water		3					X	X	603312810
5	NIC-GPW-GP010F-06-26-031400	12:03	Water		3					X	X	603312828
6	NIC-GPW-GP010F-06-38-031400	12:16	Water		3					X	X	603312836
7	NIC-GPW-GP010F-09M-031400	8:00	Water		2					X	X	603312844

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-7	Frank Winslow	FSAP	3/14/00	16:00
		PACE	3-15-00	0850

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

May 03, 2000

Reviewed by TB

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the results of analyses for sample(s)received by the laboratory on April 13, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 05/03/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor
SDG Number: 6040130B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603388984	GM-00-001	EPA 3050	81383	EPA 6010	81914
603388992	GM-00-002	EPA 3050	81383	EPA 6010	81914
603389008	GM-00-003	EPA 3050	81383	EPA 6010	81914
603389016	GM-00-004	EPA 3050	81383	EPA 6010	81914
603389024	GM-00-005	EPA 3050	81383	EPA 6010	81914
603389032	GM-00-006	EPA 3050	81383	EPA 6010	81914
603389040	GM-00-007	EPA 3050	81383	EPA 6010	81914
603389057	GM-00-008	EPA 3050	81383	EPA 6010	81914
603389065	GM-00-009	EPA 3050	81383	EPA 6010	81914
603389073	GM-00-010	EPA 3050	81383	EPA 6010	81914

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 05/03/00
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor
SDG Number: 6040130B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603388984 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-001 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	61.6	mg/kg	4.9	0.98	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603388992 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-002 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	81	mg/kg	4.72	0.94	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603389008 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-003 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	93.5	mg/kg	5	1.00	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603389016 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-004 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	232	mg/kg	4.72	0.94	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603389024 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-005 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	25.4	mg/kg	4.72	0.94	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603389032 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-006 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	114	mg/kg	4.95	0.99	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603389040 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-007 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	33.9	mg/kg	5	1.00	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603389057 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-008 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	26.5	mg/kg	4.81	0.96	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603389065 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-009 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	230	mg/kg	4.76	0.95	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603389073 Date Collected: 04/10/00 Matrix: Soil
Client Sample ID: GM-00-010 Date Received: 04/13/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Metals								
Metals-Standard ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050			
Lead	276	mg/kg	4.85	0.97	04/25/00	JAH	7439-92-1	
Date Digested					04/17/00			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
App. DF	Applied Dilution Factor

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor
SDG Number: 6040130B

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 81383
QC Batch Method: EPA 3050
Analysis Method: EPA 6010
Analysis Description: Metals-Standard ICP, Soil
Associated Pace Samples: 603388984 603388992 603389008 603389016 603389024 603389032 603389040 603389057 603389065 603389073

METHOD BLANK: 603392648
Associated Pace Samples:
603388984 603388992 603389008 603389016 603389024 603389032 603389040 603389057 603389065 603389073

Parameter	Units	Method Blank Result	PRL	Footnotes
Lead	mg/kg	ND	4.9	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 603392655 603392663

Parameter	Units	603388984	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Lead	mg/kg	61.57	95.24	150.5	93.4	151.5	90.8	3	

LABORATORY CONTROL SAMPLE: 603392671

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Lead	mg/kg	99.01	96.83	97.8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loriet Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6040130
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC Lead Soil Sampling
Sampled By (Print):	Gregory McDonough
Date Sampled:	4/10/00

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	603130
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	6010 Pb	Pb Adsorption Fe/Mn 4-14-00 AFH	REMARKS
1	GM-00-001 1(GN)	9:05	Soil		1					X	X			603388984
2	GM-00-002 1(GN)	9:25	Soil		1					X	X			603388992
3	GM-00-003 1(GN)	9:46	Soil		1					X	X			603389008
4	GM-00-004 1(GN)	9:56	Soil		1					X	X			603389016
5	GM-00-005 1(GN)	10:06	Soil		1					X	X			603389024
6	GM-00-006 1(GN)	10:20	Soil		1					X	X			603389032
7	GM-00-007 1(GN)	10:35	Soil		1					X	X			603389040
8	GM-00-008 1(GN)	10:55	Soil		1					X	X			603389057
9	GM-00-009 1(GN)	11:13	Soil		1					X	X			603389065
10	GM-00-010 1(GN)	11:35	Soil		1					X	X			603389073

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-10	Gregory Faberg		4/12/00	16:00
			4/13/00	1030

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

August 08, 2000

Reviewed by TB

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory on July 19, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 08/08/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603665845	NIC PRP-WW 1S-14'	EPA 8260	87968		
603665878	NIC PRP-WW 1D-30'	EPA 8260	87968		
603665886	NIC PRP-WW 4S-14'	EPA 8260	87968		
603665894	NIC PRP-WW 3S-14'	EPA 8260	87968		
603665902	NIC PRP-WW 3D-30'	EPA 8260	87968		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 08/08/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603665845 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 1S-14' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	08/01/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	08/01/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	08/01/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	08/01/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	08/01/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	08/01/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	08/01/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	75-34-3	
cis-1,2-Dichloroethene	1.0	ug/l	1	1.00	08/01/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	08/01/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	08/01/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	08/01/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	107-06-2	
Trichloroethene	2.9	ug/l	1	1.00	08/01/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	08/01/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	08/01/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	08/01/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	08/01/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	08/01/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	08/01/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-34-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603665845 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 1S-14' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,3-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	08/01/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	08/01/00	DJE	95-47-6	
Toluene-d8 (S)	88	%		1.00	08/01/00	DJE	2037-26-5	
Dibromofluoromethane (S)	100	%		1.00	08/01/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	108	%		1.00	08/01/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%		1.00	08/01/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603665878 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 1D-30' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	08/01/00	DJE	74-87-3	
Vinyl Chloride	23	ug/l	1	1.00	08/01/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	08/01/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	08/01/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	08/01/00	DJE	75-09-2	
1,1-Dichloroethene	8.8	ug/l	1	1.00	08/01/00	DJE	75-35-4	
trans-1,2-Dichloroethene	9.8	ug/l	1	1.00	08/01/00	DJE	156-60-5	
1,1-Dichloroethane	4.2	ug/l	1	1.00	08/01/00	DJE	75-34-3	
cis-1,2-Dichloroethene	80	ug/l	10	10.0	08/01/00	DJE	156-59-2	1
Chloroform	ND	ug/l	1	1.00	08/01/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	08/01/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	08/01/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	107-06-2	
Trichloroethene	250	ug/l	10	10.0	08/01/00	DJE	79-01-6	1
1,2-Dichloropropane	ND	ug/l	1	1.00	08/01/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	08/01/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	08/01/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	08/01/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	08/01/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	08/01/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	08/01/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	08/01/00	DJE	95-47-6	
Toluene-d8 (S)	88	%		1.00	08/01/00	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		1.00	08/01/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	106	%		1.00	08/01/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603665878 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 1D-30' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		1.00	08/01/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603665886 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 4S-14' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	08/01/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	08/01/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	08/01/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	08/01/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	08/01/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	08/01/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	08/01/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	08/01/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	08/01/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	08/01/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	08/01/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	107-06-2	
Trichloroethene	ND	ug/l	1	1.00	08/01/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	08/01/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	08/01/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	08/01/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	08/01/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	08/01/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	08/01/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	08/01/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	08/01/00	DJE	95-47-6	
Toluene-d8 (S)	60	%		1.00	08/01/00	DJE	2037-26-5	2 S
Dibromofluoromethane (S)	109	%		1.00	08/01/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	107	%		1.00	08/01/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603665886 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 4S-14' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		1.00	08/01/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603665894 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 3S-14' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	08/01/00	DJE	74-87-3	
Vinyl Chloride	ND	ug/l	1	1.00	08/01/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	08/01/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	08/01/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	08/01/00	DJE	75-09-2	
1,1-Dichloroethene	ND	ug/l	1	1.00	08/01/00	DJE	75-35-4	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	08/01/00	DJE	156-60-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	75-34-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	08/01/00	DJE	156-59-2	
Chloroform	ND	ug/l	1	1.00	08/01/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	08/01/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	08/01/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	107-06-2	
Trichloroethene	2.2	ug/l	1	1.00	08/01/00	DJE	79-01-6	
1,2-Dichloropropane	ND	ug/l	1	1.00	08/01/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	08/01/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	08/01/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	08/01/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	08/01/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	08/01/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	08/01/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	08/01/00	DJE	95-47-6	
Toluene-d8 (S)	86	%		1.00	08/01/00	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		1.00	08/01/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		1.00	08/01/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603665894 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 3S-14' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	08/01/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603665902 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 3D-30' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
Chloromethane	ND	ug/l	1	1.00	08/01/00	DJE	74-87-3	
Vinyl Chloride	18	ug/l	1	1.00	08/01/00	DJE	75-01-4	
Bromomethane	ND	ug/l	1	1.00	08/01/00	DJE	74-83-9	
Chloroethane	ND	ug/l	1	1.00	08/01/00	DJE	75-00-3	
Trichlorofluoromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-69-4	
Methylene Chloride	ND	ug/l	1	1.00	08/01/00	DJE	75-09-2	
1,1-Dichloroethene	9.0	ug/l	1	1.00	08/01/00	DJE	75-35-4	
trans-1,2-Dichloroethene	6.2	ug/l	1	1.00	08/01/00	DJE	156-60-5	
1,1-Dichloroethane	3.7	ug/l	1	1.00	08/01/00	DJE	75-34-3	
cis-1,2-Dichloroethene	43	ug/l	10	10.0	08/01/00	DJE	156-59-2	3 D
Chloroform	ND	ug/l	1	1.00	08/01/00	DJE	67-66-3	
1,1,1-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	71-55-6	
Carbon Tetrachloride	ND	ug/l	1	1.00	08/01/00	DJE	56-23-5	
Benzene	ND	ug/l	1	1.00	08/01/00	DJE	71-43-2	
1,2-Dichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	107-06-2	
Trichloroethene	140	ug/l	10	10.0	08/01/00	DJE	79-01-6	3 D
1,2-Dichloropropane	ND	ug/l	1	1.00	08/01/00	DJE	78-87-5	
Bromodichloromethane	ND	ug/l	1	1.00	08/01/00	DJE	75-27-4	
Toluene	ND	ug/l	1	1.00	08/01/00	DJE	108-88-3	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-00-5	
Tetrachloroethene	ND	ug/l	1	1.00	08/01/00	DJE	127-18-4	
Dibromochloromethane	ND	ug/l	1	1.00	08/01/00	DJE	124-48-1	
Chlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	108-90-7	
Ethylbenzene	ND	ug/l	1	1.00	08/01/00	DJE	100-41-4	
Bromoform	ND	ug/l	1	1.00	08/01/00	DJE	75-25-2	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	08/01/00	DJE	79-34-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	106-46-7	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	08/01/00	DJE	95-50-1	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	08/01/00	DJE	10061-02-6	
M&P-Xylene	ND	ug/l	1.3	1.00	08/01/00	DJE		
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	08/01/00	DJE	95-47-6	
Toluene-d8 (S)	96	%		1.00	08/01/00	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		1.00	08/01/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		1.00	08/01/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Pace Sample No: 603665902 Date Collected: 07/18/00 Matrix: Water
Client Sample ID: NIC PRP-WW 3D-30' Date Received: 07/19/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	08/01/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
App. DF	Applied Dilution Factor
[1]	This result is from a 1:10 dilution on 8/1/00.
[2]	The recovery is below laboratory established control limits of 82%. The sample was reanalyzed with similar results. This is a possible matrix effect.
[3]	This result is from a 1:10 dilution on 8/2/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 87968
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603665845 603665878 603665886 603665894 603665902

METHOD BLANK: 603702150
Associated Pace Samples:
603665845 603665878 603665886

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603702150
Associated Pace Samples:

603665845 603665878 603665886

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	103		
4-Bromofluorobenzene (S)	%	111		
1,2-Dichloroethane-d4 (S)	%	99		

METHOD BLANK: 603709734
Associated Pace Samples:

603665894 603665902

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Methylene Chloride	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
Chloroform	ug/l	ND	1	
1,1,1-Trichloroethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Benzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

METHOD BLANK: 603709734
Associated Pace Samples:
603665894 603665902

Parameter	Units	Method Blank Result	PRL	Footnotes
Bromodichloromethane	ug/l	ND	1	
Toluene	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
Tetrachloroethene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
Bromoform	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Toluene-d8 (S)	%	101		
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	102		
1,2-Dichloroethane-d4 (S)	%	99		

LABORATORY CONTROL SAMPLE & LCSD: 603702168 603702176

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Chloromethane	ug/l	10	9.242	92.4	10.03	100	8	
Vinyl Chloride	ug/l	10	9.879	98.8	10.73	107	8	
Bromomethane	ug/l	10	10.29	103	11.20	112	8	
Chloroethane	ug/l	10	10.50	105	11.13	111	6	
Trichlorofluoromethane	ug/l	10	11.61	116	12.56	126	8	
Methylene Chloride	ug/l	10	10.47	105	11.54	115	9	
1,1-Dichloroethene	ug/l	10	12.54	125	13.73	137	9	
trans-1,2-Dichloroethene	ug/l	10	11.58	116	12.19	122	5	
1,1-Dichloroethane	ug/l	10	11.98	120	12.03	120	0	
cis-1,2-Dichloroethene	ug/l	10	11.46	115	11.99	120	4	
Chloroform	ug/l	10	11.52	115	12.09	121	5	
1,1,1-Trichloroethane	ug/l	10	12.15	122	12.80	128	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

LABORATORY CONTROL SAMPLE & LCSD: 603702168 603702176

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Carbon Tetrachloride	ug/l	10	12.64	126	12.81	128	2	
Benzene	ug/l	10	11.50	115	11.88	119	3	
1,2-Dichloroethane	ug/l	10	11.67	117	12.06	121	3	
Trichloroethene	ug/l	10	14.39	144	15.32	153	6	1
1,2-Dichloropropane	ug/l	10	11.10	111	11.74	117	5	
Bromodichloromethane	ug/l	10	12.06	121	12.47	125	3	
Toluene	ug/l	10	11.65	116	12.08	121	4	
1,1,2-Trichloroethane	ug/l	10	10.54	105	11.73	117	11	
Tetrachloroethene	ug/l	10	10.05	101	11.43	114	12	
Dibromochloromethane	ug/l	10	10.45	105	11.90	119	12	
Chlorobenzene	ug/l	10	10.33	103	11.45	114	10	
Ethylbenzene	ug/l	10	10.11	101	11.72	117	15	
Bromoform	ug/l	10	10.72	107	11.90	119	11	
1,1,2,2-Tetrachloroethane	ug/l	10	7.093	70.9	7.203	72.0	2	
1,3-Dichlorobenzene	ug/l	10	9.899	99.0	10.21	102	3	
1,4-Dichlorobenzene	ug/l	10	9.304	93.0	9.847	98.5	6	
1,2-Dichlorobenzene	ug/l	10	9.809	98.1	10.37	104	6	
cis-1,3-Dichloropropene	ug/l	10	12.31	123	12.86	129	5	
trans-1,3-Dichloropropene	ug/l	10	10.39	104	11.54	115	10	
M&P-Xylene	ug/l	20	20.27	101	22.30	111	9	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	10.43	104	11.51	115	10	
Toluene-d8 (S)				103		103		
Dibromofluoromethane (S)				102		102		
4-Bromofluorobenzene (S)				93		104		
1,2-Dichloroethane-d4 (S)				102		101		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6043171
Client Project ID: Northern Industrial Corridor

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery exceeds laboratory established control limits of 138%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

F6260

CHAIN OF CUSTODY RECORD

Camp Dresser & McKee Inc.

CDM

PROJECT NAME North Industrial Corr

PROJECT NUMBER _____

Field Log Book Reference No. _____

SAMPLE NUMBER			DATE	TIME	SAMPLE LOCATION	SAMPLE TYPE	ANALYSES: EXTR. ORG. VOA	ANALYSES: PEST. /PCB	ANALYSES: TRACE METALS	NUMBER OF CONTAINERS	LOG BOOK PG. NO.	REMARKS
NIC	PRP-WW-	1S-14'	7/19/00	9:31	1816 N. Walbash	GW	1		4	2 (+)	NIC p35	Method 8260
NIC	PRP-WW-	1D-36	7/18/00	9:56	" "	GW	1		8	2	NIC p35	" "
NIC	PRP-WW-	4S-14'	7/18/00	14:49	" "	GW	1			2	NIC p35	" "
NIC	PRP-WW-	3S-14'	7/18/00	13:12	" "	GW	1		9 4	2	NIC	" "
NIC	PRP-WW-	3D-36'	7/18/00	13:31	" "	GW	1		5 9 0 2	2	NIC	" "

SAMPLED BY (SIGN) _____ / _____ / _____

RELINQUISHED BY (SIGN)	RELINQUISHED BY (SIGN)	RELINQUISHED BY (SIGN)	RELINQUISHED BY (SIGN)	RELINQUISHED BY (SIGN)
① _____	② _____	_____	④ _____	⑤ _____
DATE/TIME (/)	DATE/TIME (/)	DATE/TIME (/)	DATE/TIME (/)	DATE/TIME (/)
RECEIVED BY (SIGN)	**RECEIVED BY (SIGN)**	**RECEIVED BY (SIGN)**	**RECEIVED BY (SIGN)**	**RECEIVED BY (SIGN)**
① _____	② _____	③ _____	④ _____	⑤ _____
DATE/TIME (/)	DATE/TIME (/)	DATE/TIME (/)	DATE/TIME (/)	DATE/TIME (/)

METHOD OF SHIPMENT	SHIPPED BY (SIGN)	RECEIVED FOR LABORATORY BY (SIGN)	DATE/TIME
_____	_____	_____	(/)

LEGEND: Original: Return to Sample Traffic Control Center Copies: Ship with Samples

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

September 29, 2000

REVISED

Reviewed by
TB

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory on August 31, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

DATE: 09/29/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603785817	NIC-GPW-3B8-14M-082900	EPA 8260	90031		
603785825	NIC-GPW-3B8-14-082900	EPA 8260	90031		
603785833	NIC-GPW-3B8-35-082900	EPA 8260	90031		
603785841	NIC-GPW-3B9-14-082900	EPA 8260	90031		
603785858	NIC-GPW-8C6-15-082900	EPA 8260	90031		
603785866	NIC-GPW-8C6-35-082900	EPA 8260	90031		
603785874	NIC-GPW-GP#18-7A-17-082900	EPA 8260	90031		
603785882	NIC-GPW-GP#18-7A-35-082900	EPA 8260	90031		
603785932	NIC-GPW-8C7-17-083000	EPA 8260	90031		
603785940	NIC-GPW-8C7-35-083000	EPA 8260	90031		
603785973	NIC-GPW-8C9-16-083000	EPA 8260	90031		
603785999	NIC-GPW-8C8-16-083000	EPA 8260	90031		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 09/29/00
PAGE: 1

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603785817 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-3B8-14M-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/06/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/06/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/06/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/06/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/06/00	DJE	56-23-5	
Chlorobenzene	2.1	ug/l	1	1.00	09/06/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/06/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/06/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/06/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/06/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/06/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/06/00	DJE		
Methylene Chloride	2.7	ug/l	1	1.00	09/06/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/06/00	DJE	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785817 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-3B8-14M-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Tetrachloroethene	ND	ug/l	1	1.00	09/06/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/06/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-02-6	
Trichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/06/00	DJE	75-01-4	
Toluene-d8 (S)	96	%		1.00	09/06/00	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		1.00	09/06/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		1.00	09/06/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%		1.00	09/06/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785825 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-3B8-14-082900 Date Received: 08/31/00

GC/MS Volatiles

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/06/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/06/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/06/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/06/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/06/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/06/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/06/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/06/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/06/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/06/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/06/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/06/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/06/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/06/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/06/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-02-6	
Trichloroethene	1.7	ug/l	1	1.00	09/06/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/06/00	DJE	75-01-4	
Toluene-d8 (S)	90	%		1.00	09/06/00	DJE	2037-26-5	
Dibromofluoromethane (S)	103	%		1.00	09/06/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	103	%		1.00	09/06/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785825 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-3B8-14-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	102	%		1.00	09/06/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785833 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-3B8-35-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-00-5	
1,1-Dichloroethane	2.0	ug/l	1	1.00	09/06/00	DJE	75-34-3	
1,1-Dichloroethene	4.0	ug/l	1	1.00	09/06/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/06/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/06/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/06/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/06/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/06/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/06/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/06/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/06/00	DJE	74-87-3	
cis-1,2-Dichloroethene	44	ug/l	5	5.00	09/06/00	DJE	156-59-2	1 D
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/06/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/06/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/06/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/06/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/06/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/06/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/06/00	DJE	108-88-3	
trans-1,2-Dichloroethene	2.5	ug/l	1	1.00	09/06/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-02-6	
Trichloroethene	120	ug/l	5	5.00	09/06/00	DJE	79-01-6	1 D
Trichlorofluoromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-69-4	
Vinyl Chloride	9.2	ug/l	1	1.00	09/06/00	DJE	75-01-4	
Toluene-d8 (S)	92	%		1.00	09/06/00	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		1.00	09/06/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	104	%		1.00	09/06/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785833 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-3B8-35-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	09/06/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785841 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-3B9-14-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/06/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/06/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/06/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/06/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/06/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/06/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/06/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/06/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/06/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/06/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/06/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/06/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/06/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/06/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/06/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-02-6	
Trichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/06/00	DJE	75-01-4	
Toluene-d8 (S)	88	%		1.00	09/06/00	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		1.00	09/06/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	102	%		1.00	09/06/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785841 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-3B9-14-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	105	%		1.00	09/06/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785858 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-8C6-15-082900 Date Received: 08/31/00

GC/MS Volatiles

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/06/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/06/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/06/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/06/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/06/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/06/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/06/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/06/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/06/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/06/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/06/00	DJE	74-87-3	
cis-1,2-Dichloroethene	61	ug/l	5	5.00	09/06/00	DJE	156-59-2	1 D
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/06/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/06/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/06/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/06/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/06/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/06/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/06/00	DJE	108-88-3	
trans-1,2-Dichloroethene	4.8	ug/l	1	1.00	09/06/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/06/00	DJE	10061-02-6	
Trichloroethene	85	ug/l	5	5.00	09/06/00	DJE	79-01-6	1 D
Trichlorofluoromethane	ND	ug/l	1	1.00	09/06/00	DJE	75-69-4	
Vinyl Chloride	2.0	ug/l	1	1.00	09/06/00	DJE	75-01-4	
Toluene-d8 (S)	93	%		1.00	09/06/00	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		1.00	09/06/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	101	%		1.00	09/06/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785858 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-8C6-15-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	101	%		1.00	09/06/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785866 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-8C6-35-082900 Date Received: 08/31/00

GC/MS Volatiles

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-00-5	
1,1-Dichloroethane	1.8	ug/l	1	1.00	09/07/00	DJE	75-34-3	
1,1-Dichloroethene	2.0	ug/l	1	1.00	09/07/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/07/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/07/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/07/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/07/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/07/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/07/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/07/00	DJE	74-87-3	
cis-1,2-Dichloroethene	120	ug/l	5	5.00	09/07/00	DJE	156-59-2	1 D
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/07/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/07/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/07/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/07/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/07/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/07/00	DJE	108-88-3	
trans-1,2-Dichloroethene	8.5	ug/l	1	1.00	09/07/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-02-6	
Trichloroethene	140	ug/l	5	5.00	09/07/00	DJE	79-01-6	1 D
Trichlorofluoromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-69-4	
Vinyl Chloride	5.7	ug/l	1	1.00	09/07/00	DJE	75-01-4	
Toluene-d8 (S)	91	%		1.00	09/07/00	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		1.00	09/07/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		1.00	09/07/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785866 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-8C6-35-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	106	%		1.00	09/07/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785874 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-7A-17-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-00-5	
1,1-Dichloroethane	1.2	ug/l	1	1.00	09/07/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/07/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/07/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/07/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/07/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/07/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/07/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/07/00	DJE	74-87-3	
cis-1,2-Dichloroethene	57	ug/l	5	5.00	09/07/00	DJE	156-59-2	1 D
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/07/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/07/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/07/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/07/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/07/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/07/00	DJE	108-88-3	
trans-1,2-Dichloroethene	5.4	ug/l	1	1.00	09/07/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-02-6	
Trichloroethene	78	ug/l	5	5.00	09/07/00	DJE	79-01-6	1 D
Trichlorofluoromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-69-4	
Vinyl Chloride	1.1	ug/l	1	1.00	09/07/00	DJE	75-01-4	
Toluene-d8 (S)	91	%		1.00	09/07/00	DJE	2037-26-5	
Dibromofluoromethane (S)	102	%		1.00	09/07/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		1.00	09/07/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785874 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-7A-17-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	107	%		1.00	09/07/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785882 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-7A-35-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-00-5	
1,1-Dichloroethane	1.5	ug/l	1	1.00	09/07/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/07/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/07/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/07/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/07/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/07/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/07/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/07/00	DJE	74-87-3	
cis-1,2-Dichloroethene	110	ug/l	5	5.00	09/07/00	DJE	156-59-2	1 D
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/07/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/07/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/07/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/07/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/07/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/07/00	DJE	108-88-3	
trans-1,2-Dichloroethene	8.1	ug/l	1	1.00	09/07/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-02-6	
Trichloroethene	110	ug/l	5	5.00	09/07/00	DJE	79-01-6	1 D
Trichlorofluoromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-69-4	
Vinyl Chloride	3.8	ug/l	1	1.00	09/07/00	DJE	75-01-4	
Toluene-d8 (S)	91	%		1.00	09/07/00	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		1.00	09/07/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		1.00	09/07/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785882 Date Collected: 08/29/00 Matrix: Water
Client Sample ID: NIC-GPW-GP#18-7A-35-082900 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		1.00	09/07/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785932 Date Collected: 08/30/00 Matrix: Water
Client Sample ID: NIC-GPW-8C7-17-083000 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	1.5	ug/l	1	1.00	09/07/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/07/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/07/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/07/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/07/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/07/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/07/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/07/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/07/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/07/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/07/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/07/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/07/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/07/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-02-6	
Trichloroethene	1.9	ug/l	1	1.00	09/07/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-01-4	
Toluene-d8 (S)	88	%		1.00	09/07/00	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		1.00	09/07/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		1.00	09/07/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785932 Date Collected: 08/30/00 Matrix: Water
Client Sample ID: NIC-GPW-8C7-17-083000 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	112	%		1.00	09/07/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785940 Date Collected: 08/30/00 Matrix: Water
Client Sample ID: NIC-GPW-8C7-35-083000 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-00-5	
1,1-Dichloroethane	1.8	ug/l	1	1.00	09/07/00	DJE	75-34-3	
1,1-Dichloroethene	1.8	ug/l	1	1.00	09/07/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/07/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/07/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/07/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/07/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/07/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/07/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/07/00	DJE	74-87-3	
cis-1,2-Dichloroethene	130	ug/l	5	5.00	09/07/00	DJE	156-59-2	1 D
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/07/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/07/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/07/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/07/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/07/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/07/00	DJE	108-88-3	
trans-1,2-Dichloroethene	7.1	ug/l	1	1.00	09/07/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-02-6	
Trichloroethene	140	ug/l	5	5.00	09/07/00	DJE	79-01-6	1 D
Trichlorofluoromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-69-4	
Vinyl Chloride	4.3	ug/l	1	1.00	09/07/00	DJE	75-01-4	
Toluene-d8 (S)	93	%		1.00	09/07/00	DJE	2037-26-5	
Dibromofluoromethane (S)	104	%		1.00	09/07/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		1.00	09/07/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785940 Date Collected: 08/30/00 Matrix: Water
Client Sample ID: NIC-GPW-8C7-35-083000 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	104	%		1.00	09/07/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785973 Date Collected: 08/30/00 Matrix: Water
Client Sample ID: NIC-GPW-8C9-16-083000 Date Received: 08/31/00

GC/MS Volatiles

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/07/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/07/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/07/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/07/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/07/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/07/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/07/00	DJE	74-87-3	
cis-1,2-Dichloroethene	1.3	ug/l	1	1.00	09/07/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/07/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/07/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/07/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/07/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/07/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/07/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-02-6	
Trichloroethene	4.1	ug/l	1	1.00	09/07/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-01-4	
Toluene-d8 (S)	93	%		1.00	09/07/00	DJE	2037-26-5	
Dibromofluoromethane (S)	106	%		1.00	09/07/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		1.00	09/07/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785973 Date Collected: 08/30/00 Matrix: Water
Client Sample ID: NIC-GPW-8C9-16-083000 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	108	%		1.00	09/07/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785999 Date Collected: 08/30/00 Matrix: Water
Client Sample ID: NIC-GPW-8C8-16-083000 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/07/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/07/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/07/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/07/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/07/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/07/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/07/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/07/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/07/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/07/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/07/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/07/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/07/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/07/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/07/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/07/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/07/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/07/00	DJE	10061-02-6	
Trichloroethene	2.2	ug/l	1	1.00	09/07/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/07/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/07/00	DJE	75-01-4	
Toluene-d8 (S)	91	%		1.00	09/07/00	DJE	2037-26-5	
Dibromofluoromethane (S)	105	%		1.00	09/07/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		1.00	09/07/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603785999 Date Collected: 08/30/00 Matrix: Water
Client Sample ID: NIC-GPW-8C8-16-083000 Date Received: 08/31/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	109	%		1.00	09/07/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
App. DF	Applied Dilution Factor
[1]	This result is from a 1:5 dilution on 9/7/00.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 90031
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603785817 603785825 603785833 603785841 603785858 603785866 603785874 603785882 603785932 603785940 603785973 603785999

METHOD BLANK: 603800723
Associated Pace Samples:
603785817 603785825 603785833 603785841 603785858

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 603800723
Associated Pace Samples:
603785817 603785825 603785833 603785841 603785858

Parameter	Units	Method Blank Result	PRL	Footnotes
M&P-Xylene	ug/l	ND	1.3	
Methylene Chloride	ug/l	ND	1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	105		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	102		

METHOD BLANK: 603800731
Associated Pace Samples:
603785866 603785874 603785882 603785932 603785940 603785973 603785999

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 603800731
Associated Pace Samples:
603785866 603785874 603785882 603785932 603785940 603785973 603785999

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
Methylene Chloride	ug/l	ND	1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Toluene-d8 (S)	%	96		
Dibromofluoromethane (S)	%	103		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	100		

LABORATORY CONTROL SAMPLE & LCSD: 603793613 603793621

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
1,1,1-Trichloroethane	ug/l	10	10.47	105	10.25	102	3	
1,1,2,2-Tetrachloroethane	ug/l	10	8.106	81.1	8.433	84.3	4	
1,1,2-Trichloroethane	ug/l	10	9.895	98.9	9.471	94.7	4	
1,1-Dichloroethane	ug/l	10	9.856	98.6	9.936	99.4	1	
1,1-Dichloroethene	ug/l	10	9.793	97.9	10.32	103	5	
1,2-Dichlorobenzene	ug/l	10	9.564	95.6	10.19	102	6	
1,2-Dichloroethane	ug/l	10	11.14	111	10.90	109	2	
1,2-Dichloropropane	ug/l	10	9.941	99.4	9.772	97.7	2	
1,3-Dichlorobenzene	ug/l	10	10.14	101	10.27	103	2	
1,4-Dichlorobenzene	ug/l	10	9.375	93.7	9.716	97.2	4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE & LCSD: 603793613 603793621

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Benzene	ug/l	10	9.966	99.7	10.17	102	2	
Bromodichloromethane	ug/l	10	11.10	111	11.35	113	2	
Bromoform	ug/l	10	10.41	104	10.44	104	0	
Bromomethane	ug/l	10	9.225	92.2	9.197	92.0	0	
Carbon Tetrachloride	ug/l	10	10.97	110	10.64	106	4	
Chlorobenzene	ug/l	10	9.668	96.7	9.683	96.8	0	
Chloroethane	ug/l	10	8.906	89.1	9.993	99.9	11	
Chloroform	ug/l	10	10.57	106	10.47	105	1	
Chloromethane	ug/l	10	7.832	78.3	9.401	94.0	18	1
cis-1,2-Dichloroethene	ug/l	10	9.605	96.0	9.673	96.7	1	
cis-1,3-Dichloropropene	ug/l	10	11.08	111	11.25	112	1	
Dibromochloromethane	ug/l	10	10.19	102	9.903	99.0	3	
Ethylbenzene	ug/l	10	9.593	95.9	9.436	94.4	2	
M&P-Xylene	ug/l	20	18.75	93.8	18.78	93.9	0	
Methylene Chloride	ug/l	10	9.368	93.7	10.24	102	8	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.826	98.3	9.911	99.1	1	
Tetrachloroethene	ug/l	10	9.011	90.1	8.811	88.1	2	
Toluene	ug/l	10	10.26	103	10.98	110	7	
trans-1,2-Dichloroethene	ug/l	10	9.458	94.6	9.380	93.8	1	
trans-1,3-Dichloropropene	ug/l	10	9.651	96.5	9.274	92.7	4	
Trichloroethene	ug/l	10	11.91	119	11.82	118	1	
Trichlorofluoromethane	ug/l	10	10.46	105	11.21	112	6	
Vinyl Chloride	ug/l	10	8.315	83.1	9.644	96.4	15	
Toluene-d8 (S)				104		106		
Dibromofluoromethane (S)				106		103		
4-Bromofluorobenzene (S)				96		96		
1,2-Dichloroethane-d4 (S)				119		109		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044466
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The RPD exceeds laboratory established control limits of 16%.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request Profile - 7437

Client:	Camp Dresser & McKee
Address:	9330 E. Central, Ste. 400
	Wichita, KS 67206
Phone #:	316-634-6881
Fax #:	316-634-2835

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Frank Winslow
Date Sampled:	8/30/30

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	6044466
*Requested Due Date:	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260		REMARKS
1	NIC-GPW-8C7-17-083000	0744	Water		3					X	X	TB PV	603785932
2	NIC-GPW-8C7-35-083000	0804	Water		3					X	X		603785940
3	NIC-GPW-8C9-16-083000	1127	Water		3					X	X		603785973
4	NIC-GPW-8C8-16-083000	1256	Water		3					X	X		603785999

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-4		PACE	8/30/00	1600
			8-31-00	1015

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Renewal by TB

September 22, 2000

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory on September 7, 2000. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA
CROSS REFERENCE TABLE

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
603798497	NIC-GPW-HDP-3-15M-090600	EPA 8260	90352		
603798570	NIC-GPW-HDP-3-15-090600	EPA 8260	90352		
603798596	NIC-GPW-HDP-2-14-090600	EPA 8260	90352		
603798604	NIC-GPW-HDP-2-39-090600	EPA 8260	90352		
603798612	NIC-GPW-HDP-1-16-090600	EPA 8260	90352		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

DATE: 09/22/00

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Pace Sample No: 603798497 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-3-15M-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/09/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/09/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/09/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/09/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/09/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/09/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/09/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/09/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/09/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/09/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/09/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/09/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/09/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/09/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/09/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/09/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/09/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/09/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/09/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/09/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/09/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/09/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/09/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/09/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/09/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/09/00	DJE	95-47-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603798497 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-3-15M-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
Tetrachloroethene	ND	ug/l	1	1.00	09/09/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/09/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/09/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/09/00	DJE	10061-02-6	
Trichloroethene	ND	ug/l	1	1.00	09/09/00	DJE	79-01-6	
Trichlorofluoromethane	1.8	ug/l	1	1.00	09/09/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/09/00	DJE	75-01-4	
Toluene-d8 (S)	97	%		1.00	09/09/00	DJE	2037-26-5	
Dibromofluoromethane (S)	110	%		1.00	09/09/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		1.00	09/09/00	DJE	460-00-4	
1,2-Dichloroethane-d4 (S)	122	%		1.00	09/09/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603798570 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-3-15-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/09/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/09/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/09/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/09/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/09/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/09/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/09/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/09/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/09/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/09/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/09/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/09/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/09/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/09/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/09/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/09/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/09/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/09/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/09/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/09/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/09/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/09/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/09/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/09/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/09/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/09/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/09/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/09/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/09/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/09/00	DJE	10061-02-6	
Trichloroethene	ND	ug/l	1	1.00	09/09/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/09/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/09/00	DJE	75-01-4	
Toluene-d8 (S)	95	%		1.00	09/09/00	DJE	2037-26-5	
Dibromofluoromethane (S)	113	%		1.00	09/09/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		1.00	09/09/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603798570 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-3-15-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	122	%		1.00	09/09/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603798596 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-2-14-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/12/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/12/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/12/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/12/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/12/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/12/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/12/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/12/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/12/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/12/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/12/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/12/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/12/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/12/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/12/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/12/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/12/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/12/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/12/00	DJE	10061-02-6	
Trichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/12/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/12/00	DJE	75-01-4	
Toluene-d8 (S)	94	%		1.00	09/12/00	DJE	2037-26-5	
Dibromofluoromethane (S)	116	%		1.00	09/12/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	98	%		1.00	09/12/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603798596 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-2-14-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes	
1,2-Dichloroethane-d4 (S)	127	%		1.00	09/12/00	DJE	17060-07-0	1	S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603798604 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-2-39-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/12/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/12/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/12/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/12/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/12/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/12/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/12/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/12/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/12/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/12/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/12/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/12/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/12/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/12/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/12/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/12/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/12/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/12/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/12/00	DJE	10061-02-6	
Trichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/12/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/12/00	DJE	75-01-4	
Toluene-d8 (S)	98	%		1.00	09/12/00	DJE	2037-26-5	
Dibromofluoromethane (S)	113	%		1.00	09/12/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	99	%		1.00	09/12/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603798604 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-2-39-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	126	%		1.00	09/12/00	DJE	17060-07-0	2

S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603798612 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-1-16-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
GC/MS Volatiles								
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/l	1	1.00	09/12/00	DJE	79-34-5	
1,1,2-Trichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	79-00-5	
1,1-Dichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	75-34-3	
1,1-Dichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	75-35-4	
1,2-Dichlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	95-50-1	
1,2-Dichloroethane	ND	ug/l	1	1.00	09/12/00	DJE	107-06-2	
1,2-Dichloropropane	ND	ug/l	1	1.00	09/12/00	DJE	78-87-5	
1,3-Dichlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	106-46-7	
Benzene	ND	ug/l	1	1.00	09/12/00	DJE	71-43-2	
Bromodichloromethane	ND	ug/l	1	1.00	09/12/00	DJE	75-27-4	
Bromoform	ND	ug/l	1	1.00	09/12/00	DJE	75-25-2	
Bromomethane	ND	ug/l	1	1.00	09/12/00	DJE	74-83-9	
Carbon Tetrachloride	ND	ug/l	1	1.00	09/12/00	DJE	56-23-5	
Chlorobenzene	ND	ug/l	1	1.00	09/12/00	DJE	108-90-7	
Chloroethane	ND	ug/l	1	1.00	09/12/00	DJE	75-00-3	
Chloroform	ND	ug/l	1	1.00	09/12/00	DJE	67-66-3	
Chloromethane	ND	ug/l	1	1.00	09/12/00	DJE	74-87-3	
cis-1,2-Dichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	156-59-2	
cis-1,3-Dichloropropene	ND	ug/l	1	1.00	09/12/00	DJE	10061-01-5	
Dibromochloromethane	ND	ug/l	1	1.00	09/12/00	DJE	124-48-1	
Ethylbenzene	ND	ug/l	1	1.00	09/12/00	DJE	100-41-4	
M&P-Xylene	ND	ug/l	1.3	1.00	09/12/00	DJE		
Methylene Chloride	ND	ug/l	1	1.00	09/12/00	DJE	75-09-2	
O-Xylene (1,2-Dimethylbenzene)	ND	ug/l	1.1	1.00	09/12/00	DJE	95-47-6	
Tetrachloroethene	ND	ug/l	1	1.00	09/12/00	DJE	127-18-4	
Toluene	ND	ug/l	1	1.00	09/12/00	DJE	108-88-3	
trans-1,2-Dichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	156-60-5	
trans-1,3-Dichloropropene	ND	ug/l	1	1.00	09/12/00	DJE	10061-02-6	
Trichloroethene	ND	ug/l	1	1.00	09/12/00	DJE	79-01-6	
Trichlorofluoromethane	ND	ug/l	1	1.00	09/12/00	DJE	75-69-4	
Vinyl Chloride	ND	ug/l	1	1.00	09/12/00	DJE	75-01-4	
Toluene-d8 (S)	95	%		1.00	09/12/00	DJE	2037-26-5	
Dibromofluoromethane (S)	112	%		1.00	09/12/00	DJE	1868-53-7	
4-Bromofluorobenzene (S)	97	%		1.00	09/12/00	DJE	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Pace Sample No: 603798612 Date Collected: 09/06/00 Matrix: Water
Client Sample ID: NIC-GPW-HDP-1-16-090600 Date Received: 09/07/00

Parameters	Results	Units	PRL	App. DF	Analyzed	Analyst	CAS#	Footnotes
1,2-Dichloroethane-d4 (S)	121	%		1.00	09/12/00	DJE	17060-07-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
App. DF	Applied Dilution Factor
[1]	The recovery exceeds laboratory established control limits of 124%. No target analytes were present in the sample so quantitation is not a factor and the data are accepted.
[2]	The recovery exceeds laboratory established control limits of 124%. No target analytes were present so quantitation is not a factor and the data are accepted.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

QC Batch ID: 90352
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Pace Samples: 603798497 603798570 603798596 603798604 603798612

METHOD BLANK: 603807603
Associated Pace Samples:
603798497 603798570

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
Methylene Chloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 603807603
Associated Pace Samples:
603798497 603798570

Parameter	Units	Method Blank Result	PRL	Footnotes
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Toluene-d8 (S)	%	97		
Dibromofluoromethane (S)	%	109		
4-Bromofluorobenzene (S)	%	98		
1,2-Dichloroethane-d4 (S)	%	117		

METHOD BLANK: 603811183
Associated Pace Samples:
603798596 603798604 603798612

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon Tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 603811183
Associated Pace Samples: 603798596 603798604 603798612

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
M&P-Xylene	ug/l	ND	1.3	
Methylene Chloride	ug/l	ND	1	
O-Xylene (1,2-Dimethylbenzene)	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl Chloride	ug/l	ND	1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	114		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	123		

LABORATORY CONTROL SAMPLE & LCSD: 603807611 603807629

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
1,1,1-Trichloroethane	ug/l	10	10.73	107	10.51	105	2	
1,1,2,2-Tetrachloroethane	ug/l	10	7.427	74.3	7.770	77.7	4	
1,1,2-Trichloroethane	ug/l	10	9.629	96.3	9.357	93.6	3	
1,1-Dichloroethane	ug/l	10	9.743	97.4	9.942	99.4	2	
1,1-Dichloroethene	ug/l	10	8.997	90.0	8.996	90.0	0	
1,2-Dichlorobenzene	ug/l	10	9.844	98.4	10.09	101	3	
1,2-Dichloroethane	ug/l	10	11.45	114	11.35	113	1	
1,2-Dichloropropane	ug/l	10	9.713	97.1	9.861	98.6	2	
1,3-Dichlorobenzene	ug/l	10	9.918	99.2	10.45	105	6	
1,4-Dichlorobenzene	ug/l	10	9.420	94.2	9.572	95.7	2	
Benzene	ug/l	10	9.801	98.0	9.920	99.2	1	
Bromodichloromethane	ug/l	10	10.96	110	11.19	112	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE & LCSD: 603807611 603807629

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Bromoform	ug/l	10	9.507	95.1	9.038	90.4	5	
Bromomethane	ug/l	10	7.846	78.5	7.767	77.7	1	
Carbon Tetrachloride	ug/l	10	11.58	116	11.40	114	2	
Chlorobenzene	ug/l	10	9.425	94.2	9.056	90.6	4	
Chloroethane	ug/l	10	8.149	81.5	8.199	82.0	1	
Chloroform	ug/l	10	10.74	107	10.71	107	0	
Chloromethane	ug/l	10	6.389	63.9	6.530	65.3	2	
cis-1,2-Dichloroethene	ug/l	10	9.265	92.6	9.469	94.7	2	
cis-1,3-Dichloropropene	ug/l	10	10.91	109	11.12	111	2	
Dibromochloromethane	ug/l	10	9.909	99.1	9.502	95.0	4	
Ethylbenzene	ug/l	10	9.474	94.7	8.925	89.2	6	
M&P-Xylene	ug/l	20	18.26	91.3	17.36	86.8	5	
Methylene Chloride	ug/l	10	9.257	92.6	9.290	92.9	0	
O-Xylene (1,2-Dimethylbenzene)	ug/l	10	9.372	93.7	8.997	90.0	4	
Tetrachloroethene	ug/l	10	9.366	93.7	8.927	89.3	5	
Toluene	ug/l	10	9.877	98.8	9.937	99.4	1	
trans-1,2-Dichloroethene	ug/l	10	8.970	89.7	9.095	91.0	1	
trans-1,3-Dichloropropene	ug/l	10	9.911	99.1	9.520	95.2	4	
Trichloroethene	ug/l	10	11.81	118	11.82	118	0	
Trichlorofluoromethane	ug/l	10	10.04	100	10.09	101	1	
Vinyl Chloride	ug/l	10	7.078	70.8	7.098	71.0	0	
Toluene-d8 (S)				100		100		
Dibromofluoromethane (S)				106		107		
4-Bromofluorobenzene (S)				95		89		
1,2-Dichloroethane-d4 (S)				118		118		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Pace Project Number: 6044587
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

2427-Item 1

Page 1 of 2

Client:	Camp Dresser & McKee
Address:	9330 E. Central, Ste. 400
	Wichita, KS 67206
Phone #:	316-634-6881
Fax #:	316-634-2835

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Adam Falberg
Date Sampled:	9/6/00

Lab Client No.:
Lab Project Manager: Andrea Hyslop
Lab Project No.: 6044587
*Requested Due Date: NIC Project TAT
Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	REMARKS
1	NIC-GPW-HDP-3-15M-090600	0700	Water		3	3		PV		X	X	603798497
2	NIC-GPW-HDP-3-15-090600	0805	Water		3					X	X	603798570
3	NIC-GPW-HDP-2-14-090600	1054	Water		3					X	X	603798596
4	NIC-GPW-HDP-2-39-090600	1125	Water		3					X	X	603798604
5	NIC-GPW-HDP-1-16-090600	1234	Water		3					X	X	603798612

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-5			9/6/00	1600
		PACE	9-7-00	0742

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Reviewed by TB

January 22, 2001

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Lab Project Number: 6047542
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory on January 5, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

QUALITY CONTROL DATA

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

QC Batch: 53994 QC Batch Method:
Analysis Method: Analysis Description: Percent Moisture
Associated Lab Samples: 604088559 604088567 604088575 604088583 604088591
604088609 604088617 604088625 604088633 604088641
604088658 604088666 604088674

METHOD BLANK: 102493152
Associated Lab Samples:
604088559 604088567 604088575 604088583 604088591 604088609 604088617
604088625 604088633 604088641 604088658 604088666 604088674

Parameter	Units	Method Blank Result	PRL	Footnotes
Percent Moisture	%	ND	1	

SAMPLE DUPLICATE: 102493160

Parameter	Units	604088591	Dup. Result	RPD	Footnotes
Percent Moisture	%	25.50	27.70	8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

QUALITY CONTROL DATA

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

QC Batch: 53948 QC Batch Method: SM 5310
Analysis Method: SM 5310 Analysis Description: Total Organic Carbon in Soil
Associated Lab Samples: 604088583 604088591 604088609 604088633 604088641 604088658 604088666 604088674

METHOD BLANK: 102491735
Associated Lab Samples: 604088583 604088591 604088609 604088633 604088641 604088658 604088666 604088674

Parameter	Units	Method Blank Result	PRL	Footnotes
Total Organic Carbon	mg/kg	ND	1000	

LABORATORY CONTROL SAMPLE & LCSD: 102491750 102491768

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Total Organic Carbon	mg/kg	10000	10690	107	11050	111	4	1-3

SAMPLE DUPLICATE: 102491743

Parameter	Units	604088591	Dup. Result	RPD	Footnotes
Total Organic Carbon	mg/kg	5500	5500	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

QUALITY CONTROL DATA

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

QC Batch: 53954 QC Batch Method: SM 5310
Analysis Method: SM 5310 Analysis Description: Total Organic Carbon in Soil
Associated Lab Samples: 604088559 604088567 604088575 604088617 604088625

METHOD BLANK: 102492139
Associated Lab Samples: 604088559 604088567 604088575 604088617 604088625

Parameter	Units	Method Blank Result	PRL	Footnotes
Total Organic Carbon	mg/kg	ND	1000	

LABORATORY CONTROL SAMPLE & LCSD: 102492154 102492162

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Total Organic Carbon	mg/kg	10000	11080	111	11420	114	3	2,2-2

SAMPLE DUPLICATE: 102492147

Parameter	Units	604088559	Dup. Result	RPD	Footnotes
Total Organic Carbon	mg/kg	11000	11000	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

January 17, 2001

Client Services
Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

RE: Lab Project Number: 1040537
Client Project ID: 6047542/CDM

Dear Services:

Enclosed are the analytical results for sample(s) received by the laboratory January 5, 2001 through January 6, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Carol Davy
Project Manager

State of Minnesota laboratory 027-053-137

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

Attn: Client Services
Phone: 913-599-5665

Solid results are reported on a dry weight basis

Lab Sample No: 604088559 Project Sample Number: 1040537-007 Date Collected: 12/12/00
Client Sample ID: NMW-01-5-7 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture	Method:							
Percent Moisture	8.8	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil	Method: SM 5310				Prep Method: SM 5310			
Total Organic Carbon	11000	mg/kg	1100	01/10/01	BKR	7440-44-0		

Lab Sample No: 604088567 Project Sample Number: 1040537-008 Date Collected: 12/12/00
Client Sample ID: NMW-01-12-15 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture	Method:							
Percent Moisture	14.9	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil	Method: SM 5310				Prep Method: SM 5310			
Total Organic Carbon	7300	mg/kg	1200	01/10/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

Lab Sample No: 604088575 Project Sample Number: 1040537-009 Date Collected: 12/12/00
Client Sample ID: NMW-01-20-22 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture	Method:							
Percent Moisture	17.1	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil	Method: SM 5310			Prep Method: SM 5310				
Total Organic Carbon	6700	mg/kg	1200	01/10/01	BKR	7440-44-0		

Lab Sample No: 604088583 Project Sample Number: 1040537-010 Date Collected: 12/12/00
Client Sample ID: NMW-01-30-32 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture	Method:							
Percent Moisture	11.2	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil	Method: SM 5310			Prep Method: SM 5310				
Total Organic Carbon	ND	mg/kg	1100	01/09/01	BKR	7440-44-0		

Lab Sample No: 604088591 Project Sample Number: 1040537-011 Date Collected: 12/11/00
Client Sample ID: NMW-47-6-8 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture	Method:							

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

Lab Sample No: 604088591 Project Sample Number: 1040537-011 Date Collected: 12/11/00
Client Sample ID: NMW-47-6-8 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Percent Moisture	25.5	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil	Method: SM 5310			Prep Method: SM 5310				
Total Organic Carbon	5500	mg/kg	1300	01/09/01	BKR	7440-44-0		

Lab Sample No: 604088609 Project Sample Number: 1040537-012 Date Collected: 12/11/00
Client Sample ID: NMW-47-15-18 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture	Method:							
Percent Moisture	10.5	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil	Method: SM 5310			Prep Method: SM 5310				
Total Organic Carbon	3800	mg/kg	1100	01/09/01	BKR	7440-44-0		

Lab Sample No: 604088617 Project Sample Number: 1040537-013 Date Collected: 12/12/00
Client Sample ID: NMW-47-30-30.5 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture	Method:							
Percent Moisture	8.3	%	0	01/10/01	LSB			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

Lab Sample No: 604088617 Project Sample Number: 1040537-013 Date Collected: 12/12/00
Client Sample ID: NMW-47-30-30.5 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	1400	mg/kg	1100	01/10/01	BKR	7440-44-0		

Lab Sample No: 604088625 Project Sample Number: 1040537-014 Date Collected: 12/12/00
Client Sample ID: NMW-47-38-38.5 Matrix: Soil Date Received: 01/05/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture		Method:						
Percent Moisture	17.8	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	9400	mg/kg	1200	01/10/01	BKR	7440-44-0		

Lab Sample No: 604088633 Project Sample Number: 1040537-002 Date Collected: 12/11/00
Client Sample ID: NMW-31-5-6 Matrix: Soil Date Received: 01/06/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture		Method:						
Percent Moisture	12.2	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	5600	mg/kg	1100	01/09/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

Lab Sample No: 604088641 Project Sample Number: 1040537-003 Date Collected: 12/11/00
Client Sample ID: NMW-31-6-7.4 Matrix: Soil Date Received: 01/06/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture		Method:						
Percent Moisture	14.1	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1200	01/09/01	BKR	7440-44-0		

Lab Sample No: 604088658 Project Sample Number: 1040537-004 Date Collected: 12/11/00
Client Sample ID: NMW-31-15-17 Matrix: Soil Date Received: 01/06/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture		Method:						
Percent Moisture	19.8	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	3900	mg/kg	1200	01/09/01	BKR	7440-44-0		

Lab Sample No: 604088666 Project Sample Number: 1040537-005 Date Collected: 12/11/00
Client Sample ID: NMW-31-21-21.5 Matrix: Soil Date Received: 01/06/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture		Method:						

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

Lab Sample No: 604088666 Project Sample Number: 1040537-005 Date Collected: 12/11/00
Client Sample ID: NMW-31-21-21.5 Matrix: Soil Date Received: 01/06/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Percent Moisture	13.5	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1200	01/09/01	BKR	7440-44-0		

Lab Sample No: 604088674 Project Sample Number: 1040537-006 Date Collected: 12/11/00
Client Sample ID: NMW-31-21.5-22.5 Matrix: Soil Date Received: 01/06/01

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Inorganics Prep								
Percent Moisture		Method:						
Percent Moisture	16.0	%	0	01/10/01	LSB			
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	26000	mg/kg	1200	01/09/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040537
Client Project ID: 6047542/CDM

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND Not Detected
NC Not Calculable
PRL Pace Reporting Limit
RPD Relative Percent Difference
[1] The LCSD was outside the acceptance limits of 90-110%, but was within the performance acceptance limits of 7180 - 12900 mg/kg for this standard.
[2] The LCS and/or LCSD was outside the QC limits of 90-110%, but within the performance acceptance limits (7180-12900 mg/kg) for this standard.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical

Total Organic Carbon
Lab TOC Model 2001

Date 1-9-01 Calib. Std. No.: TOC-187 Batch No. 53948

Analyst BKR Calib. Std. (mg/L) 10000

Range (Water) NA

Sample Matrix: ☐ Water ☒ Soil

Run No.	Position No.	Description	Weight (mg)	Result (ppm)	Comments
	NA	Cal. Std.			
1		ICV/LCS	54.8	10693	ERA LOT # 1101 TV=10000
2		ICB/PBW	50.ul	99	
3		604088591	33.6	4100	
4		604088591	44.9	4073	
5		604088609	50.9	33162	
6		604088609	58.5	34162	
7		604088633	43.4	10857	
8		604088633	43.0	4914	
9		604088633	47.5	3802	
10		CCV	54.3	11053*	TV=10000
11		CCB	50.ul	119	
12		604088641	53.6	360	
13		604088641	58.7	284	
14		604088658	48.1	3152	
15		604088658	60.6	4044	
16		604088666	51.6	881	
17		604088666	56.2	1439	
18		604088666	59.9	828	
19		CCV	66.1	0	TV=10000 Sample not pushed in
20		CCV	66.1	10610	TV=10000
21	↓	CCB	50.ul	91	

Comments: * Outside acceptance limits of 90%-110% but in the ~~range of 7180-12900 mg/kg~~ performance acceptance limits of 7180-12900 mg/kg of this standard. ~~14 lot acceptance~~

* Position Number only applicable for TOC waters
* Error message - IR overrange for Total Inorganic Carbon (TIC) does not effect TOC result

000018

Pace Analytical

Total Organic Carbon
Lab TOC Model 2001

Date 1-9-01 Calib. Std. No.: TOC-187 Batch No. 53948

Analyst BKR Calib. Std. (mg/L) 10000

Range (Water) NA

Sample Matrix: ☐ Water ☒ Soil

Run No.	Position No.	Description	Weight (mg)	Result (ppm)	Comments
22	NA	604088674	40.2	21880	
23		604088674	48.0	22416	
24		604088583	55.0	235	
25		604088583	58.1	274	
26		CCV	51.7	11207*	TV=10000
27	↓	CCB	50ml	96	



Comments: *Outside acceptance limits of 90%-110% but within the range of 7180-12900mg/kg.

* Position Number only applicable for TOC waters

* Error message - IR overrange for Total Inorganic Carbon (TIC) does not effect TOC result

CHAIN-OF-CUSTODY RECORD

Analytical Request 1040537

Client:	Camp Dresser & McKee	Report To:	Darren Brown
Address:	1331 17th St. Suite 1200	Bill To:	Darren Brown
	Denver CO 80202	P.O.# / Billing Reference	2395-20456-tsk5
Phone #:	(303) 298-1311	Project Name / No.	NIC
Fax #:	(303) 293-8236	Sampled By (Print):	Darren Brown
		Date Sampled:	12/11 12/12

Lab Client No.: 2427, Item 4
Lab Project Manager: ANDREA Hyzon (604-7542)
Lab Project No.:
*Requested Due: standard TAT
Sampler Signature:

ITEM NO.	Sample Identification	Date	Matrix	LAB ID	PRESERVATIVES # of Containers	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ICE	ANALYSES REQUESTED TOC 9060									REMARKS
1	NMW-31-5-6 1(GW)	12/11/00	Soil		1					X	X										604088633
2	NMW-31-6-7.4	12/11/00	Soil		1					X	X										604088641
3	NMW-31-15-17	12/11/00	Soil		1					X	X										604088658
4	NMW-31-21-21.5	12/11/00	Soil		1					X	X										604088661
5	NMW-31-21.5-22.5	12/11/00	Soil		1					X	X										604088674
6			Soil		1					X	X										
7			Soil		1					X	X										
8			Soil		1					X	X										

ADDITIONAL COMMENTS

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFILIATION	DATE	TIME
			11/4/01	1537
		Pace	11/05/01	715
			11/6/01	10:30

T=1°C

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Darren Brown
Address:	1331 17th St. Suite 1200	Bill To:	Darren Brown
	Denver CO 80202	P.O # / Billing Reference	2395-20456-tsk5
Phone #:	(303) 298-1311	Project Name / No.	NIC
Fax #:	(303) 293-8236	Sampled By (Print):	Darren Brown
		Date Sampled:	12/11 12/12

Lab Client No: 2427 - Item 4
Lab Project Manager: ANDREA WYSLOP
Lab Project No.: 6047572
*Requested Due: standard TAT
Sampler Signature:

ITEM NO.	Sample Identification	Date	Matrix	LAB ID	PRESERVATIVES: # of Containers	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ICE	ANALYSES REQUESTED: TOC 9060	REMARKS
1	NMW-01-5-7 1(dup)	12/12/00	Soil		1						X	X	604088559
2	NMW-01-12-15	12/12/00	Soil		1						X	X	604088567
3	NMW-01-20-22	12/12/00	Soil		1						X	X	604088575
4	NMW-01-30-32	12/12/00	Soil		1						X	X	604088583
5	NMW-47-6-8	12/11/00	Soil		1						X	X	604088591
6	NMW-47-15-18	12/11/00	Soil		1						X	X	604088609
7	NMW-47-30-30.5	12/12/00	Soil		1						X	X	604088617
8	NMW-47-38-38.5	12/12/00	Soil		1						X	X	604088625

ADDITIONAL COMMENTS

COOLER TEMPERATURE: 3°C

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFILIATION	DATE	TIME
		CDM	1/4/01	1537
			010501	915
			1/6/01	1030

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

January 30, 2001

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Lab Project Number: 6047764
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory on January 18, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

QUALITY CONTROL DATA

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

QC Batch: 54367
QC Batch Method: SM 5310
Analysis Method: SM 5310
Analysis Description: Total Organic Carbon in Soil
Associated Lab Samples: 604109769 604109777 604109785 604109793 604109850 604109868 604109876 604109884

METHOD BLANK: 102512506
Associated Lab Samples: 102509569 604109769 604109777 604109785 604109793 604109850 604109868 604109876 604109884

Parameter	Units	Method Blank Result	PRL	Footnotes
Total Organic Carbon	mg/kg	ND	1000	

LABORATORY CONTROL SAMPLE & LCSD: 102512522 102512530

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Total Organic Carbon	mg/kg	10000	12300	123	12280	123	0	1,2

SAMPLE DUPLICATE: 102514973

Parameter	Units	604109769	Dup. Result	RPD	Footnotes
Total Organic Carbon	mg/kg	ND	ND	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

QUALITY CONTROL DATA

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

QC Batch: 54407
QC Batch Method: SM 5310
Analysis Method: SM 5310
Analysis Description: Total Organic Carbon in Soil
Associated Lab Samples: 604109801 604109819 604109827 604109835 604109843 604109892 604109900 604109918

METHOD BLANK: 102514791
Associated Lab Samples: 604109801 604109819 604109827 604109835 604109843 604109892 604109900 604109918

Parameter	Units	Method Blank Result	PRL	Footnotes
Total Organic Carbon	mg/kg	ND	1000	

LABORATORY CONTROL SAMPLE & LCSD: 102514809 102514817

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Total Organic Carbon	mg/kg	10000	10930	109	10520	105	4	

SAMPLE DUPLICATE: 102514825

Parameter	Units	604109801	Dup. Result	RPD	Footnotes
Total Organic Carbon	mg/kg	ND	ND	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

QUALITY CONTROL DATA

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

QC Batch: 54464
QC Batch Method: SM 5310
Analysis Method: SM 5310
Analysis Description: Total Organic Carbon in Soil
Associated Lab Samples: 604109926 604109934 604109942 604109959 604109967

METHOD BLANK: 102518966
Associated Lab Samples: 604109926 604109934 604109942 604109959 604109967

Parameter	Units	Method Blank Result	PRL	Footnotes
Total Organic Carbon	mg/kg	ND	1000	

LABORATORY CONTROL SAMPLE & LCSD: 102518982 102518990

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Total Organic Carbon	mg/kg	10000	11140	111	11360	114	2	3,3

SAMPLE DUPLICATE: 102518974

Parameter	Units	604109926	Dup. Result	RPD	Footnotes
Total Organic Carbon	mg/kg	19000	17000	16	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

QUALITY CONTROL DATA

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

QC Batch: 54466
QC Batch Method: SM 5310
Analysis Method: SM 5310
Analysis Description: Total Organic Carbon in Soil
Associated Lab Samples: 604109975

METHOD BLANK: 102519030
Associated Lab Samples:
604109975

Parameter	Units	Method Blank Result	PRL	Footnotes
Total Organic Carbon	mg/kg	ND	1000	

LABORATORY CONTROL SAMPLE & LCSD: 102519055 102519063

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Spike Dup % Rec	RPD	Footnotes
Total Organic Carbon	mg/kg	10000	11210	112	12710	127	13	4,4

SAMPLE DUPLICATE: 102519048

Parameter	Units	604109975	Dup. Result	RPD	Footnotes
Total Organic Carbon	mg/kg	ND	ND	0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

January 29, 2001

Client Services
Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

RE: Lab Project Number: 1040996
Client Project ID: 6047764 CDM

Dear Services:

Enclosed are the analytical results for sample(s) received by the laboratory on January 18, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Carol Davy
Project Manager

State of Minnesota laboratory 027-053-137

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

Attn: Client Services
Phone: 913-599-5665

Solid results are reported on a wet weight basis

Lab Sample No: 604109769 Project Sample Number: 1040996-023 Date Collected: 01/04/01 16:08
Client Sample ID: NIC-SS-NMW-01-34-36-010401 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/23/01	BDA	7440-44-0		

Lab Sample No: 604109777 Project Sample Number: 1040996-002 Date Collected: 01/05/01 16:13
Client Sample ID: NIC-SS-NMW-22-38-40-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/23/01	BKR	7440-44-0		

Lab Sample No: 604109785 Project Sample Number: 1040996-003 Date Collected: 01/05/01 15:32
Client Sample ID: NIC-SS-NMW-22-22-24-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	3500	mg/kg	1000	01/23/01	BKR	7440-44-0		

Date: 01/29/01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

Lab Sample No: 604109793 Project Sample Number: 1040996-004 Date Collected: 01/05/01 15:10
Client Sample ID: NIC-SS-NMW-22-15-17-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	5500	mg/kg	1000	01/23/01	BKR	7440-44-0		

Lab Sample No: 604109801 Project Sample Number: 1040996-005 Date Collected: 01/05/01 15:03
Client Sample ID: NIC-SS-NMW-22-6-8-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/24/01	BKR	7440-44-0		

Lab Sample No: 604109819 Project Sample Number: 1040996-006 Date Collected: 01/05/01 08:05
Client Sample ID: NIC-SS-NML-04-6-8-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	2500	mg/kg	1000	01/24/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

Lab Sample No: 604109827 Project Sample Number: 1040996-007 Date Collected: 01/05/01 08:13
Client Sample ID: NIC-SS-NML-04-13-15-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/24/01	BKR	7440-44-0		

Lab Sample No: 604109835 Project Sample Number: 1040996-008 Date Collected: 01/05/01 08:30
Client Sample ID: NIC-SS-NML-04-24-26-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/24/01	BKR	7440-44-0		

Lab Sample No: 604109843 Project Sample Number: 1040996-009 Date Collected: 01/05/01 08:56
Client Sample ID: NIC-SS-NML-04-34-36-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/24/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

Lab Sample No: 604109850 Project Sample Number: 1040996-010 Date Collected: 01/04/01 09:21
Client Sample ID: NIC-SS-NMW-03-4-6-010401 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil	Method: SM 5310			Prep Method: SM 5310				
Total Organic Carbon	16000	mg/kg	1000	01/23/01	BKR	7440-44-0		

Lab Sample No: 604109868 Project Sample Number: 1040996-011 Date Collected: 01/04/01 09:47
Client Sample ID: NIC-SS-NMW-03-24-26-010401 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil	Method: SM 5310			Prep Method: SM 5310				
Total Organic Carbon	7600	mg/kg	1000	01/23/01	BKR	7440-44-0		

Lab Sample No: 604109876 Project Sample Number: 1040996-012 Date Collected: 01/04/01 10:06
Client Sample ID: NIC-SS-NMW-03-34-36-010401 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil	Method: SM 5310			Prep Method: SM 5310				
Total Organic Carbon	3600	mg/kg	1000	01/23/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

Lab Sample No: 604109884 Project Sample Number: 1040996-013 Date Collected: 01/05/01 10:33
Client Sample ID: NIC-SS-NML-07-10-12-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	5600	mg/kg	1000	01/23/01	BKR	7440-44-0		

Lab Sample No: 604109892 Project Sample Number: 1040996-014 Date Collected: 01/05/01 10:44
Client Sample ID: NIC-SS-NML-07-20-22-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/24/01	BKR	7440-44-0		

Lab Sample No: 604109900 Project Sample Number: 1040996-015 Date Collected: 01/05/01 11:12
Client Sample ID: NIC-SS-NML-07-25-27-010501 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	24000	mg/kg	1000	01/24/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

Lab Sample No: 604109918 Project Sample Number: 1040996-016 Date Collected: 01/08/01 09:14
Client Sample ID: NIC-SS-NMW-24-22-24-010801 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/24/01	BKR	7440-44-0		

Lab Sample No: 604109926 Project Sample Number: 1040996-017 Date Collected: 01/08/01 10:12
Client Sample ID: NIC-SS-NMW-35-6-8-010801 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	19000	mg/kg	1000	01/25/01	BKR	7440-44-0		

Lab Sample No: 604109934 Project Sample Number: 1040996-018 Date Collected: 01/08/01 10:26
Client Sample ID: NIC-SS-NMW-35-16-18-010801 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	5500	mg/kg	1000	01/25/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

Lab Sample No: 604109942 Project Sample Number: 1040996-019 Date Collected: 01/08/01 10:50
Client Sample ID: NIC-SS-NMW-35-24-26-010801 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/25/01	BKR	7440-44-0		

Lab Sample No: 604109959 Project Sample Number: 1040996-020 Date Collected: 01/08/01 12:46
Client Sample ID: NIC-SS-NMW-35-33-35-010801 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/25/01	BKR	7440-44-0		

Lab Sample No: 604109967 Project Sample Number: 1040996-021 Date Collected: 01/08/01 11:42
Client Sample ID: NIC-SS-NMW-19-16-18-010801 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/25/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

Lab Sample No: 604109975 Project Sample Number: 1040996-022 Date Collected: 01/08/01 11:56
Client Sample ID: NIC-SS-NMW-19-23-25-010801 Matrix: Soil Date Received: 01/18/01 10:15

Parameters	Results	Units	PRL	Analyzed	Analyst	CAS#	Ftnote	Limit
Wet Chemistry								
Total Organic Carbon in Soil		Method: SM 5310			Prep Method: SM 5310			
Total Organic Carbon	ND	mg/kg	1000	01/26/01	BKR	7440-44-0		

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Lab Project Number: 1040996
Client Project ID: 6047764 CDM

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
[1]	The LCS and/or LCSD was outside the acceptance limits of 90-110%, but was within the acceptable limit of 7180-12900 mg/Kg.
[2]	The LCS and/or LCSD was outside the acceptance limits of 90-110%, but was within the acceptable range of 7180-12900 mg/Kg.
[3]	The LCS and/or LCSD was outside the acceptance limits of 90-110%, but within the acceptable range of 7180-12900 mg/Kg.
[4]	The LCS and/or LCSD was outside the acceptance limits of 90-110%, but within the performance acceptance limits for this standard of 7180 - 12900 mg/Kg.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: (612) 607-1700
Fax: (612) 607-6444

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

***** DRAFT *****
01/29/01

Client Services
Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

Pace Analytical Services, Inc.
NW 8922
P.O. Box 1450
Minneapolis, MN 55485-8922

560/PACE KANSAS | Carol Davy | Due Upon Receipt | 1

Client Reference: 6047764 CDM
Pace Project No: 1040996

Quantity	U/M	Description	Method	Matrix	Price	Total
ANALYTICAL Charges:						
22.00	ea	Total Organic Carbon in Soil	SM 5310	Soil	46.00	$ 1012.00
				ANALYTICAL SUBTOTAL:		$ 1012.00
				TOTAL INVOICE AMOUNT:		$ 1012.00

The above charges are for the following samples:

Spl#	Description/Client ID	Received
604109769	NIC-SS-NMW-01-34-36-010401	01/18/01
604109777	NIC-SS-NMW-22-38-40-010501	01/18/01
604109785	NIC-SS-NMW-22-22-24-010501	01/18/01
604109793	NIC-SS-NMW-22-15-17-010501	01/18/01
604109801	NIC-SS-NMW-22-6-8-010501	01/18/01
604109819	NIC-SS-NML-04-6-8-010501	01/18/01
604109827	NIC-SS-NML-04-13-15-010501	01/18/01
604109835	NIC-SS-NML-04-24-26-010501	01/18/01
604109843	NIC-SS-NML-04-34-36-010501	01/18/01
604109850	NIC-SS-NMW-03-4-6-010401	01/18/01
604109868	NIC-SS-NMW-03-24-26-010401	01/18/01
604109876	NIC-SS-NMW-03-34-36-010401	01/18/01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

www.pacelabs.com

Pace Analytical™
www.pacelabs.com

1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: (612) 607-1700
Fax: (612) 607-6444

Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

***** DRAFT *****
01/29/01

Client Services
Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219

Pace Analytical Services, Inc.
NW 8922
P.O. Box 1450
Minneapolis, MN 55485-8922

560/PACE KANSAS | Carol Davy | Due Upon Receipt | 2

604109884	NIC-SS-NML-07-10-12-010501	01/18/01
604109892	NIC-SS-NML-07-20-22-010501	01/18/01
604109900	NIC-SS-NML-07-25-27-010501	01/18/01
604109918	NIC-SS-NMW-24-22-24-010801	01/18/01
604109926	NIC-SS-NMW-35-6-8-010801	01/18/01
604109934	NIC-SS-NMW-35-16-18-010801	01/18/01
604109942	NIC-SS-NMW-35-24-26-010801	01/18/01
604109959	NIC-SS-NMW-35-33-35-010801	01/18/01
604109967	NIC-SS-NMW-19-16-18-010801	01/18/01
604109975	NIC-SS-NMW-19-23-25-010801	01/18/01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

www.pacelabs.com

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

2427-Item 4

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow
Bill To:	Frank Winslow
P.O.# / Billing Reference:	2395-20456
Project Name / No NIC	
Sampled By (Print):	Adam Falberg
Date Sampled:	01/04/01-01/08/01

Lab Client No.:	
Lab Project Manager:	Andrea Hyslop
Lab Project No.:	604 7764
*Requested Due Date	NIC Project TAT
Sampler Signature:	

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ICE	ANALYSES REQUESTED TOC - 9060		REMARKS
1	NIC-SS-NMW-01-34-36-010401	1608	Water		1						X	X		604109769
2	NIC-SS-NMW-22-38-40-010501	1613	Water		1						X	X		604109777
3	NIC-SS-NMW-22-22-24-010501	1532	Water		1						X	X		604109785
4	NIC-SS-NMW-22-15-17-010501	1510	Water		1						X	X		604109793
5	NIC-SS-NMW-22-6-8-010501	1503	Water		1						X	X		604109801
6	NIC-SS-NML-04-6-8-010501	805	Water		1						X	X		604109819
7	NIC-SS-NML-04-13-15-010501	813	Water		1						X	X		604109827
8	NIC-SS-NML-04-24-26-010501	830	Water		1						X	X		604109835

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-8			1/16/01	0800
		PACE	1-18-01	0820

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

2 of 3

Page ~~1 of 2~~

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Frank Winslow
Bill To: Frank Winslow
P.O.# / Billing Reference: 2395-20456
Project Name / No NIC
Sampled By (Print): Adam Falberg
Date Sampled: 01/04/01-01/08/01

Lab Client No.:
Lab Project Manager: Andrea Hyslop
Lab Project No.: 6047764
*Requested Due Date NIC Project TAT
Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ICE	ANALYSES REQUESTED TOC - 9060		REMARKS
9	NIC-SS-NML-04-34-36-010501	856	Water		1						X	X	GW	604109843
10	NIC-SS-NMW-03-4-6-010401	921	Water		1						X	X		604109850
11	NIC-SS-NMW-03-24-26-010401	947	Water		1						X	X		604109868
12	NIC-SS-NMW-03-34-36-010401	1006	Water		1						X	X		604109876
13	NIC-SS-NML-07-10-12-010501	1033	Water		1						X	X		604109884
14	NIC-SS-NML-07-20-22-010501	1044	Water		1						X	X		604109892
15	NIC-SS-NML-07-25-27-010501	1112	Water		1						X	X		604109900
16	NIC-SS-NMW-24-22-24-010801	914	Water		1						X	X		604109918

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
9-16	[illegible]		1/16/01	0800
		AACE	1-18-01	0820

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

3 of 3
Page ~~1 of 2~~

Client: Camp Dresser & McKee
Address: 555 North Woodlawn, Bldg. 1, Ste. 215
Wichita, KS 67208
Phone #: 316-691-9940
Fax #: 316-691-9949

Report To: Frank Winslow
Bill To: Frank Winslow
P.O.# / Billing Reference: 2395-20456
Project Name / No NIC
Sampled By (Print): Adam Falberg
Date Sampled: 01/04/01-01/08/01

Lab Client No.:
Lab Project Manager: Andrea Hyslop
Lab Project No.: 6047764
*Requested Due Date NIC Project TAT
Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ICE	TOC - 9060	ANALYSES REQUESTED	REMARKS
17	NIC-SS-NMW-35-6-8-010801	1012	Water		1						X	X	SN	604109926
18	NIC-SS-NMW-35-16-18-010801	1026	Water		1						X	X		604109934
19	NIC-SS-NMW-35-24-26-010801	1050	Water		1						X	X		604109942
20	NIC-SS-NMW-35-33-35-010801	1246	Water		1						X	X		604109959
21	NIC-SS-NMW-19-16-18-010801	1142	Water		1						X	X		604109967
22	NIC-SS-NMW-19-23-25-010801	1156	Water		1						X	X		604109975

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
TB-22	Adam Falberg		1/16/01	0800
		PACE	1-18-01	0820

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

February 02, 2001

Received
by TB

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory on January 23, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CROSS REFERENCE TABLE

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604116673	NIC-SSS-GP10D-02-10.5	TPH GRO/BTEX	97754	EPA 8021/OA1	97766
604116681	NIC-SS-GP10C-03-9.5	TPH GRO/BTEX	97754	EPA 8021/OA1	97766
604116673	NIC-SSS-GP10D-02-10.5	EPA 8260	97807		
604116681	NIC-SS-GP10C-03-9.5	EPA 8260	97807		
604116673	NIC-SSS-GP10D-02-10.5		97781		
604116681	NIC-SS-GP10C-03-9.5		97781		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a dry weight basis

Lab Sample No: 604116673 Project Sample Number: 6047835-003 Date Collected: 01/18/01 13:15
Client Sample ID: NIC-SSS-GP10D-02-10.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Organics Prep									
Percent Moisture		Method:							
Percent Moisture	17.2	%		0.8	01/26/01	DCKI			
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1				Prep Method: TPH GRO/BTEX			
Gasoline Range Hydrocarbons	88000	ug/kg	6000	1.0	01/24/01	PAH			
Benzene	ND	ug/kg	60.	1.0	01/24/01	PAH	71-43-2		
Toluene	ND	ug/kg	60.	1.0	01/24/01	PAH	108-88-3		
Ethylbenzene	95.	ug/kg	60.	1.0	01/24/01	PAH	100-41-4		
Xylene (Total)	160	ug/kg	160	1.0	01/24/01	PAH	1330-20-7		
Methyl-tert-butyl ether	ND	ug/kg	310	1.0	01/24/01	PAH	1634-04-4		
a,a,a-Trifluorotoluene (S)	94	%		1.0	01/24/01	PAH	2164-17-2		
4-Bromofluorobenzene (S)	106	%		1.0	01/24/01	PAH	460-00-4		
Bromochlorobenzene (S)	145	%		1.0	01/24/01	PAH		1	S
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260				Prep Method: EPA 8260			
1,1,1-Trichloroethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	75-34-3	2	
1,1-Dichloroethene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	78-87-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604116673 Project Sample Number: 6047835-003 Date Collected: 01/18/01 13:15
Client Sample ID: NIC-SSS-GP10D-02-10.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,3-Dichlorobenzene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	106-46-7		
Benzene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	71-43-2		
Bromodichloromethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	75-27-4		
Bromoform	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	75-25-2		
Bromomethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	74-83-9		
Carbon tetrachloride	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	56-23-5		
Chlorobenzene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	108-90-7		
Chloroethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	75-00-3		
Chloroform	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	67-66-3		
Chloromethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	10061-01-5		
Dibromochloromethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	124-48-1		
Ethylbenzene	24.	ug/kg	6.0	1.0	01/24/01 12:07	NLA	100-41-4		
m&p-Xylene	23.	ug/kg	6.0	1.0	01/24/01 12:07	NLA	7816-60-0		
Methylene chloride	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	75-09-2		
o-Xylene	26.	ug/kg	6.0	1.0	01/24/01 12:07	NLA	95-47-6		
Tetrachloroethene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	127-18-4		
Toluene	17.	ug/kg	6.0	1.0	01/24/01 12:07	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	10061-02-6		
Trichloroethene	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	75-69-4		
Vinyl chloride	ND	ug/kg	6.0	1.0	01/24/01 12:07	NLA	75-01-4		
Dibromofluoromethane (S)	107	%		1.0	01/24/01 12:07	NLA			
Toluene-d8 (S)	88	%		1.0	01/24/01 12:07	NLA	2037-26-5		
4-Bromofluorobenzene (S)	113	%		1.0	01/24/01 12:07	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	113	%		1.0	01/24/01 12:07	NLA	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604116681 Project Sample Number: 6047835-004 Date Collected: 01/19/01 16:00
Client Sample ID: NIC-SS-GP10C-03-9.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Organics Prep									
Percent Moisture		Method:							
Percent Moisture	2.2	%		1.0	01/26/01	DCKI			
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	14000	ug/kg	5100	1.0	01/25/01	PAH			
Benzene	ND	ug/kg	51.	1.0	01/25/01	PAH	71-43-2		
Toluene	ND	ug/kg	51.	1.0	01/25/01	PAH	108-88-3		
Ethylbenzene	ND	ug/kg	51.	1.0	01/25/01	PAH	100-41-4		
Xylene (Total)	ND	ug/kg	130	1.0	01/25/01	PAH	1330-20-7		
Methyl-tert-butyl ether	ND	ug/kg	260	1.0	01/25/01	PAH	1634-04-4		
a,a,a-Trifluorotoluene (S)	96	%		1.0	01/25/01	PAH	2164-17-2		
4-Bromofluorobenzene (S)	102	%		1.0	01/25/01	PAH	460-00-4		
Bromochlorobenzene (S)	109	%		1.0	01/25/01	PAH			
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	75-34-3		
1,1-Dichloroethene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	106-46-7		
Benzene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	71-43-2		
Bromodichloromethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	75-27-4		
Bromoform	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	75-25-2		
Bromomethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	74-83-9		
Carbon tetrachloride	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	56-23-5		
Chlorobenzene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	108-90-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604116681 Project Sample Number: 6047835-004 Date Collected: 01/19/01 16:00
Client Sample ID: NIC-SS-GP10C-03-9.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Chloroethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	75-00-3		
Chloroform	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	67-66-3		
Chloromethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	10061-01-5		
Dibromochloromethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	124-48-1		
Ethylbenzene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	100-41-4		
m&p-Xylene	63.	ug/kg	26.	5.0	01/24/01 12:39	NLA	7816-60-0		
Methylene chloride	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	75-09-2		
o-Xylene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	95-47-6		
Tetrachloroethene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	127-18-4		
Toluene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	10061-02-6		
Trichloroethene	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	75-69-4		
Vinyl chloride	ND	ug/kg	26.	5.0	01/24/01 12:39	NLA	75-01-4		
Dibromofluoromethane (S)	97	%		1.0	01/24/01 12:39	NLA			
Toluene-d8 (S)	96	%		1.0	01/24/01 12:39	NLA	2037-26-5		
4-Bromofluorobenzene (S)	100	%		1.0	01/24/01 12:39	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	95	%		1.0	01/24/01 12:39	NLA	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	The surrogate recovery value exceeded the laboratory established control limits. The primary surrogate recovery was within the control limits; therefore, the sample results were accepted without reanalysis.
[2]	The initial analysis of this sample had 2 low internal standard area recoveries. The sample was reanalyzed with similar results. This is a possible matrix effect.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97754 QC Batch Method: TPH GRO/BTEX
Analysis Method: EPA 8021/OA1 Analysis Description: TPH Gas/BTEX
Associated Lab Samples: 604116673 604116681

METHOD BLANK: 604117762
Associated Lab Samples: 604116673 604116681

Parameter	Units	Method Blank Result	PRL	Footnotes
Gasoline Range Hydrocarbons	ug/kg	ND	5000	
Benzene	ug/kg	ND	50	
Toluene	ug/kg	ND	50	
Ethylbenzene	ug/kg	ND	50	
Xylene (Total)	ug/kg	ND	130	
Methyl-tert-butyl ether	ug/kg	ND	260	
a,a,a-Trifluorotoluene (S)	%	98		
4-Bromofluorobenzene (S)	%	86		
Bromochlorobenzene (S)	%	98		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604117887 604117895

Parameter	Units	604115196	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Gasoline Range Hydrocarbons	ug/kg	27410	99210	140000	114	143700	117	3	
Benzene	ug/kg	0	992.10	970.9	98	1051	106	8	
Toluene	ug/kg	35.03	992.10	966.1	94	1036	101	7	
Ethylbenzene	ug/kg	55.46	992.10	1053	101	1105	106	5	
Xylene (Total)	ug/kg	69.05	2976.00	2899	95	3193	105	10	
a,a,a-Trifluorotoluene (S)					92		95		
4-Bromofluorobenzene (S)					113		109		
Bromochlorobenzene (S)					108		115		

LABORATORY CONTROL SAMPLE: 604117770

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Gasoline Range Hydrocarbons	ug/kg	100000	119400	119	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604117770

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Benzene	ug/kg	1000	1160	116	
Toluene	ug/kg	1000	1065	107	
Ethylbenzene	ug/kg	1000	1024	102	
Xylene (Total)	ug/kg	3000	2958	99	
a,a,a-Trifluorotoluene (S)				100	
4-Bromofluorobenzene (S)				106	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97807 QC Batch Method: EPA 8260
Analysis Method: EPA 8260 Analysis Description: GC/MS VOCs by 8260
Associated Lab Samples: 604116673 604116681

METHOD BLANK: 604119263
Associated Lab Samples:
604116681

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/kg	ND	5	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5	
1,1,2-Trichloroethane	ug/kg	ND	5	
1,1-Dichloroethane	ug/kg	ND	5	
1,1-Dichloroethene	ug/kg	ND	5	
1,2-Dichlorobenzene	ug/kg	ND	5	
1,2-Dichloroethane	ug/kg	ND	5	
1,2-Dichloropropane	ug/kg	ND	5	
1,3-Dichlorobenzene	ug/kg	ND	5	
1,4-Dichlorobenzene	ug/kg	ND	5	
Benzene	ug/kg	ND	5	
Bromodichloromethane	ug/kg	ND	5	
Bromoform	ug/kg	ND	5	
Bromomethane	ug/kg	ND	5	
Carbon tetrachloride	ug/kg	ND	5	
Chlorobenzene	ug/kg	ND	5	
Chloroethane	ug/kg	ND	5	
Chloroform	ug/kg	ND	5	
Chloromethane	ug/kg	ND	5	
cis-1,2-Dichloroethene	ug/kg	ND	5	
cis-1,3-Dichloropropene	ug/kg	ND	5	
Dibromochloromethane	ug/kg	ND	5	
Ethylbenzene	ug/kg	ND	5	
m&p-Xylene	ug/kg	ND	5	
Methylene chloride	ug/kg	ND	5	
o-Xylene	ug/kg	ND	5	
Tetrachloroethene	ug/kg	ND	5	
Toluene	ug/kg	ND	5	
trans-1,2-Dichloroethene	ug/kg	ND	5	
trans-1,3-Dichloropropene	ug/kg	ND	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604119263
Associated Lab Samples:
604116681

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/kg	ND	5	
Trichlorofluoromethane	ug/kg	ND	5	
Vinyl chloride	ug/kg	ND	5	
Dibromofluoromethane (S)	%	96		
Toluene-d8 (S)	%	102		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	100		

METHOD BLANK: 604122689
Associated Lab Samples:
604116673

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/kg	ND	5	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5	
1,1,2-Trichloroethane	ug/kg	ND	5	
1,1-Dichloroethane	ug/kg	ND	5	
1,1-Dichloroethene	ug/kg	ND	5	
1,2-Dichlorobenzene	ug/kg	ND	5	
1,2-Dichloroethane	ug/kg	ND	5	
1,2-Dichloropropane	ug/kg	ND	5	
1,3-Dichlorobenzene	ug/kg	ND	5	
1,4-Dichlorobenzene	ug/kg	ND	5	
Benzene	ug/kg	ND	5	
Bromodichloromethane	ug/kg	ND	5	
Bromoform	ug/kg	ND	5	
Bromomethane	ug/kg	ND	5	
Carbon tetrachloride	ug/kg	ND	5	
Chlorobenzene	ug/kg	ND	5	
Chloroethane	ug/kg	ND	5	
Chloroform	ug/kg	ND	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604122689
Associated Lab Samples:
604116673

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloromethane	ug/kg	ND	5	
cis-1,2-Dichloroethene	ug/kg	ND	5	
cis-1,3-Dichloropropene	ug/kg	ND	5	
Dibromochloromethane	ug/kg	ND	5	
Ethylbenzene	ug/kg	ND	5	
m&p-Xylene	ug/kg	ND	5	
Methylene chloride	ug/kg	ND	5	
o-Xylene	ug/kg	ND	5	
Tetrachloroethene	ug/kg	ND	5	
Toluene	ug/kg	ND	5	
trans-1,2-Dichloroethene	ug/kg	ND	5	
trans-1,3-Dichloropropene	ug/kg	ND	5	
Trichloroethene	ug/kg	ND	5	
Trichlorofluoromethane	ug/kg	ND	5	
Vinyl chloride	ug/kg	ND	5	
Dibromofluoromethane (S)	%	105		
Toluene-d8 (S)	%	102		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	108		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604119289 604119297

Parameter	Units	604116681	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/kg	0	51.11	55.05	108	33.08	65	50	
Benzene	ug/kg	0	51.11	53.84	105	30.59	60	55	
Chlorobenzene	ug/kg	0	51.11	56.43	110	23.61	46	82	
Toluene	ug/kg	15.69	51.11	58.28	83	27.51	23	72	1
Trichloroethene	ug/kg	0	51.11	48.53	95	27.11	53	57	2
Dibromofluoromethane (S)					102		100		
Toluene-d8 (S)					90		97		
4-Bromofluorobenzene (S)					132		103		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604119271

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/kg	50	51.11	102	
1,1,2,2-Tetrachloroethane	ug/kg	50	49.45	99	
1,1,2-Trichloroethane	ug/kg	50	51.48	103	
1,1-Dichloroethane	ug/kg	50	50.64	101	
1,1-Dichloroethene	ug/kg	50	49.75	100	
1,2-Dichlorobenzene	ug/kg	50	50.35	101	
1,2-Dichloroethane	ug/kg	50	50.33	101	
1,2-Dichloropropane	ug/kg	50	50.56	101	
1,3-Dichlorobenzene	ug/kg	50	49.37	99	
1,4-Dichlorobenzene	ug/kg	50	49.40	99	
Benzene	ug/kg	50	50.27	101	
Bromodichloromethane	ug/kg	50	50.80	102	
Bromoform	ug/kg	50	50.63	101	
Bromomethane	ug/kg	50	52.35	105	
Carbon tetrachloride	ug/kg	50	51.03	102	
Chlorobenzene	ug/kg	50	50.65	101	
Chloroethane	ug/kg	50	43.97	88	
Chloroform	ug/kg	50	50.66	101	
Chloromethane	ug/kg	50	45.13	90	
cis-1,2-Dichloroethene	ug/kg	50	51.14	102	
cis-1,3-Dichloropropene	ug/kg	50	50.41	101	
Dibromochloromethane	ug/kg	50	50.19	100	
Ethylbenzene	ug/kg	50	50.55	101	
m&p-Xylene	ug/kg	100	99.21	99	
Methylene chloride	ug/kg	50	50.68	101	
o-Xylene	ug/kg	50	50.30	101	
Tetrachloroethene	ug/kg	50	50.62	101	
Toluene	ug/kg	50	50.89	102	
trans-1,2-Dichloroethene	ug/kg	50	50.07	100	
trans-1,3-Dichloropropene	ug/kg	50	50.92	102	
Trichloroethene	ug/kg	50	52.25	105	
Trichlorofluoromethane	ug/kg	50	51.96	104	
Vinyl chloride	ug/kg	50	44.71	89	
Dibromofluoromethane (S)				100	
Toluene-d8 (S)				100	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				100	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97781 QC Batch Method:
Analysis Method: Analysis Description: Percent Moisture
Associated Lab Samples: 604116673 604116681

SAMPLE DUPLICATE: 604118463

Parameter	Units	604116673	Dup. Result	RPD	Footnotes
Percent Moisture	%	17.20	16.50	4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047835
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	An internal standard had an area recovery below method specified control limits.
[2]	The MSD may not have been spiked correctly, resulting in high RPD values.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request 6017835

Page 1 of 1

Profile: 2127 - Item 5

Client: Camp Dresser & McKee
Address: 9330 E. Central, Ste 400
Wichita, KS 67206
Phone #: 316-634-6881
Fax #: 316-634-2835

Report To: Frank Winslow
Bill To: Frank Winslow
P.O.# / Billing Reference: 2395.20456
Project Name / No NIC
Sampled By (Print): D.Brown/A. Falberg
Date Sampled: 1/18/01

Lab Client No.:
Lab Project Manager: Andrea Hyslop
Lab Project No.:
*Requested Due Date Standard TAT
Sampler Signature: Dane J Brown

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES: # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED: VOCs 8260	8015 - OA1	S-VOCs 8270	8015 - OA2	Pest/PCBs - 8081	TAL Metals	REMARKS
1	NIC-SSS-GP10C-01-0-0.5 3(GN)	8:55	Soil		3	X					X	X	X	X	X	X	Expected Low ( )
2	NIC-SS-GP10C-01-4 1(GN)	10:30	Soil		1	X					X	X					Pet. Hydr. Sludge
3	NIC-SS-GP10C-01-4-13 2(GN)	10:30	Soil		2	X							X	X	X	X	Pet. Hydr. Sludge
4	NIC-SS-GP10C-01-14-17 2(GN)	10:45	Soil		2	X						X	X	X			Exp. High Pet. ( )
5	NIC-SSS-GP10D-02-0-0.5 3(GN)	14:10	Soil		3	X					X	X	X	X	X	X	Expected Low ( )
6	NIC-SSS-GP10D-02-10.5 3(GN)	13:15	Soil		3	X					X	X	X	X	X	X	Expected Mod TPH
7	NIC-SSS-GP10C-02-0 - 0.5 3(GN)	15:42	Soil		3	X					X	X	X	X	X	X	Expected Low ( )

6017835 613

ADDITIONAL COMMENTS

Note: Need low D.L where possible.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1	Dane J Brown		1/22/01	
		Abraham Tiregna	1/23/01	0900 ABT
				0745

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request 6047835

Page 1 of 1

Client: Camp Dresser & McKee
Address: 9330 E. Central, Ste 400
Wichita, KS 67206
Phone #: 316-634-6881
Fax #: 316-634-2835

Report To: Frank Winslow
Bill To: Frank Winslow
P.O.# / Billing Reference: 2395-20456
Project Name / No NIC
Sampled By (Print): D.Brown/A. Falberg
Date Sampled: 1/19/01

Lab Client No.:
Lab Project Manager: Andrea Hyslop
Lab Project No.:
*Requested Due Date Standard TAT
Sampler Signature: Dana J Brown

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	8015 - OA1	S-VOCs 8270	8015 - OA2	Pest/PCBs - 8081	TAL Metals	Encore - no req	REMARKS
1	NIC-SSS-GP10D-01-0-0.5 3(GN)	10:10	Soil		3	X					X	X	X	X	X	X		Expected Low ( )
2	NIC-SS-GP10D-01-10 3(GN)	9:40	Soil		3	X						X	X	X	X	X		Mod to high TPH
3	NIC-SS-GP10D-01-10 3(OT)	9:40	Soil		3	X											X	Exp. Mod TPH
4	NIC-SS-GP10D-01-15 2(GN)	10:20	Soil		2	X						X	X	X				Exp. Mod TPH
5	NIC-SS-GP10C-02-5 3(GN)	11:55	Soil		3	X					X	X	X	X	X	X		Pet. Hydro. Sludge
6	NIC-SS-GP10C-03-4.5 1(GN)	15:30	Soil		1	X							X	X				Pet. Hydro. Sludge
7	NIC-SS-GP10C-03-9.5 3(GN)	16:00	Soil		3	X					X	X	X	X	X	X		Exp. Mod TPH
8	NIC-SS-GP10C-03-14 2(GN)	16:20	Soil		2	X						X	X	X				Exp. high TPH

6041166681

ADDITIONAL COMMENTS

Note: Need low D.L where possible.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1	Dana J Brown		1/22/01	
		Abraham Turegano	1/23/01	0900 0745 ABT

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

February 07, 2001

Revised by TB
Qualifiers J, B, S added to Database
all D flags not included

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory on January 23, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CROSS REFERENCE TABLE

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604117440	NIC-SSS-GP10C-01-0-0.5	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117457	NIC-SS-GP10C-01-4	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117473	NIC-SS-GP10C-01-14-17	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117481	NIC-SSS-GP10D-02-0-0.5	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117507	NIC-SSS-GP10C-02-0-0.5	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117515	NIC-SSS-GP10D-01-0-0.5	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117523	NIC-SS-GP10D-01-10	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117549	NIC-SS-GP10D-01-15	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117556	NIC-SS-GP10C-02-5	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117598	NIC-SS-GP10C-03-14	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117614	NIC-SSS-GP10C-03-0-0.5	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604117390	NIC-GPW-GP10C-01-18	EPA 8021/OA1	97964		
604117408	NIC-GPW-GP10C-02-18	EPA 8021/OA1	97964		
604117416	NIC-GPW-GP10D-02-16	EPA 8021/OA1	97964		
604117424	NIC-GPW-GP10C-03-16	EPA 8021/OA1	97964		
604117432	NIC-GPW-GP10D-01-16	EPA 8021/OA1	97964		
604117440	NIC-SSS-GP10C-01-0-0.5	EPA 8260	97891		
604117457	NIC-SS-GP10C-01-4	EPA 8260	97891		
604117481	NIC-SSS-GP10D-02-0-0.5	EPA 8260	97891		
604117507	NIC-SSS-GP10C-02-0-0.5	EPA 8260	97891		
604117515	NIC-SSS-GP10D-01-0-0.5	EPA 8260	97891		
604117556	NIC-SS-GP10C-02-5	EPA 8260	97891		
604117614	NIC-SSS-GP10C-03-0-0.5	EPA 8260	97891		
604117531	NIC-SS-GP10D-01-10 5035	EPA 8260	97906		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604117390	NIC-GPW-GP10C-01-18	EPA 8260	98122		
604117408	NIC-GPW-GP10C-02-18	EPA 8260	98122		
604117416	NIC-GPW-GP10D-02-16	EPA 8260	98122		
604117424	NIC-GPW-GP10C-03-16	EPA 8260	98122		
604117432	NIC-GPW-GP10D-01-16	EPA 8260	98122		
604117390	NIC-GPW-GP10C-01-18	EPA 7470	97828		
604117408	NIC-GPW-GP10C-02-18	EPA 7470	97828		
604117416	NIC-GPW-GP10D-02-16	EPA 7470	97828		
604117424	NIC-GPW-GP10C-03-16	EPA 7470	97828		
604117432	NIC-GPW-GP10D-01-16	EPA 7470	97828		
604117440	NIC-SSS-GP10C-01-0-0.5	EPA 7471	98069		
604117465	NIC-SS-GP10C-01-4-13	EPA 7471	98069		
604117481	NIC-SSS-GP10D-02-0-0.5	EPA 7471	98069		
604117499	NIC-SSS-GP10D-02-10.5	EPA 7471	98069		
604117507	NIC-SSS-GP10C-02-0-0.5	EPA 7471	98069		
604117515	NIC-SSS-GP10D-01-0-0.5	EPA 7471	98069		
604117523	NIC-SS-GP10D-01-10	EPA 7471	98069		
604117556	NIC-SS-GP10C-02-5	EPA 7471	98069		
604117572	NIC-SS-GP10C-03-9.5	EPA 7471	98069		
604117614	NIC-SSS-GP10C-03-0-0.5	EPA 7471	98069		
604117390	NIC-GPW-GP10C-01-18	EPA 3010	97790	EPA 6010	97903
604117408	NIC-GPW-GP10C-02-18	EPA 3010	97790	EPA 6010	97903
604117416	NIC-GPW-GP10D-02-16	EPA 3010	97790	EPA 6010	97903
604117424	NIC-GPW-GP10C-03-16	EPA 3010	97790	EPA 6010	97903
604117432	NIC-GPW-GP10D-01-16	EPA 3010	97790	EPA 6010	97903
604117440	NIC-SSS-GP10C-01-0-0.5	EPA 3050	97878	EPA 6010	97954
604117465	NIC-SS-GP10C-01-4-13	EPA 3050	97878	EPA 6010	97954
604117481	NIC-SSS-GP10D-02-0-0.5	EPA 3050	97878	EPA 6010	97954
604117499	NIC-SSS-GP10D-02-10.5	EPA 3050	97878	EPA 6010	97954
604117507	NIC-SSS-GP10C-02-0-0.5	EPA 3050	97878	EPA 6010	97954
604117515	NIC-SSS-GP10D-01-0-0.5	EPA 3050	97878	EPA 6010	97954
604117523	NIC-SS-GP10D-01-10	EPA 3050	97878	EPA 6010	97954
604117556	NIC-SS-GP10C-02-5	EPA 3050	97878	EPA 6010	97954
604117572	NIC-SS-GP10C-03-9.5	EPA 3050	97878	EPA 6010	97954
604117614	NIC-SSS-GP10C-03-0-0.5	EPA 3050	97878	EPA 6010	97954
604117390	NIC-GPW-GP10C-01-18	EPA 3520	97768	EPA 8270	98053
604117408	NIC-GPW-GP10C-02-18	EPA 3520	97768	EPA 8270	98053
604117416	NIC-GPW-GP10D-02-16	EPA 3520	97768	EPA 8270	98053
604117424	NIC-GPW-GP10C-03-16	EPA 3520	97768	EPA 8270	98053

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604117432	NIC-GPW-GP10D-01-16	EPA 3520	97768	EPA 8270	98053
604117390	NIC-GPW-GP10C-01-18	OA2	97774	OA2	97880
604117408	NIC-GPW-GP10C-02-18	OA2	97774	OA2	97880
604117416	NIC-GPW-GP10D-02-16	OA2	97774	OA2	97880
604117424	NIC-GPW-GP10C-03-16	OA2	97774	OA2	97880
604117432	NIC-GPW-GP10D-01-16	OA2	97774	OA2	97880
604117390	NIC-GPW-GP10C-01-18	EPA 3510	97776	EPA 8082	97892
604117408	NIC-GPW-GP10C-02-18	EPA 3510	97776	EPA 8082	97892
604117416	NIC-GPW-GP10D-02-16	EPA 3510	97776	EPA 8082	97892
604117424	NIC-GPW-GP10C-03-16	EPA 3510	97776	EPA 8082	97892
604117432	NIC-GPW-GP10D-01-16	EPA 3510	97776	EPA 8082	97892
604117390	NIC-GPW-GP10C-01-18	EPA 3510	97777	EPA 8081A	98102
604117408	NIC-GPW-GP10C-02-18	EPA 3510	97777	EPA 8081A	98102
604117416	NIC-GPW-GP10D-02-16	EPA 3510	97777	EPA 8081A	98102
604117424	NIC-GPW-GP10C-03-16	EPA 3510	97777	EPA 8081A	98102
604117432	NIC-GPW-GP10D-01-16	EPA 3510	97777	EPA 8081A	98102
604117440	NIC-SSS-GP10C-01-0-0.5		97781		
604117457	NIC-SS-GP10C-01-4		97781		
604117465	NIC-SS-GP10C-01-4-13		97781		
604117473	NIC-SS-GP10C-01-14-17		97781		
604117481	NIC-SSS-GP10D-02-0-0.5		97781		
604117499	NIC-SSS-GP10D-02-10.5		97781		
604117507	NIC-SSS-GP10C-02-0-0.5		97781		
604117515	NIC-SSS-GP10D-01-0-0.5		97781		
604117523	NIC-SS-GP10D-01-10		97781		
604117549	NIC-SS-GP10D-01-15		97781		
604117556	NIC-SS-GP10C-02-5		97781		
604117564	NIC-SS-GP10C-03-4.5		97781		
604117572	NIC-SS-GP10C-03-9.5		97781		
604117598	NIC-SS-GP10C-03-14		97781		
604117614	NIC-SSS-GP10C-03-0-0.5		97781		
604117440	NIC-SSS-GP10C-01-0-0.5	EPA 3550	97869	EPA 8081A	98101
604117465	NIC-SS-GP10C-01-4-13	EPA 3550	97869	EPA 8081A	98101
604117481	NIC-SSS-GP10D-02-0-0.5	EPA 3550	97869	EPA 8081A	98101
604117499	NIC-SSS-GP10D-02-10.5	EPA 3550	97869	EPA 8081A	98101
604117507	NIC-SSS-GP10C-02-0-0.5	EPA 3550	97869	EPA 8081A	98101
604117515	NIC-SSS-GP10D-01-0-0.5	EPA 3550	97869	EPA 8081A	98101
604117523	NIC-SS-GP10D-01-10	EPA 3550	97869	EPA 8081A	98101
604117556	NIC-SS-GP10C-02-5	EPA 3550	97869	EPA 8081A	98101

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604117572	NIC-SS-GP10C-03-9.5	EPA 3550	97869	EPA 8081A	98101
604117614	NIC-SSS-GP10C-03-0-0.5	EPA 3550	97869	EPA 8081A	98101
604117440	NIC-SSS-GP10C-01-0-0.5	EPA 3550	97870	EPA 8082	98098
604117465	NIC-SS-GP10C-01-4-13	EPA 3550	97870	EPA 8082	98098
604117481	NIC-SSS-GP10D-02-0-0.5	EPA 3550	97870	EPA 8082	98098
604117499	NIC-SSS-GP10D-02-10.5	EPA 3550	97870	EPA 8082	98098
604117507	NIC-SSS-GP10C-02-0-0.5	EPA 3550	97870	EPA 8082	98098
604117515	NIC-SSS-GP10D-01-0-0.5	EPA 3550	97870	EPA 8082	98098
604117523	NIC-SS-GP10D-01-10	EPA 3550	97870	EPA 8082	98098
604117556	NIC-SS-GP10C-02-5	EPA 3550	97870	EPA 8082	98098
604117572	NIC-SS-GP10C-03-9.5	EPA 3550	97870	EPA 8082	98098
604117614	NIC-SSS-GP10C-03-0-0.5	EPA 3550	97870	EPA 8082	98098
604117440	NIC-SSS-GP10C-01-0-0.5	OA2	97871	OA2	97960
604117465	NIC-SS-GP10C-01-4-13	OA2	97871	OA2	97960
604117473	NIC-SS-GP10C-01-14-17	OA2	97871	OA2	97960
604117481	NIC-SSS-GP10D-02-0-0.5	OA2	97871	OA2	97960
604117499	NIC-SSS-GP10D-02-10.5	OA2	97871	OA2	97960
604117507	NIC-SSS-GP10C-02-0-0.5	OA2	97871	OA2	97960
604117515	NIC-SSS-GP10D-01-0-0.5	OA2	97871	OA2	97960
604117523	NIC-SS-GP10D-01-10	OA2	97871	OA2	97960
604117549	NIC-SS-GP10D-01-15	OA2	97871	OA2	97960
604117556	NIC-SS-GP10C-02-5	OA2	97871	OA2	97960
604117564	NIC-SS-GP10C-03-4.5	OA2	97871	OA2	97960
604117572	NIC-SS-GP10C-03-9.5	OA2	97871	OA2	97960
604117598	NIC-SS-GP10C-03-14	OA2	97871	OA2	97960
604117614	NIC-SSS-GP10C-03-0-0.5	OA2	97871	OA2	97960
604117531	NIC-SS-GP10D-01-10 5035		97887		
604117440	NIC-SSS-GP10C-01-0-0.5	EPA 3550 Sonication	97977	EPA 8270	98184
604117465	NIC-SS-GP10C-01-4-13	EPA 3550 Sonication	97977	EPA 8270	98184
604117473	NIC-SS-GP10C-01-14-17	EPA 3550 Sonication	97977	EPA 8270	98184
604117481	NIC-SSS-GP10D-02-0-0.5	EPA 3550 Sonication	97977	EPA 8270	98184
604117499	NIC-SSS-GP10D-02-10.5	EPA 3550 Sonication	97977	EPA 8270	98184
604117507	NIC-SSS-GP10C-02-0-0.5	EPA 3550 Sonication	97977	EPA 8270	98184
604117515	NIC-SSS-GP10D-01-0-0.5	EPA 3550 Sonication	97977	EPA 8270	98184
604117523	NIC-SS-GP10D-01-10	EPA 3550 Sonication	97977	EPA 8270	98184
604117549	NIC-SS-GP10D-01-15	EPA 3550 Sonication	97977	EPA 8270	98184
604117556	NIC-SS-GP10C-02-5	EPA 3550 Sonication	97977	EPA 8270	98184
604117564	NIC-SS-GP10C-03-4.5	EPA 3550 Sonication	97977	EPA 8270	98184
604117572	NIC-SS-GP10C-03-9.5	EPA 3550 Sonication	97977	EPA 8270	98184
604117598	NIC-SS-GP10C-03-14	EPA 3550 Sonication	97977	EPA 8270	98184

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604117614	NIC-SSS-GP10C-03-0-0.5	EPA 3550 Sonication	97977	EPA 8270	98184

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a dry weight basis

Lab Sample No: 604117390 Project Sample Number: 6047840-003 Date Collected: 01/18/01 11:10
Client Sample ID: NIC-GPW-GP10C-01-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Water		**Method: EPA 6010**			**Prep Method: EPA 3010**				
Aluminum	ND	ug/l	75.0	1.0	01/26/01	TMG	7429-90-5		
Antimony	ND	ug/l	10.0	1.0	01/26/01	TMG	7440-36-0		
Arsenic	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-38-2		
Barium	1620	ug/l	4.00	1.0	01/26/01	TMG	7440-39-3		
Beryllium	ND	ug/l	1.00	1.0	01/26/01	TMG	7440-41-7		
Cadmium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-43-9		
Calcium	119000	ug/l	100.	1.0	01/26/01	TMG	7440-70-2		
Chromium	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-47-3		
Cobalt	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-48-4		
Copper	ND	ug/l	10.0	1.0	01/26/01	TMG	7440-50-8		
Iron	36700	ug/l	40.0	1.0	01/26/01	TMG	7439-89-6		
Lead	7.15	ug/l	5.00	1.0	01/26/01	TMG	7439-92-1		
Magnesium	53600	ug/l	50.0	1.0	01/26/01	TMG	7439-95-4		
Manganese	1240	ug/l	7.00	1.0	01/26/01	TMG	7439-96-5		
Nickel	ND	ug/l	30.0	1.0	01/26/01	TMG	7440-02-0		
Potassium	16400	ug/l	1000	1.0	01/26/01	TMG	7440-09-7		
Selenium	ND	ug/l	10.0	2.0	01/26/01	TMG	7782-49-2		
Silver	7.81	ug/l	7.00	1.0	01/26/01	TMG	7440-22-4		
Sodium	88600	ug/l	150.	1.0	01/26/01	TMG	7440-23-5	1	B
Thallium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-28-0		
Vanadium	ND	ug/l	12.0	1.0	01/26/01	TMG	7440-62-2		
Zinc	153.	ug/l	100.	1.0	01/26/01	TMG	7440-66-6		
Date Digested					01/25/01				
Mercury, CVAAS		**Method: EPA 7470**			**Prep Method: EPA 7470**				
Mercury	ND	ug/l	0.200	1.0	01/31/01 15:24	SYW	7439-97-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117390 Project Sample Number: 6047840-003 Date Collected: 01/18/01 11:10
Client Sample ID: NIC-GPW-GP10C-01-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: EPA 5030				
Gasoline Range Hydrocarbons	567.	ug/l	500.	1.0	01/29/01 18:39	SHF			
Benzene	11.4	ug/l	2.00	1.0	01/29/01 18:39	SHF	71-43-2		
Toluene	ND	ug/l	2.00	1.0	01/29/01 18:39	SHF	108-88-3		
Ethylbenzene	ND	ug/l	2.00	1.0	01/29/01 18:39	SHF	100-41-4		
Xylene (Total)	ND	ug/l	5.00	1.0	01/29/01 18:39	SHF	1330-20-7		
Methyl-tert-butyl ether	ND	ug/l	10.0	1.0	01/29/01 18:39	SHF	1634-04-4		
a,a,a-Trifluorotoluene (S)	118	%		1.0	01/29/01 18:39	SHF	2164-17-2	2	S
4-Bromofluorobenzene (S)	103	%		1.0	01/29/01 18:39	SHF	460-00-4		
Bromochlorobenzene (S)	120	%		1.0	01/29/01 18:39	SHF			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3510				
alpha-BHC	ND	ug/l	0.033	1.1	02/02/01 01:04	JLO	319-84-6		
beta-BHC	ND	ug/l	0.065	1.1	02/02/01 01:04	JLO	319-85-7		
delta-BHC	ND	ug/l	0.098	1.1	02/02/01 01:04	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/l	0.043	1.1	02/02/01 01:04	JLO	58-89-9		
Heptachlor	ND	ug/l	0.033	1.1	02/02/01 01:04	JLO	76-44-8		
Aldrin	ND	ug/l	0.043	1.1	02/02/01 01:04	JLO	309-00-2		
Heptachlor epoxide	ND	ug/l	0.11	1.1	02/02/01 01:04	JLO	1024-57-3		
Endosulfan I	ND	ug/l	0.15	1.1	02/02/01 01:04	JLO	959-98-8		
Dieldrin	ND	ug/l	0.022	1.1	02/02/01 01:04	JLO	60-57-1		
4,4'-DDE	ND	ug/l	0.043	1.1	02/02/01 01:04	JLO	72-55-9		
Endrin	ND	ug/l	0.065	1.1	02/02/01 01:04	JLO	72-20-8		
Endosulfan II	ND	ug/l	0.043	1.1	02/02/01 01:04	JLO	33213-65-9		
4,4'-DDD	ND	ug/l	0.12	1.1	02/02/01 01:04	JLO	72-54-8		
Endosulfan sulfate	ND	ug/l	0.72	1.1	02/02/01 01:04	JLO	1031-07-8		
4,4'-DDT	ND	ug/l	0.13	1.1	02/02/01 01:04	JLO	50-29-3		
Methoxychlor	ND	ug/l	1.9	1.1	02/02/01 01:04	JLO	72-43-5		
Chlordane (Technical)	ND	ug/l	0.15	1.1	02/02/01 01:04	JLO	57-74-9		
Toxaphene	ND	ug/l	2.6	1.1	02/02/01 01:04	JLO	8001-35-2		
Endrin aldehyde	ND	ug/l	0.25	1.1	02/02/01 01:04	JLO	7421-93-4		
gamma-Chlordane	ND	ug/l	0.054	1.1	02/02/01 01:04	JLO	5103-74-2		
alpha-Chlordane	ND	ug/l	0.054	1.1	02/02/01 01:04	JLO	5103-71-9		
Endrin ketone	ND	ug/l	0.11	1.1	02/02/01 01:04	JLO	53494-70-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117390 Project Sample Number: 6047840-003 Date Collected: 01/18/01 11:10
Client Sample ID: NIC-GPW-GP10C-01-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Decachlorobiphenyl (S)	41	%		1.0	02/02/01 01:04	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	84	%		1.0	02/02/01 01:04	JLO	877-09-8		
Date Extracted					01/25/01				
PCBs in Water by 8082		Method: EPA 8082			Prep Method: EPA 3510				
PCB-1016 (Aroclor 1016)	ND	ug/l	1.1	1.1	01/25/01 22:45	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/l	1.1	1.1	01/25/01 22:45	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/l	1.1	1.1	01/25/01 22:45	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/l	1.1	1.1	01/25/01 22:45	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/l	1.1	1.1	01/25/01 22:45	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/l	1.1	1.1	01/25/01 22:45	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/l	1.1	1.1	01/25/01 22:45	JLO	11096-82-5		
Decachlorobiphenyl (S)	38	%		1.0	01/25/01 22:45	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	64	%		1.0	01/25/01 22:45	JLO	877-09-8		
Date Extracted					01/25/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/l	0.40	1.0	01/26/01 10:09	EMA			
Jet Fuel	ND	mg/l	0.40	1.0	01/26/01 10:09	EMA			
Kerosene	ND	mg/l	0.40	1.0	01/26/01 10:09	EMA			
Diesel Fuel	15.	mg/l	0.40	1.0	01/26/01 10:09	EMA	68334-30-5		
Fuel Oil	ND	mg/l	0.40	1.0	01/26/01 10:09	EMA	68334-30-5		
Motor Oil	ND	mg/l	0.40	1.0	01/26/01 10:09	EMA			
p-Terphenyl (S)	106	%		1.0	01/26/01 10:09	EMA	92-94-4		
n-Tetracosane (S)	110	%		1.0	01/26/01 10:09	EMA	646-31-1		
Date Extracted					01/25/01				
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	79-00-5		
1,1-Dichloroethane	1.8	ug/l	1.0	1.0	02/01/01 19:06	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	78-87-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117390 Project Sample Number: 6047840-003 Date Collected: 01/18/01 11:10
Client Sample ID: NIC-GPW-GP10C-01-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	106-46-7		
Benzene	17.	ug/l	1.0	1.0	02/01/01 19:06	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	108-90-7		
Chloroethane	12.	ug/l	1.0	1.0	02/01/01 19:06	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	02/01/01 19:06	DJE	7816-60-0		
Methylene chloride	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	02/01/01 19:06	DJE	95-47-6	3	
Tetrachloroethene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	02/01/01 19:06	DJE	75-01-4		
Toluene-d8 (S)	103	%		1.0	02/01/01 19:06	DJE	2037-26-5		
Dibromofluoromethane (S)	93	%		1.0	02/01/01 19:06	DJE			
4-Bromofluorobenzene (S)	103	%		1.0	02/01/01 19:06	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	105	%		1.0	02/01/01 19:06	DJE	17060-07-0		

GC/MS Semivolatiles

Semivolatile Organics by 8270	Method: EPA 8270			Prep Method: EPA 3520					
Phenol	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	111-44-4		
2-Chlorophenol	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	106-46-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117390 Project Sample Number: 6047840-003 Date Collected: 01/18/01 11:10
Client Sample ID: NIC-GPW-GP10C-01-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Benzyl alcohol	ND	ug/l	21.	1.1	02/05/01 23:59	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	621-64-7		
Hexachloroethane	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	67-72-1		
Nitrobenzene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	98-95-3		
Isophorone	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	78-59-1		
2-Nitrophenol	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	105-67-9		
Benzoic acid	ND	ug/l	53.	1.1	02/05/01 23:59	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	120-82-1		
Naphthalene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	91-20-3		
4-Chloroaniline	ND	ug/l	21.	1.1	02/05/01 23:59	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/l	21.	1.1	02/05/01 23:59	WAW	59-50-7		
2-Methylnaphthalene	26.	ug/l	11.	1.1	02/05/01 23:59	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/l	53.	1.1	02/05/01 23:59	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	91-58-7		
2-Nitroaniline	ND	ug/l	53.	1.1	02/05/01 23:59	WAW	88-74-4		
Dimethylphthalate	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	131-11-3		
Acenaphthylene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	606-20-2		
3-Nitroaniline	ND	ug/l	53.	1.1	02/05/01 23:59	WAW	99-09-2		
Acenaphthene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/l	53.	1.1	02/05/01 23:59	WAW	51-28-5		
4-Nitrophenol	ND	ug/l	53.	1.1	02/05/01 23:59	WAW	100-02-7		
Dibenzofuran	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	121-14-2		
Diethylphthalate	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	7005-72-3		
Fluorene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	86-73-7		
4-Nitroaniline	ND	ug/l	53.	1.1	02/05/01 23:59	WAW	100-01-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117390 Project Sample Number: 6047840-003 Date Collected: 01/18/01 11:10
Client Sample ID: NIC-GPW-GP10C-01-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4,6-Dinitro-2-methylphenol	ND	ug/l	53.	1.1	02/05/01 23:59	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	101-55-3		
Hexachlorobenzene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	118-74-1		
Pentachlorophenol	ND	ug/l	53.	1.1	02/05/01 23:59	WAW	87-86-5		
Phenanthrene	33.	ug/l	11.	1.1	02/05/01 23:59	WAW	85-01-8		
Anthracene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	84-74-2		
Fluoranthene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	206-44-0		
Pyrene	21.	ug/l	11.	1.1	02/05/01 23:59	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/l	21.	1.1	02/05/01 23:59	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	56-55-3		
Chrysene	11.	ug/l	11.	1.1	02/05/01 23:59	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/l	11.	1.1	02/05/01 23:59	WAW	191-24-2		
Nitrobenzene-d5 (S)	79	%		1.0	02/05/01 23:59	WAW	4165-60-0		
2-Fluorobiphenyl (S)	85	%		1.0	02/05/01 23:59	WAW	321-60-8		
Terphenyl-d14 (S)	107	%		1.0	02/05/01 23:59	WAW	1718-51-0		
Phenol-d6 (S)	68	%		1.0	02/05/01 23:59	WAW	13127-88-3		
2-Fluorophenol (S)	67	%		1.0	02/05/01 23:59	WAW	367-12-4		
2,4,6-Tribromophenol (S)	110	%		1.0	02/05/01 23:59	WAW	118-79-6		
Date Extracted					01/24/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117408 Project Sample Number: 6047840-004 Date Collected: 01/18/01 16:15
Client Sample ID: NIC-GPW-GP10C-02-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Water		Method: EPA 6010			Prep Method: EPA 3010				
Aluminum	519.	ug/l	75.0	1.0	01/26/01	TMG	7429-90-5		
Antimony	ND	ug/l	10.0	1.0	01/26/01	TMG	7440-36-0		
Arsenic	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-38-2		
Barium	992.	ug/l	4.00	1.0	01/26/01	TMG	7440-39-3		
Beryllium	ND	ug/l	1.00	1.0	01/26/01	TMG	7440-41-7		
Cadmium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-43-9		
Calcium	150000	ug/l	100.	1.0	01/26/01	TMG	7440-70-2		
Chromium	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-47-3		
Cobalt	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-48-4		
Copper	ND	ug/l	10.0	1.0	01/26/01	TMG	7440-50-8		
Iron	16900	ug/l	40.0	1.0	01/26/01	TMG	7439-89-6		
Lead	19.3	ug/l	5.00	1.0	01/26/01	TMG	7439-92-1		
Magnesium	94000	ug/l	50.0	1.0	01/26/01	TMG	7439-95-4		
Manganese	3770	ug/l	7.00	1.0	01/26/01	TMG	7439-96-5		
Nickel	ND	ug/l	30.0	1.0	01/26/01	TMG	7440-02-0		
Potassium	9670	ug/l	1000	1.0	01/26/01	TMG	7440-09-7		
Selenium	ND	ug/l	10.0	2.0	01/26/01	TMG	7782-49-2		
Silver	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-22-4		
Sodium	34200	ug/l	150.	1.0	01/26/01	TMG	7440-23-5	1	B
Thallium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-28-0		
Vanadium	ND	ug/l	12.0	1.0	01/26/01	TMG	7440-62-2		
Zinc	288.	ug/l	100.	1.0	01/26/01	TMG	7440-66-6		
Date Digested					01/25/01				
Mercury, CVAAS		Method: EPA 7470			Prep Method: EPA 7470				
Mercury	ND	ug/l	0.200	1.0	01/31/01 15:26	SYW	7439-97-6		
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: EPA 5030				
Gasoline Range Hydrocarbons	4080	ug/l	500.	1.0	01/30/01 20:17	SHF			
Benzene	10.2	ug/l	2.00	1.0	01/30/01 20:17	SHF	71-43-2		
Toluene	ND	ug/l	2.00	1.0	01/30/01 20:17	SHF	108-88-3		
Ethylbenzene	ND	ug/l	2.00	1.0	01/30/01 20:17	SHF	100-41-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117408 Project Sample Number: 6047840-004 Date Collected: 01/18/01 16:15
Client Sample ID: NIC-GPW-GP10C-02-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Xylene (Total)	22.9	ug/l	5.00	1.0	01/30/01 20:17	SHF	1330-20-7		
Methyl-tert-butyl ether	ND	ug/l	10.0	1.0	01/30/01 20:17	SHF	1634-04-4		
a,a,a-Trifluorotoluene (S)	120	%		1.0	01/30/01 20:17	SHF	2164-17-2	2	S
4-Bromofluorobenzene (S)	114	%		1.0	01/30/01 20:17	SHF	460-00-4		
Bromochlorobenzene (S)	115	%		1.0	01/30/01 20:17	SHF			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3510				D
alpha-BHC	ND	ug/l	0.30	10.0	02/02/01 01:45	JLO	319-84-6		
beta-BHC	ND	ug/l	0.60	10.0	02/02/01 01:45	JLO	319-85-7		
delta-BHC	ND	ug/l	0.90	10.0	02/02/01 01:45	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/l	0.40	10.0	02/02/01 01:45	JLO	58-89-9		
Heptachlor	ND	ug/l	0.30	10.0	02/02/01 01:45	JLO	76-44-8		
Aldrin	ND	ug/l	0.40	10.0	02/02/01 01:45	JLO	309-00-2		
Heptachlor epoxide	ND	ug/l	1.0	10.0	02/02/01 01:45	JLO	1024-57-3		
Endosulfan I	ND	ug/l	1.4	10.0	02/02/01 01:45	JLO	959-98-8		
Dieldrin	ND	ug/l	0.20	10.0	02/02/01 01:45	JLO	60-57-1		
4,4'-DDE	ND	ug/l	0.40	10.0	02/02/01 01:45	JLO	72-55-9		
Endrin	ND	ug/l	0.60	10.0	02/02/01 01:45	JLO	72-20-8		
Endosulfan II	ND	ug/l	0.40	10.0	02/02/01 01:45	JLO	33213-65-9		
4,4'-DDD	ND	ug/l	1.1	10.0	02/02/01 01:45	JLO	72-54-8		
Endosulfan sulfate	ND	ug/l	6.6	10.0	02/02/01 01:45	JLO	1031-07-8		
4,4'-DDT	ND	ug/l	1.2	10.0	02/02/01 01:45	JLO	50-29-3		
Methoxychlor	ND	ug/l	18.	10.0	02/02/01 01:45	JLO	72-43-5		
Chlordane (Technical)	ND	ug/l	1.4	10.0	02/02/01 01:45	JLO	57-74-9		
Toxaphene	ND	ug/l	24.	10.0	02/02/01 01:45	JLO	8001-35-2		
Endrin aldehyde	ND	ug/l	2.3	10.0	02/02/01 01:45	JLO	7421-93-4		
gamma-Chlordane	ND	ug/l	0.50	10.0	02/02/01 01:45	JLO	5103-74-2		
alpha-Chlordane	ND	ug/l	0.50	10.0	02/02/01 01:45	JLO	5103-71-9		
Endrin ketone	ND	ug/l	1.0	10.0	02/02/01 01:45	JLO	53494-70-5		
Decachlorobiphenyl (S)	58	%		1.0	02/02/01 01:45	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	84	%		1.0	02/02/01 01:45	JLO	877-09-8	4	
Date Extracted					01/25/01				
PCBs in Water by 8082		Method: EPA 8082			Prep Method: EPA 3510				D
PCB-1016 (Aroclor 1016)	ND	ug/l	10.	10.0	01/25/01 23:08	JLO	12674-11-2	5	
PCB-1221 (Aroclor 1221)	ND	ug/l	10.	10.0	01/25/01 23:08	JLO	11104-28-2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117408 Project Sample Number: 6047840-004 Date Collected: 01/18/01 16:15
Client Sample ID: NIC-GPW-GP10C-02-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
PCB-1232 (Aroclor 1232)	ND	ug/l	10.	10.0	01/25/01 23:08	JLO	11141-16-5	D	
PCB-1242 (Aroclor 1242)	ND	ug/l	10.	10.0	01/25/01 23:08	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/l	10.	10.0	01/25/01 23:08	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/l	10.	10.0	01/25/01 23:08	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/l	10.	10.0	01/25/01 23:08	JLO	11096-82-5		
Decachlorobiphenyl (S)	55	%		1.0	01/25/01 23:08	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	62	%		1.0	01/25/01 23:08	JLO	877-09-8		
Date Extracted					01/25/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/l	20.	50.0	01/26/01 09:39	EMA			
Jet Fuel	ND	mg/l	20.	50.0	01/26/01 09:39	EMA			
Kerosene	ND	mg/l	20.	50.0	01/26/01 09:39	EMA			
Diesel Fuel	1200	mg/l	20.	50.0	01/26/01 09:39	EMA	68334-30-5		
Fuel Oil	ND	mg/l	20.	50.0	01/26/01 09:39	EMA	68334-30-5		
Motor Oil	ND	mg/l	20.	50.0	01/26/01 09:39	EMA			
p-Terphenyl (S)	0	%		1.0	01/26/01 09:39	EMA	92-94-4		SD
n-Tetracosane (S)	0	%		1.0	01/26/01 09:39	EMA	646-31-1	6	SD
Date Extracted					01/25/01				
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	106-46-7		
Benzene	11.	ug/l	1.0	1.0	02/01/01 19:39	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	56-23-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117408 Project Sample Number: 6047840-004 Date Collected: 01/18/01 16:15
Client Sample ID: NIC-GPW-GP10C-02-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Chlorobenzene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	108-90-7		
Chloroethane	2.1	ug/l	1.0	1.0	02/01/01 19:39	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	124-48-1		
Ethylbenzene	2.4	ug/l	1.0	1.0	02/01/01 19:39	DJE	100-41-4		
m&p-Xylene	7.4	ug/l	1.3	1.0	02/01/01 19:39	DJE	7816-60-0		
Methylene chloride	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	75-09-2		
o-Xylene	2.4	ug/l	1.1	1.0	02/01/01 19:39	DJE	95-47-6	7	
Tetrachloroethene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	127-18-4		
Toluene	1.4	ug/l	1.0	1.0	02/01/01 19:39	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	02/01/01 19:39	DJE	75-01-4		
Toluene-d8 (S)	108	%		1.0	02/01/01 19:39	DJE	2037-26-5		
Dibromofluoromethane (S)	90	%		1.0	02/01/01 19:39	DJE			
4-Bromofluorobenzene (S)	101	%		1.0	02/01/01 19:39	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	97	%		1.0	02/01/01 19:39	DJE	17060-07-0		

GC/MS Semivolatiles

Semivolatile Organics by 8270	Method: EPA 8270			Prep Method: EPA 3520					
Phenol	ND	ug/l	110	11.5	02/05/01 23:15	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/l	110	11.5	02/05/01 23:15	WAW	111-44-4		
2-Chlorophenol	ND	ug/l	110	11.5	02/05/01 23:15	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	106-46-7		
Benzyl alcohol	ND	ug/l	230	11.5	02/05/01 23:15	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/l	110	11.5	02/05/01 23:15	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/l	110	11.5	02/05/01 23:15	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/l	110	11.5	02/05/01 23:15	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/l	110	11.5	02/05/01 23:15	WAW	621-64-7		
Hexachloroethane	ND	ug/l	110	11.5	02/05/01 23:15	WAW	67-72-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117408 Project Sample Number: 6047840-004 Date Collected: 01/18/01 16:15
Client Sample ID: NIC-GPW-GP10C-02-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Nitrobenzene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	98-95-3		
Isophorone	ND	ug/l	110	11.5	02/05/01 23:15	WAW	78-59-1		
2-Nitrophenol	ND	ug/l	110	11.5	02/05/01 23:15	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/l	110	11.5	02/05/01 23:15	WAW	105-67-9		
Benzoic acid	ND	ug/l	570	11.5	02/05/01 23:15	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/l	110	11.5	02/05/01 23:15	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/l	110	11.5	02/05/01 23:15	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	120-82-1		
Naphthalene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	91-20-3		
4-Chloroaniline	ND	ug/l	230	11.5	02/05/01 23:15	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/l	230	11.5	02/05/01 23:15	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/l	110	11.5	02/05/01 23:15	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/l	570	11.5	02/05/01 23:15	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	91-58-7		
2-Nitroaniline	ND	ug/l	570	11.5	02/05/01 23:15	WAW	88-74-4		
Dimethylphthalate	ND	ug/l	110	11.5	02/05/01 23:15	WAW	131-11-3		
Acenaphthylene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	606-20-2		
3-Nitroaniline	ND	ug/l	570	11.5	02/05/01 23:15	WAW	99-09-2		
Acenaphthene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/l	570	11.5	02/05/01 23:15	WAW	51-28-5		
4-Nitrophenol	ND	ug/l	570	11.5	02/05/01 23:15	WAW	100-02-7		
Dibenzofuran	ND	ug/l	110	11.5	02/05/01 23:15	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	121-14-2		
Diethylphthalate	ND	ug/l	110	11.5	02/05/01 23:15	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/l	110	11.5	02/05/01 23:15	WAW	7005-72-3		
Fluorene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	86-73-7		
4-Nitroaniline	ND	ug/l	570	11.5	02/05/01 23:15	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/l	570	11.5	02/05/01 23:15	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/l	110	11.5	02/05/01 23:15	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/l	110	11.5	02/05/01 23:15	WAW	101-55-3		
Hexachlorobenzene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	118-74-1		
Pentachlorophenol	ND	ug/l	570	11.5	02/05/01 23:15	WAW	87-86-5		
Phenanthrene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	85-01-8		
Anthracene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	120-12-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117408 Project Sample Number: 6047840-004 Date Collected: 01/18/01 16:15
Client Sample ID: NIC-GPW-GP10C-02-18 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Di-n-butylphthalate	ND	ug/l	110	11.5	02/05/01 23:15	WAW	84-74-2		
Fluoranthene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	206-44-0		
Pyrene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/l	110	11.5	02/05/01 23:15	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/l	230	11.5	02/05/01 23:15	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	56-55-3		
Chrysene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/l	110	11.5	02/05/01 23:15	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/l	110	11.5	02/05/01 23:15	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/l	110	11.5	02/05/01 23:15	WAW	191-24-2		
Nitrobenzene-d5 (S)	59	%		1.0	02/05/01 23:15	WAW	4165-60-0		
2-Fluorobiphenyl (S)	72	%		1.0	02/05/01 23:15	WAW	321-60-8		
Terphenyl-d14 (S)	78	%		1.0	02/05/01 23:15	WAW	1718-51-0		
Phenol-d6 (S)	59	%		1.0	02/05/01 23:15	WAW	13127-88-3		
2-Fluorophenol (S)	59	%		1.0	02/05/01 23:15	WAW	367-12-4		
2,4,6-Tribromophenol (S)	81	%		1.0	02/05/01 23:15	WAW	118-79-6	8	
Date Extracted					01/24/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117416 Project Sample Number: 6047840-005 Date Collected: 01/18/01 13:30
Client Sample ID: NIC-GPW-GP10D-02-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Water	Method: EPA 6010				Prep Method: EPA 3010				
Aluminum	4190	ug/l	75.0	1.0	01/26/01	TMG	7429-90-5		
Antimony	ND	ug/l	10.0	1.0	01/26/01	TMG	7440-36-0		
Arsenic	70.8	ug/l	5.00	1.0	01/26/01	TMG	7440-38-2		
Barium	1300	ug/l	4.00	1.0	01/26/01	TMG	7440-39-3		
Beryllium	ND	ug/l	1.00	1.0	01/26/01	TMG	7440-41-7		
Cadmium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-43-9		
Calcium	150000	ug/l	100.	1.0	01/26/01	TMG	7440-70-2		
Chromium	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-47-3		
Cobalt	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-48-4		
Copper	13.1	ug/l	10.0	1.0	01/26/01	TMG	7440-50-8		
Iron	65800	ug/l	40.0	1.0	01/26/01	TMG	7439-89-6		
Lead	25.8	ug/l	5.00	1.0	01/26/01	TMG	7439-92-1		
Magnesium	51200	ug/l	50.0	1.0	01/26/01	TMG	7439-95-4		
Manganese	651.	ug/l	7.00	1.0	01/26/01	TMG	7439-96-5		
Nickel	ND	ug/l	30.0	1.0	01/26/01	TMG	7440-02-0		
Potassium	4430	ug/l	1000	1.0	01/26/01	TMG	7440-09-7		
Selenium	ND	ug/l	10.0	2.0	01/26/01	TMG	7782-49-2		
Silver	8.73	ug/l	7.00	1.0	01/26/01	TMG	7440-22-4		
Sodium	117000	ug/l	150.	1.0	01/26/01	TMG	7440-23-5	1	B
Thallium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-28-0		
Vanadium	ND	ug/l	12.0	1.0	01/26/01	TMG	7440-62-2		
Zinc	192.	ug/l	100.	1.0	01/26/01	TMG	7440-66-6		
Date Digested					01/25/01				
Mercury, CVAAS	Method: EPA 7470				Prep Method: EPA 7470				
Mercury	ND	ug/l	0.200	1.0	01/31/01 15:28	SYW	7439-97-6		
GC Volatiles									
TPH Gas/BTEX	Method: EPA 8021/OA1				Prep Method: EPA 5030				
Gasoline Range Hydrocarbons	ND	ug/l	500.	1.0	01/29/01 20:11	SHF			
Benzene	10.1	ug/l	2.00	1.0	01/29/01 20:11	SHF	71-43-2		
Toluene	ND	ug/l	2.00	1.0	01/29/01 20:11	SHF	108-88-3		
Ethylbenzene	ND	ug/l	2.00	1.0	01/29/01 20:11	SHF	100-41-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117416 Project Sample Number: 6047840-005 Date Collected: 01/18/01 13:30
Client Sample ID: NIC-GPW-GP10D-02-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Xylene (Total)	ND	ug/l	5.00	1.0	01/29/01 20:11	SHF	1330-20-7		
Methyl-tert-butyl ether	ND	ug/l	10.0	1.0	01/29/01 20:11	SHF	1634-04-4		
a,a,a-Trifluorotoluene (S)	105	%		1.0	01/29/01 20:11	SHF	2164-17-2		
4-Bromofluorobenzene (S)	101	%		1.0	01/29/01 20:11	SHF	460-00-4		
Bromochlorobenzene (S)	109	%		1.0	01/29/01 20:11	SHF			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3510				
alpha-BHC	ND	ug/l	0.032	1.1	02/02/01 02:27	JLO	319-84-6		
beta-BHC	ND	ug/l	0.065	1.1	02/02/01 02:27	JLO	319-85-7		
delta-BHC	ND	ug/l	0.097	1.1	02/02/01 02:27	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/l	0.043	1.1	02/02/01 02:27	JLO	58-89-9		
Heptachlor	ND	ug/l	0.032	1.1	02/02/01 02:27	JLO	76-44-8		
Aldrin	ND	ug/l	0.043	1.1	02/02/01 02:27	JLO	309-00-2		
Heptachlor epoxide	ND	ug/l	0.11	1.1	02/02/01 02:27	JLO	1024-57-3		
Endosulfan I	ND	ug/l	0.15	1.1	02/02/01 02:27	JLO	959-98-8		
Dieldrin	ND	ug/l	0.022	1.1	02/02/01 02:27	JLO	60-57-1		
4,4'-DDE	ND	ug/l	0.043	1.1	02/02/01 02:27	JLO	72-55-9		
Endrin	ND	ug/l	0.065	1.1	02/02/01 02:27	JLO	72-20-8		
Endosulfan II	ND	ug/l	0.043	1.1	02/02/01 02:27	JLO	33213-65-9		
4,4'-DDD	ND	ug/l	0.12	1.1	02/02/01 02:27	JLO	72-54-8		
Endosulfan sulfate	ND	ug/l	0.71	1.1	02/02/01 02:27	JLO	1031-07-8		
4,4'-DDT	ND	ug/l	0.13	1.1	02/02/01 02:27	JLO	50-29-3		
Methoxychlor	ND	ug/l	1.9	1.1	02/02/01 02:27	JLO	72-43-5		
Chlordane (Technical)	ND	ug/l	0.15	1.1	02/02/01 02:27	JLO	57-74-9		
Toxaphene	ND	ug/l	2.6	1.1	02/02/01 02:27	JLO	8001-35-2		
Endrin aldehyde	ND	ug/l	0.25	1.1	02/02/01 02:27	JLO	7421-93-4		
gamma-Chlordane	ND	ug/l	0.054	1.1	02/02/01 02:27	JLO	5103-74-2		
alpha-Chlordane	ND	ug/l	0.054	1.1	02/02/01 02:27	JLO	5103-71-9		
Endrin ketone	ND	ug/l	0.11	1.1	02/02/01 02:27	JLO	53494-70-5		
Decachlorobiphenyl (S)	34	%		1.0	02/02/01 02:27	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	83	%		1.0	02/02/01 02:27	JLO	877-09-8		
Date Extracted					01/25/01				
PCBs in Water by 8082		Method: EPA 8082			Prep Method: EPA 3510				
PCB-1016 (Aroclor 1016)	ND	ug/l	1.1	1.1	01/25/01 21:12	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/l	1.1	1.1	01/25/01 21:12	JLO	11104-28-2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117416 Project Sample Number: 6047840-005 Date Collected: 01/18/01 13:30
Client Sample ID: NIC-GPW-GP10D-02-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
PCB-1232 (Aroclor 1232)	ND	ug/l	1.1	1.1	01/25/01 21:12	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/l	1.1	1.1	01/25/01 21:12	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/l	1.1	1.1	01/25/01 21:12	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/l	1.1	1.1	01/25/01 21:12	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/l	1.1	1.1	01/25/01 21:12	JLO	11096-82-5		
Decachlorobiphenyl (S)	33	%		1.0	01/25/01 21:12	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	56	%		1.0	01/25/01 21:12	JLO	877-09-8		
Date Extracted					01/25/01				
Total Extractable Hydrocarbons	Method: OA2				Prep Method: OA2				
Mineral Spirits	ND	mg/l	0.40	1.0	01/25/01 15:40	EMA			
Jet Fuel	ND	mg/l	0.40	1.0	01/25/01 15:40	EMA			
Kerosene	ND	mg/l	0.40	1.0	01/25/01 15:40	EMA			
Diesel Fuel	1.2	mg/l	0.40	1.0	01/25/01 15:40	EMA	68334-30-5		
Fuel Oil	ND	mg/l	0.40	1.0	01/25/01 15:40	EMA	68334-30-5		
Motor Oil	ND	mg/l	0.40	1.0	01/25/01 15:40	EMA			
p-Terphenyl (S)	61	%		1.0	01/25/01 15:40	EMA	92-94-4		
n-Tetracosane (S)	74	%		1.0	01/25/01 15:40	EMA	646-31-1		
Date Extracted					01/25/01				
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	106-46-7		
Benzene	13.	ug/l	1.0	1.0	02/01/01 18:32	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	56-23-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117416 Project Sample Number: 6047840-005 Date Collected: 01/18/01 13:30
Client Sample ID: NIC-GPW-GP10D-02-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Chlorobenzene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	02/01/01 18:32	DJE	7816-60-0		
Methylene chloride	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	75-09-2		
o-Xylene	1.8	ug/l	1.1	1.0	02/01/01 18:32	DJE	95-47-6	7	
Tetrachloroethene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	02/01/01 18:32	DJE	75-01-4		
Toluene-d8 (S)	103	%		1.0	02/01/01 18:32	DJE	2037-26-5		
Dibromofluoromethane (S)	93	%		1.0	02/01/01 18:32	DJE			
4-Bromofluorobenzene (S)	102	%		1.0	02/01/01 18:32	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	104	%		1.0	02/01/01 18:32	DJE	17060-07-0		

GC/MS Semivolatiles

Semivolatile Organics by 8270	Method: EPA 8270			Prep Method: EPA 3520				
Phenol	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	108-95-2	
bis(2-Chloroethyl) ether	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	111-44-4	
2-Chlorophenol	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	95-57-8	
1,3-Dichlorobenzene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	106-46-7	
Benzyl alcohol	ND	ug/l	21.	1.1	02/05/01 19:39	WAW	100-51-6	
1,2-Dichlorobenzene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	95-50-1	
2-Methylphenol (o-Cresol)	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	95-48-7	
bis(2-Chloroisopropyl) ether	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	39638-32-9	
4-Methylphenol (p-Cresol)	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	106-44-5	
N-Nitroso-di-n-propylamine	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	621-64-7	
Hexachloroethane	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	67-72-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117416 Project Sample Number: 6047840-005 Date Collected: 01/18/01 13:30
Client Sample ID: NIC-GPW-GP10D-02-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Nitrobenzene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	98-95-3		
Isophorone	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	78-59-1		
2-Nitrophenol	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	105-67-9		
Benzoic acid	ND	ug/l	53.	1.1	02/05/01 19:39	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	120-82-1		
Naphthalene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	91-20-3		
4-Chloroaniline	ND	ug/l	21.	1.1	02/05/01 19:39	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/l	21.	1.1	02/05/01 19:39	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/l	53.	1.1	02/05/01 19:39	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	91-58-7		
2-Nitroaniline	ND	ug/l	53.	1.1	02/05/01 19:39	WAW	88-74-4		
Dimethylphthalate	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	131-11-3		
Acenaphthylene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	606-20-2		
3-Nitroaniline	ND	ug/l	53.	1.1	02/05/01 19:39	WAW	99-09-2		
Acenaphthene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/l	53.	1.1	02/05/01 19:39	WAW	51-28-5		
4-Nitrophenol	ND	ug/l	53.	1.1	02/05/01 19:39	WAW	100-02-7		
Dibenzofuran	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	121-14-2		
Diethylphthalate	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	7005-72-3		
Fluorene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	86-73-7		
4-Nitroaniline	ND	ug/l	53.	1.1	02/05/01 19:39	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/l	53.	1.1	02/05/01 19:39	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	101-55-3		
Hexachlorobenzene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	118-74-1		
Pentachlorophenol	ND	ug/l	53.	1.1	02/05/01 19:39	WAW	87-86-5		
Phenanthrene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	85-01-8		
Anthracene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	120-12-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117416 Project Sample Number: 6047840-005 Date Collected: 01/18/01 13:30
Client Sample ID: NIC-GPW-GP10D-02-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Di-n-butylphthalate	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	84-74-2		
Fluoranthene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	206-44-0		
Pyrene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/l	21.	1.1	02/05/01 19:39	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	56-55-3		
Chrysene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/l	11.	1.1	02/05/01 19:39	WAW	191-24-2		
Nitrobenzene-d5 (S)	83	%		1.0	02/05/01 19:39	WAW	4165-60-0		
2-Fluorobiphenyl (S)	100	%		1.0	02/05/01 19:39	WAW	321-60-8		
Terphenyl-d14 (S)	76	%		1.0	02/05/01 19:39	WAW	1718-51-0		
Phenol-d6 (S)	72	%		1.0	02/05/01 19:39	WAW	13127-88-3		
2-Fluorophenol (S)	75	%		1.0	02/05/01 19:39	WAW	367-12-4		
2,4,6-Tribromophenol (S)	100	%		1.0	02/05/01 19:39	WAW	118-79-6		
Date Extracted					01/24/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117424 Project Sample Number: 6047840-006 Date Collected: 01/18/01 14:30
Client Sample ID: NIC-GPW-GP10C-03-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Water		Method: EPA 6010			Prep Method: EPA 3010				
Aluminum	ND	ug/l	75.0	1.0	01/26/01	TMG	7429-90-5		
Antimony	ND	ug/l	10.0	1.0	01/26/01	TMG	7440-36-0		
Arsenic	9.94	ug/l	5.00	1.0	01/26/01	TMG	7440-38-2		
Barium	1070	ug/l	4.00	1.0	01/26/01	TMG	7440-39-3		
Beryllium	ND	ug/l	1.00	1.0	01/26/01	TMG	7440-41-7		
Cadmium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-43-9		
Calcium	136000	ug/l	100.	1.0	01/26/01	TMG	7440-70-2		
Chromium	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-47-3		
Cobalt	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-48-4		
Copper	ND	ug/l	10.0	1.0	01/26/01	TMG	7440-50-8		
Iron	5190	ug/l	40.0	1.0	01/26/01	TMG	7439-89-6		
Lead	ND	ug/l	5.00	1.0	01/26/01	TMG	7439-92-1		
Magnesium	31700	ug/l	50.0	1.0	01/26/01	TMG	7439-95-4		
Manganese	2640	ug/l	7.00	1.0	01/26/01	TMG	7439-96-5		
Nickel	ND	ug/l	30.0	1.0	01/26/01	TMG	7440-02-0		
Potassium	8310	ug/l	1000	1.0	01/26/01	TMG	7440-09-7		
Selenium	ND	ug/l	10.0	2.0	01/26/01	TMG	7782-49-2		
Silver	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-22-4		
Sodium	63400	ug/l	150.	1.0	01/26/01	TMG	7440-23-5	1	B
Thallium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-28-0		
Vanadium	ND	ug/l	12.0	1.0	01/26/01	TMG	7440-62-2		
Zinc	147.	ug/l	100.	1.0	01/26/01	TMG	7440-66-6		
Date Digested					01/25/01				
Mercury, CVAAS		Method: EPA 7470			Prep Method: EPA 7470				
Mercury	ND	ug/l	0.200	1.0	01/31/01 15:30	SYW	7439-97-6		
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: EPA 5030				
Gasoline Range Hydrocarbons	ND	ug/l	500.	1.0	01/29/01 18:08	SHF			
Benzene	ND	ug/l	2.00	1.0	01/29/01 18:08	SHF	71-43-2		
Toluene	ND	ug/l	2.00	1.0	01/29/01 18:08	SHF	108-88-3		
Ethylbenzene	ND	ug/l	2.00	1.0	01/29/01 18:08	SHF	100-41-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117424 Project Sample Number: 6047840-006 Date Collected: 01/18/01 14:30
Client Sample ID: NIC-GPW-GP10C-03-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Xylene (Total)	ND	ug/l	5.00	1.0	01/29/01 18:08	SHF	1330-20-7		
Methyl-tert-butyl ether	ND	ug/l	10.0	1.0	01/29/01 18:08	SHF	1634-04-4		
a,a,a-Trifluorotoluene (S)	100	%		1.0	01/29/01 18:08	SHF	2164-17-2		
4-Bromofluorobenzene (S)	97	%		1.0	01/29/01 18:08	SHF	460-00-4		
Bromochlorobenzene (S)	103	%		1.0	01/29/01 18:08	SHF			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3510				
alpha-BHC	ND	ug/l	0.033	1.1	02/02/01 03:08	JLO	319-84-6		
beta-BHC	ND	ug/l	0.066	1.1	02/02/01 03:08	JLO	319-85-7		
delta-BHC	ND	ug/l	0.099	1.1	02/02/01 03:08	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/l	0.044	1.1	02/02/01 03:08	JLO	58-89-9		
Heptachlor	ND	ug/l	0.033	1.1	02/02/01 03:08	JLO	76-44-8		
Aldrin	ND	ug/l	0.044	1.1	02/02/01 03:08	JLO	309-00-2		
Heptachlor epoxide	ND	ug/l	0.11	1.1	02/02/01 03:08	JLO	1024-57-3		
Endosulfan I	ND	ug/l	0.15	1.1	02/02/01 03:08	JLO	959-98-8		
Dieldrin	ND	ug/l	0.022	1.1	02/02/01 03:08	JLO	60-57-1		
4,4'-DDE	ND	ug/l	0.044	1.1	02/02/01 03:08	JLO	72-55-9		
Endrin	ND	ug/l	0.066	1.1	02/02/01 03:08	JLO	72-20-8		
Endosulfan II	ND	ug/l	0.044	1.1	02/02/01 03:08	JLO	33213-65-9		
4,4'-DDD	ND	ug/l	0.12	1.1	02/02/01 03:08	JLO	72-54-8		
Endosulfan sulfate	ND	ug/l	0.73	1.1	02/02/01 03:08	JLO	1031-07-8		
4,4'-DDT	ND	ug/l	0.13	1.1	02/02/01 03:08	JLO	50-29-3		
Methoxychlor	ND	ug/l	1.9	1.1	02/02/01 03:08	JLO	72-43-5		
Chlordane (Technical)	ND	ug/l	0.15	1.1	02/02/01 03:08	JLO	57-74-9		
Toxaphene	ND	ug/l	2.6	1.1	02/02/01 03:08	JLO	8001-35-2		
Endrin aldehyde	ND	ug/l	0.25	1.1	02/02/01 03:08	JLO	7421-93-4		
gamma-Chlordane	ND	ug/l	0.055	1.1	02/02/01 03:08	JLO	5103-74-2		
alpha-Chlordane	ND	ug/l	0.055	1.1	02/02/01 03:08	JLO	5103-71-9		
Endrin ketone	ND	ug/l	0.11	1.1	02/02/01 03:08	JLO	53494-70-5		
Decachlorobiphenyl (S)	35	%		1.0	02/02/01 03:08	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	93	%		1.0	02/02/01 03:08	JLO	877-09-8		
Date Extracted					01/25/01				
PCBs in Water by 8082		Method: EPA 8082			Prep Method: EPA 3510				
PCB-1016 (Aroclor 1016)	ND	ug/l	1.1	1.1	01/25/01 23:30	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/l	1.1	1.1	01/25/01 23:30	JLO	11104-28-2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117424 Project Sample Number: 6047840-006 Date Collected: 01/18/01 14:30
Client Sample ID: NIC-GPW-GP10C-03-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
PCB-1232 (Aroclor 1232)	ND	ug/l	1.1	1.1	01/25/01 23:30	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/l	1.1	1.1	01/25/01 23:30	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/l	1.1	1.1	01/25/01 23:30	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/l	1.1	1.1	01/25/01 23:30	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/l	1.1	1.1	01/25/01 23:30	JLO	11096-82-5		
Decachlorobiphenyl (S)	35	%		1.0	01/25/01 23:30	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	75	%		1.0	01/25/01 23:30	JLO	877-09-8		
Date Extracted					01/25/01				
Total Extractable Hydrocarbons	Method: OA2				Prep Method: OA2				
Mineral Spirits	ND	mg/l	0.40	1.0	01/25/01 16:09	EMA			
Jet Fuel	ND	mg/l	0.40	1.0	01/25/01 16:09	EMA			
Kerosene	ND	mg/l	0.40	1.0	01/25/01 16:09	EMA			
Diesel Fuel	ND	mg/l	0.40	1.0	01/25/01 16:09	EMA	68334-30-5		
Fuel Oil	ND	mg/l	0.40	1.0	01/25/01 16:09	EMA	68334-30-5		
Motor Oil	ND	mg/l	0.40	1.0	01/25/01 16:09	EMA			
p-Terphenyl (S)	79	%		1.0	01/25/01 16:09	EMA	92-94-4		
n-Tetracosane (S)	95	%		1.0	01/25/01 16:09	EMA	646-31-1		
Date Extracted					01/25/01				
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	56-23-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117424 Project Sample Number: 6047840-006 Date Collected: 01/18/01 14:30
Client Sample ID: NIC-GPW-GP10C-03-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Chlorobenzene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	02/01/01 17:59	DJE	7816-60-0		
Methylene chloride	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	02/01/01 17:59	DJE	95-47-6	7	
Tetrachloroethene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	02/01/01 17:59	DJE	75-01-4		
Toluene-d8 (S)	96	%		1.0	02/01/01 17:59	DJE	2037-26-5		
Dibromofluoromethane (S)	100	%		1.0	02/01/01 17:59	DJE			
4-Bromofluorobenzene (S)	99	%		1.0	02/01/01 17:59	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	104	%		1.0	02/01/01 17:59	DJE	17060-07-0		

GC/MS Semivolatiles

Semivolatile Organics by 8270	Method: EPA 8270			Prep Method: EPA 3520					
Phenol	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	111-44-4		
2-Chlorophenol	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	106-46-7		
Benzyl alcohol	ND	ug/l	23.	1.2	01/30/01 19:46	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	621-64-7		
Hexachloroethane	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	67-72-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117424 Project Sample Number: 6047840-006 Date Collected: 01/18/01 14:30
Client Sample ID: NIC-GPW-GP10C-03-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Nitrobenzene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	98-95-3		
Isophorone	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	78-59-1		
2-Nitrophenol	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	105-67-9		
Benzoic acid	ND	ug/l	58.	1.2	01/30/01 19:46	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	120-82-1		
Naphthalene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	91-20-3		
4-Chloroaniline	ND	ug/l	23.	1.2	01/30/01 19:46	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/l	23.	1.2	01/30/01 19:46	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/l	58.	1.2	01/30/01 19:46	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	91-58-7		
2-Nitroaniline	ND	ug/l	58.	1.2	01/30/01 19:46	WAW	88-74-4		
Dimethylphthalate	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	131-11-3		
Acenaphthylene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	606-20-2		
3-Nitroaniline	ND	ug/l	58.	1.2	01/30/01 19:46	WAW	99-09-2		
Acenaphthene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/l	58.	1.2	01/30/01 19:46	WAW	51-28-5		
4-Nitrophenol	ND	ug/l	58.	1.2	01/30/01 19:46	WAW	100-02-7		
Dibenzofuran	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	121-14-2		
Diethylphthalate	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	7005-72-3		
Fluorene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	86-73-7		
4-Nitroaniline	ND	ug/l	58.	1.2	01/30/01 19:46	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/l	58.	1.2	01/30/01 19:46	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	101-55-3		
Hexachlorobenzene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	118-74-1		
Pentachlorophenol	ND	ug/l	58.	1.2	01/30/01 19:46	WAW	87-86-5		
Phenanthrene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	85-01-8		
Anthracene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	120-12-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117424 Project Sample Number: 6047840-006 Date Collected: 01/18/01 14:30
Client Sample ID: NIC-GPW-GP10C-03-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Di-n-butylphthalate	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	84-74-2		
Fluoranthene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	206-44-0		
Pyrene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/l	23.	1.2	01/30/01 19:46	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	56-55-3		
Chrysene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/l	12.	1.2	01/30/01 19:46	WAW	191-24-2		
Nitrobenzene-d5 (S)	81	%		1.0	01/30/01 19:46	WAW	4165-60-0		
2-Fluorobiphenyl (S)	85	%		1.0	01/30/01 19:46	WAW	321-60-8		
Terphenyl-d14 (S)	76	%		1.0	01/30/01 19:46	WAW	1718-51-0		
Phenol-d6 (S)	81	%		1.0	01/30/01 19:46	WAW	13127-88-3		
2-Fluorophenol (S)	87	%		1.0	01/30/01 19:46	WAW	367-12-4		
2,4,6-Tribromophenol (S)	100	%		1.0	01/30/01 19:46	WAW	118-79-6		
Date Extracted					01/24/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117432 Project Sample Number: 6047840-007 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-GPW-GP10D-01-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Water		Method: EPA 6010			Prep Method: EPA 3010				
Aluminum	ND	ug/l	75.0	1.0	01/26/01	TMG	7429-90-5		
Antimony	ND	ug/l	10.0	1.0	01/26/01	TMG	7440-36-0		
Arsenic	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-38-2		
Barium	767.	ug/l	4.00	1.0	01/26/01	TMG	7440-39-3		
Beryllium	ND	ug/l	1.00	1.0	01/26/01	TMG	7440-41-7		
Cadmium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-43-9		
Calcium	81000	ug/l	100.	1.0	01/26/01	TMG	7440-70-2		
Chromium	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-47-3		
Cobalt	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-48-4		
Copper	ND	ug/l	10.0	1.0	01/26/01	TMG	7440-50-8		
Iron	13000	ug/l	40.0	1.0	01/26/01	TMG	7439-89-6		
Lead	6.21	ug/l	5.00	1.0	01/26/01	TMG	7439-92-1		
Magnesium	26100	ug/l	50.0	1.0	01/26/01	TMG	7439-95-4		
Manganese	3370	ug/l	7.00	1.0	01/26/01	TMG	7439-96-5		
Nickel	ND	ug/l	30.0	1.0	01/26/01	TMG	7440-02-0		
Potassium	2180	ug/l	1000	1.0	01/26/01	TMG	7440-09-7		
Selenium	ND	ug/l	10.0	2.0	01/26/01	TMG	7782-49-2		
Silver	ND	ug/l	7.00	1.0	01/26/01	TMG	7440-22-4		
Sodium	82900	ug/l	150.	1.0	01/26/01	TMG	7440-23-5	1	B
Thallium	ND	ug/l	5.00	1.0	01/26/01	TMG	7440-28-0		
Vanadium	ND	ug/l	12.0	1.0	01/26/01	TMG	7440-62-2		
Zinc	128.	ug/l	100.	1.0	01/26/01	TMG	7440-66-6		
Date Digested					01/25/01				
Mercury, CVAAS		Method: EPA 7470			Prep Method: EPA 7470				
Mercury	ND	ug/l	0.200	1.0	01/31/01 15:32	SYW	7439-97-6		
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: EPA 5030				
Gasoline Range Hydrocarbons	849.	ug/l	500.	1.0	01/29/01 21:42	SHF			
Benzene	8.16	ug/l	2.00	1.0	01/29/01 21:42	SHF	71-43-2		
Toluene	3.40	ug/l	2.00	1.0	01/29/01 21:42	SHF	108-88-3		
Ethylbenzene	4.58	ug/l	2.00	1.0	01/29/01 21:42	SHF	100-41-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117432 Project Sample Number: 6047840-007 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-GPW-GP10D-01-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Xylene (Total)	13.5	ug/l	5.00	1.0	01/29/01 21:42	SHF	1330-20-7		
Methyl-tert-butyl ether	ND	ug/l	10.0	1.0	01/29/01 21:42	SHF	1634-04-4		
a,a,a-Trifluorotoluene (S)	149	%		1.0	01/29/01 21:42	SHF	2164-17-2	9 S	
4-Bromofluorobenzene (S)	98	%		1.0	01/29/01 21:42	SHF	460-00-4		
Bromochlorobenzene (S)	168	%		1.0	01/29/01 21:42	SHF		9 S	
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3510				
alpha-BHC	ND	ug/l	0.032	1.1	02/02/01 03:49	JLO	319-84-6		
beta-BHC	ND	ug/l	0.065	1.1	02/02/01 03:49	JLO	319-85-7		
delta-BHC	ND	ug/l	0.097	1.1	02/02/01 03:49	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/l	0.043	1.1	02/02/01 03:49	JLO	58-89-9		
Heptachlor	ND	ug/l	0.032	1.1	02/02/01 03:49	JLO	76-44-8		
Aldrin	ND	ug/l	0.043	1.1	02/02/01 03:49	JLO	309-00-2		
Heptachlor epoxide	ND	ug/l	0.11	1.1	02/02/01 03:49	JLO	1024-57-3		
Endosulfan I	ND	ug/l	0.15	1.1	02/02/01 03:49	JLO	959-98-8		
Dieldrin	ND	ug/l	0.022	1.1	02/02/01 03:49	JLO	60-57-1		
4,4'-DDE	ND	ug/l	0.043	1.1	02/02/01 03:49	JLO	72-55-9		
Endrin	ND	ug/l	0.065	1.1	02/02/01 03:49	JLO	72-20-8		
Endosulfan II	ND	ug/l	0.043	1.1	02/02/01 03:49	JLO	33213-65-9		
4,4'-DDD	ND	ug/l	0.12	1.1	02/02/01 03:49	JLO	72-54-8		
Endosulfan sulfate	ND	ug/l	0.71	1.1	02/02/01 03:49	JLO	1031-07-8		
4,4'-DDT	ND	ug/l	0.13	1.1	02/02/01 03:49	JLO	50-29-3		
Methoxychlor	ND	ug/l	1.9	1.1	02/02/01 03:49	JLO	72-43-5		
Chlordane (Technical)	ND	ug/l	0.15	1.1	02/02/01 03:49	JLO	57-74-9		
Toxaphene	ND	ug/l	2.6	1.1	02/02/01 03:49	JLO	8001-35-2		
Endrin aldehyde	ND	ug/l	0.25	1.1	02/02/01 03:49	JLO	7421-93-4		
gamma-Chlordane	ND	ug/l	0.054	1.1	02/02/01 03:49	JLO	5103-74-2		
alpha-Chlordane	ND	ug/l	0.054	1.1	02/02/01 03:49	JLO	5103-71-9		
Endrin ketone	ND	ug/l	0.11	1.1	02/02/01 03:49	JLO	53494-70-5		
Decachlorobiphenyl (S)	38	%		1.0	02/02/01 03:49	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	85	%		1.0	02/02/01 03:49	JLO	877-09-8		
Date Extracted					01/25/01				
PCBs in Water by 8082		Method: EPA 8082			Prep Method: EPA 3510				
PCB-1016 (Aroclor 1016)	ND	ug/l	1.1	1.1	01/25/01 21:36	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/l	1.1	1.1	01/25/01 21:36	JLO	11104-28-2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117432 Project Sample Number: 6047840-007 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-GPW-GP10D-01-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
PCB-1232 (Aroclor 1232)	ND	ug/l	1.1	1.1	01/25/01 21:36	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/l	1.1	1.1	01/25/01 21:36	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/l	1.1	1.1	01/25/01 21:36	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/l	1.1	1.1	01/25/01 21:36	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/l	1.1	1.1	01/25/01 21:36	JLO	11096-82-5		
Decachlorobiphenyl (S)	37	%		1.0	01/25/01 21:36	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	67	%		1.0	01/25/01 21:36	JLO	877-09-8		
Date Extracted					01/25/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/l	0.40	1.0	01/25/01 16:39	EMA			
Jet Fuel	ND	mg/l	0.40	1.0	01/25/01 16:39	EMA			
Kerosene	ND	mg/l	0.40	1.0	01/25/01 16:39	EMA			
Diesel Fuel	3.0	mg/l	0.40	1.0	01/25/01 16:39	EMA	68334-30-5		
Fuel Oil	ND	mg/l	0.40	1.0	01/25/01 16:39	EMA	68334-30-5		
Motor Oil	ND	mg/l	0.40	1.0	01/25/01 16:39	EMA			
p-Terphenyl (S)	81	%		1.0	01/25/01 16:39	EMA	92-94-4		
n-Tetracosane (S)	95	%		1.0	01/25/01 16:39	EMA	646-31-1		
Date Extracted					01/25/01				

GC/MS Volatiles

GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	106-46-7		
Benzene	8.7	ug/l	1.0	1.0	02/01/01 20:12	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	56-23-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117432 Project Sample Number: 6047840-007 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-GPW-GP10D-01-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Chlorobenzene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	124-48-1		
Ethylbenzene	5.9	ug/l	1.0	1.0	02/01/01 20:12	DJE	100-41-4		
m&p-Xylene	8.2	ug/l	1.3	1.0	02/01/01 20:12	DJE	7816-60-0		
Methylene chloride	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	75-09-2		
o-Xylene	5.8	ug/l	1.1	1.0	02/01/01 20:12	DJE	95-47-6	7	
Tetrachloroethene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	127-18-4		
Toluene	3.5	ug/l	1.0	1.0	02/01/01 20:12	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	02/01/01 20:12	DJE	75-01-4		
Toluene-d8 (S)	102	%		1.0	02/01/01 20:12	DJE	2037-26-5		
Dibromofluoromethane (S)	95	%		1.0	02/01/01 20:12	DJE			
4-Bromofluorobenzene (S)	108	%		1.0	02/01/01 20:12	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	92	%		1.0	02/01/01 20:12	DJE	17060-07-0		

GC/MS Semivolatiles

Semivolatile Organics by 8270	Method: EPA 8270			Prep Method: EPA 3520				
Phenol	ND	ug/l	110	10.8	01/30/01 01:36	WAW	108-95-2	
bis(2-Chloroethyl) ether	ND	ug/l	110	10.8	01/30/01 01:36	WAW	111-44-4	
2-Chlorophenol	ND	ug/l	110	10.8	01/30/01 01:36	WAW	95-57-8	
1,3-Dichlorobenzene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	541-73-1	
1,4-Dichlorobenzene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	106-46-7	
Benzyl alcohol	ND	ug/l	220	10.8	01/30/01 01:36	WAW	100-51-6	
1,2-Dichlorobenzene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	95-50-1	
2-Methylphenol (o-Cresol)	ND	ug/l	110	10.8	01/30/01 01:36	WAW	95-48-7	
bis(2-Chloroisopropyl) ether	ND	ug/l	110	10.8	01/30/01 01:36	WAW	39638-32-9	
4-Methylphenol (p-Cresol)	ND	ug/l	110	10.8	01/30/01 01:36	WAW	106-44-5	
N-Nitroso-di-n-propylamine	ND	ug/l	110	10.8	01/30/01 01:36	WAW	621-64-7	
Hexachloroethane	ND	ug/l	110	10.8	01/30/01 01:36	WAW	67-72-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117432 Project Sample Number: 6047840-007 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-GPW-GP10D-01-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Nitrobenzene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	98-95-3		
Isophorone	ND	ug/l	110	10.8	01/30/01 01:36	WAW	78-59-1		
2-Nitrophenol	ND	ug/l	110	10.8	01/30/01 01:36	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/l	110	10.8	01/30/01 01:36	WAW	105-67-9		
Benzoic acid	ND	ug/l	540	10.8	01/30/01 01:36	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/l	110	10.8	01/30/01 01:36	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/l	110	10.8	01/30/01 01:36	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	120-82-1		
Naphthalene	150	ug/l	110	10.8	01/30/01 01:36	WAW	91-20-3		
4-Chloroaniline	ND	ug/l	220	10.8	01/30/01 01:36	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/l	220	10.8	01/30/01 01:36	WAW	59-50-7		
2-Methylnaphthalene	150	ug/l	110	10.8	01/30/01 01:36	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/l	110	10.8	01/30/01 01:36	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/l	540	10.8	01/30/01 01:36	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	91-58-7		
2-Nitroaniline	ND	ug/l	540	10.8	01/30/01 01:36	WAW	88-74-4		
Dimethylphthalate	ND	ug/l	110	10.8	01/30/01 01:36	WAW	131-11-3		
Acenaphthylene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	606-20-2		
3-Nitroaniline	ND	ug/l	540	10.8	01/30/01 01:36	WAW	99-09-2		
Acenaphthene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/l	540	10.8	01/30/01 01:36	WAW	51-28-5		
4-Nitrophenol	ND	ug/l	540	10.8	01/30/01 01:36	WAW	100-02-7		
Dibenzofuran	ND	ug/l	110	10.8	01/30/01 01:36	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	121-14-2		
Diethylphthalate	ND	ug/l	110	10.8	01/30/01 01:36	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/l	110	10.8	01/30/01 01:36	WAW	7005-72-3		
Fluorene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	86-73-7		
4-Nitroaniline	ND	ug/l	540	10.8	01/30/01 01:36	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/l	540	10.8	01/30/01 01:36	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/l	110	10.8	01/30/01 01:36	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/l	110	10.8	01/30/01 01:36	WAW	101-55-3		
Hexachlorobenzene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	118-74-1		
Pentachlorophenol	ND	ug/l	540	10.8	01/30/01 01:36	WAW	87-86-5		
Phenanthrene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	85-01-8		
Anthracene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	120-12-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117432 Project Sample Number: 6047840-007 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-GPW-GP10D-01-16 Matrix: Water Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Di-n-butylphthalate	ND	ug/l	110	10.8	01/30/01 01:36	WAW	84-74-2		
Fluoranthene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	206-44-0		
Pyrene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/l	110	10.8	01/30/01 01:36	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/l	220	10.8	01/30/01 01:36	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	56-55-3		
Chrysene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/l	110	10.8	01/30/01 01:36	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/l	110	10.8	01/30/01 01:36	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/l	110	10.8	01/30/01 01:36	WAW	191-24-2		
Nitrobenzene-d5 (S)	82	%		1.0	01/30/01 01:36	WAW	4165-60-0		
2-Fluorobiphenyl (S)	90	%		1.0	01/30/01 01:36	WAW	321-60-8		
Terphenyl-d14 (S)	69	%		1.0	01/30/01 01:36	WAW	1718-51-0		
Phenol-d6 (S)	91	%		1.0	01/30/01 01:36	WAW	13127-88-3		
2-Fluorophenol (S)	88	%		1.0	01/30/01 01:36	WAW	367-12-4		
2,4,6-Tribromophenol (S)	88	%		1.0	01/30/01 01:36	WAW	118-79-6	8	
Date Extracted					01/24/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117440 Project Sample Number: 6047840-008 Date Collected: 01/18/01 08:55
Client Sample ID: NIC-SSS-GP10C-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	15800	mg/kg	8.62	0.9	01/29/01	TMG	7429-90-5		
Antimony	ND	mg/kg	1.15	0.9	01/29/01	TMG	7440-36-0		
Arsenic	3.14	mg/kg	0.575	0.9	01/29/01	TMG	7440-38-2		
Barium	130.	mg/kg	0.460	0.9	01/29/01	TMG	7440-39-3		
Beryllium	0.675	mg/kg	0.115	0.9	01/29/01	TMG	7440-41-7		
Cadmium	0.845	mg/kg	0.575	0.9	01/29/01	TMG	7440-43-9		
Calcium	52700	mg/kg	11.5	0.9	01/29/01	TMG	7440-70-2		
Chromium	20.9	mg/kg	0.805	0.9	01/29/01	TMG	7440-47-3		
Cobalt	6.26	mg/kg	0.805	0.9	01/29/01	TMG	7440-48-4		
Copper	18.6	mg/kg	1.15	0.9	01/29/01	TMG	7440-50-8		
Iron	15000	mg/kg	11.5	0.9	01/29/01	TMG	7439-89-6		
Lead	38.2	mg/kg	0.575	0.9	01/29/01	TMG	7439-92-1		
Magnesium	11300	mg/kg	5.75	0.9	01/29/01	TMG	7439-95-4		
Manganese	277.	mg/kg	0.805	0.9	01/29/01	TMG	7439-96-5		
Nickel	15.4	mg/kg	3.45	0.9	01/29/01	TMG	7440-02-0		
Potassium	3590	mg/kg	115.	0.9	01/29/01	TMG	7440-09-7		
Selenium	ND	mg/kg	0.575	0.9	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.805	0.9	01/29/01	TMG	7440-22-4		
Sodium	202.	mg/kg	17.2	0.9	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.84	0.9	01/29/01	TMG	7440-28-0		
Vanadium	28.3	mg/kg	1.38	0.9	01/29/01	TMG	7440-62-2		
Zinc	85.7	mg/kg	5.75	0.9	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	ND	mg/kg	0.188	1.0	02/01/01 14:37	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	17.9	%		0.8	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117440 Project Sample Number: 6047840-008 Date Collected: 01/18/01 08:55
Client Sample ID: NIC-SSS-GP10C-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	ND	ug/kg	6100	1.0	01/30/01 20:23	JLG			
Benzene	ND	ug/kg	61.	1.0	01/30/01 20:23	JLG	71-43-2		
Toluene	ND	ug/kg	61.	1.0	01/30/01 20:23	JLG	108-88-3		
Ethylbenzene	ND	ug/kg	61.	1.0	01/30/01 20:23	JLG	100-41-4		
Xylene (Total)	ND	ug/kg	160	1.0	01/30/01 20:23	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	97	%		1.0	01/30/01 20:23	JLG	2164-17-2		
4-Bromofluorobenzene (S)	96	%		1.0	01/30/01 20:23	JLG	460-00-4		
Bromochlorobenzene (S)	106	%		1.0	01/30/01 20:23	JLG			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	1.2	1.0	02/01/01 05:44	JLO	319-84-6		
beta-BHC	ND	ug/kg	2.4	1.0	02/01/01 05:44	JLO	319-85-7		
delta-BHC	ND	ug/kg	3.5	1.0	02/01/01 05:44	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	1.6	1.0	02/01/01 05:44	JLO	58-89-9		
Heptachlor	ND	ug/kg	1.2	1.0	02/01/01 05:44	JLO	76-44-8		
Aldrin	ND	ug/kg	1.6	1.0	02/01/01 05:44	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	3.9	1.0	02/01/01 05:44	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	5.5	1.0	02/01/01 05:44	JLO	959-98-8		
Dieldrin	ND	ug/kg	0.78	1.0	02/01/01 05:44	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	1.6	1.0	02/01/01 05:44	JLO	72-55-9		
Endrin	ND	ug/kg	2.4	1.0	02/01/01 05:44	JLO	72-20-8		
Endosulfan II	ND	ug/kg	1.6	1.0	02/01/01 05:44	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	4.0	1.0	02/01/01 05:44	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	26.	1.0	02/01/01 05:44	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	4.7	1.0	02/01/01 05:44	JLO	50-29-3		
Endrin ketone	ND	ug/kg	3.9	1.0	02/01/01 05:44	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	69.	1.0	02/01/01 05:44	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	5.5	1.0	02/01/01 05:44	JLO	57-74-9		
Toxaphene	ND	ug/kg	94.	1.0	02/01/01 05:44	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	9.0	1.0	02/01/01 05:44	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	2.0	1.0	02/01/01 05:44	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	2.0	1.0	02/01/01 05:44	JLO	5103-71-9		
Decachlorobiphenyl (S)	61	%		1.0	02/01/01 05:44	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117440 Project Sample Number: 6047840-008 Date Collected: 01/18/01 08:55
Client Sample ID: NIC-SSS-GP10C-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	56	%		1.0	02/01/01 05:44	JLO	877-09-8		
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	39.	1.0	02/01/01	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	39.	1.0	02/01/01	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	39.	1.0	02/01/01	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	39.	1.0	02/01/01	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/kg	39.	1.0	02/01/01	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	39.	1.0	02/01/01	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	410	ug/kg	39.	1.0	02/01/01	JLO	11096-82-5		
Decachlorobiphenyl (S)	61	%		1.0	02/01/01	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	56	%		1.0	02/01/01	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	11.	0.9	01/26/01 17:09	TMD			
Jet Fuel	ND	mg/kg	11.	0.9	01/26/01 17:09	TMD			
Kerosene	ND	mg/kg	11.	0.9	01/26/01 17:09	TMD			
Diesel Fuel	ND	mg/kg	11.	0.9	01/26/01 17:09	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	11.	0.9	01/26/01 17:09	TMD	68334-30-5		
Motor Oil	ND	mg/kg	11.	0.9	01/26/01 17:09	TMD			
n-Tetracosane (S)	108	%		1.0	01/26/01 17:09	TMD	646-31-1		
p-Terphenyl (S)	75	%		1.0	01/26/01 17:09	TMD	92-94-4		
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	79-00-5		
1,1-Dichloroethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	75-34-3		
1,1-Dichloroethene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	95-50-1		
1,2-Dichloroethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	107-06-2		
1,2-Dichloropropane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117440 Project Sample Number: 6047840-008 Date Collected: 01/18/01 08:55
Client Sample ID: NIC-SSS-GP10C-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	106-46-7		
Benzene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	71-43-2		
Bromodichloromethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	75-27-4		
Bromoform	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	75-25-2		
Bromomethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	74-83-9		
Carbon tetrachloride	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	56-23-5		
Chlorobenzene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	108-90-7		
Chloroethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	75-00-3		
Chloroform	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	67-66-3		
Chloromethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	10061-01-5		
Dibromochloromethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	124-48-1		
Ethylbenzene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	100-41-4		
m&p-Xylene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	7816-60-0		
Methylene chloride	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	75-09-2		
o-Xylene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	95-47-6		
Tetrachloroethene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	127-18-4		
Toluene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	10061-02-6		
Trichloroethene	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	79-01-6		
Trichlorofluoromethane	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	75-69-4		
Vinyl chloride	ND	ug/kg	6.1	1.0	01/25/01 14:01	SJS1	75-01-4		
Dibromofluoromethane (S)	104	%		1.0	01/25/01 14:01	SJS1			
Toluene-d8 (S)	101	%		1.0	01/25/01 14:01	SJS1	2037-26-5		
4-Bromofluorobenzene (S)	97	%		1.0	01/25/01 14:01	SJS1	460-00-4		
1,2-Dichloroethane-d4 (S)	109	%		1.0	01/25/01 14:01	SJS1	17060-07-0		
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	800	1.0	02/03/01 13:01	WAW	100-51-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117440 Project Sample Number: 6047840-008 Date Collected: 01/18/01 08:55
Client Sample ID: NIC-SSS-GP10C-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,2-Dichlorobenzene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	98-95-3		
Isophorone	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	105-67-9		
Benzoic acid	ND	ug/kg	1900	1.0	02/03/01 13:01	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	120-82-1		
Naphthalene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	800	1.0	02/03/01 13:01	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	800	1.0	02/03/01 13:01	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	1900	1.0	02/03/01 13:01	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	1900	1.0	02/03/01 13:01	WAW	99-09-2		
Acenaphthene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	1900	1.0	02/03/01 13:01	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	1900	1.0	02/03/01 13:01	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	7005-72-3		
Fluorene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	1900	1.0	02/03/01 13:01	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	1900	1.0	02/03/01 13:01	WAW	534-52-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117440 Project Sample Number: 6047840-008 Date Collected: 01/18/01 08:55
Client Sample ID: NIC-SSS-GP10C-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
N-Nitrosodiphenylamine	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	1900	1.0	02/03/01 13:01	WAW	87-86-5		
Phenanthrene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	85-01-8		
Anthracene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	84-74-2		
Fluoranthene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	206-44-0		
Pyrene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	800	1.0	02/03/01 13:01	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	56-55-3		
Chrysene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	400	1.0	02/03/01 13:01	WAW	191-24-2		
Nitrobenzene-d5 (S)	71	%		1.0	02/03/01 13:01	WAW	4165-60-0		
2-Fluorobiphenyl (S)	100	%		1.0	02/03/01 13:01	WAW	321-60-8		
Terphenyl-d14 (S)	76	%		1.0	02/03/01 13:01	WAW	1718-51-0		
Phenol-d6 (S)	65	%		1.0	02/03/01 13:01	WAW	13127-88-3		
2-Fluorophenol (S)	59	%		1.0	02/03/01 13:01	WAW	367-12-4		
2,4,6-Tribromophenol (S)	80	%		1.0	02/03/01 13:01	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117457 Project Sample Number: 6047840-009 Date Collected: 01/18/01 10:30
Client Sample ID: NIC-SS-GP10C-01-4 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Organics Prep									
Percent Moisture		Method:							
Percent Moisture	31.5	%		0.7	01/26/01	DCKI			
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	50000	ug/kg	7300	1.0	01/31/01 18:00	JLG			
Benzene	ND	ug/kg	73.	1.0	01/31/01 18:00	JLG	71-43-2		
Toluene	ND	ug/kg	73.	1.0	01/31/01 18:00	JLG	108-88-3		
Ethylbenzene	ND	ug/kg	73.	1.0	01/31/01 18:00	JLG	100-41-4		
Xylene (Total)	330	ug/kg	190	1.0	01/31/01 18:00	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	87	%		1.0	01/31/01 18:00	JLG	2164-17-2		
4-Bromofluorobenzene (S)	105	%		1.0	01/31/01 18:00	JLG	460-00-4		
Bromochlorobenzene (S)	103	%		1.0	01/31/01 18:00	JLG			
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	79-00-5		
1,1-Dichloroethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	75-34-3		
1,1-Dichloroethene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	95-50-1		
1,2-Dichloroethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	107-06-2		
1,2-Dichloropropane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	106-46-7		
Benzene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	71-43-2		
Bromodichloromethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	75-27-4		
Bromoform	ND	ug/kg	910	125	01/25/01 17:46	SJS1	75-25-2		
Bromomethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	74-83-9		
Carbon tetrachloride	ND	ug/kg	910	125	01/25/01 17:46	SJS1	56-23-5		
Chlorobenzene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	108-90-7		
Chloroethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	75-00-3		

D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117457 Project Sample Number: 6047840-009 Date Collected: 01/18/01 10:30
Client Sample ID: NIC-SS-GP10C-01-4 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Chloroform	ND	ug/kg	910	125	01/25/01 17:46	SJS1	67-66-3	D	
Chloromethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	10061-01-5		
Dibromochloromethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	124-48-1		
Ethylbenzene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	100-41-4		
m&p-Xylene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	7816-60-0		
Methylene chloride	ND	ug/kg	910	125	01/25/01 17:46	SJS1	75-09-2		
o-Xylene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	95-47-6		
Tetrachloroethene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	127-18-4		
Toluene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	10061-02-6		
Trichloroethene	ND	ug/kg	910	125	01/25/01 17:46	SJS1	79-01-6		
Trichlorofluoromethane	ND	ug/kg	910	125	01/25/01 17:46	SJS1	75-69-4		
Vinyl chloride	ND	ug/kg	910	125	01/25/01 17:46	SJS1	75-01-4		
Dibromofluoromethane (S)	102	%		1.0	01/25/01 17:46	SJS1			
Toluene-d8 (S)	102	%		1.0	01/25/01 17:46	SJS1	2037-26-5		
4-Bromofluorobenzene (S)	104	%		1.0	01/25/01 17:46	SJS1	460-00-4		
1,2-Dichloroethane-d4 (S)	108	%		1.0	01/25/01 17:46	SJS1	17060-07-0	10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117465 Project Sample Number: 6047840-010 Date Collected: 01/18/01 10:30
Client Sample ID: NIC-SS-GP10C-01-4-13 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	5280	mg/kg	8.79	0.9	01/29/01	TMG	7429-90-5		
Antimony	5.93	mg/kg	1.17	0.9	01/29/01	TMG	7440-36-0		
Arsenic	3.53	mg/kg	0.586	0.9	01/29/01	TMG	7440-38-2		
Barium	232.	mg/kg	0.469	0.9	01/29/01	TMG	7440-39-3		
Beryllium	0.182	mg/kg	0.117	0.9	01/29/01	TMG	7440-41-7		
Cadmium	1.82	mg/kg	0.586	0.9	01/29/01	TMG	7440-43-9		
Calcium	12300	mg/kg	11.7	0.9	01/29/01	TMG	7440-70-2		
Chromium	19.7	mg/kg	0.821	0.9	01/29/01	TMG	7440-47-3		
Cobalt	4.85	mg/kg	0.821	0.9	01/29/01	TMG	7440-48-4		
Copper	47.7	mg/kg	1.17	0.9	01/29/01	TMG	7440-50-8		
Iron	19600	mg/kg	11.7	0.9	01/29/01	TMG	7439-89-6		
Lead	685.	mg/kg	0.586	0.9	01/29/01	TMG	7439-92-1		
Magnesium	1820	mg/kg	5.86	0.9	01/29/01	TMG	7439-95-4		
Manganese	353.	mg/kg	0.821	0.9	01/29/01	TMG	7439-96-5		
Nickel	8.90	mg/kg	3.52	0.9	01/29/01	TMG	7440-02-0		
Potassium	937.	mg/kg	117.	0.9	01/29/01	TMG	7440-09-7		
Selenium	4.44	mg/kg	0.586	0.9	01/29/01	TMG	7782-49-2		
Silver	1.36	mg/kg	0.821	0.9	01/29/01	TMG	7440-22-4		
Sodium	230.	mg/kg	17.6	0.9	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.88	0.9	01/29/01	TMG	7440-28-0		
Vanadium	10.9	mg/kg	1.41	0.9	01/29/01	TMG	7440-62-2		
Zinc	836.	mg/kg	5.86	0.9	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	ND	mg/kg	0.193	1.0	02/01/01 14:39	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	20.3	%		0.8	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117465 Project Sample Number: 6047840-010 Date Collected: 01/18/01 10:30
Client Sample ID: NIC-SS-GP10C-01-4-13 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	12.	10.0	02/01/01 06:26	JLO	319-84-6		
beta-BHC	ND	ug/kg	25.	10.0	02/01/01 06:26	JLO	319-85-7		
delta-BHC	ND	ug/kg	37.	10.0	02/01/01 06:26	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	17.	10.0	02/01/01 06:26	JLO	58-89-9		
Heptachlor	ND	ug/kg	12.	10.0	02/01/01 06:26	JLO	76-44-8		
Aldrin	ND	ug/kg	17.	10.0	02/01/01 06:26	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	41.	10.0	02/01/01 06:26	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	58.	10.0	02/01/01 06:26	JLO	959-98-8		
Dieldrin	ND	ug/kg	8.3	10.0	02/01/01 06:26	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	17.	10.0	02/01/01 06:26	JLO	72-55-9		
Endrin	ND	ug/kg	25.	10.0	02/01/01 06:26	JLO	72-20-8		
Endosulfan II	ND	ug/kg	17.	10.0	02/01/01 06:26	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	42.	10.0	02/01/01 06:26	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	270	10.0	02/01/01 06:26	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	50.	10.0	02/01/01 06:26	JLO	50-29-3		
Endrin ketone	ND	ug/kg	41.	10.0	02/01/01 06:26	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	730	10.0	02/01/01 06:26	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	58.	10.0	02/01/01 06:26	JLO	57-74-9		
Toxaphene	ND	ug/kg	990	10.0	02/01/01 06:26	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	95.	10.0	02/01/01 06:26	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	21.	10.0	02/01/01 06:26	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	21.	10.0	02/01/01 06:26	JLO	5103-71-9		
Decachlorobiphenyl (S)	139	%		1.0	02/01/01 06:26	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	64	%		1.0	02/01/01 06:26	JLO	877-09-8	11	
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	410	10.0	02/01/01 19:49	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	410	10.0	02/01/01 19:49	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	410	10.0	02/01/01 19:49	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	410	10.0	02/01/01 19:49	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/kg	410	10.0	02/01/01 19:49	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	410	10.0	02/01/01 19:49	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	3300	ug/kg	410	10.0	02/01/01 19:49	JLO	11096-82-5		
Decachlorobiphenyl (S)	125	%		1.0	02/01/01 19:49	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117465 Project Sample Number: 6047840-010 Date Collected: 01/18/01 10:30
Client Sample ID: NIC-SS-GP10C-01-4-13 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	62	%		1.0	02/01/01 19:49	JLO	877-09-8	12	
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	60.	4.8	01/26/01 20:30	TMD			
Jet Fuel	ND	mg/kg	60.	4.8	01/26/01 20:30	TMD			
Kerosene	ND	mg/kg	60.	4.8	01/26/01 20:30	TMD			
Diesel Fuel	6100	mg/kg	60.	4.8	01/26/01 20:30	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	60.	4.8	01/26/01 20:30	TMD	68334-30-5		
Motor Oil	ND	mg/kg	60.	4.8	01/26/01 20:30	TMD			
n-Tetracosane (S)	119	%		1.0	01/26/01 20:30	TMD	646-31-1		
p-Terphenyl (S)	94	%		1.0	01/26/01 20:30	TMD	92-94-4		
Date Extracted					01/26/01				

GC/MS Semivolatiles

Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	830	1.0	02/03/01 06:40	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	98-95-3		
Isophorone	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	105-67-9		
Benzoic acid	ND	ug/kg	2000	1.0	02/03/01 06:40	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	120-82-1		
Naphthalene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	91-20-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117465 Project Sample Number: 6047840-010 Date Collected: 01/18/01 10:30
Client Sample ID: NIC-SS-GP10C-01-4-13 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4-Chloroaniline	ND	ug/kg	830	1.0	02/03/01 06:40	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	830	1.0	02/03/01 06:40	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	2000	1.0	02/03/01 06:40	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	2000	1.0	02/03/01 06:40	WAW	99-09-2		
Acenaphthene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	2000	1.0	02/03/01 06:40	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	2000	1.0	02/03/01 06:40	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	7005-72-3		
Fluorene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	2000	1.0	02/03/01 06:40	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	2000	1.0	02/03/01 06:40	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	2000	1.0	02/03/01 06:40	WAW	87-86-5		
Phenanthrene	1100	ug/kg	410	1.0	02/03/01 06:40	WAW	85-01-8		
Anthracene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	84-74-2		
Fluoranthene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	206-44-0		
Pyrene	520	ug/kg	410	1.0	02/03/01 06:40	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	830	1.0	02/03/01 06:40	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	56-55-3		
Chrysene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	117-84-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117465 Project Sample Number: 6047840-010 Date Collected: 01/18/01 10:30
Client Sample ID: NIC-SS-GP10C-01-4-13 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Benzo(b)fluoranthene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	410	1.0	02/03/01 06:40	WAW	191-24-2		
Nitrobenzene-d5 (S)	74	%		1.0	02/03/01 06:40	WAW	4165-60-0		
2-Fluorobiphenyl (S)	82	%		1.0	02/03/01 06:40	WAW	321-60-8		
Terphenyl-d14 (S)	76	%		1.0	02/03/01 06:40	WAW	1718-51-0		
Phenol-d6 (S)	66	%		1.0	02/03/01 06:40	WAW	13127-88-3		
2-Fluorophenol (S)	65	%		1.0	02/03/01 06:40	WAW	367-12-4		
2,4,6-Tribromophenol (S)	118	%		1.0	02/03/01 06:40	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117473 Project Sample Number: 6047840-011 Date Collected: 01/18/01 10:45
Client Sample ID: NIC-SS-GP10C-01-14-17 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Organics Prep									
Percent Moisture		Method:							
Percent Moisture	12.9	%		0.9	01/26/01	DCKI			
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	530000	ug/kg	46000	8.0	01/30/01 23:15	JLG			
Benzene	ND	ug/kg	460	8.0	01/30/01 23:15	JLG	71-43-2		
Toluene	ND	ug/kg	460	8.0	01/30/01 23:15	JLG	108-88-3		
Ethylbenzene	620	ug/kg	460	8.0	01/30/01 23:15	JLG	100-41-4		
Xylene (Total)	4300	ug/kg	1200	8.0	01/30/01 23:15	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	87	%		1.0	01/30/01 23:15	JLG	2164-17-2	13	
4-Bromofluorobenzene (S)	107	%		1.0	01/30/01 23:15	JLG	460-00-4		
Bromochlorobenzene (S)	106	%		1.0	01/30/01 23:15	JLG			
GC Semivolatiles									
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	100	8.9	01/26/01 21:37	TMD			
Jet Fuel	ND	mg/kg	100	8.9	01/26/01 21:37	TMD			
Kerosene	ND	mg/kg	100	8.9	01/26/01 21:37	TMD			
Diesel Fuel	35000	mg/kg	100	8.9	01/26/01 21:37	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	100	8.9	01/26/01 21:37	TMD	68334-30-5		
Motor Oil	ND	mg/kg	100	8.9	01/26/01 21:37	TMD			
n-Tetracosane (S)	0	%		1.0	01/26/01 21:37	TMD	646-31-1		
p-Terphenyl (S)	0	%		1.0	01/26/01 21:37	TMD	92-94-4	6	
Date Extracted					01/26/01				
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117473 Project Sample Number: 6047840-011 Date Collected: 01/18/01 10:45
Client Sample ID: NIC-SS-GP10C-01-14-17 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	7600	10.0	02/03/01 07:25	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	98-95-3		
Isophorone	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	105-67-9		
Benzoic acid	ND	ug/kg	18000	10.0	02/03/01 07:25	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	120-82-1		
Naphthalene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	7600	10.0	02/03/01 07:25	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	7600	10.0	02/03/01 07:25	WAW	59-50-7		
2-Methylnaphthalene	3100	ug/kg	3800	10.0	02/03/01 07:25	WAW	91-57-6	14	J
Hexachlorocyclopentadiene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	18000	10.0	02/03/01 07:25	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	18000	10.0	02/03/01 07:25	WAW	99-09-2		
Acenaphthene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	18000	10.0	02/03/01 07:25	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	18000	10.0	02/03/01 07:25	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	7005-72-3		
Fluorene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	86-73-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117473 Project Sample Number: 6047840-011 Date Collected: 01/18/01 10:45
Client Sample ID: NIC-SS-GP10C-01-14-17 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4-Nitroaniline	ND	ug/kg	18000	10.0	02/03/01 07:25	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	18000	10.0	02/03/01 07:25	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	18000	10.0	02/03/01 07:25	WAW	87-86-5		
Phenanthrene	5000	ug/kg	3800	10.0	02/03/01 07:25	WAW	85-01-8		
Anthracene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	84-74-2		
Fluoranthene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	206-44-0		
Pyrene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	7600	10.0	02/03/01 07:25	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	56-55-3		
Chrysene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	3800	10.0	02/03/01 07:25	WAW	191-24-2		
Nitrobenzene-d5 (S)	65	%		1.0	02/03/01 07:25	WAW	4165-60-0		
2-Fluorobiphenyl (S)	103	%		1.0	02/03/01 07:25	WAW	321-60-8		
Terphenyl-d14 (S)	86	%		1.0	02/03/01 07:25	WAW	1718-51-0		
Phenol-d6 (S)	53	%		1.0	02/03/01 07:25	WAW	13127-88-3		
2-Fluorophenol (S)	48	%		1.0	02/03/01 07:25	WAW	367-12-4		
2,4,6-Tribromophenol (S)	97	%		1.0	02/03/01 07:25	WAW	118-79-6	8	
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117481 Project Sample Number: 6047840-012 Date Collected: 01/18/01 14:10
Client Sample ID: NIC-SSS-GP10D-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	52800	mg/kg	9.17	1.0	01/29/01	TMG	7429-90-5		
Antimony	15.7	mg/kg	1.22	1.0	01/29/01	TMG	7440-36-0		
Arsenic	3.43	mg/kg	0.611	1.0	01/29/01	TMG	7440-38-2		
Barium	786.	mg/kg	0.489	1.0	01/29/01	TMG	7440-39-3		
Beryllium	0.317	mg/kg	0.122	1.0	01/29/01	TMG	7440-41-7		
Cadmium	15.3	mg/kg	0.611	1.0	01/29/01	TMG	7440-43-9		
Calcium	40600	mg/kg	12.2	1.0	01/29/01	TMG	7440-70-2		
Chromium	93.7	mg/kg	0.855	1.0	01/29/01	TMG	7440-47-3		
Cobalt	11.0	mg/kg	0.855	1.0	01/29/01	TMG	7440-48-4		
Copper	2570	mg/kg	1.22	1.0	01/29/01	TMG	7440-50-8		
Iron	35300	mg/kg	12.2	1.0	01/29/01	TMG	7439-89-6		
Lead	1170	mg/kg	0.611	1.0	01/29/01	TMG	7439-92-1		
Magnesium	6320	mg/kg	6.11	1.0	01/29/01	TMG	7439-95-4		
Manganese	660.	mg/kg	0.855	1.0	01/29/01	TMG	7439-96-5		
Nickel	187.	mg/kg	3.67	1.0	01/29/01	TMG	7440-02-0		
Potassium	1580	mg/kg	122.	1.0	01/29/01	TMG	7440-09-7		
Selenium	6.24	mg/kg	0.611	1.0	01/29/01	TMG	7782-49-2		
Silver	2.96	mg/kg	0.855	1.0	01/29/01	TMG	7440-22-4		
Sodium	511.	mg/kg	18.3	1.0	01/29/01	TMG	7440-23-5		
Thallium	3.53	mg/kg	1.96	1.0	01/29/01	TMG	7440-28-0		
Vanadium	23.9	mg/kg	1.47	1.0	01/29/01	TMG	7440-62-2		
Zinc	4970	mg/kg	6.11	1.0	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	1.84	mg/kg	0.192	1.0	02/01/01 14:41	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	19.8	%		0.8	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117481 Project Sample Number: 6047840-012 Date Collected: 01/18/01 14:10
Client Sample ID: NIC-SSS-GP10D-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	ND	ug/kg	6200	1.0	01/30/01 23:43	JLG			
Benzene	ND	ug/kg	62.	1.0	01/30/01 23:43	JLG	71-43-2		
Toluene	ND	ug/kg	62.	1.0	01/30/01 23:43	JLG	108-88-3		
Ethylbenzene	ND	ug/kg	62.	1.0	01/30/01 23:43	JLG	100-41-4		
Xylene (Total)	ND	ug/kg	160	1.0	01/30/01 23:43	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	92	%		1.0	01/30/01 23:43	JLG	2164-17-2		
4-Bromofluorobenzene (S)	98	%		1.0	01/30/01 23:43	JLG	460-00-4		
Bromochlorobenzene (S)	103	%		1.0	01/30/01 23:43	JLG			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	1.2	1.0	02/01/01 07:07	JLO	319-84-6		
beta-BHC	ND	ug/kg	2.4	1.0	02/01/01 07:07	JLO	319-85-7		
delta-BHC	ND	ug/kg	3.7	1.0	02/01/01 07:07	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	1.6	1.0	02/01/01 07:07	JLO	58-89-9		
Heptachlor	ND	ug/kg	1.2	1.0	02/01/01 07:07	JLO	76-44-8		
Aldrin	ND	ug/kg	1.6	1.0	02/01/01 07:07	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	4.1	1.0	02/01/01 07:07	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	5.7	1.0	02/01/01 07:07	JLO	959-98-8		
Dieldrin	ND	ug/kg	0.82	1.0	02/01/01 07:07	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	1.6	1.0	02/01/01 07:07	JLO	72-55-9		
Endrin	ND	ug/kg	2.4	1.0	02/01/01 07:07	JLO	72-20-8		
Endosulfan II	ND	ug/kg	1.6	1.0	02/01/01 07:07	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	4.2	1.0	02/01/01 07:07	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	27.	1.0	02/01/01 07:07	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	4.9	1.0	02/01/01 07:07	JLO	50-29-3		
Endrin ketone	ND	ug/kg	4.1	1.0	02/01/01 07:07	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	72.	1.0	02/01/01 07:07	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	5.7	1.0	02/01/01 07:07	JLO	57-74-9		
Toxaphene	ND	ug/kg	98.	1.0	02/01/01 07:07	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	9.4	1.0	02/01/01 07:07	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	2.1	1.0	02/01/01 07:07	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	2.1	1.0	02/01/01 07:07	JLO	5103-71-9		
Decachlorobiphenyl (S)	48	%		1.0	02/01/01 07:07	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117481 Project Sample Number: 6047840-012 Date Collected: 01/18/01 14:10
Client Sample ID: NIC-SSS-GP10D-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	71	%		1.0	02/01/01 07:07	JLO	877-09-8		
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	41.	1.0	02/01/01 20:12	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	41.	1.0	02/01/01 20:12	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	41.	1.0	02/01/01 20:12	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	41.	1.0	02/01/01 20:12	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	7800	ug/kg	410	9.9	02/01/01 20:12	JLO	12672-29-6	15	D
PCB-1254 (Aroclor 1254)	ND	ug/kg	41.	1.0	02/01/01 20:12	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	1800	ug/kg	410	9.9	02/01/01 20:12	JLO	11096-82-5	15	D
Decachlorobiphenyl (S)	53	%		1.0	02/01/01 20:12	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	52	%		1.0	02/01/01 20:12	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	52.	4.2	01/29/01 14:16	TMD			
Jet Fuel	ND	mg/kg	52.	4.2	01/29/01 14:16	TMD			
Kerosene	ND	mg/kg	52.	4.2	01/29/01 14:16	TMD			
Diesel Fuel	ND	mg/kg	52.	4.2	01/29/01 14:16	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	52.	4.2	01/29/01 14:16	TMD	68334-30-5		
Motor Oil	5200	mg/kg	52.	4.2	01/29/01 14:16	TMD			
n-Tetracosane (S)	110	%		1.0	01/29/01 14:16	TMD	646-31-1		
p-Terphenyl (S)	57	%		1.0	01/29/01 14:16	TMD	92-94-4		
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	79-00-5		
1,1-Dichloroethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	75-34-3		
1,1-Dichloroethene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	95-50-1		
1,2-Dichloroethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	107-06-2		
1,2-Dichloropropane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117481 Project Sample Number: 6047840-012 Date Collected: 01/18/01 14:10
Client Sample ID: NIC-SSS-GP10D-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	106-46-7		
Benzene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	71-43-2		
Bromodichloromethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	75-27-4		
Bromoform	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	75-25-2		
Bromomethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	74-83-9		
Carbon tetrachloride	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	56-23-5		
Chlorobenzene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	108-90-7		
Chloroethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	75-00-3		
Chloroform	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	67-66-3		
Chloromethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	10061-01-5		
Dibromochloromethane	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	124-48-1		
Ethylbenzene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	100-41-4		
m&p-Xylene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	7816-60-0		
Methylene chloride	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	75-09-2		
o-Xylene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	95-47-6		
Tetrachloroethene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	127-18-4		
Toluene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	10061-02-6		
Trichloroethene	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	79-01-6		
Trichlorofluoromethane	7.2	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	75-69-4		
Vinyl chloride	ND	ug/kg	6.2	1.0	01/25/01 14:34	SJS1	75-01-4		
Dibromofluoromethane (S)	104	%		1.0	01/25/01 14:34	SJS1			
Toluene-d8 (S)	92	%		1.0	01/25/01 14:34	SJS1	2037-26-5		
4-Bromofluorobenzene (S)	79	%		1.0	01/25/01 14:34	SJS1	460-00-4		
1,2-Dichloroethane-d4 (S)	103	%		1.0	01/25/01 14:34	SJS1	17060-07-0	16	

GC/MS Semivolatiles

Semivolatile Organics	Method: EPA 8270			Prep Method: EPA 3550 Sonication					
Phenol	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	8200	10.0	02/06/01 12:03	WAW	100-51-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117481 Project Sample Number: 6047840-012 Date Collected: 01/18/01 14:10
Client Sample ID: NIC-SSS-GP10D-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,2-Dichlorobenzene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	98-95-3		
Isophorone	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	105-67-9		
Benzoic acid	ND	ug/kg	20000	10.0	02/06/01 12:03	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	120-82-1		
Naphthalene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	8200	10.0	02/06/01 12:03	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	8200	10.0	02/06/01 12:03	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	20000	10.0	02/06/01 12:03	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	20000	10.0	02/06/01 12:03	WAW	99-09-2		
Acenaphthene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	20000	10.0	02/06/01 12:03	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	20000	10.0	02/06/01 12:03	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	7005-72-3		
Fluorene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	20000	10.0	02/06/01 12:03	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	20000	10.0	02/06/01 12:03	WAW	534-52-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117481 Project Sample Number: 6047840-012 Date Collected: 01/18/01 14:10
Client Sample ID: NIC-SSS-GP10D-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
N-Nitrosodiphenylamine	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	20000	10.0	02/06/01 12:03	WAW	87-86-5		
Phenanthrene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	85-01-8		
Anthracene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	84-74-2		
Fluoranthene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	206-44-0		
Pyrene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	129-00-0		
Butylbenzylphthalate	7500	ug/kg	4100	10.0	02/06/01 12:03	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	8200	10.0	02/06/01 12:03	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	56-55-3		
Chrysene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	35000	ug/kg	41000	100	02/06/01 12:03	WAW	117-81-7	14,17	J J
Di-n-octylphthalate	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	4100	10.0	02/06/01 12:03	WAW	191-24-2		
Nitrobenzene-d5 (S)	16	%		1.0	02/06/01 12:03	WAW	4165-60-0	18	
2-Fluorobiphenyl (S)	31	%		1.0	02/06/01 12:03	WAW	321-60-8	8,18	
Terphenyl-d14 (S)	31	%		1.0	02/06/01 12:03	WAW	1718-51-0	18	
Phenol-d6 (S)	13	%		1.0	02/06/01 12:03	WAW	13127-88-3	18	
2-Fluorophenol (S)	12	%		1.0	02/06/01 12:03	WAW	367-12-4	18	
2,4,6-Tribromophenol (S)	16	%		1.0	02/06/01 12:03	WAW	118-79-6	18,19	
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117499 Project Sample Number: 6047840-013 Date Collected: 01/18/01 13:15
Client Sample ID: NIC-SSS-GP10D-02-10.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	10800	mg/kg	8.62	1.0	01/29/01	TMG	7429-90-5		
Antimony	ND	mg/kg	1.15	1.0	01/29/01	TMG	7440-36-0		
Arsenic	1.85	mg/kg	0.575	1.0	01/29/01	TMG	7440-38-2		
Barium	93.2	mg/kg	0.460	1.0	01/29/01	TMG	7440-39-3		
Beryllium	0.432	mg/kg	0.115	1.0	01/29/01	TMG	7440-41-7		
Cadmium	ND	mg/kg	0.575	1.0	01/29/01	TMG	7440-43-9		
Calcium	3450	mg/kg	11.5	1.0	01/29/01	TMG	7440-70-2		
Chromium	10.1	mg/kg	0.805	1.0	01/29/01	TMG	7440-47-3		
Cobalt	4.97	mg/kg	0.805	1.0	01/29/01	TMG	7440-48-4		
Copper	170.	mg/kg	1.15	1.0	01/29/01	TMG	7440-50-8		
Iron	11500	mg/kg	11.5	1.0	01/29/01	TMG	7439-89-6		
Lead	1380	mg/kg	0.575	1.0	01/29/01	TMG	7439-92-1		
Magnesium	2760	mg/kg	5.75	1.0	01/29/01	TMG	7439-95-4		
Manganese	130.	mg/kg	0.805	1.0	01/29/01	TMG	7439-96-5		
Nickel	10.6	mg/kg	3.45	1.0	01/29/01	TMG	7440-02-0		
Potassium	1690	mg/kg	115.	1.0	01/29/01	TMG	7440-09-7		
Selenium	1.10	mg/kg	0.575	1.0	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.805	1.0	01/29/01	TMG	7440-22-4		
Sodium	171.	mg/kg	17.2	1.0	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.84	1.0	01/29/01	TMG	7440-28-0		
Vanadium	24.4	mg/kg	1.38	1.0	01/29/01	TMG	7440-62-2		
Zinc	34.3	mg/kg	5.75	1.0	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	ND	mg/kg	0.177	1.0	02/01/01 14:43	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	13.0	%		0.9	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117499 Project Sample Number: 6047840-013 Date Collected: 01/18/01 13:15
Client Sample ID: NIC-SSS-GP10D-02-10.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	110	99.9	02/02/01 21:41	JLO	319-84-6		
beta-BHC	ND	ug/kg	230	99.9	02/02/01 21:41	JLO	319-85-7		
delta-BHC	ND	ug/kg	340	99.9	02/02/01 21:41	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	150	99.9	02/02/01 21:41	JLO	58-89-9		
Heptachlor	ND	ug/kg	110	99.9	02/02/01 21:41	JLO	76-44-8		
Aldrin	ND	ug/kg	150	99.9	02/02/01 21:41	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	380	99.9	02/02/01 21:41	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	530	99.9	02/02/01 21:41	JLO	959-98-8		
Dieldrin	ND	ug/kg	76.	99.9	02/02/01 21:41	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	150	99.9	02/02/01 21:41	JLO	72-55-9		
Endrin	ND	ug/kg	230	99.9	02/02/01 21:41	JLO	72-20-8		
Endosulfan II	ND	ug/kg	150	99.9	02/02/01 21:41	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	390	99.9	02/02/01 21:41	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	2500	99.9	02/02/01 21:41	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	450	99.9	02/02/01 21:41	JLO	50-29-3		
Endrin ketone	ND	ug/kg	380	99.9	02/02/01 21:41	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	6700	99.9	02/02/01 21:41	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	530	99.9	02/02/01 21:41	JLO	57-74-9		
Toxaphene	ND	ug/kg	9100	99.9	02/02/01 21:41	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	870	99.9	02/02/01 21:41	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	200	99.9	02/02/01 21:41	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	200	99.9	02/02/01 21:41	JLO	5103-71-9		
Decachlorobiphenyl (S)	0	%		1.0	02/02/01 21:41	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	0	%		1.0	02/02/01 21:41	JLO	877-09-8	20	
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	380	10.0	02/01/01 20:36	JLO	12674-11-2	21	
PCB-1221 (Aroclor 1221)	ND	ug/kg	380	10.0	02/01/01 20:36	JLO	11104-28-2	21	
PCB-1232 (Aroclor 1232)	ND	ug/kg	380	10.0	02/01/01 20:36	JLO	11141-16-5	21	
PCB-1242 (Aroclor 1242)	ND	ug/kg	380	10.0	02/01/01 20:36	JLO	53469-21-9	21	
PCB-1248 (Aroclor 1248)	ND	ug/kg	380	10.0	02/01/01 20:36	JLO	12672-29-6	21	
PCB-1254 (Aroclor 1254)	ND	ug/kg	38.	1.0	02/01/01 20:36	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/kg	38.	1.0	02/01/01 20:36	JLO	11096-82-5		
Decachlorobiphenyl (S)	58	%		1.0	02/01/01 20:36	JLO	2051-24-3		

DI

DI

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117499 Project Sample Number: 6047840-013 Date Collected: 01/18/01 13:15
Client Sample ID: NIC-SSS-GP10D-02-10.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	58	%		1.0	02/01/01 20:36	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	100	8.9	01/26/01 19:57	TMD			
Jet Fuel	ND	mg/kg	100	8.9	01/26/01 19:57	TMD			
Kerosene	ND	mg/kg	100	8.9	01/26/01 19:57	TMD			
Diesel Fuel	11000	mg/kg	100	8.9	01/26/01 19:57	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	100	8.9	01/26/01 19:57	TMD	68334-30-5		
Motor Oil	ND	mg/kg	100	8.9	01/26/01 19:57	TMD			
n-Tetracosane (S)	0	%		1.0	01/26/01 19:57	TMD	646-31-1	2	5 MG
p-Terphenyl (S)	0	%		1.0	01/26/01 19:57	TMD	92-94-4		
Date Extracted					01/26/01				

GC/MS Semivolatiles

Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication		
Phenol	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	108-95-2
bis(2-Chloroethyl) ether	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	111-44-4
2-Chlorophenol	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	95-57-8
1,3-Dichlorobenzene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	541-73-1
1,4-Dichlorobenzene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	106-46-7
Benzyl alcohol	ND	ug/kg	760	1.0	02/03/01 08:49	TGH	100-51-6
1,2-Dichlorobenzene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	95-50-1
2-Methylphenol (o-Cresol)	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	95-48-7
bis(2-Chloroisopropyl) ether	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	39638-32-9
4-Methylphenol (p-Cresol)	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	106-44-5
N-Nitroso-di-n-propylamine	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	621-64-7
Hexachloroethane	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	67-72-1
Nitrobenzene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	98-95-3
Isophorone	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	78-59-1
2-Nitrophenol	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	88-75-5
2,4-Dimethylphenol	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	105-67-9
Benzoic acid	ND	ug/kg	1800	1.0	02/03/01 08:49	TGH	65-85-0
bis(2-Chloroethoxy)methane	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	111-91-1
2,4-Dichlorophenol	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	120-83-2
1,2,4-Trichlorobenzene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	120-82-1
Naphthalene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	91-20-3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117499 Project Sample Number: 6047840-013 Date Collected: 01/18/01 13:15
Client Sample ID: NIC-SSS-GP10D-02-10.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4-Chloroaniline	ND	ug/kg	760	1.0	02/03/01 08:49	TGH	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	760	1.0	02/03/01 08:49	TGH	59-50-7		
2-Methylnaphthalene	1500	ug/kg	380	1.0	02/03/01 08:49	TGH	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	95-95-4		
2-Chloronaphthalene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	91-58-7		
2-Nitroaniline	ND	ug/kg	1800	1.0	02/03/01 08:49	TGH	88-74-4		
Dimethylphthalate	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	131-11-3		
Acenaphthylene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	606-20-2		
3-Nitroaniline	ND	ug/kg	1800	1.0	02/03/01 08:49	TGH	99-09-2		
Acenaphthene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	1800	1.0	02/03/01 08:49	TGH	51-28-5		
4-Nitrophenol	ND	ug/kg	1800	1.0	02/03/01 08:49	TGH	100-02-7		
Dibenzofuran	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	121-14-2		
Diethylphthalate	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	7005-72-3		
Fluorene	390	ug/kg	380	1.0	02/03/01 08:49	TGH	86-73-7		
4-Nitroaniline	ND	ug/kg	1800	1.0	02/03/01 08:49	TGH	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	1800	1.0	02/03/01 08:49	TGH	534-52-1		
N-Nitrosodiphenylamine	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	101-55-3		
Hexachlorobenzene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	118-74-1		
Pentachlorophenol	ND	ug/kg	1800	1.0	02/03/01 08:49	TGH	87-86-5		
Phenanthrene	2100	ug/kg	380	1.0	02/03/01 08:49	TGH	85-01-8		
Anthracene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	120-12-7		
Di-n-butylphthalate	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	84-74-2		
Fluoranthene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	206-44-0		
Pyrene	1300	ug/kg	380	1.0	02/03/01 08:49	TGH	129-00-0		
Butylbenzylphthalate	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	760	1.0	02/03/01 08:49	TGH	91-94-1		
Benzo(a)anthracene	380	ug/kg	380	1.0	02/03/01 08:49	TGH	56-55-3		
Chrysene	860	ug/kg	380	1.0	02/03/01 08:49	TGH	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	117-81-7		
Di-n-octylphthalate	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	117-84-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117499 Project Sample Number: 6047840-013 Date Collected: 01/18/01 13:15
Client Sample ID: NIC-SSS-GP10D-02-10.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Benzo(b)fluoranthene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	207-08-9		
Benzo(a)pyrene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	380	1.0	02/03/01 08:49	TGH	191-24-2		
Nitrobenzene-d5 (S)	60	%		1.0	02/03/01 08:49	TGH	4165-60-0		
2-Fluorobiphenyl (S)	75	%		1.0	02/03/01 08:49	TGH	321-60-8		
Terphenyl-d14 (S)	83	%		1.0	02/03/01 08:49	TGH	1718-51-0		
Phenol-d6 (S)	50	%		1.0	02/03/01 08:49	TGH	13127-88-3		
2-Fluorophenol (S)	44	%		1.0	02/03/01 08:49	TGH	367-12-4		
2,4,6-Tribromophenol (S)	81	%		1.0	02/03/01 08:49	TGH	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117507 Project Sample Number: 6047840-014 Date Collected: 01/18/01 15:42
Client Sample ID: NIC-SSS-GP10C-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	**Method: EPA 6010**				**Prep Method: EPA 3050**				
Aluminum	6870	mg/kg	8.66	1.0	01/29/01	TMG	7429-90-5		
Antimony	ND	mg/kg	1.15	1.0	01/29/01	TMG	7440-36-0		
Arsenic	3.76	mg/kg	0.577	1.0	01/29/01	TMG	7440-38-2		
Barium	115.	mg/kg	0.462	1.0	01/29/01	TMG	7440-39-3		
Beryllium	0.328	mg/kg	0.115	1.0	01/29/01	TMG	7440-41-7		
Cadmium	1.74	mg/kg	0.577	1.0	01/29/01	TMG	7440-43-9		
Calcium	86300	mg/kg	11.5	1.0	01/29/01	TMG	7440-70-2		
Chromium	28.7	mg/kg	0.808	1.0	01/29/01	TMG	7440-47-3		
Cobalt	4.14	mg/kg	0.808	1.0	01/29/01	TMG	7440-48-4		
Copper	31.5	mg/kg	1.15	1.0	01/29/01	TMG	7440-50-8		
Iron	13900	mg/kg	11.5	1.0	01/29/01	TMG	7439-89-6		
Lead	210.	mg/kg	0.577	1.0	01/29/01	TMG	7439-92-1		
Magnesium	34600	mg/kg	5.77	1.0	01/29/01	TMG	7439-95-4		
Manganese	366.	mg/kg	0.808	1.0	01/29/01	TMG	7439-96-5		
Nickel	11.0	mg/kg	3.46	1.0	01/29/01	TMG	7440-02-0		
Potassium	1600	mg/kg	115.	1.0	01/29/01	TMG	7440-09-7		
Selenium	ND	mg/kg	0.577	1.0	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.808	1.0	01/29/01	TMG	7440-22-4		
Sodium	208.	mg/kg	17.3	1.0	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.85	1.0	01/29/01	TMG	7440-28-0		
Vanadium	18.0	mg/kg	1.39	1.0	01/29/01	TMG	7440-62-2		
Zinc	165.	mg/kg	5.77	1.0	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	**Method: EPA 7471**				**Prep Method: EPA 7471**				
Mercury	0.391	mg/kg	0.178	1.0	02/01/01 14:45	SYW	7439-97-6		
Organics Prep									
Percent Moisture	**Method:**								
Percent Moisture	13.4	%		0.9	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117507 Project Sample Number: 6047840-014 Date Collected: 01/18/01 15:42
Client Sample ID: NIC-SSS-GP10C-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	ND	ug/kg	5700	1.0	01/31/01 00:12	JLG			
Benzene	ND	ug/kg	57.	1.0	01/31/01 00:12	JLG	71-43-2		
Toluene	ND	ug/kg	57.	1.0	01/31/01 00:12	JLG	108-88-3		
Ethylbenzene	ND	ug/kg	57.	1.0	01/31/01 00:12	JLG	100-41-4		
Xylene (Total)	ND	ug/kg	150	1.0	01/31/01 00:12	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	96	%		1.0	01/31/01 00:12	JLG	2164-17-2		
4-Bromofluorobenzene (S)	94	%		1.0	01/31/01 00:12	JLG	460-00-4		
Bromochlorobenzene (S)	96	%		1.0	01/31/01 00:12	JLG			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	1.1	1.0	02/01/01 08:30	JLO	319-84-6		
beta-BHC	ND	ug/kg	2.3	1.0	02/01/01 08:30	JLO	319-85-7		
delta-BHC	ND	ug/kg	3.4	1.0	02/01/01 08:30	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	1.5	1.0	02/01/01 08:30	JLO	58-89-9		
Heptachlor	ND	ug/kg	1.1	1.0	02/01/01 08:30	JLO	76-44-8		
Aldrin	ND	ug/kg	1.5	1.0	02/01/01 08:30	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	3.8	1.0	02/01/01 08:30	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	5.3	1.0	02/01/01 08:30	JLO	959-98-8		
Dieldrin	ND	ug/kg	0.76	1.0	02/01/01 08:30	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	1.5	1.0	02/01/01 08:30	JLO	72-55-9		
Endrin	ND	ug/kg	2.3	1.0	02/01/01 08:30	JLO	72-20-8		
Endosulfan II	ND	ug/kg	1.5	1.0	02/01/01 08:30	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	3.9	1.0	02/01/01 08:30	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	25.	1.0	02/01/01 08:30	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	4.6	1.0	02/01/01 08:30	JLO	50-29-3		
Endrin ketone	ND	ug/kg	3.8	1.0	02/01/01 08:30	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	67.	1.0	02/01/01 08:30	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	5.3	1.0	02/01/01 08:30	JLO	57-74-9		
Toxaphene	ND	ug/kg	91.	1.0	02/01/01 08:30	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	8.8	1.0	02/01/01 08:30	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	2.0	1.0	02/01/01 08:30	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	2.0	1.0	02/01/01 08:30	JLO	5103-71-9		
Decachlorobiphenyl (S)	56	%		1.0	02/01/01 08:30	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117507 Project Sample Number: 6047840-014 Date Collected: 01/18/01 15:42
Client Sample ID: NIC-SSS-GP10C-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	41	%		1.0	02/01/01 08:30	JLO	877-09-8		
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	38.	1.0	02/01/01 20:59	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	38.	1.0	02/01/01 20:59	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	38.	1.0	02/01/01 20:59	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	38.	1.0	02/01/01 20:59	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/kg	38.	1.0	02/01/01 20:59	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	38.	1.0	02/01/01 20:59	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	1500	ug/kg	380	10.0	02/01/01 20:59	JLO	11096-82-5	15	
Decachlorobiphenyl (S)	50	%		1.0	02/01/01 20:59	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	30	%		1.0	02/01/01 20:59	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	10.	0.9	01/29/01 12:02	TMD			
Jet Fuel	ND	mg/kg	10.	0.9	01/29/01 12:02	TMD			
Kerosene	ND	mg/kg	10.	0.9	01/29/01 12:02	TMD			
Diesel Fuel	ND	mg/kg	10.	0.9	01/29/01 12:02	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	10.	0.9	01/29/01 12:02	TMD	68334-30-5		
Motor Oil	2700	mg/kg	10.	0.9	01/29/01 12:02	TMD			
n-Tetracosane (S)	124	%		1.0	01/29/01 12:02	TMD	646-31-1		
p-Terphenyl (S)	89	%		1.0	01/29/01 12:02	TMD	92-94-4		
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117507 Project Sample Number: 6047840-014 Date Collected: 01/18/01 15:42
Client Sample ID: NIC-SSS-GP10C-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	106-46-7		
Benzene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	71-43-2		
Bromodichloromethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	75-27-4		
Bromoform	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	75-25-2		
Bromomethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	74-83-9		
Carbon tetrachloride	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	56-23-5		
Chlorobenzene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	108-90-7		
Chloroethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	75-00-3		
Chloroform	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	67-66-3		
Chloromethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	10061-01-5		
Dibromochloromethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	124-48-1		
Ethylbenzene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	100-41-4		
m&p-Xylene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	7816-60-0		
Methylene chloride	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	75-09-2		
o-Xylene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	95-47-6		
Tetrachloroethene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	127-18-4		
Toluene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	10061-02-6		
Trichloroethene	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	75-69-4		
Vinyl chloride	ND	ug/kg	5.8	1.0	01/26/01 01:04	JSR	75-01-4		
Dibromofluoromethane (S)	101	%		1.0	01/26/01 01:04	JSR			
Toluene-d8 (S)	94	%		1.0	01/26/01 01:04	JSR	2037-26-5		
4-Bromofluorobenzene (S)	87	%		1.0	01/26/01 01:04	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	103	%		1.0	01/26/01 01:04	JSR	17060-07-0		
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	7600	10.0	02/03/01 05:51	WAW	100-51-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117507 Project Sample Number: 6047840-014 Date Collected: 01/18/01 15:42
Client Sample ID: NIC-SSS-GP10C-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,2-Dichlorobenzene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	98-95-3		
Isophorone	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	105-67-9		
Benzoic acid	ND	ug/kg	18000	10.0	02/03/01 05:51	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	120-82-1		
Naphthalene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	7600	10.0	02/03/01 05:51	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	7600	10.0	02/03/01 05:51	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	18000	10.0	02/03/01 05:51	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	18000	10.0	02/03/01 05:51	WAW	99-09-2		
Acenaphthene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	18000	10.0	02/03/01 05:51	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	18000	10.0	02/03/01 05:51	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	7005-72-3		
Fluorene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	18000	10.0	02/03/01 05:51	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	18000	10.0	02/03/01 05:51	WAW	534-52-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117507 Project Sample Number: 6047840-014 Date Collected: 01/18/01 15:42
Client Sample ID: NIC-SSS-GP10C-02-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
N-Nitrosodiphenylamine	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	18000	10.0	02/03/01 05:51	WAW	87-86-5		
Phenanthrene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	85-01-8		
Anthracene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	84-74-2		
Fluoranthene	2100	ug/kg	3800	10.0	02/03/01 05:51	WAW	206-44-0	14	D
Pyrene	3200	ug/kg	3800	10.0	02/03/01 05:51	WAW	129-00-0	14	D
Butylbenzylphthalate	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	7600	10.0	02/03/01 05:51	WAW	91-94-1		
Benzo(a)anthracene	1800	ug/kg	3800	10.0	02/03/01 05:51	WAW	56-55-3	14	D
Chrysene	2200	ug/kg	3800	10.0	02/03/01 05:51	WAW	218-01-9	14	D
bis(2-Ethylhexyl)phthalate	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	117-84-0		
Benzo(b)fluoranthene	3000	ug/kg	3800	10.0	02/03/01 05:51	WAW	205-99-2	14	D
Benzo(k)fluoranthene	970	ug/kg	3800	10.0	02/03/01 05:51	WAW	207-08-9	14	D
Benzo(a)pyrene	1800	ug/kg	3800	10.0	02/03/01 05:51	WAW	50-32-8	14	D
Indeno(1,2,3-cd)pyrene	1300	ug/kg	3800	10.0	02/03/01 05:51	WAW	193-39-5	14	D
Dibenz(a,h)anthracene	ND	ug/kg	3800	10.0	02/03/01 05:51	WAW	53-70-3		
Benzo(g,h,i)perylene	2100	ug/kg	3800	10.0	02/03/01 05:51	WAW	191-24-2	14	D
Nitrobenzene-d5 (S)	46	%		1.0	02/03/01 05:51	WAW	4165-60-0		
2-Fluorobiphenyl (S)	84	%		1.0	02/03/01 05:51	WAW	321-60-8		
Terphenyl-d14 (S)	83	%		1.0	02/03/01 05:51	WAW	1718-51-0		
Phenol-d6 (S)	40	%		1.0	02/03/01 05:51	WAW	13127-88-3		
2-Fluorophenol (S)	40	%		1.0	02/03/01 05:51	WAW	367-12-4		
2,4,6-Tribromophenol (S)	71	%		1.0	02/03/01 05:51	WAW	118-79-6	8	S
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117515 Project Sample Number: 6047840-015 Date Collected: 01/19/01 10:10
Client Sample ID: NIC-SSS-GP10D-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	12600	mg/kg	8.58	0.9	01/29/01	TMG	7429-90-5		
Antimony	ND	mg/kg	1.14	0.9	01/29/01	TMG	7440-36-0		
Arsenic	3.12	mg/kg	0.572	0.9	01/29/01	TMG	7440-38-2		
Barium	157.	mg/kg	0.458	0.9	01/29/01	TMG	7440-39-3		
Beryllium	0.713	mg/kg	0.114	0.9	01/29/01	TMG	7440-41-7		
Cadmium	1.07	mg/kg	0.572	0.9	01/29/01	TMG	7440-43-9		
Calcium	17200	mg/kg	11.4	0.9	01/29/01	TMG	7440-70-2		
Chromium	14.8	mg/kg	0.801	0.9	01/29/01	TMG	7440-47-3		
Cobalt	7.69	mg/kg	0.801	0.9	01/29/01	TMG	7440-48-4		
Copper	27.0	mg/kg	1.14	0.9	01/29/01	TMG	7440-50-8		
Iron	15800	mg/kg	11.4	0.9	01/29/01	TMG	7439-89-6		
Lead	54.1	mg/kg	0.572	0.9	01/29/01	TMG	7439-92-1		
Magnesium	3890	mg/kg	5.72	0.9	01/29/01	TMG	7439-95-4		
Manganese	409.	mg/kg	0.801	0.9	01/29/01	TMG	7439-96-5		
Nickel	16.7	mg/kg	3.43	0.9	01/29/01	TMG	7440-02-0		
Potassium	2580	mg/kg	114.	0.9	01/29/01	TMG	7440-09-7		
Selenium	2.24	mg/kg	0.572	0.9	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.801	0.9	01/29/01	TMG	7440-22-4		
Sodium	90.6	mg/kg	17.2	0.9	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.83	0.9	01/29/01	TMG	7440-28-0		
Vanadium	30.2	mg/kg	1.37	0.9	01/29/01	TMG	7440-62-2		
Zinc	155.	mg/kg	5.72	0.9	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	ND	mg/kg	0.187	1.0	02/01/01 14:47	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	17.5	%		0.8	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117515 Project Sample Number: 6047840-015 Date Collected: 01/19/01 10:10
Client Sample ID: NIC-SSS-GP10D-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	ND	ug/kg	6000	1.0	01/31/01 12:22	JLG			
Benzene	ND	ug/kg	60.	1.0	01/31/01 12:22	JLG	71-43-2		
Toluene	ND	ug/kg	60.	1.0	01/31/01 12:22	JLG	108-88-3		
Ethylbenzene	ND	ug/kg	60.	1.0	01/31/01 12:22	JLG	100-41-4		
Xylene (Total)	ND	ug/kg	160	1.0	01/31/01 12:22	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	95	%		1.0	01/31/01 12:22	JLG	2164-17-2		
4-Bromofluorobenzene (S)	102	%		1.0	01/31/01 12:22	JLG	460-00-4		
Bromochlorobenzene (S)	108	%		1.0	01/31/01 12:22	JLG			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	1.2	1.0	02/01/01 09:11	JLO	319-84-6		
beta-BHC	ND	ug/kg	2.4	1.0	02/01/01 09:11	JLO	319-85-7		
delta-BHC	ND	ug/kg	3.6	1.0	02/01/01 09:11	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	1.6	1.0	02/01/01 09:11	JLO	58-89-9		
Heptachlor	ND	ug/kg	1.2	1.0	02/01/01 09:11	JLO	76-44-8		
Aldrin	ND	ug/kg	1.6	1.0	02/01/01 09:11	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	4.0	1.0	02/01/01 09:11	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	5.6	1.0	02/01/01 09:11	JLO	959-98-8		
Dieldrin	ND	ug/kg	0.80	1.0	02/01/01 09:11	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	1.6	1.0	02/01/01 09:11	JLO	72-55-9		
Endrin	ND	ug/kg	2.4	1.0	02/01/01 09:11	JLO	72-20-8		
Endosulfan II	ND	ug/kg	1.6	1.0	02/01/01 09:11	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	4.1	1.0	02/01/01 09:11	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	26.	1.0	02/01/01 09:11	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	4.8	1.0	02/01/01 09:11	JLO	50-29-3		
Endrin ketone	ND	ug/kg	4.0	1.0	02/01/01 09:11	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	70.	1.0	02/01/01 09:11	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	5.6	1.0	02/01/01 09:11	JLO	57-74-9		
Toxaphene	ND	ug/kg	96.	1.0	02/01/01 09:11	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	9.2	1.0	02/01/01 09:11	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	2.1	1.0	02/01/01 09:11	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	2.1	1.0	02/01/01 09:11	JLO	5103-71-9		
Decachlorobiphenyl (S)	61	%		1.0	02/01/01 09:11	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117515 Project Sample Number: 6047840-015 Date Collected: 01/19/01 10:10
Client Sample ID: NIC-SSS-GP10D-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	91	%		1.0	02/01/01 09:11	JLO	877-09-8		
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	40.	1.0	02/01/01 21:22	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	40.	1.0	02/01/01 21:22	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	40.	1.0	02/01/01 21:22	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	40.	1.0	02/01/01 21:22	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	110	ug/kg	40.	1.0	02/01/01 21:22	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	40.	1.0	02/01/01 21:22	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/kg	40.	1.0	02/01/01 21:22	JLO	11096-82-5		
Decachlorobiphenyl (S)	57	%		1.0	02/01/01 21:22	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	71	%		1.0	02/01/01 21:22	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	11.	0.9	01/26/01 15:29	TMD			
Jet Fuel	ND	mg/kg	11.	0.9	01/26/01 15:29	TMD			
Kerosene	ND	mg/kg	11.	0.9	01/26/01 15:29	TMD			
Diesel Fuel	ND	mg/kg	11.	0.9	01/26/01 15:29	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	11.	0.9	01/26/01 15:29	TMD	68334-30-5		
Motor Oil	ND	mg/kg	11.	0.9	01/26/01 15:29	TMD			
n-Tetracosane (S)	104	%		1.0	01/26/01 15:29	TMD	646-31-1		
p-Terphenyl (S)	70	%		1.0	01/26/01 15:29	TMD	92-94-4		
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	79-00-5		
1,1-Dichloroethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	75-34-3		
1,1-Dichloroethene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	95-50-1		
1,2-Dichloroethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	107-06-2		
1,2-Dichloropropane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117515 Project Sample Number: 6047840-015 Date Collected: 01/19/01 10:10
Client Sample ID: NIC-SSS-GP10D-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	106-46-7		
Benzene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	71-43-2		
Bromodichloromethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	75-27-4		
Bromoform	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	75-25-2		
Bromomethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	74-83-9		
Carbon tetrachloride	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	56-23-5		
Chlorobenzene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	108-90-7		
Chloroethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	75-00-3		
Chloroform	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	67-66-3		
Chloromethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	10061-01-5		
Dibromochloromethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	124-48-1		
Ethylbenzene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	100-41-4		
m&p-Xylene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	7816-60-0		
Methylene chloride	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	75-09-2		
o-Xylene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	95-47-6		
Tetrachloroethene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	127-18-4		
Toluene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	10061-02-6		
Trichloroethene	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	79-01-6		
Trichlorofluoromethane	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	75-69-4		
Vinyl chloride	ND	ug/kg	6.1	1.0	01/25/01 15:37	SJS1	75-01-4		
Dibromofluoromethane (S)	104	%		1.0	01/25/01 15:37	SJS1			
Toluene-d8 (S)	101	%		1.0	01/25/01 15:37	SJS1	2037-26-5		
4-Bromofluorobenzene (S)	98	%		1.0	01/25/01 15:37	SJS1	460-00-4		
1,2-Dichloroethane-d4 (S)	106	%		1.0	01/25/01 15:37	SJS1	17060-07-0		
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	800	1.0	02/03/01 12:19	WAW	100-51-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117515 Project Sample Number: 6047840-015 Date Collected: 01/19/01 10:10
Client Sample ID: NIC-SSS-GP10D-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,2-Dichlorobenzene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	98-95-3		
Isophorone	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	105-67-9		
Benzoic acid	ND	ug/kg	1900	1.0	02/03/01 12:19	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	120-82-1		
Naphthalene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	800	1.0	02/03/01 12:19	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	800	1.0	02/03/01 12:19	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	1900	1.0	02/03/01 12:19	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	1900	1.0	02/03/01 12:19	WAW	99-09-2		
Acenaphthene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	1900	1.0	02/03/01 12:19	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	1900	1.0	02/03/01 12:19	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	7005-72-3		
Fluorene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	1900	1.0	02/03/01 12:19	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	1900	1.0	02/03/01 12:19	WAW	534-52-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117515 Project Sample Number: 6047840-015 Date Collected: 01/19/01 10:10
Client Sample ID: NIC-SSS-GP10D-01-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
N-Nitrosodiphenylamine	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	1900	1.0	02/03/01 12:19	WAW	87-86-5		
Phenanthrene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	85-01-8		
Anthracene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	84-74-2		
Fluoranthene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	206-44-0		
Pyrene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	800	1.0	02/03/01 12:19	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	56-55-3		
Chrysene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	400	1.0	02/03/01 12:19	WAW	191-24-2		
Nitrobenzene-d5 (S)	62	%		1.0	02/03/01 12:19	WAW	4165-60-0		
2-Fluorobiphenyl (S)	86	%		1.0	02/03/01 12:19	WAW	321-60-8		
Terphenyl-d14 (S)	89	%		1.0	02/03/01 12:19	WAW	1718-51-0		
Phenol-d6 (S)	56	%		1.0	02/03/01 12:19	WAW	13127-88-3		
2-Fluorophenol (S)	52	%		1.0	02/03/01 12:19	WAW	367-12-4		
2,4,6-Tribromophenol (S)	88	%		1.0	02/03/01 12:19	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117523 Project Sample Number: 6047840-016 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-SS-GP10D-01-10 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	1180	mg/kg	7.48	1.0	01/29/01	TMG	7429-90-5		
Antimony	ND	mg/kg	0.998	1.0	01/29/01	TMG	7440-36-0		
Arsenic	ND	mg/kg	0.499	1.0	01/29/01	TMG	7440-38-2		
Barium	19.9	mg/kg	0.399	1.0	01/29/01	TMG	7440-39-3		
Beryllium	ND	mg/kg	0.0998	1.0	01/29/01	TMG	7440-41-7		
Cadmium	ND	mg/kg	0.499	1.0	01/29/01	TMG	7440-43-9		
Calcium	535.	mg/kg	9.98	1.0	01/29/01	TMG	7440-70-2		
Chromium	1.71	mg/kg	0.698	1.0	01/29/01	TMG	7440-47-3		
Cobalt	1.33	mg/kg	0.698	1.0	01/29/01	TMG	7440-48-4		
Copper	2.42	mg/kg	0.998	1.0	01/29/01	TMG	7440-50-8		
Iron	3120	mg/kg	9.98	1.0	01/29/01	TMG	7439-89-6		
Lead	2.48	mg/kg	0.499	1.0	01/29/01	TMG	7439-92-1		
Magnesium	394.	mg/kg	4.99	1.0	01/29/01	TMG	7439-95-4		
Manganese	48.5	mg/kg	0.698	1.0	01/29/01	TMG	7439-96-5		
Nickel	ND	mg/kg	2.99	1.0	01/29/01	TMG	7440-02-0		
Potassium	214.	mg/kg	99.8	1.0	01/29/01	TMG	7440-09-7		
Selenium	ND	mg/kg	0.499	1.0	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.698	1.0	01/29/01	TMG	7440-22-4		
Sodium	259.	mg/kg	15.0	1.0	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.60	1.0	01/29/01	TMG	7440-28-0		
Vanadium	5.97	mg/kg	1.20	1.0	01/29/01	TMG	7440-62-2		
Zinc	8.71	mg/kg	4.99	1.0	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	ND	mg/kg	0.158	1.0	02/01/01 14:53	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	2.7	%		1.0	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117523 Project Sample Number: 6047840-016 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-SS-GP10D-01-10 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	790000	ug/kg	21000	4.0	01/31/01 20:24	JLG			
Benzene	ND	ug/kg	210	4.0	01/31/01 20:24	JLG	71-43-2		
Toluene	ND	ug/kg	210	4.0	01/31/01 20:24	JLG	108-88-3		
Ethylbenzene	2400	ug/kg	210	4.0	01/31/01 20:24	JLG	100-41-4		
Xylene (Total)	2900	ug/kg	530	4.0	01/31/01 20:24	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	83	%		1.0	01/31/01 20:24	JLG	2164-17-2	13	
4-Bromofluorobenzene (S)	123	%		1.0	01/31/01 20:24	JLG	460-00-4	22	S
Bromochlorobenzene (S)	135	%		1.0	01/31/01 20:24	JLG		23	S
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	100	98.9	02/02/01 22:22	JLO	319-84-6		
beta-BHC	ND	ug/kg	200	98.9	02/02/01 22:22	JLO	319-85-7		
delta-BHC	ND	ug/kg	300	98.9	02/02/01 22:22	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	130	98.9	02/02/01 22:22	JLO	58-89-9		
Heptachlor	ND	ug/kg	100	98.9	02/02/01 22:22	JLO	76-44-8		
Aldrin	ND	ug/kg	130	98.9	02/02/01 22:22	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	340	98.9	02/02/01 22:22	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	470	98.9	02/02/01 22:22	JLO	959-98-8		
Dieldrin	ND	ug/kg	67.	98.9	02/02/01 22:22	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	130	98.9	02/02/01 22:22	JLO	72-55-9		
Endrin	ND	ug/kg	200	98.9	02/02/01 22:22	JLO	72-20-8		
Endosulfan II	ND	ug/kg	130	98.9	02/02/01 22:22	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	340	98.9	02/02/01 22:22	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	2200	98.9	02/02/01 22:22	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	400	98.9	02/02/01 22:22	JLO	50-29-3		
Endrin ketone	ND	ug/kg	340	98.9	02/02/01 22:22	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	5900	98.9	02/02/01 22:22	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	470	98.9	02/02/01 22:22	JLO	57-74-9		
Toxaphene	ND	ug/kg	8000	98.9	02/02/01 22:22	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	770	98.9	02/02/01 22:22	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	170	98.9	02/02/01 22:22	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	170	98.9	02/02/01 22:22	JLO	5103-71-9		
Decachlorobiphenyl (S)	0	%		1.0	02/02/01 22:22	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117523 Project Sample Number: 6047840-016 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-SS-GP10D-01-10 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	0	%		1.0	02/02/01 22:22	JLO	877-09-8	20	
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.	1.0	02/01/01 22:31	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.	1.0	02/01/01 22:31	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.	1.0	02/01/01 22:31	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.	1.0	02/01/01 22:31	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.	1.0	02/01/01 22:31	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	34.	1.0	02/01/01 22:31	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/kg	34.	1.0	02/01/01 22:31	JLO	11096-82-5		
Decachlorobiphenyl (S)	59	%		1.0	02/01/01 22:31	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	63	%		1.0	02/01/01 22:31	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	45.	4.4	01/27/01 04:52	TMD			
Jet Fuel	ND	mg/kg	45.	4.4	01/27/01 04:52	TMD			
Kerosene	ND	mg/kg	45.	4.4	01/27/01 04:52	TMD			
Diesel Fuel	7700	mg/kg	45.	4.4	01/27/01 04:52	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	45.	4.4	01/27/01 04:52	TMD	68334-30-5		
Motor Oil	ND	mg/kg	45.	4.4	01/27/01 04:52	TMD			
n-Tetracosane (S)	118	%		1.0	01/27/01 04:52	TMD	646-31-1		
p-Terphenyl (S)	100	%		1.0	01/27/01 04:52	TMD	92-94-4		
Date Extracted					01/26/01				
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	6800	10.0	02/02/01 08:44	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	39638-32-9		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117523 Project Sample Number: 6047840-016 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-SS-GP10D-01-10 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4-Methylphenol (p-Cresol)	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	98-95-3		
Isophorone	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	105-67-9		
Benzoic acid	ND	ug/kg	16000	10.0	02/02/01 08:44	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	120-82-1		
Naphthalene	5100	ug/kg	3400	10.0	02/02/01 08:44	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	6800	10.0	02/02/01 08:44	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	6800	10.0	02/02/01 08:44	WAW	59-50-7		
2-Methylnaphthalene	14000	ug/kg	3400	10.0	02/02/01 08:44	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	16000	10.0	02/02/01 08:44	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	16000	10.0	02/02/01 08:44	WAW	99-09-2		
Acenaphthene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	16000	10.0	02/02/01 08:44	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	16000	10.0	02/02/01 08:44	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	7005-72-3		
Fluorene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	16000	10.0	02/02/01 08:44	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	16000	10.0	02/02/01 08:44	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	118-74-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117523 Project Sample Number: 6047840-016 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-SS-GP10D-01-10 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Pentachlorophenol	ND	ug/kg	16000	10.0	02/02/01 08:44	WAW	87-86-5		
Phenanthrene	3500	ug/kg	3400	10.0	02/02/01 08:44	WAW	85-01-8		
Anthracene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	84-74-2		
Fluoranthene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	206-44-0		
Pyrene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	6800	10.0	02/02/01 08:44	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	56-55-3		
Chrysene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	3400	10.0	02/02/01 08:44	WAW	191-24-2		
Nitrobenzene-d5 (S)	94	%		1.0	02/02/01 08:44	WAW	4165-60-0		
2-Fluorobiphenyl (S)	110	%		1.0	02/02/01 08:44	WAW	321-60-8		
Terphenyl-d14 (S)	89	%		1.0	02/02/01 08:44	WAW	1718-51-0		
Phenol-d6 (S)	80	%		1.0	02/02/01 08:44	WAW	13127-88-3		
2-Fluorophenol (S)	75	%		1.0	02/02/01 08:44	WAW	367-12-4		
2,4,6-Tribromophenol (S)	94	%		1.0	02/02/01 08:44	WAW	118-79-6	12	
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117531 Project Sample Number: 6047840-017 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-SS-GP10D-01-10 5035 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Organics Prep									
Percent Moisture		Method:							
Percent Moisture	2.7	%		1.0	01/26/01	DCKI			
GC/MS Volatiles									
GC/MS 8260 Soils by 5035		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1,2-Tetrachloroethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	630-20-6		
1,1,1-Trichloroethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	71-55-6		
1,1,2-Trichloroethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	79-00-5		
1,1-Dichloroethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	75-34-3		
1,1-Dichloroethene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	95-50-1		
1,2-Dichloroethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	107-06-2		
1,2-Dichloropropane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	106-46-7		
Benzene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	71-43-2		
Bromodichloromethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	75-27-4		
Bromoform	ND	ug/kg	700	135	01/25/01 17:14	SJS1	75-25-2		
Bromomethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	74-83-9		
Carbon tetrachloride	ND	ug/kg	700	135	01/25/01 17:14	SJS1	56-23-5		
Chlorobenzene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	108-90-7		
Chloroethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	75-00-3		
Chloroform	ND	ug/kg	700	135	01/25/01 17:14	SJS1	67-66-3		
Chloromethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	10061-01-5		
Dibromochloromethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	124-48-1		
Ethylbenzene	1400	ug/kg	700	135	01/25/01 17:14	SJS1	100-41-4		
m&p-Xylene	920	ug/kg	700	135	01/25/01 17:14	SJS1	7816-60-0		
Methylene chloride	ND	ug/kg	700	135	01/25/01 17:14	SJS1	75-09-2		
o-Xylene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	95-47-6		
Tetrachloroethene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	127-18-4		
Toluene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	156-60-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117531 Project Sample Number: 6047840-017 Date Collected: 01/19/01 09:40
Client Sample ID: NIC-SS-GP10D-01-10 5035 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
trans-1,3-Dichloropropene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	10061-02-6		
Trichloroethene	ND	ug/kg	700	135	01/25/01 17:14	SJS1	79-01-6		
Trichlorofluoromethane	ND	ug/kg	700	135	01/25/01 17:14	SJS1	75-69-4		
Vinyl chloride	ND	ug/kg	700	135	01/25/01 17:14	SJS1	75-01-4		
Dibromofluoromethane (S)	99	%		1.0	01/25/01 17:14	SJS1			
Toluene-d8 (S)	99	%		1.0	01/25/01 17:14	SJS1	2037-26-5		
4-Bromofluorobenzene (S)	115	%		1.0	01/25/01 17:14	SJS1	460-00-4		
1,2-Dichloroethane-d4 (S)	106	%		1.0	01/25/01 17:14	SJS1	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117549 Project Sample Number: 6047840-018 Date Collected: 01/19/01 10:20
Client Sample ID: NIC-SS-GP10D-01-15 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Organics Prep									
Percent Moisture		Method:							
Percent Moisture	10.2	%		0.9	01/26/01	DCKI			
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	230000	ug/kg	11000	2.0	01/31/01 09:01	JLG			
Benzene	ND	ug/kg	110	2.0	01/31/01 09:01	JLG	71-43-2		
Toluene	200	ug/kg	110	2.0	01/31/01 09:01	JLG	108-88-3		
Ethylbenzene	400	ug/kg	110	2.0	01/31/01 09:01	JLG	100-41-4		
Xylene (Total)	1700	ug/kg	280	2.0	01/31/01 09:01	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	85	%		1.0	01/31/01 09:01	JLG	2164-17-2		
4-Bromofluorobenzene (S)	121	%		1.0	01/31/01 09:01	JLG	460-00-4		
Bromochlorobenzene (S)	141	%		1.0	01/31/01 09:01	JLG		23	S
GC Semivolatiles									
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	48.	4.3	01/26/01 18:50	TMD			
Jet Fuel	ND	mg/kg	48.	4.3	01/26/01 18:50	TMD			
Kerosene	ND	mg/kg	48.	4.3	01/26/01 18:50	TMD			
Diesel Fuel	4900	mg/kg	48.	4.3	01/26/01 18:50	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	48.	4.3	01/26/01 18:50	TMD	68334-30-5		
Motor Oil	ND	mg/kg	48.	4.3	01/26/01 18:50	TMD			
n-Tetracosane (S)	109	%		1.0	01/26/01 18:50	TMD	646-31-1		
p-Terphenyl (S)	84	%		1.0	01/26/01 18:50	TMD	92-94-4		
Date Extracted					01/26/01				
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117549 Project Sample Number: 6047840-018 Date Collected: 01/19/01 10:20
Client Sample ID: NIC-SS-GP10D-01-15 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	7400	10.0	02/02/01 11:36	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	98-95-3		
Isophorone	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	105-67-9		
Benzoic acid	ND	ug/kg	18000	10.0	02/02/01 11:36	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	120-82-1		
Naphthalene	1700	ug/kg	3700	10.0	02/02/01 11:36	WAW	91-20-3	14	J
4-Chloroaniline	ND	ug/kg	7400	10.0	02/02/01 11:36	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	7400	10.0	02/02/01 11:36	WAW	59-50-7		
2-Methylnaphthalene	5800	ug/kg	3700	10.0	02/02/01 11:36	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	18000	10.0	02/02/01 11:36	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	18000	10.0	02/02/01 11:36	WAW	99-09-2		
Acenaphthene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	18000	10.0	02/02/01 11:36	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	18000	10.0	02/02/01 11:36	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	7005-72-3		
Fluorene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	86-73-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117549 Project Sample Number: 6047840-018 Date Collected: 01/19/01 10:20
Client Sample ID: NIC-SS-GP10D-01-15 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4-Nitroaniline	ND	ug/kg	18000	10.0	02/02/01 11:36	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	18000	10.0	02/02/01 11:36	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	18000	10.0	02/02/01 11:36	WAW	87-86-5		
Phenanthrene	1600	ug/kg	3700	10.0	02/02/01 11:36	WAW	85-01-8	14 J	
Anthracene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	84-74-2		
Fluoranthene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	206-44-0		
Pyrene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	7400	10.0	02/02/01 11:36	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	56-55-3		
Chrysene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	3700	10.0	02/02/01 11:36	WAW	191-24-2		
Nitrobenzene-d5 (S)	83	%		1.0	02/02/01 11:36	WAW	4165-60-0		
2-Fluorobiphenyl (S)	104	%		1.0	02/02/01 11:36	WAW	321-60-8		
Terphenyl-d14 (S)	82	%		1.0	02/02/01 11:36	WAW	1718-51-0		
Phenol-d6 (S)	76	%		1.0	02/02/01 11:36	WAW	13127-88-3		
2-Fluorophenol (S)	77	%		1.0	02/02/01 11:36	WAW	367-12-4		
2,4,6-Tribromophenol (S)	84	%		1.0	02/02/01 11:36	WAW	118-79-6	8	
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117556 Project Sample Number: 6047840-019 Date Collected: 01/19/01 11:55
Client Sample ID: NIC-SS-GP10C-02-5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	12500	mg/kg	11.1	0.9	01/29/01	TMG	7429-90-5		
Antimony	ND	mg/kg	1.48	0.9	01/29/01	TMG	7440-36-0		
Arsenic	ND	mg/kg	0.740	0.9	01/29/01	TMG	7440-38-2		
Barium	102.	mg/kg	0.592	0.9	01/29/01	TMG	7440-39-3		
Beryllium	0.599	mg/kg	0.148	0.9	01/29/01	TMG	7440-41-7		
Cadmium	ND	mg/kg	0.740	0.9	01/29/01	TMG	7440-43-9		
Calcium	5920	mg/kg	14.8	0.9	01/29/01	TMG	7440-70-2		
Chromium	13.6	mg/kg	1.04	0.9	01/29/01	TMG	7440-47-3		
Cobalt	6.86	mg/kg	1.04	0.9	01/29/01	TMG	7440-48-4		
Copper	18.5	mg/kg	1.48	0.9	01/29/01	TMG	7440-50-8		
Iron	18800	mg/kg	14.8	0.9	01/29/01	TMG	7439-89-6		
Lead	973.	mg/kg	0.740	0.9	01/29/01	TMG	7439-92-1		
Magnesium	3170	mg/kg	7.40	0.9	01/29/01	TMG	7439-95-4		
Manganese	157.	mg/kg	1.04	0.9	01/29/01	TMG	7439-96-5		
Nickel	14.3	mg/kg	4.44	0.9	01/29/01	TMG	7440-02-0		
Potassium	2030	mg/kg	148.	0.9	01/29/01	TMG	7440-09-7		
Selenium	2.87	mg/kg	0.740	0.9	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	1.04	0.9	01/29/01	TMG	7440-22-4		
Sodium	425.	mg/kg	22.2	0.9	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	2.37	0.9	01/29/01	TMG	7440-28-0		
Vanadium	27.4	mg/kg	1.77	0.9	01/29/01	TMG	7440-62-2		
Zinc	44.3	mg/kg	7.40	0.9	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	ND	mg/kg	0.241	1.0	02/01/01 14:54	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	36.2	%		0.6	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117556 Project Sample Number: 6047840-019 Date Collected: 01/19/01 11:55
Client Sample ID: NIC-SS-GP10C-02-5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	870000	ug/kg	30000	3.9	01/31/01 18:58	JLG			
Benzene	ND	ug/kg	300	3.9	01/31/01 18:58	JLG	71-43-2		
Toluene	1300	ug/kg	300	3.9	01/31/01 18:58	JLG	108-88-3		
Ethylbenzene	7700	ug/kg	300	3.9	01/31/01 18:58	JLG	100-41-4		
Xylene (Total)	26000	ug/kg	790	3.9	01/31/01 18:58	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	91	%		1.0	01/31/01 18:58	JLG	2164-17-2	13	
4-Bromofluorobenzene (S)	113	%		1.0	01/31/01 18:58	JLG	460-00-4		
Bromochlorobenzene (S)	129	%		1.0	01/31/01 18:58	JLG			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	15.	9.9	02/01/01 13:20	JLO	319-84-6		
beta-BHC	ND	ug/kg	31.	9.9	02/01/01 13:20	JLO	319-85-7		
delta-BHC	ND	ug/kg	46.	9.9	02/01/01 13:20	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	20.	9.9	02/01/01 13:20	JLO	58-89-9		
Heptachlor	ND	ug/kg	15.	9.9	02/01/01 13:20	JLO	76-44-8		
Aldrin	ND	ug/kg	20.	9.9	02/01/01 13:20	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	51.	9.9	02/01/01 13:20	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	72.	9.9	02/01/01 13:20	JLO	959-98-8		
Dieldrin	ND	ug/kg	10.	9.9	02/01/01 13:20	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	20.	9.9	02/01/01 13:20	JLO	72-55-9		
Endrin	ND	ug/kg	31.	9.9	02/01/01 13:20	JLO	72-20-8		
Endosulfan II	ND	ug/kg	20.	9.9	02/01/01 13:20	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	52.	9.9	02/01/01 13:20	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	340	9.9	02/01/01 13:20	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	61.	9.9	02/01/01 13:20	JLO	50-29-3		
Endrin ketone	ND	ug/kg	51.	9.9	02/01/01 13:20	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	900	9.9	02/01/01 13:20	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	72.	9.9	02/01/01 13:20	JLO	57-74-9		
Toxaphene	ND	ug/kg	1200	9.9	02/01/01 13:20	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	120	9.9	02/01/01 13:20	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	26.	9.9	02/01/01 13:20	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	26.	9.9	02/01/01 13:20	JLO	5103-71-9		
Decachlorobiphenyl (S)	86	%		1.0	02/01/01 13:20	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117556 Project Sample Number: 6047840-019 Date Collected: 01/19/01 11:55
Client Sample ID: NIC-SS-GP10C-02-5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	118	%		1.0	02/01/01 13:20	JLO	877-09-8	8	
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	510	9.9	02/01/01 22:54	JLO	12674-11-2	21	
PCB-1221 (Aroclor 1221)	ND	ug/kg	510	9.9	02/01/01 22:54	JLO	11104-28-2	21	
PCB-1232 (Aroclor 1232)	ND	ug/kg	510	9.9	02/01/01 22:54	JLO	11141-16-5	21	
PCB-1242 (Aroclor 1242)	ND	ug/kg	510	9.9	02/01/01 22:54	JLO	53469-21-9	21	
PCB-1248 (Aroclor 1248)	ND	ug/kg	510	9.9	02/01/01 22:54	JLO	12672-29-6	21	
PCB-1254 (Aroclor 1254)	ND	ug/kg	51.	1.0	02/01/01 22:54	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	440	ug/kg	51.	1.0	02/01/01 22:54	JLO	11096-82-5		
Decachlorobiphenyl (S)	46	%		1.0	02/01/01 22:54	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	34	%		1.0	02/01/01 22:54	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	1400	86.8	01/26/01 23:51	TMD			
Jet Fuel	ND	mg/kg	1400	86.8	01/26/01 23:51	TMD			
Kerosene	ND	mg/kg	1400	86.8	01/26/01 23:51	TMD			
Diesel Fuel	68000	mg/kg	1400	86.8	01/26/01 23:51	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	1400	86.8	01/26/01 23:51	TMD	68334-30-5		
Motor Oil	ND	mg/kg	1400	86.8	01/26/01 23:51	TMD			
n-Tetracosane (S)	0	%		1.0	01/26/01 23:51	TMD	646-31-1		
p-Terphenyl (S)	0	%		1.0	01/26/01 23:51	TMD	92-94-4	6	
Date Extracted					01/26/01				

GC/MS Volatiles

GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	79-00-5		
1,1-Dichloroethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	75-34-3		
1,1-Dichloroethene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	95-50-1		
1,2-Dichloroethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	107-06-2		
1,2-Dichloropropane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117556 Project Sample Number: 6047840-019 Date Collected: 01/19/01 11:55
Client Sample ID: NIC-SS-GP10C-02-5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	106-46-7		
Benzene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	71-43-2		
Bromodichloromethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	75-27-4		
Bromoform	ND	ug/kg	980	125	01/25/01 18:18	SJS1	75-25-2		
Bromomethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	74-83-9		
Carbon tetrachloride	ND	ug/kg	980	125	01/25/01 18:18	SJS1	56-23-5		
Chlorobenzene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	108-90-7		
Chloroethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	75-00-3		
Chloroform	ND	ug/kg	980	125	01/25/01 18:18	SJS1	67-66-3		
Chloromethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	10061-01-5		
Dibromochloromethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	124-48-1		
Ethylbenzene	5400	ug/kg	980	125	01/25/01 18:18	SJS1	100-41-4		
m&p-Xylene	19000	ug/kg	980	125	01/25/01 18:18	SJS1	7816-60-0		
Methylene chloride	ND	ug/kg	980	125	01/25/01 18:18	SJS1	75-09-2		
o-Xylene	2900	ug/kg	980	125	01/25/01 18:18	SJS1	95-47-6		
Tetrachloroethene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	127-18-4		
Toluene	1400	ug/kg	980	125	01/25/01 18:18	SJS1	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	10061-02-6		
Trichloroethene	ND	ug/kg	980	125	01/25/01 18:18	SJS1	79-01-6		
Trichlorofluoromethane	ND	ug/kg	980	125	01/25/01 18:18	SJS1	75-69-4		
Vinyl chloride	ND	ug/kg	980	125	01/25/01 18:18	SJS1	75-01-4		
Dibromofluoromethane (S)	99	%		1.0	01/25/01 18:18	SJS1			
Toluene-d8 (S)	105	%		1.0	01/25/01 18:18	SJS1	2037-26-5		
4-Bromofluorobenzene (S)	115	%		1.0	01/25/01 18:18	SJS1	460-00-4		
1,2-Dichloroethane-d4 (S)	105	%		1.0	01/25/01 18:18	SJS1	17060-07-0	24	
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	10000	10.0	02/06/01 14:31	WAW	100-51-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117556 Project Sample Number: 6047840-019 Date Collected: 01/19/01 11:55
Client Sample ID: NIC-SS-GP10C-02-5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,2-Dichlorobenzene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	98-95-3		
Isophorone	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	105-67-9		
Benzoic acid	ND	ug/kg	25000	10.0	02/06/01 14:31	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	120-82-1		
Naphthalene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	10000	10.0	02/06/01 14:31	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	10000	10.0	02/06/01 14:31	WAW	59-50-7		
2-Methylnaphthalene	7900	ug/kg	5200	10.0	02/06/01 14:31	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	25000	10.0	02/06/01 14:31	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	25000	10.0	02/06/01 14:31	WAW	99-09-2		
Acenaphthene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	25000	10.0	02/06/01 14:31	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	25000	10.0	02/06/01 14:31	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	7005-72-3		
Fluorene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	25000	10.0	02/06/01 14:31	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	25000	10.0	02/06/01 14:31	WAW	534-52-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117556 Project Sample Number: 6047840-019 Date Collected: 01/19/01 11:55
Client Sample ID: NIC-SS-GP10C-02-5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
N-Nitrosodiphenylamine	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	25000	10.0	02/06/01 14:31	WAW	87-86-5		
Phenanthrene	14000	ug/kg	5200	10.0	02/06/01 14:31	WAW	85-01-8		
Anthracene	2800	ug/kg	5200	10.0	02/06/01 14:31	WAW	120-12-7	14 J	
Di-n-butylphthalate	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	84-74-2		
Fluoranthene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	206-44-0		
Pyrene	10000	ug/kg	5200	10.0	02/06/01 14:31	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	10000	10.0	02/06/01 14:31	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	56-55-3		
Chrysene	4500	ug/kg	5200	10.0	02/06/01 14:31	WAW	218-01-9	14 J	
bis(2-Ethylhexyl)phthalate	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	5200	10.0	02/06/01 14:31	WAW	191-24-2		
Nitrobenzene-d5 (S)	39	%		1.0	02/06/01 14:31	WAW	4165-60-0	18 S	
2-Fluorobiphenyl (S)	47	%		1.0	02/06/01 14:31	WAW	321-60-8	18 S	
Terphenyl-d14 (S)	68	%		1.0	02/06/01 14:31	WAW	1718-51-0		
Phenol-d6 (S)	32	%		1.0	02/06/01 14:31	WAW	13127-88-3	18 S	
2-Fluorophenol (S)	30	%		1.0	02/06/01 14:31	WAW	367-12-4		
2,4,6-Tribromophenol (S)	39	%		1.0	02/06/01 14:31	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117564 Project Sample Number: 6047840-020 Date Collected: 01/19/01 15:30
Client Sample ID: NIC-SS-GP10C-03-4.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Organics Prep									
Percent Moisture		Method:							
Percent Moisture	26.4	%		0.7	01/26/01	DCKI			
GC Semivolatiles									
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	650	47.6	01/27/01 00:25	TMD			
Jet Fuel	ND	mg/kg	650	47.6	01/27/01 00:25	TMD			
Kerosene	ND	mg/kg	650	47.6	01/27/01 00:25	TMD			
Diesel Fuel	50000	mg/kg	650	47.6	01/27/01 00:25	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	650	47.6	01/27/01 00:25	TMD	68334-30-5		
Motor Oil	ND	mg/kg	650	47.6	01/27/01 00:25	TMD			
n-Tetracosane (S)	0	%		1.0	01/27/01 00:25	TMD	646-31-1		
p-Terphenyl (S)	0	%		1.0	01/27/01 00:25	TMD	92-94-4	6	D
Date Extracted					01/26/01				
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	9000	10.0	02/02/01 06:33	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	98-95-3		
Isophorone	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	105-67-9		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117564 Project Sample Number: 6047840-020 Date Collected: 01/19/01 15:30
Client Sample ID: NIC-SS-GP10C-03-4.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Benzoic acid	ND	ug/kg	22000	10.0	02/02/01 06:33	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	120-82-1		
Naphthalene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	9000	10.0	02/02/01 06:33	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	9000	10.0	02/02/01 06:33	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	22000	10.0	02/02/01 06:33	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	22000	10.0	02/02/01 06:33	WAW	99-09-2		
Acenaphthene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	22000	10.0	02/02/01 06:33	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	22000	10.0	02/02/01 06:33	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	7005-72-3		
Fluorene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	22000	10.0	02/02/01 06:33	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	22000	10.0	02/02/01 06:33	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	22000	10.0	02/02/01 06:33	WAW	87-86-5		
Phenanthrene	11000	ug/kg	4500	10.0	02/02/01 06:33	WAW	85-01-8		
Anthracene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	84-74-2		
Fluoranthene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	206-44-0		
Pyrene	4200	ug/kg	4500	10.0	02/02/01 06:33	WAW	129-00-0	14	J J
Butylbenzylphthalate	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	85-68-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117564 Project Sample Number: 6047840-020 Date Collected: 01/19/01 15:30
Client Sample ID: NIC-SS-GP10C-03-4.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
3,3'-Dichlorobenzidine	ND	ug/kg	9000	10.0	02/02/01 06:33	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	56-55-3		
Chrysene	3300	ug/kg	4500	10.0	02/02/01 06:33	WAW	218-01-9	14	J J
bis(2-Ethylhexyl)phthalate	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	4500	10.0	02/02/01 06:33	WAW	191-24-2		
Nitrobenzene-d5 (S)	88	%		1.0	02/02/01 06:33	WAW	4165-60-0		
2-Fluorobiphenyl (S)	100	%		1.0	02/02/01 06:33	WAW	321-60-8		
Terphenyl-d14 (S)	93	%		1.0	02/02/01 06:33	WAW	1718-51-0		
Phenol-d6 (S)	51	%		1.0	02/02/01 06:33	WAW	13127-88-3		
2-Fluorophenol (S)	12	%		1.0	02/02/01 06:33	WAW	367-12-4	18	
2,4,6-Tribromophenol (S)	0	%		1.0	02/02/01 06:33	WAW	118-79-6	18,19	
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117572 Project Sample Number: 6047840-021 Date Collected: 01/19/01 16:00
Client Sample ID: NIC-SS-GP10C-03-9.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	982.	mg/kg	7.52	1.0	01/29/01	TMG	7429-90-5		
Antimony	ND	mg/kg	1.00	1.0	01/29/01	TMG	7440-36-0		
Arsenic	ND	mg/kg	0.501	1.0	01/29/01	TMG	7440-38-2		
Barium	17.2	mg/kg	0.401	1.0	01/29/01	TMG	7440-39-3		
Beryllium	ND	mg/kg	0.100	1.0	01/29/01	TMG	7440-41-7		
Cadmium	ND	mg/kg	0.501	1.0	01/29/01	TMG	7440-43-9		
Calcium	649.	mg/kg	10.0	1.0	01/29/01	TMG	7440-70-2		
Chromium	1.38	mg/kg	0.702	1.0	01/29/01	TMG	7440-47-3		
Cobalt	1.20	mg/kg	0.702	1.0	01/29/01	TMG	7440-48-4		
Copper	1.80	mg/kg	1.00	1.0	01/29/01	TMG	7440-50-8		
Iron	2240	mg/kg	10.0	1.0	01/29/01	TMG	7439-89-6		
Lead	3.43	mg/kg	0.501	1.0	01/29/01	TMG	7439-92-1		
Magnesium	332.	mg/kg	5.01	1.0	01/29/01	TMG	7439-95-4		
Manganese	81.1	mg/kg	0.702	1.0	01/29/01	TMG	7439-96-5		
Nickel	ND	mg/kg	3.01	1.0	01/29/01	TMG	7440-02-0		
Potassium	187.	mg/kg	100.	1.0	01/29/01	TMG	7440-09-7		
Selenium	ND	mg/kg	0.501	1.0	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.702	1.0	01/29/01	TMG	7440-22-4		
Sodium	167.	mg/kg	15.0	1.0	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.60	1.0	01/29/01	TMG	7440-28-0		
Vanadium	4.20	mg/kg	1.20	1.0	01/29/01	TMG	7440-62-2		
Zinc	10.5	mg/kg	5.01	1.0	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	ND	mg/kg	0.157	1.0	02/01/01 14:56	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	2.2	%		1.0	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117572 Project Sample Number: 6047840-021 Date Collected: 01/19/01 16:00
Client Sample ID: NIC-SS-GP10C-03-9.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	9.9	9.7	02/01/01 14:01	JLO	319-84-6		
beta-BHC	ND	ug/kg	20.	9.7	02/01/01 14:01	JLO	319-85-7		
delta-BHC	ND	ug/kg	30.	9.7	02/01/01 14:01	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	13.	9.7	02/01/01 14:01	JLO	58-89-9		
Heptachlor	ND	ug/kg	9.9	9.7	02/01/01 14:01	JLO	76-44-8		
Aldrin	ND	ug/kg	13.	9.7	02/01/01 14:01	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	33.	9.7	02/01/01 14:01	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	46.	9.7	02/01/01 14:01	JLO	959-98-8		
Dieldrin	ND	ug/kg	6.6	9.7	02/01/01 14:01	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	13.	9.7	02/01/01 14:01	JLO	72-55-9		
Endrin	ND	ug/kg	20.	9.7	02/01/01 14:01	JLO	72-20-8		
Endosulfan II	ND	ug/kg	13.	9.7	02/01/01 14:01	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	33.	9.7	02/01/01 14:01	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	220	9.7	02/01/01 14:01	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	39.	9.7	02/01/01 14:01	JLO	50-29-3		
Endrin ketone	ND	ug/kg	33.	9.7	02/01/01 14:01	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	580	9.7	02/01/01 14:01	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	46.	9.7	02/01/01 14:01	JLO	57-74-9		
Toxaphene	ND	ug/kg	790	9.7	02/01/01 14:01	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	76.	9.7	02/01/01 14:01	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	17.	9.7	02/01/01 14:01	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	17.	9.7	02/01/01 14:01	JLO	5103-71-9		
Decachlorobiphenyl (S)	89	%		1.0	02/01/01 14:01	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	102	%		1.0	02/01/01 14:01	JLO	877-09-8	8	
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	33.	1.0	02/01/01 23:17	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	33.	1.0	02/01/01 23:17	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	33.	1.0	02/01/01 23:17	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	33.	1.0	02/01/01 23:17	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/kg	33.	1.0	02/01/01 23:17	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	33.	1.0	02/01/01 23:17	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/kg	33.	1.0	02/01/01 23:17	JLO	11096-82-5		
Decachlorobiphenyl (S)	52	%		1.0	02/01/01 23:17	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117572 Project Sample Number: 6047840-021 Date Collected: 01/19/01 16:00
Client Sample ID: NIC-SS-GP10C-03-9.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	64	%		1.0	02/01/01 23:17	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	89.	8.7	01/27/01 00:58	TMD			
Jet Fuel	ND	mg/kg	89.	8.7	01/27/01 00:58	TMD			
Kerosene	ND	mg/kg	89.	8.7	01/27/01 00:58	TMD			
Diesel Fuel	11000	mg/kg	89.	8.7	01/27/01 00:58	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	89.	8.7	01/27/01 00:58	TMD	68334-30-5		
Motor Oil	ND	mg/kg	89.	8.7	01/27/01 00:58	TMD			
n-Tetracosane (S)	0	%		1.0	01/27/01 00:58	TMD	646-31-1	6	
p-Terphenyl (S)	0	%		1.0	01/27/01 00:58	TMD	92-94-4		
Date Extracted					01/26/01				

GC/MS Semivolatiles

Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication		
Phenol	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	108-95-2
bis(2-Chloroethyl) ether	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	111-44-4
2-Chlorophenol	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	95-57-8
1,3-Dichlorobenzene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	541-73-1
1,4-Dichlorobenzene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	106-46-7
Benzyl alcohol	ND	ug/kg	6700	10.0	02/02/01 07:18	WAW	100-51-6
1,2-Dichlorobenzene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	95-50-1
2-Methylphenol (o-Cresol)	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	95-48-7
bis(2-Chloroisopropyl) ether	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	39638-32-9
4-Methylphenol (p-Cresol)	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	106-44-5
N-Nitroso-di-n-propylamine	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	621-64-7
Hexachloroethane	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	67-72-1
Nitrobenzene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	98-95-3
Isophorone	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	78-59-1
2-Nitrophenol	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	88-75-5
2,4-Dimethylphenol	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	105-67-9
Benzoic acid	ND	ug/kg	16000	10.0	02/02/01 07:18	WAW	65-85-0
bis(2-Chloroethoxy)methane	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	111-91-1
2,4-Dichlorophenol	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	120-83-2
1,2,4-Trichlorobenzene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	120-82-1
Naphthalene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	91-20-3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117572 Project Sample Number: 6047840-021 Date Collected: 01/19/01 16:00
Client Sample ID: NIC-SS-GP10C-03-9.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4-Chloroaniline	ND	ug/kg	6700	10.0	02/02/01 07:18	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	6700	10.0	02/02/01 07:18	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	16000	10.0	02/02/01 07:18	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	16000	10.0	02/02/01 07:18	WAW	99-09-2		
Acenaphthene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	16000	10.0	02/02/01 07:18	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	16000	10.0	02/02/01 07:18	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	7005-72-3		
Fluorene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	16000	10.0	02/02/01 07:18	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	16000	10.0	02/02/01 07:18	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	16000	10.0	02/02/01 07:18	WAW	87-86-5		
Phenanthrene	6200	ug/kg	3400	10.0	02/02/01 07:18	WAW	85-01-8		
Anthracene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	84-74-2		
Fluoranthene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	206-44-0		
Pyrene	1900	ug/kg	3400	10.0	02/02/01 07:18	WAW	129-00-0	14 J	
Butylbenzylphthalate	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	6700	10.0	02/02/01 07:18	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	56-55-3		
Chrysene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	117-84-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117572 Project Sample Number: 6047840-021 Date Collected: 01/19/01 16:00
Client Sample ID: NIC-SS-GP10C-03-9.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Benzo(b)fluoranthene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	3400	10.0	02/02/01 07:18	WAW	191-24-2		
Nitrobenzene-d5 (S)	88	%		1.0	02/02/01 07:18	WAW	4165-60-0		
2-Fluorobiphenyl (S)	106	%		1.0	02/02/01 07:18	WAW	321-60-8		
Terphenyl-d14 (S)	85	%		1.0	02/02/01 07:18	WAW	1718-51-0	8	
Phenol-d6 (S)	84	%		1.0	02/02/01 07:18	WAW	13127-88-3		
2-Fluorophenol (S)	78	%		1.0	02/02/01 07:18	WAW	367-12-4		
2,4,6-Tribromophenol (S)	103	%		1.0	02/02/01 07:18	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117598 Project Sample Number: 6047840-022 Date Collected: 01/19/01 16:20
Client Sample ID: NIC-SS-GP10C-03-14 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Organics Prep									
Percent Moisture		Method:							
Percent Moisture	14.2	%		0.9	01/26/01	DCKI			
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	21000	ug/kg	5800	1.0	01/31/01 12:51	JLG			
Benzene	ND	ug/kg	58.	1.0	01/31/01 12:51	JLG	71-43-2		
Toluene	58.	ug/kg	58.	1.0	01/31/01 12:51	JLG	108-88-3		
Ethylbenzene	ND	ug/kg	58.	1.0	01/31/01 12:51	JLG	100-41-4		
Xylene (Total)	220	ug/kg	150	1.0	01/31/01 12:51	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	93	%		1.0	01/31/01 12:51	JLG	2164-17-2		
4-Bromofluorobenzene (S)	100	%		1.0	01/31/01 12:51	JLG	460-00-4		
Bromochlorobenzene (S)	129	%		1.0	01/31/01 12:51	JLG			
GC Semivolatiles									
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	51.	4.4	01/27/01 01:31	TMD			
Jet Fuel	ND	mg/kg	51.	4.4	01/27/01 01:31	TMD			
Kerosene	ND	mg/kg	51.	4.4	01/27/01 01:31	TMD			
Diesel Fuel	3800	mg/kg	51.	4.4	01/27/01 01:31	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	51.	4.4	01/27/01 01:31	TMD	68334-30-5		
Motor Oil	ND	mg/kg	51.	4.4	01/27/01 01:31	TMD			
n-Tetracosane (S)	120	%		1.0	01/27/01 01:31	TMD	646-31-1		
p-Terphenyl (S)	84	%		1.0	01/27/01 01:31	TMD	92-94-4		
Date Extracted					01/26/01				
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117598 Project Sample Number: 6047840-022 Date Collected: 01/19/01 16:20
Client Sample ID: NIC-SS-GP10C-03-14 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	7700	10.0	02/02/01 13:44	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	98-95-3		
Isophorone	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	105-67-9		
Benzoic acid	ND	ug/kg	19000	10.0	02/02/01 13:44	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	120-82-1		
Naphthalene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	7700	10.0	02/02/01 13:44	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	7700	10.0	02/02/01 13:44	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	19000	10.0	02/02/01 13:44	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	19000	10.0	02/02/01 13:44	WAW	99-09-2		
Acenaphthene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	19000	10.0	02/02/01 13:44	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	19000	10.0	02/02/01 13:44	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	7005-72-3		
Fluorene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	86-73-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117598 Project Sample Number: 6047840-022 Date Collected: 01/19/01 16:20
Client Sample ID: NIC-SS-GP10C-03-14 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4-Nitroaniline	ND	ug/kg	19000	10.0	02/02/01 13:44	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	19000	10.0	02/02/01 13:44	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	19000	10.0	02/02/01 13:44	WAW	87-86-5		
Phenanthrene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	85-01-8		
Anthracene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	84-74-2		
Fluoranthene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	206-44-0		
Pyrene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	7700	10.0	02/02/01 13:44	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	56-55-3		
Chrysene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	3800	10.0	02/02/01 13:44	WAW	191-24-2		
Nitrobenzene-d5 (S)	80	%		1.0	02/02/01 13:44	WAW	4165-60-0		
2-Fluorobiphenyl (S)	100	%		1.0	02/02/01 13:44	WAW	321-60-8		
Terphenyl-d14 (S)	83	%		1.0	02/02/01 13:44	WAW	1718-51-0		
Phenol-d6 (S)	76	%		1.0	02/02/01 13:44	WAW	13127-88-3		
2-Fluorophenol (S)	75	%		1.0	02/02/01 13:44	WAW	367-12-4		
2,4,6-Tribromophenol (S)	92	%		1.0	02/02/01 13:44	WAW	118-79-6	8	
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117614 Project Sample Number: 6047840-023 Date Collected: 01/20/01 12:30
Client Sample ID: NIC-SSS-GP10C-03-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	3280	mg/kg	7.43	0.9	01/29/01	TMG	7429-90-5		
Antimony	ND	mg/kg	0.991	0.9	01/29/01	TMG	7440-36-0		
Arsenic	ND	mg/kg	0.495	0.9	01/29/01	TMG	7440-38-2		
Barium	57.9	mg/kg	0.396	0.9	01/29/01	TMG	7440-39-3		
Beryllium	0.207	mg/kg	0.0991	0.9	01/29/01	TMG	7440-41-7		
Cadmium	ND	mg/kg	0.495	0.9	01/29/01	TMG	7440-43-9		
Calcium	11800	mg/kg	9.91	0.9	01/29/01	TMG	7440-70-2		
Chromium	4.02	mg/kg	0.694	0.9	01/29/01	TMG	7440-47-3		
Cobalt	2.54	mg/kg	0.694	0.9	01/29/01	TMG	7440-48-4		
Copper	6.41	mg/kg	0.991	0.9	01/29/01	TMG	7440-50-8		
Iron	4730	mg/kg	9.91	0.9	01/29/01	TMG	7439-89-6		
Lead	14.7	mg/kg	0.495	0.9	01/29/01	TMG	7439-92-1		
Magnesium	1150	mg/kg	4.95	0.9	01/29/01	TMG	7439-95-4		
Manganese	126.	mg/kg	0.694	0.9	01/29/01	TMG	7439-96-5		
Nickel	5.20	mg/kg	2.97	0.9	01/29/01	TMG	7440-02-0		
Potassium	684.	mg/kg	99.1	0.9	01/29/01	TMG	7440-09-7		
Selenium	0.500	mg/kg	0.495	0.9	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.694	0.9	01/29/01	TMG	7440-22-4		
Sodium	137.	mg/kg	14.9	0.9	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.59	0.9	01/29/01	TMG	7440-28-0		
Vanadium	10.4	mg/kg	1.19	0.9	01/29/01	TMG	7440-62-2		
Zinc	25.8	mg/kg	4.95	0.9	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	ND	mg/kg	0.162	1.0	02/01/01 14:58	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	4.8	%		1.0	01/26/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117614 Project Sample Number: 6047840-023 Date Collected: 01/20/01 12:30
Client Sample ID: NIC-SSS-GP10C-03-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	48000	ug/kg	5200	1.0	01/31/01 15:37	JLG			
Benzene	ND	ug/kg	52.	1.0	01/31/01 15:37	JLG	71-43-2		
Toluene	120	ug/kg	52.	1.0	01/31/01 15:37	JLG	108-88-3		
Ethylbenzene	160	ug/kg	52.	1.0	01/31/01 15:37	JLG	100-41-4		
Xylene (Total)	1100	ug/kg	130	1.0	01/31/01 15:37	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	87	%		1.0	01/31/01 15:37	JLG	2164-17-2		
4-Bromofluorobenzene (S)	103	%		1.0	01/31/01 15:37	JLG	460-00-4		
Bromochlorobenzene (S)	119	%		1.0	01/31/01 15:37	JLG			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	10.	9.9	02/01/01 15:24	JLO	319-84-6		
beta-BHC	ND	ug/kg	21.	9.9	02/01/01 15:24	JLO	319-85-7		
delta-BHC	ND	ug/kg	31.	9.9	02/01/01 15:24	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	14.	9.9	02/01/01 15:24	JLO	58-89-9		
Heptachlor	ND	ug/kg	10.	9.9	02/01/01 15:24	JLO	76-44-8		
Aldrin	ND	ug/kg	14.	9.9	02/01/01 15:24	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	34.	9.9	02/01/01 15:24	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	48.	9.9	02/01/01 15:24	JLO	959-98-8		
Dieldrin	ND	ug/kg	6.9	9.9	02/01/01 15:24	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	14.	9.9	02/01/01 15:24	JLO	72-55-9		
Endrin	ND	ug/kg	21.	9.9	02/01/01 15:24	JLO	72-20-8		
Endosulfan II	ND	ug/kg	14.	9.9	02/01/01 15:24	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	35.	9.9	02/01/01 15:24	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	230	9.9	02/01/01 15:24	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	41.	9.9	02/01/01 15:24	JLO	50-29-3		
Endrin ketone	ND	ug/kg	34.	9.9	02/01/01 15:24	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	600	9.9	02/01/01 15:24	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	48.	9.9	02/01/01 15:24	JLO	57-74-9		
Toxaphene	ND	ug/kg	820	9.9	02/01/01 15:24	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	79.	9.9	02/01/01 15:24	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	18.	9.9	02/01/01 15:24	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	18.	9.9	02/01/01 15:24	JLO	5103-71-9		
Decachlorobiphenyl (S)	77	%		1.0	02/01/01 15:24	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117614 Project Sample Number: 6047840-023 Date Collected: 01/20/01 12:30
Client Sample ID: NIC-SSS-GP10C-03-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	112	%		1.0	02/01/01 15:24	JLO	877-09-8	25	
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	34.	1.0	02/02/01 00:03	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	34.	1.0	02/02/01 00:03	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	34.	1.0	02/02/01 00:03	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	34.	1.0	02/02/01 00:03	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/kg	34.	1.0	02/02/01 00:03	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	34.	1.0	02/02/01 00:03	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/kg	34.	1.0	02/02/01 00:03	JLO	11096-82-5		
Decachlorobiphenyl (S)	46	%		1.0	02/02/01 00:03	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	64	%		1.0	02/02/01 00:03	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	92.	8.8	01/27/01 03:45	TMD			
Jet Fuel	ND	mg/kg	92.	8.8	01/27/01 03:45	TMD			
Kerosene	ND	mg/kg	92.	8.8	01/27/01 03:45	TMD			
Diesel Fuel	25000	mg/kg	92.	8.8	01/27/01 03:45	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	92.	8.8	01/27/01 03:45	TMD	68334-30-5		
Motor Oil	ND	mg/kg	92.	8.8	01/27/01 03:45	TMD			
n-Tetracosane (S)	0	%		1.0	01/27/01 03:45	TMD	646-31-1		
p-Terphenyl (S)	0	%		1.0	01/27/01 03:45	TMD	92-94-4	6	
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	75-34-3	26	
1,1-Dichloroethene	ND	ug/kg	660	125	02/01/01 03:01	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	660	125	02/01/01 03:01	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/kg	660	125	02/01/01 03:01	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	660	125	02/01/01 03:01	NLA	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117614 Project Sample Number: 6047840-023 Date Collected: 01/20/01 12:30
Client Sample ID: NIC-SSS-GP10C-03-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	660	125	02/01/01 03:01	NLA	106-46-7		
Benzene	ND	ug/kg	660	125	02/01/01 03:01	NLA	71-43-2		
Bromodichloromethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	75-27-4		
Bromoform	ND	ug/kg	660	125	02/01/01 03:01	NLA	75-25-2		
Bromomethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	74-83-9		
Carbon tetrachloride	ND	ug/kg	660	125	02/01/01 03:01	NLA	56-23-5		
Chlorobenzene	ND	ug/kg	660	125	02/01/01 03:01	NLA	108-90-7		
Chloroethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	75-00-3		
Chloroform	ND	ug/kg	660	125	02/01/01 03:01	NLA	67-66-3		
Chloromethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	660	125	02/01/01 03:01	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	660	125	02/01/01 03:01	NLA	10061-01-5		
Dibromochloromethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	124-48-1		
Ethylbenzene	ND	ug/kg	660	125	02/01/01 03:01	NLA	100-41-4		
m&p-Xylene	ND	ug/kg	660	125	02/01/01 03:01	NLA	7816-60-0		
Methylene chloride	ND	ug/kg	660	125	02/01/01 03:01	NLA	75-09-2		
o-Xylene	ND	ug/kg	660	125	02/01/01 03:01	NLA	95-47-6		
Tetrachloroethene	ND	ug/kg	660	125	02/01/01 03:01	NLA	127-18-4		
Toluene	ND	ug/kg	660	125	02/01/01 03:01	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	660	125	02/01/01 03:01	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	660	125	02/01/01 03:01	NLA	10061-02-6		
Trichloroethene	ND	ug/kg	660	125	02/01/01 03:01	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/kg	660	125	02/01/01 03:01	NLA	75-69-4		
Vinyl chloride	ND	ug/kg	660	125	02/01/01 03:01	NLA	75-01-4		
Dibromofluoromethane (S)	93	%		1.0	02/01/01 03:01	NLA			
Toluene-d8 (S)	101	%		1.0	02/01/01 03:01	NLA	2037-26-5		
4-Bromofluorobenzene (S)	95	%		1.0	02/01/01 03:01	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	100	%		1.0	02/01/01 03:01	NLA	17060-07-0		
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	2800	4.0	02/03/01 11:42	WAW	100-51-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117614 Project Sample Number: 6047840-023 Date Collected: 01/20/01 12:30
Client Sample ID: NIC-SSS-GP10C-03-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,2-Dichlorobenzene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	98-95-3		
Isophorone	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	105-67-9		
Benzoic acid	ND	ug/kg	6700	4.0	02/03/01 11:42	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	120-82-1		
Naphthalene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	2800	4.0	02/03/01 11:42	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	2800	4.0	02/03/01 11:42	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	6700	4.0	02/03/01 11:42	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	6700	4.0	02/03/01 11:42	WAW	99-09-2		
Acenaphthene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	6700	4.0	02/03/01 11:42	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	6700	4.0	02/03/01 11:42	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	7005-72-3		
Fluorene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	6700	4.0	02/03/01 11:42	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	6700	4.0	02/03/01 11:42	WAW	534-52-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604117614 Project Sample Number: 6047840-023 Date Collected: 01/20/01 12:30
Client Sample ID: NIC-SSS-GP10C-03-0-0.5 Matrix: Soil Date Received: 01/23/01 07:45

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
N-Nitrosodiphenylamine	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	6700	4.0	02/03/01 11:42	WAW	87-86-5		
Phenanthrene	1800	ug/kg	1400	4.0	02/03/01 11:42	WAW	85-01-8		
Anthracene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	84-74-2		
Fluoranthene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	206-44-0		
Pyrene	1600	ug/kg	1400	4.0	02/03/01 11:42	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	2800	4.0	02/03/01 11:42	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	56-55-3		
Chrysene	900	ug/kg	1400	4.0	02/03/01 11:42	WAW	218-01-9	14	
bis(2-Ethylhexyl)phthalate	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	1400	4.0	02/03/01 11:42	WAW	191-24-2		
Nitrobenzene-d5 (S)	57	%		1.0	02/03/01 11:42	WAW	4165-60-0		
2-Fluorobiphenyl (S)	93	%		1.0	02/03/01 11:42	WAW	321-60-8		
Terphenyl-d14 (S)	86	%		1.0	02/03/01 11:42	WAW	1718-51-0		
Phenol-d6 (S)	54	%		1.0	02/03/01 11:42	WAW	13127-88-3		
2-Fluorophenol (S)	48	%		1.0	02/03/01 11:42	WAW	367-12-4		
2,4,6-Tribromophenol (S)	97	%		1.0	02/03/01 11:42	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Analyte is found in the associated blank as well as in the sample (CLP B-Flag).
[2]	The surrogate recovery value exceeded the laboratory established control limits. The alternate surrogate recovery was within the control limits; therefore, the sample results were accepted without reanalysis.
[3]	This result is from an analysis on 2/2/2001. The original analysis had suspected system carryover.
[4]	The volume of sample extracted was reduced due to the presence of high levels of petroleum hydrocarbons. The reporting limits are adjusted accordingly.
[5]	The volume of sample used for extraction was reduced due to the presence of a high level of petroleum product. The quantitation limits are adjusted accordingly.
[6]	The sample contains a high concentration analyte requiring sample dilution. The Pace reporting limits are adjusted for the dilution and the surrogate recovery information is not available.
[7]	This result is from an analysis on 2/2/2001. The original analysis had system carryover.
[8]	The sample contains matrix interferences requiring sample dilution. The Pace reporting limits are adjusted for the dilution and the surrogate recovery information is from the dilution.
[9]	The surrogate recovery value exceeded the laboratory established control limits. The alternate surrogate recovery was within the control limits; therefore, the sample results were accepted without reanalysis. 2-Bromo-1-chloropropene recovered at 99%.
[10]	Sample has elevated PRLs due to loss of internal standards at low level analysis.
[11]	The sample contains matrix inteferences requiring sample dilution. The Pace reporting limits are adjusted for the dilution and the surrogate recovery information is reported from the dilution.
[12]	The sample contains a high concentration analyte requiring sample dilution. The Pace reporting limits are adjusted for the dilution and the surrogate recovery information is from the dilution.
[13]	Elevated quantitation limits resulting from a dilution.
[14]	Detected but below the PRL; therefore, result is an estimated concentration (CLP J-Flag).
[15]	The result is from a 1:10 dilution on 2/2/2001.
[16]	One of the internal standards failed the minimum area requirement. The sample was re-analyzed with like results.
[17]	Reported from a 1:100 dilution analyzed 2/3/01.
[18]	The Surrogate recovery value exceeded the established laboratory control limit value.
[19]	Surrogate recovery outside of acceptance limits confirmed as a matrix effect by a second analysis.
[20]	The sample contains matrix interferences requiring sample dilution. The Pace reporting limits are adjusted for the dilution and the surrogate recovery information is not available.
[21]	Elevated quantitation limits resulting from matrix interference.
[22]	High surrogate recovery was confirmed as a matrix effect by a second analysis. The internal standard was within control limits; therefore, the results were accepted.
[23]	The surrogate recovery value exceeded the laboratory established control limits. The primary surrogate, a,a,a-trifluorotoluene, was recovered within control limits; therefore, the results were accepted without reanalysis.
[24]	Sample has elevated PRLs due to low internal standard recoveries at low level analysis.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

PARAMETER FOOTNOTES

[25] The sample contains matrix inteferences requiring sample dilution. The Pace reporting limits are adjusted for the dilution and the surrogate recovery information is from the dilution.

[26] This sample has elevated PRLs due to low internal standard area recoveries for a low level analysis.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97935 QC Batch Method: TPH GRO/BTEX
Analysis Method: EPA 8021/OA1 Analysis Description: TPH Gas/BTEX
Associated Lab Samples: 604117440 604117457 604117473 604117481 604117507 604117515 604117523 604117549 604117556 604117598 604117614

METHOD BLANK: 604124529
Associated Lab Samples:
604117440 604117473 604117481 604117507 604117515 604117523 604117549 604117556 604117598 604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
Gasoline Range Hydrocarbons	ug/kg	ND	5000	
Benzene	ug/kg	ND	50	
Toluene	ug/kg	ND	50	
Ethylbenzene	ug/kg	ND	50	
Xylene (Total)	ug/kg	ND	130	
a,a,a-Trifluorotoluene (S)	%	95		
4-Bromofluorobenzene (S)	%	110		
Bromochlorobenzene (S)	%	102		

METHOD BLANK: 604128975
Associated Lab Samples:
604117457

Parameter	Units	Method Blank Result	PRL	Footnotes
Gasoline Range Hydrocarbons	ug/kg	ND	5000	
Benzene	ug/kg	ND	50	
Toluene	ug/kg	ND	50	
Ethylbenzene	ug/kg	ND	50	
Xylene (Total)	ug/kg	ND	130	
a,a,a-Trifluorotoluene (S)	%	99		
4-Bromofluorobenzene (S)	%	99		
Bromochlorobenzene (S)	%	99		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604124545 604124552

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Gasoline Range Hydrocarbons	ug/kg	3717	121500	115100	92	106200	84	8	
Benzene	ug/kg	0	1215.00	1233	101	1235	102	0	
Toluene	ug/kg	49.28	1215.00	1231	97	1215	96	1	
Ethylbenzene	ug/kg	55.18	1215.00	1233	97	1254	99	2	
Xylene (Total)	ug/kg	44.46	3645.00	3677	100	3753	102	2	
a,a,a-Trifluorotoluene (S)					95		94		
4-Bromofluorobenzene (S)					101		100		
Bromochlorobenzene (S)					104		105		

LABORATORY CONTROL SAMPLE: 604124537

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Gasoline Range Hydrocarbons	ug/kg	100000	97730	98	
Benzene	ug/kg	1000	1079	108	
Toluene	ug/kg	1000	1054	105	
Ethylbenzene	ug/kg	1000	1048	105	
Xylene (Total)	ug/kg	3000	3019	101	
a,a,a-Trifluorotoluene (S)				100	
4-Bromofluorobenzene (S)				97	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97964 QC Batch Method: EPA 5030
Analysis Method: EPA 8021/OA1 Analysis Description: TPH Gas/BTEX
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

METHOD BLANK: 604125062
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
Gasoline Range Hydrocarbons	ug/l	ND	500	
Benzene	ug/l	ND	2	
Toluene	ug/l	ND	2	
Ethylbenzene	ug/l	ND	2	
Xylene (Total)	ug/l	ND	5	
Methyl-tert-butyl ether	ug/l	ND	10	
a,a,a-Trifluorotoluene (S)	%	97		
4-Bromofluorobenzene (S)	%	102		
Bromochlorobenzene (S)	%	92		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604125096 604125104

Parameter	Units	604117424	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Gasoline Range Hydrocarbons	ug/l	61.35	2000.00	2012	98	1888	91	6	
Benzene	ug/l	0.1163	20.00	21.87	109	22.01	110	1	
Toluene	ug/l	0.3948	20.00	20.74	102	20.92	103	1	
Ethylbenzene	ug/l	0.1473	20.00	20.59	102	20.77	103	1	
Xylene (Total)	ug/l	1.019	60.00	63.26	104	63.62	104	1	
a,a,a-Trifluorotoluene (S)					98		95		
4-Bromofluorobenzene (S)					102		97		
Bromochlorobenzene (S)					93		98		

LABORATORY CONTROL SAMPLE: 604125070

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Gasoline Range Hydrocarbons	ug/l	2000	2033	102	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604125070

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Benzene	ug/l	20	21.48	107	
Toluene	ug/l	20	19.95	100	
Ethylbenzene	ug/l	20	20.08	100	
Xylene (Total)	ug/l	60	61.31	102	
a,a,a-Trifluorotoluene (S)				94	
4-Bromofluorobenzene (S)				98	
Bromochlorobenzene (S)				93	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97891 QC Batch Method: EPA 8260
Analysis Method: EPA 8260 Analysis Description: GC/MS VOCs by 8260
Associated Lab Samples: 604117440 604117457 604117481 604117507 604117515 604117556 604117614

METHOD BLANK: 604122093
Associated Lab Samples:
604117440 604117457 604117481 604117515 604117556

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/kg	ND	5	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5	
1,1,2-Trichloroethane	ug/kg	ND	5	
1,1-Dichloroethane	ug/kg	ND	5	
1,1-Dichloroethene	ug/kg	ND	5	
1,2-Dichlorobenzene	ug/kg	ND	5	
1,2-Dichloroethane	ug/kg	ND	5	
1,2-Dichloropropane	ug/kg	ND	5	
1,3-Dichlorobenzene	ug/kg	ND	5	
1,4-Dichlorobenzene	ug/kg	ND	5	
Benzene	ug/kg	ND	5	
Bromodichloromethane	ug/kg	ND	5	
Bromoform	ug/kg	ND	5	
Bromomethane	ug/kg	ND	5	
Carbon tetrachloride	ug/kg	ND	5	
Chlorobenzene	ug/kg	ND	5	
Chloroethane	ug/kg	ND	5	
Chloroform	ug/kg	ND	5	
Chloromethane	ug/kg	ND	5	
cis-1,2-Dichloroethene	ug/kg	ND	5	
cis-1,3-Dichloropropene	ug/kg	ND	5	
Dibromochloromethane	ug/kg	ND	5	
Ethylbenzene	ug/kg	ND	5	
m&p-Xylene	ug/kg	ND	5	
Methylene chloride	ug/kg	ND	5	
o-Xylene	ug/kg	ND	5	
Tetrachloroethene	ug/kg	ND	5	
Toluene	ug/kg	ND	5	
trans-1,2-Dichloroethene	ug/kg	ND	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604122093
Associated Lab Samples: 604117440 604117457 604117481 604117515 604117556

Parameter	Units	Method Blank Result	PRL	Footnotes
trans-1,3-Dichloropropene	ug/kg	ND	5	
Trichloroethene	ug/kg	ND	5	
Trichlorofluoromethane	ug/kg	ND	5	
Vinyl chloride	ug/kg	ND	5	
Dibromofluoromethane (S)	%	107		
Toluene-d8 (S)	%	102		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	112		

METHOD BLANK: 604135970
Associated Lab Samples: 604117507

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/kg	ND	5	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5	
1,1,2-Trichloroethane	ug/kg	ND	5	
1,1-Dichloroethane	ug/kg	ND	5	
1,1-Dichloroethene	ug/kg	ND	5	
1,2-Dichlorobenzene	ug/kg	ND	5	
1,2-Dichloroethane	ug/kg	ND	5	
1,2-Dichloropropane	ug/kg	ND	5	
1,3-Dichlorobenzene	ug/kg	ND	5	
1,4-Dichlorobenzene	ug/kg	ND	5	
Benzene	ug/kg	ND	5	
Bromodichloromethane	ug/kg	ND	5	
Bromoform	ug/kg	ND	5	
Bromomethane	ug/kg	ND	5	
Carbon tetrachloride	ug/kg	ND	5	
Chlorobenzene	ug/kg	ND	5	
Chloroethane	ug/kg	ND	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604135970
Associated Lab Samples:
604117507

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloroform	ug/kg	ND	5	
Chloromethane	ug/kg	ND	5	
cis-1,2-Dichloroethene	ug/kg	ND	5	
cis-1,3-Dichloropropene	ug/kg	ND	5	
Dibromochloromethane	ug/kg	ND	5	
Ethylbenzene	ug/kg	ND	5	
m&p-Xylene	ug/kg	ND	5	
Methylene chloride	ug/kg	ND	5	
o-Xylene	ug/kg	ND	5	
Tetrachloroethene	ug/kg	ND	5	
Toluene	ug/kg	ND	5	
trans-1,2-Dichloroethene	ug/kg	ND	5	
trans-1,3-Dichloropropene	ug/kg	ND	5	
Trichloroethene	ug/kg	ND	5	
Trichlorofluoromethane	ug/kg	ND	5	
Vinyl chloride	ug/kg	ND	5	
Dibromofluoromethane (S)	%	98		
Toluene-d8 (S)	%	100		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	100		

METHOD BLANK: 604136010
Associated Lab Samples:
604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/kg	ND	5	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5	
1,1,2-Trichloroethane	ug/kg	ND	5	
1,1-Dichloroethane	ug/kg	ND	5	
1,1-Dichloroethene	ug/kg	ND	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604136010
Associated Lab Samples:
604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
1,2-Dichlorobenzene	ug/kg	ND	5	
1,2-Dichloroethane	ug/kg	ND	5	
1,2-Dichloropropane	ug/kg	ND	5	
1,3-Dichlorobenzene	ug/kg	ND	5	
1,4-Dichlorobenzene	ug/kg	ND	5	
Benzene	ug/kg	ND	5	
Bromodichloromethane	ug/kg	ND	5	
Bromoform	ug/kg	ND	5	
Bromomethane	ug/kg	ND	5	
Carbon tetrachloride	ug/kg	ND	5	
Chlorobenzene	ug/kg	ND	5	
Chloroethane	ug/kg	ND	5	
Chloroform	ug/kg	ND	5	
Chloromethane	ug/kg	ND	5	
cis-1,2-Dichloroethene	ug/kg	ND	5	
cis-1,3-Dichloropropene	ug/kg	ND	5	
Dibromochloromethane	ug/kg	ND	5	
Ethylbenzene	ug/kg	ND	5	
m&p-Xylene	ug/kg	ND	5	
Methylene chloride	ug/kg	ND	5	
o-Xylene	ug/kg	ND	5	
Tetrachloroethene	ug/kg	ND	5	
Toluene	ug/kg	ND	5	
trans-1,2-Dichloroethene	ug/kg	ND	5	
trans-1,3-Dichloropropene	ug/kg	ND	5	
Trichloroethene	ug/kg	ND	5	
Trichlorofluoromethane	ug/kg	ND	5	
Vinyl chloride	ug/kg	ND	5	
Dibromofluoromethane (S)	%	98		
Toluene-d8 (S)	%	99		
4-Bromofluorobenzene (S)	%	93		
1,2-Dichloroethane-d4 (S)	%	100		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604122101 604122119

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/kg	0	60.93	53.80	88	58.29	96	8	
Benzene	ug/kg	0	60.93	56.15	92	61.49	101	9	
Chlorobenzene	ug/kg	0	60.93	55.69	91	60.89	100	9	
Toluene	ug/kg	1.220	60.93	56.89	91	61.06	98	7	
Trichloroethene	ug/kg	0	60.93	55.43	91	58.82	96	6	
Dibromofluoromethane (S)					100		98		
Toluene-d8 (S)					101		101		
4-Bromofluorobenzene (S)					98		98		

LABORATORY CONTROL SAMPLE: 604122127

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/kg	50	49.33	99	
1,1,2,2-Tetrachloroethane	ug/kg	50	47.27	94	
1,1,2-Trichloroethane	ug/kg	50	50.22	100	
1,1-Dichloroethane	ug/kg	50	51.55	103	
1,1-Dichloroethene	ug/kg	50	50.54	101	
1,2-Dichlorobenzene	ug/kg	50	49.24	98	
1,2-Dichloroethane	ug/kg	50	50.89	102	
1,2-Dichloropropane	ug/kg	50	51.65	103	
1,3-Dichlorobenzene	ug/kg	50	48.76	98	
1,4-Dichlorobenzene	ug/kg	50	48.58	97	
Benzene	ug/kg	50	50.20	100	
Bromodichloromethane	ug/kg	50	50.38	101	
Bromoform	ug/kg	50	48.48	97	
Bromomethane	ug/kg	50	50.49	101	
Carbon tetrachloride	ug/kg	50	49.59	99	
Chlorobenzene	ug/kg	50	49.49	99	
Chloroethane	ug/kg	50	48.42	97	
Chloroform	ug/kg	50	51.77	104	
Chloromethane	ug/kg	50	41.10	82	
cis-1,2-Dichloroethene	ug/kg	50	49.84	100	
cis-1,3-Dichloropropene	ug/kg	50	50.94	102	
Dibromochloromethane	ug/kg	50	49.70	99	
Ethylbenzene	ug/kg	50	49.38	99	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604122127

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
m&p-Xylene	ug/kg	100	98.83	99	
Methylene chloride	ug/kg	50	51.93	104	
o-Xylene	ug/kg	50	50.14	100	
Tetrachloroethene	ug/kg	50	48.05	96	
Toluene	ug/kg	50	50.75	102	
trans-1,2-Dichloroethene	ug/kg	50	49.42	99	
trans-1,3-Dichloropropene	ug/kg	50	49.17	98	
Trichloroethene	ug/kg	50	50.96	102	
Trichlorofluoromethane	ug/kg	50	50.79	102	
Vinyl chloride	ug/kg	50	51.14	102	
Dibromofluoromethane (S)				100	
Toluene-d8 (S)				102	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				99	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97906
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS 8260 Soils by 5035
Associated Lab Samples: 604117531

METHOD BLANK: 604122739
Associated Lab Samples:
604117531

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1,2-Tetrachloroethane	ug/kg	ND	5	
1,1,1-Trichloroethane	ug/kg	ND	5	
1,1,2-Trichloroethane	ug/kg	ND	5	
1,1-Dichloroethane	ug/kg	ND	5	
1,1-Dichloroethene	ug/kg	ND	5	
1,2-Dichlorobenzene	ug/kg	ND	5	
1,2-Dichloroethane	ug/kg	ND	5	
1,2-Dichloropropane	ug/kg	ND	5	
1,3-Dichlorobenzene	ug/kg	ND	5	
1,4-Dichlorobenzene	ug/kg	ND	5	
Benzene	ug/kg	ND	5	
Bromodichloromethane	ug/kg	ND	5	
Bromoform	ug/kg	ND	5	
Bromomethane	ug/kg	ND	5	
Carbon tetrachloride	ug/kg	ND	5	
Chlorobenzene	ug/kg	ND	5	
Chloroethane	ug/kg	ND	5	
Chloroform	ug/kg	ND	5	
Chloromethane	ug/kg	ND	5	
cis-1,2-Dichloroethene	ug/kg	ND	5	
cis-1,3-Dichloropropene	ug/kg	ND	5	
Dibromochloromethane	ug/kg	ND	5	
Ethylbenzene	ug/kg	ND	5	
m&p-Xylene	ug/kg	ND	5	
Methylene chloride	ug/kg	ND	5	
o-Xylene	ug/kg	ND	5	
Tetrachloroethene	ug/kg	ND	5	
Toluene	ug/kg	ND	5	
trans-1,2-Dichloroethene	ug/kg	ND	5	
trans-1,3-Dichloropropene	ug/kg	ND	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604122739
Associated Lab Samples:
604117531

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/kg	ND	5	
Trichlorofluoromethane	ug/kg	ND	5	
Vinyl chloride	ug/kg	ND	5	
Dibromofluoromethane (S)	%	105		
Toluene-d8 (S)	%	102		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	108		

LABORATORY CONTROL SAMPLE: 604122747

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1,2-Tetrachloroethane	ug/kg	50	51.78	104	
1,1,1-Trichloroethane	ug/kg	50	51.11	102	
1,1,2-Trichloroethane	ug/kg	50	51.48	103	
1,1-Dichloroethane	ug/kg	50	50.64	101	
1,1-Dichloroethene	ug/kg	50	49.75	100	
1,2-Dichlorobenzene	ug/kg	50	50.35	101	
1,2-Dichloroethane	ug/kg	50	50.33	101	
1,2-Dichloropropane	ug/kg	50	50.56	101	
1,3-Dichlorobenzene	ug/kg	50	49.37	99	
1,4-Dichlorobenzene	ug/kg	50	49.40	99	
Benzene	ug/kg	50	50.27	101	
Bromodichloromethane	ug/kg	50	50.80	102	
Bromoform	ug/kg	50	50.63	101	
Bromomethane	ug/kg	50	52.35	105	
Carbon tetrachloride	ug/kg	50	51.03	102	
Chlorobenzene	ug/kg	50	50.65	101	
Chloroethane	ug/kg	50	43.97	88	
Chloroform	ug/kg	50	50.66	101	
Chloromethane	ug/kg	50	45.13	90	
cis-1,2-Dichloroethene	ug/kg	50	51.14	102	
cis-1,3-Dichloropropene	ug/kg	50	50.41	101	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604122747

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Dibromochloromethane	ug/kg	50	50.19	100	
Ethylbenzene	ug/kg	50	50.55	101	
m&p-Xylene	ug/kg	100	99.21	99	
Methylene chloride	ug/kg	50	50.68	101	
o-Xylene	ug/kg	50	50.30	101	
Tetrachloroethene	ug/kg	50	50.62	101	
Toluene	ug/kg	50	50.89	102	
trans-1,2-Dichloroethene	ug/kg	50	50.07	100	
trans-1,3-Dichloropropene	ug/kg	50	50.92	102	
Trichloroethene	ug/kg	50	52.25	105	
Trichlorofluoromethane	ug/kg	50	51.96	104	
Vinyl chloride	ug/kg	50	44.71	89	
Dibromofluoromethane (S)				100	
Toluene-d8 (S)				100	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				100	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 98122 QC Batch Method: EPA 8260
Analysis Method: EPA 8260 Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

METHOD BLANK: 604129858
Associated Lab Samples:
604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604129858
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	100		
Dibromofluoromethane (S)	%	99		
4-Bromofluorobenzene (S)	%	96		
1,2-Dichloroethane-d4 (S)	%	105		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604129866 604129874

Parameter	Units	604117424	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10.00	7.316	73	6.896	69	6	
Benzene	ug/l	0	10.00	9.477	95	9.106	91	4	
Chlorobenzene	ug/l	0	10.00	10.39	104	9.562	96	8	
Toluene	ug/l	0	10.00	8.304	83	7.123	71	15	
Trichloroethene	ug/l	0	10.00	9.862	99	9.260	93	6	
Toluene-d8 (S)					94		93		
Dibromofluoromethane (S)					94		94		
4-Bromofluorobenzene (S)					104		102		
1,2-Dichloroethane-d4 (S)					90		88		

LABORATORY CONTROL SAMPLE: 604129882

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	10	8.743	87	
1,1,2,2-Tetrachloroethane	ug/l	10	8.763	88	
1,1,2-Trichloroethane	ug/l	10	9.330	93	
1,1-Dichloroethane	ug/l	10	7.955	80	
1,1-Dichloroethene	ug/l	10	7.712	77	
1,2-Dichlorobenzene	ug/l	10	9.015	90	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604129882

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,2-Dichloroethane	ug/l	10	7.898	79	
1,2-Dichloropropane	ug/l	10	8.263	83	
1,3-Dichlorobenzene	ug/l	10	8.925	89	
1,4-Dichlorobenzene	ug/l	10	8.914	89	
Benzene	ug/l	10	8.514	85	
Bromodichloromethane	ug/l	10	8.191	82	
Bromoform	ug/l	10	9.256	93	
Bromomethane	ug/l	10	4.662	47	
Carbon tetrachloride	ug/l	10	8.717	87	
Chlorobenzene	ug/l	10	10.00	100	
Chloroethane	ug/l	10	6.611	66	
Chloroform	ug/l	10	8.551	86	
Chloromethane	ug/l	10	4.804	48	
cis-1,2-Dichloroethene	ug/l	10	8.518	85	
cis-1,3-Dichloropropene	ug/l	10	8.551	86	
Dibromochloromethane	ug/l	10	8.767	88	
Ethylbenzene	ug/l	10	9.426	94	
m&p-Xylene	ug/l	20	18.65	93	
Methylene chloride	ug/l	10	8.251	82	
o-Xylene	ug/l	10	9.567	96	
Tetrachloroethene	ug/l	10	9.966	100	
Toluene	ug/l	10	8.910	89	
trans-1,2-Dichloroethene	ug/l	10	8.221	82	
trans-1,3-Dichloropropene	ug/l	10	8.978	90	
Trichloroethene	ug/l	10	8.873	89	
Trichlorofluoromethane	ug/l	10	7.890	79	
Vinyl chloride	ug/l	10	5.068	51	
Toluene-d8 (S)				99	
Dibromofluoromethane (S)				93	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				88	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97828 QC Batch Method: EPA 7470
Analysis Method: EPA 7470 Analysis Description: Mercury, CVAAS
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

METHOD BLANK: 604120162
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
Mercury	ug/l	ND	0.2	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604120170 604120188

Parameter	Units	604117424	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Mercury	ug/l	0.08418	10.00	9.779	97	9.844	98	1	

LABORATORY CONTROL SAMPLE: 604120196

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Mercury	ug/l	10	9.354	94	

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 98069
QC Batch Method: EPA 7471
Analysis Method: EPA 7471
Analysis Description: Mercury, Soil CVAAS
Associated Lab Samples: 604117440 604117465 604117481 604117499 604117507 604117515 604117523 604117556 604117572 604117614

METHOD BLANK: 604128009
Associated Lab Samples: 604117440 604117465 604117481 604117499 604117507 604117515 604117523 604117556 604117572 604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
Mercury	mg/kg	ND	0.154	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604128017 604128025

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Mercury	mg/kg	0.04700	2.031	1.860	89	1.876	90	1	

LABORATORY CONTROL SAMPLE: 604128033

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Mercury	mg/kg	1.667	1.368	82	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97790 QC Batch Method: EPA 3010
Analysis Method: EPA 6010 Analysis Description: Metals, Trace ICP, Water
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604118703 604118711

Parameter	Units	604117424	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Aluminum	ug/l	0	10000	9716	97	9965	100	3	
Antimony	ug/l	0.2370	1000.00	1041	104	1046	104	0	
Arsenic	ug/l	9.939	1000.00	1020	101	1015	100	0	
Barium	ug/l	1066	1000.00	1996	93	1996	93	0	
Beryllium	ug/l	0	100.00	100.7	101	101.4	101	1	
Cadmium	ug/l	0.1500	100.00	96.87	97	97.25	97	0	
Calcium	ug/l	136200	10000	141700	56	138500	24	2	
Chromium	ug/l	0	1000.00	983.4	98	988.3	99	0	
Cobalt	ug/l	2.436	1000.00	991.8	99	998.2	100	1	
Copper	ug/l	2.249	1000.00	1025	102	1023	102	0	
Iron	ug/l	5191	10000	15220	100	15130	99	1	
Lead	ug/l	4.082	1000.00	905.8	90	909.0	90	0	
Magnesium	ug/l	31730	10000	40300	86	40270	85	0	
Manganese	ug/l	2645	1000.00	3466	82	3425	78	1	
Nickel	ug/l	0	1000.00	985.6	99	992.0	99	1	
Potassium	ug/l	8306	10000	18590	103	18380	101	1	
Selenium	ug/l	0	1000.00	988.5	99	979.0	98	1	
Silver	ug/l	6.040	100.00	106.9	101	107.1	101	0	
Sodium	ug/l	63440	10000	71450	80	70130	67	2	
Thallium	ug/l	0	1000.00	902.7	90	904.4	90	0	
Vanadium	ug/l	0	1000.00	1020	102	1026	103	1	
Zinc	ug/l	146.7	1000.00	1089	94	1089	94	0	

LABORATORY CONTROL SAMPLE: 604118695

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Aluminum	ug/l	10000	9301	93	
Antimony	ug/l	1000	930.9	93	
Arsenic	ug/l	1000	887.6	89	
Barium	ug/l	1000	945.4	94	
Beryllium	ug/l	100	89.47	90	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604118695

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Cadmium	ug/l	100	89.87	90	
Calcium	ug/l	10000	9597	96	
Chromium	ug/l	1000	913.6	91	
Cobalt	ug/l	1000	931.0	93	
Copper	ug/l	1000	878.4	88	
Iron	ug/l	10000	9443	94	
Lead	ug/l	1000	835.2	84	
Magnesium	ug/l	10000	9500	95	
Manganese	ug/l	1000	912.9	91	
Nickel	ug/l	1000	938.5	94	
Potassium	ug/l	10000	8708	87	
Selenium	ug/l	1000	879.8	88	
Silver	ug/l	100	91.32	91	
Sodium	ug/l	10000	9033	90	
Thallium	ug/l	1000	823.2	82	
Vanadium	ug/l	1000	922.4	92	
Zinc	ug/l	1000	860.1	86	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97878 QC Batch Method: EPA 3050
Analysis Method: EPA 6010 Analysis Description: Metals, Trace ICP, Soil
Associated Lab Samples: 604117440 604117465 604117481 604117499 604117507
604117515 604117523 604117556 604117572 604117614

METHOD BLANK: 604121780
Associated Lab Samples:
604117440 604117465 604117481 604117499 604117507 604117515 604117523
604117556 604117572 604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
Aluminum	mg/kg	ND	7.5	
Antimony	mg/kg	ND	1	
Arsenic	mg/kg	ND	0.5	
Barium	mg/kg	ND	0.4	
Beryllium	mg/kg	ND	0.1	
Cadmium	mg/kg	ND	0.5	
Calcium	mg/kg	ND	10	
Chromium	mg/kg	ND	0.7	
Cobalt	mg/kg	ND	0.7	
Copper	mg/kg	ND	1	
Iron	mg/kg	ND	10	
Lead	mg/kg	ND	0.5	
Magnesium	mg/kg	ND	5	
Manganese	mg/kg	ND	0.7	
Nickel	mg/kg	ND	3	
Potassium	mg/kg	ND	100	
Selenium	mg/kg	ND	0.5	
Silver	mg/kg	ND	0.7	
Sodium	mg/kg	ND	15	
Thallium	mg/kg	ND	1.6	
Vanadium	mg/kg	ND	1.2	
Zinc	mg/kg	ND	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604121806 604121814

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Aluminum	mg/kg	15830	1172.00	16160	28	16110	24	0	
Antimony	mg/kg	1.028	117.20	31.65	26	40.67	33	25	
Arsenic	mg/kg	3.139	117.20	120.6	100	119.8	98	1	
Barium	mg/kg	130.3	117.20	243.9	97	238.1	90	2	
Beryllium	mg/kg	0.6747	11.72	11.98	96	11.81	93	1	
Cadmium	mg/kg	0.8453	11.72	11.94	95	11.39	88	5	
Calcium	mg/kg	52720	1172.00	54620	162	61350	722	12	1
Chromium	mg/kg	20.94	117.20	132.6	95	127.9	90	4	
Cobalt	mg/kg	6.264	117.20	117.0	94	115.2	91	2	
Copper	mg/kg	18.60	117.20	143.1	106	139.8	101	2	
Iron	mg/kg	15040	1172.00	14650	0	15680	53	7	1
Lead	mg/kg	38.21	117.20	137.1	84	130.4	77	5	
Magnesium	mg/kg	11260	1172.00	19270	684	12420	98	43	1,2
Manganese	mg/kg	277.1	117.20	413.8	117	386.9	92	7	
Nickel	mg/kg	15.39	117.20	124.3	93	123.1	90	1	
Potassium	mg/kg	3591	1172.00	4199	52	4116	44	2	
Selenium	mg/kg	0	117.20	106.0	90	105.0	88	1	
Silver	mg/kg	0.5893	11.72	12.49	102	12.36	98	1	
Sodium	mg/kg	202.0	1172.00	1344	98	1346	96	0	
Thallium	mg/kg	0.3975	117.20	95.02	81	93.75	78	1	
Vanadium	mg/kg	28.34	117.20	144.1	99	140.7	94	2	
Zinc	mg/kg	85.66	117.20	186.1	86	176.9	76	5	

LABORATORY CONTROL SAMPLE: 604121798

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Aluminum	mg/kg	943.4	906.7	96	
Antimony	mg/kg	94.34	89.83	95	
Arsenic	mg/kg	94.34	88.61	94	
Barium	mg/kg	94.34	93.53	99	
Beryllium	mg/kg	9.434	8.811	93	
Cadmium	mg/kg	9.434	8.804	93	
Calcium	mg/kg	943.4	920.3	98	
Chromium	mg/kg	94.34	91.11	97	
Cobalt	mg/kg	94.34	92.21	98	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604121798

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Copper	mg/kg	94.34	91.34	97	
Iron	mg/kg	943.4	914.8	97	
Lead	mg/kg	94.34	82.35	87	
Magnesium	mg/kg	943.4	931.3	99	
Manganese	mg/kg	94.34	92.30	98	
Nickel	mg/kg	94.34	92.19	98	
Potassium	mg/kg	943.4	839.7	89	
Selenium	mg/kg	94.34	81.05	86	
Silver	mg/kg	9.434	8.864	94	
Sodium	mg/kg	943.4	923.6	98	
Thallium	mg/kg	94.34	76.48	81	
Vanadium	mg/kg	94.34	93.82	100	
Zinc	mg/kg	94.34	85.55	91	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97768 QC Batch Method: EPA 3520
Analysis Method: EPA 8270 Analysis Description: Semivolatile Organics by 8270
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

METHOD BLANK: 604117937
Associated Lab Samples:
604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
1,3-Dichlorobenzene	ug/l	ND	10	
1,4-Dichlorobenzene	ug/l	ND	10	
1,2-Dichlorobenzene	ug/l	ND	10	
Benzoic acid	ug/l	ND	50	
Phenol	ug/l	ND	10	
bis(2-Chloroethyl) ether	ug/l	ND	10	
2-Chlorophenol	ug/l	ND	10	
Benzyl alcohol	ug/l	ND	20	
2-Methylphenol (o-Cresol)	ug/l	ND	10	
bis(2-Chloroisopropyl) ether	ug/l	ND	10	
4-Methylphenol (p-Cresol)	ug/l	ND	10	
N-Nitroso-di-n-propylamine	ug/l	ND	10	
Hexachloroethane	ug/l	ND	10	
Nitrobenzene	ug/l	ND	10	
Isophorone	ug/l	ND	10	
2-Nitrophenol	ug/l	ND	10	
2,4-Dimethylphenol	ug/l	ND	10	
bis(2-Chloroethoxy)methane	ug/l	ND	10	
2,4-Dichlorophenol	ug/l	ND	10	
1,2,4-Trichlorobenzene	ug/l	ND	10	
Naphthalene	ug/l	ND	10	
4-Chloroaniline	ug/l	ND	20	
Hexachloro-1,3-butadiene	ug/l	ND	10	
4-Chloro-3-methylphenol	ug/l	ND	20	
2-Methylnaphthalene	ug/l	ND	10	
Hexachlorocyclopentadiene	ug/l	ND	10	
2,4,6-Trichlorophenol	ug/l	ND	10	
2,4,5-Trichlorophenol	ug/l	ND	50	
2-Chloronaphthalene	ug/l	ND	10	
2-Nitroaniline	ug/l	ND	50	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604117937
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
Dimethylphthalate	ug/l	ND	10	
Acenaphthylene	ug/l	ND	10	
2,6-Dinitrotoluene	ug/l	ND	10	
3-Nitroaniline	ug/l	ND	50	
Acenaphthene	ug/l	ND	10	
2,4-Dinitrophenol	ug/l	ND	50	
4-Nitrophenol	ug/l	ND	50	
Dibenzofuran	ug/l	ND	10	
2,4-Dinitrotoluene	ug/l	ND	10	
Diethylphthalate	ug/l	ND	10	
4-Chlorophenylphenyl ether	ug/l	ND	10	
Fluorene	ug/l	ND	10	
4-Nitroaniline	ug/l	ND	50	
4,6-Dinitro-2-methylphenol	ug/l	ND	50	
N-Nitrosodiphenylamine	ug/l	ND	10	
4-Bromophenylphenyl ether	ug/l	ND	10	
Hexachlorobenzene	ug/l	ND	10	
Pentachlorophenol	ug/l	ND	50	
Phenanthrene	ug/l	ND	10	
Anthracene	ug/l	ND	10	
Di-n-butylphthalate	ug/l	ND	10	
Fluoranthene	ug/l	ND	10	
Pyrene	ug/l	ND	10	
Benzo(a)anthracene	ug/l	ND	10	
Butylbenzylphthalate	ug/l	ND	10	
Chrysene	ug/l	ND	10	
3,3'-Dichlorobenzidine	ug/l	ND	20	
bis(2-Ethylhexyl)phthalate	ug/l	ND	10	
Di-n-octylphthalate	ug/l	ND	10	
Benzo(b)fluoranthene	ug/l	ND	10	
Benzo(k)fluoranthene	ug/l	ND	10	
Benzo(a)pyrene	ug/l	ND	10	
Indeno(1,2,3-cd)pyrene	ug/l	ND	10	
Dibenz(a,h)anthracene	ug/l	ND	10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604117937
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
Phenol-d6 (S)	%	76		
Nitrobenzene-d5 (S)	%	78		
2-Fluorobiphenyl (S)	%	91		
2,4,6-Tribromophenol (S)	%	90		
2-Fluorophenol (S)	%	76		
Terphenyl-d14 (S)	%	78		
Benzo(g,h,i)perylene	ug/l	ND	10	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604117945 604117952

Parameter	Units	604117424	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,4-Dichlorobenzene	ug/l	0	56.18	39.65	71	44.15	79	11	
Phenol	ug/l	0	84.27	48.18	57	54.97	65	13	
2-Chlorophenol	ug/l	0	84.27	54.49	65	62.12	74	13	
N-Nitroso-di-n-propylamine	ug/l	0	56.18	36.48	65	43.07	77	17	
1,2,4-Trichlorobenzene	ug/l	0	56.18	44.98	80	51.03	91	13	
4-Chloro-3-methylphenol	ug/l	0	84.27	53.56	64	68.76	82	25	
Acenaphthene	ug/l	0	56.18	41.02	73	47.97	85	16	
4-Nitrophenol	ug/l	0	84.27	67.28	80	85.25	101	24	
2,4-Dinitrotoluene	ug/l	0	56.18	42.74	76	52.21	93	20	
Pentachlorophenol	ug/l	0	84.27	75.41	90	89.58	106	17	
Pyrene	ug/l	0	56.18	44.75	80	52.56	94	16	
Phenol-d6 (S)					51		58		
Nitrobenzene-d5 (S)					60		69		
2-Fluorobiphenyl (S)					88		97		
2,4,6-Tribromophenol (S)					75		97		
2-Fluorophenol (S)					50		55		
Terphenyl-d14 (S)					64		76		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604117960

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,4-Dichlorobenzene	ug/l	50	41.01	82	
Phenol	ug/l	75	59.26	79	
2-Chlorophenol	ug/l	75	55.39	74	
N-Nitroso-di-n-propylamine	ug/l	50	40.36	81	
1,2,4-Trichlorobenzene	ug/l	50	45.31	91	
4-Chloro-3-methylphenol	ug/l	75	57.31	76	
Acenaphthene	ug/l	50	43.46	87	
4-Nitrophenol	ug/l	75	54.44	73	
2,4-Dinitrotoluene	ug/l	50	41.04	82	
Pentachlorophenol	ug/l	75	68.78	92	
Pyrene	ug/l	50	45.56	91	
Phenol-d6 (S)				80	
Nitrobenzene-d5 (S)				83	
2-Fluorobiphenyl (S)				95	
2,4,6-Tribromophenol (S)				89	
2-Fluorophenol (S)				78	
Terphenyl-d14 (S)				80	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97774 QC Batch Method: OA2
Analysis Method: OA2 Analysis Description: Total Extractable Hydrocarbons
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

METHOD BLANK: 604118307
Associated Lab Samples:
604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
Mineral Spirits	mg/l	ND	0.4	
Jet Fuel	mg/l	ND	0.4	
Kerosene	mg/l	ND	0.4	
Diesel Fuel	mg/l	ND	0.4	
Fuel Oil	mg/l	ND	0.4	
Motor Oil	mg/l	ND	0.4	
p-Terphenyl (S)	%	81		
n-Tetracosane (S)	%	98		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604118315 604118323

Parameter	Units	604117424	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Diesel Fuel	mg/l	0	12.50	12.22	98	12.11	97	1	
p-Terphenyl (S)					77		80		
n-Tetracosane (S)					90		94		

LABORATORY CONTROL SAMPLE: 604118331

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Diesel Fuel	mg/l	12.5	14.13	113	
p-Terphenyl (S)				98	
n-Tetracosane (S)				109	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97776 QC Batch Method: EPA 3510
Analysis Method: EPA 8082 Analysis Description: PCBs in Water by 8082
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

METHOD BLANK: 604118380
Associated Lab Samples:
604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
PCB-1016 (Aroclor 1016)	ug/l	ND	1	
PCB-1221 (Aroclor 1221)	ug/l	ND	1	
PCB-1232 (Aroclor 1232)	ug/l	ND	1	
PCB-1242 (Aroclor 1242)	ug/l	ND	1	
PCB-1248 (Aroclor 1248)	ug/l	ND	1	
PCB-1254 (Aroclor 1254)	ug/l	ND	1	
PCB-1260 (Aroclor 1260)	ug/l	ND	1	
Decachlorobiphenyl (S)	%	63		
Tetrachloro-m-xylene (S)	%	64		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604118398 604118406

Parameter	Units	604117424	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
PCB-1016 (Aroclor 1016)	ug/l	0	10.93	5.985	55	6.731	62	12	
PCB-1260 (Aroclor 1260)	ug/l	0	10.93	6.522	60	7.295	67	11	
Decachlorobiphenyl (S)					43		50		
Tetrachloro-m-xylene (S)					59		61		

LABORATORY CONTROL SAMPLE: 604118414

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
PCB-1016 (Aroclor 1016)	ug/l	10	6.678	67	
PCB-1260 (Aroclor 1260)	ug/l	10	6.606	66	
Decachlorobiphenyl (S)				71	
Tetrachloro-m-xylene (S)				71	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97777 QC Batch Method: EPA 3510
Analysis Method: EPA 8081A Analysis Description: Organochlorine Pesticides, GC
Associated Lab Samples: 604117390 604117408 604117416 604117424 604117432

METHOD BLANK: 604118422
Associated Lab Samples:
604117390 604117408 604117416 604117424 604117432

Parameter	Units	Method Blank Result	PRL	Footnotes
alpha-BHC	ug/l	ND	0.03	
beta-BHC	ug/l	ND	0.06	
delta-BHC	ug/l	ND	0.09	
gamma-BHC (Lindane)	ug/l	ND	0.04	
Heptachlor	ug/l	ND	0.03	
Aldrin	ug/l	ND	0.04	
Heptachlor epoxide	ug/l	ND	0.1	
Endosulfan I	ug/l	ND	0.14	
Dieldrin	ug/l	ND	0.02	
4,4'-DDE	ug/l	ND	0.04	
Endrin	ug/l	ND	0.06	
Endosulfan II	ug/l	ND	0.04	
4,4'-DDD	ug/l	ND	0.11	
Endosulfan sulfate	ug/l	ND	0.66	
4,4'-DDT	ug/l	ND	0.12	
Methoxychlor	ug/l	ND	1.8	
Chlordane (Technical)	ug/l	ND	0.14	
Toxaphene	ug/l	ND	2.4	
Endrin aldehyde	ug/l	ND	0.23	
gamma-Chlordane	ug/l	ND	0.05	
alpha-Chlordane	ug/l	ND	0.05	
Endrin ketone	ug/l	ND	0.1	
Decachlorobiphenyl (S)	%	65		
Tetrachloro-m-xylene (S)	%	75		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604118430 604118448

Parameter	Units	604117424	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
gamma-BHC (Lindane)	ug/l	0	0.5319	0.4925	93	0.4964	92	1	
Heptachlor	ug/l	0	0.5319	0.4042	76	0.4085	76	1	
Aldrin	ug/l	0	0.5319	0.4254	80	0.4367	81	3	
Dieldrin	ug/l	0	0.5319	0.4149	78	0.4217	78	2	
Endrin	ug/l	0	0.5319	0.4409	83	0.4413	82	0	
4,4'-DDT	ug/l	0	0.5319	0.3389	64	0.3457	64	2	
Decachlorobiphenyl (S)					56		57		
Tetrachloro-m-xylene (S)					85		83		

LABORATORY CONTROL SAMPLE: 604118455

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
alpha-BHC	ug/l	0.5000	0.4765	95	
beta-BHC	ug/l	0.5000	0.4719	94	
delta-BHC	ug/l	0.5000	0.5140	103	
gamma-BHC (Lindane)	ug/l	0.5000	0.4776	96	
Heptachlor	ug/l	0.5000	0.3913	78	
Aldrin	ug/l	0.5000	0.4176	84	
Heptachlor epoxide	ug/l	0.5000	0.4156	83	
Endosulfan I	ug/l	0.5000	0.4154	83	
Dieldrin	ug/l	0.5000	0.4070	81	
4,4'-DDE	ug/l	0.5000	0.4245	85	
Endrin	ug/l	0.5000	0.4030	81	
Endosulfan II	ug/l	0.5000	0.3863	77	
4,4'-DDD	ug/l	0.5000	0.4616	92	
Endosulfan sulfate	ug/l	0.5000	0.3996	80	
4,4'-DDT	ug/l	0.5000	0.2920	58	
Methoxychlor	ug/l	0.5000	0.4026	80	
Endrin aldehyde	ug/l	0.5000	0.4263	85	
gamma-Chlordane	ug/l	0.5000	0.4249	85	
alpha-Chlordane	ug/l	0.5000	0.4180	84	
Endrin ketone	ug/l	0.5000	0.4271	85	
Decachlorobiphenyl (S)				72	
Tetrachloro-m-xylene (S)				83	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97781
QC Batch Method:
Analysis Method:
Analysis Description: Percent Moisture
Associated Lab Samples: 604117440 604117457 604117465 604117473 604117481
604117499 604117507 604117515 604117523 604117549
604117556 604117564 604117572 604117598 604117614

SAMPLE DUPLICATE: 604118463

Parameter	Units	604116673	Dup. Result	RPD	Footnotes
Percent Moisture	%	17.20	16.50	4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97869 QC Batch Method: EPA 3550
Analysis Method: EPA 8081A Analysis Description: Organochlorine Pesticides, GC
Associated Lab Samples: 604117440 604117465 604117481 604117499 604117507 604117515 604117523 604117556 604117572 604117614

METHOD BLANK: 604121566
Associated Lab Samples: 604117440 604117465 604117481 604117499 604117507 604117515 604117523 604117556 604117572 604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
alpha-BHC	ug/kg	ND	0.99	
beta-BHC	ug/kg	ND	2	
delta-BHC	ug/kg	ND	3	
gamma-BHC (Lindane)	ug/kg	ND	1.3	
Heptachlor	ug/kg	ND	0.99	
Aldrin	ug/kg	ND	1.3	
Heptachlor epoxide	ug/kg	ND	3.3	
Endosulfan I	ug/kg	ND	4.6	
Dieldrin	ug/kg	ND	0.66	
4,4'-DDE	ug/kg	ND	1.3	
Endrin	ug/kg	ND	2	
Endosulfan II	ug/kg	ND	1.3	
4,4'-DDD	ug/kg	ND	3.4	
Endosulfan sulfate	ug/kg	ND	22	
4,4'-DDT	ug/kg	ND	4	
Endrin ketone	ug/kg	ND	3.3	
Methoxychlor	ug/kg	ND	58	
Chlordane (Technical)	ug/kg	ND	4.6	
Toxaphene	ug/kg	ND	79	
Endrin aldehyde	ug/kg	ND	7.6	
gamma-Chlordane	ug/kg	ND	1.7	
alpha-Chlordane	ug/kg	ND	1.7	
Decachlorobiphenyl (S)	%	84		
Tetrachloro-m-xylene (S)	%	76		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604121574 604121582

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
gamma-BHC (Lindane)	ug/kg	0	19.93	15.03	75	13.33	66	12	
Heptachlor	ug/kg	0	19.93	13.99	70	12.64	62	10	
Aldrin	ug/kg	0	19.93	14.56	73	13.21	65	10	
Dieldrin	ug/kg	0	19.93	17.29	87	13.17	65	27	
Endrin	ug/kg	0	19.93	16.50	83	13.33	66	21	
4,4'-DDT	ug/kg	0	19.93	14.82	74	12.13	60	20	
Decachlorobiphenyl (S)					105		73		
Tetrachloro-m-xylene (S)					75		66		

LABORATORY CONTROL SAMPLE: 604121590

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
alpha-BHC	ug/kg	16.67	12.83	77	
beta-BHC	ug/kg	16.67	14.44	87	
delta-BHC	ug/kg	16.67	14.29	86	
gamma-BHC (Lindane)	ug/kg	16.67	13.07	78	
Heptachlor	ug/kg	16.67	12.58	76	
Aldrin	ug/kg	16.67	13.25	80	
Heptachlor epoxide	ug/kg	16.67	13.10	79	
Endosulfan I	ug/kg	16.67	13.57	81	
Dieldrin	ug/kg	16.67	13.28	80	
4,4'-DDE	ug/kg	16.67	13.45	81	
Endrin	ug/kg	16.67	12.89	77	
Endosulfan II	ug/kg	16.67	13.49	81	
4,4'-DDD	ug/kg	16.67	13.75	82	
Endosulfan sulfate	ug/kg	16.67	13.59	82	
4,4'-DDT	ug/kg	16.67	13.67	82	
Endrin ketone	ug/kg	16.67	14.99	90	
Methoxychlor	ug/kg	16.67	17.55	105	
Endrin aldehyde	ug/kg	16.67	14.35	86	
gamma-Chlordane	ug/kg	16.67	14.31	86	
alpha-Chlordane	ug/kg	16.67	13.86	83	
Decachlorobiphenyl (S)				83	
Tetrachloro-m-xylene (S)				64	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97870 QC Batch Method: EPA 3550
Analysis Method: EPA 8082 Analysis Description: PCBs in Soil by 8082
Associated Lab Samples: 604117440 604117465 604117481 604117499 604117507 604117515 604117523 604117556 604117572 604117614

METHOD BLANK: 604121608
Associated Lab Samples: 604117440 604117465 604117481 604117499 604117507 604117515 604117523 604117556 604117572 604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
PCB-1016 (Aroclor 1016)	ug/kg	ND	33	
PCB-1221 (Aroclor 1221)	ug/kg	ND	33	
PCB-1232 (Aroclor 1232)	ug/kg	ND	33	
PCB-1242 (Aroclor 1242)	ug/kg	ND	33	
PCB-1248 (Aroclor 1248)	ug/kg	ND	33	
PCB-1254 (Aroclor 1254)	ug/kg	ND	33	
PCB-1260 (Aroclor 1260)	ug/kg	ND	33	
Decachlorobiphenyl (S)	%	72		
Tetrachloro-m-xylene (S)	%	73		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604136804 604136812

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
PCB-1016 (Aroclor 1016)	ug/kg	0	405.90	283.7	70	301.1	76	6	
PCB-1260 (Aroclor 1260)	ug/kg	407.4	405.90	684.4	68	1462	265	72	2
Decachlorobiphenyl (S)					83		132		
Tetrachloro-m-xylene (S)					76		77		

LABORATORY CONTROL SAMPLE: 604121632

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
PCB-1016 (Aroclor 1016)	ug/kg	333.3	247.6	74	
PCB-1260 (Aroclor 1260)	ug/kg	333.3	273.2	82	
Decachlorobiphenyl (S)				84	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604121632

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Tetrachloro-m-xylene (S)				69	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97871 QC Batch Method: OA2
Analysis Method: OA2 Analysis Description: Total Extractable Hydrocarbons
Associated Lab Samples: 604117440 604117465 604117473 604117481 604117499
604117507 604117515 604117523 604117549 604117556
604117564 604117572 604117598 604117614

METHOD BLANK: 604121640
Associated Lab Samples:
604117440 604117465 604117473 604117481 604117499 604117507 604117515
604117523 604117549 604117556 604117564 604117572 604117598 604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
Mineral Spirits	mg/kg	ND	10	
Jet Fuel	mg/kg	ND	10	
Kerosene	mg/kg	ND	10	
Diesel Fuel	mg/kg	ND	10	
Fuel Oil	mg/kg	ND	10	
Motor Oil	mg/kg	ND	10	
n-Tetracosane (S)	%	91		
p-Terphenyl (S)	%	62		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604121665 604121673

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Diesel Fuel	mg/kg	0	519.00	498.1	96	505.3	98	1	
n-Tetracosane (S)					111		108		
p-Terphenyl (S)					81		82		

LABORATORY CONTROL SAMPLE: 604121657

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Diesel Fuel	mg/kg	500	474.6	95	
n-Tetracosane (S)				106	
p-Terphenyl (S)				73	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97887
QC Batch Method:
Analysis Method:
Analysis Description: Percent Moisture
Associated Lab Samples: 604117531

SAMPLE DUPLICATE: 604122010

Parameter	Units	604119818	Dup. Result	RPD	Footnotes
Percent Moisture	%	19.30	19.60	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97977 QC Batch Method: EPA 3550 Sonication
Analysis Method: EPA 8270 Analysis Description: Semivolatile Organics
Associated Lab Samples: 604117440 604117465 604117473 604117481 604117499 604117507 604117515 604117523 604117549 604117556 604117564 604117572 604117598 604117614

METHOD BLANK: 604125369
Associated Lab Samples: 604117440 604117465 604117473 604117481 604117499 604117507 604117515 604117523 604117549 604117556 604117564 604117572 604117598 604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
Phenol	ug/kg	ND	330	
bis(2-Chloroethyl) ether	ug/kg	ND	330	
2-Chlorophenol	ug/kg	ND	330	
1,3-Dichlorobenzene	ug/kg	ND	330	
1,4-Dichlorobenzene	ug/kg	ND	330	
Benzyl alcohol	ug/kg	ND	660	
1,2-Dichlorobenzene	ug/kg	ND	330	
2-Methylphenol (o-Cresol)	ug/kg	ND	330	
bis(2-Chloroisopropyl) ether	ug/kg	ND	330	
4-Methylphenol (p-Cresol)	ug/kg	ND	330	
N-Nitroso-di-n-propylamine	ug/kg	ND	330	
Hexachloroethane	ug/kg	ND	330	
Nitrobenzene	ug/kg	ND	330	
Isophorone	ug/kg	ND	330	
2-Nitrophenol	ug/kg	ND	330	
2,4-Dimethylphenol	ug/kg	ND	330	
Benzoic acid	ug/kg	ND	1600	
bis(2-Chloroethoxy)methane	ug/kg	ND	330	
2,4-Dichlorophenol	ug/kg	ND	330	
1,2,4-Trichlorobenzene	ug/kg	ND	330	
Naphthalene	ug/kg	ND	330	
4-Chloroaniline	ug/kg	ND	660	
Hexachloro-1,3-butadiene	ug/kg	ND	330	
4-Chloro-3-methylphenol	ug/kg	ND	660	
2-Methylnaphthalene	ug/kg	ND	330	
Hexachlorocyclopentadiene	ug/kg	ND	330	
2,4,6-Trichlorophenol	ug/kg	ND	330	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604125369
Associated Lab Samples:

604117440 604117465 604117473 604117481 604117499 604117507 604117515
604117523 604117549 604117556 604117564 604117572 604117598 604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
2,4,5-Trichlorophenol	ug/kg	ND	330	
2-Chloronaphthalene	ug/kg	ND	330	
2-Nitroaniline	ug/kg	ND	1600	
Dimethylphthalate	ug/kg	ND	330	
Acenaphthylene	ug/kg	ND	330	
2,6-Dinitrotoluene	ug/kg	ND	330	
3-Nitroaniline	ug/kg	ND	1600	
Acenaphthene	ug/kg	ND	330	
2,4-Dinitrophenol	ug/kg	ND	1600	
4-Nitrophenol	ug/kg	ND	1600	
Dibenzofuran	ug/kg	ND	330	
2,4-Dinitrotoluene	ug/kg	ND	330	
Diethylphthalate	ug/kg	ND	330	
4-Chlorophenylphenyl ether	ug/kg	ND	330	
Fluorene	ug/kg	ND	330	
4-Nitroaniline	ug/kg	ND	1600	
4,6-Dinitro-2-methylphenol	ug/kg	ND	1600	
N-Nitrosodiphenylamine	ug/kg	ND	330	
4-Bromophenylphenyl ether	ug/kg	ND	330	
Hexachlorobenzene	ug/kg	ND	330	
Pentachlorophenol	ug/kg	ND	1600	
Phenanthrene	ug/kg	ND	330	
Anthracene	ug/kg	ND	330	
Di-n-butylphthalate	ug/kg	ND	330	
Fluoranthene	ug/kg	ND	330	
Pyrene	ug/kg	ND	330	
Butylbenzylphthalate	ug/kg	ND	330	
3,3'-Dichlorobenzidine	ug/kg	ND	660	
Benzo(a)anthracene	ug/kg	ND	330	
Chrysene	ug/kg	ND	330	
bis(2-Ethylhexyl)phthalate	ug/kg	ND	330	
Di-n-octylphthalate	ug/kg	ND	330	
Benzo(b)fluoranthene	ug/kg	ND	330	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604125369
Associated Lab Samples:

604117440 604117465 604117473 604117481 604117499 604117507 604117515
604117523 604117549 604117556 604117564 604117572 604117598 604117614

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzo(k)fluoranthene	ug/kg	ND	330	
Benzo(a)pyrene	ug/kg	ND	330	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	330	
Dibenz(a,h)anthracene	ug/kg	ND	330	
Benzo(g,h,i)perylene	ug/kg	ND	330	
Nitrobenzene-d5 (S)	%	55		
2-Fluorobiphenyl (S)	%	78		
Terphenyl-d14 (S)	%	69		
Phenol-d6 (S)	%	48		
2-Fluorophenol (S)	%	49		
2,4,6-Tribromophenol (S)	%	74		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604125377 604125385

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Phenol	ug/kg	0	3046.00	1665	55	1645	54	1	
2-Chlorophenol	ug/kg	0	3046.00	1811	59	1756	58	3	
1,4-Dichlorobenzene	ug/kg	0	2031.00	1298	64	1284	63	1	
N-Nitroso-di-n-propylamine	ug/kg	0	2031.00	1353	67	1288	63	5	
1,2,4-Trichlorobenzene	ug/kg	0	2031.00	1590	78	1595	78	0	
4-Chloro-3-methylphenol	ug/kg	0	3046.00	2256	74	2327	76	3	
Acenaphthene	ug/kg	0	2031.00	1392	68	1391	68	0	
4-Nitrophenol	ug/kg	0	3046.00	1982	65	2105	69	6	
2,4-Dinitrotoluene	ug/kg	0	2031.00	1634	80	1655	82	1	
Pentachlorophenol	ug/kg	0	3046.00	2201	72	2248	74	2	
Pyrene	ug/kg	0	2031.00	1880	93	1904	94	1	
Nitrobenzene-d5 (S)					52		55		
2-Fluorobiphenyl (S)					58		74		
Terphenyl-d14 (S)					68		72		
Phenol-d6 (S)					45		48		
2-Fluorophenol (S)					53		43		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604125377 604125385

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
2,4,6-Tribromophenol (S)					84		85		

LABORATORY CONTROL SAMPLE: 604125393

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Phenol	ug/kg	2500	1422	57	
2-Chlorophenol	ug/kg	2500	1618	65	
1,4-Dichlorobenzene	ug/kg	1667	1092	66	
N-Nitroso-di-n-propylamine	ug/kg	1667	1218	73	
1,2,4-Trichlorobenzene	ug/kg	1667	1217	73	
4-Chloro-3-methylphenol	ug/kg	2500	1751	70	
Acenaphthene	ug/kg	1667	1304	78	
4-Nitrophenol	ug/kg	2500	1587	64	
2,4-Dinitrotoluene	ug/kg	1667	1315	79	
Pentachlorophenol	ug/kg	2500	1950	78	
Pyrene	ug/kg	1667	1617	97	
Nitrobenzene-d5 (S)				62	
2-Fluorobiphenyl (S)				78	
Terphenyl-d14 (S)				84	
Phenol-d6 (S)				60	
2-Fluorophenol (S)				57	
2,4,6-Tribromophenol (S)				85	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047840
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The spike recovery was outside acceptance limits for the MS or MSD due to matrix interference. The LCS was within acceptance limits showing that the laboratory is in control and the data is acceptable.
[2]	The calculated RPD was outside QC acceptance limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

February 07, 2001

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory on January 25, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Andrea Feagin-Hyslop
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CROSS REFERENCE TABLE

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604121343	NIC-SSS-GP10D-03-0-0.2	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604121350	NIC-SS-GP10D-03-10.5	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604121376	NIC-SSS-GP10D-04-TRENCH	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604121384	NIC-SSS-GP10D-05-0-0.4	TPH GRO/BTEX	97935	EPA 8021/OA1	97936
604121319	NIC-GPW-GP10D-03-18	EPA 8021/OA1	97964		
604121327	NIC-GPW-GP10D-03-18Q	EPA 8021/OA1	97964		
604121343	NIC-SSS-GP10D-03-0-0.2	EPA 8260	97891		
604121350	NIC-SS-GP10D-03-10.5	EPA 8260	97891		
604121376	NIC-SSS-GP10D-04-TRENCH	EPA 8260	97891		
604121384	NIC-SSS-GP10D-05-0-0.4	EPA 8260	97891		
604121319	NIC-GPW-GP10D-03-18	EPA 8260	98123		
604121327	NIC-GPW-GP10D-03-18Q	EPA 8260	98123		
604121335	NIC-GPW-GP10D-03-18M	EPA 8260	98123		
604121343	NIC-SSS-GP10D-03-0-0.2	EPA 7471	98070		
604121368	NIC-SS-GP10D-03-8-10	EPA 7471	98070		
604121376	NIC-SSS-GP10D-04-TRENCH	EPA 7471	98070		
604121384	NIC-SSS-GP10D-05-0-0.4	EPA 7471	98070		
604121319	NIC-GPW-GP10D-03-18	EPA 7470	98231		
604121327	NIC-GPW-GP10D-03-18Q	EPA 7470	98231		
604121343	NIC-SSS-GP10D-03-0-0.2	EPA 3050	97890	EPA 6010	97955
604121368	NIC-SS-GP10D-03-8-10	EPA 3050	97890	EPA 6010	97955

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604121376	NIC-SSS-GP10D-04-TRENCH	EPA 3050	97890	EPA 6010	97955
604121384	NIC-SSS-GP10D-05-0-0.4	EPA 3050	97890	EPA 6010	97955
604121319	NIC-GPW-GP10D-03-18	EPA 3010	97944	EPA 6010	98001
604121327	NIC-GPW-GP10D-03-18Q	EPA 3010	97944	EPA 6010	98001
604121343	NIC-SSS-GP10D-03-0-0.2	EPA 3550	97869	EPA 8081A	98101
604121368	NIC-SS-GP10D-03-8-10	EPA 3550	97869	EPA 8081A	98101
604121376	NIC-SSS-GP10D-04-TRENCH	EPA 3550	97869	EPA 8081A	98101
604121384	NIC-SSS-GP10D-05-0-0.4	EPA 3550	97869	EPA 8081A	98101
604121343	NIC-SSS-GP10D-03-0-0.2	EPA 3550	97870	EPA 8082	98098
604121368	NIC-SS-GP10D-03-8-10	EPA 3550	97870	EPA 8082	98098
604121376	NIC-SSS-GP10D-04-TRENCH	EPA 3550	97870	EPA 8082	98098
604121384	NIC-SSS-GP10D-05-0-0.4	EPA 3550	97870	EPA 8082	98098
604121343	NIC-SSS-GP10D-03-0-0.2	OA2	97871	OA2	97960
604121368	NIC-SS-GP10D-03-8-10	OA2	97871	OA2	97960
604121376	NIC-SSS-GP10D-04-TRENCH	OA2	97871	OA2	97960
604121384	NIC-SSS-GP10D-05-0-0.4	OA2	97871	OA2	97960
604121319	NIC-GPW-GP10D-03-18	OA2	97873	OA2	97972
604121327	NIC-GPW-GP10D-03-18Q	OA2	97873	OA2	97972
604121343	NIC-SSS-GP10D-03-0-0.2		97887		
604121350	NIC-SS-GP10D-03-10.5		97887		
604121368	NIC-SS-GP10D-03-8-10		97887		
604121376	NIC-SSS-GP10D-04-TRENCH		97887		
604121384	NIC-SSS-GP10D-05-0-0.4		97887		
604121319	NIC-GPW-GP10D-03-18	EPA 3520	97949	EPA 8270	98103
604121327	NIC-GPW-GP10D-03-18Q	EPA 3520	97949	EPA 8270	98103
604121319	NIC-GPW-GP10D-03-18	EPA 3510	97951	EPA 8082	98099
604121327	NIC-GPW-GP10D-03-18Q	EPA 3510	97951	EPA 8082	98099
604121319	NIC-GPW-GP10D-03-18	EPA 3510	97952	EPA 8081A	98100
604121327	NIC-GPW-GP10D-03-18Q	EPA 3510	97952	EPA 8081A	98100
604121343	NIC-SSS-GP10D-03-0-0.2	EPA 3550 Sonication	97977	EPA 8270	98184
604121368	NIC-SS-GP10D-03-8-10	EPA 3550 Sonication	97977	EPA 8270	98184
604121376	NIC-SSS-GP10D-04-TRENCH	EPA 3550 Sonication	97977	EPA 8270	98184
604121384	NIC-SSS-GP10D-05-0-0.4	EPA 3550 Sonication	97977	EPA 8270	98184

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Profile: 2457. Item 6

Client: Camp Dresser & McKee
Address: 9330 E. Central, Ste 400
Wichita, KS 67206
Phone #: 316-634-6881
Fax #: 316-634-2835

Report To: Frank Winslow
Bill To: Frank Winslow
P.O.# / Billing Reference: 2395-20456
Project Name / No NIC
Sampled By (Print): D.Brown/A. Falberg
Date Sampled: 1/22/01

Lab Client No.:
Lab Project Manager: Andrea Hyslop
Lab Project No.: 6047870
*Requested Due Date Standard TAT
Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ANALYSES REQUESTED VOCs 8260	8015 - OA1	S-VOCs 8270	8015 - OA2	Pest/PCBs - 8080	TAL Metals								REMARKS
1	NIC-GPW-GP10D-03-18	9:30	Water		3					X	X						3	PV	6047818-19					Exp. Mod - High Pet. ( )
2	NIC-GPW-GP10D-03-18	9:30	Water		2					X		X					2	PV						Exp. Mod - High Pet. ( )
3	NIC-GPW-GP10D-03-18	9:50	Water		3	X							X	X	X		3	GL						Exp. Mod - High Pet. ( )
4	NIC-GPW-GP10D-03-18	9:50	Water		1			X								X		MV						Exp. Mod - High Pet. ( )
5	NIC-GPW-GP10D-03-18Q	9:30	Water		3					X	X						3	PV	6047818-37					Exp. Mod - High Pet. ( )
6	NIC-GPW-GP10D-03-18Q	9:30	Water		2					X		X					2	PV						Exp. Mod - High Pet. ( )
7	NIC-GPW-GP10D-03-18Q	9:50	Water		3	X							X	X	X		3	GL						Exp. Mod - High Pet. ( )
8	NIC-GPW-GP10D-03-18Q	9:50	Water		1			X								X		MV						Exp. Mod - High Pet. ( )

ADDITIONAL COMMENTS

Note: Need low D.L where possible.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1		1	1/24/01	0940
		PACE	1-25-01	0730

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD
Analytical Request

Page 2 of 2

Client: Camp Dresser & McKee
Address: 9330 E. Central, Ste 400
Wichita, KS 67206
Phone #: 316-634-6881
Fax #: 316-634-2835

Report To: Frank Winslow
Bill To: Frank Winslow
P.O.# / Billing Reference: 2395-20456
Project Name / No NIC
Sampled By (Print): D.Brown/A. Falberg
Date Sampled: 1/22/01

Lab Client No.:
Lab Project Manager: Andrea Hyslop
Lab Project No.: 6047870
*Requested Due Date Standard TAT

Sampler Signature:

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES						ANALYSES REQUESTED														REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	VOCs 8260	8015 - OA1	S-VOCs 8270	8015 - OA2	Pest/PCBs - 8081	TAL Metals									
1	NIC-GPW-GP10D-03-18M	9:40	Water		3					X	X				3N										6047871335
2																									
3																									
4																									
5																									
6																									
7																									
8																									

ADDITIONAL COMMENTS

Note: Need low D.L where possible.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1			1/22/01	0940
		CACE	1-25-01	0730

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Solid results are reported on a wet weight basis

Lab Sample No: 604121319 Project Sample Number: 6047870-003 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18 Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Water	**Method: EPA 6010**				**Prep Method: EPA 3010**				
Aluminum	94.5	ug/l	75.0	1.0	01/30/01	TMG	7429-90-5		
Antimony	ND	ug/l	10.0	1.0	01/30/01	TMG	7440-36-0		
Arsenic	82.2	ug/l	5.00	1.0	01/30/01	TMG	7440-38-2		
Barium	493.	ug/l	4.00	1.0	01/30/01	TMG	7440-39-3		
Beryllium	ND	ug/l	1.00	1.0	01/30/01	TMG	7440-41-7		
Cadmium	ND	ug/l	5.00	1.0	01/30/01	TMG	7440-43-9		
Calcium	120000	ug/l	100.	1.0	01/30/01	TMG	7440-70-2		
Chromium	ND	ug/l	7.00	1.0	01/30/01	TMG	7440-47-3		
Cobalt	ND	ug/l	7.00	1.0	01/30/01	TMG	7440-48-4		
Copper	ND	ug/l	10.0	1.0	01/30/01	TMG	7440-50-8		
Iron	21700	ug/l	40.0	1.0	01/30/01	TMG	7439-89-6		
Lead	7.03	ug/l	5.00	1.0	01/30/01	TMG	7439-92-1		
Magnesium	31400	ug/l	50.0	1.0	01/30/01	TMG	7439-95-4		
Manganese	5530	ug/l	7.00	1.0	01/30/01	TMG	7439-96-5		
Nickel	ND	ug/l	30.0	1.0	01/30/01	TMG	7440-02-0		
Potassium	2890	ug/l	1000	1.0	01/30/01	TMG	7440-09-7		
Selenium	ND	ug/l	5.00	1.0	01/30/01	TMG	7782-49-2		
Silver	ND	ug/l	7.00	1.0	01/30/01	TMG	7440-22-4		
Sodium	69900	ug/l	150.	1.0	01/30/01	TMG	7440-23-5	1	B
Thallium	ND	ug/l	5.00	1.0	01/30/01	TMG	7440-28-0		
Vanadium	ND	ug/l	12.0	1.0	01/30/01	TMG	7440-62-2		
Zinc	ND	ug/l	100.	1.0	01/30/01	TMG	7440-66-6		
Date Digested					01/29/01				
Mercury, CVAAS	**Method: EPA 7470**				**Prep Method: EPA 7470**				
Mercury	ND	ug/l	0.200	1.0	02/07/01 09:02	SYW	7439-97-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121319 Project Sample Number: 6047870-003 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18 Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: EPA 5030				
Gasoline Range Hydrocarbons	ND	ug/l	500.	1.0	01/29/01 23:14	SHF			
Benzene	2.92	ug/l	2.00	1.0	01/29/01 23:14	SHF	71-43-2		
Toluene	3.35	ug/l	2.00	1.0	01/29/01 23:14	SHF	108-88-3		
Ethylbenzene	ND	ug/l	2.00	1.0	01/29/01 23:14	SHF	100-41-4		
Xylene (Total)	ND	ug/l	5.00	1.0	01/29/01 23:14	SHF	1330-20-7		
Methyl-tert-butyl ether	ND	ug/l	10.0	1.0	01/29/01 23:14	SHF	1634-04-4		
a,a,a-Trifluorotoluene (S)	98	%		1.0	01/29/01 23:14	SHF	2164-17-2		
4-Bromofluorobenzene (S)	100	%		1.0	01/29/01 23:14	SHF	460-00-4		
Bromochlorobenzene (S)	106	%		1.0	01/29/01 23:14	SHF			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3510				
alpha-BHC	ND	ug/l	0.034	1.1	02/02/01 08:40	JLO	319-84-6		
beta-BHC	ND	ug/l	0.068	1.1	02/02/01 08:40	JLO	319-85-7		
delta-BHC	ND	ug/l	0.10	1.1	02/02/01 08:40	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/l	0.045	1.1	02/02/01 08:40	JLO	58-89-9		
Heptachlor	ND	ug/l	0.034	1.1	02/02/01 08:40	JLO	76-44-8		
Aldrin	ND	ug/l	0.045	1.1	02/02/01 08:40	JLO	309-00-2		
Heptachlor epoxide	ND	ug/l	0.11	1.1	02/02/01 08:40	JLO	1024-57-3		
Endosulfan I	ND	ug/l	0.16	1.1	02/02/01 08:40	JLO	959-98-8		
Dieldrin	ND	ug/l	0.023	1.1	02/02/01 08:40	JLO	60-57-1		
4,4'-DDE	ND	ug/l	0.045	1.1	02/02/01 08:40	JLO	72-55-9		
Endrin	ND	ug/l	0.068	1.1	02/02/01 08:40	JLO	72-20-8		
Endosulfan II	ND	ug/l	0.045	1.1	02/02/01 08:40	JLO	33213-65-9		
4,4'-DDD	ND	ug/l	0.12	1.1	02/02/01 08:40	JLO	72-54-8		
Endosulfan sulfate	ND	ug/l	0.75	1.1	02/02/01 08:40	JLO	1031-07-8		
4,4'-DDT	ND	ug/l	0.14	1.1	02/02/01 08:40	JLO	50-29-3		
Methoxychlor	ND	ug/l	2.0	1.1	02/02/01 08:40	JLO	72-43-5		
Chlordane (Technical)	ND	ug/l	0.16	1.1	02/02/01 08:40	JLO	57-74-9		
Toxaphene	ND	ug/l	2.7	1.1	02/02/01 08:40	JLO	8001-35-2		
Endrin aldehyde	ND	ug/l	0.26	1.1	02/02/01 08:40	JLO	7421-93-4		
gamma-Chlordane	ND	ug/l	0.057	1.1	02/02/01 08:40	JLO	5103-74-2		
alpha-Chlordane	ND	ug/l	0.057	1.1	02/02/01 08:40	JLO	5103-71-9		
Endrin ketone	ND	ug/l	0.11	1.1	02/02/01 08:40	JLO	53494-70-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121319 Project Sample Number: 6047870-003 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18 Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Decachlorobiphenyl (S)	51	%		1.0	02/02/01 08:40	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	94	%		1.0	02/02/01 08:40	JLO	877-09-8		
Date Extracted					01/29/01				
PCBs in Water by 8082		Method: EPA 8082			Prep Method: EPA 3510				
PCB-1016 (Aroclor 1016)	ND	ug/l	1.1	1.1	02/02/01 07:21	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/l	1.1	1.1	02/02/01 07:21	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/l	1.1	1.1	02/02/01 07:21	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/l	1.1	1.1	02/02/01 07:21	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/l	1.1	1.1	02/02/01 07:21	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/l	1.1	1.1	02/02/01 07:21	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/l	1.1	1.1	02/02/01 07:21	JLO	11096-82-5		
Decachlorobiphenyl (S)	40	%		1.0	02/02/01 07:21	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	72	%		1.0	02/02/01 07:21	JLO	877-09-8		
Date Extracted					01/29/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/l	0.40	1.0	01/26/01 18:05	EMA			
Jet Fuel	ND	mg/l	0.40	1.0	01/26/01 18:05	EMA			
Kerosene	ND	mg/l	0.40	1.0	01/26/01 18:05	EMA			
Diesel Fuel	ND	mg/l	0.40	1.0	01/26/01 18:05	EMA	68334-30-5		
Fuel Oil	ND	mg/l	0.40	1.0	01/26/01 18:05	EMA	68334-30-5		
Motor Oil	ND	mg/l	0.40	1.0	01/26/01 18:05	EMA			
p-Terphenyl (S)	70	%		1.0	01/26/01 18:05	EMA	92-94-4		
n-Tetracosane (S)	82	%		1.0	01/26/01 18:05	EMA	646-31-1		
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	78-87-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121319 Project Sample Number: 6047870-003 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18 Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	106-46-7		
Benzene	2.8	ug/l	1.0	1.0	02/03/01 15:49	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	02/03/01 15:49	DJE	7816-60-0		
Methylene chloride	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	02/03/01 15:49	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	127-18-4		
Toluene	2.6	ug/l	1.0	1.0	02/03/01 15:49	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	02/03/01 15:49	DJE	75-69-4		
Vinyl chloride	1.3	ug/l	1.0	1.0	02/03/01 15:49	DJE	75-01-4		
Toluene-d8 (S)	95	%		1.0	02/03/01 15:49	DJE	2037-26-5		
Dibromofluoromethane (S)	96	%		1.0	02/03/01 15:49	DJE			
4-Bromofluorobenzene (S)	99	%		1.0	02/03/01 15:49	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	99	%		1.0	02/03/01 15:49	DJE	17060-07-0		
GC/MS Semivolatiles									
Semivolatile Organics by 8270	Method: EPA 8270			Prep Method: EPA 3520					
Phenol	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	111-44-4		
2-Chlorophenol	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	106-46-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121319 Project Sample Number: 6047870-003 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18 Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Benzyl alcohol	ND	ug/l	23.	1.1	02/05/01 21:38	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	621-64-7		
Hexachloroethane	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	67-72-1		
Nitrobenzene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	98-95-3		
Isophorone	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	78-59-1		
2-Nitrophenol	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	105-67-9		
Benzoic acid	ND	ug/l	57.	1.1	02/05/01 21:38	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	120-82-1		
Naphthalene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	91-20-3		
4-Chloroaniline	ND	ug/l	23.	1.1	02/05/01 21:38	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/l	23.	1.1	02/05/01 21:38	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/l	57.	1.1	02/05/01 21:38	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	91-58-7		
2-Nitroaniline	ND	ug/l	57.	1.1	02/05/01 21:38	WAW	88-74-4		
Dimethylphthalate	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	131-11-3		
Acenaphthylene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	606-20-2		
3-Nitroaniline	ND	ug/l	57.	1.1	02/05/01 21:38	WAW	99-09-2		
Acenaphthene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/l	57.	1.1	02/05/01 21:38	WAW	51-28-5		
4-Nitrophenol	ND	ug/l	57.	1.1	02/05/01 21:38	WAW	100-02-7		
Dibenzofuran	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	121-14-2		
Diethylphthalate	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	7005-72-3		
Fluorene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	86-73-7		
4-Nitroaniline	ND	ug/l	57.	1.1	02/05/01 21:38	WAW	100-01-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121319 Project Sample Number: 6047870-003 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18 Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4,6-Dinitro-2-methylphenol	ND	ug/l	57.	1.1	02/05/01 21:38	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	101-55-3		
Hexachlorobenzene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	118-74-1		
Pentachlorophenol	ND	ug/l	57.	1.1	02/05/01 21:38	WAW	87-86-5		
Phenanthrene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	85-01-8		
Anthracene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	84-74-2		
Fluoranthene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	206-44-0		
Pyrene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/l	23.	1.1	02/05/01 21:38	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	56-55-3		
Chrysene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/l	11.	1.1	02/05/01 21:38	WAW	191-24-2		
Nitrobenzene-d5 (S)	90	%		1.0	02/05/01 21:38	WAW	4165-60-0		
2-Fluorobiphenyl (S)	93	%		1.0	02/05/01 21:38	WAW	321-60-8		
Terphenyl-d14 (S)	79	%		1.0	02/05/01 21:38	WAW	1718-51-0		
Phenol-d6 (S)	88	%		1.0	02/05/01 21:38	WAW	13127-88-3		
2-Fluorophenol (S)	83	%		1.0	02/05/01 21:38	WAW	367-12-4		
2,4,6-Tribromophenol (S)	93	%		1.0	02/05/01 21:38	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121327 Project Sample Number: 6047870-004 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18Q Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Water	Method: EPA 6010			Prep Method: EPA 3010					
Aluminum	ND	ug/l	75.0	1.0	01/30/01	TMG	7429-90-5		
Antimony	ND	ug/l	10.0	1.0	01/30/01	TMG	7440-36-0		
Arsenic	81.3	ug/l	5.00	1.0	01/30/01	TMG	7440-38-2		
Barium	458.	ug/l	4.00	1.0	01/30/01	TMG	7440-39-3		
Beryllium	ND	ug/l	1.00	1.0	01/30/01	TMG	7440-41-7		
Cadmium	ND	ug/l	5.00	1.0	01/30/01	TMG	7440-43-9		
Calcium	121000	ug/l	100.	1.0	01/30/01	TMG	7440-70-2		
Chromium	ND	ug/l	7.00	1.0	01/30/01	TMG	7440-47-3		
Cobalt	ND	ug/l	7.00	1.0	01/30/01	TMG	7440-48-4		
Copper	ND	ug/l	10.0	1.0	01/30/01	TMG	7440-50-8		
Iron	20900	ug/l	40.0	1.0	01/30/01	TMG	7439-89-6		
Lead	7.18	ug/l	5.00	1.0	01/30/01	TMG	7439-92-1		
Magnesium	31400	ug/l	50.0	1.0	01/30/01	TMG	7439-95-4		
Manganese	5560	ug/l	7.00	1.0	01/30/01	TMG	7439-96-5		
Nickel	ND	ug/l	30.0	1.0	01/30/01	TMG	7440-02-0		
Potassium	2870	ug/l	1000	1.0	01/30/01	TMG	7440-09-7		
Selenium	ND	ug/l	5.00	1.0	01/30/01	TMG	7782-49-2		
Silver	ND	ug/l	7.00	1.0	01/30/01	TMG	7440-22-4		
Sodium	69300	ug/l	150.	1.0	01/30/01	TMG	7440-23-5	1	B
Thallium	ND	ug/l	5.00	1.0	01/30/01	TMG	7440-28-0		
Vanadium	ND	ug/l	12.0	1.0	01/30/01	TMG	7440-62-2		
Zinc	ND	ug/l	100.	1.0	01/30/01	TMG	7440-66-6		
Date Digested					01/29/01				
Mercury, CVAAS	Method: EPA 7470			Prep Method: EPA 7470					
Mercury	ND	ug/l	0.200	1.0	02/07/01 09:04	SYW	7439-97-6		
GC Volatiles									
TPH Gas/BTEX	Method: EPA 8021/OA1			Prep Method: EPA 5030					
Gasoline Range Hydrocarbons	ND	ug/l	500.	1.0	01/29/01 23:45	SHF			
Benzene	3.66	ug/l	2.00	1.0	01/29/01 23:45	SHF	71-43-2		
Toluene	3.13	ug/l	2.00	1.0	01/29/01 23:45	SHF	108-88-3		
Ethylbenzene	ND	ug/l	2.00	1.0	01/29/01 23:45	SHF	100-41-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121327 Project Sample Number: 6047870-004 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18Q Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Xylene (Total)	ND	ug/l	5.00	1.0	01/29/01 23:45	SHF	1330-20-7		
Methyl-tert-butyl ether	ND	ug/l	10.0	1.0	01/29/01 23:45	SHF	1634-04-4		
a,a,a-Trifluorotoluene (S)	96	%		1.0	01/29/01 23:45	SHF	2164-17-2		
4-Bromofluorobenzene (S)	99	%		1.0	01/29/01 23:45	SHF	460-00-4		
Bromochlorobenzene (S)	106	%		1.0	01/29/01 23:45	SHF			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3510				
alpha-BHC	ND	ug/l	0.035	1.2	02/02/01 09:21	JLO	319-84-6		
beta-BHC	ND	ug/l	0.071	1.2	02/02/01 09:21	JLO	319-85-7		
delta-BHC	ND	ug/l	0.11	1.2	02/02/01 09:21	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/l	0.047	1.2	02/02/01 09:21	JLO	58-89-9		
Heptachlor	ND	ug/l	0.035	1.2	02/02/01 09:21	JLO	76-44-8		
Aldrin	ND	ug/l	0.047	1.2	02/02/01 09:21	JLO	309-00-2		
Heptachlor epoxide	ND	ug/l	0.12	1.2	02/02/01 09:21	JLO	1024-57-3		
Endosulfan I	ND	ug/l	0.16	1.2	02/02/01 09:21	JLO	959-98-8		
Dieldrin	ND	ug/l	0.024	1.2	02/02/01 09:21	JLO	60-57-1		
4,4'-DDE	ND	ug/l	0.047	1.2	02/02/01 09:21	JLO	72-55-9		
Endrin	ND	ug/l	0.071	1.2	02/02/01 09:21	JLO	72-20-8		
Endosulfan II	ND	ug/l	0.047	1.2	02/02/01 09:21	JLO	33213-65-9		
4,4'-DDD	ND	ug/l	0.13	1.2	02/02/01 09:21	JLO	72-54-8		
Endosulfan sulfate	ND	ug/l	0.78	1.2	02/02/01 09:21	JLO	1031-07-8		
4,4'-DDT	ND	ug/l	0.14	1.2	02/02/01 09:21	JLO	50-29-3		
Methoxychlor	ND	ug/l	2.1	1.2	02/02/01 09:21	JLO	72-43-5		
Chlordane (Technical)	ND	ug/l	0.16	1.2	02/02/01 09:21	JLO	57-74-9		
Toxaphene	ND	ug/l	2.8	1.2	02/02/01 09:21	JLO	8001-35-2		
Endrin aldehyde	ND	ug/l	0.27	1.2	02/02/01 09:21	JLO	7421-93-4		
gamma-Chlordane	ND	ug/l	0.059	1.2	02/02/01 09:21	JLO	5103-74-2		
alpha-Chlordane	ND	ug/l	0.059	1.2	02/02/01 09:21	JLO	5103-71-9		
Endrin ketone	ND	ug/l	0.12	1.2	02/02/01 09:21	JLO	53494-70-5		
Decachlorobiphenyl (S)	36	%		1.0	02/02/01 09:21	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	82	%		1.0	02/02/01 09:21	JLO	877-09-8		
Date Extracted					01/29/01				
PCBs in Water by 8082		Method: EPA 8082			Prep Method: EPA 3510				
PCB-1016 (Aroclor 1016)	ND	ug/l	1.2	1.2	02/02/01 07:43	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/l	1.2	1.2	02/02/01 07:43	JLO	11104-28-2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121327 Project Sample Number: 6047870-004 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18Q Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
PCB-1232 (Aroclor 1232)	ND	ug/l	1.2	1.2	02/02/01 07:43	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/l	1.2	1.2	02/02/01 07:43	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/l	1.2	1.2	02/02/01 07:43	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/l	1.2	1.2	02/02/01 07:43	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/l	1.2	1.2	02/02/01 07:43	JLO	11096-82-5		
Decachlorobiphenyl (S)	32	%		1.0	02/02/01 07:43	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	64	%		1.0	02/02/01 07:43	JLO	877-09-8		
Date Extracted					01/29/01				
Total Extractable Hydrocarbons	Method: OA2				Prep Method: OA2				
Mineral Spirits	ND	mg/l	0.40	1.0	01/26/01 18:34	EMA			
Jet Fuel	ND	mg/l	0.40	1.0	01/26/01 18:34	EMA			
Kerosene	ND	mg/l	0.40	1.0	01/26/01 18:34	EMA			
Diesel Fuel	ND	mg/l	0.40	1.0	01/26/01 18:34	EMA	68334-30-5		
Fuel Oil	ND	mg/l	0.40	1.0	01/26/01 18:34	EMA	68334-30-5		
Motor Oil	ND	mg/l	0.40	1.0	01/26/01 18:34	EMA			
p-Terphenyl (S)	70	%		1.0	01/26/01 18:34	EMA	92-94-4		
n-Tetracosane (S)	80	%		1.0	01/26/01 18:34	EMA	646-31-1		
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	106-46-7		
Benzene	3.0	ug/l	1.0	1.0	02/03/01 16:22	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	56-23-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121327 Project Sample Number: 6047870-004 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18Q Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Chlorobenzene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	02/03/01 16:22	DJE	7816-60-0		
Methylene chloride	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	02/03/01 16:22	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	127-18-4		
Toluene	2.7	ug/l	1.0	1.0	02/03/01 16:22	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	02/03/01 16:22	DJE	75-69-4		
Vinyl chloride	1.4	ug/l	1.0	1.0	02/03/01 16:22	DJE	75-01-4		
Toluene-d8 (S)	98	%		1.0	02/03/01 16:22	DJE	2037-26-5		
Dibromofluoromethane (S)	98	%		1.0	02/03/01 16:22	DJE			
4-Bromofluorobenzene (S)	100	%		1.0	02/03/01 16:22	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	99	%		1.0	02/03/01 16:22	DJE	17060-07-0		

GC/MS Semivolatiles

Semivolatile Organics by 8270	Method: EPA 8270			Prep Method: EPA 3520					
Phenol	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	111-44-4		
2-Chlorophenol	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	106-46-7		
Benzyl alcohol	ND	ug/l	24.	1.2	02/05/01 22:15	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	621-64-7		
Hexachloroethane	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	67-72-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121327 Project Sample Number: 6047870-004 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18Q Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Nitrobenzene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	98-95-3		
Isophorone	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	78-59-1		
2-Nitrophenol	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	105-67-9		
Benzoic acid	ND	ug/l	59.	1.2	02/05/01 22:15	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	120-82-1		
Naphthalene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	91-20-3		
4-Chloroaniline	ND	ug/l	24.	1.2	02/05/01 22:15	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/l	24.	1.2	02/05/01 22:15	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/l	59.	1.2	02/05/01 22:15	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	91-58-7		
2-Nitroaniline	ND	ug/l	59.	1.2	02/05/01 22:15	WAW	88-74-4		
Dimethylphthalate	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	131-11-3		
Acenaphthylene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	606-20-2		
3-Nitroaniline	ND	ug/l	59.	1.2	02/05/01 22:15	WAW	99-09-2		
Acenaphthene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/l	59.	1.2	02/05/01 22:15	WAW	51-28-5		
4-Nitrophenol	ND	ug/l	59.	1.2	02/05/01 22:15	WAW	100-02-7		
Dibenzofuran	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	121-14-2		
Diethylphthalate	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	7005-72-3		
Fluorene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	86-73-7		
4-Nitroaniline	ND	ug/l	59.	1.2	02/05/01 22:15	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/l	59.	1.2	02/05/01 22:15	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	101-55-3		
Hexachlorobenzene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	118-74-1		
Pentachlorophenol	ND	ug/l	59.	1.2	02/05/01 22:15	WAW	87-86-5		
Phenanthrene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	85-01-8		
Anthracene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	120-12-7		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121327 Project Sample Number: 6047870-004 Date Collected: 01/22/01 09:30
Client Sample ID: NIC-GPW-GP10D-03-18Q Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Di-n-butylphthalate	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	84-74-2		
Fluoranthene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	206-44-0		
Pyrene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/l	24.	1.2	02/05/01 22:15	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	56-55-3		
Chrysene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/l	12.	1.2	02/05/01 22:15	WAW	191-24-2		
Nitrobenzene-d5 (S)	88	%		1.0	02/05/01 22:15	WAW	4165-60-0		
2-Fluorobiphenyl (S)	91	%		1.0	02/05/01 22:15	WAW	321-60-8		
Terphenyl-d14 (S)	76	%		1.0	02/05/01 22:15	WAW	1718-51-0		
Phenol-d6 (S)	81	%		1.0	02/05/01 22:15	WAW	13127-88-3		
2-Fluorophenol (S)	72	%		1.0	02/05/01 22:15	WAW	367-12-4		
2,4,6-Tribromophenol (S)	94	%		1.0	02/05/01 22:15	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121335 Project Sample Number: 6047870-005 Date Collected: 01/22/01 09:40
Client Sample ID: NIC-GPW-GP10D-03-18M Matrix: Water Date Received: 01/25/01 07:30

GC/MS Volatiles

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	56-23-5		
Chlorobenzene	2.0	ug/l	1.0	1.0	02/02/01 22:55	DJE	108-90-7	1	B
Chloroethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	02/02/01 22:55	DJE	7816-60-0		
Methylene chloride	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	02/02/01 22:55	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	02/02/01 22:55	DJE	75-01-4		
Toluene-d8 (S)	99	%		1.0	02/02/01 22:55	DJE	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121335 Project Sample Number: 6047870-005 Date Collected: 01/22/01 09:40
Client Sample ID: NIC-GPW-GP10D-03-18M Matrix: Water Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	97	%		1.0	02/02/01 22:55	DJE			
4-Bromofluorobenzene (S)	98	%		1.0	02/02/01 22:55	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	96	%		1.0	02/02/01 22:55	DJE	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121343 Project Sample Number: 6047870-006 Date Collected: 01/22/01 11:20
Client Sample ID: NIC-SSS-GP10D-03-0-0.2 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	**Method: EPA 6010**				**Prep Method: EPA 3050**				
Aluminum	4990	mg/kg	7.43	1.0	01/29/01	TMG	7429-90-5		
Antimony	1.51	mg/kg	0.990	1.0	01/29/01	TMG	7440-36-0		
Arsenic	1.97	mg/kg	0.495	1.0	01/29/01	TMG	7440-38-2		
Barium	86.8	mg/kg	0.396	1.0	01/29/01	TMG	7440-39-3		
Beryllium	0.441	mg/kg	0.0990	1.0	01/29/01	TMG	7440-41-7		
Cadmium	10.1	mg/kg	0.495	1.0	01/29/01	TMG	7440-43-9		
Calcium	30400	mg/kg	9.90	1.0	01/29/01	TMG	7440-70-2		
Chromium	11.4	mg/kg	0.693	1.0	01/29/01	TMG	7440-47-3		
Cobalt	4.03	mg/kg	0.693	1.0	01/29/01	TMG	7440-48-4		
Copper	93.9	mg/kg	0.990	1.0	01/29/01	TMG	7440-50-8		
Iron	9910	mg/kg	9.90	1.0	01/29/01	TMG	7439-89-6		
Lead	195.	mg/kg	0.495	1.0	01/29/01	TMG	7439-92-1		
Magnesium	4870	mg/kg	4.95	1.0	01/29/01	TMG	7439-95-4		
Manganese	178.	mg/kg	0.693	1.0	01/29/01	TMG	7439-96-5		
Nickel	16.9	mg/kg	2.97	1.0	01/29/01	TMG	7440-02-0		
Potassium	1390	mg/kg	99.0	1.0	01/29/01	TMG	7440-09-7		
Selenium	ND	mg/kg	0.495	1.0	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.693	1.0	01/29/01	TMG	7440-22-4		
Sodium	525.	mg/kg	14.9	1.0	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.58	1.0	01/29/01	TMG	7440-28-0		
Vanadium	16.0	mg/kg	1.19	1.0	01/29/01	TMG	7440-62-2		
Zinc	1790	mg/kg	4.95	1.0	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	**Method: EPA 7471**				**Prep Method: EPA 7471**				
Mercury	0.322	mg/kg	0.154	1.0	02/01/01 15:59	SYW	7439-97-6		
Organics Prep									
Percent Moisture	**Method:**								
Percent Moisture	12.4	%		1.0	01/29/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121343 Project Sample Number: 6047870-006 Date Collected: 01/22/01 11:20
Client Sample ID: NIC-SSS-GP10D-03-0-0.2 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	ND	ug/kg	5000	1.0	01/31/01 16:06	JLG			
Benzene	ND	ug/kg	50.	1.0	01/31/01 16:06	JLG	71-43-2		
Toluene	ND	ug/kg	50.	1.0	01/31/01 16:06	JLG	108-88-3		
Ethylbenzene	ND	ug/kg	50.	1.0	01/31/01 16:06	JLG	100-41-4		
Xylene (Total)	ND	ug/kg	130	1.0	01/31/01 16:06	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	96	%		1.0	01/31/01 16:06	JLG	2164-17-2		
4-Bromofluorobenzene (S)	100	%		1.0	01/31/01 16:06	JLG	460-00-4		
Bromochlorobenzene (S)	105	%		1.0	01/31/01 16:06	JLG			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	0.98	1.0	02/01/01 14:42	JLO	319-84-6		
beta-BHC	ND	ug/kg	2.0	1.0	02/01/01 14:42	JLO	319-85-7		
delta-BHC	ND	ug/kg	2.9	1.0	02/01/01 14:42	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	1.3	1.0	02/01/01 14:42	JLO	58-89-9		
Heptachlor	ND	ug/kg	0.98	1.0	02/01/01 14:42	JLO	76-44-8		
Aldrin	ND	ug/kg	1.3	1.0	02/01/01 14:42	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	3.3	1.0	02/01/01 14:42	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	4.6	1.0	02/01/01 14:42	JLO	959-98-8		
Dieldrin	ND	ug/kg	0.65	1.0	02/01/01 14:42	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	1.3	1.0	02/01/01 14:42	JLO	72-55-9		
Endrin	ND	ug/kg	2.0	1.0	02/01/01 14:42	JLO	72-20-8		
Endosulfan II	ND	ug/kg	1.3	1.0	02/01/01 14:42	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	3.3	1.0	02/01/01 14:42	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	22.	1.0	02/01/01 14:42	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	3.9	1.0	02/01/01 14:42	JLO	50-29-3		
Endrin ketone	ND	ug/kg	3.3	1.0	02/01/01 14:42	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	58.	1.0	02/01/01 14:42	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	4.6	1.0	02/01/01 14:42	JLO	57-74-9		
Toxaphene	ND	ug/kg	78.	1.0	02/01/01 14:42	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	7.5	1.0	02/01/01 14:42	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	1.7	1.0	02/01/01 14:42	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	1.7	1.0	02/01/01 14:42	JLO	5103-71-9		
Decachlorobiphenyl (S)	37	%		1.0	02/01/01 14:42	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121343 Project Sample Number: 6047870-006 Date Collected: 01/22/01 11:20
Client Sample ID: NIC-SSS-GP10D-03-0-0.2 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	47	%		1.0	02/01/01 14:42	JLO	877-09-8		
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	33.	1.0	02/01/01 23:40	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	33.	1.0	02/01/01 23:40	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	33.	1.0	02/01/01 23:40	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	33.	1.0	02/01/01 23:40	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	170	ug/kg	33.	1.0	02/01/01 23:40	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	33.	1.0	02/01/01 23:40	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	45.	ug/kg	33.	1.0	02/01/01 23:40	JLO	11096-82-5		
Decachlorobiphenyl (S)	30	%		1.0	02/01/01 23:40	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	32	%		1.0	02/01/01 23:40	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	8.6	0.9	01/29/01	TMD			
Jet Fuel	ND	mg/kg	8.6	0.9	01/29/01	TMD			
Kerosene	ND	mg/kg	8.6	0.9	01/29/01	TMD			
Diesel Fuel	ND	mg/kg	8.6	0.9	01/29/01	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	8.6	0.9	01/29/01	TMD	68334-30-5		
Motor Oil	1700	mg/kg	8.6	0.9	01/29/01	TMD			
n-Tetracosane (S)	93	%		1.0	01/29/01	TMD	646-31-1		
p-Terphenyl (S)	116	%		1.0	01/29/01	TMD	92-94-4		
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	75-34-3		
1,1-Dichloroethene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121343 Project Sample Number: 6047870-006 Date Collected: 01/22/01 11:20
Client Sample ID: NIC-SSS-GP10D-03-0-0.2 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	106-46-7		
Benzene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	71-43-2		
Bromodichloromethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	75-27-4		
Bromoform	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	75-25-2		
Bromomethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	74-83-9		
Carbon tetrachloride	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	56-23-5		
Chlorobenzene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	108-90-7		
Chloroethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	75-00-3		
Chloroform	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	67-66-3		
Chloromethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	10061-01-5		
Dibromochloromethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	124-48-1		
Ethylbenzene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	100-41-4		
m&p-Xylene	13.	ug/kg	5.0	1.0	01/29/01 20:14	NLA	7816-60-0		
Methylene chloride	5.5	ug/kg	5.0	1.0	01/29/01 20:14	NLA	75-09-2	1 B	UB
o-Xylene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	95-47-6		
Tetrachloroethene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	127-18-4		
Toluene	8.3	ug/kg	5.0	1.0	01/29/01 20:14	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	10061-02-6		
Trichloroethene	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	75-69-4		
Vinyl chloride	ND	ug/kg	5.0	1.0	01/29/01 20:14	NLA	75-01-4		
Dibromofluoromethane (S)	97	%		1.0	01/29/01 20:14	NLA			
Toluene-d8 (S)	97	%		1.0	01/29/01 20:14	NLA	2037-26-5		
4-Bromofluorobenzene (S)	87	%		1.0	01/29/01 20:14	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	01/29/01 20:14	NLA	17060-07-0		

GC/MS Semivolatiles

Semivolatile Organics	Method: EPA 8270				Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	6600	10.0	02/06/01 20:24	WAW	100-51-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121343 Project Sample Number: 6047870-006 Date Collected: 01/22/01 11:20
Client Sample ID: NIC-SSS-GP10D-03-0-0.2 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,2-Dichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	95-50-1	D	
2-Methylphenol (o-Cresol)	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	98-95-3		
Isophorone	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	105-67-9		
Benzoic acid	ND	ug/kg	16000	10.0	02/06/01 20:24	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	120-82-1		
Naphthalene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	6600	10.0	02/06/01 20:24	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	6600	10.0	02/06/01 20:24	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	16000	10.0	02/06/01 20:24	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	16000	10.0	02/06/01 20:24	WAW	99-09-2		
Acenaphthene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	16000	10.0	02/06/01 20:24	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	16000	10.0	02/06/01 20:24	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	7005-72-3		
Fluorene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	16000	10.0	02/06/01 20:24	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	16000	10.0	02/06/01 20:24	WAW	534-52-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121343 Project Sample Number: 6047870-006 Date Collected: 01/22/01 11:20
Client Sample ID: NIC-SSS-GP10D-03-0-0.2 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
N-Nitrosodiphenylamine	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	16000	10.0	02/06/01 20:24	WAW	87-86-5		
Phenanthrene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	85-01-8		
Anthracene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	84-74-2		
Fluoranthene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	206-44-0		
Pyrene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	6600	10.0	02/06/01 20:24	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	56-55-3		
Chrysene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	3300	10.0	02/06/01 20:24	WAW	191-24-2		
Nitrobenzene-d5 (S)	77	%		1.0	02/06/01 20:24	WAW	4165-60-0	2	
2-Fluorobiphenyl (S)	92	%		1.0	02/06/01 20:24	WAW	321-60-8		
Terphenyl-d14 (S)	69	%		1.0	02/06/01 20:24	WAW	1718-51-0		
Phenol-d6 (S)	76	%		1.0	02/06/01 20:24	WAW	13127-88-3		
2-Fluorophenol (S)	70	%		1.0	02/06/01 20:24	WAW	367-12-4		
2,4,6-Tribromophenol (S)	96	%		1.0	02/06/01 20:24	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121350 Project Sample Number: 6047870-007 Date Collected: 01/22/01 09:00
Client Sample ID: NIC-SS-GP10D-03-10.5 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Organics Prep									
Percent Moisture		Method:							
Percent Moisture	17.6	%		1.0	01/29/01	DCKI			
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	340000	ug/kg	20000	3.9	01/31/01 10:27	JLG			
Benzene	ND	ug/kg	200	3.9	01/31/01 10:27	JLG	71-43-2		
Toluene	680	ug/kg	200	3.9	01/31/01 10:27	JLG	108-88-3		
Ethylbenzene	1200	ug/kg	200	3.9	01/31/01 10:27	JLG	100-41-4		
Xylene (Total)	4400	ug/kg	510	3.9	01/31/01 10:27	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	94	%		1.0	01/31/01 10:27	JLG	2164-17-2		
4-Bromofluorobenzene (S)	98	%		1.0	01/31/01 10:27	JLG	460-00-4		
Bromochlorobenzene (S)	177	%		1.0	01/31/01 10:27	JLG		3	S
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	75-34-3		
1,1-Dichloroethene	ND	ug/kg	620	125	02/01/01 03:33	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	620	125	02/01/01 03:33	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/kg	620	125	02/01/01 03:33	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	620	125	02/01/01 03:33	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	620	125	02/01/01 03:33	NLA	106-46-7		
Benzene	ND	ug/kg	620	125	02/01/01 03:33	NLA	71-43-2		
Bromodichloromethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	75-27-4		
Bromoform	ND	ug/kg	620	125	02/01/01 03:33	NLA	75-25-2		
Bromomethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	74-83-9		
Carbon tetrachloride	ND	ug/kg	620	125	02/01/01 03:33	NLA	56-23-5		
Chlorobenzene	ND	ug/kg	620	125	02/01/01 03:33	NLA	108-90-7		
Chloroethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	75-00-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121350 Project Sample Number: 6047870-007 Date Collected: 01/22/01 09:00
Client Sample ID: NIC-SS-GP10D-03-10.5 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Chloroform	ND	ug/kg	620	125	02/01/01 03:33	NLA	67-66-3		
Chloromethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	620	125	02/01/01 03:33	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	620	125	02/01/01 03:33	NLA	10061-01-5		
Dibromochloromethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	124-48-1		
Ethylbenzene	ND	ug/kg	620	125	02/01/01 03:33	NLA	100-41-4		
m&p-Xylene	1100	ug/kg	620	125	02/01/01 03:33	NLA	7816-60-0		
Methylene chloride	ND	ug/kg	620	125	02/01/01 03:33	NLA	75-09-2		
o-Xylene	640	ug/kg	620	125	02/01/01 03:33	NLA	95-47-6		
Tetrachloroethene	ND	ug/kg	620	125	02/01/01 03:33	NLA	127-18-4		
Toluene	ND	ug/kg	620	125	02/01/01 03:33	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	620	125	02/01/01 03:33	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	620	125	02/01/01 03:33	NLA	10061-02-6		
Trichloroethene	ND	ug/kg	620	125	02/01/01 03:33	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/kg	620	125	02/01/01 03:33	NLA	75-69-4		
Vinyl chloride	ND	ug/kg	620	125	02/01/01 03:33	NLA	75-01-4		
Dibromofluoromethane (S)	92	%		1.0	02/01/01 03:33	NLA			
Toluene-d8 (S)	101	%		1.0	02/01/01 03:33	NLA	2037-26-5		
4-Bromofluorobenzene (S)	95	%		1.0	02/01/01 03:33	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	98	%		1.0	02/01/01 03:33	NLA	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121368 Project Sample Number: 6047870-008 Date Collected: 01/22/01 09:00
Client Sample ID: NIC-SS-GP10D-03-8-10 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	8440	mg/kg	6.94	0.9	01/29/01	TMG	7429-90-5		
Antimony	21.7	mg/kg	0.926	0.9	01/29/01	TMG	7440-36-0		
Arsenic	7.85	mg/kg	0.463	0.9	01/29/01	TMG	7440-38-2		
Barium	812.	mg/kg	0.370	0.9	01/29/01	TMG	7440-39-3		
Beryllium	0.293	mg/kg	0.0926	0.9	01/29/01	TMG	7440-41-7		
Cadmium	12.2	mg/kg	0.463	0.9	01/29/01	TMG	7440-43-9		
Calcium	22800	mg/kg	9.26	0.9	01/29/01	TMG	7440-70-2		
Chromium	89.6	mg/kg	0.648	0.9	01/29/01	TMG	7440-47-3		
Cobalt	13.9	mg/kg	0.648	0.9	01/29/01	TMG	7440-48-4		
Copper	477.	mg/kg	0.926	0.9	01/29/01	TMG	7440-50-8		
Iron	52900	mg/kg	9.26	0.9	01/29/01	TMG	7439-89-6		
Lead	1590	mg/kg	0.463	0.9	01/29/01	TMG	7439-92-1		
Magnesium	2670	mg/kg	4.63	0.9	01/29/01	TMG	7439-95-4		
Manganese	527.	mg/kg	0.648	0.9	01/29/01	TMG	7439-96-5		
Nickel	146.	mg/kg	2.78	0.9	01/29/01	TMG	7440-02-0		
Potassium	1220	mg/kg	92.6	0.9	01/29/01	TMG	7440-09-7		
Selenium	9.22	mg/kg	0.463	0.9	01/29/01	TMG	7782-49-2		
Silver	1.23	mg/kg	0.648	0.9	01/29/01	TMG	7440-22-4		
Sodium	1410	mg/kg	13.9	0.9	01/29/01	TMG	7440-23-5		
Thallium	2.18	mg/kg	1.48	0.9	01/29/01	TMG	7440-28-0		
Vanadium	17.1	mg/kg	1.11	0.9	01/29/01	TMG	7440-62-2		
Zinc	3040	mg/kg	4.63	0.9	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	0.289	mg/kg	0.154	1.0	02/01/01 16:01	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	26.3	%		1.0	01/29/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121368 Project Sample Number: 6047870-008 Date Collected: 01/22/01 09:00
Client Sample ID: NIC-SS-GP10D-03-8-10 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	29.	28.8	02/01/01 16:05	JLO	319-84-6		
beta-BHC	ND	ug/kg	57.	28.8	02/01/01 16:05	JLO	319-85-7		
delta-BHC	ND	ug/kg	86.	28.8	02/01/01 16:05	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	38.	28.8	02/01/01 16:05	JLO	58-89-9		
Heptachlor	ND	ug/kg	29.	28.8	02/01/01 16:05	JLO	76-44-8		
Aldrin	ND	ug/kg	38.	28.8	02/01/01 16:05	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	95.	28.8	02/01/01 16:05	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	130	28.8	02/01/01 16:05	JLO	959-98-8		
Dieldrin	ND	ug/kg	19.	28.8	02/01/01 16:05	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	38.	28.8	02/01/01 16:05	JLO	72-55-9		
Endrin	ND	ug/kg	57.	28.8	02/01/01 16:05	JLO	72-20-8		
Endosulfan II	ND	ug/kg	38.	28.8	02/01/01 16:05	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	97.	28.8	02/01/01 16:05	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	630	28.8	02/01/01 16:05	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	110	28.8	02/01/01 16:05	JLO	50-29-3		
Endrin ketone	ND	ug/kg	95.	28.8	02/01/01 16:05	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	1700	28.8	02/01/01 16:05	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	130	28.8	02/01/01 16:05	JLO	57-74-9		
Toxaphene	ND	ug/kg	2300	28.8	02/01/01 16:05	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	220	28.8	02/01/01 16:05	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	49.	28.8	02/01/01 16:05	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	49.	28.8	02/01/01 16:05	JLO	5103-71-9		
Decachlorobiphenyl (S)	63	%		1.0	02/01/01 16:05	JLO	2051-24-3	4	
Tetrachloro-m-xylene (S)	96	%		1.0	02/01/01 16:05	JLO	877-09-8		
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	950	28.8	02/02/01 00:26	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	950	28.8	02/02/01 00:26	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	950	28.8	02/02/01 00:26	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	950	28.8	02/02/01 00:26	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	ND	ug/kg	950	28.8	02/02/01 00:26	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	950	28.8	02/02/01 00:26	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	ND	ug/kg	950	28.8	02/02/01 00:26	JLO	11096-82-5		
Decachlorobiphenyl (S)	52	%		1.0	02/02/01 00:26	JLO	2051-24-3	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121368 Project Sample Number: 6047870-008 Date Collected: 01/22/01 09:00
Client Sample ID: NIC-SS-GP10D-03-8-10 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	60	%		1.0	02/02/01 00:26	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons	Method: OA2				Prep Method: OA2				
Mineral Spirits	ND	mg/kg	950	94.9	01/27/01 04:19	TMD			
Jet Fuel	ND	mg/kg	950	94.9	01/27/01 04:19	TMD			
Kerosene	ND	mg/kg	950	94.9	01/27/01 04:19	TMD			
Diesel Fuel	70000	mg/kg	950	94.9	01/27/01 04:19	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	950	94.9	01/27/01 04:19	TMD	68334-30-5		
Motor Oil	ND	mg/kg	950	94.9	01/27/01 04:19	TMD			
n-Tetracosane (S)	0	%		1.0	01/27/01 04:19	TMD	646-31-1		
p-Terphenyl (S)	0	%		1.0	01/27/01 04:19	TMD	92-94-4	6	
Date Extracted					01/26/01				

GC/MS Semivolatiles

Semivolatile Organics	Method: EPA 8270				Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	6600	10.0	02/06/01 19:10	WAW	100-51-6		
1,2-Dichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	98-95-3		
Isophorone	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	105-67-9		
Benzoic acid	ND	ug/kg	16000	10.0	02/06/01 19:10	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	120-82-1		
Naphthalene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	91-20-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121368 Project Sample Number: 6047870-008 Date Collected: 01/22/01 09:00
Client Sample ID: NIC-SS-GP10D-03-8-10 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
4-Chloroaniline	ND	ug/kg	6600	10.0	02/06/01 19:10	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	6600	10.0	02/06/01 19:10	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	16000	10.0	02/06/01 19:10	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	16000	10.0	02/06/01 19:10	WAW	99-09-2		
Acenaphthene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	16000	10.0	02/06/01 19:10	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	16000	10.0	02/06/01 19:10	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	7005-72-3		
Fluorene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	16000	10.0	02/06/01 19:10	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	16000	10.0	02/06/01 19:10	WAW	534-52-1		
N-Nitrosodiphenylamine	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	16000	10.0	02/06/01 19:10	WAW	87-86-5		
Phenanthrene	2900	ug/kg	3300	10.0	02/06/01 19:10	WAW	85-01-8	7	
Anthracene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	84-74-2		
Fluoranthene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	206-44-0		
Pyrene	1700	ug/kg	3300	10.0	02/06/01 19:10	WAW	129-00-0	7	
Butylbenzylphthalate	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	6600	10.0	02/06/01 19:10	WAW	91-94-1		
Benzo(a)anthracene	1400	ug/kg	3300	10.0	02/06/01 19:10	WAW	56-55-3	7	
Chrysene	2400	ug/kg	3300	10.0	02/06/01 19:10	WAW	218-01-9	7	
bis(2-Ethylhexyl)phthalate	2400	ug/kg	3300	10.0	02/06/01 19:10	WAW	117-81-7	7	
Di-n-octylphthalate	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	117-84-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121368 Project Sample Number: 6047870-008 Date Collected: 01/22/01 09:00
Client Sample ID: NIC-SS-GP10D-03-8-10 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Benzo(b)fluoranthene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	3300	10.0	02/06/01 19:10	WAW	191-24-2		
Nitrobenzene-d5 (S)	77	%		1.0	02/06/01 19:10	WAW	4165-60-0	2	
2-Fluorobiphenyl (S)	98	%		1.0	02/06/01 19:10	WAW	321-60-8		
Terphenyl-d14 (S)	68	%		1.0	02/06/01 19:10	WAW	1718-51-0		
Phenol-d6 (S)	73	%		1.0	02/06/01 19:10	WAW	13127-88-3		
2-Fluorophenol (S)	69	%		1.0	02/06/01 19:10	WAW	367-12-4		
2,4,6-Tribromophenol (S)	59	%		1.0	02/06/01 19:10	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121376 Project Sample Number: 6047870-009 Date Collected: 01/22/01 12:00
Client Sample ID: NIC-SSS-GP10D-04-TRENCH Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010			Prep Method: EPA 3050					
Aluminum	352.	mg/kg	7.28	1.0	01/29/01	TMG	7429-90-5		
Antimony	ND	mg/kg	0.971	1.0	01/29/01	TMG	7440-36-0		
Arsenic	0.982	mg/kg	0.485	1.0	01/29/01	TMG	7440-38-2		
Barium	6.71	mg/kg	0.388	1.0	01/29/01	TMG	7440-39-3		
Beryllium	ND	mg/kg	0.0971	1.0	01/29/01	TMG	7440-41-7		
Cadmium	ND	mg/kg	0.485	1.0	01/29/01	TMG	7440-43-9		
Calcium	11800	mg/kg	9.71	1.0	01/29/01	TMG	7440-70-2		
Chromium	1.90	mg/kg	0.680	1.0	01/29/01	TMG	7440-47-3		
Cobalt	ND	mg/kg	0.680	1.0	01/29/01	TMG	7440-48-4		
Copper	22.0	mg/kg	0.971	1.0	01/29/01	TMG	7440-50-8		
Iron	1710	mg/kg	9.71	1.0	01/29/01	TMG	7439-89-6		
Lead	110.	mg/kg	0.485	1.0	01/29/01	TMG	7439-92-1		
Magnesium	167.	mg/kg	4.85	1.0	01/29/01	TMG	7439-95-4		
Manganese	18.9	mg/kg	0.680	1.0	01/29/01	TMG	7439-96-5		
Nickel	ND	mg/kg	2.91	1.0	01/29/01	TMG	7440-02-0		
Potassium	ND	mg/kg	97.1	1.0	01/29/01	TMG	7440-09-7		
Selenium	1.56	mg/kg	0.485	1.0	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.680	1.0	01/29/01	TMG	7440-22-4		
Sodium	3250	mg/kg	14.6	1.0	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.55	1.0	01/29/01	TMG	7440-28-0		
Vanadium	5.03	mg/kg	1.17	1.0	01/29/01	TMG	7440-62-2		
Zinc	61.3	mg/kg	4.85	1.0	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471			Prep Method: EPA 7471					
Mercury	ND	mg/kg	0.154	1.0	02/01/01 16:03	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	28.0	%		1.0	01/29/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121376 Project Sample Number: 6047870-009 Date Collected: 01/22/01 12:00
Client Sample ID: NIC-SSS-GP10D-04-TRENCH Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	370000	ug/kg	32000	6.5	01/31/01 10:56	JLG			
Benzene	ND	ug/kg	320	6.5	01/31/01 10:56	JLG	71-43-2		
Toluene	2500	ug/kg	320	6.5	01/31/01 10:56	JLG	108-88-3		
Ethylbenzene	2100	ug/kg	320	6.5	01/31/01 10:56	JLG	100-41-4		
Xylene (Total)	7900	ug/kg	840	6.5	01/31/01 10:56	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	101	%		1.0	01/31/01 10:56	JLG	2164-17-2		
4-Bromofluorobenzene (S)	98	%		1.0	01/31/01 10:56	JLG	460-00-4		
Bromochlorobenzene (S)	124	%		1.0	01/31/01 10:56	JLG			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	270	270	02/01/01 16:47	JLO	319-84-6		
beta-BHC	ND	ug/kg	540	270	02/01/01 16:47	JLO	319-85-7		
delta-BHC	ND	ug/kg	800	270	02/01/01 16:47	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	360	270	02/01/01 16:47	JLO	58-89-9		
Heptachlor	ND	ug/kg	270	270	02/01/01 16:47	JLO	76-44-8		
Aldrin	ND	ug/kg	360	270	02/01/01 16:47	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	890	270	02/01/01 16:47	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	1200	270	02/01/01 16:47	JLO	959-98-8		
Dieldrin	ND	ug/kg	180	270	02/01/01 16:47	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	360	270	02/01/01 16:47	JLO	72-55-9		
Endrin	ND	ug/kg	540	270	02/01/01 16:47	JLO	72-20-8		
Endosulfan II	ND	ug/kg	360	270	02/01/01 16:47	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	910	270	02/01/01 16:47	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	5900	270	02/01/01 16:47	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	1100	270	02/01/01 16:47	JLO	50-29-3		
Endrin ketone	ND	ug/kg	890	270	02/01/01 16:47	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	16000	270	02/01/01 16:47	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	1200	270	02/01/01 16:47	JLO	57-74-9		
Toxaphene	ND	ug/kg	21000	270	02/01/01 16:47	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	2100	270	02/01/01 16:47	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	460	270	02/01/01 16:47	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	460	270	02/01/01 16:47	JLO	5103-71-9		
Decachlorobiphenyl (S)	84	%		1.0	02/01/01 16:47	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121376 Project Sample Number: 6047870-009 Date Collected: 01/22/01 12:00
Client Sample ID: NIC-SSS-GP10D-04-TRENCH Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	126	%		1.0	02/01/01 16:47	JLO	877-09-8	2	
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	890	27.0	02/02/01 00:48	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	890	27.0	02/02/01 00:48	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	890	27.0	02/02/01 00:48	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	890	27.0	02/02/01 00:48	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	6100	ug/kg	890	27.0	02/02/01 00:48	JLO	12672-29-6		
PCB-1254 (Aroclor 1254)	ND	ug/kg	890	27.0	02/02/01 00:48	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	390	ug/kg	890	27.0	02/02/01 00:48	JLO	11096-82-5	7	
Decachlorobiphenyl (S)	47	%		1.0	02/02/01 00:48	JLO	2051-24-3	5	
Tetrachloro-m-xylene (S)	60	%		1.0	02/02/01 00:48	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	2300	235	01/29/01 13:43	TMD			
Jet Fuel	ND	mg/kg	2300	235	01/29/01 13:43	TMD			
Kerosene	ND	mg/kg	2300	235	01/29/01 13:43	TMD			
Diesel Fuel	85000	mg/kg	2300	235	01/29/01 13:43	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	2300	235	01/29/01 13:43	TMD	68334-30-5		
Motor Oil	ND	mg/kg	2300	235	01/29/01 13:43	TMD			
n-Tetracosane (S)	0	%		1.0	01/29/01 13:43	TMD	646-31-1		
p-Terphenyl (S)	0	%		1.0	01/29/01 13:43	TMD	92-94-4	6	
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	75-34-3	8	
1,1-Dichloroethene	ND	ug/kg	620	125	02/01/01 04:37	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	620	125	02/01/01 04:37	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/kg	620	125	02/01/01 04:37	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	620	125	02/01/01 04:37	NLA	541-73-1		

B
J
D

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121376 Project Sample Number: 6047870-009 Date Collected: 01/22/01 12:00
Client Sample ID: NIC-SSS-GP10D-04-TRENCH Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	620	125	02/01/01 04:37	NLA	106-46-7		
Benzene	ND	ug/kg	620	125	02/01/01 04:37	NLA	71-43-2		
Bromodichloromethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	75-27-4		
Bromoform	ND	ug/kg	620	125	02/01/01 04:37	NLA	75-25-2		
Bromomethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	74-83-9		
Carbon tetrachloride	ND	ug/kg	620	125	02/01/01 04:37	NLA	56-23-5		
Chlorobenzene	ND	ug/kg	620	125	02/01/01 04:37	NLA	108-90-7		
Chloroethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	75-00-3		
Chloroform	ND	ug/kg	620	125	02/01/01 04:37	NLA	67-66-3		
Chloromethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	620	125	02/01/01 04:37	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	620	125	02/01/01 04:37	NLA	10061-01-5		
Dibromochloromethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	124-48-1		
Ethylbenzene	ND	ug/kg	620	125	02/01/01 04:37	NLA	100-41-4		
m&p-Xylene	ND	ug/kg	620	125	02/01/01 04:37	NLA	7816-60-0		
Methylene chloride	ND	ug/kg	620	125	02/01/01 04:37	NLA	75-09-2		
o-Xylene	ND	ug/kg	620	125	02/01/01 04:37	NLA	95-47-6		
Tetrachloroethene	ND	ug/kg	620	125	02/01/01 04:37	NLA	127-18-4		
Toluene	ND	ug/kg	620	125	02/01/01 04:37	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	620	125	02/01/01 04:37	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	620	125	02/01/01 04:37	NLA	10061-02-6		
Trichloroethene	ND	ug/kg	620	125	02/01/01 04:37	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/kg	620	125	02/01/01 04:37	NLA	75-69-4		
Vinyl chloride	ND	ug/kg	620	125	02/01/01 04:37	NLA	75-01-4		
Dibromofluoromethane (S)	92	%		1.0	02/01/01 04:37	NLA			
Toluene-d8 (S)	100	%		1.0	02/01/01 04:37	NLA	2037-26-5		
4-Bromofluorobenzene (S)	93	%		1.0	02/01/01 04:37	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	98	%		1.0	02/01/01 04:37	NLA	17060-07-0		
GC/MS Semivolatiles									
Semivolatile Organics		Method: EPA 8270			Prep Method: EPA 3550 Sonication				
Phenol	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	13000	20.0	02/06/01 21:01	WAW	100-51-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121376 Project Sample Number: 6047870-009 Date Collected: 01/22/01 12:00
Client Sample ID: NIC-SSS-GP10D-04-TRENCH Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,2-Dichlorobenzene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	98-95-3		
Isophorone	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	105-67-9		
Benzoic acid	ND	ug/kg	32000	20.0	02/06/01 21:01	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	120-82-1		
Naphthalene	7100	ug/kg	6600	20.0	02/06/01 21:01	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	13000	20.0	02/06/01 21:01	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	13000	20.0	02/06/01 21:01	WAW	59-50-7		
2-Methylnaphthalene	25000	ug/kg	6600	20.0	02/06/01 21:01	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	32000	20.0	02/06/01 21:01	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	32000	20.0	02/06/01 21:01	WAW	99-09-2		
Acenaphthene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	32000	20.0	02/06/01 21:01	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	32000	20.0	02/06/01 21:01	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	7005-72-3		
Fluorene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	32000	20.0	02/06/01 21:01	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	32000	20.0	02/06/01 21:01	WAW	534-52-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121376 Project Sample Number: 6047870-009 Date Collected: 01/22/01 12:00
Client Sample ID: NIC-SSS-GP10D-04-TRENCH Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
N-Nitrosodiphenylamine	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	32000	20.0	02/06/01 21:01	WAW	87-86-5		
Phenanthrene	16000	ug/kg	6600	20.0	02/06/01 21:01	WAW	85-01-8		
Anthracene	3300	ug/kg	6600	20.0	02/06/01 21:01	WAW	120-12-7	7 J	
Di-n-butylphthalate	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	84-74-2		
Fluoranthene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	206-44-0		
Pyrene	13000	ug/kg	6600	20.0	02/06/01 21:01	WAW	129-00-0		
Butylbenzylphthalate	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	13000	20.0	02/06/01 21:01	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	56-55-3		
Chrysene	4000	ug/kg	6600	20.0	02/06/01 21:01	WAW	218-01-9	7 J	
bis(2-Ethylhexyl)phthalate	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	117-81-7		
Di-n-octylphthalate	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	6600	20.0	02/06/01 21:01	WAW	191-24-2		
Nitrobenzene-d5 (S)	63	%		1.0	02/06/01 21:01	WAW	4165-60-0	2	
2-Fluorobiphenyl (S)	80	%		1.0	02/06/01 21:01	WAW	321-60-8		
Terphenyl-d14 (S)	55	%		1.0	02/06/01 21:01	WAW	1718-51-0		
Phenol-d6 (S)	53	%		1.0	02/06/01 21:01	WAW	13127-88-3		
2-Fluorophenol (S)	40	%		1.0	02/06/01 21:01	WAW	367-12-4		
2,4,6-Tribromophenol (S)	18	%		1.0	02/06/01 21:01	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121384 Project Sample Number: 6047870-010 Date Collected: 01/22/01 13:00
Client Sample ID: NIC-SSS-GP10D-05-0-0.4 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Metals									
Metals, Trace ICP, Soil	Method: EPA 6010				Prep Method: EPA 3050				
Aluminum	8070	mg/kg	6.94	0.9	01/29/01	TMG	7429-90-5		
Antimony	1.75	mg/kg	0.926	0.9	01/29/01	TMG	7440-36-0		
Arsenic	3.21	mg/kg	0.463	0.9	01/29/01	TMG	7440-38-2		
Barium	261.	mg/kg	0.370	0.9	01/29/01	TMG	7440-39-3		
Beryllium	0.462	mg/kg	0.0926	0.9	01/29/01	TMG	7440-41-7		
Cadmium	5.30	mg/kg	0.463	0.9	01/29/01	TMG	7440-43-9		
Calcium	12200	mg/kg	9.26	0.9	01/29/01	TMG	7440-70-2		
Chromium	22.8	mg/kg	0.648	0.9	01/29/01	TMG	7440-47-3		
Cobalt	6.45	mg/kg	0.648	0.9	01/29/01	TMG	7440-48-4		
Copper	75.8	mg/kg	0.926	0.9	01/29/01	TMG	7440-50-8		
Iron	19100	mg/kg	9.26	0.9	01/29/01	TMG	7439-89-6		
Lead	304.	mg/kg	0.463	0.9	01/29/01	TMG	7439-92-1		
Magnesium	2410	mg/kg	4.63	0.9	01/29/01	TMG	7439-95-4		
Manganese	225.	mg/kg	0.648	0.9	01/29/01	TMG	7439-96-5		
Nickel	64.1	mg/kg	2.78	0.9	01/29/01	TMG	7440-02-0		
Potassium	1330	mg/kg	92.6	0.9	01/29/01	TMG	7440-09-7		
Selenium	3.13	mg/kg	0.463	0.9	01/29/01	TMG	7782-49-2		
Silver	ND	mg/kg	0.648	0.9	01/29/01	TMG	7440-22-4		
Sodium	202.	mg/kg	13.9	0.9	01/29/01	TMG	7440-23-5		
Thallium	ND	mg/kg	1.48	0.9	01/29/01	TMG	7440-28-0		
Vanadium	21.2	mg/kg	1.11	0.9	01/29/01	TMG	7440-62-2		
Zinc	701.	mg/kg	4.63	0.9	01/29/01	TMG	7440-66-6		
Date Digested					01/26/01				
Mercury, Soil CVAAS	Method: EPA 7471				Prep Method: EPA 7471				
Mercury	0.354	mg/kg	0.154	1.0	02/01/01 16:05	SYW	7439-97-6		
Organics Prep									
Percent Moisture	Method:								
Percent Moisture	17.5	%		1.0	01/29/01	DCKI			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121384 Project Sample Number: 6047870-010 Date Collected: 01/22/01 13:00
Client Sample ID: NIC-SSS-GP10D-05-0-0.4 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Volatiles									
TPH Gas/BTEX		Method: EPA 8021/OA1			Prep Method: TPH GRO/BTEX				
Gasoline Range Hydrocarbons	ND	ug/kg	5000	1.0	01/31/01 21:21	JLG			
Benzene	ND	ug/kg	50.	1.0	01/31/01 21:21	JLG	71-43-2		
Toluene	ND	ug/kg	50.	1.0	01/31/01 21:21	JLG	108-88-3		
Ethylbenzene	ND	ug/kg	50.	1.0	01/31/01 21:21	JLG	100-41-4		
Xylene (Total)	ND	ug/kg	130	1.0	01/31/01 21:21	JLG	1330-20-7		
a,a,a-Trifluorotoluene (S)	94	%		1.0	01/31/01 21:21	JLG	2164-17-2		
4-Bromofluorobenzene (S)	87	%		1.0	01/31/01 21:21	JLG	460-00-4		
Bromochlorobenzene (S)	104	%		1.0	01/31/01 21:21	JLG			
GC Semivolatiles									
Organochlorine Pesticides, GC		Method: EPA 8081A			Prep Method: EPA 3550				
alpha-BHC	ND	ug/kg	0.97	1.0	02/01/01 17:28	JLO	319-84-6		
beta-BHC	ND	ug/kg	1.9	1.0	02/01/01 17:28	JLO	319-85-7		
delta-BHC	ND	ug/kg	2.9	1.0	02/01/01 17:28	JLO	319-86-8		
gamma-BHC (Lindane)	ND	ug/kg	1.3	1.0	02/01/01 17:28	JLO	58-89-9		
Heptachlor	ND	ug/kg	0.97	1.0	02/01/01 17:28	JLO	76-44-8		
Aldrin	ND	ug/kg	1.3	1.0	02/01/01 17:28	JLO	309-00-2		
Heptachlor epoxide	ND	ug/kg	3.2	1.0	02/01/01 17:28	JLO	1024-57-3		
Endosulfan I	ND	ug/kg	4.5	1.0	02/01/01 17:28	JLO	959-98-8		
Dieldrin	ND	ug/kg	0.65	1.0	02/01/01 17:28	JLO	60-57-1		
4,4'-DDE	ND	ug/kg	1.3	1.0	02/01/01 17:28	JLO	72-55-9		
Endrin	ND	ug/kg	1.9	1.0	02/01/01 17:28	JLO	72-20-8		
Endosulfan II	ND	ug/kg	1.3	1.0	02/01/01 17:28	JLO	33213-65-9		
4,4'-DDD	ND	ug/kg	3.3	1.0	02/01/01 17:28	JLO	72-54-8		
Endosulfan sulfate	ND	ug/kg	21.	1.0	02/01/01 17:28	JLO	1031-07-8		
4,4'-DDT	ND	ug/kg	3.9	1.0	02/01/01 17:28	JLO	50-29-3		
Endrin ketone	ND	ug/kg	3.2	1.0	02/01/01 17:28	JLO	53494-70-5		
Methoxychlor	ND	ug/kg	57.	1.0	02/01/01 17:28	JLO	72-43-5		
Chlordane (Technical)	ND	ug/kg	4.5	1.0	02/01/01 17:28	JLO	57-74-9		
Toxaphene	ND	ug/kg	78.	1.0	02/01/01 17:28	JLO	8001-35-2		
Endrin aldehyde	ND	ug/kg	7.4	1.0	02/01/01 17:28	JLO	7421-93-4		
gamma-Chlordane	ND	ug/kg	1.7	1.0	02/01/01 17:28	JLO	5103-74-2		
alpha-Chlordane	ND	ug/kg	1.7	1.0	02/01/01 17:28	JLO	5103-71-9		
Decachlorobiphenyl (S)	56	%		1.0	02/01/01 17:28	JLO	2051-24-3		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121384 Project Sample Number: 6047870-010 Date Collected: 01/22/01 13:00
Client Sample ID: NIC-SSS-GP10D-05-0-0.4 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Tetrachloro-m-xylene (S)	75	%		1.0	02/01/01 17:28	JLO	877-09-8		
Date Extracted					01/26/01				
PCBs in Soil by 8082		Method: EPA 8082			Prep Method: EPA 3550				
PCB-1016 (Aroclor 1016)	ND	ug/kg	32.	1.0	02/02/01 01:11	JLO	12674-11-2		
PCB-1221 (Aroclor 1221)	ND	ug/kg	32.	1.0	02/02/01 01:11	JLO	11104-28-2		
PCB-1232 (Aroclor 1232)	ND	ug/kg	32.	1.0	02/02/01 01:11	JLO	11141-16-5		
PCB-1242 (Aroclor 1242)	ND	ug/kg	32.	1.0	02/02/01 01:11	JLO	53469-21-9		
PCB-1248 (Aroclor 1248)	1100	ug/kg	320	9.8	02/02/01 01:11	JLO	12672-29-6	9 D	
PCB-1254 (Aroclor 1254)	ND	ug/kg	32.	1.0	02/02/01 01:11	JLO	11097-69-1		
PCB-1260 (Aroclor 1260)	500	ug/kg	32.	1.0	02/02/01 01:11	JLO	11096-82-5		
Decachlorobiphenyl (S)	52	%		1.0	02/02/01 01:11	JLO	2051-24-3		
Tetrachloro-m-xylene (S)	61	%		1.0	02/02/01 01:11	JLO	877-09-8		
Date Extracted					01/26/01				
Total Extractable Hydrocarbons		Method: OA2			Prep Method: OA2				
Mineral Spirits	ND	mg/kg	9.1	0.9	01/29/01 13:09	TMD			
Jet Fuel	ND	mg/kg	9.1	0.9	01/29/01 13:09	TMD			
Kerosene	ND	mg/kg	9.1	0.9	01/29/01 13:09	TMD			
Diesel Fuel	ND	mg/kg	9.1	0.9	01/29/01 13:09	TMD	68334-30-5		
Fuel Oil	ND	mg/kg	9.1	0.9	01/29/01 13:09	TMD	68334-30-5		
Motor Oil	720	mg/kg	9.1	0.9	01/29/01 13:09	TMD			
n-Tetracosane (S)	131	%		1.0	01/29/01 13:09	TMD	646-31-1		
p-Terphenyl (S)	112	%		1.0	01/29/01 13:09	TMD	92-94-4		
Date Extracted					01/26/01				
GC/MS Volatiles									
GC/MS VOCs by 8260		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	75-34-3		
1,1-Dichloroethene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	541-73-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121384 Project Sample Number: 6047870-010 Date Collected: 01/22/01 13:00
Client Sample ID: NIC-SSS-GP10D-05-0-0.4 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,4-Dichlorobenzene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	106-46-7		
Benzene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	71-43-2		
Bromodichloromethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	75-27-4		
Bromoform	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	75-25-2		
Bromomethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	74-83-9		
Carbon tetrachloride	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	56-23-5		
Chlorobenzene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	108-90-7		
Chloroethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	75-00-3		
Chloroform	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	67-66-3		
Chloromethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	10061-01-5		
Dibromochloromethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	124-48-1		
Ethylbenzene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	100-41-4		
m&p-Xylene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	7816-60-0		
Methylene chloride	5.6	ug/kg	5.0	1.0	01/29/01 21:49	NLA	75-09-2	1 B	UB
o-Xylene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	95-47-6		
Tetrachloroethene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	127-18-4		
Toluene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	10061-02-6		
Trichloroethene	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	75-69-4		
Vinyl chloride	ND	ug/kg	5.0	1.0	01/29/01 21:49	NLA	75-01-4		
Dibromofluoromethane (S)	99	%		1.0	01/29/01 21:49	NLA			
Toluene-d8 (S)	96	%		1.0	01/29/01 21:49	NLA	2037-26-5		
4-Bromofluorobenzene (S)	90	%		1.0	01/29/01 21:49	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	104	%		1.0	01/29/01 21:49	NLA	17060-07-0		

GC/MS Semivolatiles

Semivolatile Organics	Method: EPA 8270			Prep Method: EPA 3550 Sonication					
Phenol	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	108-95-2		
bis(2-Chloroethyl) ether	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	111-44-4		
2-Chlorophenol	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	95-57-8		
1,3-Dichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	541-73-1		
1,4-Dichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	106-46-7		
Benzyl alcohol	ND	ug/kg	6600	10.0	02/06/01 19:47	WAW	100-51-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121384 Project Sample Number: 6047870-010 Date Collected: 01/22/01 13:00
Client Sample ID: NIC-SSS-GP10D-05-0-0.4 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
1,2-Dichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	95-50-1		
2-Methylphenol (o-Cresol)	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	95-48-7		
bis(2-Chloroisopropyl) ether	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	39638-32-9		
4-Methylphenol (p-Cresol)	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	106-44-5		
N-Nitroso-di-n-propylamine	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	621-64-7		
Hexachloroethane	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	67-72-1		
Nitrobenzene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	98-95-3		
Isophorone	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	78-59-1		
2-Nitrophenol	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	88-75-5		
2,4-Dimethylphenol	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	105-67-9		
Benzoic acid	ND	ug/kg	16000	10.0	02/06/01 19:47	WAW	65-85-0		
bis(2-Chloroethoxy)methane	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	111-91-1		
2,4-Dichlorophenol	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	120-83-2		
1,2,4-Trichlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	120-82-1		
Naphthalene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	91-20-3		
4-Chloroaniline	ND	ug/kg	6600	10.0	02/06/01 19:47	WAW	106-47-8		
Hexachloro-1,3-butadiene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	87-68-3		
4-Chloro-3-methylphenol	ND	ug/kg	6600	10.0	02/06/01 19:47	WAW	59-50-7		
2-Methylnaphthalene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	91-57-6		
Hexachlorocyclopentadiene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	77-47-4		
2,4,6-Trichlorophenol	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	88-06-2		
2,4,5-Trichlorophenol	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	95-95-4		
2-Chloronaphthalene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	91-58-7		
2-Nitroaniline	ND	ug/kg	16000	10.0	02/06/01 19:47	WAW	88-74-4		
Dimethylphthalate	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	131-11-3		
Acenaphthylene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	208-96-8		
2,6-Dinitrotoluene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	606-20-2		
3-Nitroaniline	ND	ug/kg	16000	10.0	02/06/01 19:47	WAW	99-09-2		
Acenaphthene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	83-32-9		
2,4-Dinitrophenol	ND	ug/kg	16000	10.0	02/06/01 19:47	WAW	51-28-5		
4-Nitrophenol	ND	ug/kg	16000	10.0	02/06/01 19:47	WAW	100-02-7		
Dibenzofuran	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	132-64-9		
2,4-Dinitrotoluene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	121-14-2		
Diethylphthalate	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	84-66-2		
4-Chlorophenylphenyl ether	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	7005-72-3		
Fluorene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	86-73-7		
4-Nitroaniline	ND	ug/kg	16000	10.0	02/06/01 19:47	WAW	100-01-6		
4,6-Dinitro-2-methylphenol	ND	ug/kg	16000	10.0	02/06/01 19:47	WAW	534-52-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604121384 Project Sample Number: 6047870-010 Date Collected: 01/22/01 13:00
Client Sample ID: NIC-SSS-GP10D-05-0-0.4 Matrix: Soil Date Received: 01/25/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
N-Nitrosodiphenylamine	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	86-30-6		
4-Bromophenylphenyl ether	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	101-55-3		
Hexachlorobenzene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	118-74-1		
Pentachlorophenol	ND	ug/kg	16000	10.0	02/06/01 19:47	WAW	87-86-5		
Phenanthrene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	85-01-8		
Anthracene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	120-12-7		
Di-n-butylphthalate	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	84-74-2		
Fluoranthene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	206-44-0		
Pyrene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	129-00-0		
Butylbenzylphthalate	3900	ug/kg	3300	10.0	02/06/01 19:47	WAW	85-68-7		
3,3'-Dichlorobenzidine	ND	ug/kg	6600	10.0	02/06/01 19:47	WAW	91-94-1		
Benzo(a)anthracene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	56-55-3		
Chrysene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	218-01-9		
bis(2-Ethylhexyl)phthalate	1800	ug/kg	3300	10.0	02/06/01 19:47	WAW	117-81-7	7 J	
Di-n-octylphthalate	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	117-84-0		
Benzo(b)fluoranthene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	207-08-9		
Benzo(a)pyrene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	50-32-8		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	193-39-5		
Dibenz(a,h)anthracene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	53-70-3		
Benzo(g,h,i)perylene	ND	ug/kg	3300	10.0	02/06/01 19:47	WAW	191-24-2		
Nitrobenzene-d5 (S)	78	%		1.0	02/06/01 19:47	WAW	4165-60-0	2	
2-Fluorobiphenyl (S)	94	%		1.0	02/06/01 19:47	WAW	321-60-8		
Terphenyl-d14 (S)	75	%		1.0	02/06/01 19:47	WAW	1718-51-0		
Phenol-d6 (S)	67	%		1.0	02/06/01 19:47	WAW	13127-88-3		
2-Fluorophenol (S)	61	%		1.0	02/06/01 19:47	WAW	367-12-4		
2,4,6-Tribromophenol (S)	68	%		1.0	02/06/01 19:47	WAW	118-79-6		
Date Extracted					01/29/01				

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	Analyte is found in the associated blank as well as in the sample (CLP B-Flag).
[2]	The sample contains matrix interferences requiring sample dilution. The Pace reporting limits are adjusted for the dilution and the surrogate recovery information is from the dilution.
[3]	The surrogate recovery value exceeded the laboratory established control limits. The primary surrogate, a,a,a-trifluorotoluene, was recovered within control limits; therefore, the results were accepted without reanalysis.
[4]	The sample was prepared as a high concentration extraction due to the presence of petroleum hydrocarbons. The reporting limts were adjusted accordingly.
[5]	The sample was prepared as a high concentration extraction due to the presence of petroleum hydrocarbons. The reporting limits are adjusted accordingly.
[6]	The sample contains a high concentration analyte requiring sample dilution. The Pace reporting limits are adjusted for the dilution and the surrogate recovery information is not available.
[7]	Detected but below the PRL; therefore, result is an estimated concentration (CLP J-Flag).
[8]	This sample has elevated PRLs due to low internal standard area recoveries for a low level analysis.
[9]	The result is from a 1:10 dilution on 2/2/2001.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97935 QC Batch Method: TPH GRO/BTEX
Analysis Method: EPA 8021/OA1 Analysis Description: TPH Gas/BTEX
Associated Lab Samples: 604121343 604121350 604121376 604121384

METHOD BLANK: 604124529
Associated Lab Samples: 604121343 604121350 604121376 604121384

Parameter	Units	Method Blank Result	PRL	Footnotes
Gasoline Range Hydrocarbons	ug/kg	ND	5000	
Benzene	ug/kg	ND	50	
Toluene	ug/kg	ND	50	
Ethylbenzene	ug/kg	ND	50	
Xylene (Total)	ug/kg	ND	130	
a,a,a-Trifluorotoluene (S)	%	95		
4-Bromofluorobenzene (S)	%	110		
Bromochlorobenzene (S)	%	102		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604124545 604124552

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Gasoline Range Hydrocarbons	ug/kg	3717	121500	115100	92	106200	84	8	
Benzene	ug/kg	0	1215.00	1233	101	1235	102	0	
Toluene	ug/kg	49.28	1215.00	1231	97	1215	96	1	
Ethylbenzene	ug/kg	55.18	1215.00	1233	97	1254	99	2	
Xylene (Total)	ug/kg	44.46	3645.00	3677	100	3753	102	2	
a,a,a-Trifluorotoluene (S)					95		94		
4-Bromofluorobenzene (S)					101		100		
Bromochlorobenzene (S)					104		105		

LABORATORY CONTROL SAMPLE: 604124537

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Gasoline Range Hydrocarbons	ug/kg	100000	97730	98	
Benzene	ug/kg	1000	1079	108	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604124537

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Toluene	ug/kg	1000	1054	105	
Ethylbenzene	ug/kg	1000	1048	105	
Xylene (Total)	ug/kg	3000	3019	101	
a,a,a-Trifluorotoluene (S)				100	
4-Bromofluorobenzene (S)				97	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97964
QC Batch Method: EPA 5030
Analysis Method: EPA 8021/OA1
Analysis Description: TPH Gas/BTEX
Associated Lab Samples: 604121319 604121327

METHOD BLANK: 604125062
Associated Lab Samples:
604121319 604121327

Parameter	Units	Method Blank Result	PRL	Footnotes
Gasoline Range Hydrocarbons	ug/l	ND	500	
Benzene	ug/l	ND	2	
Toluene	ug/l	ND	2	
Ethylbenzene	ug/l	ND	2	
Xylene (Total)	ug/l	ND	5	
Methyl-tert-butyl ether	ug/l	ND	10	
a,a,a-Trifluorotoluene (S)	%	97		
4-Bromofluorobenzene (S)	%	102		
Bromochlorobenzene (S)	%	92		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604125096 604125104

Parameter	Units	604117424	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Gasoline Range Hydrocarbons	ug/l	61.35	2000.00	2012	98	1888	91	6	
Benzene	ug/l	0.1163	20.00	21.87	109	22.01	110	1	
Toluene	ug/l	0.3948	20.00	20.74	102	20.92	103	1	
Ethylbenzene	ug/l	0.1473	20.00	20.59	102	20.77	103	1	
Xylene (Total)	ug/l	1.019	60.00	63.26	104	63.62	104	1	
a,a,a-Trifluorotoluene (S)					98		95		
4-Bromofluorobenzene (S)					102		97		
Bromochlorobenzene (S)					93		98		

LABORATORY CONTROL SAMPLE: 604125070

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Gasoline Range Hydrocarbons	ug/l	2000	2033	102	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604125070

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Benzene	ug/l	20	21.48	107	
Toluene	ug/l	20	19.95	100	
Ethylbenzene	ug/l	20	20.08	100	
Xylene (Total)	ug/l	60	61.31	102	
a,a,a-Trifluorotoluene (S)				94	
4-Bromofluorobenzene (S)				98	
Bromochlorobenzene (S)				93	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97891 QC Batch Method: EPA 8260
Analysis Method: EPA 8260 Analysis Description: GC/MS VOCs by 8260
Associated Lab Samples: 604121343 604121350 604121376 604121384

METHOD BLANK: 604135996
Associated Lab Samples:
604121343 604121384

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/kg	ND	5	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5	
1,1,2-Trichloroethane	ug/kg	ND	5	
1,1-Dichloroethane	ug/kg	ND	5	
1,1-Dichloroethene	ug/kg	ND	5	
1,2-Dichlorobenzene	ug/kg	ND	5	
1,2-Dichloroethane	ug/kg	ND	5	
1,2-Dichloropropane	ug/kg	ND	5	
1,3-Dichlorobenzene	ug/kg	ND	5	
1,4-Dichlorobenzene	ug/kg	ND	5	
Benzene	ug/kg	ND	5	
Bromodichloromethane	ug/kg	ND	5	
Bromoform	ug/kg	ND	5	
Bromomethane	ug/kg	ND	5	
Carbon tetrachloride	ug/kg	ND	5	
Chlorobenzene	ug/kg	ND	5	
Chloroethane	ug/kg	ND	5	
Chloroform	ug/kg	ND	5	
Chloromethane	ug/kg	ND	5	
cis-1,2-Dichloroethene	ug/kg	ND	5	
cis-1,3-Dichloropropene	ug/kg	ND	5	
Dibromochloromethane	ug/kg	ND	5	
Ethylbenzene	ug/kg	ND	5	
m&p-Xylene	ug/kg	ND	5	
Methylene chloride	ug/kg	3.2	5	1
o-Xylene	ug/kg	ND	5	
Tetrachloroethene	ug/kg	ND	5	
Toluene	ug/kg	ND	5	
trans-1,2-Dichloroethene	ug/kg	ND	5	
trans-1,3-Dichloropropene	ug/kg	ND	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604135996
Associated Lab Samples:

		604121343	604121384
Parameter	Units		Method Blank Result	PRL	Footnotes
Trichloroethene	ug/kg	ND	5	
Trichlorofluoromethane	ug/kg	ND	5	
Vinyl chloride	ug/kg	ND	5	
Dibromofluoromethane (S)	%	101		
Toluene-d8 (S)	%	101		
4-Bromofluorobenzene (S)	%	103		
1,2-Dichloroethane-d4 (S)	%	105		

METHOD BLANK: 604136010
Associated Lab Samples:

		604121350	604121376
Parameter	Units		Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/kg	ND	5	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5	
1,1,2-Trichloroethane	ug/kg	ND	5	
1,1-Dichloroethane	ug/kg	ND	5	
1,1-Dichloroethene	ug/kg	ND	5	
1,2-Dichlorobenzene	ug/kg	ND	5	
1,2-Dichloroethane	ug/kg	ND	5	
1,2-Dichloropropane	ug/kg	ND	5	
1,3-Dichlorobenzene	ug/kg	ND	5	
1,4-Dichlorobenzene	ug/kg	ND	5	
Benzene	ug/kg	ND	5	
Bromodichloromethane	ug/kg	ND	5	
Bromoform	ug/kg	ND	5	
Bromomethane	ug/kg	ND	5	
Carbon tetrachloride	ug/kg	ND	5	
Chlorobenzene	ug/kg	ND	5	
Chloroethane	ug/kg	ND	5	
Chloroform	ug/kg	ND	5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604136010
Associated Lab Samples:

Parameter	Units	604121350 604121376 Method Blank Result	PRL	Footnotes
Chloromethane	ug/kg	ND	5	
cis-1,2-Dichloroethene	ug/kg	ND	5	
cis-1,3-Dichloropropene	ug/kg	ND	5	
Dibromochloromethane	ug/kg	ND	5	
Ethylbenzene	ug/kg	ND	5	
m&p-Xylene	ug/kg	ND	5	
Methylene chloride	ug/kg	ND	5	
o-Xylene	ug/kg	ND	5	
Tetrachloroethene	ug/kg	ND	5	
Toluene	ug/kg	ND	5	
trans-1,2-Dichloroethene	ug/kg	ND	5	
trans-1,3-Dichloropropene	ug/kg	ND	5	
Trichloroethene	ug/kg	ND	5	
Trichlorofluoromethane	ug/kg	ND	5	
Vinyl chloride	ug/kg	ND	5	
Dibromofluoromethane (S)	%	98		
Toluene-d8 (S)	%	99		
4-Bromofluorobenzene (S)	%	93		
1,2-Dichloroethane-d4 (S)	%	100		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604122101 604122119

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/kg	0	60.93	53.80	88	58.29	96	8	
Benzene	ug/kg	0	60.93	56.15	92	61.49	101	9	
Chlorobenzene	ug/kg	0	60.93	55.69	91	60.89	100	9	
Toluene	ug/kg	1.220	60.93	56.89	91	61.06	98	7	
Trichloroethene	ug/kg	0	60.93	55.43	91	58.82	96	6	
Dibromofluoromethane (S)					100		98		
Toluene-d8 (S)					101		101		
4-Bromofluorobenzene (S)					98		98		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604122127

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/kg	50	49.33	99	
1,1,2,2-Tetrachloroethane	ug/kg	50	47.27	94	
1,1,2-Trichloroethane	ug/kg	50	50.22	100	
1,1-Dichloroethane	ug/kg	50	51.55	103	
1,1-Dichloroethene	ug/kg	50	50.54	101	
1,2-Dichlorobenzene	ug/kg	50	49.24	98	
1,2-Dichloroethane	ug/kg	50	50.89	102	
1,2-Dichloropropane	ug/kg	50	51.65	103	
1,3-Dichlorobenzene	ug/kg	50	48.76	98	
1,4-Dichlorobenzene	ug/kg	50	48.58	97	
Benzene	ug/kg	50	50.20	100	
Bromodichloromethane	ug/kg	50	50.38	101	
Bromoform	ug/kg	50	48.48	97	
Bromomethane	ug/kg	50	50.49	101	
Carbon tetrachloride	ug/kg	50	49.59	99	
Chlorobenzene	ug/kg	50	49.49	99	
Chloroethane	ug/kg	50	48.42	97	
Chloroform	ug/kg	50	51.77	104	
Chloromethane	ug/kg	50	41.10	82	
cis-1,2-Dichloroethene	ug/kg	50	49.84	100	
cis-1,3-Dichloropropene	ug/kg	50	50.94	102	
Dibromochloromethane	ug/kg	50	49.70	99	
Ethylbenzene	ug/kg	50	49.38	99	
m&p-Xylene	ug/kg	100	98.83	99	
Methylene chloride	ug/kg	50	51.93	104	
o-Xylene	ug/kg	50	50.14	100	
Tetrachloroethene	ug/kg	50	48.05	96	
Toluene	ug/kg	50	50.75	102	
trans-1,2-Dichloroethene	ug/kg	50	49.42	99	
trans-1,3-Dichloropropene	ug/kg	50	49.17	98	
Trichloroethene	ug/kg	50	50.96	102	
Trichlorofluoromethane	ug/kg	50	50.79	102	
Vinyl chloride	ug/kg	50	51.14	102	
Dibromofluoromethane (S)				100	
Toluene-d8 (S)				102	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				99	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 98123 QC Batch Method: EPA 8260
Analysis Method: EPA 8260 Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Lab Samples: 604121319 604121327 604121335

METHOD BLANK: 604129890
Associated Lab Samples:
604121335

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	1.0	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604129890
Associated Lab Samples:
604121335

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	93		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	88		

METHOD BLANK: 604136036
Associated Lab Samples:
604121319 604121327

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604136036
Associated Lab Samples:

Parameter	Units	604121319 604121327 Method Blank Result	PRL	Footnotes
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	98		

LABORATORY CONTROL SAMPLE: 604129908

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	10	8.743	87	
1,1,2,2-Tetrachloroethane	ug/l	10	8.763	88	
1,1,2-Trichloroethane	ug/l	10	9.330	93	
1,1-Dichloroethane	ug/l	10	7.955	80	
1,1-Dichloroethene	ug/l	10	7.712	77	
1,2-Dichlorobenzene	ug/l	10	9.015	90	
1,2-Dichloroethane	ug/l	10	7.898	79	
1,2-Dichloropropane	ug/l	10	8.263	83	
1,3-Dichlorobenzene	ug/l	10	8.925	89	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604129908

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,4-Dichlorobenzene	ug/l	10	8.914	89	
Benzene	ug/l	10	8.514	85	
Bromodichloromethane	ug/l	10	8.191	82	
Bromoform	ug/l	10	9.256	93	
Bromomethane	ug/l	10	4.662	47	
Carbon tetrachloride	ug/l	10	8.717	87	
Chlorobenzene	ug/l	10	10.00	100	
Chloroethane	ug/l	10	6.611	66	
Chloroform	ug/l	10	8.551	86	
Chloromethane	ug/l	10	4.804	48	
cis-1,2-Dichloroethene	ug/l	10	8.518	85	
cis-1,3-Dichloropropene	ug/l	10	8.551	86	
Dibromochloromethane	ug/l	10	8.767	88	
Ethylbenzene	ug/l	10	9.426	94	
m&p-Xylene	ug/l	20	18.65	93	
Methylene chloride	ug/l	10	8.251	82	
o-Xylene	ug/l	10	9.567	96	
Tetrachloroethene	ug/l	10	9.966	100	
Toluene	ug/l	10	8.910	89	
trans-1,2-Dichloroethene	ug/l	10	8.221	82	
trans-1,3-Dichloropropene	ug/l	10	8.978	90	
Trichloroethene	ug/l	10	8.873	89	
Trichlorofluoromethane	ug/l	10	7.890	79	
Vinyl chloride	ug/l	10	5.068	51	
Toluene-d8 (S)				99	
Dibromofluoromethane (S)				93	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				88	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 98070
QC Batch Method: EPA 7471
Analysis Method: EPA 7471
Analysis Description: Mercury, Soil CVAAS
Associated Lab Samples: 604121343 604121368 604121376 604121384

METHOD BLANK: 604128041
Associated Lab Samples: 604121343 604121368 604121376 604121384

Parameter	Units	Method Blank Result	PRL	Footnotes
Mercury	mg/kg	ND	0.154	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604128058 604128066

Parameter	Units	604121343	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Mercury	mg/kg	0.3217	1.667	1.545	73	1.788	88	15	

LABORATORY CONTROL SAMPLE: 604128074

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Mercury	mg/kg	1.667	1.828	110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 98231 QC Batch Method: EPA 7470
Analysis Method: EPA 7470 Analysis Description: Mercury, CVAAS
Associated Lab Samples: 604121319 604121327

METHOD BLANK: 604134809
Associated Lab Samples: 604121319 604121327

Parameter	Units	Method Blank Result	PRL	Footnotes
Mercury	ug/l	ND	0.2	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604134817 604134825

Parameter	Units	604121319	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Mercury	ug/l	0.05022	10.00	10.02	100	10.07	100	1	

LABORATORY CONTROL SAMPLE: 604134833

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Mercury	ug/l	10	11.61	116	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97890 QC Batch Method: EPA 3050
Analysis Method: EPA 6010 Analysis Description: Metals, Trace ICP, Soil
Associated Lab Samples: 604121343 604121368 604121376 604121384

METHOD BLANK: 604122028
Associated Lab Samples: 604121343 604121368 604121376 604121384

Parameter	Units	Method Blank Result	PRL	Footnotes
Aluminum	mg/kg	ND	7.35	
Antimony	mg/kg	ND	0.98	
Arsenic	mg/kg	ND	0.49	
Barium	mg/kg	ND	0.392	
Beryllium	mg/kg	ND	0.098	
Cadmium	mg/kg	ND	0.49	
Calcium	mg/kg	ND	9.8	
Chromium	mg/kg	ND	0.686	
Cobalt	mg/kg	ND	0.686	
Copper	mg/kg	ND	0.98	
Iron	mg/kg	ND	9.8	
Lead	mg/kg	ND	0.49	
Magnesium	mg/kg	ND	4.9	
Manganese	mg/kg	ND	0.686	
Nickel	mg/kg	ND	2.94	
Potassium	mg/kg	ND	98	
Selenium	mg/kg	ND	0.49	
Silver	mg/kg	ND	0.686	
Sodium	mg/kg	ND	14.7	
Thallium	mg/kg	ND	1.57	
Vanadium	mg/kg	ND	1.18	
Zinc	mg/kg	ND	4.9	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604122036 604122044

Parameter	Units	604121343	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Aluminum	mg/kg	4992	980.40	5936	96	5998	103	1	
Antimony	mg/kg	1.507	98.04	59.17	59	56.87	56	4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604122036 604122044

Parameter	Units	604121343	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Arsenic	mg/kg	1.973	98.04	98.91	99	95.97	96	3	
Barium	mg/kg	86.85	98.04	179.2	94	172.5	87	4	
Beryllium	mg/kg	0.4406	9.804	9.968	97	9.576	93	4	
Cadmium	mg/kg	10.15	9.804	20.34	104	19.25	93	5	
Calcium	mg/kg	30430	980.40	32230	184	40060	982	22	2
Chromium	mg/kg	11.36	98.04	107.3	98	107.9	98	1	
Cobalt	mg/kg	4.031	98.04	98.49	96	94.94	93	4	
Copper	mg/kg	93.92	98.04	279.5	189	201.8	110	32	3
Iron	mg/kg	9915	980.40	11650	177	12400	253	6	2
Lead	mg/kg	195.4	98.04	362.1	170	308.5	115	16	2
Magnesium	mg/kg	4867	980.40	4434	0	3602	0	21	4
Manganese	mg/kg	177.6	98.04	303.3	128	275.4	100	10	
Nickel	mg/kg	16.90	98.04	109.3	94	110.8	96	1	
Potassium	mg/kg	1394	980.40	2417	104	2343	97	3	
Selenium	mg/kg	0	98.04	87.88	90	85.09	87	3	
Silver	mg/kg	0.5704	9.804	10.82	104	10.10	97	7	
Sodium	mg/kg	524.8	980.40	1527	102	2293	180	40	2,3
Thallium	mg/kg	0.01426	98.04	79.14	81	77.59	79	2	
Vanadium	mg/kg	16.02	98.04	113.2	99	107.9	94	5	
Zinc	mg/kg	1788	98.04	1965	181	2139	358	8	4

LABORATORY CONTROL SAMPLE: 604122051

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Aluminum	mg/kg	961.5	872.1	91	
Antimony	mg/kg	96.15	89.18	93	
Arsenic	mg/kg	96.15	90.92	95	
Barium	mg/kg	96.15	92.41	96	
Beryllium	mg/kg	9.615	9.106	95	
Cadmium	mg/kg	9.615	8.727	91	
Calcium	mg/kg	961.5	906.9	94	
Chromium	mg/kg	96.15	92.14	96	
Cobalt	mg/kg	96.15	93.75	98	
Copper	mg/kg	96.15	93.16	97	
Iron	mg/kg	961.5	924.4	96	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604122051

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Lead	mg/kg	96.15	83.74	87	
Magnesium	mg/kg	961.5	912.6	95	
Manganese	mg/kg	96.15	93.58	97	
Nickel	mg/kg	96.15	93.76	98	
Potassium	mg/kg	961.5	813.1	85	
Selenium	mg/kg	96.15	83.59	87	
Silver	mg/kg	9.615	8.804	92	
Sodium	mg/kg	961.5	868.3	90	
Thallium	mg/kg	96.15	83.96	87	
Vanadium	mg/kg	96.15	94.82	99	
Zinc	mg/kg	96.15	86.53	90	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97944
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: Metals, Trace ICP, Water
Associated Lab Samples: 604121319 604121327

METHOD BLANK: 604124727
Associated Lab Samples:
604121319 604121327

Parameter	Units	Method Blank Result	PRL	Footnotes
Aluminum	ug/l	ND	75	
Antimony	ug/l	ND	10	
Arsenic	ug/l	ND	5	
Barium	ug/l	ND	4	
Beryllium	ug/l	ND	1	
Cadmium	ug/l	ND	5	
Calcium	ug/l	ND	100	
Chromium	ug/l	ND	7	
Cobalt	ug/l	ND	7	
Copper	ug/l	ND	10	
Iron	ug/l	ND	40	
Lead	ug/l	ND	5	
Magnesium	ug/l	ND	50	
Manganese	ug/l	ND	7	
Nickel	ug/l	ND	30	
Potassium	ug/l	ND	1000	
Selenium	ug/l	ND	5	
Silver	ug/l	ND	7	
Sodium	ug/l	343.	150	
Thallium	ug/l	ND	5	
Vanadium	ug/l	ND	12	
Zinc	ug/l	ND	100	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604124743 604124750

Parameter	Units	604121319	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Aluminum	ug/l	94.53	10000	9526	94	9558	95	0	
Antimony	ug/l	1.060	1000.00	1020	102	1042	104	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604124743 604124750

Parameter	Units	604121319	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Arsenic	ug/l	82.19	1000.00	1113	103	1145	106	3	
Barium	ug/l	492.9	1000.00	1451	96	1461	97	1	
Beryllium	ug/l	0	100.00	103.0	103	101.9	102	1	
Cadmium	ug/l	0	100.00	96.99	97	98.66	99	2	
Calcium	ug/l	120100	10000	131900	118	135500	154	3	
Chromium	ug/l	0	1000.00	991.1	99	985.7	99	1	
Cobalt	ug/l	3.419	1000.00	1014	101	1006	100	1	
Copper	ug/l	3.117	1000.00	1047	104	1043	104	0	
Iron	ug/l	21750	10000	31790	100	32450	107	2	
Lead	ug/l	7.028	1000.00	904.2	90	915.3	91	1	
Magnesium	ug/l	31370	10000	40040	87	41030	97	2	
Manganese	ug/l	5530	1000.00	6544	101	6718	119	3	2
Nickel	ug/l	0	1000.00	1004	100	999.5	100	0	
Potassium	ug/l	2890	10000	12700	98	12880	100	1	
Selenium	ug/l	0	1000.00	963.3	96	989.4	99	3	
Silver	ug/l	4.539	100.00	106.6	102	106.7	102	0	
Sodium	ug/l	69920	10000	80030	101	83180	133	4	
Thallium	ug/l	0	1000.00	892.4	89	915.1	92	3	
Vanadium	ug/l	0	1000.00	1039	104	1032	103	1	
Zinc	ug/l	99.05	1000.00	1059	96	1056	96	0	

LABORATORY CONTROL SAMPLE: 604124735

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Aluminum	ug/l	10000	9115	91	
Antimony	ug/l	1000	919.1	92	
Arsenic	ug/l	1000	913.9	91	
Barium	ug/l	1000	959.1	96	
Beryllium	ug/l	100	90.20	90	
Cadmium	ug/l	100	90.08	90	
Calcium	ug/l	10000	9477	95	
Chromium	ug/l	1000	898.7	90	
Cobalt	ug/l	1000	925.5	92	
Copper	ug/l	1000	889.4	89	
Iron	ug/l	10000	9157	92	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604124735

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Lead	ug/l	1000	829.2	83	
Magnesium	ug/l	10000	9523	95	
Manganese	ug/l	1000	914.9	92	
Nickel	ug/l	1000	927.6	93	
Potassium	ug/l	10000	8228	82	
Selenium	ug/l	1000	859.7	86	
Silver	ug/l	100	90.04	90	
Sodium	ug/l	10000	8750	88	
Thallium	ug/l	1000	827.3	83	
Vanadium	ug/l	1000	924.0	92	
Zinc	ug/l	1000	850.6	85	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97869 QC Batch Method: EPA 3550
Analysis Method: EPA 8081A Analysis Description: Organochlorine Pesticides, GC
Associated Lab Samples: 604121343 604121368 604121376 604121384

METHOD BLANK: 604121566
Associated Lab Samples:

	604121343	604121368	604121376	604121384
Parameter	Units	Method Blank Result	PRL	Footnotes
alpha-BHC	ug/kg	ND	0.99	
beta-BHC	ug/kg	ND	2	
delta-BHC	ug/kg	ND	3	
gamma-BHC (Lindane)	ug/kg	ND	1.3	
Heptachlor	ug/kg	ND	0.99	
Aldrin	ug/kg	ND	1.3	
Heptachlor epoxide	ug/kg	ND	3.3	
Endosulfan I	ug/kg	ND	4.6	
Dieldrin	ug/kg	ND	0.66	
4,4'-DDE	ug/kg	ND	1.3	
Endrin	ug/kg	ND	2	
Endosulfan II	ug/kg	ND	1.3	
4,4'-DDD	ug/kg	ND	3.4	
Endosulfan sulfate	ug/kg	ND	22	
4,4'-DDT	ug/kg	ND	4	
Endrin ketone	ug/kg	ND	3.3	
Methoxychlor	ug/kg	ND	58	
Chlordane (Technical)	ug/kg	ND	4.6	
Toxaphene	ug/kg	ND	79	
Endrin aldehyde	ug/kg	ND	7.6	
gamma-Chlordane	ug/kg	ND	1.7	
alpha-Chlordane	ug/kg	ND	1.7	
Decachlorobiphenyl (S)	%	84		
Tetrachloro-m-xylene (S)	%	76		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604121574 604121582

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
gamma-BHC (Lindane)	ug/kg	0	19.93	15.03	75	13.33	66	12	
Heptachlor	ug/kg	0	19.93	13.99	70	12.64	62	10	
Aldrin	ug/kg	0	19.93	14.56	73	13.21	65	10	
Dieldrin	ug/kg	0	19.93	17.29	87	13.17	65	27	
Endrin	ug/kg	0	19.93	16.50	83	13.33	66	21	
4,4'-DDT	ug/kg	0	19.93	14.82	74	12.13	60	20	
Decachlorobiphenyl (S)					105		73		
Tetrachloro-m-xylene (S)					75		66		

LABORATORY CONTROL SAMPLE: 604121590

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
alpha-BHC	ug/kg	16.67	12.83	77	
beta-BHC	ug/kg	16.67	14.44	87	
delta-BHC	ug/kg	16.67	14.29	86	
gamma-BHC (Lindane)	ug/kg	16.67	13.07	78	
Heptachlor	ug/kg	16.67	12.58	76	
Aldrin	ug/kg	16.67	13.25	80	
Heptachlor epoxide	ug/kg	16.67	13.10	79	
Endosulfan I	ug/kg	16.67	13.57	81	
Dieldrin	ug/kg	16.67	13.28	80	
4,4'-DDE	ug/kg	16.67	13.45	81	
Endrin	ug/kg	16.67	12.89	77	
Endosulfan II	ug/kg	16.67	13.49	81	
4,4'-DDD	ug/kg	16.67	13.75	82	
Endosulfan sulfate	ug/kg	16.67	13.59	82	
4,4'-DDT	ug/kg	16.67	13.67	82	
Endrin ketone	ug/kg	16.67	14.99	90	
Methoxychlor	ug/kg	16.67	17.55	105	
Endrin aldehyde	ug/kg	16.67	14.35	86	
gamma-Chlordane	ug/kg	16.67	14.31	86	
alpha-Chlordane	ug/kg	16.67	13.86	83	
Decachlorobiphenyl (S)				83	
Tetrachloro-m-xylene (S)				64	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97870 QC Batch Method: EPA 3550
Analysis Method: EPA 8082 Analysis Description: PCBs in Soil by 8082
Associated Lab Samples: 604121343 604121368 604121376 604121384

METHOD BLANK: 604121608
Associated Lab Samples:
604121343 604121368 604121376 604121384

Parameter	Units	Method Blank Result	PRL	Footnotes
PCB-1016 (Aroclor 1016)	ug/kg	ND	33	
PCB-1221 (Aroclor 1221)	ug/kg	ND	33	
PCB-1232 (Aroclor 1232)	ug/kg	ND	33	
PCB-1242 (Aroclor 1242)	ug/kg	ND	33	
PCB-1248 (Aroclor 1248)	ug/kg	ND	33	
PCB-1254 (Aroclor 1254)	ug/kg	ND	33	
PCB-1260 (Aroclor 1260)	ug/kg	ND	33	
Decachlorobiphenyl (S)	%	72		
Tetrachloro-m-xylene (S)	%	73		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604136804 604136812

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
PCB-1016 (Aroclor 1016)	ug/kg	0	405.90	283.7	70	301.1	76	6	
PCB-1260 (Aroclor 1260)	ug/kg	407.4	405.90	684.4	68	1462	265	72	3
Decachlorobiphenyl (S)					83		132		
Tetrachloro-m-xylene (S)					76		77		

LABORATORY CONTROL SAMPLE: 604121632

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
PCB-1016 (Aroclor 1016)	ug/kg	333.3	247.6	74	
PCB-1260 (Aroclor 1260)	ug/kg	333.3	273.2	82	
Decachlorobiphenyl (S)				84	
Tetrachloro-m-xylene (S)				69	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97871 QC Batch Method: OA2
Analysis Method: OA2 Analysis Description: Total Extractable Hydrocarbons
Associated Lab Samples: 604121343 604121368 604121376 604121384

METHOD BLANK: 604121640
Associated Lab Samples:
604121343 604121368 604121376 604121384

Parameter	Units	Method Blank Result	PRL	Footnotes
Mineral Spirits	mg/kg	ND	10	
Jet Fuel	mg/kg	ND	10	
Kerosene	mg/kg	ND	10	
Diesel Fuel	mg/kg	ND	10	
Fuel Oil	mg/kg	ND	10	
Motor Oil	mg/kg	ND	10	
n-Tetracosane (S)	%	91		
p-Terphenyl (S)	%	62		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604121665 604121673

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Diesel Fuel	mg/kg	0	519.00	498.1	96	505.3	98	1	
n-Tetracosane (S)					111		108		
p-Terphenyl (S)					81		82		

LABORATORY CONTROL SAMPLE: 604121657

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Diesel Fuel	mg/kg	500	474.6	95	
n-Tetracosane (S)				106	
p-Terphenyl (S)				73	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97873
QC Batch Method: OA2
Analysis Method: OA2
Analysis Description: Total Extractable Hydrocarbons
Associated Lab Samples: 604121319 604121327

METHOD BLANK: 604121707
Associated Lab Samples:
604121319 604121327

Parameter	Units	Method Blank Result	PRL	Footnotes
Mineral Spirits	mg/l	ND	0.4	
Jet Fuel	mg/l	ND	0.4	
Kerosene	mg/l	ND	0.4	
Diesel Fuel	mg/l	ND	0.4	
Fuel Oil	mg/l	ND	0.4	
Motor Oil	mg/l	ND	0.4	
p-Terphenyl (S)	%	77		
n-Tetracosane (S)	%	89		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604121715 604121723

Parameter	Units	604121319	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Diesel Fuel	mg/l	0	12.50	10.11	81	10.71	86	6	
p-Terphenyl (S)					69		65		
n-Tetracosane (S)					78		75		

LABORATORY CONTROL SAMPLE: 604121731

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Diesel Fuel	mg/l	12.5	11.95	96	
p-Terphenyl (S)				91	
n-Tetracosane (S)				103	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97887 QC Batch Method:
Analysis Method: Analysis Description: Percent Moisture
Associated Lab Samples: 604121343 604121350 604121368 604121376 604121384

SAMPLE DUPLICATE: 604122010

Parameter	Units	604119818	Dup. Result	RPD	Footnotes
Percent Moisture	%	19.30	19.60	2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97949
QC Batch Method: EPA 3520
Analysis Method: EPA 8270
Analysis Description: Semivolatile Organics by 8270
Associated Lab Samples: 604121319 604121327

METHOD BLANK: 604124842
Associated Lab Samples:
604121319 604121327

Parameter	Units	Method Blank Result	PRL	Footnotes
1,3-Dichlorobenzene	ug/l	ND	10	
1,4-Dichlorobenzene	ug/l	ND	10	
1,2-Dichlorobenzene	ug/l	ND	10	
Benzoic acid	ug/l	ND	50	
Phenol	ug/l	ND	10	
bis(2-Chloroethyl) ether	ug/l	ND	10	
2-Chlorophenol	ug/l	ND	10	
Benzyl alcohol	ug/l	ND	20	
2-Methylphenol (o-Cresol)	ug/l	ND	10	
bis(2-Chloroisopropyl) ether	ug/l	ND	10	
4-Methylphenol (p-Cresol)	ug/l	ND	10	
N-Nitroso-di-n-propylamine	ug/l	ND	10	
Hexachloroethane	ug/l	ND	10	
Nitrobenzene	ug/l	ND	10	
Isophorone	ug/l	ND	10	
2-Nitrophenol	ug/l	ND	10	
2,4-Dimethylphenol	ug/l	ND	10	
bis(2-Chloroethoxy)methane	ug/l	ND	10	
2,4-Dichlorophenol	ug/l	ND	10	
1,2,4-Trichlorobenzene	ug/l	ND	10	
Naphthalene	ug/l	ND	10	
4-Chloroaniline	ug/l	ND	20	
Hexachloro-1,3-butadiene	ug/l	ND	10	
4-Chloro-3-methylphenol	ug/l	ND	20	
2-Methylnaphthalene	ug/l	ND	10	
Hexachlorocyclopentadiene	ug/l	ND	10	
2,4,6-Trichlorophenol	ug/l	ND	10	
2,4,5-Trichlorophenol	ug/l	ND	50	
2-Chloronaphthalene	ug/l	ND	10	
2-Nitroaniline	ug/l	ND	50	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604124842
Associated Lab Samples:

Parameter	Units	604121319 604121327 Method Blank Result	PRL	Footnotes
Dimethylphthalate	ug/l	ND	10	
Acenaphthylene	ug/l	ND	10	
2,6-Dinitrotoluene	ug/l	ND	10	
3-Nitroaniline	ug/l	ND	50	
Acenaphthene	ug/l	ND	10	
2,4-Dinitrophenol	ug/l	ND	50	
4-Nitrophenol	ug/l	ND	50	
Dibenzofuran	ug/l	ND	10	
2,4-Dinitrotoluene	ug/l	ND	10	
Diethylphthalate	ug/l	ND	10	
4-Chlorophenylphenyl ether	ug/l	ND	10	
Fluorene	ug/l	ND	10	
4-Nitroaniline	ug/l	ND	50	
4,6-Dinitro-2-methylphenol	ug/l	ND	50	
N-Nitrosodiphenylamine	ug/l	ND	10	
4-Bromophenylphenyl ether	ug/l	ND	10	
Hexachlorobenzene	ug/l	ND	10	
Pentachlorophenol	ug/l	ND	50	
Phenanthrene	ug/l	ND	10	
Anthracene	ug/l	ND	10	
Di-n-butylphthalate	ug/l	ND	10	
Fluoranthene	ug/l	ND	10	
Pyrene	ug/l	ND	10	
Benzo(a)anthracene	ug/l	ND	10	
Butylbenzylphthalate	ug/l	ND	10	
Chrysene	ug/l	ND	10	
3,3'-Dichlorobenzidine	ug/l	ND	20	
bis(2-Ethylhexyl)phthalate	ug/l	ND	10	
Di-n-octylphthalate	ug/l	ND	10	
Benzo(b)fluoranthene	ug/l	ND	10	
Benzo(k)fluoranthene	ug/l	ND	10	
Benzo(a)pyrene	ug/l	ND	10	
Indeno(1,2,3-cd)pyrene	ug/l	ND	10	
Dibenz(a,h)anthracene	ug/l	ND	10	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604124842
Associated Lab Samples:

Parameter	Units	604121319 604121327 Method Blank Result	PRL	Footnotes
Phenol-d6 (S)	%	73		
Nitrobenzene-d5 (S)	%	76		
2-Fluorobiphenyl (S)	%	89		
2,4,6-Tribromophenol (S)	%	89		
2-Fluorophenol (S)	%	72		
Terphenyl-d14 (S)	%	78		
Benzo(g,h,i)perylene	ug/l	ND	10	

LABORATORY CONTROL SAMPLE: 604124859

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,4-Dichlorobenzene	ug/l	50	37.18	74	
Phenol	ug/l	75	56.32	75	
2-Chlorophenol	ug/l	75	53.03	71	
N-Nitroso-di-n-propylamine	ug/l	50	40.17	80	
1,2,4-Trichlorobenzene	ug/l	50	40.66	81	
4-Chloro-3-methylphenol	ug/l	75	57.61	77	
Acenaphthene	ug/l	50	40.86	82	
4-Nitrophenol	ug/l	75	58.12	78	
2,4-Dinitrotoluene	ug/l	50	42.17	84	
Pentachlorophenol	ug/l	75	70.40	94	
Pyrene	ug/l	50	42.46	85	
Phenol-d6 (S)				76	
Nitrobenzene-d5 (S)				80	
2-Fluorobiphenyl (S)				90	
2,4,6-Tribromophenol (S)				92	
2-Fluorophenol (S)				74	
Terphenyl-d14 (S)				78	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97951 QC Batch Method: EPA 3510
Analysis Method: EPA 8082 Analysis Description: PCBs in Water by 8082
Associated Lab Samples: 604121319 604121327

METHOD BLANK: 604124909
Associated Lab Samples:
604121319 604121327

Parameter	Units	Method Blank Result	PRL	Footnotes
PCB-1016 (Aroclor 1016)	ug/l	ND	1	
PCB-1221 (Aroclor 1221)	ug/l	ND	1	
PCB-1232 (Aroclor 1232)	ug/l	ND	1	
PCB-1242 (Aroclor 1242)	ug/l	ND	1	
PCB-1248 (Aroclor 1248)	ug/l	ND	1	
PCB-1254 (Aroclor 1254)	ug/l	ND	1	
PCB-1260 (Aroclor 1260)	ug/l	ND	1	
Decachlorobiphenyl (S)	%	63		
Tetrachloro-m-xylene (S)	%	77		

LABORATORY CONTROL SAMPLE: 604124917

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
PCB-1016 (Aroclor 1016)	ug/l	10	6.826	68	
PCB-1260 (Aroclor 1260)	ug/l	10	6.759	68	
Decachlorobiphenyl (S)				62	
Tetrachloro-m-xylene (S)				67	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97952 QC Batch Method: EPA 3510
Analysis Method: EPA 8081A Analysis Description: Organochlorine Pesticides, GC
Associated Lab Samples: 604121319 604121327

METHOD BLANK: 604124925
Associated Lab Samples:
604121319 604121327

Parameter	Units	Method Blank Result	PRL	Footnotes
alpha-BHC	ug/l	ND	0.03	
beta-BHC	ug/l	ND	0.06	
delta-BHC	ug/l	ND	0.09	
gamma-BHC (Lindane)	ug/l	ND	0.04	
Heptachlor	ug/l	ND	0.03	
Aldrin	ug/l	ND	0.04	
Heptachlor epoxide	ug/l	ND	0.1	
Endosulfan I	ug/l	ND	0.14	
Dieldrin	ug/l	ND	0.02	
4,4'-DDE	ug/l	ND	0.04	
Endrin	ug/l	ND	0.06	
Endosulfan II	ug/l	ND	0.04	
4,4'-DDD	ug/l	ND	0.11	
Endosulfan sulfate	ug/l	ND	0.66	
4,4'-DDT	ug/l	ND	0.12	
Methoxychlor	ug/l	ND	1.8	
Chlordane (Technical)	ug/l	ND	0.14	
Toxaphene	ug/l	ND	2.4	
Endrin aldehyde	ug/l	ND	0.23	
gamma-Chlordane	ug/l	ND	0.05	
alpha-Chlordane	ug/l	ND	0.05	
Endrin ketone	ug/l	ND	0.1	
Decachlorobiphenyl (S)	%	73		
Tetrachloro-m-xylene (S)	%	81		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604124933

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
alpha-BHC	ug/l	0.5000	0.4885	98	
beta-BHC	ug/l	0.5000	0.4931	99	
delta-BHC	ug/l	0.5000	0.5487	110	
gamma-BHC (Lindane)	ug/l	0.5000	0.4940	99	
Heptachlor	ug/l	0.5000	0.4089	82	
Aldrin	ug/l	0.5000	0.4427	88	
Heptachlor epoxide	ug/l	0.5000	0.4337	87	
Endosulfan I	ug/l	0.5000	0.4407	88	
Dieldrin	ug/l	0.5000	0.4393	88	
4,4'-DDE	ug/l	0.5000	0.4502	90	
Endrin	ug/l	0.5000	0.4311	86	
Endosulfan II	ug/l	0.5000	0.4274	86	
4,4'-DDD	ug/l	0.5000	0.5102	102	
Endosulfan sulfate	ug/l	0.5000	0.4377	88	
4,4'-DDT	ug/l	0.5000	0.3117	62	
Methoxychlor	ug/l	0.5000	0.3724	74	
Endrin aldehyde	ug/l	0.5000	0.4947	99	
gamma-Chlordane	ug/l	0.5000	0.4601	92	
alpha-Chlordane	ug/l	0.5000	0.4416	88	
Endrin ketone	ug/l	0.5000	0.4572	91	
Decachlorobiphenyl (S)				74	
Tetrachloro-m-xylene (S)				84	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 97977 QC Batch Method: EPA 3550 Sonication
Analysis Method: EPA 8270 Analysis Description: Semivolatile Organics
Associated Lab Samples: 604121343 604121368 604121376 604121384

METHOD BLANK: 604125369
Associated Lab Samples:
604121343 604121368 604121376 604121384

Parameter	Units	Method Blank Result	PRL	Footnotes
Phenol	ug/kg	ND	330	
bis(2-Chloroethyl) ether	ug/kg	ND	330	
2-Chlorophenol	ug/kg	ND	330	
1,3-Dichlorobenzene	ug/kg	ND	330	
1,4-Dichlorobenzene	ug/kg	ND	330	
Benzyl alcohol	ug/kg	ND	660	
1,2-Dichlorobenzene	ug/kg	ND	330	
2-Methylphenol (o-Cresol)	ug/kg	ND	330	
bis(2-Chloroisopropyl) ether	ug/kg	ND	330	
4-Methylphenol (p-Cresol)	ug/kg	ND	330	
N-Nitroso-di-n-propylamine	ug/kg	ND	330	
Hexachloroethane	ug/kg	ND	330	
Nitrobenzene	ug/kg	ND	330	
Isophorone	ug/kg	ND	330	
2-Nitrophenol	ug/kg	ND	330	
2,4-Dimethylphenol	ug/kg	ND	330	
Benzoic acid	ug/kg	ND	1600	
bis(2-Chloroethoxy)methane	ug/kg	ND	330	
2,4-Dichlorophenol	ug/kg	ND	330	
1,2,4-Trichlorobenzene	ug/kg	ND	330	
Naphthalene	ug/kg	ND	330	
4-Chloroaniline	ug/kg	ND	660	
Hexachloro-1,3-butadiene	ug/kg	ND	330	
4-Chloro-3-methylphenol	ug/kg	ND	660	
2-Methylnaphthalene	ug/kg	ND	330	
Hexachlorocyclopentadiene	ug/kg	ND	330	
2,4,6-Trichlorophenol	ug/kg	ND	330	
2,4,5-Trichlorophenol	ug/kg	ND	330	
2-Chloronaphthalene	ug/kg	ND	330	
2-Nitroaniline	ug/kg	ND	1600	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604125369
Associated Lab Samples: 604121343 604121368 604121376 604121384

Parameter	Units	Method Blank Result	PRL	Footnotes
Dimethylphthalate	ug/kg	ND	330	
Acenaphthylene	ug/kg	ND	330	
2,6-Dinitrotoluene	ug/kg	ND	330	
3-Nitroaniline	ug/kg	ND	1600	
Acenaphthene	ug/kg	ND	330	
2,4-Dinitrophenol	ug/kg	ND	1600	
4-Nitrophenol	ug/kg	ND	1600	
Dibenzofuran	ug/kg	ND	330	
2,4-Dinitrotoluene	ug/kg	ND	330	
Diethylphthalate	ug/kg	ND	330	
4-Chlorophenylphenyl ether	ug/kg	ND	330	
Fluorene	ug/kg	ND	330	
4-Nitroaniline	ug/kg	ND	1600	
4,6-Dinitro-2-methylphenol	ug/kg	ND	1600	
N-Nitrosodiphenylamine	ug/kg	ND	330	
4-Bromophenylphenyl ether	ug/kg	ND	330	
Hexachlorobenzene	ug/kg	ND	330	
Pentachlorophenol	ug/kg	ND	1600	
Phenanthrene	ug/kg	ND	330	
Anthracene	ug/kg	ND	330	
Di-n-butylphthalate	ug/kg	ND	330	
Fluoranthene	ug/kg	ND	330	
Pyrene	ug/kg	ND	330	
Butylbenzylphthalate	ug/kg	ND	330	
3,3'-Dichlorobenzidine	ug/kg	ND	660	
Benzo(a)anthracene	ug/kg	ND	330	
Chrysene	ug/kg	ND	330	
bis(2-Ethylhexyl)phthalate	ug/kg	ND	330	
Di-n-octylphthalate	ug/kg	ND	330	
Benzo(b)fluoranthene	ug/kg	ND	330	
Benzo(k)fluoranthene	ug/kg	ND	330	
Benzo(a)pyrene	ug/kg	ND	330	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	330	
Dibenz(a,h)anthracene	ug/kg	ND	330	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604125369
Associated Lab Samples: 604121343 604121368 604121376 604121384

Parameter	Units	Method Blank Result	PRL	Footnotes
Benzo(g,h,i)perylene	ug/kg	ND	330	
Nitrobenzene-d5 (S)	%	55		
2-Fluorobiphenyl (S)	%	78		
Terphenyl-d14 (S)	%	69		
Phenol-d6 (S)	%	48		
2-Fluorophenol (S)	%	49		
2,4,6-Tribromophenol (S)	%	74		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604125377 604125385

Parameter	Units	604117440	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Phenol	ug/kg	0	3046.00	1665	55	1645	54	1	
2-Chlorophenol	ug/kg	0	3046.00	1811	59	1756	58	3	
1,4-Dichlorobenzene	ug/kg	0	2031.00	1298	64	1284	63	1	
N-Nitroso-di-n-propylamine	ug/kg	0	2031.00	1353	67	1288	63	5	
1,2,4-Trichlorobenzene	ug/kg	0	2031.00	1590	78	1595	78	0	
4-Chloro-3-methylphenol	ug/kg	0	3046.00	2256	74	2327	76	3	
Acenaphthene	ug/kg	0	2031.00	1392	68	1391	68	0	
4-Nitrophenol	ug/kg	0	3046.00	1982	65	2105	69	6	
2,4-Dinitrotoluene	ug/kg	0	2031.00	1634	80	1655	82	1	
Pentachlorophenol	ug/kg	0	3046.00	2201	72	2248	74	2	
Pyrene	ug/kg	0	2031.00	1880	93	1904	94	1	
Nitrobenzene-d5 (S)					52		55		
2-Fluorobiphenyl (S)					58		74		
Terphenyl-d14 (S)					68		72		
Phenol-d6 (S)					45		48		
2-Fluorophenol (S)					53		43		
2,4,6-Tribromophenol (S)					84		85		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604125393

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Phenol	ug/kg	2500	1422	57	
2-Chlorophenol	ug/kg	2500	1618	65	
1,4-Dichlorobenzene	ug/kg	1667	1092	66	
N-Nitroso-di-n-propylamine	ug/kg	1667	1218	73	
1,2,4-Trichlorobenzene	ug/kg	1667	1217	73	
4-Chloro-3-methylphenol	ug/kg	2500	1751	70	
Acenaphthene	ug/kg	1667	1304	78	
4-Nitrophenol	ug/kg	2500	1587	64	
2,4-Dinitrotoluene	ug/kg	1667	1315	79	
Pentachlorophenol	ug/kg	2500	1950	78	
Pyrene	ug/kg	1667	1617	97	
Nitrobenzene-d5 (S)				62	
2-Fluorobiphenyl (S)				78	
Terphenyl-d14 (S)				84	
Phenol-d6 (S)				60	
2-Fluorophenol (S)				57	
2,4,6-Tribromophenol (S)				85	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6047870
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	Detected but below the PRL; therefore, result is an estimated concentration (CLP J-Flag).
[2]	The spike recovery was outside acceptance limits for the MS or MSD due to matrix interference. The LCS was within acceptance limits showing that the laboratory is in control and the data is acceptable.
[3]	The calculated RPD was outside QC acceptance limits.
[4]	The spike recovery was outside acceptance limits for the MS and MSD due to matrix interference. The LCS was within acceptance limits showing that the laboratory is in control and the data is acceptable.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Reviewed by TB

May 21, 2001

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory May 3, 2001through May 5, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Angie Brown
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

QUALITY CONTROL DATA

CROSS REFERENCE TABLE

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604309492	NIC-GW-WND-28SM-050101	EPA 8260	103016		
604309500	NIC-GW-WND-28S-050101	EPA 8260	103016		
604309526	NIC-GW-WND-10S-050101	EPA 8260	103016		
604309542	NIC-GW-VCM-MW-003-050201	EPA 8260	103016		
604309559	NIC-GW-VCM-MW-007-050201	EPA 8260	103016		
604309575	NIC-GW-VCM-MW-002B-050201	EPA 8260	103016		
604309583	NIC-GW-VCM-MW-006-050201	EPA 8260	103016		
604309591	NIC-GW-VCM-MW-001-050201	EPA 8260	103016		
604309609	NIC-GW-VCM-MW-004-050201	EPA 8260	103016		
604309633	NIC-GW-NMW-01D-050101	EPA 8260	103016		
604309666	NIC-GW-NMW-01S-050101	EPA 8260	103016		
604309674	NIC-GW-WNC-10D-050101	EPA 8260	103016		
604309682	NIC-GW-NMW-02S-050201	EPA 8260	103016		
604309690	NIC-GW-NMW-02D-050201	EPA 8260	103016		
604309708	NIC-GW-WNC-09S-050201	EPA 8260	103016		
604309716	NIC-GW-WNC-09D-050201	EPA 8260	103016		
604309724	NIC-GW-NMW-07S-050201	EPA 8260	103016		
604309732	NIC-GW-NMW-07D-050201	EPA 8260	103016		
604316810	NIC-GW-NMW-11D-050301	EPA 8260	103064		
604316836	NIC-GW-NMW-11S-050301	EPA 8260	103226		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Lab Sample No: 604309492 Project Sample Number: 6049828-003 Date Collected: 05/01/01 08:00
Client Sample ID: NIC-GW-WND-28SM-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/09/01 16:18	DJE			
Methylene chloride	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/09/01 16:18	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	127-18-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309492 Project Sample Number: 6049828-003 Date Collected: 05/01/01 08:00
Client Sample ID: NIC-GW-WND-28SM-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Toluene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/09/01 16:18	DJE	75-01-4		
Toluene-d8 (S)	94	%		1.0	05/09/01 16:18	DJE	2037-26-5		
Dibromofluoromethane (S)	94	%		1.0	05/09/01 16:18	DJE			
4-Bromofluorobenzene (S)	95	%		1.0	05/09/01 16:18	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	85	%		1.0	05/09/01 16:18	DJE	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309500 Project Sample Number: 6049828-004 Date Collected: 05/01/01 12:45
Client Sample ID: NIC-GW-WND-28S-050101 Matrix: Water Date Received: 05/03/01 07:25

GC/MS Volatiles

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/09/01 16:51	DJE			
Methylene chloride	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/09/01 16:51	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/09/01 16:51	DJE	75-01-4		
Toluene-d8 (S)	96	%		1.0	05/09/01 16:51	DJE	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309500 Project Sample Number: 6049828-004 Date Collected: 05/01/01 12:45
Client Sample ID: NIC-GW-WND-28S-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	90	%		1.0	05/09/01 16:51	DJE			
4-Bromofluorobenzene (S)	94	%		1.0	05/09/01 16:51	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	81	%		1.0	05/09/01 16:51	DJE	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309526 Project Sample Number: 6049828-005 Date Collected: 05/01/01 15:29
Client Sample ID: NIC-GW-WND-10S-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/15/01 17:58		71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/15/01 17:58		79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/15/01 17:58		79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/15/01 17:58		75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/15/01 17:58		75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/15/01 17:58		95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/15/01 17:58		107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/15/01 17:58		78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/15/01 17:58		541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/15/01 17:58		106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/15/01 17:58		71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/15/01 17:58		75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/15/01 17:58		75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/15/01 17:58		74-83-9		
Carbon tetrachloride	1.5	ug/l	1.0	1.0	05/15/01 17:58		56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/15/01 17:58		108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/15/01 17:58		75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/15/01 17:58		67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/15/01 17:58		74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/15/01 17:58		156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/15/01 17:58		10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/15/01 17:58		124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/15/01 17:58		100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/15/01 17:58				
Methylene chloride	ND	ug/l	1.0	1.0	05/15/01 17:58		75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/15/01 17:58		95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/15/01 17:58		127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/15/01 17:58		108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/15/01 17:58		156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/15/01 17:58		10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/15/01 17:58		79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/15/01 17:58		75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/15/01 17:58		75-01-4		
Toluene-d8 (S)	100	%		1.0	05/15/01 17:58		2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309526 Project Sample Number: 6049828-005 Date Collected: 05/01/01 15:29
Client Sample ID: NIC-GW-WND-10S-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	102	%		1.0	05/15/01 17:58				
4-Bromofluorobenzene (S)	100	%		1.0	05/15/01 17:58		460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	05/15/01 17:58		17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309542 Project Sample Number: 6049828-006 Date Collected: 05/02/01 09:30
Client Sample ID: NIC-GW-VCM-MW-003-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 14:12	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 14:12	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 14:12	JSR	75-01-4		
Toluene-d8 (S)	106	%		1.0	05/11/01 14:12	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309542 Project Sample Number: 6049828-006 Date Collected: 05/02/01 09:30
Client Sample ID: NIC-GW-VCM-MW-003-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	96	%		1.0	05/11/01 14:12	JSR			
4-Bromofluorobenzene (S)	113	%		1.0	05/11/01 14:12	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	97	%		1.0	05/11/01 14:12	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309559 Project Sample Number: 6049828-007 Date Collected: 05/02/01 10:16
Client Sample ID: NIC-GW-VCM-MW-007-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	74-87-3		
cis-1,2-Dichloroethene	6.0	ug/l	1.0	1.0	05/11/01 14:45	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 14:45	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 14:45	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	127-18-4		
Toluene	1.6	ug/l	1.0	1.0	05/11/01 14:45	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	10061-02-6		
Trichloroethene	6.1	ug/l	1.0	1.0	05/11/01 14:45	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 14:45	JSR	75-01-4		
Toluene-d8 (S)	100	%		1.0	05/11/01 14:45	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309559 Project Sample Number: 6049828-007 Date Collected: 05/02/01 10:16
Client Sample ID: NIC-GW-VCM-MW-007-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	99	%		1.0	05/11/01 14:45	JSR			
4-Bromofluorobenzene (S)	107	%		1.0	05/11/01 14:45	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	05/11/01 14:45	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309575 Project Sample Number: 6049828-008 Date Collected: 05/02/01 11:50
Client Sample ID: NIC-GW-VCM-MW-002B-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	74-87-3		
cis-1,2-Dichloroethene	7.5	ug/l	1.0	1.0	05/11/01 15:18	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 15:18	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 15:18	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	10061-02-6		
Trichloroethene	15.	ug/l	1.0	1.0	05/11/01 15:18	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 15:18	JSR	75-01-4		
Toluene-d8 (S)	101	%		1.0	05/11/01 15:18	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309575 Project Sample Number: 6049828-008 Date Collected: 05/02/01 11:50
Client Sample ID: NIC-GW-VCM-MW-002B-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	98	%		1.0	05/11/01 15:18	JSR			
4-Bromofluorobenzene (S)	112	%		1.0	05/11/01 15:18	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	05/11/01 15:18	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309583 Project Sample Number: 6049828-009 Date Collected: 05/02/01 12:30
Client Sample ID: NIC-GW-VCM-MW-006-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	79-00-5		
1,1-Dichloroethane	1.4	ug/l	1.0	1.0	05/11/01 22:23	NLA	75-34-3		
1,1-Dichloroethene	1.0	ug/l	1.0	1.0	05/11/01 22:23	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	74-87-3		
cis-1,2-Dichloroethene	37.	ug/l	1.0	1.0	05/11/01 22:23	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 22:23	NLA			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 22:23	NLA	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	108-88-3		
trans-1,2-Dichloroethene	2.4	ug/l	1.0	1.0	05/11/01 22:23	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	10061-02-6		
Trichloroethene	71.	ug/l	2.0	2.0	05/11/01 22:23	NLA	79-01-6	1	D
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 22:23	NLA	75-69-4		
Vinyl chloride	1.7	ug/l	1.0	1.0	05/11/01 22:23	NLA	75-01-4		
Toluene-d8 (S)	98	%		1.0	05/11/01 22:23	NLA	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309583 Project Sample Number: 6049828-009 Date Collected: 05/02/01 12:30
Client Sample ID: NIC-GW-VCM-MW-006-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	96	%		1.0	05/11/01 22:23	NLA			
4-Bromofluorobenzene (S)	111	%		1.0	05/11/01 22:23	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	96	%		1.0	05/11/01 22:23	NLA	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309591 Project Sample Number: 6049828-010 Date Collected: 05/02/01 15:12
Client Sample ID: NIC-GW-VCM-MW-001-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	79-00-5		
1,1-Dichloroethane	1.5	ug/l	1.0	1.0	05/11/01 17:17	MJW	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	74-87-3		
cis-1,2-Dichloroethene	17.	ug/l	1.0	1.0	05/11/01 17:17	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 17:17	MJW			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 17:17	MJW	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	108-88-3		
trans-1,2-Dichloroethene	1.4	ug/l	1.0	1.0	05/11/01 17:17	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	10061-02-6		
Trichloroethene	9.2	ug/l	1.0	1.0	05/11/01 17:17	MJW	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 17:17	MJW	75-01-4		
Toluene-d8 (S)	98	%		1.0	05/11/01 17:17	MJW	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309591 Project Sample Number: 6049828-010 Date Collected: 05/02/01 15:12
Client Sample ID: NIC-GW-VCM-MW-001-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	98	%		1.0	05/11/01 17:17	MJW			
4-Bromofluorobenzene (S)	100	%		1.0	05/11/01 17:17	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	101	%		1.0	05/11/01 17:17	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309609 Project Sample Number: 6049828-011 Date Collected: 05/02/01 16:03
Client Sample ID: NIC-GW-VCM-MW-004-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	79-00-5		
1,1-Dichloroethane	1.7	ug/l	1.0	1.0	05/11/01 19:41	NLA	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	74-87-3		
cis-1,2-Dichloroethene	28.	ug/l	1.0	1.0	05/11/01 19:41	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 19:41	NLA			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 19:41	NLA	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	108-88-3		
trans-1,2-Dichloroethene	2.0	ug/l	1.0	1.0	05/11/01 19:41	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	10061-02-6		
Trichloroethene	11.	ug/l	1.0	1.0	05/11/01 19:41	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 19:41	NLA	75-01-4		
Toluene-d8 (S)	102	%		1.0	05/11/01 19:41	NLA	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309609 Project Sample Number: 6049828-011 Date Collected: 05/02/01 16:03
Client Sample ID: NIC-GW-VCM-MW-004-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	99	%		1.0	05/11/01 19:41	NLA			
4-Bromofluorobenzene (S)	107	%		1.0	05/11/01 19:41	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	05/11/01 19:41	NLA	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309633 Project Sample Number: 6049828-012 Date Collected: 05/01/01 11:23
Client Sample ID: NIC-GW-NMW-01D-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 01:21	DJE			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 01:21	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 01:21	DJE	75-01-4		
Toluene-d8 (S)	95	%		1.0	05/10/01 01:21	DJE	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309633 Project Sample Number: 6049828-012 Date Collected: 05/01/01 11:23
Client Sample ID: NIC-GW-NMW-01D-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	84	%		1.0	05/10/01 01:21	DJE			
4-Bromofluorobenzene (S)	93	%		1.0	05/10/01 01:21	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	71	%		1.0	05/10/01 01:21	DJE	17060-07-0	2	S

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309666 Project Sample Number: 6049828-013 Date Collected: 05/01/01 12:02
Client Sample ID: NIC-GW-NMW-01S-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 13:07	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 13:07	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 13:07	JSR	75-01-4		
Toluene-d8 (S)	100	%		1.0	05/11/01 13:07	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309666 Project Sample Number: 6049828-013 Date Collected: 05/01/01 12:02
Client Sample ID: NIC-GW-NMW-01S-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	96	%		1.0	05/11/01 13:07	JSR			
4-Bromofluorobenzene (S)	117	%		1.0	05/11/01 13:07	JSR	460-00-4	3	
1,2-Dichloroethane-d4 (S)	96	%		1.0	05/11/01 13:07	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309674 Project Sample Number: 6049828-014 Date Collected: 05/01/01 14:52
Client Sample ID: NIC-GW-WNC-10D-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/12/01 09:50	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/12/01 09:50	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/12/01 09:50	JSR	75-01-4		
Toluene-d8 (S)	98	%		1.0	05/12/01 09:50	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309674 Project Sample Number: 6049828-014 Date Collected: 05/01/01 14:52
Client Sample ID: NIC-GW-WNC-10D-050101 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	96	%		1.0	05/12/01 09:50	JSR			
4-Bromofluorobenzene (S)	110	%		1.0	05/12/01 09:50	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	96	%		1.0	05/12/01 09:50	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309682 Project Sample Number: 6049828-015 Date Collected: 05/02/01 10:05
Client Sample ID: NIC-GW-NMW-02S-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 20:13	NLA			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 20:13	NLA	95-47-6		
Tetrachloroethene	41.	ug/l	2.0	2.0	05/11/01 20:13	NLA	127-18-4	1	
Toluene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 20:13	NLA	75-01-4		
Toluene-d8 (S)	95	%		1.0	05/11/01 20:13	NLA	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309682 Project Sample Number: 6049828-015 Date Collected: 05/02/01 10:05
Client Sample ID: NIC-GW-NMW-02S-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	99	%		1.0	05/11/01 20:13	NLA			
4-Bromofluorobenzene (S)	111	%		1.0	05/11/01 20:13	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	05/11/01 20:13	NLA	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309690 Project Sample Number: 6049828-016 Date Collected: 05/02/01 10:15
Client Sample ID: NIC-GW-NMW-02D-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 20:46	NLA			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 20:46	NLA	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 20:46	NLA	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/11/01 20:46	NLA	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309690 Project Sample Number: 6049828-016 Date Collected: 05/02/01 10:15
Client Sample ID: NIC-GW-NMW-02D-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	99	%		1.0	05/11/01 20:46	NLA			
4-Bromofluorobenzene (S)	109	%		1.0	05/11/01 20:46	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	05/11/01 20:46	NLA	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309708 Project Sample Number: 6049828-017 Date Collected: 05/02/01 12:08
Client Sample ID: NIC-GW-WNC-09S-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 21:18	NLA			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 21:18	NLA	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 21:18	NLA	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/11/01 21:18	NLA	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309708 Project Sample Number: 6049828-017 Date Collected: 05/02/01 12:08
Client Sample ID: NIC-GW-WNC-09S-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	99	%		1.0	05/11/01 21:18	NLA			
4-Bromofluorobenzene (S)	99	%		1.0	05/11/01 21:18	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	103	%		1.0	05/11/01 21:18	NLA	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309716 Project Sample Number: 6049828-018 Date Collected: 05/02/01 12:27
Client Sample ID: NIC-GW-WNC-09D-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	106-46-7		
Benzene	1.1	ug/l	1.0	1.0	05/11/01 15:50	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 15:50	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 15:50	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 15:50	JSR	75-01-4		
Toluene-d8 (S)	94	%		1.0	05/11/01 15:50	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309716 Project Sample Number: 6049828-018 Date Collected: 05/02/01 12:27
Client Sample ID: NIC-GW-WNC-09D-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	98	%		1.0	05/11/01 15:50	JSR			
4-Bromofluorobenzene (S)	108	%		1.0	05/11/01 15:50	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	103	%		1.0	05/11/01 15:50	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309724 Project Sample Number: 6049828-019 Date Collected: 05/02/01 15:10
Client Sample ID: NIC-GW-NMW-07S-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 17:53	MJW			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 17:53	MJW	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 17:53	MJW	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/11/01 17:53	MJW	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309724 Project Sample Number: 6049828-019 Date Collected: 05/02/01 15:10
Client Sample ID: NIC-GW-NMW-07S-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	99	%		1.0	05/11/01 17:53	MJW			
4-Bromofluorobenzene (S)	99	%		1.0	05/11/01 17:53	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	100	%		1.0	05/11/01 17:53	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309732 Project Sample Number: 6049828-020 Date Collected: 05/02/01 15:24
Client Sample ID: NIC-GW-NMW-07D-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	74-87-3		
cis-1,2-Dichloroethene	1.7	ug/l	1.0	1.0	05/11/01 21:51	NLA	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 21:51	NLA			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 21:51	NLA	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	10061-02-6		
Trichloroethene	2.2	ug/l	1.0	1.0	05/11/01 21:51	NLA	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 21:51	NLA	75-01-4		
Toluene-d8 (S)	101	%		1.0	05/11/01 21:51	NLA	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604309732 Project Sample Number: 6049828-020 Date Collected: 05/02/01 15:24
Client Sample ID: NIC-GW-NMW-07D-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	94	%		1.0	05/11/01 21:51	NLA			
4-Bromofluorobenzene (S)	110	%		1.0	05/11/01 21:51	NLA	460-00-4		
1,2-Dichloroethane-d4 (S)	93	%		1.0	05/11/01 21:51	NLA	17060-07-0		

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604316810 Project Sample Number: 6049828-021 Date Collected: 05/03/01 16:50
Client Sample ID: NIC-GW-NMW-11D-050301 Matrix: Water Date Received: 05/05/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 09:45	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 09:45	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 09:45	JSR	75-01-4		
Toluene-d8 (S)	98	%		1.0	05/10/01 09:45	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604316810 Project Sample Number: 6049828-021 Date Collected: 05/03/01 16:50
Client Sample ID: NIC-GW-NMW-11D-050301 Matrix: Water Date Received: 05/05/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	97	%		1.0	05/10/01 09:45	JSR			
4-Bromofluorobenzene (S)	100	%		1.0	05/10/01 09:45	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	99	%		1.0	05/10/01 09:45	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604316836 Project Sample Number: 6049828-022 Date Collected: 05/03/01 17:10
Client Sample ID: NIC-GW-NMW-11S-050301 Matrix: Water Date Received: 05/05/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 18:30	MJW			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 18:30	MJW	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 18:30	MJW	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/11/01 18:30	MJW	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604316836 Project Sample Number: 6049828-022 Date Collected: 05/03/01 17:10
Client Sample ID: NIC-GW-NMW-11S-050301 Matrix: Water Date Received: 05/05/01 07:30

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	100	%		1.0	05/11/01 18:30	MJW			
4-Bromofluorobenzene (S)	101	%		1.0	05/11/01 18:30	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	05/11/01 18:30	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS
This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	This result is from a 1:2 dilution on 05/12/2001.
[2]	The recovery is below laboratory established control limits of 80%.
[3]	The recovery exceeds laboratory established control limits of 114%. No target analytes were present in the sample so quantitation is not a factor and the data are accepted.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QC Batch: 103016 QC Batch Method: EPA 8260
Analysis Method: EPA 8260 Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Lab Samples: 604309492 604309500 604309526 604309542 604309559
604309575 604309583 604309591 604309609 604309633
604309666 604309674 604309682 604309690 604309708
604309716 604309724 604309732

METHOD BLANK: 604319764
Associated Lab Samples:
604309492 604309500

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604319764
Associated Lab Samples:
604309492 604309500

Parameter	Units	Method Blank Result	PRL	Footnotes
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	96		
Dibromofluoromethane (S)	%	96		
4-Bromofluorobenzene (S)	%	98		
1,2-Dichloroethane-d4 (S)	%	85		

METHOD BLANK: 604333427
Associated Lab Samples:
604309633

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604333427
Associated Lab Samples:
604309633

Parameter	Units	Method Blank Result	PRL	Footnotes
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	85		
4-Bromofluorobenzene (S)	%	93		
1,2-Dichloroethane-d4 (S)	%	72		1

METHOD BLANK: 604333435
Associated Lab Samples:
604309674

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604333435
Associated Lab Samples:
604309674

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	100		
4-Bromofluorobenzene (S)	%	106		
1,2-Dichloroethane-d4 (S)	%	104		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604333443
Associated Lab Samples: 604309542 604309559 604309575 604309666 604309716

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	102		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604333443
Associated Lab Samples: 604309542, 604309559, 604309575, 604309666, 604309716

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromofluoromethane (S)	%	98		
4-Bromofluorobenzene (S)	%	107		
1,2-Dichloroethane-d4 (S)	%	102		

METHOD BLANK: 604333450
Associated Lab Samples: 604309583, 604309609, 604309682, 604309690, 604309708, 604309732

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604333450
Associated Lab Samples:

	604309583	604309609	604309682	604309690	604309708	604309732
Parameter	Units	Method Blank Result	PRL	Footnotes		
Ethylbenzene	ug/l	ND	1			
m&p-Xylene	ug/l	ND	1.3			
Methylene chloride	ug/l	ND	1			
o-Xylene	ug/l	ND	1.1			
Tetrachloroethene	ug/l	ND	1			
Toluene	ug/l	ND	1			
trans-1,2-Dichloroethene	ug/l	ND	1			
trans-1,3-Dichloropropene	ug/l	ND	1			
Trichloroethene	ug/l	ND	1			
Trichlorofluoromethane	ug/l	ND	1			
Vinyl chloride	ug/l	ND	1			
Toluene-d8 (S)	%	104				
Dibromofluoromethane (S)	%	100				
4-Bromofluorobenzene (S)	%	102				
1,2-Dichloroethane-d4 (S)	%	101				

METHOD BLANK: 604333468
Associated Lab Samples:

	604309591	604309724		
Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604333468
Associated Lab Samples:

		604309591	604309724		
Parameter	Units		Method Blank Result	PRL	Footnotes
Benzene	ug/l		ND	1	
Bromodichloromethane	ug/l		ND	1	
Bromoform	ug/l		ND	1	
Bromomethane	ug/l		ND	1	
Carbon tetrachloride	ug/l		ND	1	
Chlorobenzene	ug/l		ND	1	
Chloroethane	ug/l		ND	1	
Chloroform	ug/l		ND	1	
Chloromethane	ug/l		ND	1	
cis-1,2-Dichloroethene	ug/l		ND	1	
cis-1,3-Dichloropropene	ug/l		ND	1	
Dibromochloromethane	ug/l		ND	1	
Ethylbenzene	ug/l		ND	1	
m&p-Xylene	ug/l		ND	1.3	
Methylene chloride	ug/l		ND	1	
o-Xylene	ug/l		ND	1.1	
Tetrachloroethene	ug/l		ND	1	
Toluene	ug/l		ND	1	
trans-1,2-Dichloroethene	ug/l		ND	1	
trans-1,3-Dichloropropene	ug/l		ND	1	
Trichloroethene	ug/l		ND	1	
Trichlorofluoromethane	ug/l		ND	1	
Vinyl chloride	ug/l		ND	1	
Toluene-d8 (S)	%		98		
Dibromofluoromethane (S)	%		97		
4-Bromofluorobenzene (S)	%		99		
1,2-Dichloroethane-d4 (S)	%		98		

METHOD BLANK: 604336248
Associated Lab Samples:

		604309526		
Parameter	Units	Method Blank Result	PRL	Footnotes

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604336248
Associated Lab Samples:
604309526

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	99		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604336248
Associated Lab Samples:
604309526

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromofluoromethane (S)	%	102		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	101		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604319780 604319798

Parameter	Units	604309633	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10.00	11.94	119	11.76	118	2	
Benzene	ug/l	0.4271	10.00	11.88	114	10.82	104	9	
Chlorobenzene	ug/l	0	10.00	11.07	111	9.938	99	11	
Toluene	ug/l	0	10.00	12.43	124	11.36	114	9	
Trichloroethene	ug/l	0	10.00	11.48	115	10.66	107	7	
Toluene-d8 (S)					99	101			
Dibromofluoromethane (S)					90	93			
4-Bromofluorobenzene (S)					95	98			
1,2-Dichloroethane-d4 (S)					81	88			

LABORATORY CONTROL SAMPLE: 604319772

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	10	10.40	104	
1,1,2,2-Tetrachloroethane	ug/l	10	10.72	107	
1,1,2-Trichloroethane	ug/l	10	11.34	113	
1,1-Dichloroethane	ug/l	10	13.78	138	2
1,1-Dichloroethene	ug/l	10	10.10	101	
1,2-Dichlorobenzene	ug/l	10	10.91	109	
1,2-Dichloroethane	ug/l	10	9.713	97	
1,2-Dichloropropane	ug/l	10	10.84	108	
1,3-Dichlorobenzene	ug/l	10	10.28	103	
1,4-Dichlorobenzene	ug/l	10	10.18	102	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

LABORATORY CONTROL SAMPLE: 604319772

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Benzene	ug/l	10	10.57	106	
Bromodichloromethane	ug/l	10	10.49	105	
Bromoform	ug/l	10	10.34	103	
Bromomethane	ug/l	10	9.343	93	
Carbon tetrachloride	ug/l	10	10.63	106	
Chlorobenzene	ug/l	10	11.59	116	
Chloroethane	ug/l	10	8.825	88	
Chloroform	ug/l	10	10.56	106	
Chloromethane	ug/l	10	11.39	114	
cis-1,2-Dichloroethene	ug/l	10	11.28	113	
cis-1,3-Dichloropropene	ug/l	10	10.61	106	
Dibromochloromethane	ug/l	10	11.21	112	
Ethylbenzene	ug/l	10	10.74	107	
m&p-Xylene	ug/l	20	20.90	104	
Methylene chloride	ug/l	10	9.777	98	
o-Xylene	ug/l	10	10.75	108	
Tetrachloroethene	ug/l	10	10.09	101	
Toluene	ug/l	10	11.14	111	
trans-1,2-Dichloroethene	ug/l	10	9.687	97	
trans-1,3-Dichloropropene	ug/l	10	11.38	114	
Trichloroethene	ug/l	10	10.18	102	
Trichlorofluoromethane	ug/l	10	11.13	111	
Vinyl chloride	ug/l	10	10.13	101	
Toluene-d8 (S)				96	
Dibromofluoromethane (S)				104	
4-Bromofluorobenzene (S)				102	
1,2-Dichloroethane-d4 (S)				93	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Lab Project Number: 6049828
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 103064 QC Batch Method: EPA 8260
Analysis Method: EPA 8260 Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Lab Samples: 604316810

METHOD BLANK: 604326488
Associated Lab Samples:
604316810

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604326488
Associated Lab Samples:
604316810

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	98		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604320986 604320994

Parameter	Units	604312330	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10.00	12.93	129	12.82	128	1	
Benzene	ug/l	0	10.00	12.20	122	12.30	123	1	
Chlorobenzene	ug/l	0	10.00	10.88	109	11.13	111	2	
Toluene	ug/l	0	10.00	12.75	128	12.75	128	0	
Trichloroethene	ug/l	0.8767	10.00	12.28	114	12.42	115	1	
Toluene-d8 (S)					99		99		
Dibromofluoromethane (S)					102		101		
4-Bromofluorobenzene (S)					100		101		
1,2-Dichloroethane-d4 (S)					102		102		

LABORATORY CONTROL SAMPLE: 604321000

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	10	12.33	123	
1,1,2,2-Tetrachloroethane	ug/l	10	10.92	109	
1,1,2-Trichloroethane	ug/l	10	11.44	114	
1,1-Dichloroethane	ug/l	10	10.16	102	
1,1-Dichloroethene	ug/l	10	12.35	123	
1,2-Dichlorobenzene	ug/l	10	10.96	110	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

LABORATORY CONTROL SAMPLE: 604321000

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,2-Dichloroethane	ug/l	10	10.95	109	
1,2-Dichloropropane	ug/l	10	11.26	113	
1,3-Dichlorobenzene	ug/l	10	10.49	105	
1,4-Dichlorobenzene	ug/l	10	10.33	103	
Benzene	ug/l	10	11.26	113	
Bromodichloromethane	ug/l	10	11.58	116	
Bromoform	ug/l	10	10.47	105	
Bromomethane	ug/l	10	11.46	115	
Carbon tetrachloride	ug/l	10	11.40	114	
Chlorobenzene	ug/l	10	10.37	104	
Chloroethane	ug/l	10	11.91	119	
Chloroform	ug/l	10	11.44	114	
Chloromethane	ug/l	10	11.40	114	
cis-1,2-Dichloroethene	ug/l	10	11.26	113	
cis-1,3-Dichloropropene	ug/l	10	11.38	114	
Dibromochloromethane	ug/l	10	11.12	111	
Ethylbenzene	ug/l	10	11.45	115	
m&p-Xylene	ug/l	20	22.48	112	
Methylene chloride	ug/l	10	11.11	111	
o-Xylene	ug/l	10	11.39	114	
Tetrachloroethene	ug/l	10	11.52	115	
Toluene	ug/l	10	11.42	114	
trans-1,2-Dichloroethene	ug/l	10	11.75	118	
trans-1,3-Dichloropropene	ug/l	10	11.99	120	
Trichloroethene	ug/l	10	10.67	107	
Trichlorofluoromethane	ug/l	10	13.93	139	
Vinyl chloride	ug/l	10	12.25	122	
Toluene-d8 (S)				99	
Dibromofluoromethane (S)				102	
4-Bromofluorobenzene (S)				101	
1,2-Dichloroethane-d4 (S)				102	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QC Batch: 103226 QC Batch Method: EPA 8260
Analysis Method: EPA 8260 Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Lab Samples: 604316836

METHOD BLANK: 604328690
Associated Lab Samples:
604316836

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

METHOD BLANK: 604328690
Associated Lab Samples:
604316836

Parameter	Units	Method Blank Result	PRL	Footnotes
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	98		

LABORATORY CONTROL SAMPLE: 604328708

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	5.000	5.120	102	
1,1,2,2-Tetrachloroethane	ug/l	5.000	5.841	117	
1,1,2-Trichloroethane	ug/l	5.000	5.477	110	
1,1-Dichloroethane	ug/l	5.000	4.850	97	
1,1-Dichloroethene	ug/l	5.000	4.891	98	
1,2-Dichlorobenzene	ug/l	5.000	5.633	113	
1,2-Dichloroethane	ug/l	5.000	5.275	105	
1,2-Dichloropropane	ug/l	5.000	5.214	104	
1,3-Dichlorobenzene	ug/l	5.000	5.428	109	
1,4-Dichlorobenzene	ug/l	5.000	5.346	107	
Benzene	ug/l	5.000	5.067	101	
Bromodichloromethane	ug/l	5.000	5.334	107	
Bromoform	ug/l	5.000	5.591	112	
Bromomethane	ug/l	5.000	2.404	48	
Carbon tetrachloride	ug/l	5.000	5.179	104	
Chlorobenzene	ug/l	5.000	4.828	97	
Chloroethane	ug/l	5.000	3.387	68	
Chloroform	ug/l	5.000	5.069	101	
Chloromethane	ug/l	5.000	4.748	95	
cis-1,2-Dichloroethene	ug/l	5.000	5.110	102	
cis-1,3-Dichloropropene	ug/l	5.000	5.302	106	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

LABORATORY CONTROL SAMPLE: 604328708

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Dibromochloromethane	ug/l	5.000	5.318	106	
Ethylbenzene	ug/l	5.000	5.044	101	
m&p-Xylene	ug/l	10	10.13	101	
Methylene chloride	ug/l	5.000	5.249	105	
o-Xylene	ug/l	5.000	5.163	103	
Tetrachloroethene	ug/l	5.000	4.981	100	
Toluene	ug/l	5.000	5.186	104	
trans-1,2-Dichloroethene	ug/l	5.000	5.127	103	
trans-1,3-Dichloropropene	ug/l	5.000	5.394	108	
Trichloroethene	ug/l	5.000	4.713	94	
Trichlorofluoromethane	ug/l	5.000	4.313	86	
Vinyl chloride	ug/l	5.000	5.194	104	
Toluene-d8 (S)				98	
Dibromofluoromethane (S)				111	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				138	3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
RPD	Relative Percent Difference
(S)	Surrogate
[1]	The recovery is below laboratory established control limits of 80%.
[2]	Spiked sample recovery is not within control limits. Any results reported for this compound should be considered an estimated value.
[3]	The Surrogate recovery value exceeded the established laboratory control limit value.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Reviewed by B

May 23, 2001

Mr. DARREN BROWN
CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

RE: Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Dear Mr. BROWN:

Enclosed are the analytical results for sample(s)received by the laboratory May 3, 2001through May 4, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tena Tiruneh
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

CROSS REFERENCE TABLE

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Lab Sample No Identifier	Client Sample Identifier	QC Batch Method	QC Batch Identifier	Analytical Method	Analytical Batch Identifier
604312389	NIC-GW-WND-12S-050301	OA2	102902	OA2	103050
604312389	NIC-GW-WND-12S-050301	EPA 8015 Modified	103045		
604310185	NIC-GW-WND-40S-050201	EPA 8260	103064		
604310201	NIC-GW-WND-40D-050201	EPA 8260	103064		
604310268	NIC-GW-WND-03S-050201	EPA 8260	103064		
604310334	NIC-GW-EXC-MW07B-050201	EPA 8260	103064		
604310367	NIC-GW-EXC-MW04A-050201	EPA 8260	103064		
604310375	NIC-GW-EXC-MW04B-050201	EPA 8260	103064		
604312298	NIC-GW-NMW-17DM-050301	EPA 8260	103064		
604312306	NIC-GW-NMW-17D-050301	EPA 8260	103064		
604312314	NIC-GW-NMW-17S-050301	EPA 8260	103064		
604312322	NIC-GW-NMW-20S-050301	EPA 8260	103064		
604312330	NIC-GW-NMW-20D-050301	EPA 8260	103064		
604312348	NIC-GW-NMW-23S-050301	EPA 8260	103064		
604312355	NIC-GW-NMW-23D-050301	EPA 8260	103064		
604312363	NIC-GW-WND-29S-050301	EPA 8260	103064		
604312371	NIC-GW-WND-29D-050301	EPA 8260	103064		
604312389	NIC-GW-WND-12S-050301	EPA 8260	103226		
604312397	NIC-GW-WND-12D-050301	EPA 8260	103226		
604312405	NIC-GW-WND-12DP-050301	EPA 8260	103226		
604312413	NIC-GW-WND-41DQ-050301	EPA 8260	103226		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

CAMP DRESSER & MCKEE INC
1331 17TH STREET
SUITE 1200
DENVER, CO 80202

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Attn: Mr. DARREN BROWN
Phone: (303)298-1311

Lab Sample No: 604310185 Project Sample Number: 6049830-008 Date Collected: 05/02/01 08:35
Client Sample ID: NIC-GW-WND-40S-050201 Matrix: Water Date Received: 05/03/01 07:25

GC/MS Volatiles

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
1,1,1-Trichloroethane	9.7	ug/l	1.0	1.0	05/10/01 15:16	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	79-00-5		
1,1-Dichloroethane	1.8	ug/l	1.0	1.0	05/10/01 15:16	DJE	75-34-3		
1,1-Dichloroethene	6.0	ug/l	1.0	1.0	05/10/01 15:16	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	74-87-3		
cis-1,2-Dichloroethene	9.6	ug/l	1.0	1.0	05/10/01 15:16	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 15:16	DJE			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 15:16	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	127-18-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310185 **Project Sample Number:** 6049830-008 **Date Collected:** 05/02/01 08:35
Client Sample ID: NIC-GW-WND-40S-050201 **Matrix:** Water **Date Received:** 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Toluene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	10061-02-6		
Trichloroethene	36.	ug/l	1.0	1.0	05/10/01 15:16	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 15:16	DJE	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/10/01 15:16	DJE	2037-26-5		
Dibromofluoromethane (S)	101	%		1.0	05/10/01 15:16	DJE			
4-Bromofluorobenzene (S)	100	%		1.0	05/10/01 15:16	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	103	%		1.0	05/10/01 15:16	DJE	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310201 Project Sample Number: 6049830-009 Date Collected: 05/02/01 09:25
Client Sample ID: NIC-GW-WND-40D-050201 Matrix: Water Date Received: 05/03/01 07:25

GC/MS Volatiles

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	9.5	ug/l	1.0	1.0	05/10/01 01:50	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	79-00-5		
1,1-Dichloroethane	1.9	ug/l	1.0	1.0	05/10/01 01:50	JSR	75-34-3		
1,1-Dichloroethene	6.2	ug/l	1.0	1.0	05/10/01 01:50	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	74-87-3		
cis-1,2-Dichloroethene	21.	ug/l	1.0	1.0	05/10/01 01:50	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 01:50	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 01:50	JSR	95-47-6		
Tetrachloroethene	1.4	ug/l	1.0	1.0	05/10/01 01:50	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	10061-02-6		
Trichloroethene	54.	ug/l	2.0	2.0	05/10/01 01:50	JSR	79-01-6	1 D	
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 01:50	JSR	75-01-4		
Toluene-d8 (S)	100	%		1.0	05/10/01 01:50	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310201 **Project Sample Number:** 6049830-009 **Date Collected:** 05/02/01 09:25
Client Sample ID: NIC-GW-WND-40D-050201 **Matrix:** Water **Date Received:** 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	100	%		1.0	05/10/01 01:50	JSR			
4-Bromofluorobenzene (S)	98	%		1.0	05/10/01 01:50	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	103	%		1.0	05/10/01 01:50	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310268 Project Sample Number: 6049830-010 Date Collected: 05/02/01 11:20
Client Sample ID: NIC-GW-WND-03S-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	79-00-5		
1,1-Dichloroethane	2.5	ug/l	1.0	1.0	05/10/01 02:27	JSR	75-34-3		
1,1-Dichloroethene	12.	ug/l	1.0	1.0	05/10/01 02:27	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	106-46-7		
Benzene	5.7	ug/l	1.0	1.0	05/10/01 02:27	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	74-87-3		
cis-1,2-Dichloroethene	240	ug/l	10.	10.0	05/10/01 02:27	JSR	156-59-2	2 D	
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	124-48-1		
Ethylbenzene	13.	ug/l	1.0	1.0	05/10/01 02:27	JSR	100-41-4		
m&p-Xylene	6.4	ug/l	1.3	1.0	05/10/01 02:27	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 02:27	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	127-18-4		
Toluene	2.7	ug/l	1.0	1.0	05/10/01 02:27	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	10061-02-6		
Trichloroethene	30.	ug/l	1.0	1.0	05/10/01 02:27	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 02:27	JSR	75-69-4		
Vinyl chloride	46.	ug/l	10.	10.0	05/10/01 02:27	JSR	75-01-4	2 D	
Toluene-d8 (S)	102	%		1.0	05/10/01 02:27	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310268 **Project Sample Number:** 6049830-010 **Date Collected:** 05/02/01 11:20
Client Sample ID: NIC-GW-WND-03S-050201 **Matrix:** Water **Date Received:** 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	101	%		1.0	05/10/01 02:27	JSR			
4-Bromofluorobenzene (S)	105	%		1.0	05/10/01 02:27	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	05/10/01 02:27	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310334 Project Sample Number: 6049830-011 Date Collected: 05/02/01 12:25
Client Sample ID: NIC-GW-EXC-MW07B-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	79-00-5		
1,1-Dichloroethane	1.3	ug/l	1.0	1.0	05/10/01 03:03	JSR	75-34-3		
1,1-Dichloroethene	2.1	ug/l	1.0	1.0	05/10/01 03:03	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	74-87-3		
cis-1,2-Dichloroethene	18.	ug/l	1.0	1.0	05/10/01 03:03	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 03:03	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 03:03	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	10061-02-6		
Trichloroethene	51.	ug/l	2.0	2.0	05/10/01 03:03	JSR	79-01-6	1	
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 03:03	JSR	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/10/01 03:03	JSR	2037-26-5		

Date: 05/23/01

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310334 **Project Sample Number:** 6049830-011 **Date Collected:** 05/02/01 12:25
Client Sample ID: NIC-GW-EXC-MW07B-050201 **Matrix:** Water **Date Received:** 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	98	%		1.0	05/10/01 03:03	JSR			
4-Bromofluorobenzene (S)	101	%		1.0	05/10/01 03:03	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	97	%		1.0	05/10/01 03:03	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310367 Project Sample Number: 6049830-012 Date Collected: 05/02/01 15:25
Client Sample ID: NIC-GW-EXC-MW04A-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	2.4	ug/l	1.0	1.0	05/10/01 07:54	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	79-00-5		
1,1-Dichloroethane	2.7	ug/l	1.0	1.0	05/10/01 07:54	JSR	75-34-3		
1,1-Dichloroethene	15.	ug/l	1.0	1.0	05/10/01 07:54	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	74-87-3		
cis-1,2-Dichloroethene	91.	ug/l	10.	10.0	05/10/01 07:54	JSR	156-59-2	2 D	
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 07:54	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 07:54	JSR	95-47-6		
Tetrachloroethene	1.4	ug/l	1.0	1.0	05/10/01 07:54	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	108-88-3		
trans-1,2-Dichloroethene	1.3	ug/l	1.0	1.0	05/10/01 07:54	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	10061-02-6		
Trichloroethene	290	ug/l	10.	10.0	05/10/01 07:54	JSR	79-01-6	3 D	
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 07:54	JSR	75-69-4		
Vinyl chloride	2.4	ug/l	1.0	1.0	05/10/01 07:54	JSR	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/10/01 07:54	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310367 **Project Sample Number:** 6049830-012 **Date Collected:** 05/02/01 15:25
Client Sample ID: NIC-GW-EXC-MW04A-050201 **Matrix:** Water **Date Received:** 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	103	%		1.0	05/10/01 07:54	JSR			
4-Bromofluorobenzene (S)	99	%		1.0	05/10/01 07:54	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	103	%		1.0	05/10/01 07:54	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310375 Project Sample Number: 6049830-013 Date Collected: 05/02/01 16:10
Client Sample ID: NIC-GW-EXC-MW04B-050201 Matrix: Water Date Received: 05/03/01 07:25

GC/MS Volatiles

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	75-34-3		
1,1-Dichloroethene	1.9	ug/l	1.0	1.0	05/10/01 18:20	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	74-87-3		
cis-1,2-Dichloroethene	7.0	ug/l	1.0	1.0	05/10/01 18:20	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 18:20	DJE			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 18:20	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	10061-02-6		
Trichloroethene	39.	ug/l	1.0	1.0	05/10/01 18:20	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 18:20	DJE	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/10/01 18:20	DJE	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604310375 Project Sample Number: 6049830-013 Date Collected: 05/02/01 16:10
Client Sample ID: NIC-GW-EXC-MW04B-050201 Matrix: Water Date Received: 05/03/01 07:25

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	103	%		1.0	05/10/01 18:20	DJE			
4-Bromofluorobenzene (S)	99	%		1.0	05/10/01 18:20	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	105	%		1.0	05/10/01 18:20	DJE	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312298 Project Sample Number: 6049830-014 Date Collected: 05/03/01 08:00
Client Sample ID: NIC-GW-NMW-17DM-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 10:22	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 10:22	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 10:22	JSR	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/10/01 10:22	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312298 **Project Sample Number:** 6049830-014 **Date Collected:** 05/03/01 08:00
Client Sample ID: NIC-GW-NMW-17DM-050301 **Matrix:** Water **Date Received:** 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	97	%		1.0	05/10/01 10:22	JSR			
4-Bromofluorobenzene (S)	99	%		1.0	05/10/01 10:22	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	101	%		1.0	05/10/01 10:22	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312306 Project Sample Number: 6049830-015 Date Collected: 05/03/01 10:27
Client Sample ID: NIC-GW-NMW-17D-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	74-87-3		
cis-1,2-Dichloroethene	6.7	ug/l	1.0	1.0	05/10/01 20:49	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 20:49	DJE			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 20:49	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	10061-02-6		
Trichloroethene	1.4	ug/l	1.0	1.0	05/10/01 20:49	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 20:49	DJE	75-01-4		
Toluene-d8 (S)	101	%		1.0	05/10/01 20:49	DJE	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312306 Project Sample Number: 6049830-015 Date Collected: 05/03/01 10:27
Client Sample ID: NIC-GW-NMW-17D-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	94	%		1.0	05/10/01 20:49	DJE			
4-Bromofluorobenzene (S)	99	%		1.0	05/10/01 20:49	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	90	%		1.0	05/10/01 20:49	DJE	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312314 **Project Sample Number: 6049830-016** **Date Collected: 05/03/01 10:44**
Client Sample ID: NIC-GW-NMW-17S-050301 **Matrix: Water** **Date Received: 05/04/01 09:15**

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 21:48	DJE			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 21:48	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 21:48	DJE	75-01-4		
Toluene-d8 (S)	100	%		1.0	05/10/01 21:48	DJE	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312314 Project Sample Number: 6049830-016 Date Collected: 05/03/01 10:44
Client Sample ID: NIC-GW-NMW-17S-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	93	%		1.0	05/10/01 21:48	DJE			
4-Bromofluorobenzene (S)	98	%		1.0	05/10/01 21:48	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	92	%		1.0	05/10/01 21:48	DJE	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312322 **Project Sample Number:** 6049830-017 **Date Collected:** 05/03/01 12:09
Client Sample ID: NIC-GW-NMW-20S-050301 **Matrix:** Water **Date Received:** 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 22:37	DJE			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 22:37	DJE	95-47-6		
Tetrachloroethene	40.	ug/l	1.0	1.0	05/10/01 22:37	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 22:37	DJE	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/10/01 22:37	DJE	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312322 Project Sample Number: 6049830-017 Date Collected: 05/03/01 12:09
Client Sample ID: NIC-GW-NMW-20S-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	92	%		1.0	05/10/01 22:37	DJE			
4-Bromofluorobenzene (S)	96	%		1.0	05/10/01 22:37	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	92	%		1.0	05/10/01 22:37	DJE	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312330 Project Sample Number: 6049830-018 Date Collected: 05/03/01 12:12
Client Sample ID: NIC-GW-NMW-20D-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	74-87-3		
cis-1,2-Dichloroethene	4.5	ug/l	1.0	1.0	05/10/01 14:40	DJE	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/10/01 14:40	DJE			
Methylene chloride	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/10/01 14:40	DJE	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/10/01 14:40	DJE	75-01-4		
Toluene-d8 (S)	100	%		1.0	05/10/01 14:40	DJE	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312330 Project Sample Number: 6049830-018 Date Collected: 05/03/01 12:12
Client Sample ID: NIC-GW-NMW-20D-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	103	%		1.0	05/10/01 14:40	DJE			
4-Bromofluorobenzene (S)	100	%		1.0	05/10/01 14:40	DJE	460-00-4		
1,2-Dichloroethane-d4 (S)	105	%		1.0	05/10/01 14:40	DJE	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312348 **Project Sample Number:** 6049830-019 **Date Collected:** 05/03/01 12:51
Client Sample ID: NIC-GW-NMW-23S-050301 **Matrix:** Water **Date Received:** 05/04/01 09:15

GC/MS Volatiles

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS VOCs by 8260 (Low Level)	**Method: EPA 8260**			**Prep Method: EPA 8260**					
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	74-87-3		
cis-1,2-Dichloroethene	7.4	ug/l	1.0	1.0	05/11/01 04:23	JSR	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 04:23	JSR			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 04:23	JSR	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	10061-02-6		
Trichloroethene	50.	ug/l	1.0	1.0	05/11/01 04:23	JSR	79-01-6	4	E
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 04:23	JSR	75-01-4		
Toluene-d8 (S)	100	%		1.0	05/11/01 04:23	JSR	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312348 Project Sample Number: 6049830-019 Date Collected: 05/03/01 12:51
Client Sample ID: NIC-GW-NMW-23S-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	96	%		1.0	05/11/01 04:23	JSR			
4-Bromofluorobenzene (S)	98	%		1.0	05/11/01 04:23	JSR	460-00-4		
1,2-Dichloroethane-d4 (S)	93	%		1.0	05/11/01 04:23	JSR	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312355 **Project Sample Number: 6049830-020** **Date Collected: 05/03/01 12:54**
Client Sample ID: NIC-GW-NMW-23D-050301 **Matrix: Water** **Date Received: 05/04/01 09:15**

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	74-87-3		
cis-1,2-Dichloroethene	2.0	ug/l	1.0	1.0	05/11/01 15:27	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 15:27	MJW			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 15:27	MJW	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	10061-02-6		
Trichloroethene	3.5	ug/l	1.0	1.0	05/11/01 15:27	MJW	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 15:27	MJW	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/11/01 15:27	MJW	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312355 Project Sample Number: 6049830-020 Date Collected: 05/03/01 12:54
Client Sample ID: NIC-GW-NMW-23D-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	100	%		1.0	05/11/01 15:27	MJW			
4-Bromofluorobenzene (S)	100	%		1.0	05/11/01 15:27	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	102	%		1.0	05/11/01 15:27	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312363 Project Sample Number: 6049830-021 Date Collected: 05/03/01 09:50
Client Sample ID: NIC-GW-WND-29S-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 16:03	MJW			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 16:03	MJW	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	10061-02-6		
Trichloroethene	1.1	ug/l	1.0	1.0	05/11/01 16:03	MJW	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 16:03	MJW	75-01-4		
Toluene-d8 (S)	100	%		1.0	05/11/01 16:03	MJW	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312363 Project Sample Number: 6049830-021 Date Collected: 05/03/01 09:50
Client Sample ID: NIC-GW-WND-29S-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	100	%		1.0	05/11/01 16:03	MJW			
4-Bromofluorobenzene (S)	101	%		1.0	05/11/01 16:03	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	98	%		1.0	05/11/01 16:03	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312371 Project Sample Number: 6049830-022 Date Collected: 05/03/01 10:20
Client Sample ID: NIC-GW-WND-29D-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	74-83-9		
Carbon tetrachloride	1.3	ug/l	1.0	1.0	05/11/01 16:40	MJW	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 16:40	MJW			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 16:40	MJW	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	10061-02-6		
Trichloroethene	4.6	ug/l	1.0	1.0	05/11/01 16:40	MJW	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 16:40	MJW	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/11/01 16:40	MJW	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312371 Project Sample Number: 6049830-022 Date Collected: 05/03/01 10:20
Client Sample ID: NIC-GW-WND-29D-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	99	%		1.0	05/11/01 16:40	MJW			
4-Bromofluorobenzene (S)	99	%		1.0	05/11/01 16:40	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	100	%		1.0	05/11/01 16:40	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312389 Project Sample Number: 6049830-023 Date Collected: 05/03/01 11:30
Client Sample ID: NIC-GW-WND-12S-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC Semivolatiles									
Total Extractable Hydrocarbons	Method: OA2				Prep Method: OA2				
Mineral Spirits	ND	mg/l	0.40	1.0	05/08/01 23:29	TMD			
Jet Fuel	ND	mg/l	0.40	1.0	05/08/01 23:29	TMD			
Kerosene	ND	mg/l	0.40	1.0	05/08/01 23:29	TMD			
Diesel Fuel	ND	mg/l	0.40	1.0	05/08/01 23:29	TMD	68334-30-5		
Fuel Oil	ND	mg/l	0.40	1.0	05/08/01 23:29	TMD	68334-30-5		
Motor Oil	ND	mg/l	0.40	1.0	05/08/01 23:29	TMD			
p-Terphenyl (S)	55	%		1.0	05/08/01 23:29	TMD	92-94-4		
n-Tetracosane (S)	72	%		1.0	05/08/01 23:29	TMD	646-31-1		
Date Extracted					05/08/01				
GC Volatiles									
TPH Gas	Method: EPA 8015 Modified				Prep Method: EPA 8015 Modified				
Gasoline Range Hydrocarbons	ND	mg/l	0.500	1.0	05/10/01 04:50	JLG			
4-Bromofluorobenzene (S)	90	%		1.0	05/10/01 04:50	JLG	460-00-4		
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260				Prep Method: EPA 8260				
1,1,1-Trichloroethane	1.5	ug/l	1.0	1.0	05/11/01 19:07	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	79-00-5		
1,1-Dichloroethane	43.	ug/l	1.0	1.0	05/11/01 19:07	MJW	75-34-3		
1,1-Dichloroethene	33.	ug/l	1.0	1.0	05/11/01 19:07	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	56-23-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312389 Project Sample Number: 6049830-023 Date Collected: 05/03/01 11:30
Client Sample ID: NIC-GW-WND-12S-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	108-90-7		
Chloroethane	8.8	ug/l	1.0	1.0	05/11/01 19:07	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	74-87-3		
cis-1,2-Dichloroethene	3.7	ug/l	1.0	1.0	05/11/01 19:07	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 19:07	MJW			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 19:07	MJW	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	10061-02-6		
Trichloroethene	1.4	ug/l	1.0	1.0	05/11/01 19:07	MJW	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 19:07	MJW	75-69-4		
Vinyl chloride	7.1	ug/l	1.0	1.0	05/11/01 19:07	MJW	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/11/01 19:07	MJW	2037-26-5		
Dibromofluoromethane (S)	103	%		1.0	05/11/01 19:07	MJW			
4-Bromofluorobenzene (S)	104	%		1.0	05/11/01 19:07	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	105	%		1.0	05/11/01 19:07	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312397 Project Sample Number: 6049830-024 Date Collected: 05/03/01 12:06
Client Sample ID: NIC-GW-WND-12D-050301 Matrix: Water Date Received: 05/04/01 09:15

GC/MS Volatiles

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	74-87-3		
cis-1,2-Dichloroethene	1.4	ug/l	1.0	1.0	05/11/01 20:20	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 20:20	MJW			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 20:20	MJW	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	10061-02-6		
Trichloroethene	18.	ug/l	1.0	1.0	05/11/01 20:20	MJW	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 20:20	MJW	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/11/01 20:20	MJW	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312397 Project Sample Number: 6049830-024 Date Collected: 05/03/01 12:06
Client Sample ID: NIC-GW-WND-12D-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	100	%		1.0	05/11/01 20:20	MJW			
4-Bromofluorobenzene (S)	98	%		1.0	05/11/01 20:20	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	99	%		1.0	05/11/01 20:20	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312405 Project Sample Number: 6049830-025 Date Collected: 05/03/01 15:00
Client Sample ID: NIC-GW-WND-12DP-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)		Method: EPA 8260			Prep Method: EPA 8260				
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	74-87-3		
cis-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 20:56	MJW			
Methylene chloride	1.4	ug/l	1.0	1.0	05/11/01 20:56	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 20:56	MJW	95-47-6		
Tetrachloroethene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	10061-02-6		
Trichloroethene	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	79-01-6		
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 20:56	MJW	75-01-4		
Toluene-d8 (S)	99	%		1.0	05/11/01 20:56	MJW	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312405 **Project Sample Number:** 6049830-025 **Date Collected:** 05/03/01 15:00
Client Sample ID: NIC-GW-WND-12DP-050301 **Matrix:** Water **Date Received:** 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	100	%		1.0	05/11/01 20:56	MJW			
4-Bromofluorobenzene (S)	98	%		1.0	05/11/01 20:56	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	101	%		1.0	05/11/01 20:56	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312413 Project Sample Number: 6049830-026 Date Collected: 05/03/01 15:50
Client Sample ID: NIC-GW-WND-41DQ-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
GC/MS Volatiles									
GC/MS VOCs by 8260 (Low Level)	Method: EPA 8260			Prep Method: EPA 8260					
1,1,1-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	79-34-5		
1,1,2-Trichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	79-00-5		
1,1-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	75-34-3		
1,1-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	75-35-4		
1,2-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	95-50-1		
1,2-Dichloroethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	107-06-2		
1,2-Dichloropropane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	78-87-5		
1,3-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	541-73-1		
1,4-Dichlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	106-46-7		
Benzene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	71-43-2		
Bromodichloromethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	75-27-4		
Bromoform	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	75-25-2		
Bromomethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	74-83-9		
Carbon tetrachloride	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	56-23-5		
Chlorobenzene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	108-90-7		
Chloroethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	75-00-3		
Chloroform	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	67-66-3		
Chloromethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	74-87-3		
cis-1,2-Dichloroethene	4.6	ug/l	1.0	1.0	05/11/01 21:33	MJW	156-59-2		
cis-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	10061-01-5		
Dibromochloromethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	124-48-1		
Ethylbenzene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	100-41-4		
m&p-Xylene	ND	ug/l	1.3	1.0	05/11/01 21:33	MJW			
Methylene chloride	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	75-09-2		
o-Xylene	ND	ug/l	1.1	1.0	05/11/01 21:33	MJW	95-47-6		
Tetrachloroethene	3.2	ug/l	1.0	1.0	05/11/01 21:33	MJW	127-18-4		
Toluene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	108-88-3		
trans-1,2-Dichloroethene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	156-60-5		
trans-1,3-Dichloropropene	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	10061-02-6		
Trichloroethene	59.	ug/l	1.0	1.0	05/11/01 21:33	MJW	79-01-6	4	E
Trichlorofluoromethane	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	75-69-4		
Vinyl chloride	ND	ug/l	1.0	1.0	05/11/01 21:33	MJW	75-01-4		
Toluene-d8 (S)	100	%		1.0	05/11/01 21:33	MJW	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

Lab Sample No: 604312413 Project Sample Number: 6049830-026 Date Collected: 05/03/01 15:50
Client Sample ID: NIC-GW-WND-41DQ-050301 Matrix: Water Date Received: 05/04/01 09:15

Parameters	Results	Units	PRL	Dilution	Analyzed	Analyst	CAS#	Ftnote	Limit
Dibromofluoromethane (S)	100	%		1.0	05/11/01 21:33	MJW			
4-Bromofluorobenzene (S)	100	%		1.0	05/11/01 21:33	MJW	460-00-4		
1,2-Dichloroethane-d4 (S)	100	%		1.0	05/11/01 21:33	MJW	17060-07-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

PARAMETER FOOTNOTES

ND	Not Detected
NC	Not Calculable
PRL	Pace Reporting Limit
(S)	Surrogate
[1]	This result is from a 1:2 dilution on 05/10/2001.
[2]	This result is from a 1:10 dilution on 5/10/2001.
[3]	This result is from a 1:10 dilution on 05/10/2001.
[4]	Compound concentration exceeds the calibration range of the instrument (CLP E-Flag).
[5]	~~Analyte is found in the associated blank as well as in the sample (CLP B-Flag)~~.

Not in the Blank, footnote is a mistake. TB

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 102902
QC Batch Method: OA2
Analysis Method: OA2
Analysis Description: Total Extractable Hydrocarbons
Associated Lab Samples: 604312389

METHOD BLANK: 604315739
Associated Lab Samples:
604312389

Parameter	Units	Method Blank Result	PRL	Footnotes
Mineral Spirits	mg/l	ND	0.4	
Jet Fuel	mg/l	ND	0.4	
Kerosene	mg/l	ND	0.4	
Diesel Fuel	mg/l	ND	0.4	
Fuel Oil	mg/l	ND	0.4	
Motor Oil	mg/l	ND	0.4	
p-Terphenyl (S)	%	51		
n-Tetracosane (S)	%	68		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604320473 604320481

Parameter	Units	604314971	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Diesel Fuel	mg/l	20.97	12.50	31.00	80	33.10	97	7	
p-Terphenyl (S)					68		72		
n-Tetracosane (S)					71		75		

LABORATORY CONTROL SAMPLE: 604315762

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Diesel Fuel	mg/l	12.5	11.79	94	
p-Terphenyl (S)				68	
n-Tetracosane (S)				73	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 103045
QC Batch Method: EPA 8015 Modified
Analysis Method: EPA 8015 Modified
Analysis Description: TPH Gas
Associated Lab Samples: 604312389

METHOD BLANK: 604320499
Associated Lab Samples:
604312389

Parameter	Units	Method Blank Result	PRL	Footnotes
Gasoline Range Hydrocarbons	mg/l	ND	0.5	
4-Bromofluorobenzene (S)	%	89		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604321588 604321596

Parameter	Units	604312389	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
Gasoline Range Hydrocarbons	mg/l	0.1045	2.000	1.870	88	2.046	97	9	
4-Bromofluorobenzene (S)					99		101		

LABORATORY CONTROL SAMPLE: 604320507

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Gasoline Range Hydrocarbons	mg/l	2.000	1.815	91	
4-Bromofluorobenzene (S)				88	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 103064
QC Batch Method: EPA 8260
Analysis Method: EPA 8260
Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Lab Samples: 604310185 604310201 604310268 604310334 604310367 604310375 604312298 604312306 604312314 604312322 604312330 604312348 604312355 604312363 604312371

METHOD BLANK: 604326488
Associated Lab Samples: 604310201 604310268 604310334 604310367 604312298

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604326488
Associated Lab Samples: 604310201, 604310268, 604310334, 604310367, 604312298

Parameter	Units	Method Blank Result	PRL	Footnotes
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	98		
Dibromofluoromethane (S)	%	97		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	98		

METHOD BLANK: 604326496
Associated Lab Samples: 604310185, 604310375, 604312306, 604312314, 604312322, 604312330

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604326496
Associated Lab Samples:

604310185 604310375 604312306 604312314 604312322 604312330

Parameter	Units	Method Blank Result	PRL	Footnotes
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	100		
4-Bromofluorobenzene (S)	%	99		
1,2-Dichloroethane-d4 (S)	%	100		

METHOD BLANK: 604329581
Associated Lab Samples:

604312348

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604329581
Associated Lab Samples:
604312348

Parameter	Units	Method Blank Result	PRL	Footnotes
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	
Trichloroethene	ug/l	ND	1	
Trichlorofluoromethane	ug/l	ND	1	
Vinyl chloride	ug/l	ND	1	
Toluene-d8 (S)	%	99		
Dibromofluoromethane (S)	%	96		
4-Bromofluorobenzene (S)	%	100		
1,2-Dichloroethane-d4 (S)	%	96		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604329680
Associated Lab Samples:

		604312355	604312363	604312371	
			Method Blank		
Parameter	Units		Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l		ND	1	
1,1,2,2-Tetrachloroethane	ug/l		ND	1	
1,1,2-Trichloroethane	ug/l		ND	1	
1,1-Dichloroethane	ug/l		ND	1	
1,1-Dichloroethene	ug/l		ND	1	
1,2-Dichlorobenzene	ug/l		ND	1	
1,2-Dichloroethane	ug/l		ND	1	
1,2-Dichloropropane	ug/l		ND	1	
1,3-Dichlorobenzene	ug/l		ND	1	
1,4-Dichlorobenzene	ug/l		ND	1	
Benzene	ug/l		ND	1	
Bromodichloromethane	ug/l		ND	1	
Bromoform	ug/l		ND	1	
Bromomethane	ug/l		ND	1	
Carbon tetrachloride	ug/l		ND	1	
Chlorobenzene	ug/l		ND	1	
Chloroethane	ug/l		ND	1	
Chloroform	ug/l		ND	1	
Chloromethane	ug/l		ND	1	
cis-1,2-Dichloroethene	ug/l		ND	1	
cis-1,3-Dichloropropene	ug/l		ND	1	
Dibromochloromethane	ug/l		ND	1	
Ethylbenzene	ug/l		ND	1	
m&p-Xylene	ug/l		ND	1.3	
Methylene chloride	ug/l		ND	1	
o-Xylene	ug/l		ND	1.1	
Tetrachloroethene	ug/l		ND	1	
Toluene	ug/l		ND	1	
trans-1,2-Dichloroethene	ug/l		ND	1	
trans-1,3-Dichloropropene	ug/l		ND	1	
Trichloroethene	ug/l		ND	1	
Trichlorofluoromethane	ug/l		ND	1	
Vinyl chloride	ug/l		ND	1	
Toluene-d8 (S)	%		101		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604329680
Associated Lab Samples: 604312355 604312363 604312371

Parameter	Units	Method Blank Result	PRL	Footnotes
Dibromofluoromethane (S)	%	99		
4-Bromofluorobenzene (S)	%	101		
1,2-Dichloroethane-d4 (S)	%	98		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 604320986 604320994

Parameter	Units	604312330	Spike Conc.	Matrix Spike Result	Spike % Rec	Matrix Sp. Dup. Result	Spike Dup % Rec	RPD	Footnotes
1,1-Dichloroethene	ug/l	0	10.00	12.93	129	12.82	128	1	
Benzene	ug/l	0	10.00	12.20	122	12.30	123	1	
Chlorobenzene	ug/l	0	10.00	10.88	109	11.13	111	2	
Toluene	ug/l	0	10.00	12.75	128	12.75	128	0	
Trichloroethene	ug/l	0.8767	10.00	12.28	114	12.42	115	1	
Toluene-d8 (S)					99		99		
Dibromofluoromethane (S)					102		101		
4-Bromofluorobenzene (S)					100		101		
1,2-Dichloroethane-d4 (S)					102		102		

LABORATORY CONTROL SAMPLE: 604321000

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	10	12.33	123	
1,1,2,2-Tetrachloroethane	ug/l	10	10.92	109	
1,1,2-Trichloroethane	ug/l	10	11.44	114	
1,1-Dichloroethane	ug/l	10	10.16	102	
1,1-Dichloroethene	ug/l	10	12.35	123	
1,2-Dichlorobenzene	ug/l	10	10.96	110	
1,2-Dichloroethane	ug/l	10	10.95	109	
1,2-Dichloropropane	ug/l	10	11.26	113	
1,3-Dichlorobenzene	ug/l	10	10.49	105	
1,4-Dichlorobenzene	ug/l	10	10.33	103	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604321000

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Benzene	ug/l	10	11.26	113	
Bromodichloromethane	ug/l	10	11.58	116	
Bromoform	ug/l	10	10.47	105	
Bromomethane	ug/l	10	11.46	115	
Carbon tetrachloride	ug/l	10	11.40	114	
Chlorobenzene	ug/l	10	10.37	104	
Chloroethane	ug/l	10	11.91	119	
Chloroform	ug/l	10	11.44	114	
Chloromethane	ug/l	10	11.40	114	
cis-1,2-Dichloroethene	ug/l	10	11.26	113	
cis-1,3-Dichloropropene	ug/l	10	11.38	114	
Dibromochloromethane	ug/l	10	11.12	111	
Ethylbenzene	ug/l	10	11.45	115	
m&p-Xylene	ug/l	20	22.48	112	
Methylene chloride	ug/l	10	11.11	111	
o-Xylene	ug/l	10	11.39	114	
Tetrachloroethene	ug/l	10	11.52	115	
Toluene	ug/l	10	11.42	114	
trans-1,2-Dichloroethene	ug/l	10	11.75	118	
trans-1,3-Dichloropropene	ug/l	10	11.99	120	
Trichloroethene	ug/l	10	10.67	107	
Trichlorofluoromethane	ug/l	10	13.93	139	
Vinyl chloride	ug/l	10	12.25	122	
Toluene-d8 (S)				99	
Dibromofluoromethane (S)				102	
4-Bromofluorobenzene (S)				101	
1,2-Dichloroethane-d4 (S)				102	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QC Batch: 103226 QC Batch Method: EPA 8260
Analysis Method: EPA 8260 Analysis Description: GC/MS VOCs by 8260 (Low Level)
Associated Lab Samples: 604312389 604312397 604312405 604312413

METHOD BLANK: 604328690
Associated Lab Samples:

	604312389	604312397	604312405	604312413
Parameter	Units	Method Blank Result	PRL	Footnotes
1,1,1-Trichloroethane	ug/l	ND	1	
1,1,2,2-Tetrachloroethane	ug/l	ND	1	
1,1,2-Trichloroethane	ug/l	ND	1	
1,1-Dichloroethane	ug/l	ND	1	
1,1-Dichloroethene	ug/l	ND	1	
1,2-Dichlorobenzene	ug/l	ND	1	
1,2-Dichloroethane	ug/l	ND	1	
1,2-Dichloropropane	ug/l	ND	1	
1,3-Dichlorobenzene	ug/l	ND	1	
1,4-Dichlorobenzene	ug/l	ND	1	
Benzene	ug/l	ND	1	
Bromodichloromethane	ug/l	ND	1	
Bromoform	ug/l	ND	1	
Bromomethane	ug/l	ND	1	
Carbon tetrachloride	ug/l	ND	1	
Chlorobenzene	ug/l	ND	1	
Chloroethane	ug/l	ND	1	
Chloroform	ug/l	ND	1	
Chloromethane	ug/l	ND	1	
cis-1,2-Dichloroethene	ug/l	ND	1	
cis-1,3-Dichloropropene	ug/l	ND	1	
Dibromochloromethane	ug/l	ND	1	
Ethylbenzene	ug/l	ND	1	
m&p-Xylene	ug/l	ND	1.3	
Methylene chloride	ug/l	ND	1	
o-Xylene	ug/l	ND	1.1	
Tetrachloroethene	ug/l	ND	1	
Toluene	ug/l	ND	1	
trans-1,2-Dichloroethene	ug/l	ND	1	
trans-1,3-Dichloropropene	ug/l	ND	1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

METHOD BLANK: 604328690
Associated Lab Samples:

	604312389	604312397	604312405	604312413	
Parameter	Units	Method Blank Result	PRL	Footnotes	
Trichloroethene	ug/l	ND	1		
Trichlorofluoromethane	ug/l	ND	1		
Vinyl chloride	ug/l	ND	1		
Toluene-d8 (S)	%	98			
Dibromofluoromethane (S)	%	97			
4-Bromofluorobenzene (S)	%	99			
1,2-Dichloroethane-d4 (S)	%	98			

LABORATORY CONTROL SAMPLE: 604328708

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
1,1,1-Trichloroethane	ug/l	5.000	5.120	102	
1,1,2,2-Tetrachloroethane	ug/l	5.000	5.841	117	
1,1,2-Trichloroethane	ug/l	5.000	5.477	110	
1,1-Dichloroethane	ug/l	5.000	4.850	97	
1,1-Dichloroethene	ug/l	5.000	4.891	98	
1,2-Dichlorobenzene	ug/l	5.000	5.633	113	
1,2-Dichloroethane	ug/l	5.000	5.275	105	
1,2-Dichloropropane	ug/l	5.000	5.214	104	
1,3-Dichlorobenzene	ug/l	5.000	5.428	109	
1,4-Dichlorobenzene	ug/l	5.000	5.346	107	
Benzene	ug/l	5.000	5.067	101	
Bromodichloromethane	ug/l	5.000	5.334	107	
Bromoform	ug/l	5.000	5.591	112	
Bromomethane	ug/l	5.000	2.404	48	
Carbon tetrachloride	ug/l	5.000	5.179	104	
Chlorobenzene	ug/l	5.000	4.828	97	
Chloroethane	ug/l	5.000	3.387	68	
Chloroform	ug/l	5.000	5.069	101	
Chloromethane	ug/l	5.000	4.748	95	
cis-1,2-Dichloroethene	ug/l	5.000	5.110	102	
cis-1,3-Dichloropropene	ug/l	5.000	5.302	106	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

QUALITY CONTROL DATA

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

LABORATORY CONTROL SAMPLE: 604328708

Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	Footnotes
Dibromochloromethane	ug/l	5.000	5.318	106	
Ethylbenzene	ug/l	5.000	5.044	101	
m&p-Xylene	ug/l	10	10.13	101	
Methylene chloride	ug/l	5.000	5.249	105	
o-Xylene	ug/l	5.000	5.163	103	
Tetrachloroethene	ug/l	5.000	4.981	100	
Toluene	ug/l	5.000	5.186	104	
trans-1,2-Dichloroethene	ug/l	5.000	5.127	103	
trans-1,3-Dichloropropene	ug/l	5.000	5.394	108	
Trichloroethene	ug/l	5.000	4.713	94	
Trichlorofluoromethane	ug/l	5.000	4.313	86	
Vinyl chloride	ug/l	5.000	5.194	104	
Toluene-d8 (S)				98	
Dibromofluoromethane (S)				111	
4-Bromofluorobenzene (S)				100	
1,2-Dichloroethane-d4 (S)				138	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical™
www.pacelabs.com

Pace Analytical Services, Inc.
9608 Loiret Blvd.
Lenexa, KS 66219
Phone: 913.599.5665
Fax: 913.599.1759

Lab Project Number: 6049830
Client Project ID: NORTHERN INDUSTRIAL CORRIDOR

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND	**Not Detected**
NC	**Not Calculable**
PRL	**Pace Reporting Limit**
RPD	**Relative Percent Difference**
(S)	**Surrogate**
[1]	**The Surrogate recovery value exceeded the established laboratory control limit value.**

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Client:	Camp Dresser & McKee	Report To:	Frank Winslow, Darren Brown	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Darren Brown	Lab Project Manager:	Tena Tiruneh
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	6043830
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Michelle Peterie & Deb Pezzutti	Sampler Signature:	Michelle Peterie
		Date Sampled:	05/03/01		

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED												REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ICE	VOCs - 8260												
1	NIC-GW-NMW-17DM-050301	8:00	Water		2					X	X	X	2PV											6043122981
2	NIC-GW-NMW-17D-050301	10:27	Water		3					X	X	X	3PV											6043123061
3	NIC-GW-NMW-17S-050301	10:44	Water		3					X	X	X	3											6043123141
4	NIC-GW-NMW-20S-050301	12:09	Water		3					X	X	X	3											6043123221
5	NIC-GW-NMW-20D-050301	12:12	Water		6					X	X	X	6PV											6043123301 MS/MSD
6	NIC-GW-NMW-23S-050301	12:51	Water		3					X	X	X	3AV											6043123481
7	NIC-GW-NMW-23D-050301	12:54	Water		3					X	X	X	2											6043123551
8	MP 5/3/01																							

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

L = Low, M = Medium, H = High

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-7	Michelle Peterie		5/03/01	1730
		Pace	5-4-01	0915

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Page 2 of 4

Client:	Camp Dresser & McKee	Report To:	Frank Winslow, Darren Brown	Lab Client No.:	
Address:	555 North Woodlawn, Bldg. 1, Ste. 215	Bill To:	Darren Brown	Lab Project Manager:	Tena Tiruneh
	Wichita, KS 67208	P.O.# / Billing Reference:	2395-20456	Lab Project No.:	6049830
Phone #:	316-691-9940	Project Name / No:	NIC	*Requested Due Date:	NIC Project TAT
Fax #:	316-691-9949	Sampled By (Print):	Adam Falberg & Brian Hilts	Sampler Signature:	
		Date Sampled:	05/03/01		

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED												REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ICE	VOCs - 8260	TPH - OA1 & OA2											
1	NIC-GW-WND-29S-050301	9:50	Water		3		3PV			X	X	X												6043123 L
2	NIC-GW-WND-29D-050301	10:20 ~~10:50~~	Water		3		3			X	X	X												6043123 L
3	NIC-GW-WND-12S-050301	11:30	Water		4	3PV	GL			X	X	X	X											6043123 Fuel Odor L
4	NIC-GW-WND-12D-050301	12:06	Water		3		3PV			X	X	X												6043123 M
5	NIC-GW-WND-12DP-050301	15:00	Water		2		2PV			X	X	X												6043124 3247-1X L
6																								
7																								
8																								

FW 5/3/01

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

L = Low, M = Medium, H = High

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-5			5/3/01	1730
			5-4-01	0915

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

FW

Page 3 of 4

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow, Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Dan Adams & Jacob Porter
Date Sampled:	05/03/01

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6049830
*Requested Due Date:	NIC Project TAT

Sampler Signature: Jacob L. Porter

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES # OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ICE	ANALYSES REQUESTED VOCs - 8260	REMARKS
1	NIC-GW-WND-42S-050301	9:00	Water		3		3	PV		X	X	X	— M
2	NIC-GW-WND-42D-050301	9:37	Water		3		3			X	X	X	— M
3	NIC-GW-WND-41S-050301	12:05	Water		6		6	PV		X	X	X	MS/MSD — L
4	NIC-GW-WND-41D-050301	15:50	Water		3		3	PV		X	X	X	— H
5	NIC-GW-WND-41DQ-050301	15:50	Water		3		3			X	X	X	6043124/3 H
6													
7	JLP 5/3/01												
8													

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

L = Low, M = Medium, H = High

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-5	Jacob L. Porter		5/3/01	17:30
			5-4-01	0905

Pace Analytical Services, Inc.

CHAIN-OF-CUSTODY RECORD

Analytical Request

Page 6 FW of 6

Client:	Camp Dresser & McKee
Address:	555 North Woodlawn, Bldg. 1, Ste. 215
	Wichita, KS 67208
Phone #:	316-691-9940
Fax #:	316-691-9949

Report To:	Frank Winslow, Darren Brown
Bill To:	Darren Brown
P.O.# / Billing Reference:	2395-20456
Project Name / No:	NIC
Sampled By (Print):	Dan Adams & Jacob Porter
Date Sampled:	05/02/01

Lab Client No.:	
Lab Project Manager:	Tena Tiruneh
Lab Project No.:	6049830
*Requested Due Date:	NIC Project TAT

Sampler Signature: [signature] FOR DAN ADAMS

ITEM NO.	SAMPLE DESCRIPTION	TIME	MATRIX	LAB NO.	PRESERVATIVES							ANALYSES REQUESTED													REMARKS
					# OF CONT	Unpreserved	H2SO4	HNO3	NaOH	HCL-VOA	ICE	VOCs - 8260													
mud	1 NIC-GW-WND-40S-050201 3PV	8:35	Water		1					X	X	X													6043 10185
mud	2 NIC-GW-WND-40D-050201	9:25	Water		1					X	X	X													6043 10201
mud	3 NIC-GW-WND-03S-050201	11:20	Water		1					X	X	X													6043 10268
mud	4 NIC-GW-EXC-MW07B-050201	12:25	Water		1					X	X	X													6043 10334
high	5 NIC-GW-EXC-MW04A-050201	15:25	Water		1					X	X	X													6043 10367
mod	6 NIC-GW-EXC-MW04B-050201	16:10	Water		1					X	X	X													6043 10375
	7 CH 5/2/01																								
	8																								

ADDITIONAL COMMENTS

Note: Low Detection Limits (1 ug/l) required.

COOLER TEMPERATURE:

ITEM NUMBER	RELINQUISHED BY	ACCEPTED BY / AFFIL	DATE	TIME
1-6	[signature]	[signature]	5/2/01	1800
		[signature] PACE	5-3-01	0725