


HIV/AIDS in Kansas

Annual Report

December 2010



The HIV/AIDS Program works to promote public health and enhance the quality of life for Kansas residents by the prevention, intervention, and treatment of HIV and AIDS.

**HIV/AIDS Surveillance Program
HIV/AIDS Section
Bureau of Disease Control and Prevention
Kansas Department of Health and Environment**

Sources of information for this report:
Kansas HIV/AIDS Surveillance System (eHARS)

For further information: Contact Arrie Morris, MPH at 785-296-8701 or e-mail amorris@kdheks.gov



Incident, Prevalent, and Cumulative AIDS Cases in Kansas as of December 31, 2010, by Date of Report

	Incident AIDS Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%
ADULT/ADOLESCENT	101	100.0	1471	99.5	2323	99.6
PEDIATRIC (<13 YEARS OLD)	.	.	7	0.5	10	0.4
TOTAL	101	100.0	1478	100.0	2333	100.0
AGE						
< 13 Years	.	.	7	0.5	10	0.4
13 TO 14 Years	.	.	2	0.1	2	0.1
15 TO 24 Years	10	9.9	115	7.8	148	6.3
25 TO 34 Years	27	26.7	499	33.8	800	34.3
35 TO 44 Years	27	26.7	550	37.2	867	37.2
45 TO 54 Years	27	26.7	239	16.2	376	16.1
55 TO 64 Years	8	7.9	52	3.5	103	4.4
65 Years or Older	2	2.0	14	0.9	27	1.2
RACE/ETHNICITY						
Hispanic	17	16.8	221	15.0	288	12.3
American-Indian Non-Hispanic	.	.	9	0.6	14	0.6
Asian / Pacific Islander Non-Hispanic	.	.	11	0.7	14	0.6
Black Non-Hispanic	34	33.7	346	23.4	512	21.9
White Non-Hispanic	47	46.5	861	58.2	1442	61.8
Multi-Race	3	3.0	29	2.0	62	2.7
Unknown	.	.	1	0.1	1	0.0
GENDER						
Male	87	86.1	1225	82.9	1990	85.3
Female	14	13.9	253	17.1	343	14.7
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	60	59.4	821	55.5	1335	57.2
Injection Drug User (IDU)	5	5.0	115	7.8	223	9.6
MSM and IDU	10	9.9	146	9.9	225	9.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	11	0.7	30	1.3
High Risk Heterosexual Contact	18	17.8	277	18.7	361	15.5
No Identified Risk (NIR) or Other	7	6.9	94	6.4	141	6.0
Pediatric (All Risks Combined)	1	1.0	14	0.9	18	0.8
TOTAL	101	100.0	1478	100.0	2333	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Incident, Prevalent, and Cumulative HIV Cases in Kansas as of December 31, 2010, by Date of Report

	Incident HIV Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%
ADULT/ADOLESCENT	79	98.8	1185	98.9	1267	99.0
PEDIATRIC (<13 YEARS OLD)	1	1.2	13	1.1	13	1.0
TOTAL	80	100.0	1198	100.0	1280	100.0
AGE						
< 13 Years	1	1.2	13	1.1	13	1.0
13 TO 14 Years
15 TO 24 Years	17	21.2	266	22.2	272	21.3
25 TO 34 Years	38	47.5	462	38.6	479	37.4
35 TO 44 Years	14	17.5	298	24.9	331	25.9
45 TO 54 Years	7	8.8	124	10.3	135	10.5
55 TO 64 Years	.	.	29	2.4	41	3.2
65 Years or Older	3	3.8	6	0.5	9	0.7
RACE/ETHNICITY						
Hispanic	10	12.5	157	13.1	162	12.7
American-Indian Non-Hispanic	.	.	10	0.8	10	0.8
Asian / Pacific Islander Non-Hispanic	2	2.5	14	1.2	14	1.1
Black Non-Hispanic	27	33.8	326	27.2	343	26.8
White Non-Hispanic	34	42.5	640	53.4	694	54.2
Multi-Race	6	7.5	34	2.8	40	3.1
Unknown	1	1.2	17	1.4	17	1.3
GENDER						
Male	65	81.3	928	77.5	988	77.2
Female	15	18.7	270	22.5	292	22.8
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	54	67.5	631	52.7	665	51.9
Injection Drug User (IDU)	2	2.5	102	8.5	113	8.8
MSM and IDU	2	2.5	68	5.7	74	5.8
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	3	0.2	5	0.4
High Risk Heterosexual Contact	16	20.0	221	18.4	235	18.4
No Identified Risk (NIR) or Other	5	6.2	160	13.4	175	13.7
Pediatric (All Risks Combined)	1	1.3	13	1.1	13	1.0
TOTAL	80	100.0	1198	100.0	1280	100.0

Incident HIV cases are individuals with HIV reported between January 1, 2010 and December 31, 2010

Prevalent HIV cases are individuals with HIV who are presumed to be alive as of December 31, 2010

Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Prevalent Adult / Adolescent AIDS Cases by Exposure Category and Gender in Kansas as of December 31, 2010 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	821	67.0	.	.	821	55.5
Injection Drug User (IDU)	71	5.8	44	17.4	115	7.8
MSM and IDU	146	11.9	.	.	146	9.9
Hemophilia/Coagulation Disorder/Transfusion	9	0.7	2	0.8	11	0.7
High Risk Heterosexual Contact	96	7.8	181	71.5	277	18.7
Sex with IDU	17	1.4	30	11.9	47	3.2
Sex with HIV infected partner	77	6.3	136	53.7	213	14.4
Sex with other high risk partner	2	0.1	15	5.9	17	1.1
Perinatal Exposure, HIV diagnosed >=13 yrs old	8	0.7	6	2.4	14	0.9
No Identified Risk (NIR)	74	6.0	20	7.9	94	6.4

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2010

Percentages may not add to 100 due to rounding

Prevalent Adult / Adolescent HIV Cases by Exposure Category and Gender in Kansas as of December 31, 2010 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	631	68.0	.	.	631	52.7
Injection Drug User (IDU)	58	6.3	44	16.3	102	8.5
MSM and IDU	68	7.3	.	.	68	5.7
Hemophilia/Coagulation Disorder/Transfusion	3	0.3	.	.	3	0.2
High Risk Heterosexual Contact	47	5.1	174	64.4	221	18.4
Sex with IDU	7	0.8	18	6.7	25	2.1
Sex with HIV infected partner	40	4.3	141	52.2	181	15.1
Sex with other high risk partner	.	.	15	5.5	15	1.2
Perinatal Exposure, HIV diagnosed >=13 yrs old	4	0.4	9	3.3	13	1.1
No Identified Risk (NIR)	117	12.6	43	15.9	160	13.4


Prevalent HIV cases are individuals with HIV (no AIDS) who are presumed to be alive as of December 31, 2010

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2010

Percentages may not add to 100 due to rounding

Incident, Prevalent, and Cumulative HIV Cases and AIDS Cases as of December 31, 2010, Among Regions in Kansas by Date of Report

HIV/AIDS Community Planning Regions



Published by:
 Kansas Department of Health and Environment
 Bureau of Epidemiology and Disease Prevention
 Information Systems, Geographic Data Services
 Date of Publication: December 2014



Data Source:
 Kansas Cartographic Dataset
 Kansas HIV/STD Surveillance Program

Disclaimer: The purpose of this publication is to illustrate the status of the HIV/AIDS epidemic in the state of Kansas.
 This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

Region	Incident AIDS Cases in Kansas as of December 31, 2010	Incident HIV Cases in Kansas as of December 31, 2010	Prevalent AIDS Cases in Kansas as of December 31, 2010	Prevalent HIV Cases in Kansas as of December 31, 2010	Cumulative AIDS Cases in Kansas as of December 31, 2010	Cumulative HIV Cases in Kansas as of December 31, 2010
	N	N	N	N	N	N
1	26	16	325	258	474	273
2	29	22	312	256	432	269
3	4	5	64	53	95	54
4	5	2	123	102	201	112
5	5	1	44	39	101	41
6	2	2	38	49	61	50
7	4	2	62	41	108	47
8	24	29	465	359	786	386
9	2	1	45	41	75	48
TOTAL	101	80	1478	1198	2333	1280

Incident AIDS

cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010
 Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010
 Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010
 Incident HIV cases are individuals with HIV reported between January 1, 2010 and December 31, 2010
 Prevalent HIV cases are individuals with HIV who are presumed to be alive as of December 31, 2010
 Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through December 31, 2010
 Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 1, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2010		Incident HIV Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	22	84.6	15	93.7	278	85.5	206	79.8	418	88.2	216	79.1
Female	4	15.4	1	6.3	47	14.5	52	20.2	56	11.8	57	20.9
RACE/ETHNICITY												
Hispanic	5	19.2	3	18.7	63	19.4	45	17.4	72	15.2	47	17.2
American-Indian Non-Hispanic	1	0.3	.	.	1	0.2	.	.
Asian / Pacific Islander Non-Hispanic	2	0.6	1	0.4	2	0.4	1	0.4
Black Non-Hispanic	17	65.4	8	50.0	125	38.5	101	39.1	183	38.6	108	39.6
White Non-Hispanic	4	15.4	5	31.3	130	40.0	101	39.1	209	44.1	106	38.8
Multi-Race	4	1.2	8	3.1	7	1.5	9	3.3
Unknown	2	0.8	.	.	2	0.7
AGE												
< 13 Years	1	0.3	2	0.8	1	0.2	2	0.7
13 TO 14 Years
15 TO 24 Years	5	19.2	3	18.7	29	8.9	53	20.5	37	7.8	55	20.1
25 TO 34 Years	8	30.8	9	56.3	119	36.6	111	43.0	176	37.1	114	41.8
35 TO 44 Years	7	26.9	3	18.7	117	36.0	64	24.8	165	34.8	69	25.3
45 TO 54 Years	4	15.4	1	6.3	47	14.5	21	8.1	69	14.6	24	8.8
55 TO 64 Years	2	7.7	.	.	9	2.8	6	2.3	22	4.6	8	2.9
65 Years or Older	3	0.9	1	0.4	4	0.8	1	0.4
RISK BEHAVIOR												
Men who have sex with men (MSM)	14	53.8	13	81.3	172	52.9	138	53.4	257	54.2	144	52.7
Injection Drug User (IDU)	3	11.5	.	.	32	9.8	17	6.6	50	10.5	19	7.0
MSM and IDU	1	3.8	.	.	23	7.1	9	3.5	39	8.2	10	3.7
Hemophilia/Coagulation Disorder or Transfusion/Transplant	4	1.2	.	.	8	1.7	.	.
High Risk Heterosexual Contact	5	19.2	3	18.7	67	20.6	41	15.9	80	16.9	44	16.1
No Identified Risk (NIR) or Other	3	11.5	.	.	25	7.7	51	19.8	38	8.0	54	19.8
Pediatric (All Risks Combined)	2	0.6	2	0.8	2	0.4	2	0.7
TOTAL CASES	26	100.0	16	100.0	325	100.0	258	100.0	474	100.0	273	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 2, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2010		Incident HIV Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	24	82.8	19	86.4	257	82.4	209	81.6	368	85.2	218	81.0
Female	5	17.2	3	13.6	55	17.6	47	18.4	64	14.8	51	19.0
RACE/ETHNICITY												
Hispanic	1	3.4	1	4.5	31	9.9	24	9.4	40	9.2	24	8.9
American-Indian Non-Hispanic	1	0.3	.	.	2	0.5	.	.
Asian / Pacific Islander Non-Hispanic	3	1.0	8	3.1	5	1.1	8	3.0
Black Non-Hispanic	5	17.2	8	36.4	67	21.5	54	21.1	78	18.1	54	20.1
White Non-Hispanic	21	72.4	10	45.5	201	64.4	159	62.1	296	68.5	170	63.2
Multi-Race	2	6.9	2	9.1	9	2.9	6	2.3	11	2.5	8	3.0
Unknown	.	.	1	4.5	.	.	5	1.9	.	.	5	1.8
AGE												
< 13 Years	.	.	1	4.5	2	0.6	4	1.6	2	0.5	4	1.5
13 TO 14 Years
15 TO 24 Years	2	6.9	4	18.2	24	7.7	50	19.5	27	6.2	52	19.3
25 TO 34 Years	6	20.7	10	45.5	108	34.6	106	41.4	145	33.6	110	40.9
35 TO 44 Years	8	27.6	3	13.6	108	34.6	57	22.3	153	35.4	59	21.9
45 TO 54 Years	9	31.0	3	13.6	49	15.7	29	11.3	71	16.4	29	10.8
55 TO 64 Years	4	13.8	.	.	18	5.8	9	3.5	30	6.9	13	4.8
65 Years or Older	.	.	1	4.5	3	1.0	1	0.4	4	0.9	2	0.7
RISK BEHAVIOR												
Men who have sex with men (MSM)	18	62.1	15	68.2	186	59.6	149	58.2	267	61.8	156	58.0
Injection Drug User (IDU)	2	6.9	1	4.5	15	4.8	13	5.1	25	5.8	13	4.8
MSM and IDU	4	13.8	.	.	20	6.4	14	5.5	25	5.8	15	5.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	1.0	1	0.4	8	1.8	2	0.7
High Risk Heterosexual Contact	4	13.8	4	18.2	61	19.6	45	17.6	71	16.4	46	17.1
No Identified Risk (NIR) or Other	1	3.4	1	4.5	25	8.0	30	11.7	34	7.9	33	12.3
Pediatric (All Risks Combined)	.	.	1	4.5	2	0.6	4	1.5	2	0.5	4	1.5
TOTAL CASES	29	100.0	22	100.0	312	100.0	256	100.0	432	100.0	269	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 3, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2010		Incident HIV Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	4	100.0	4	80.0	52	81.3	47	88.7	82	86.3	48	88.9
Female	.	.	1	20.0	12	18.7	6	11.3	13	13.7	6	11.1
RACE/ETHNICITY												
Hispanic	1	25.0	.	.	8	12.5	4	7.5	12	12.6	4	7.4
American-Indian Non-Hispanic	3	4.7	3	5.7	3	3.1	3	5.5
Asian/Pacific Islander Non-Hispanic	.	.	1	20.0	.	.	2	3.8	.	.	2	3.7
Black Non-Hispanic	6	9.4	7	13.2	9	9.5	7	13.0
White Non-Hispanic	3	75.0	3	60.0	46	71.9	34	64.1	69	72.6	35	64.8
Multi-Race	.	.	1	20.0	.	.	3	5.7	1	1.1	3	5.6
Unknown	1	1.5	.	.	1	1.1	.	.
AGE												
< 13 Years	2	3.1	.	.	1	1.1	.	.
13 TO 14 Years	1	1.1	.	.
15 TO 24 Years	1	25.0	.	.	11	17.2	14	26.4	13	13.7	14	26.0
25 TO 34 Years	2	50.0	4	80.0	16	25.0	19	35.8	29	30.5	19	35.2
35 TO 44 Years	.	.	1	20.0	17	26.6	15	28.3	28	29.5	16	29.6
45 TO 54 Years	1	25.0	.	.	16	25.0	5	9.4	18	18.9	5	9.2
55 TO 64 Years	2	3.1	.	.	3	3.1	.	.
65 Years or Older	2	2.1	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	3	75.0	2	40.0	36	56.2	37	69.8	57	60.0	37	68.5
Injection Drug User (IDU)	4	6.3	1	1.9	9	9.5	1	1.8
MSM and IDU	.	.	1	20.0	8	12.5	4	7.5	11	11.6	5	9.3
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	.	.	1	20.0	10	15.6	7	13.2	10	10.5	7	13.0
No Identified Risk (NIR) or Other	.	.	1	20.0	2	3.1	4	7.5	4	4.2	4	7.4
Pediatric (All Risks Combined)	1	25.0	.	.	4	6.3	.	.	4	4.2	.	.
TOTAL CASES	4	100.0	5	100.0	64	100.0	53	100.0	95	100.0	54	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 4, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2010		Incident HIV Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	3	60.0	2	100.0	100	81.3	75	73.5	169	84.1	82	73.2
Female	2	40.0	.	.	23	18.7	27	26.5	32	15.9	30	26.8
RACE/ETHNICITY												
Hispanic	2	40.0	1	50.0	13	10.6	5	4.9	20	9.9	5	4.5
American-Indian Non-Hispanic	2	1.6	2	1.9	2	1.0	2	1.7
Asian Non-Hispanic	1	1.0	.	.	1	0.9
Black Non-Hispanic	1	20.0	.	.	28	22.8	30	29.4	43	21.4	32	28.6
White Non-Hispanic	2	40.0	1	50.0	79	64.2	63	61.8	128	63.7	69	61.6
Multi-Race	1	0.8	.	.	8	4.0	2	1.8
Unknown	1	1.0	.	.	1	0.9
AGE												
< 13 Years	1	1.0	.	.	1	0.9
13 TO 14 Years
15 TO 24 Years	6	4.9	20	19.6	6	3.0	20	17.8
25 TO 34 Years	1	20.0	.	.	37	30.1	34	33.3	59	29.3	34	30.3
35 TO 44 Years	2	40.0	2	100.0	56	45.5	34	33.3	89	44.3	40	35.7
45 TO 54 Years	2	40.0	.	.	21	17.1	10	9.8	36	17.9	12	10.7
55 TO 64 Years	1	0.8	3	2.9	7	3.5	4	3.6
65 Years or Older	2	1.6	.	.	4	2.0	1	0.9
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	40.0	2	100.0	67	54.5	45	44.1	115	57.2	48	42.8
Injection Drug User (IDU)	11	8.9	15	14.7	20	9.9	17	15.2
MSM and IDU	1	20.0	.	.	12	9.8	7	6.9	20	9.9	9	8.0
Hemophilia/Coagulation Disorder or Transfusion/Transplant	2	1.6	.	.	2	1.0	.	.
High Risk Heterosexual Contact	2	40.0	.	.	25	20.3	18	17.6	35	17.4	20	17.8
No Identified Risk (NIR) or Other	6	4.9	16	15.7	9	4.5	17	15.2
Pediatric (All Risks Combined)	1	1.0	.	.	1	0.9
TOTAL CASES	5	100.0	2	100.0	123	100.0	102	100.0	201	100.0	112	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 5, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2010		Incident HIV Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	5	100.0	1	100.0	33	75.0	24	61.5	81	80.2	25	61.0
Female	11	25.0	15	38.5	20	19.8	16	39.0
RACE/ETHNICITY												
Hispanic	1	20.0	1	100.0	3	6.8	4	10.2	8	7.9	4	9.7
American-Indian Non-Hispanic	1	2.3	.	.	2	2.0	.	.
Asian/Pacific Islander Non-Hispanic
Black Non-Hispanic	3	6.8	4	10.2	7	6.9	5	12.2
White Non-Hispanic	3	60.0	.	.	35	79.5	28	71.8	82	81.2	29	70.7
Multi-Race	1	20.0	.	.	2	4.5	2	5.1	2	2.0	2	4.9
Unknown	1	2.6	.	.	1	2.4
AGE												
< 13 Years
13 TO 14 Years
15 TO 24 Years	1	20.0	.	.	2	4.5	8	20.5	2	2.0	8	19.5
25 TO 34 Years	19	43.2	15	38.5	37	36.6	15	36.6
35 TO 44 Years	1	20.0	1	100.0	14	31.8	10	25.6	42	41.6	12	29.3
45 TO 54 Years	2	40.0	.	.	7	15.9	5	12.8	15	14.8	5	12.2
55 TO 64 Years	2	4.5	1	2.6	4	4.0	1	2.4
65 Years or Older	1	20.0	1	1.0	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	3	60.0	1	100.0	24	54.5	13	33.3	54	53.5	14	34.1
Injection Drug User (IDU)	3	6.8	7	17.9	9	8.9	7	17.1
MSM and IDU	2	40.0	.	.	5	11.4	1	2.6	10	9.9	1	2.4
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	3.0	.	.
High Risk Heterosexual Contact	10	22.7	12	30.7	19	18.8	13	31.7
No Identified Risk (NIR) or Other	1	2.3	6	15.4	5	4.9	6	14.6
Pediatric (All Risks Combined)	1	2.3	.	.	1	1.0	.	.
TOTAL CASES	5	100.0	1	100.0	44	100.0	39	100.0	101	100.0	41	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 6, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2010		Incident HIV Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	2	100.0	1	50.0	29	76.3	36	73.5	46	75.4	36	72.0
Female	.	.	1	50.0	9	23.7	13	26.5	15	24.6	14	28.0
RACE/ETHNICITY												
Hispanic	1	50.0	.	.	4	10.5	2	4.1	6	9.8	2	4.0
American-Indian Non-Hispanic
Asian/Pacific Islander Non-Hispanic	1	2.6	.	.	1	1.6	.	.
Black Non-Hispanic	1	50.0	2	100.0	12	31.6	25	51.0	19	31.1	26	52.0
White Non-Hispanic	21	55.3	20	40.8	35	57.4	20	40.0
Multi-Race
Unknown	2	4.1	.	.	2	4.0
AGE												
<13	1	2.6	1	2.0	2	3.3	1	2.0
13 TO 14 Years
15 TO 24 Years	.	.	1	50.0	5	13.2	13	26.5	6	9.8	13	26.0
25 TO 34 Years	1	50.0	1	50.0	9	23.7	18	36.7	18	29.5	18	36.0
35 TO 44 Years	1	50.0	.	.	17	44.7	10	20.4	27	44.3	10	20.0
45 TO 54 Years	6	15.8	4	8.2	7	11.5	5	10.0
55 TO 64 Years	3	6.1	1	1.6	3	6.0
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	100.0	1	50.0	20	52.6	23	47.0	31	50.8	23	46.0
Injection Drug User (IDU)	2	5.3	3	6.1	8	13.1	3	6.0
MSM and IDU	6	15.8	1	2.0	7	11.5	1	2.0
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	.	.	1	50.0	7	18.4	10	20.4	11	18.0	11	22.0
No Identified Risk (NIR) or Other	2	5.3	11	22.4	2	3.3	11	22.0
Pediatric (All Risks Combined)	1	2.6	1	2.0	2	3.3	1	2.0
TOTAL CASES	2	100.0	2	100.0	38	100.0	49	100.0	61	100.0	50	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 7, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2010		Incident HIV Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	4	100.0	2	100.0	49	79.0	30	73.2	82	75.9	35	74.5
Female	13	21.0	11	26.8	26	24.1	12	25.5
RACE/ETHNICITY												
Hispanic	9	14.5	5	12.2	11	10.2	5	10.6
Asian / Pacific Islander Non-Hispanic	1	1.6	.	.	2	1.8	.	.
Black Non-Hispanic	1	25.0	1	50.0	10	16.1	13	31.7	19	17.6	14	29.8
White Non-Hispanic	3	75.	1	50.0	40	64.5	21	51.2	73	67.6	26	55.3
Multi-Race	2	3.2	.	.	3	2.8	.	.
Unknown	2	4.9	.	.	2	4.3
AGE												
< 13 Years	1	1.6	1	2.4	2	1.9	1	2.1
13 TO 14 Years
15 TO 24 Years	1	25.0	1	50.0	4	6.4	9	22.0	7	6.5	10	21.3
25 TO 34 Years	1	25.0	1	50.0	16	25.8	12	29.3	32	29.6	13	27.6
35 TO 44 Years	1	25.0	.	.	28	45.2	10	24.4	43	39.8	13	27.6
45 TO 54 Years	1	25.0	.	.	11	17.7	6	14.6	21	19.4	6	12.8
55 TO 64 Years	2	3.2	3	7.3	2	1.9	4	8.5
65 Years or Older	1	0.9	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	50.0	2	100.0	32	51.6	18	43.9	47	43.5	22	46.8
Injection Drug User (IDU)	12	19.3	8	19.5	25	23.1	9	19.1
MSM and IDU	1	25.0	.	.	9	14.5	2	4.9	14	13.0	2	4.3
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	2.8	1	2.1
High Risk Heterosexual Contact	1	25.0	.	.	6	9.7	6	14.6	12	11.1	6	12.8
No Identified Risk (NIR) or Other	2	3.2	6	14.6	4	3.7	6	12.8
Pediatric (All Risks Combined)	1	1.6	1	2.4	3	2.8	1	2.1
TOTAL CASES	4	100.0	2	100.0	62	100.0	41	100.0	108	100.0	47	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 8, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2010		Incident HIV Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	21	87.5	20	69.0	390	83.9	276	76.9	683	86.9	296	76.7
Female	3	12.5	9	31.0	75	16.1	83	23.1	103	13.1	90	23.3
RACE/ETHNICITY												
Hispanic	5	20.8	3	10.3	62	13.3	47	13.0	85	10.8	47	12.2
American-Indian Non-Hispanic	1	0.2	4	1.1	4	0.5	4	1.0
Asian / Pacific Islander Non-Hispanic	.	.	1	3.4	4	0.9	2	0.6	4	0.5	2	0.5
Black Non-Hispanic	9	37.5	8	27.6	93	20.0	89	24.8	150	19.1	94	24.3
White Non-Hispanic	10	41.7	14	48.3	294	63.2	200	55.7	513	65.3	221	57.3
Multi-Race	.	.	3	10.3	11	2.4	15	4.2	30	3.8	16	4.1
Unknown	2	0.6	.	.	2	0.5
AGE												
< 13 Years	1	0.2	4	1.1	.	.	4	1.0
13 TO 14 Years	1	0.1	.	.
15 TO 24 Years	.	.	8	27.6	31	6.7	89	24.8	44	5.6	90	23.3
25 TO 34 Years	7	29.2	13	44.8	155	33.3	131	36.5	276	35.1	138	35.7
35 TO 44 Years	6	25.0	3	10.3	180	38.7	88	24.5	293	37.3	98	25.4
45 TO 54 Years	8	33.3	3	10.3	74	15.9	39	10.9	128	16.3	43	11.1
55 TO 64 Years	2	8.3	.	.	18	3.9	4	1.1	33	4.2	8	2.1
65 Years or Older	1	4.2	2	6.9	6	1.3	4	1.1	11	1.4	5	1.3
RISK BEHAVIOR												
Men who have sex with men (MSM)	14	58.3	17	58.6	260	56.0	192	53.5	468	59.5	204	52.8
Injection Drug User (IDU)	.	.	1	3.4	32	6.9	29	8.1	67	8.5	34	8.8
MSM and IDU	1	4.2	1	3.4	61	13.1	28	7.8	94	12.0	29	7.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	2	0.4	2	0.6	3	0.4	2	0.5
High Risk Heterosexual Contact	6	25.0	7	24.1	83	17.8	72	20.0	114	14.5	76	19.7
No Identified Risk (NIR) or Other	3	12.5	3	10.3	25	5.4	32	8.9	38	4.8	37	9.6
Pediatric (All Risks Combined)	2	0.4	4	1.1	2	0.3	4	1.0
TOTAL CASES	24	100.0	29	100.0	465	100.0	359	100.0	786	100.0	386	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 9, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2010		Incident HIV Cases in Kansas as of December 31, 2010		Prevalent AIDS Cases in Kansas as of December 31, 2010		Prevalent HIV Cases in Kansas as of December 31, 2010		Cumulative AIDS Cases in Kansas as of December 31, 2010		Cumulative HIV Cases in Kansas as of December 31, 2010	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	2	100.0	1	100.0	37	82.2	25	61.0	61	81.3	32	66.7
Female	8	17.8	16	39.0	14	18.7	16	33.3
RACE/ETHNICITY												
Hispanic	1	50.0	1	100.0	28	62.2	21	51.2	34	45.3	24	50.0
American-Indian Non-Hispanic	1	2.4	.	.	1	2.1
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	2	4.4	3	7.3	4	5.3	3	6.2
White Non-Hispanic	1	50.0	.	.	15	33.3	14	34.1	37	49.3	18	37.5
Multi-Race
Unknown	2	4.9	.	.	2	4.2
AGE												
< 13 Years	1	1.3	.	.
13 TO 14 Years	1	2.2	.	.	1	1.3	.	.
15 TO 24 Years	3	6.7	10	24.4	6	8.0	10	20.8
25 TO 34 Years	1	50.0	.	.	20	44.4	16	39.0	28	37.3	18	37.5
35 TO 44 Years	1	50.0	1	100.0	13	28.9	10	24.4	27	36.0	14	29.2
45 TO 54 Years	8	17.8	5	12.2	11	14.7	6	12.5
55 TO 64 Years	1	1.3	.	.
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	100.0	1	100.0	24	53.3	16	39.0	39	52.0	17	35.4
Injection Drug User (IDU)	4	8.9	9	21.9	10	13.3	10	20.8
MSM and IDU	2	4.4	2	4.9	5	6.7	2	4.2
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	4.0	.	.
High Risk Heterosexual Contact	8	17.8	10	24.4	9	12.0	12	25.0
No Identified Risk (NIR) or Other	6	13.3	4	9.7	7	9.3	7	14.6
Pediatric (All Risks Combined)	1	2.2	.	.	2	2.7	.	.
TOTAL CASES	2	100.0	1	100.0	45	100.0	41	100.0	75	100.0	48	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2010 and December 31, 2010

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2010


Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2010

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)



Prevalent Cases of HIV / AIDS by county for the State of Kansas as of December 31, 2010



Prevalent cases are those people presumed living with HIV / AIDS. County of residence is based on county of residence at diagnosis. Cases that do not have a documented county of residence at diagnosis are not reflected in this map.

Data Sources: Kansas Cartographic Dataset
Kansas HIV/AIDS Reporting System (eHARS)

Disclaimer: The purpose of this publication is to illustrate health conditions in the State of Kansas. This product may be corrected or updated as necessary without prior notification. This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. Except for the limited purposes allowed in K.S.A. 21-3914, knowingly selling, giving, or receiving any list of names, addresses or maps contained in or derived from public records is a crime.