


HIV/AIDS in Kansas

Annual Report

December 2012



The HIV/AIDS Program works to promote public health and enhance the quality of life for Kansas residents by the prevention, intervention, and treatment of HIV and AIDS.

**HIV/AIDS Surveillance Program
HIV/AIDS Section
Bureau of Disease Control and Prevention
Kansas Department of Health and Environment**

Sources of information for this report:
Kansas HIV/AIDS Surveillance System (eHARS)

For further information: Contact Arrie Morris, MPH at 785-296-8701 or e-mail amorris@kdheks.gov
Disclaimer: There may be a difference from previously reported data, due to data cleaning efforts.



Incident, Prevalent, and Cumulative AIDS Cases in Kansas as of December 31, 2012, by Date of Report

	Incident AIDS Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%
ADULT/ADOLESCENT	112	99.1	1284	99.5	2411	99.5
PEDIATRIC (<13 YEARS OLD)	1	0.9	7	0.5	12	0.5
TOTAL	113	100.0	1291	100.0	2423	100.0
AGE						
< 13 Years	1	0.9	7	0.5	10	0.4
13 TO 14 Years	.	.	1	0.1	2	0.1
15 TO 24 Years	5	4.4	91	7.0	162	6.7
25 TO 34 Years	33	29.2	423	32.8	828	34.2
35 TO 44 Years	31	27.4	461	35.7	885	36.5
45 TO 54 Years	26	23.0	232	18.0	396	16.3
55 TO 64 Years	14	12.4	58	4.5	110	4.5
65 Years or Older	3	2.7	18	1.4	30	1.2
RACE/ETHNICITY						
Hispanic	25	22.1	223	17.3	308	12.7
American-Indian Non-Hispanic	.	.	8	0.6	14	0.6
Asian / Pacific Islander Non-Hispanic	3	2.7	11	0.9	14	0.6
Black Non-Hispanic	32	28.3	299	23.2	536	22.1
White Non-Hispanic	50	44.2	711	55.1	1472	60.8
Multi-Race	3	2.7	38	2.9	77	3.2
Unknown	.	.	1	0.1	2	0.1
GENDER						
Male	89	78.8	1064	82.4	2067	85.3
Female	24	21.2	227	17.6	356	14.7
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	53	46.9	689	53.4	1384	57.1
Injection Drug User (IDU)	7	6.2	103	8.0	233	9.6
MSM and IDU	5	4.4	127	9.8	241	9.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	0.9	9	0.7	30	1.2
High Risk Heterosexual Contact	11	9.7	246	19.1	379	15.6
No Identified Risk (NIR) or Other	35	31.0	105	8.1	138	5.7
Pediatric (All Risks Combined)	1	0.9	12	0.9	18	0.7
TOTAL	113	100.0	1291	100.0	2423	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2012 and December 31, 2012

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2012

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2012

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the US Census Bureau.

Percentages may not total 100 due to rounding.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Incident, Prevalent, and Cumulative HIV Cases in Kansas as of December 31, 2012, by Date of Report

	Incident HIV Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%
ADULT/ADOLESCENT	108	96.4	1073	98.4	1395	98.7
PEDIATRIC (<13 YEARS OLD)	4	3.6	18	1.6	18	1.3
TOTAL	112	100.0	1091	100.0	1413	100.0
AGE						
< 13 Years	4	3.6	18	1.6	18	1.3
13 TO 14 Years
15 TO 24 Years	26	23.2	245	22.5	309	21.9
25 TO 34 Years	35	31.3	396	36.3	512	36.2
35 TO 44 Years	19	17.0	260	23.8	350	24.8
45 TO 54 Years	20	17.9	131	12.0	164	11.6
55 TO 64 Years	6	5.4	36	3.3	50	3.5
65 Years or Older	2	1.8	5	0.5	10	0.7
RACE/ETHNICITY						
Hispanic	15	13.4	161	14.8	185	13.1
American-Indian Non-Hispanic	1	0.9	5	0.5	6	0.4
Asian / Pacific Islander Non-Hispanic	2	1.8	15	1.4	16	1.1
Black Non-Hispanic	37	33.0	315	28.9	384	27.2
White Non-Hispanic	53	47.3	546	50.0	758	53.6
Multi-Race	3	2.7	34	3.1	49	3.5
Unknown	1	0.9	15	1.4	15	1.1
GENDER						
Male	92	82.1	841	77.1	1103	78.1
Female	20	17.9	250	22.9	310	21.9
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	60	53.6	561	51.4	750	53.1
Injection Drug User (IDU)	3	2.7	77	7.1	110	7.8
MSM and IDU	5	4.5	61	5.6	81	5.7
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	1	0.1	4	0.3
High Risk Heterosexual Contact	7	6.3	202	18.5	246	17.4
No Identified Risk (NIR) or Other	33	29.5	171	15.7	204	14.4
Pediatric (All Risks Combined)	4	3.6	18	1.6	18	1.3
TOTAL	112	100.0	1091	100.0	1413	100.0

Incident HIV cases are individuals with HIV reported between January 1, 2012 and December 31, 2012

Prevalent HIV cases are individuals with HIV who are presumed to be alive as of December 31, 2012

Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through December 31, 2012

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the US Census Bureau.

Percentages may not total 100 due to rounding

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Prevalent Adult / Adolescent AIDS Cases by Exposure Category and Gender in Kansas as of December 31, 2012 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	689	64.8	.	.	689	53.4
Injection Drug User (IDU)	68	6.4	35	15.4	103	8.0
MSM and IDU	127	11.9	.	.	127	9.8
Hemophilia/Coagulation Disorder/Transfusion	8	0.8	1	0.4	9	0.7
High Risk Heterosexual Contact	86	8.1	160	70.5	246	19.1
Sex with IDU	13	1.2	28	12.3	41	3.2
Sex with HIV infected partner	73	6.9	120	52.9	193	14.9
Sex with other high risk partner	.	.	12	5.3	12	0.9
Perinatal Exposure, HIV diagnosed >=13 yrs old	6	0.6	6	2.6	12	0.9
No Identified Risk (NIR)	80	7.5	25	11.0	105	8.1

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2012

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2013

Percentages may not total 100 due to rounding

Prevalent Adult / Adolescent HIV Cases by Exposure Category and Gender in Kansas as of December 31, 2012 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	561	66.7	.	.	561	51.4
Injection Drug User (IDU)	43	5.1	34	13.6	77	7.1
MSM and IDU	61	7.3	.	.	61	5.6
Hemophilia/Coagulation Disorder/Transfusion	1	0.1	.	.	1	0.1
High Risk Heterosexual Contact	49	5.8	153	61.2	202	18.5
Sex with IDU	8	1.0	16	6.4	24	2.2
Sex with HIV infected partner	41	4.9	124	49.6	165	15.1
Sex with other high risk partner	.	.	13	5.2	13	1.2
Perinatal Exposure, HIV diagnosed >=13 yrs old	7	0.8	11	4.4	18	1.6
No Identified Risk (NIR)	119	14.1	52	20.8	171	15.7


Prevalent HIV cases are individuals with HIV (no AIDS) who are presumed to be alive as of December 31, 2012

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2013

Percentages may not total 100 due to rounding

Incident, Prevalent, and Cumulative HIV Cases and AIDS Cases as of December 31, 2012, Among Regions in Kansas by Date of Report

HIV/AIDS Community Planning Regions



Published by:
 Kansas Department of Health and Environment
 Bureau of Epidemiology and Disease Prevention
 Information Systems, Geographic Data Services
 Date of Publication: December 2014



Data Source:
 Kansas Cartographic Dataset
 Kansas HIV/STD Surveillance Program

Disclaimer: The purpose of this publication is to illustrate the status of the HIV/AIDS epidemic in the state of Kansas. This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

Region	Incident AIDS Cases in Kansas as of December 31, 2012	Incident HIV Cases in Kansas as of December 31, 2012	Prevalent AIDS Cases in Kansas as of December 31, 2012	Prevalent HIV Cases in Kansas as of December 31, 2012	Cumulative AIDS Cases in Kansas as of December 31, 2012	Cumulative HIV Cases in Kansas as of December 31, 2012
	N	N	N	N	N	N
1	28	21	245	195	483	284
2	29	20	254	228	458	295
3	.	11	52	49	99	67
4	12	12	127	104	213	127
5	4	3	42	34	105	43
6	5	6	30	41	62	61
7	8	6	63	41	113	52
8	26	29	438	359	813	433
9	1	4	40	40	77	51
TOTAL	113	112	1291	1091	2423	1413

Incident AIDS cases are individuals with AIDS reported between January 1, 2012 and December 31, 2012
 Prevalent AIDS cases are individuals with AIDS who are presumed to be living in Kansas as of December 31, 2012
 Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through December 31, 2012
 Incident HIV cases are individuals with HIV reported between January 1, 2012 and December 31, 2012
 Prevalent HIV cases are individuals with HIV who are presumed to be living in Kansas as of December 31, 2012
 Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through December 31, 2012
 Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 1, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2012		Incident HIV Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	24	85.7	19	90.5	205	83.7	154	79.0	425	88.0	226	79.6
Female	4	14.3	2	9.5	40	16.3	41	21.0	58	12.0	58	20.4
RACE/ETHNICITY												
Hispanic	11	39.3	3	14.3	60	24.5	37	19.0	75	15.5	45	15.8
American-Indian Non-Hispanic	1	0.4	.	.	1	0.2	.	.
Asian / Pacific Islander Non-Hispanic	1	3.6	1	4.8	3	1.2	2	1.0	2	0.4	3	1.1
Black Non-Hispanic	8	28.6	11	52.4	90	36.7	82	42.1	183	37.9	114	40.1
White Non-Hispanic	7	25.0	5	23.8	85	34.7	65	33.3	211	43.7	108	38.0
Multi-Race	1	3.6	1	4.8	6	2.4	8	4.1	11	2.3	12	4.2
Unknown	1	0.5	.	.	2	0.7
AGE												
< 13 Years	1	0.4	1	0.5	1	0.2	1	0.4
13 TO 14 Years
15 TO 24 Years	2	7.1	5	23.8	23	9.4	41	21.0	38	7.9	59	20.8
25 TO 34 Years	10	35.7	9	42.9	97	39.6	79	40.5	179	37.1	119	41.9
35 TO 44 Years	5	17.9	5	23.8	75	30.6	51	26.2	169	35.0	69	24.3
45 TO 54 Years	6	21.4	2	9.5	37	15.1	17	8.7	69	14.3	27	9.5
55 TO 64 Years	5	17.9	.	.	11	4.5	6	3.1	23	4.7	8	2.8
65 Years or Older	1	0.4	.	.	4	0.8	1	0.4
RISK BEHAVIOR												
Men who have sex with men (MSM)	13	46.4	13	61.9	117	47.8	95	48.7	259	53.6	151	53.2
Injection Drug User (IDU)	2	7.1	2	9.5	23	9.4	11	5.6	51	10.6	19	6.7
MSM and IDU	1	3.6	1	4.8	16	6.5	8	4.1	42	8.7	11	3.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	1.2	.	.	8	1.7	.	.
High Risk Heterosexual Contact	2	7.1	.	.	59	24.1	35	17.9	83	17.2	45	15.8
No Identified Risk (NIR) or Other	10	35.7	5	23.8	26	10.6	45	23.1	38	7.9	57	20.1
Pediatric (All Risks Combined)	1	0.4	1	0.5	2	0.4	1	0.4
TOTAL CASES	28	100.0	21	100.0	245	100.0	195	100.0	483	100.0	284	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2012 and December 31, 2012
Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2012
Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2012
As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.
Percentages may not total 100 due to rounding
Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 2, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2012		Incident HIV Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	21	72.4	16	80.0	207	81.5	182	79.8	393	85.8	239	81.0
Female	8	27.6	4	20.0	47	18.5	46	20.2	65	14.2	56	19.0
RACE/ETHNICITY												
Hispanic	7	24.1	2	10.0	31	12.2	26	11.4	44	9.6	30	10.2
American-Indian Non-Hispanic	1	0.4	.	.	2	0.4	.	.
Asian / Pacific Islander Non-Hispanic	1	3.4	.	.	2	0.8	7	3.1	6	1.3	7	2.4
Black Non-Hispanic	7	24.1	5	25.0	51	20.1	56	24.6	85	18.6	59	20.0
White Non-Hispanic	13	44.8	12	60.0	159	62.6	132	57.9	307	67.0	188	63.7
Multi-Race	1	3.4	.	.	10	3.9	3	1.3	14	3.1	7	2.4
Unknown	.	.	1	5.0	.	.	4	1.8	.	.	4	1.4
AGE												
< 13 Years	.	.	1	5.0	2	0.8	6	2.6	2	0.4	6	2.0
13 TO 14 Years
15 TO 24 Years	.	.	1	5.0	16	6.3	42	18.4	31	6.8	53	18.0
25 TO 34 Years	11	37.9	6	30.0	90	35.4	87	38.2	157	34.3	112	38.0
35 TO 44 Years	12	41.4	2	10.0	84	33.1	49	21.5	156	34.1	67	22.7
45 TO 54 Years	2	6.9	9	45.0	40	15.7	35	15.4	75	16.4	42	14.2
55 TO 64 Years	3	10.3	1	5.0	16	6.3	9	3.9	31	6.8	14	4.7
65 Years or Older	1	3.4	.	.	6	2.4	.	.	6	1.3	1	0.3
RISK BEHAVIOR												
Men who have sex with men (MSM)	16	55.2	8	40.0	150	59.1	124	54.4	288	62.9	169	57.3
Injection Drug User (IDU)	13	5.1	8	3.5	27	5.9	12	4.1
MSM and IDU	1	3.4	1	5.0	11	4.3	11	4.8	25	5.5	17	5.8
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	3.4	.	.	4	1.6	.	.	8	1.7	1	0.3
High Risk Heterosexual Contact	3	10.3	3	15.0	47	18.5	44	19.3	73	15.9	50	16.9
No Identified Risk (NIR) or Other	8	27.6	7	35.0	27	10.6	35	15.4	35	7.6	40	13.6
Pediatric (All Risks Combined)	.	.	1	5.0	2	0.8	6	2.6	2	0.4	6	2.0
TOTAL CASES	29	100.0	20	100.0	254	100.0	228	100.0	458	100.0	295	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2012 and December 31, 2012
Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2012
Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2012
As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.
Percentages may not total 100 due to rounding
Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 3, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2012		Incident HIV Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	.	.	9	81.8	42	80.8	44	89.8	86	86.9	59	88.1
Female	.	.	2	18.2	10	19.2	5	10.2	13	13.1	8	11.9
RACE/ETHNICITY												
Hispanic	5	9.6	1	2.0	12	12.1	3	4.5
American-Indian Non-Hispanic	.	.	1	9.1	3	5.8	3	6.1	3	3.0	3	4.5
Asian/Pacific Islander Non-Hispanic	2	4.1	.	.	2	3.0
Black Non-Hispanic	.	.	3	27.3	6	11.5	9	18.4	9	9.1	12	17.9
White Non-Hispanic	.	.	6	54.5	37	71.2	32	65.3	72	72.7	43	64.2
Multi-Race	.	.	1	9.1	1	1.9	2	4.1	2	2.0	4	6.0
Unknown	1	1.0	.	.
AGE												
< 13 Years	.	.	3	27.3	2	3.8	3	6.1	2	2.0	3	4.5
13 TO 14 Years
15 TO 24 Years	8	15.4	10	20.4	14	14.1	16	23.9
25 TO 34 Years	.	.	4	36.4	13	25.0	15	30.6	30	30.3	22	32.8
35 TO 44 Years	.	.	2	18.2	13	25.0	17	34.7	28	28.3	19	28.3
45 TO 54 Years	.	.	1	9.1	14	26.9	4	8.2	19	19.2	6	9.0
55 TO 64 Years	2	3.8	.	.	4	4.0	.	.
65 Years or Older	.	.	1	9.1	2	2.0	1	1.5
RISK BEHAVIOR												
Men who have sex with men (MSM)	.	.	3	27.3	27	51.9	30	61.2	60	60.6	42	62.7
Injection Drug User (IDU)	3	5.8	3	6.1	9	9.1	3	4.5
MSM and IDU	.	.	1	9.1	8	15.4	4	8.2	12	12.1	5	7.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	.	.	2	18.2	9	17.3	4	8.2	10	10.1	9	13.4
No Identified Risk (NIR) or Other	.	.	2	18.2	1	1.9	5	10.2	4	4.0	5	7.5
Pediatric (All Risks Combined)	.	.	3	27.3	4	7.7	3	6.1	4	4.0	3	4.5
TOTAL CASES	.	.	11	100.0	52	100.0	49	100.0	99	100.0	67	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2012 and December 31, 2012
Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2012
Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2012
As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.
Percentages may not total 100 due to rounding
Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 4, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2012		Incident HIV Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	10	83.3	9	75.0	103	81.1	76	73.1	177	83.1	95	74.8
Female	2	16.7	3	25.0	24	18.9	28	26.9	36	16.9	32	25.2
RACE/ETHNICITY												
Hispanic	2	16.7	3	25.0	17	13.4	9	8.7	25	11.7	9	7.1
American-Indian Non-Hispanic	1	1.0	1	0.5	2	1.6
Asian /Pacific Islander Non-Hispanic	1	1.0	.	.	1	0.8
Black Non-Hispanic	5	41.7	5	41.7	31	24.4	32	30.8	47	22.1	36	28.3
White Non-Hispanic	5	41.7	4	33.3	77	60.6	60	57.7	131	61.5	76	59.8
Multi-Race	2	1.6	.	.	9	4.2	2	1.6
Unknown	1	1.0	.	.	1	0.8
AGE												
< 13 Years	1	1.0	.	.	1	0.8
13 TO 14 Years
15 TO 24 Years	1	8.3	5	41.7	5	3.9	25	24.0	7	3.3	25	19.7
25 TO 34 Years	4	33.3	4	33.3	39	30.7	34	32.7	64	30.0	38	29.9
35 TO 44 Years	2	16.7	1	8.3	53	41.7	28	26.9	91	42.7	42	33.1
45 TO 54 Years	4	33.3	.	.	25	19.7	8	7.7	39	18.3	11	8.7
55 TO 64 Years	1	8.3	2	16.7	2	1.6	7	6.7	7	3.3	8	6.3
65 Years or Older	3	2.4	1	1.0	5	2.3	2	1.6
RISK BEHAVIOR												
Men who have sex with men (MSM)	4	33.3	9	75.0	69	54.3	52	50.0	121	56.8	61	48.0
Injection Drug User (IDU)	1	8.3	.	.	9	7.1	12	11.5	21	9.9	17	13.4
MSM and IDU	12	9.4	3	2.9	22	10.3	9	7.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	0.8	.	.	2	0.9	.	.
High Risk Heterosexual Contact	2	16.7	.	.	26	20.5	17	16.3	38	17.8	19	15.0
No Identified Risk (NIR) or Other	5	41.7	3	25.0	10	7.9	19	18.3	9	4.2	20	15.7
Pediatric (All Risks Combined)	1	1.0	.	.	1	0.8
TOTAL CASES	12	100.0	12	100.0	127	100.0	104	100.0	213	100.0	127	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2012 and December 31, 2012
Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2012
Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2012
As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.
Percentages may not total 100 due to rounding
Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 5, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2012		Incident HIV Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	4	100.0	2	66.7	32	76.2	21	61.8	84	80.0	26	60.5
Female	.	.	1	33.3	10	23.8	13	38.2	21	20.0	17	39.5
RACE/ETHNICITY												
Hispanic	.	.	2	66.7	3	7.1	7	20.6	7	6.7	7	16.3
American-Indian Non-Hispanic	1	2.4	.	.	2	1.9	.	.
Asian/Pacific Islander Non-Hispanic
Black Non-Hispanic	2	4.8	3	8.8	7	6.7	5	11.6
White Non-Hispanic	4	100.0	1	33.3	32	76.2	22	64.7	85	81.0	29	67.4
Multi-Race	4	9.5	1	2.9	4	3.8	1	2.3
Unknown	1	2.9	.	.	1	2.3
AGE												
< 13 Years
13 TO 14 Years
15 TO 24 Years	.	.	1	33.3	2	4.8	5	14.7	2	1.9	8	18.6
25 TO 34 Years	15	35.7	14	41.2	38	36.2	16	37.2
35 TO 44 Years	2	50.0	1	33.3	14	33.3	10	29.4	43	41.0	13	30.2
45 TO 54 Years	1	25.0	.	.	7	16.7	3	8.8	16	15.2	4	9.3
55 TO 64 Years	.	.	1	33.3	3	7.1	2	5.9	5	4.8	2	4.7
65 Years or Older	1	25.0	.	.	1	2.4	.	.	1	1.0	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	.	.	2	66.7	19	45.2	11	32.4	56	53.3	16	37.2
Injection Drug User (IDU)	1	25.0	.	.	4	9.5	6	17.6	11	10.5	6	14.0
MSM and IDU	1	25.0	.	.	7	16.7	1	2.9	11	10.5	1	2.3
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	2.9	.	.
High Risk Heterosexual Contact	9	21.4	11	32.4	18	17.1	15	34.9
No Identified Risk (NIR) or Other	2	50.0	1	33.3	2	4.8	5	14.7	5	4.8	5	11.6
Pediatric (All Risks Combined)	1	2.4	.	.	1	1.0	.	.
TOTAL CASES	4	100.0	3	100.0	42	100.0	34	100.0	105	100.0	43	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2012 and December 31, 2012
Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2012
Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2012
As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.
Percentages may not total 100 due to rounding
Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 6, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2012		Incident HIV Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	3	60.0	5	83.3	24	80.0	33	80.5	46	74.2	48	78.7
Female	2	40.0	1	16.7	6	20.0	8	19.5	16	25.8	13	21.3
RACE/ETHNICITY												
Hispanic	1	20.0	.	.	4	13.3	1	2.4	5	8.1	2	3.3
American-Indian Non-Hispanic	1	3.3	.	.	1	1.6	.	.
Asian/Pacific Islander Non-Hispanic	1	3.3	.	.	1	1.6	.	.
Black Non-Hispanic	3	60.0	3	50.0	10	33.3	22	53.7	19	30.6	30	49.2
White Non-Hispanic	1	20.0	3	50.0	14	46.7	16	39.0	36	58.1	27	44.3
Multi-Race	1	2.4	.	.	1	1.6
Unknown	1	2.4	.	.	1	1.6
AGE												
<13	1	2.4	2	3.2	1	1.6
13 TO 14 Years
15 TO 24 Years	.	.	2	33.3	2	6.7	15	36.6	6	9.7	19	31.1
25 TO 34 Years	1	20.0	2	33.3	4	13.3	14	34.1	18	29.0	22	36.1
35 TO 44 Years	.	.	1	16.7	14	46.7	5	12.2	27	43.5	9	14.8
45 TO 54 Years	4	80.0	.	.	9	30.0	3	7.3	7	11.3	6	9.8
55 TO 64 Years	.	.	1	16.7	1	3.3	3	7.3	2	3.2	4	6.6
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	40.0	1	16.7	15	50.0	20	48.8	30	48.4	30	49.2
Injection Drug User (IDU)	2	6.7	1	2.4	8	12.9	3	4.9
MSM and IDU	.	.	1	16.7	6	20.0	1	2.4	8	12.9	1	1.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	2	40.0	.	.	4	13.3	5	12.2	12	19.4	8	13.1
No Identified Risk (NIR) or Other	1	20.0	4	66.7	3	10.0	13	31.7	2	3.2	18	29.5
Pediatric (All Risks Combined)	1	2.4	2	3.2	1	1.6
TOTAL CASES	5	100.0	6	100.0	30	100.0	41	100.0	62	100.0	61	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2012 and December 31, 2012
Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2012
Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2012
As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.
Percentages may not total 100 due to rounding
Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 7, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2012		Incident HIV Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	7	87.5	4	66.7	51	81.0	27	65.9	87	77.0	36	69.2
Female	1	12.5	2	33.3	12	19.0	14	34.1	26	23.0	16	30.8
RACE/ETHNICITY												
Hispanic	2	25.0	1	16.7	9	14.3	6	14.6	11	9.7	8	15.4
American Indian Non-Hispanic
Asian / Pacific Islander Non-Hispanic	1	1.6	.	.	1	0.9	.	.
Black Non-Hispanic	.	.	1	16.7	10	15.8	10	24.4	21	18.6	12	23.1
White Non-Hispanic	6	75.0	3	50.0	41	65.1	21	51.2	75	66.4	28	53.8
Multi-Race	.	.	1	16.7	1	1.6	2	4.9	4	3.5	2	3.8
Unknown	1	1.6	2	4.9	1	0.9	2	3.8
AGE												
< 13 Years	1	1.6	1	2.4	2	1.8	1	1.9
13 TO 14 Years
15 TO 24 Years	1	12.5	2	33.3	5	8.0	8	19.5	9	8.0	11	21.2
25 TO 34 Years	2	25.0	1	16.7	13	20.6	11	26.8	32	28.3	15	28.8
35 TO 44 Years	1	12.5	1	16.7	26	41.3	10	24.4	43	38.1	13	25.0
45 TO 54 Years	3	37.5	2	33.3	14	22.2	8	19.5	23	20.4	8	15.4
55 TO 64 Years	1	12.5	.	.	4	6.3	3	7.3	3	2.7	4	7.7
65 Years or Older	1	0.9	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	5	62.5	3	50.0	36	57.1	17	41.5	51	45.1	23	44.2
Injection Drug User (IDU)	.	.	1	16.7	10	15.9	8	19.5	24	21.2	11	21.2
MSM and IDU	2	25.0	.	.	7	11.1	1	2.4	15	13.3	1	1.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	2.7	1	1.9
High Risk Heterosexual Contact	.	.	1	16.7	5	7.9	7	17.1	12	10.6	8	15.4
No Identified Risk (NIR) or Other	1	12.5	1	16.7	4	6.3	7	17.1	5	4.4	7	13.5
Pediatric (All Risks Combined)	1	1.6	1	2.4	3	2.7	1	1.9
TOTAL CASES	8	100.0	6	100.0	63	100.0	41	100.0	113	100.0	52	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2012 and December 31, 2012
Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2012
Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2012
As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.
Percentages may not total 100 due to rounding
Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 8, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2012		Incident HIV Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	19	73.1	24	82.8	367	83.8	279	77.7	706	86.8	338	78.1
Female	7	26.9	5	17.2	71	16.2	80	22.3	107	13.2	95	21.9
RACE/ETHNICITY												
Hispanic	2	7.7	3	10.3	67	15.3	54	15.0	93	11.4	58	13.4
American-Indian Non-Hispanic	1	0.2	1	0.3	4	0.5	1	0.2
Asian / Pacific Islander Non-Hispanic	1	3.8	1	3.4	4	0.9	3	0.8	4	0.5	3	0.7
Black Non-Hispanic	9	34.6	9	31.0	97	22.1	98	27.3	161	19.8	113	26.1
White Non-Hispanic	13	50.0	16	55.2	255	58.2	185	51.5	518	63.7	237	54.7
Multi-Race	1	3.8	.	.	14	3.2	16	4.5	33	4.1	19	4.4
Unknown	2	0.6	.	.	2	0.5
AGE												
< 13 Years	1	3.8	.	.	1	0.2	5	1.4	.	.	5	1.2
13 TO 14 Years	1	0.1	.	.
15 TO 24 Years	1	3.8	9	31.0	27	6.2	88	24.5	49	6.0	107	24.7
25 TO 34 Years	5	19.2	7	24.1	137	31.3	126	35.1	281	34.6	148	34.2
35 TO 44 Years	9	34.6	7	24.1	171	39.0	82	22.8	301	37.0	105	24.2
45 TO 54 Years	5	19.2	4	13.8	76	17.4	48	13.4	136	16.7	53	12.2
55 TO 64 Years	4	15.4	1	3.4	19	4.3	6	1.7	34	4.2	10	2.3
65 Years or Older	1	3.8	1	3.4	7	1.6	4	1.1	11	1.4	5	1.2
RISK BEHAVIOR												
Men who have sex with men (MSM)	12	46.2	18	62.1	238	54.3	195	54.3	480	59.0	237	54.7
Injection Drug User (IDU)	3	11.5	.	.	35	8.0	22	6.1	71	8.7	32	7.4
MSM and IDU	.	.	1	3.4	57	13.0	29	8.1	100	12.3	33	7.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	0.2	1	0.3	3	0.4	2	0.5
High Risk Heterosexual Contact	2	7.7	1	3.4	79	18.0	69	19.2	124	15.3	80	18.5
No Identified Risk (NIR) or Other	8	30.8	9	31.0	26	5.9	38	10.6	33	4.1	44	10.2
Pediatric (All Risks Combined)	1	3.8	.	.	2	0.5	5	1.4	2	0.2	5	1.2
TOTAL CASES	26	100.0	29	100.0	438	100.0	359	100.0	813	100.0	433	100.0


Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2012 and December 31, 2012
Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2012
Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2012
As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.
Percentages may not total 100 due to rounding
Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 9, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31, 2012		Incident HIV Cases in Kansas as of December 31, 2012		Prevalent AIDS Cases in Kansas as of December 31, 2012		Prevalent HIV Cases in Kansas as of December 31, 2012		Cumulative AIDS Cases in Kansas as of December 31, 2012		Cumulative HIV Cases in Kansas as of December 31, 2012	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	100.0	4	100.0	33	82.5	25	62.5	63	81.8	36	70.6
Female	7	17.5	15	37.5	14	18.2	15	29.4
RACE/ETHNICITY												
Hispanic	.	.	1	25.0	27	67.5	20	50.0	36	46.8	23	45.1
American-Indian Non-Hispanic
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	2	5.0	3	7.5	4	5.2	3	5.9
White Non-Hispanic	1	100.0	3	75.0	11	27.5	14	35.0	37	48.1	22	43.1
Multi-Race	1	2.5	.	.	1	2.0
Unknown	2	5.0	.	.	2	3.9
AGE												
< 13 Years	1	1.3	.	.
13 TO 14 Years	1	2.5	.	.	1	1.3	.	.
15 TO 24 Years	.	.	1	25.0	3	7.5	11	27.5	6	7.8	11	21.6
25 TO 34 Years	.	.	1	25.0	15	37.5	16	40.0	29	37.7	20	39.2
35 TO 44 Years	11	27.5	8	20.0	27	35.1	13	25.5
45 TO 54 Years	1	100.0	2	50.0	10	25.0	5	12.5	12	15.6	7	13.7
55 TO 64 Years	1	1.3	.	.
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	100.0	3	75.0	18	45.0	17	42.5	39	50.6	21	41.2
Injection Drug User (IDU)	4	10.0	6	15.0	11	14.3	7	13.7
MSM and IDU	3	7.5	3	7.5	6	7.8	3	5.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	3.9	.	.
High Risk Heterosexual Contact	8	20.0	10	25.0	9	11.7	12	23.5
No Identified Risk (NIR) or Other	.	.	1	25.0	6	15.0	4	10.0	7	9.1	8	15.7
Pediatric (All Risks Combined)	1	2.5	.	.	2	2.6	.	.
TOTAL CASES	1	100.0	4	100.0	40	100.0	40	100.0	77	100.0	51	100.0

Incident HIV/AIDS cases are individuals with HIV/AIDS reported between January 1, 2012 and December 31, 2012
Prevalent HIV/AIDS cases are individuals with HIV/AIDS who are presumed to be alive as of December 31, 2012
Cumulative cases are those individuals ever reported in Kansas to have HIV/AIDS through December 31, 2012
As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.
Percentages may not total 100 due to rounding
Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Prevalent Cases of HIV / AIDS by County for the State of Kansas as of December 31, 2012



Prevalent cases are those people presumed living with HIV / AIDS. County of residence is based on county of residence at diagnosis. Cases that do not have a documented county of residence at diagnosis are not reflected in this map.

Data Sources: Kansas Cartographic Dataset
Kansas HIV/AIDS Reporting System (eHARS)

Disclaimer: The purpose of this publication is to illustrate health conditions in the State of Kansas. This product may be corrected or updated as necessary without prior notification. This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. Except for the limited purposes allowed in K.S.A. 21-3914, knowingly selling, giving, or receiving any list of names, addresses or maps contained in or derived from public records is a crime.