

## Incident, Prevalent, and Cumulative AIDS Cases in Kansas as of June 30, 2006 by Date of Report

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%
<b>ADULT/ADOLESCENT</b>	64	100.0	1211	99.5	2648	99.5
<b>PEDIATRIC (&lt;13 YEARS OLD)</b>	.	.	6	0.5	13	0.5
<b>TOTAL</b>	64	100.0	1217	100.0	2661	100.0
<b>AGE</b>						
< 13 Years	.	.	6	0.5	13	0.5
13 TO 14 Years	.	.	1	0.1	3	0.1
15 TO 24 Years	1	1.6	84	6.9	145	5.4
25 TO 34 Years	21	32.8	448	36.8	1051	39.5
35 TO 44 Years	23	35.9	451	37.1	953	35.8
45 TO 54 Years	13	20.3	179	14.7	347	13.0
55 TO 64 Years	6	9.4	42	3.5	110	4.1
65 Years or Older	.	.	6	0.5	39	1.5
<b>RACE/ETHNICITY</b>						
Hispanic	13	20.3	158	13.0	238	8.9
American-Indian Non-Hispanic	.	.	11	0.9	24	0.9
Asian / Pacific Islander Non-Hispanic	.	.	5	0.4	10	0.4
Black Non-Hispanic	20	31.3	282	23.2	501	18.8
White Non-Hispanic	31	48.4	744	61.1	1866	70.1
Multi-Race Non-Hispanic	.	.	16	1.3	21	0.8
Unknown Non-Hispanic	.	.	1	0.1	1	0.0
<b>GENDER</b>						
Male	53	82.8	1017	83.6	2339	87.9
Female	11	17.2	200	16.4	322	12.1
<b>EXPOSURE CATEGORY</b>						
Men who have sex with men (MSM)	30	46.9	670	55.1	1610	60.5
Injection Drug User (IDU)	4	6.3	109	9.0	247	9.3
MSM and IDU	6	9.4	113	9.3	244	9.2
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	1.6	21	1.7	88	3.3
High Risk Heterosexual Contact	11	17.2	186	15.3	281	10.6
No Identified Risk (NIR) or Other	12	18.8	109	9.0	172	6.5
Pediatric (All Risk Combined)	.	.	9	0.7	19	0.7
<b>TOTAL</b>	64	100.0	1217	100.0	2661	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006*

*Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006*

*Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30 2006*

*As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau*

*Data Source: Kansas HIV/AIDS Reporting System (HARS)*

## Incident, Prevalent, and Cumulative HIV Cases in Kansas as of June 30, 2006 by Date of Report

	Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%
<b>ADULT/ADOLESCENT</b>	72	100.0	612	98.9	632	98.9
<b>PEDIATRIC (&lt;13 YEARS OLD)</b>	.	.	7	1.1	7	1.1
<b>TOTAL</b>	72	100.0	619	100.0	639	100.0
<b>AGE</b>						
< 13 Years	.	.	7	1.1	7	1.1
13 TO 14 Years	.	.	.	.	.	.
15 TO 24 Years	15	20.8	123	19.9	124	19.4
25 TO 34 Years	30	41.7	236	38.1	241	37.7
35 TO 44 Years	20	27.8	163	26.3	171	26.8
45 TO 54 Years	5	6.9	72	11.6	75	11.7
55 TO 64 Years	2	2.8	16	2.6	17	2.7
65 Years or Older	.	.	2	0.3	4	0.6
<b>RACE/ETHNICITY</b>						
Hispanic	7	9.7	92	14.9	95	14.9
American-Indian Non-Hispanic	.	.	6	1.0	6	0.9
Asian / Pacific Islander Non-Hispanic	1	1.4	2	0.3	3	0.5
Black Non-Hispanic	33	45.8	183	29.6	185	29.0
White Non-Hispanic	30	41.7	316	51.1	330	51.6
Multi-Race Non-Hispanic	.	.	11	1.8	11	1.7
Unknown Non-Hispanic	1	1.4	9	1.5	9	1.4
<b>GENDER</b>						
Male	65	90.3	470	75.9	486	76.1
Female	7	9.7	149	24.1	153	23.9
<b>EXPOSURE CATEGORY</b>						
Men who have sex with men (MSM)	36	50.0	267	43.1	273	42.7
Injection Drug User (IDU)	1	1.4	53	8.6	54	8.5
MSM and IDU	3	4.2	38	6.1	41	6.4
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	2	0.3	2	0.3
High Risk Heterosexual Contact	3	4.2	84	13.6	86	13.5
No Identified Risk (NIR) or Other	29	40.3	168	27.1	176	27.5
Pediatric (All Risk Combined)	.	.	7	1.1	7	1.1

*Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006*

*Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006*

*Cumulative cases are those individuals ever reported in Kansas to have HIV through June 30 2006*

*As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau*

*Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006*

## Prevalent Adult / Adolescent AIDS Cases by Exposure Category and Gender in Kansas as of June 30, 2006 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	670	66.21	.	.	670	55.46
Injection Drug User (IDU)	70	6.92	39	19.90	109	9.02
MSM and IDU	113	11.17	.	.	113	9.35
Hemophilia/Coagulation Disorder	9	0.89	.	.	9	0.75
High Risk Heterosexual Contact	67	6.62	119	60.71	186	15.39
<i>Sex with an IDU</i>	13	1.28	24	12.24	37	3.06
<i>Sex with HIV infected Partner</i>	52	5.14	82	41.84	134	11.09
<i>Sex with other High Risk Partners</i>	2	0.20	13	6.63	15	1.24
Transfusion/Transplant	8	0.79	4	2.04	12	0.99
No Identified Risk (NIR)	75	7.41	34	17.35	109	9.02

*Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006  
Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006  
Percentages may not add to 100 due to rounding*


## Prevalent Adult / Adolescent HIV Cases by Exposure Category and Gender in Kansas as of June 30, 2006 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	267	57.05	.	.	267	43.63
Injection Drug User (IDU)	31	6.62	22	15.28	53	8.66
MSM and IDU	38	8.12	.	.	38	6.21
Hemophilia/Coagulation Disorder	1	0.21	.	.	1	0.16
High Risk Heterosexual Contact	22	4.7	62	43.05	84	13.72
<i>Sex with an IDU</i>	2	0.43	14	9.72	16	2.61
<i>Sex with HIV infected Partner</i>	20	4.27	39	27.08	59	9.64
<i>Sex with other High Risk Partners</i>	.	.	9	6.25	9	1.47
Transfusion/Transplant	1	0.21	.	.	1	0.16
No Identified Risk (NIR)	108	23.08	60	41.67	168	27.45

*Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006  
Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006  
Percentages may not add to 100 due to rounding*

# Incident, Prevalent, and Cumulative HIV Cases and AIDS Cases as of June 30 , 2006 Among Regions in Kansas by Date of Report

## HIV/AIDS Community Planning Regions



Published by:  
 Kansas Department of Health and Environment  
 Bureau of Epidemiology and Disease Prevention  
 Information Systems, Geographic Data Services  
 Date of Publication: December 2004



Data Source:  
 Kansas Cartographic Dataset  
 Kansas HIV/STD Surveillance Program

Disclaimer: The purpose of this publication is to illustrate the status of the HIV/AIDS epidemic in the state of Kansas.  
 This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

Region	Incident AIDS Cases in Kansas as of JUNE 30, 2006	Incident HIV Cases in Kansas as of JUNE 30, 2006	Prevalent AIDS Cases in Kansas as of JUNE 30, 2006	Prevalent HIV Cases in Kansas as of JUNE 30, 2006	Cumulative AIDS Cases in Kansas as of JUNE 30, 2006	Cumulative HIV Cases in Kansas as of JUNE 30, 2006
	N	N	N	N	N	N
1	14	18	266	129	534	132
2	14	24	222	126	488	130
3	1	2	53	20	107	20
4	5	4	108	46	253	52
5	1	1	28	23	108	23
6	2	3	33	27	89	27
7	5	2	53	25	106	26
8	21	16	418	196	898	200
9	1	2	36	26	78	28
10	.	.	.	1	.	1
<b>TOTAL</b>	<b>64</b>	<b>72</b>	<b>1217</b>	<b>619</b>	<b>2661</b>	<b>639</b>

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006  
 Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006  
 Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006  
 Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006  
 Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006  
 Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006  
 Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

## INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 1, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>GENDER</b>												
Male	11	78.6	17	94.4	227	85.3	101	78.3	476	89.1	104	78.8
Female	3	21.4	1	5.6	39	14.7	28	21.7	58	10.9	28	21.2
<b>RACE/ETHNICITY</b>												
Hispanic	4	28.6	3	16.7	47	17.7	24	18.6	62	11.6	26	19.7
American-Indian Non-Hispanic	.	0.0	.	0.0	1	0.4	.	0.0	2	0.4	.	0.0
Asian / Pacific Islander Non-Hispanic	.	0.0	.	0.0	.	0.0	.	0.0	1	0.2	.	0.0
Black Non-Hispanic	8	57.1	10	55.6	93	35.0	54	41.9	181	33.9	54	40.9
White Non-Hispanic	2	14.3	5	27.8	122	45.9	49	38.0	285	53.4	50	37.9
Multi-Race Non-Hispanic	.	0.0	.	0.0	3	1.1	1	0.8	3	0.6	1	0.8
Unknown Non-Hispanic	.	0.0	.	0.0	.	0.0	1	0.8	.	0.0	1	0.8
<b>AGE</b>												
< 13 Years	.	0.0	.	0.0	1	0.4	.	0.0	2	0.4	.	0.0
13 TO 14 Years	.	.	.	.	.	.	.	.	.	.	.	.
15 TO 24 Years	1	7.1	2	11.1	20	7.5	28	21.7	35	6.6	28	21.2
25 TO 34 Years	6	42.9	9	50.0	103	38.7	49	38.0	227	42.5	51	38.6
35 TO 44 Years	2	14.3	6	33.3	91	34.2	36	27.9	169	31.6	36	27.3
45 TO 54 Years	3	21.4	1	5.6	39	14.7	11	8.5	69	12.9	12	9.1
55 TO 64 Years	2	14.3	.	0.0	10	3.8	4	3.1	23	4.3	4	3.0
65 Years or Older	.	0.0	.	0.0	2	0.8	1	0.8	9	1.7	1	0.8
<b>RISK BEHAVIOR</b>												
Men who have sex with men (MSM)	6	42.9	8	44.4	137	51.5	52	40.3	303	56.7	53	40.2
Injection Drug User (IDU)	.	0.0	.	0.0	28	10.5	6	4.7	61	11.4	6	4.5
MSM and IDU	1	7.1	.	0.0	22	8.3	3	2.3	46	8.6	4	3.0
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	0.0	.	0.0	5	1.9	.	0.0	15	2.8	.	0.0
High Risk Heterosexual Contact	4	28.6	1	5.6	43	16.2	13	10.1	62	11.6	13	9.8
No Identified Risk (NIR) or Other	3	21.4	9	50.0	30	11.3	55	42.6	45	8.4	56	42.4
Pediatric (All Risk Combined)	.	0.0	.	0.0	1	0.4	.	0.0	2	0.4	.	0.0
<b>TOTAL CASES</b>	14	100.0	18	100.0	266	100.0	129	100.0	534	100.0	132	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006*

*Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006*

*Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006*

*Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006*

*Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006*

*Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006*

*Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006*

## INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 2, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>GENDER</b>												
Male	11	78.6	21	87.5	194	87.4	98	77.8	442	90.6	102	78.5
Female	3	21.4	3	12.5	28	12.6	28	22.2	46	9.4	28	21.5
<b>RACE/ETHNICITY</b>												
Hispanic	3	21.4	3	12.5	21	9.5	10	7.9	35	7.2	10	7.7
American-Indian Non-Hispanic	.	.	.	.	1	0.5	.	.	3	0.6	.	.
Asian / Pacific Islander Non-Hispanic	.	.	1	4.2	3	1.4	1	0.8	5	1.0	1	0.8
Black Non-Hispanic	5	35.7	8	33.3	40	18.0	33	26.2	53	10.9	33	25.4
White Non-Hispanic	6	42.9	11	45.8	155	69.8	76	60.3	390	79.9	80	61.5
Multi-Race Non-Hispanic	.	.	.	.	2	0.9	1	0.8	2	0.4	1	0.8
Unknown Non-Hispanic	.	.	1	4.2	.	.	5	4.0	.	.	5	3.8
<b>AGE</b>												
< 13 Years	.	.	.	.	1	0.5	.	.	2	0.4	.	.
13 TO 14 Years	.	.	.	.	.	.	.	.	1	0.2	.	.
15 TO 24 Years	.	.	6	25.0	15	6.8	26	20.6	25	5.1	27	20.8
25 TO 34 Years	6	42.9	9	37.5	88	39.6	46	36.5	187	38.3	47	36.2
35 TO 44 Years	5	35.7	7	29.2	81	36.5	35	27.8	171	35.0	35	26.9
45 TO 54 Years	1	7.1	2	8.3	23	10.4	17	13.5	62	12.7	18	13.8
55 TO 64 Years	2	14.3	.	.	12	5.4	2	1.6	29	5.9	3	2.3
65 Years or Older	.	.	.	.	2	0.9	.	.	11	2.3	.	.
<b>RISK BEHAVIOR</b>												
Men who have sex with men (MSM)	9	64.3	10	41.7	131	59.0	61	48.4	322	66.0	63	48.5
Injection Drug User (IDU)	1	7.1	1	4.2	9	4.1	6	4.8	24	4.9	6	4.6
MSM and IDU	.	.	1	4.2	17	7.7	9	7.1	32	6.6	9	6.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	.	.	5	2.3	.	.	21	4.3	.	.
High Risk Heterosexual Contact	3	21.4	2	8.3	32	14.4	16	12.7	47	9.6	16	12.3
No Identified Risk (NIR) or Other	1	7.1	10	41.7	27	12.2	34	27.0	39	8.0	36	27.7
Pediatric (All Risk Combined)	.	.	.	.	1	0.5	.	.	3	0.6	.	.
<b>TOTAL CASES</b>	14	100.0	24	100.0	222	100.0	126	100.0	488	100.0	130	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006  
 Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006  
 Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006  
 Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006  
 Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006  
 Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006  
 Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

## INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 3, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>GENDER</b>												
Male	1	100.0	2	100.0	43	81.1	16	80.0	93	86.9	16	80.0
Female	.	.	.	.	10	18.9	4	20.0	14	13.1	4	20.0
<b>RACE/ETHNICITY</b>												
Hispanic	.	.	.	.	3	5.7	1	5.0	6	5.6	1	5.0
American-Indian Non-Hispanic	.	.	.	.	2	3.8	.	.	4	3.7	.	.
Asian / Pacific Islander Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
Black Non-Hispanic	.	.	.	.	9	17.0	3	15.0	15	14.0	3	15.0
White Non-Hispanic	1	100.0	2	100.0	38	71.7	15	75.0	81	75.7	15	75.0
Multi-Race Non-Hispanic	.	.	.	.	.	.	1	5.0	.	.	1	5.0
Unknown Non-Hispanic	.	.	.	.	1	1.9	.	.	1	0.9	.	.
<b>AGE</b>												
< 13 Years	.	.	.	.	2	3.8	.	.	2	1.9	.	.
13 TO 14 Years	.	.	.	.	.	.	.	.	1	0.9	.	.
15 TO 24 Years	.	.	.	.	7	13.2	4	20.0	11	10.3	4	20.0
25 TO 34 Years	.	.	.	.	17	32.1	9	45.0	40	37.4	9	45.0
35 TO 44 Years	1	100.0	2	100.0	13	24.5	5	25.0	29	27.1	5	25.0
45 TO 54 Years	.	.	.	.	12	22.6	2	10.0	17	15.9	2	10.0
55 TO 64 Years	.	.	.	.	2	3.8	.	.	4	3.7	.	.
65 Years or Older	.	.	.	.	.	.	.	.	3	2.8	.	.
<b>RISK BEHAVIOR</b>												
Men who have sex with men (MSM)	.	.	2	100.0	31	58.5	12	60.0	68	63.6	12	60.0
Injection Drug User (IDU)	.	.	.	.	5	9.4	.	.	10	9.3	.	.
MSM and IDU	1	100.0	.	.	5	9.4	2	10.0	10	9.3	2	10.0
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	.	.	.	.	.	.	3	2.8	.	.
High Risk Heterosexual Contact	.	.	.	.	7	13.2	5	25.0	9	8.4	5	25.0
No Identified Risk (NIR) or Other	.	.	.	.	3	5.7	1	5.0	4	3.7	1	5.0
Pediatric (All Risk Combined)	.	.	.	.	2	3.8	.	.	3	2.8	.	.
<b>TOTAL CASES</b>	1	100.0	2	100.0	53	100.0	20	100.0	107	100.0	20	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006*  
*Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006*  
*Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006*  
*Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006*  
*Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006*  
*Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006*  
 Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

## INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 4, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>GENDER</b>												
Male	5	100.0	4	100.0	92	85.2	33	71.7	222	87.7	38	73.1
Female	.	.	.	.	16	14.8	13	28.3	31	12.3	14	26.9
<b>RACE/ETHNICITY</b>												
Hispanic	1	20.0	.	.	8	7.4	2	4.3	14	5.5	2	3.8
American-Indian Non-Hispanic	.	.	.	.	2	1.9	2	4.3	4	1.6	2	3.8
Asian / Pacific Islander Non-Hispanic	.	.	.	.	.	.	.	.	1	0.4	1	1.9
Black Non-Hispanic	.	.	1	25.0	29	26.9	17	37.0	53	20.9	17	32.7
White Non-Hispanic	4	80.0	3	75.0	68	63.0	25	54.3	179	70.8	30	57.7
Multi-Race Non-Hispanic	.	.	.	.	1	0.9	.	.	2	0.8	.	.
Unknown Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
<b>AGE</b>												
< 13 Years	.	.	.	.	.	.	1	2.2	.	.	1	1.9
13 TO 14 Years	.	.	.	.	.	.	.	.	.	.	.	.
15 TO 24 Years	.	.	1	25.0	5	4.6	6	13.0	12	4.7	6	11.5
25 TO 34 Years	.	.	2	50.0	32	29.6	18	39.1	82	32.4	18	34.6
35 TO 44 Years	4	80.0	1	25.0	49	45.4	15	32.6	108	42.7	19	36.5
45 TO 54 Years	1	20.0	.	.	17	15.7	5	10.9	36	14.2	5	9.6
55 TO 64 Years	.	.	.	.	4	3.7	1	2.2	9	3.6	1	1.9
65 Years or Older	.	.	.	.	1	0.9	.	.	6	2.4	2	3.8
<b>RISK BEHAVIOR</b>												
Men who have sex with men (MSM)	1	20.0	3	75.0	56	51.9	17	37.0	153	60.5	19	36.5
Injection Drug User (IDU)	.	.	.	.	11	10.2	5	10.9	26	10.3	6	11.5
MSM and IDU	1	20.0	.	.	9	8.3	5	10.9	23	9.1	7	13.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	20.0	.	.	3	2.8	.	.	7	2.8	.	.
High Risk Heterosexual Contact	.	.	.	.	19	17.6	9	19.6	31	12.3	9	17.3
No Identified Risk (NIR) or Other	2	40.0	1	25.0	10	9.3	9	19.6	13	5.1	10	19.2
Pediatric (All Risk Combined)	.	.	.	.	.	.	1	2.2	.	.	1	1.9
<b>TOTAL CASES</b>	5	100.0	4	100.0	108	100.0	46	100.0	253	100.0	52	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006*

*Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006*

*Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006*

*Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006*

*Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006*

*Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006*

*Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006*

## INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 5, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>GENDER</b>												
Male	1	100.0	1	100.0	19	67.9	15	65.2	91	84.3	15	65.2
Female	.	.	.	.	9	32.1	8	34.8	17	15.7	8	34.8
<b>RACE/ETHNICITY</b>												
Hispanic	.	.	.	.	.	.	1	4.3	2	1.9	1	4.3
American-Indian Non-Hispanic	.	.	.	.	1	3.6	.	.	2	1.9	.	.
Asian / Pacific Islander Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
Black Non-Hispanic	.	.	.	.	.	.	5	21.7	3	2.8	5	21.7
White Non-Hispanic	1	100.0	1	100.0	27	96.4	16	69.6	101	93.5	16	69.6
Multi-Race Non-Hispanic	.	.	.	.	.	.	1	4.3	.	.	1	4.3
Unknown Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
<b>AGE</b>												
< 13 Years	.	.	.	.	.	.	.	.	.	.	.	.
13 TO 14 Years	.	.	.	.	.	.	.	.	.	.	.	.
15 TO 24 Years	.	.	.	.	1	3.6	2	8.7	1	0.9	2	8.7
25 TO 34 Years	1	100.0	.	.	15	53.6	10	43.5	44	40.7	10	43.5
35 TO 44 Years	.	.	.	.	9	32.1	6	26.1	44	40.7	6	26.1
45 TO 54 Years	.	.	1	100.0	2	7.1	4	17.4	11	10.2	4	17.4
55 TO 64 Years	.	.	.	.	1	3.6	1	4.3	4	3.7	1	4.3
65 Years or Older	.	.	.	.	.	.	.	.	4	3.7	.	.
<b>RISK BEHAVIOR</b>												
Men who have sex with men (MSM)	1	100.0	.	.	13	46.4	6	26.1	56	51.9	6	26.1
Injection Drug User (IDU)	.	.	.	.	3	10.7	4	17.4	10	9.3	4	17.4
MSM and IDU	.	.	.	.	4	14.3	1	4.3	11	10.2	1	4.3
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	.	.	1	3.6	.	.	11	10.2	.	.
High Risk Heterosexual Contact	.	.	.	.	6	21.4	7	30.4	13	12.0	7	30.4
No Identified Risk (NIR) or Other	.	.	1	100.0	.	.	5	21.7	6	5.6	5	21.7
Pediatric (All Risk Combined)	.	.	.	.	1	3.6	.	.	1	0.9	.	.
<b>TOTAL CASES</b>	1	100.0	1	100.0	28	100.0	23	100.0	108	100.0	23	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006*  
*Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006*  
*Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006*  
*Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006*  
*Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006*  
*Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006*  
 Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

## INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 6, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>GENDER</b>												
Male	1	50.0	3	100.0	21	63.6	19	70.4	68	76.4	19	70.4
Female	1	50.0	.	.	12	36.4	8	29.6	21	23.6	8	29.6
<b>RACE/ETHNICITY</b>												
Hispanic	.	.	.	.	1	3.0	3	11.1	7	7.9	3	11.1
American-Indian Non-Hispanic	.	.	.	.	1	3.0	.	.	1	1.1	.	.
Asian / Pacific Islander Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
Black Non-Hispanic	2	100.0	2	66.7	12	36.4	12	44.4	30	33.7	12	44.4
White Non-Hispanic	.	.	1	33.3	19	57.6	11	40.7	51	57.3	11	40.7
Unknown Non-Hispanic	.	.	.	.	.	.	1	3.7	.	.	1	3.7
Unknown Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
<b>AGE</b>												
< 13 Years	.	.	.	.	1	3.0	1	3.7	2	2.2	1	3.7
13 TO 14 Years												
15 TO 24 Years	.	.	.	.	2	6.1	6	22.2	6	6.7	6	22.2
25 TO 34 Years	1	50.0	3	100.0	8	24.2	10	37.0	33	37.1	10	37.0
35 TO 44 Years	1	50.0	.	.	18	54.5	6	22.2	38	42.7	6	22.2
45 TO 54 Years	.	.	.	.	4	12.1	4	14.8	8	9.0	4	14.8
55 TO 64 Years	.	.	.	.	.	.	.	.	2	2.2	.	.
65 Years or Older	.	.	.	.	.	.	.	.	.	.	.	.
<b>RISK BEHAVIOR</b>												
Men who have sex with men (MSM)	.	.	2	66.7	14	42.4	10	37.0	46	51.7	10	37.0
Injection Drug User (IDU)	.	.	.	.	5	15.2	1	3.7	16	18.0	1	3.7
MSM and IDU	.	.	1	33.3	3	9.1	1	3.7	6	6.7	1	3.7
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	.	.	.	.	.	.	1	1.1	.	.
High Risk Heterosexual Contact	1	50.0	.	.	8	24.2	3	11.1	14	15.7	3	11.1
No Identified Risk (NIR) or Other	1	50.0	.	.	2	6.1	11	40.7	4	4.5	11	40.7
Pediatric (All Risk Combined)	.	.	.	.	1	3.0	1	3.7	2	2.2	1	3.7
<b>TOTAL CASES</b>	2	100.0	3	100.0	33	100.0	27	100.0	89	100.0	27	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006*  
*Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006*  
*Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006*  
*Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006*  
*Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006*  
*Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006*  
 Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

## INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 7, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>GENDER</b>												
Male	3	60.0	2	100.0	41	77.4	17	68.0	84	79.2	18	69.2
Female	2	40.0	.	.	12	22.6	8	32.0	22	20.8	8	30.8
<b>RACE/ETHNICITY</b>												
Hispanic	2	40.0	.	.	8	15.1	3	12.0	10	9.4	3	11.5
American-Indian Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
Asian / Pacific Islander Non-Hispanic	.	.	.	.	1	1.9	.	.	2	1.9	.	.
Black Non-Hispanic	.	.	1	50.0	8	15.1	6	24.0	13	12.3	6	23.1
White Non-Hispanic	3	60.0	1	50.0	35	66.0	14	56.0	80	75.5	15	57.7
Multi-Race Non-Hispanic	.	.	.	.	1	1.9	1	4.0	1	0.9	1	3.8
Unknown Non-Hispanic	.	.	.	.	.	.	1	4.0	.	.	1	3.8
<b>AGE</b>												
< 13 Years	.	.	.	.	1	1.9	1	4.0	2	1.9	1	3.8
13 TO 14 Years	.	.	.	.	.	.	.	.	.	.	.	.
15 TO 24 Years	.	.	1	50.0	2	3.8	3	12.0	6	5.7	3	11.5
25 TO 34 Years	.	.	.	.	16	30.2	7	28.0	36	34.0	7	26.9
35 TO 44 Years	2	40.0	.	.	22	41.5	7	28.0	41	38.7	8	30.8
45 TO 54 Years	2	40.0	.	.	10	18.9	5	20.0	18	17.0	5	19.2
55 TO 64 Years	1	20.0	1	50.0	2	3.8	2	8.0	2	1.9	2	7.7
65 Years or Older	.	.	.	.	.	.	.	.	1	0.9	.	.
<b>RISK BEHAVIOR</b>												
Men who have sex with men (MSM)	1	20.0	2	100.0	29	54.7	9	36.0	53	50.0	10	38.5
Injection Drug User (IDU)	1	20.0	.	.	12	22.6	6	24.0	20	18.9	6	23.1
MSM and IDU	.	.	.	.	3	5.7	2	8.0	11	10.4	2	7.7
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	.	.	.	.	.	.	3	2.8	.	.
High Risk Heterosexual Contact	2	40.0	.	.	6	11.3	4	16.0	11	10.4	4	15.4
No Identified Risk (NIR) or Other	1	20.0	.	.	2	3.8	3	12.0	5	4.7	3	11.5
Pediatric (All Risk Combined)	.	.	.	.	1	1.9	1	4.0	3	2.8	1	3.8
<b>TOTAL CASES</b>	5	100.0	2	100.0	53	100.0	25	100.0	106	100.0	26	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006

Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006

Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006

Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006

Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006

Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

## INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 8, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>GENDER</b>												
Male	19	90.5	14	87.5	352	84.2	154	78.6	800	89.1	155	77.5
Female	2	9.5	2	12.5	66	15.8	42	21.4	98	10.9	45	22.5
<b>RACE/ETHNICITY</b>												
Hispanic	3	14.3	1	6.3	51	12.2	31	15.8	76	8.5	31	15.5
American-Indian Non-Hispanic	.	.	.	.	3	0.7	3	1.5	8	0.9	3	1.5
Asian / Pacific Islander Non-Hispanic	.	.	.	.	1	0.2	1	0.5	1	0.1	1	0.5
Black Non-Hispanic	5	23.8	10	62.5	89	21.3	52	26.5	148	16.5	54	27.0
White Non-Hispanic	13	61.9	5	31.3	265	63.4	103	52.6	652	72.6	105	52.5
Multi-Race Non-Hispanic	.	.	.	.	9	2.2	6	3.1	13	1.4	6	3.0
Unknown Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
<b>AGE</b>												
< 13 Years	.	.	.	.	.	.	4	2.0	2	0.2	4	2.0
13 TO 14 Years	.	.	.	.	.	.	.	.	.	.	.	.
15 TO 24 Years	.	.	5	31.3	29	6.9	41	20.9	43	4.8	41	20.5
25 TO 34 Years	7	33.3	5	31.3	154	36.8	76	38.8	374	41.6	78	39.0
35 TO 44 Years	8	38.1	4	25.0	159	38.0	46	23.5	324	36.1	48	24.0
45 TO 54 Years	5	23.8	1	6.3	64	15.3	22	11.2	116	12.9	22	11.0
55 TO 64 Years	1	4.8	1	6.3	11	2.6	6	3.1	34	3.8	6	3.0
65 Years or Older	.	.	.	.	1	0.2	1	0.5	5	0.6	1	0.5
<b>RISK BEHAVIOR</b>												
Men who have sex with men (MSM)	11	52.4	8	50.0	245	58.6	92	46.9	575	64.0	92	46.0
Injection Drug User (IDU)	2	9.5	.	.	31	7.4	17	8.7	68	7.6	17	8.5
MSM and IDU	3	14.3	1	6.3	50	12.0	15	7.7	101	11.2	15	7.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	.	.	6	1.4	2	1.0	20	2.2	2	1.0
High Risk Heterosexual Contact	1	4.8	.	.	55	13.2	23	11.7	82	9.1	25	12.5
No Identified Risk (NIR) or Other	4	19.0	7	43.8	30	7.2	43	21.9	49	5.5	45	22.5
Pediatric (All Risk Combined)	.	.	.	.	1	0.2	4	2.0	3	0.3	4	2.0
<b>TOTAL CASES</b>	21	100.0	16	100.0	418	100.0	196	100.0	898	100.0	200	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006

Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006

Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006

Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006

Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006

Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

## INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 9, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30, 2006		Incident HIV Cases in Kansas as of JUNE 30, 2006		Prevalent AIDS Cases in Kansas as of JUNE 30, 2006		Prevalent HIV Cases in Kansas as of JUNE 30, 2006		Cumulative AIDS Cases in Kansas as of JUNE 30, 2006		Cumulative HIV Cases in Kansas as of JUNE 30, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
<b>GENDER</b>												
Male	1	100.0	1	50.0	28	77.8	16	61.5	63	80.8	18	64.3
Female	.	.	1	50.0	8	22.2	10	38.5	15	19.2	10	35.7
<b>RACE/ETHNICITY</b>												
Hispanic	.	.	.	.	19	52.8	17	65.4	26	33.3	18	64.3
American-Indian Non-Hispanic	.	.	.	.	.	.	1	3.8	.	.	1	3.6
Asian / Pacific Islander Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
Black Non-Hispanic	.	.	1	50.0	2	5.6	1	3.8	5	6.4	1	3.6
White Non-Hispanic	1	100.0	1	50.0	15	41.7	7	26.9	47	60.3	8	28.6
Multi-Race Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
Unknown Non-Hispanic	.	.	.	.	.	.	.	.	.	.	.	.
<b>AGE</b>												
< 13 Years	.	.	.	.	.	.	.	.	1	1.3	.	.
13 TO 14 Years	.	.	.	.	1	2.8	.	.	1	1.3	.	.
15 TO 24 Years	.	.	.	.	3	8.3	7	26.9	6	7.7	7	25.0
25 TO 34 Years	.	.	2	100.0	15	41.7	11	42.3	28	35.9	11	39.3
35 TO 44 Years	.	.	.	.	9	25.0	6	23.1	29	37.2	7	25.0
45 TO 54 Years	1	100.0	.	.	8	22.2	2	7.7	10	12.8	3	10.7
55 TO 64 Years	.	.	.	.	.	.	.	.	3	3.8	.	.
65 Years or Older	.	.	.	.	.	.	.	.	.	.	.	.
<b>RISK BEHAVIOR</b>												
Men who have sex with men (MSM)	1	100.0	1	50.0	14	38.9	8	30.8	34	43.6	8	28.6
Injection Drug User (IDU)	.	.	.	.	5	13.9	8	30.8	12	15.4	8	28.6
MSM and IDU	.	.	.	.	.	.	.	.	4	5.1	.	.
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	.	.	1	2.8	.	.	7	9.0	.	.
High Risk Heterosexual Contact	.	.	.	.	10	27.8	4	15.4	12	15.4	4	14.3
No Identified Risk (NIR) or Other	.	.	1	50.0	5	13.9	6	23.1	7	9.0	8	28.6
Pediatric (All Risk Combined)	.	.	.	.	1	2.8	.	.	2	2.6	.	.
<b>TOTAL CASES</b>	1	100.0	2	100.0	36	100.0	26	100.0	78	100.0	28	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and June 30, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30, 2006

Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30 2006


Incident HIV cases are individuals with HIV reported between January 1, 2006 and June 30, 2006

Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30, 2006

Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30 2006


Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

# State of Kansas Prevalent Cases of HIV / AIDS by County as of June 2006 by Date of Report



Data Sources: Kansas Cartographic Dataset, and Kansas HIV / AIDS Reporting System (HARS)

Prevalent Cases by County as of June 30, 2006 by Date of Report.



Prevalent cases are those people presumed living with HIV / AIDS. County of residence is based on county of residence at diagnosis. Cases that do not have a documented county of residence at diagnosis are not reflected in this map.

Disclaimer: The purpose of this publication is to illustrate the status of HIV / AIDS epidemic in the state of Kansas. The map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

Published by: HIV / AIDS Surveillance Program, Kansas Department of Health and Environment, Bureau of Epidemiology and Disease Prevention.

Date of Publication: August 2006.