


HIV/AIDS in Kansas

Biannual Report

December 2008



The HIV/AIDS Program works to promote public health and enhance the quality of life for Kansas residents by the prevention, intervention, and treatment of HIV and AIDS.

**HIV/AIDS Surveillance Program
HIV/AIDS Section
Bureau of Disease Control and Prevention
Kansas Department of Health and Environment**

Sources of information for this report:
Kansas HIV/AIDS Surveillance System (eHARS)

For further information: Contact Arrie Morris at 785-296-8701 or e-mail amorris@kdheks.gov



Incident, Prevalent, and Cumulative AIDS Cases in Kansas as of December 31, 2008, by Date of Report

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%
ADULT/ADOLESCENT	105	99.1	1335	99.3	2098	99.6
PEDIATRIC (<13 YEARS OLD)	1	0.9	9	0.7	9	0.4
TOTAL	106	100.0	1344	100.0	2107	100.0
AGE						
< 13 Years	.	.	9	0.7	9	0.4
13 TO 14 Years	.	.	2	0.1	2	0.1
15 TO 24 Years	12	11.3	95	7.1	123	5.8
25 TO 34 Years	28	26.4	453	33.7	741	35.2
35 TO 44 Years	37	35.0	513	38.2	796	37.8
45 TO 54 Years	23	21.7	216	16.1	328	15.6
55 TO 64 Years	5	4.7	45	3.3	86	4.1
65 Years or Older	1	0.9	11	0.8	22	1.0
RACE/ETHNICITY						
Hispanic	11	10.4	177	13.2	235	11.2
American-Indian Non-Hispanic	1	0.9	10	0.7	20	0.9
Asian / Pacific Islander Non-Hispanic	1	0.9	10	0.7	14	0.7
Black Non-Hispanic	28	26.4	310	23.1	459	21.8
White Non-Hispanic	61	57.5	820	61.0	1352	64.2
Multi-Race Non-Hispanic	4	3.8	15	1.1	25	1.2
Unknown	.	.	2	0.1	2	0.1
GENDER						
Male	85	80.2	1113	83.5	1799	85.4
Female	21	19.8	231	16.5	308	14.6
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	53	50.0	731	54.3	1192	56.6
Injection Drug User (IDU)	10	9.4	119	8.9	208	9.9
MSM and IDU	7	6.6	118	8.8	191	9.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	13	1.0	29	1.3
High Risk Heterosexual Contact	9	8.5	201	15.0	265	12.5
No Identified Risk (NIR) or Other	27	25.5	152	11.3	212	10.1
Pediatric (All Risk Combined)	.	.	10	0.7	10	0.5
TOTAL	106	100.0	1344	100.0	2107	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Incident, Prevalent, and Cumulative HIV Cases in Kansas as of December 31, 2008, by Date of Report

	Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%
ADULT/ADOLESCENT	113	98.3	1247	99.0	1305	99.1
PEDIATRIC (<13 YEARS OLD)	2	1.7	12	0.9	12	0.9
TOTAL	115	100.0	1259	100.0	1317	100.0
AGE						
< 13 Years	2	1.7	12	1.0	12	0.9
13 TO 14 Years	.	.	1	0.1	1	0.1
15 TO 24 Years	32	27.8	280	22.2	286	21.7
25 TO 34 Years	34	29.6	505	40.1	517	39.3
35 TO 44 Years	21	18.3	304	24.1	326	24.7
45 TO 54 Years	20	17.4	120	9.5	129	9.8
55 TO 64 Years	5	4.3	32	2.5	37	2.8
65 Years or Older	1	0.9	5	0.4	9	0.7
RACE/ETHNICITY						
Hispanic	13	11.3	148	11.8	153	14.5
American-Indian Non-Hispanic	1	0.9	13	1.0	13	0.9
Asian / Pacific Islander Non-Hispanic	2	1.7	8	0.6	9	0.1
Black Non-Hispanic	43	37.4	355	28.2	367	29.0
White Non-Hispanic	50	43.5	701	55.7	741	52.0
Multi-Race Non-Hispanic	6	5.2	25	2.0	25	1.6
Unknown	.	.	9	0.7	9	2.0
GENDER						
Male	96	83.5	1007	80.0	1051	79.8
Female	19	16.5	252	20.0	266	20.2
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	57	49.6	632	50.2	651	49.4
Injection Drug User (IDU)	3	2.6	128	10.2	134	10.2
MSM and IDU	5	4.3	67	5.3	74	5.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	4	0.3	6	0.5
High Risk Heterosexual Contact	7	6.1	157	12.5	166	12.6
No Identified Risk (NIR) or Other	43	37.3	259	20.6	274	20.8
Pediatric (All Risk Combined)	.	.	12	0.9	12	0.9
TOTAL	115	100.0	1259	100.0	1317	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

Prevalent Adult / Adolescent AIDS Cases by Exposure Category and Gender in Kansas as of December 31, 2008 by Date of Report

Adult/Adolescent Exposure Category N=1335	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	731	66.1	.	.	731	54.8
Injection Drug User (IDU)	76	6.9	43	18.8	119	8.9
MSM and IDU	118	10.7	.	.	118	8.8
Hemophilia/Coagulation Disorder/Transfusion	11	0.9	2	0.9	13	1.0
High Risk Heterosexual Contact	65	5.9	136	59.4	201	15.1
Perinatal Exposure, HIV diagnosed >=13 yrs old	.	.	1	0.4	1	0.1
No Identified Risk (NIR)	105	9.5	47	20.5	152	11.4

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2008

*Does not include pediatric cases <13 years of age

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2008

Percentages may not add to 100 due to rounding

Prevalent Adult / Adolescent HIV Cases by Exposure Category and Gender in Kansas as of December 31, 2008 by Date of Report

Adult/Adolescent Exposure Category N=1247	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	632	63.0	.	.	632	50.7
Injection Drug User (IDU)	83	8.3	45	18.5	128	10.3
MSM and IDU	67	6.7	.	.	67	5.4
Hemophilia/Coagulation Disorder/Transfusion	4	0.4	.	.	4	0.3
High Risk Heterosexual Contact	41	4.0	116	48.0	157	12.6
Perinatal Exposure, HIV diagnosed >=13 yrs old
No Identified Risk (NIR)	177	18.0	82	33.7	259	20.8

Prevalent HIV cases are individuals with HIV (no AIDS) who are presumed to be alive as of December 31, 2008


*Does not include pediatric cases <13 years of age

Data Source: Kansas HIV/AIDS Reporting System (eHARS) - 2008

Percentages may not add to 100 due to rounding

Incident, Prevalent, and Cumulative HIV Cases and AIDS Cases as of December 31, 2008, Among Regions in Kansas by Date of Report

HIV/AIDS Community Planning Regions



Published by:
 Kansas Department of Health and Environment
 Bureau of Epidemiology and Disease Prevention
 Information Systems, Geographic Data Services
 Date of Publication: December 2004



Data Source:
 Kansas Cartographic Dataset
 Kansas HIV/STD Surveillance Program

Disclaimer: The purpose of this publication is to illustrate the status of the HIV/AIDS epidemic in the state of Kansas.
 This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

	Incident AIDS Cases in Kansas as of December 31st, 2008	Incident HIV Cases in Kansas as of December 31st, 2008	Prevalent AIDS Cases in Kansas as of December 31st, 2008	Prevalent HIV Cases in Kansas as of December 31st, 2008	Cumulative AIDS Cases in Kansas as of December 31st, 2008	Cumulative HIV Cases in Kansas as of December 31st, 2008
	N	N	N	N	N	N
Region						
1	21	31	281	279	419	290
2	32	25	268	254	374	264
3	5	6	57	50	86	51
4	6	7	121	129	190	140
5	6	2	36	41	88	42
6	4	5	37	48	59	48
7	6	6	64	48	100	52
8	24	32	438	364	723	378
9	2	1	42	46	68	52
TOTAL	106	115	1344	1259	2107	1317

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31, 2008
 Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31, 2008
 Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through December 31, 2008
 Incident HIV cases are individuals with HIV reported between January 1, 2008 and December 31, 2008
 Prevalent HIV cases are individuals with HIV who are presumed to be alive as of December 31, 2008
 Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through December 31, 2008
 Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 1, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	20	95.0	29	94.0	241	86.0	228	81.7	371	88.0	236	81.4
Female	1	5.0	2	6.0	40	14.0	51	18.3	48	11.7	54	18.6
RACE/ETHNICITY												
Hispanic	4	19.0	5	16.0	50	17.8	42	15.0	59	14.1	44	15.2
American-Indian Non-Hispanic	1	0.4	1	0.4	2	0.5	1	0.3
Asian / Pacific Islander Non-Hispanic	1	5.0	.	.	2	0.7	.	.	2	0.5	.	.
Black Non-Hispanic	8	38.0	19	61.0	101	36.0	119	42.7	158	38.0	125	43.0
White Non-Hispanic	8	38.0	4	13.0	123	43.7	105	37.6	194	46.0	108	37.2
Multi-Race Non-Hispanic	.	.	3	10.0	3	1.0	11	3.9	3	0.7	11	3.8
Unknown	1	0.4	1	0.4	1	0.2	1	0.3
AGE												
< 13 Years	1	0.4	2	0.7	1	0.2	2	0.7
13 TO 14 Years	1	0.4	.	.	1	0.3
15 TO 24 Years	4	19.0	10	32.0	20	7.1	65	23.3	27	6.4	66	22.8
25 TO 34 Years	4	19.0	12	39.0	100	35.6	110	39.4	155	37.0	113	39.0
35 TO 44 Years	8	38.0	2	6.5	105	37.4	67	24.0	150	36.0	70	24.1
45 TO 54 Years	5	24.0	5	16.0	44	15.7	22	7.9	63	15.0	24	8.3
55 TO 64 Years	.	.	2	6.5	8	2.8	10	3.6	19	4.5	12	4.1
65 Years or Older	3	1.0	2	0.7	4	1.0	2	0.7
RISK BEHAVIOR												
Men who have sex with men (MSM)	13	62.0	16	51.6	144	51.2	138	49.5	222	53.0	138	47.6
Injection Drug User (IDU)	4	19.0	.	.	29	10.3	21	7.5	42	10.0	22	7.6
MSM and IDU	19	6.8	9	3.2	34	8.1	10	3.4
Hemophilia/Coagulation Disorder or Transfusion/Transplant	4	1.4	.	.	8	2.0	.	.
High Risk Heterosexual Contact	.	.	2	6.4	48	17.1	36	12.9	60	14.3	38	13.1
No Identified Risk (NIR) or Other	4	19.0	13	42.0	35	12.5	73	26.2	52	12.4	80	27.6
Pediatric (All Risk Combined)	2	0.7	2	0.7	1	0.2	2	0.7
TOTAL CASES	21	100.0	31	100.0	281	100.0	279	100.0	419	100.0	290	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31st, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 2, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	20	62.5	21	80.0	221	82.5	211	83.1	320	85.6	217	82.2
Female	12	37.5	4	20.0	47	17.5	43	16.9	54	14.4	47	17.8
RACE/ETHNICITY												
Hispanic	3	9.4	2	8.0	26	9.7	24	9.4	34	9.1	24	9.1
American-Indian Non-Hispanic	1	0.3	.	.
Asian / Pacific Islander Non-Hispanic	.	.	2	8.0	3	1.1	6	2.4	5	1.3	6	2.3
Black Non-Hispanic	12	37.5	7	28.0	59	22.0	52	20.5	70	18.7	53	20.1
White Non-Hispanic	17	53.1	13	52.0	179	66.8	166	65.4	262	70.1	175	66.3
Multi-Race Non-Hispanic	.	.	1	4.0	1	0.4	3	1.2	2	0.5	3	1.1
Unknown	3	1.2	.	.	3	1.1
AGE												
< 13 Years	.	.	1	4.0	1	0.4	2	0.8	1	0.3	2	1.0
13 TO 14 Years
15 TO 24 Years	4	12.5	6	24.0	19	7.1	53	20.9	22	5.9	55	20.8
25 TO 34 Years	10	31.3	6	24.0	95	35.4	107	42.1	133	35.6	109	41.3
35 TO 44 Years	10	31.3	6	24.0	98	36.6	58	22.8	136	36.4	60	22.7
45 TO 54 Years	5	15.6	6	24.0	35	13.1	27	10.6	55	14.7	28	10.6
55 TO 64 Years	2	6.3	.	.	16	6.0	7	2.8	23	6.1	9	3.4
65 Years or Older	1	3.0	.	.	4	1.5	.	.	4	1.0	1	0.4
RISK BEHAVIOR												
Men who have sex with men (MSM)	15	46.9	10	40.0	154	57.4	137	53.9	227	61.0	141	53.4
Injection Drug User (IDU)	3	9.3	.	.	12	4.5	12	4.7	22	6.0	12	4.5
MSM and IDU	.	.	1	4.0	15	5.6	15	5.9	19	5.0	16	6.0
Hemophilia/Coagulation Disorder or Transfusion/Transplant	5	1.9	1	0.4	8	2.1	2	0.8
High Risk Heterosexual Contact	4	12.5	1	4.0	40	14.9	32	12.6	46	12.0	33	12.5
No Identified Risk (NIR) or Other	10	31.3	13	52.0	41	15.3	55	21.7	51	13.6	58	22.0
Pediatric (All Risk Combined)	1	0.4	2	0.8	1	0.3	2	0.8
TOTAL CASES	32	100.0	25	100.0	268	100.0	254	100.0	374	100.0	264	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31st, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 3, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	4	80.0	6	100.0	45	79.0	46	92.0	73	85.0	47	92.2
Female	1	20.0	.	.	12	21.0	4	8.0	13	15.0	4	7.8
RACE/ETHNICITY												
Hispanic	1	20.0	.	.	5	8.8	3	6.0	8	9.3	3	5.9
American-Indian Non-Hispanic	1	20.0	1	16.7	3	5.2	3	6.0	4	4.7	3	5.9
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	1	20.0	1	16.7	8	14.0	7	14.0	9	10.5	7	13.7
White Non-Hispanic	2	40.0	4	66.7	40	70.2	36	72.0	64	74.4	37	72.5
Multi-Race Non-Hispanic	1	2.0	.	.	1	2.0
Unknown	1	1.8	.	.	1	1.1	.	.
AGE												
< 13 Years	2	3.5	1	2.0	2	2.3	1	2.0
13 TO 14 Years
15 TO 24 Years	1	20.0	3	50.0	9	15.8	13	26.0	10	11.6	13	25.5
25 TO 34 Years	.	.	1	16.7	13	22.8	19	38.0	27	31.4	19	37.2
35 TO 44 Years	2	40.0	1	16.7	16	28.1	13	26.0	25	29.1	14	27.5
45 TO 54 Years	2	40.0	1	16.7	15	26.3	4	8.0	17	19.8	4	7.8
55 TO 64 Years	2	3.5	.	.	3	3.5	.	.
65 Years or Older	2	2.3	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	3	60.0	5	83.0	33	57.9	37	74.0	53	61.6	37	72.5
Injection Drug User (IDU)	5	8.8	1	2.0	9	10.4	1	2.0
MSM and IDU	6	10.5	3	6.0	9	10.4	4	7.8
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	.	.	1	17.0	6	10.5	6	12.0	6	7.0	6	11.8
No Identified Risk (NIR) or Other	2	40.0	.	.	5	8.8	2	4.0	6	7.0	2	3.9
Pediatric (All Risk Combined)	2	3.5	1	2.0	3	3.5	1	2.0
TOTAL CASES	5	100.0	6	100.0	57	100.0	50	100.0	86	100.0	51	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31st, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 4, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	3	50.0	5	71.0	102	84.0	98	76.0	162	85.3	107	76.0
Female	3	50.0	2	29.0	19	16.0	31	24.0	28	14.7	33	24.0
RACE/ETHNICITY												
Hispanic	1	17.0	.	.	9	7.4	3	2.3	15	7.9	3	2.1
American-Indian Non-Hispanic	2	1.7	2	1.6	3	1.6	2	1.4
Asian / Pacific Islander Non-Hispanic	1	0.8	1	0.5	2	1.4
Black Non-Hispanic	.	.	2	29.0	30	24.8	35	27.1	40	21.1	37	26.4
White Non-Hispanic	4	66.0	5	71.0	79	65.3	86	66.7	127	66.8	94	67.1
Multi-Race Non-Hispanic	1	17.0	.	.	1	.8	1	0.8	4	2.1	1	0.8
Unknown	1	0.8			1	0.8
AGE												
< 13 Years	1	0.8	.	.	1	0.8
13 TO 14 Years
15 TO 24 Years	1	16.7	.	.	5	4.1	26	20.2	5	2.6	26	18.6
25 TO 34 Years	1	16.7	1	14.0	35	28.9	52	40.3	56	29.5	52	37.1
35 TO 44 Years	3	50.0	4	57.0	56	46.3	36	28.0	86	45.3	43	30.7
45 TO 54 Years	1	16.7	2	29.0	21	17.4	12	9.3	33	17.4	14	10.0
55 TO 64 Years	3	2.5	2	1.6	7	3.7	2	1.4
65 Years or Older	1	.8	.	.	3	1.6	2	1.4
RISK BEHAVIOR												
Men who have sex with men (MSM)	3	50.0	3	43.0	63	52.0	61	47.3	108	56.8	64	45.7
Injection Drug User (IDU)	.	.	1	14.0	11	9.1	19	14.7	19	10	20	14.2
MSM and IDU	.	.	1	14.0	10	8.3	8	6.2	17	8.9	12	8.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant	2	1.7	.	.	2	1.1	.	.
High Risk Heterosexual Contact	2	33.3	.	.	23	19.0	18	14.0	30	15.8	19	13.6
No Identified Risk (NIR) or Other	1	16.7	2	29.0	12	9.9	22	17.0	14	7.4	24	17.1
Pediatric (All Risk Combined)	1	0.8	.	.	1	0.8
TOTAL CASES	6	100.0	7	100.0	121	100.0	129	100.0	190	100.0	140	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31st, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 5, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	5	83.0	1	50.0	25	69.0	28	68.3	69	78.0	29	69.0
Female	1	17.0	1	50.0	11	31.0	13	31.7	19	22.0	13	31.0
RACE/ETHNICITY												
Hispanic	2	5.6	2	4.9	5	5.7	2	4.8
American-Indian Non-Hispanic	1	2.8	.	.	1	1.1	.	.
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	2	5.6	4	9.8	6	6.8	4	9.5
White Non-Hispanic	5	83.0	2	100.0	30	83.3	33	80.4	75	85.2	34	81.0
Multi-Race Non-Hispanic	1	17.0	.	.	1	2.8	2	4.9	1	1.1	2	4.8
Unknown
AGE												
< 13 Years
13 TO 14 Years
15 TO 24 Years	.	.	2	100.0	1	2.8	10	24.4	1	1.1	10	23.8
25 TO 34 Years	2	33.0	.	.	16	44.4	14	34.1	33	37.5	14	33.3
35 TO 44 Years	2	33.0	.	.	13	36.1	9	22.0	38	43.1	10	23.8
45 TO 54 Years	2	33.0	.	.	5	13.9	6	14.6	12	13.6	6	14.3
55 TO 64 Years	1	2.8	2	4.9	3	3.4	2	4.8
65 Years or Older	1	1.1	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	3	50.0	.	.	15	42.0	15	36.6	43	48.9	16	38.1
Injection Drug User (IDU)	4	11.0	9	22.0	9	10.2	9	21.4
MSM and IDU	1	17.0	.	.	4	11.0	2	4.9	8	9.1	2	4.8
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	3.4	.	.
High Risk Heterosexual Contact	1	17.0	.	.	8	22.2	8	19.5	14	15.9	8	19.0
No Identified Risk (NIR) or Other	1	17.0	2	100.0	5	13.8	7	17.0	11	12.5	7	16.7
Pediatric (All Risk Combined)
TOTAL CASES	6	100.0	2	100.0	36	100.0	41	100.0	88	100.0	42	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31st, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 6, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	3	75.0	3	60.0	26	70.0	33	69.0	42	71.0	33	69.0
Female	1	25.0	2	40.0	11	30.0	15	31.0	17	29.0	15	31.0
RACE/ETHNICITY												
Hispanic	3	8.1	3	6.2	5	8.5	3	6.2
American-Indian Non-Hispanic
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	1	25.0	2	40.0	13	35.1	23	48.0	20	33.9	23	48.0
White Non-Hispanic	3	75.0	3	60.0	21	56.8	21	43.7	34	57.6	21	43.7
Multi-Race Non-Hispanic
Unknown	1	2.1	.	.	1	2.1
AGE												
< 13 Years	2	5.4	1	2.1	2	3.4	1	2.1
13 TO 14 Years
15 TO 24 Years	2	50.0	1	20.0	5	13.5	11	22.9	6	10.2	11	22.9
25 TO 34 Years	1	25.0	3	60.0	6	16.2	20	41.7	16	27.1	20	41.7
35 TO 44 Years	18	48.6	8	16.7	27	45.7	8	16.7
45 TO 54 Years	1	25.0	1	20.0	6	16.2	5	10.4	7	11.9	5	10.4
55 TO 64 Years	3	6.2	1	1.7	3	6.2
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	25.0	1	20.0	15	40.5	18	37.5	26	44.1	18	37.5
Injection Drug User (IDU)	3	8.1	3	6.2	10	16.9	3	6.2
MSM and IDU	1	25.0	.	.	6	16.2	1	2.1	7	11.9	1	2.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant
High Risk Heterosexual Contact	8	21.6	6	12.5	10	16.9	6	12.5
No Identified Risk (NIR) or Other	2	50.0	4	80.0	3	8.1	19	39.6	4	6.8	19	39.6
Pediatric (All Risk Combined)	2	5.4	1	2.1	2	3.4	1	2.1
TOTAL CASES	4	100.0	5	100.0	37	100.0	48	100.0	59	100.0	48	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31st, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 7, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	6	100.0	5	83.0	50	78.1	36	75.0	76	76.0	39	75.0
Female	.	.	1	17.0	14	21.9	12	25.0	24	24.0	13	25.0
RACE/ETHNICITY												
Hispanic	.	.	2	33.0	9	14.1	6	12.5	11	11.0	6	11.5
American-Indian Non-Hispanic
Asian / Pacific Islander Non-Hispanic	1	1.6	.	.	2	2.0	.	.
Black Non-Hispanic	3	50.0	2	33.0	11	17.1	14	29.2	16	16.0	15	28.8
White Non-Hispanic	3	50.0	2	33.0	42	65.6	27	56.2	70	70.0	30	57.7
Multi-Race Non-Hispanic	1	1.6	.	.	1	1.0	.	.
Unknown	1	2.1	.	.	1	1.9
AGE												
< 13 Years	2	3.1	1	2.1	2	2.0	1	1.9
13 TO 14 Years
15 TO 24 Years	.	.	2	33.0	3	4.7	8	16.7	5	5.0	9	17.3
25 TO 34 Years	2	33.0	2	33.0	19	29.7	16	33.3	32	32.0	17	32.7
35 TO 44 Years	2	33.0	1	17.0	25	39.1	14	29.2	39	39.0	16	30.8
45 TO 54 Years	2	33.0	.	.	13	20.3	6	12.5	19	19.0	6	11.5
55 TO 64 Years	.	.	1	17.0	2	3.1	3	6.2	2	2.0	3	5.8
65 Years or Older	1	1.0	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	33.0	3	50.0	34	53.1	17	35.4	44	44.0	19	36.5
Injection Drug User (IDU)	1	17.0	.	.	14	21.8	14	29.2	23	23.0	15	29.0
MSM and IDU	4	6.3	2	4.2	9	9.0	2	3.8
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	2.1	2	2.0	2	3.8
High Risk Heterosexual Contact	.	.	1	17.0	4	6.3	7	14.5	9	9.0	7	13.5
No Identified Risk (NIR) or Other	3	50.0	2	33.0	6	9.4	6	12.5	11	11.0	6	11.5
Pediatric (All Risk Combined)	2	3.1	1	2.1	2	2.0	1	1.9
TOTAL CASES	6	100.0	6	100.0	64	100.0	48	100.0	100	100.0	52	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31st, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 8, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	22	92.0	25	78.0	370	84.5	295	81.0	631	87.0	305	81.0
Female	2	8.0	7	22.0	68	15.5	69	19.0	92	13.0	73	19.0
RACE/ETHNICITY												
Hispanic	1	4.0	3	9.4	50	11.4	43	11.8	69	9.5	43	11.4
American-Indian Non-Hispanic	3	0.7	6	1.6	9	1.2	6	1.6
Asian / Pacific Islander Non-Hispanic	4	0.9	1	0.3	4	0.6	1	0.3
Black Non-Hispanic	3	13.0	10	31.2	84	19.2	96	26.4	136	18.8	98	25.9
White Non-Hispanic	18	75.0	17	53.1	289	66.0	209	57.4	491	68.0	221	58.4
Multi-Race Non-Hispanic	2	8.0	2	6.3	8	1.8	7	1.9	14	1.9	7	1.9
Unknown	2	0.5	.	.	2	0.5
AGE												
< 13 Years	.	.	1	3.1	.	.	4	1.1	.	.	4	1.1
13 TO 14 Years	1	0.2	.	.	1	0.1	.	.
15 TO 24 Years	.	.	8	25.0	30	6.8	83	22.8	41	5.7	85	22.5
25 TO 34 Years	6	25.0	9	28.1	151	34.5	146	40.1	264	36.5	150	39.7
35 TO 44 Years	10	41.6	6	18.8	171	39.0	89	24.5	272	37.6	92	24.3
45 TO 54 Years	5	21.0	5	15.6	69	15.8	34	9.3	111	15.4	37	9.8
55 TO 64 Years	3	12.5	2	6.3	13	3.0	5	1.4	27	3.7	6	1.6
65 Years or Older	.	.	1	3.1	3	0.7	3	0.8	7	1.0	4	1.1
RISK BEHAVIOR												
Men who have sex with men (MSM)	12	50.0	19	59.3	255	58.2	191	52.5	438	60.5	200	52.9
Injection Drug User (IDU)	2	8.0	2	6.3	35	8.0	36	9.9	63	8.7	38	10.1
MSM and IDU	5	21.0	3	9.4	54	12.3	26	7.1	85	11.8	26	6.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	2	0.5	2	0.5	3	0.4	2	0.5
High Risk Heterosexual Contact	2	8.0	2	6.3	55	12.6	38	10.4	80	11.1	41	10.8
No Identified Risk (NIR) or Other	3	13.0	6	18.7	37	8.4	67	18.4	54	7.5	67	17.7
Pediatric (All Risk Combined)	4	1.1	.	.	4	1.1
TOTAL CASES	24	100.0	32	100.0	438	100.0	364	100.0	723	100.0	378	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31st, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 9, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of December 31 st , 2008		Incident HIV Cases in Kansas as of December 31 st , 2008		Prevalent AIDS Cases in Kansas as of December 31 st , 2008		Prevalent HIV Cases in Kansas as of December 31 st , 2008		Cumulative AIDS Cases in Kansas as of December 31 st , 2008		Cumulative HIV Cases in Kansas as of December 31 st , 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	2	100.0	1	100.0	33	78.6	32	70.0	55	81.0	38	73.0
Female	9	21.4	14	30.0	13	19.0	14	27.0
RACE/ETHNICITY												
Hispanic	1	50.0	1	100.0	23	54.8	22	47.8	29	42.6	25	48.1
American-Indian Non-Hispanic	1	2.2	.	.	1	1.9
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	2	4.8	5	10.9	4	5.9	5	9.6
White Non-Hispanic	1	50.0	.	.	17	40.4	18	39.1	35	51.4	21	40.4
Multi-Race Non-Hispanic
Unknown
AGE												
< 13 Years	1	2.4	.	.	1	1.5	.	.
13 TO 14 Years	1	2.4	.	.	1	1.5	.	.
15 TO 24 Years	3	7.1	11	23.9	6	8.8	11	21.2
25 TO 34 Years	2	100.0	.	.	18	42.9	21	45.7	25	36.7	23	44.2
35 TO 44 Years	.	.	1	100.0	11	26.2	10	21.7	23	33.8	13	25.0
45 TO 54 Years	8	19.0	4	8.7	11	16.2	5	9.6
55 TO 64 Years	1	1.5	.	.
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	50.0	.	.	18	42.9	18	39.1	31	45.6	18	34.6
Injection Drug User (IDU)	6	14.3	13	28.3	11	16.2	14	26.9
MSM and IDU	1	2.2	3	4.4	1	1.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	4.4	.	.
High Risk Heterosexual Contact	9	21.4	6	13.0	10	14.7	8	15.4
No Identified Risk (NIR) or Other	1	50.0	1	100.0	8	19.0	8	17.4	9	13.2	11	21.2
Pediatric (All Risk Combined)	1	2.4	.	.	1	1.5	.	.
TOTAL CASES	2	100.0	1	100.0	42	100.0	46	100.0	68	100.0	52	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and December 31st, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (eHARS)