

Incident, Prevalent, and Cumulative AIDS Cases in Kansas as of December 31st, 2006 by Date of Report

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%
ADULT/ADOLESCENT	95	100.0	1230	99.5	2678	99.5
PEDIATRIC (<13 YEARS OLD)	.	.	6	0.5	13	0.5
TOTAL	95	100.0	1236	100.0	2691	100.0
AGE						
< 13 Years	.	.	6	0.5	13	0.5
13 TO 14 Years	.	.	1	0.1	3	0.1
15 TO 24 Years	2	2.1	84	6.8	146	5.4
25 TO 34 Years	32	33.7	452	36.6	1062	39.5
35 TO 44 Years	35	36.8	465	37.6	966	35.9
45 TO 54 Years	18	18.9	178	14.4	350	13.0
55 TO 64 Years	7	7.4	43	3.5	111	4.1
65 Years or Older	1	1.1	7	0.6	40	1.5
RACE/ETHNICITY						
Hispanic	17	17.9	163	13.2	245	9.1
American-Indian Non-Hispanic	.	.	11	0.9	24	0.9
Asian / Pacific Islander Non-Hispanic	.	.	5	0.4	10	0.4
Black Non-Hispanic	28	29.5	280	22.7	505	18.8
White Non-Hispanic	50	52.6	761	61.6	1885	70.0
Multi-Race Non-Hispanic	.	.	15	1.2	21	0.8
Unknown Non-Hispanic	.	.	1	0.1	1	0.0
GENDER						
Male	77	81.1	1030	83.3	2362	87.8
Female	18	18.9	206	16.7	329	12.2
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	46	48.4	681	55.1	1628	60.5
Injection Drug User (IDU)	7	7.4	112	9.1	251	9.3
MSM and IDU	7	7.4	115	9.3	248	9.2
Hemophilia/Coagulation Disorder or Transfusion/Transplant	2	2.1	25	2.0	92	3.4
High Risk Heterosexual Contact	17	17.9	188	15.2	284	10.6
No Identified Risk (NIR) or Other	16	16.8	106	8.6	169	6.3
Pediatric (All Risk Combined)	.	.	9	0.7	19	0.7
TOTAL	95	100.0	1236	100.0	2691	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

Incident, Prevalent, and Cumulative HIV Cases in Kansas as of December 31st, 2006 by Date of Report

	Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%
ADULT/ADOLESCENT	124	100.0	651	99.1	671	99.1
PEDIATRIC (<13 YEARS OLD)	.	.	6	0.9	6	0.9
TOTAL	124	100.0	657	100.0	677	100.0
AGE						
< 13 Years	.	.	6	0.9	6	0.9
13 TO 14 Years
15 TO 24 Years	30	24.2	137	20.9	138	20.4
25 TO 34 Years	42	33.9	238	36.2	243	35.9
35 TO 44 Years	36	29.0	178	27.1	186	27.5
45 TO 54 Years	11	8.9	78	11.9	81	12.0
55 TO 64 Years	5	4.0	18	2.7	19	2.8
65 Years or Older	.	.	2	0.3	4	0.6
RACE/ETHNICITY						
Hispanic	13	10.5	95	14.5	98	14.5
American-Indian Non-Hispanic	.	.	6	0.9	6	0.9
Asian / Pacific Islander Non-Hispanic	1	0.8	2	0.3	3	0.4
Black Non-Hispanic	50	40.3	199	30.3	201	29.7
White Non-Hispanic	55	44.4	332	50.5	346	51.1
Multi-Race Non-Hispanic	.	.	10	1.5	10	1.5
Unknown Non-Hispanic	5	4.0	13	2.0	13	1.9
GENDER						
Male	110	88.7	503	76.6	519	76.7
Female	14	11.3	154	23.4	158	23.3
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	69	55.6	295	44.9	301	44.5
Injection Drug User (IDU)	2	1.6	54	8.2	55	8.1
MSM and IDU	3	2.4	36	5.5	39	5.8
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	2	0.3	2	0.3
High Risk Heterosexual Contact	6	4.8	85	12.9	87	12.9
No Identified Risk (NIR) or Other	44	35.5	179	27.2	187	27.6
Pediatric (All Risk Combined)	.	.	6	0.9	6	0.9

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

Prevalent Adult / Adolescent AIDS Cases by Exposure Category and Gender in Kansas as of December 31st, 2006 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	681	66.44	.	.	681	55.50
Injection Drug User (IDU)	71	6.93	41	20.30	112	9.13
MSM and IDU	115	11.22	.	.	115	9.37
Hemophilia/Coagulation Disorder	10	0.98	.	.	10	0.81
High Risk Heterosexual Contact	63	6.15	125	61.88	188	15.32
<i>Sex with an IDU</i>	11	1.07	27	13.37	38	3.10
<i>Sex with HIV infected Partner</i>	50	4.88	84	41.58	134	10.92
<i>Sex with other High Risk Partners</i>	2	0.20	14	6.93	16	1.30
Transfusion/Transplant	10	0.98	5	2.48	15	1.22
No Identified Risk (NIR)	75	7.32	31	15.35	106	8.64

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

Percentages may not add to 100 due to rounding

Prevalent Adult / Adolescent HIV Cases by Exposure Category and Gender in Kansas as of December 31st, 2006 by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	295	58.76	.	.	295	45.31
Injection Drug User (IDU)	30	5.98	24	16.11	54	8.29
MSM and IDU	36	7.17	.	.	36	5.53
Hemophilia/Coagulation Disorder	1	0.20	.	.	1	0.15
High Risk Heterosexual Contact	25	4.98	60	40.27	85	13.06
<i>Sex with an IDU</i>	2	0.40	14	9.40	16	2.46
<i>Sex with HIV infected Partner</i>	23	4.58	37	24.83	60	9.22
<i>Sex with other High Risk Partners</i>	.	.	9	6.04	9	1.38
Transfusion/Transplant	1	0.20	.	.	1	0.15
No Identified Risk (NIR)	114	22.71	65	43.62	179	27.50


Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

Percentages may not add to 100 due to rounding

Incident, Prevalent, and Cumulative HIV Cases and AIDS Cases as of December 31st, 2006 Among Regions in Kansas by Date of Report

HIV/AIDS Community Planning Regions



Published by:
Kansas Department of Health and Environment
Bureau of Epidemiology and Disease Prevention
Information Systems, Geographic Data Services
Date of Publication: December 2004



Data Source:
Kansas Cartographic Dataset
Kansas HIV/STD Surveillance Program

Disclaimer: The purpose of this publication is to illustrate the status of the HIV/AIDS epidemic in the state of Kansas. This map product is provided without representation or implied or expressed warranty of accuracy for any user beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

	Incident AIDS Cases in Kansas as of DEC 31st, 2006	Incident HIV Cases in Kansas as of DEC 31st, 2006	Prevalent AIDS Cases in Kansas as of DEC 31st, 2006	Prevalent HIV Cases in Kansas as of DEC 31st, 2006	Cumulative AIDS Cases in Kansas as of DEC 31st, 2006	Cumulative HIV Cases in Kansas as of DEC 31st, 2006
	N	N	N	N	N	N
Region						
1	15	22	264	133	533	136
2	24	39	229	138	498	142
3	2	5	54	23	108	23
4	11	9	112	49	260	55
5	1	1	27	23	108	23
6	2	6	32	30	88	30
7	8	3	56	25	109	26
8	30	35	424	207	907	211
9	1	4	36	28	78	30
10	1	.	2	1	2	1
TOTAL	95	124	1236	657	2691	677

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006
 Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006
 Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through December 31st, 2006
 Incident HIV cases are individuals with HIV reported between January 1, 2006 and December 31st, 2006
 Prevalent HIV cases are individuals with HIV who are presumed to be alive as of December 31st, 2006
 Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through December 31st, 2006
 Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2006

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 1, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	12	80.0	21	95.5	225	85.2	105	78.9	475	89.1	108	79.4
Female	3	20.0	1	4.5	39	14.8	28	21.1	58	10.9	28	20.6
RACE/ETHNICITY												
Hispanic	4	26.7	3	13.6	47	17.8	24	18.0	62	11.6	26	19.1
American-Indian Non-Hispanic	.	0.0	.	0.0	1	0.4	.	0.0	2	0.4	.	0.0
Asian / Pacific Islander Non-Hispanic	.	0.0	.	0.0	.	0.0	.	0.0	1	0.2	.	0.0
Black Non-Hispanic	9	60.0	12	54.5	92	34.8	56	42.1	181	34.0	56	41.2
White Non-Hispanic	2	13.3	7	31.8	121	45.8	51	38.3	284	53.3	52	38.2
Multi-Race Non-Hispanic	.	0.0	.	0.0	3	1.1	1	0.8	3	0.6	1	0.7
Unknown Non-Hispanic	.	0.0	.	0.0	.	0.0	1	0.8	.	0.0	1	0.7
AGE												
< 13 Years	.	0.0	.	0.0	1	0.4	.	0.0	2	0.4	.	0.0
13 TO 14 Years
15 TO 24 Years	1	6.7	3	13.6	19	7.2	29	21.8	35	6.6	29	21.3
25 TO 34 Years	7	46.7	9	40.9	104	39.4	49	36.8	228	42.8	51	37.5
35 TO 44 Years	2	13.3	8	36.4	90	34.1	38	28.6	168	31.5	38	27.9
45 TO 54 Years	3	20.0	2	9.1	38	14.4	12	9.0	68	12.8	13	9.6
55 TO 64 Years	2	13.3	.	0.0	10	3.8	4	3.0	23	4.3	4	2.9
65 Years or Older	.	0.0	.	0.0	2	0.8	1	0.8	9	1.7	1	0.7
RISK BEHAVIOR												
Men who have sex with men (MSM)	7	46.7	11	50.0	137	51.9	56	42.1	304	57.0	57	41.9
Injection Drug User (IDU)	.	0.0	.	0.0	27	10.2	7	5.3	60	11.3	7	5.1
MSM and IDU	1	6.7	.	0.0	22	8.3	3	2.3	46	8.6	4	2.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	0.0	.	0.0	5	1.9	.	0.0	15	2.8	.	0.0
High Risk Heterosexual Contact	4	26.7	2	9.1	44	16.7	15	11.3	63	11.8	15	11.0
No Identified Risk (NIR) or Other	3	20.0	9	40.9	28	10.6	52	39.1	43	8.1	53	39.0
Pediatric (All Risk Combined)	.	0.0	.	0.0	1	0.4	.	0.0	2	0.4	.	0.0
TOTAL CASES	15	100.0	22	100.0	264	100.0	133	100.0	533	100.0	136	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 2, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	18	75.0	35	89.7	198	86.5	109	79.0	449	90.2	113	79.6
Female	6	25.0	4	10.3	31	13.5	29	21.0	49	9.8	29	20.4
RACE/ETHNICITY												
Hispanic	4	16.7	5	12.8	22	9.6	12	8.7	36	7.2	12	8.5
American-Indian Non-Hispanic	1	0.4	.	.	3	0.6	.	.
Asian / Pacific Islander Non-Hispanic	.	.	1	2.6	3	1.3	1	0.7	5	1.0	1	0.7
Black Non-Hispanic	8	33.3	13	33.3	42	18.3	38	27.5	56	11.2	38	26.8
White Non-Hispanic	12	50.0	18	46.2	160	69.9	80	58.0	396	79.5	84	59.2
Multi-Race Non-Hispanic	1	0.4	1	0.7	2	0.4	1	0.7
Unknown Non-Hispanic	.	.	2	5.1	.	.	6	4.3	.	.	6	4.2
AGE												
< 13 Years	1	0.4	.	.	2	0.4	.	.
13 TO 14 Years	1	0.2	.	.
15 TO 24 Years	1	4.2	9	23.1	16	7.0	29	21.0	26	5.2	30	21.1
25 TO 34 Years	9	37.5	14	35.9	89	38.9	48	34.8	190	38.2	49	34.5
35 TO 44 Years	8	33.3	11	28.2	85	37.1	39	28.3	175	35.1	39	27.5
45 TO 54 Years	2	8.3	4	10.3	22	9.6	19	13.8	62	12.4	20	14.1
55 TO 64 Years	3	12.5	1	2.6	13	5.7	3	2.2	30	6.0	4	2.8
65 Years or Older	1	4.2	.	.	3	1.3	.	.	12	2.4	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	13	54.2	19	48.7	134	58.5	68	49.3	327	65.7	70	49.3
Injection Drug User (IDU)	2	8.3	1	2.6	10	4.4	6	4.3	25	5.0	6	4.2
MSM and IDU	.	.	1	2.6	17	7.4	8	5.8	32	6.4	8	5.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant	5	2.2	.	.	21	4.2	.	.
High Risk Heterosexual Contact	5	20.8	2	5.1	33	14.4	16	11.6	49	9.8	16	11.3
No Identified Risk (NIR) or Other	4	16.7	16	41.0	29	12.7	40	29.0	41	8.2	42	29.6
Pediatric (All Risk Combined)	1	0.4	.	.	3	0.6	.	.
TOTAL CASES	24	100.0	39	100.0	229	100.0	138	100.0	498	100.0	142	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 3, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	50.0	5	100.0	43	79.6	19	82.6	93	86.1	19	82.6
Female	1	50.0	.	.	11	20.4	4	17.4	15	13.9	4	17.4
RACE/ETHNICITY												
Hispanic	3	5.6	1	4.3	6	5.6	1	4.3
American-Indian Non-Hispanic	2	3.7	.	.	4	3.7	.	.
Black Non-Hispanic	9	16.7	3	13.0	15	13.9	3	13.0
White Non-Hispanic	2	100.0	5	100.0	39	72.2	18	78.3	82	75.9	18	78.3
Multi-Race Non-Hispanic	1	4.3	.	.	1	4.3
Unknown Non-Hispanic	1	1.9	.	.	1	0.9	.	.
AGE												
< 13 Years	2	3.7	.	.	2	1.9	.	.
13 TO 14 Years	1	0.9	.	.
15 TO 24 Years	.	.	2	40.0	7	13.0	6	26.1	11	10.2	6	26.1
25 TO 34 Years	17	31.5	9	39.1	40	37.0	9	39.1
35 TO 44 Years	1	50.0	3	60.0	13	24.1	6	26.1	29	26.9	6	26.1
45 TO 54 Years	1	50.0	.	.	13	24.1	2	8.7	18	16.7	2	8.7
55 TO 64 Years	2	3.7	.	.	4	3.7	.	.
65 Years or Older	3	2.8	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	.	.	5	100.0	31	57.4	15	65.2	68	63.0	15	65.2
Injection Drug User (IDU)	5	9.3	.	.	10	9.3	.	.
MSM and IDU	1	50.0	.	.	6	11.1	2	8.7	11	10.2	2	8.7
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	2.8	.	.
High Risk Heterosexual Contact	1	50.0	.	.	7	13.0	5	21.7	9	8.3	5	21.7
No Identified Risk (NIR) or Other	3	5.6	1	4.3	4	3.7	1	4.3
Pediatric (All Risk Combined)	2	3.7	.	.	3	2.8	.	.
TOTAL CASES	2	100.0	5	100.0	54	100.0	23	100.0	108	100.0	23	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 4, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	10	90.9	8	88.9	96	85.7	35	71.4	228	87.7	40	72.7
Female	1	9.1	1	11.1	16	14.3	14	28.6	32	12.3	15	27.3
RACE/ETHNICITY												
Hispanic	3	27.3	.	.	9	8.0	2	4.1	16	6.2	2	3.6
American-Indian Non-Hispanic	2	1.8	2	4.1	4	1.5	2	3.6
Asian / Pacific Islander Non-Hispanic	1	0.4	1	1.8
Black Non-Hispanic	1	9.1	5	55.6	28	25.0	21	42.9	54	20.8	21	38.2
White Non-Hispanic	7	63.6	4	44.4	72	64.3	24	49.0	183	70.4	29	52.7
Multi-Race Non-Hispanic	1	0.9	.	.	2	0.8	.	.
AGE												
< 13 Years	1	2.0	.	.	1	1.8
13 TO 14 Years
15 TO 24 Years	.	.	4	44.4	5	4.5	9	18.4	12	4.6	9	16.4
25 TO 34 Years	1	9.1	2	22.2	33	29.5	15	30.6	84	32.3	15	27.3
35 TO 44 Years	7	63.6	2	22.2	53	47.3	17	34.7	111	42.7	21	38.2
45 TO 54 Years	3	27.3	.	.	16	14.3	5	10.2	38	14.6	5	9.1
55 TO 64 Years	.	.	1	11.1	4	3.6	2	4.1	9	3.5	2	3.6
65 Years or Older	1	0.9	.	.	6	2.3	2	3.6
RISK BEHAVIOR												
Men who have sex with men (MSM)	3	27.3	7	77.8	57	50.9	21	42.9	155	59.6	23	41.8
Injection Drug User (IDU)	1	9.1	1	11.1	11	9.8	6	12.2	27	10.4	7	12.7
MSM and IDU	1	9.1	.	.	10	8.9	3	6.1	24	9.2	5	9.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant	2	18.2	.	.	4	3.6	.	.	8	3.1	.	.
High Risk Heterosexual Contact	20	17.9	9	18.4	32	12.3	9	16.4
No Identified Risk (NIR) or Other	4	36.4	1	11.1	10	8.9	9	18.4	14	5.4	10	18.2
Pediatric (All Risk Combined)	1	2.0	.	.	1	1.8
TOTAL CASES	11	100.0	9	100.0	112	100.0	49	100.0	260	100.0	55	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 5, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	100.0	1	100.0	18	66.7	15	65.2	91	84.3	15	65.2
Female	9	33.3	8	34.8	17	15.7	8	34.8
RACE/ETHNICITY												
Hispanic	1	3.7	1	4.3	3	2.8	1	4.3
American-Indian Non-Hispanic	1	3.7	.	.	2	1.9	.	.
Black Non-Hispanic	5	21.7	3	2.8	5	21.7
White Non-Hispanic	1	100.0	1	100.0	25	92.6	16	69.6	100	92.6	16	69.6
Multi-Race Non-Hispanic	1	4.3	.	.	1	4.3
AGE												
< 13 Years
13 TO 14 Years
15 TO 24 Years	1	3.7	2	8.7	1	0.9	2	8.7
25 TO 34 Years	1	100.0	.	.	14	51.9	10	43.5	44	40.7	10	43.5
35 TO 44 Years	9	33.3	6	26.1	44	40.7	6	26.1
45 TO 54 Years	.	.	1	100.0	2	7.4	4	17.4	11	10.2	4	17.4
55 TO 64 Years	1	3.7	1	4.3	4	3.7	1	4.3
65 Years or Older	4	3.7	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	100.0	.	.	13	48.1	6	26.1	56	51.9	6	26.1
Injection Drug User (IDU)	3	11.1	4	17.4	10	9.3	4	17.4
MSM and IDU	3	11.1	1	4.3	11	10.2	1	4.3
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	3.7	.	.	11	10.2	.	.
High Risk Heterosexual Contact	6	22.2	7	30.4	13	12.0	7	30.4
No Identified Risk (NIR) or Other	.	.	1	100.0	.	.	5	21.7	6	5.6	5	21.7
Pediatric (All Risk Combined)	1	3.7	.	.	1	0.9	.	.
TOTAL CASES	1	100.0	1	100.0	27	100.0	23	100.0	108	100.0	23	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 6, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	50.0	6	100.0	20	62.5	22	73.3	67	76.1	22	73.3
Female	1	50.0	.	.	12	37.5	8	26.7	21	23.9	8	26.7
RACE/ETHNICITY												
Hispanic	1	3.1	3	10.0	7	8.0	3	10.0
American-Indian Non-Hispanic	1	3.1	.	.	1	1.1	.	.
Black Non-Hispanic	2	100.0	3	50.0	11	34.4	13	43.3	29	33.0	13	43.3
White Non-Hispanic	.	.	3	50.0	19	59.4	13	43.3	51	58.0	13	43.3
Unknown Non-Hispanic	1	3.3	.	.	1	3.3
AGE												
< 13 Years	1	3.1	1	3.3	2	2.3	1	3.3
13 TO 14 Years
15 TO 24 Years	2	6.3	6	20.0	6	6.8	6	20.0
25 TO 34 Years	1	50.0	4	66.7	7	21.9	11	36.7	32	36.4	11	36.7
35 TO 44 Years	1	50.0	.	.	18	56.3	6	20.0	38	43.2	6	20.0
45 TO 54 Years	4	12.5	4	13.3	8	9.1	4	13.3
55 TO 64 Years	.	.	2	33.3	.	.	2	6.7	2	2.3	2	6.7
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	.	.	3	50.0	13	40.6	11	36.7	45	51.1	11	36.7
Injection Drug User (IDU)	4	12.5	1	3.3	15	17.0	1	3.3
MSM and IDU	.	.	1	16.7	4	12.5	1	3.3	7	8.0	1	3.3
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	1.1	.	.
High Risk Heterosexual Contact	1	50.0	.	.	8	25.0	3	10.0	14	15.9	3	10.0
No Identified Risk (NIR) or Other	1	50.0	2	33.3	2	6.3	13	43.3	4	4.5	13	43.3
Pediatric (All Risk Combined)	1	3.1	1	3.3	2	2.3	1	3.3
TOTAL CASES	2	100.0	6	100.0	32	100.0	30	100.0	88	100.0	30	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 7, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	5	62.5	3	100.0	43	76.8	17	68.0	86	78.9	18	69.2
Female	3	37.5	.	.	13	23.2	8	32.0	23	21.1	8	30.8
RACE/ETHNICITY												
Hispanic	2	25.0	.	.	9	16.1	3	12.0	11	10.1	3	11.5
Asian / Pacific Islander Non-Hispanic	1	1.8	.	.	2	1.8	.	.
Black Non-Hispanic	1	12.5	1	33.3	8	14.3	6	24.0	13	11.9	6	23.1
White Non-Hispanic	5	62.5	1	33.3	37	66.1	14	56.0	82	75.2	15	57.7
Multi-Race Non-Hispanic	1	1.8	.	.	1	0.9	.	.
Unknown Non-Hispanic	.	.	1	33.3	.	.	2	8.0	.	.	2	7.7
AGE												
< 13 Years	1	1.8	1	4.0	2	1.8	1	3.8
13 TO 14 Years
15 TO 24 Years	.	.	2	66.7	2	3.6	4	16.0	6	5.5	4	15.4
25 TO 34 Years	1	12.5	.	.	17	30.4	7	28.0	37	33.9	7	26.9
35 TO 44 Years	3	37.5	.	.	23	41.1	6	24.0	42	38.5	7	26.9
45 TO 54 Years	3	37.5	.	.	11	19.6	5	20.0	19	17.4	5	19.2
55 TO 64 Years	1	12.5	1	33.3	2	3.6	2	8.0	2	1.8	2	7.7
65 Years or Older	1	0.9	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	25.0	2	66.7	30	53.6	9	36.0	54	49.5	10	38.5
Injection Drug User (IDU)	2	25.0	.	.	16	28.6	5	20.0	24	22.0	5	19.2
MSM and IDU	3	5.4	2	8.0	11	10.1	2	7.7
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	1.8	.	.	4	3.7	.	.
High Risk Heterosexual Contact	3	37.5	.	.	4	7.1	4	16.0	9	8.3	4	15.4
No Identified Risk (NIR) or Other	1	12.5	1	33.3	1	1.8	4	16.0	4	3.7	4	15.4
Pediatric (All Risk Combined)	1	1.8	1	4.0	3	2.8	1	3.8
TOTAL CASES	8	100.0	3	100.0	56	100.0	25	100.0	109	100.0	26	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 8, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	28	93.3	29	82.9	358	84.4	163	78.7	809	89.2	164	77.7
Female	2	6.7	6	17.1	66	15.6	44	21.3	98	10.8	47	22.3
RACE/ETHNICITY												
Hispanic	4	13.3	4	11.4	52	12.3	31	15.0	78	8.6	31	14.7
American-Indian Non-Hispanic	3	0.7	3	1.4	8	0.9	3	1.4
Asian / Pacific Islander Non-Hispanic	1	0.2	1	0.5	1	0.1	1	0.5
Black Non-Hispanic	7	23.3	15	42.9	88	20.8	56	27.1	149	16.4	58	27.5
White Non-Hispanic	19	63.3	14	40.0	271	63.9	108	52.2	658	72.5	110	52.1
Multi-Race Non-Hispanic	9	2.1	6	2.9	13	1.4	6	2.8
Unknown Non-Hispanic	.	.	2	5.7	.	.	2	1.0	.	.	2	0.9
AGE												
< 13 Years	3	1.4	2	0.2	3	1.4
13 TO 14 Years
15 TO 24 Years	.	.	9	25.7	29	6.8	44	21.3	43	4.7	44	20.9
25 TO 34 Years	11	36.7	11	31.4	155	36.6	78	37.7	378	41.7	80	37.9
35 TO 44 Years	13	43.3	11	31.4	165	38.9	52	25.1	330	36.4	54	25.6
45 TO 54 Years	5	16.7	4	11.4	63	14.9	25	12.1	115	12.7	25	11.8
55 TO 64 Years	1	3.3	.	.	11	2.6	4	1.9	34	3.7	4	1.9
65 Years or Older	1	0.2	1	0.5	5	0.6	1	0.5
RISK BEHAVIOR												
Men who have sex with men (MSM)	19	63.3	20	57.1	251	59.2	100	48.3	584	64.4	100	47.4
Injection Drug User (IDU)	2	6.7	.	.	31	7.3	17	8.2	68	7.5	17	8.1
MSM and IDU	4	13.3	1	2.9	50	11.8	16	7.7	102	11.2	16	7.6
Hemophilia/Coagulation Disorder or Transfusion/Transplant	7	1.7	2	1.0	21	2.3	2	0.9
High Risk Heterosexual Contact	2	6.7	2	5.7	56	13.2	22	10.6	83	9.2	24	11.4
No Identified Risk (NIR) or Other	3	10.0	12	34.3	28	6.6	47	22.7	46	5.1	49	23.2
Pediatric (All Risk Combined)	1	0.2	3	1.4	3	0.3	3	1.4
TOTAL CASES	30	100.0	35	100.0	424	100.0	207	100.0	907	100.0	211	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 9, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of DEC 31st, 2006		Incident HIV Cases in Kansas as of DEC 31st, 2006		Prevalent AIDS Cases in Kansas as of DEC 31st, 2006		Prevalent HIV Cases in Kansas as of DEC 31st, 2006		Cumulative AIDS Cases in Kansas as of DEC 31st, 2006		Cumulative HIV Cases in Kansas as of DEC 31st, 2006	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	100.0	2	50.0	28	77.8	17	60.7	63	80.8	19	63.3
Female	.	.	2	50.0	8	22.2	11	39.3	15	19.2	11	36.7
RACE/ETHNICITY												
Hispanic	.	.	1	25.0	19	52.8	18	64.3	26	33.3	19	63.3
American-Indian Non-Hispanic	1	3.6	.	.	1	3.3
Black Non-Hispanic	.	.	1	25.0	2	5.6	1	3.6	5	6.4	1	3.3
White Non-Hispanic	1	100.0	2	50.0	15	41.7	8	28.6	47	60.3	9	30.0
AGE												
< 13 Years	1	1.3	.	.
13 TO 14 Years	1	2.8	.	.	1	1.3	.	.
15 TO 24 Years	.	.	1	25.0	3	8.3	8	28.6	6	7.7	8	26.7
25 TO 34 Years	.	.	2	50.0	15	41.7	11	39.3	28	35.9	11	36.7
35 TO 44 Years	.	.	1	25.0	9	25.0	7	25.0	29	37.2	8	26.7
45 TO 54 Years	1	100.0	.	.	8	22.2	2	7.1	10	12.8	3	10.0
55 TO 64 Years	3	3.8	.	.
65 Years or Older
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	100.0	2	50.0	15	41.7	9	32.1	35	44.9	9	30.0
Injection Drug User (IDU)	5	13.9	8	28.6	12	15.4	8	26.7
MSM and IDU	4	5.1	.	.
Hemophilia/Coagulation Disorder or Transfusion/Transplant	2	5.6	.	.	8	10.3	.	.
High Risk Heterosexual Contact	9	25.0	4	14.3	11	14.1	4	13.3
No Identified Risk (NIR) or Other	.	.	2	50.0	4	11.1	7	25.0	6	7.7	9	30.0
Pediatric (All Risk Combined)	1	2.8	.	.	2	2.6	.	.
TOTAL CASES	1	100.0	4	100.0	36	100.0	28	100.0	78	100.0	30	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2006 and December 31st, 2006


Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of December 31st, 2006

Cumulative cases are those individuals ever reported in Kansas to have AIDS through December 31st 2006

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.


Data Source: Kansas HIV/AIDS Reporting System (HARS)

State of Kansas Prevalent Cases of HIV / AIDS by County as of December 31st 2006 by Date of Report



Data Sources: Kansas Cartographic Dataset, and Kansas HIV / AIDS Reporting System (HARS)

Prevalent Cases by County as of December 31st, 2006 by Date of Report



Prevalent cases are those people presumed living with HIV / AIDS. County of residence is based on county of residence at diagnosis. Cases that do not have a documented county of residence at diagnosis are not reflected in this map.

Disclaimer: The purpose of this publication is to illustrate the status of HIV / AIDS epidemic in the state of Kansas. The map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

Published by: HIV / AIDS Surveillance Program, Kansas Department of Health and Environment, Bureau of Epidemiology and Disease Prevention.

Date of Publication: February 2007.