

Incident, Prevalent, and Cumulative AIDS Cases in Kansas as of June 30th, 2007, by Date of Report

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%
ADULT/ADOLESCENT	67	100.0	1284	99.5	2747	99.5
PEDIATRIC (<13 YEARS OLD)	.	.	6	0.5	13	0.5
TOTAL	67	100.0	1290	100.0	2760	100.0
AGE						
< 13 Years	.	.	6	0.5	13	0.5
13 TO 14 Years	.	.	2	0.2	4	0.1
15 TO 24 Years	4	6.0	88	6.8	150	5.4
25 TO 34 Years	24	35.8	469	36.4	1086	39.3
35 TO 44 Years	21	31.3	481	37.3	987	35.8
45 TO 54 Years	13	19.4	190	14.7	364	13.2
55 TO 64 Years	4	6.0	46	3.6	115	4.2
65 Years or Older	1	1.5	8	0.6	41	1.5
RACE/ETHNICITY						
Hispanic	10	14.9	174	13.5	258	9.3
American-Indian Non-Hispanic	.	.	11	0.9	23	0.8
Asian / Pacific Islander Non-Hispanic	1	1.5	3	0.2	3	0.1
Black Non-Hispanic	21	31.3	297	23.0	525	19.0
White Non-Hispanic	35	52.2	786	60.9	1919	69.5
Multi-Race Non-Hispanic	.	.	18	1.4	31	1.1
Unknown Non-Hispanic	.	.	1	0.1	1	0.0
GENDER						
Male	55	82.1	1077	83.5	2420	87.7
Female	12	17.9	213	16.5	340	12.3
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	37	55.2	715	55.4	1668	60.4
Injection Drug User (IDU)	4	6.0	117	9.1	257	9.3
MSM and IDU	3	4.5	117	9.1	252	9.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	25	1.9	92	3.3
High Risk Heterosexual Contact	7	10.4	191	14.8	291	10.5
No Identified Risk (NIR) or Other	16	23.9	115	8.9	180	6.5
Pediatric (All Risk Combined)	.	.	10	0.8	20	0.7
TOTAL	67	100.0	1290	100.0	2760	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

Incident, Prevalent, and Cumulative HIV Cases in Kansas as of June 30th, 2007, by Date of Report

	Incident HIV Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%
ADULT/ADOLESCENT	47	100.0	675	99.1	698	99.1
PEDIATRIC (<13 YEARS OLD)	.	.	6	0.9	6	0.9
TOTAL	47	100.0	681	100.0	704	100.0
AGE						
< 13 Years	.	.	6	0.9	6	0.9
13 TO 14 Years
15 TO 24 Years	10	21.3	146	21.4	147	20.9
25 TO 34 Years	18	38.3	247	36.3	252	35.8
35 TO 44 Years	9	19.1	181	26.6	190	27.0
45 TO 54 Years	6	12.8	80	11.7	83	11.8
55 TO 64 Years	2	4.3	18	2.6	20	2.8
65 Years or Older	2	4.3	3	0.4	6	0.9
RACE/ETHNICITY						
Hispanic	7	14.9	99	14.5	102	14.5
American-Indian Non-Hispanic	.	.	6	0.9	6	0.9
Asian / Pacific Islander Non-Hispanic	.	.	1	0.1	1	0.1
Black Non-Hispanic	11	23.4	201	29.5	204	29.0
White Non-Hispanic	27	57.4	351	51.5	366	52.0
Multi-Race Non-Hispanic	.	.	10	1.5	11	1.6
Unknown Non-Hispanic	2	4.3	13	1.9	14	2.0
GENDER						
Male	36	76.6	522	76.7	540	76.7
Female	11	23.4	159	23.3	164	23.3
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	24	51.1	313	46.0	320	45.5
Injection Drug User (IDU)	5	10.6	59	8.7	61	8.7
MSM and IDU	1	2.1	36	5.3	40	5.7
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	1	0.1	1	0.1
High Risk Heterosexual Contact	8	17.0	85	12.5	87	12.4
No Identified Risk (NIR) or Other	9	19.1	181	26.6	189	26.8
Pediatric (All Risk Combined)	.	.	6	0.9	6	0.9

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

Prevalent Adult / Adolescent AIDS Cases by Exposure Category and Gender in Kansas as of June 30th, 2007, by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	715	66.76	.	.	715	55.86
Injection Drug User (IDU)	75	7.00	42	20.10	117	9.14
MSM and IDU	117	10.92	.	.	117	9.14
Hemophilia/Coagulation Disorder	10	0.93	.	.	10	0.78
High Risk Heterosexual Contact	64	5.98	127	60.77	191	14.92
<i>Sex with an IDU</i>	11	1.03	28	13.40	39	3.05
<i>Sex with HIV infected Partner</i>	51	4.76	86	41.15	137	10.70
<i>Sex with other High Risk Partners</i>	2	0.19	13	6.22	15	1.17
Transfusion/Transplant	10	0.93	5	2.39	15	1.17
No Identified Risk (NIR)	80	7.47	35	16.75	115	8.98

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2007

Percentages may not add to 100 due to rounding

Prevalent Adult / Adolescent HIV Cases by Exposure Category and Gender in Kansas as of June 30th, 2007, by Date of Report

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	313	60.08	.	.	313	46.37
Injection Drug User (IDU)	32	6.14	27	17.53	59	8.74
MSM and IDU	36	6.91	.	.	36	5.33
Hemophilia/Coagulation Disorder	1	0.19	.	.	1	0.15
High Risk Heterosexual Contact	24	4.61	61	39.61	85	12.59
<i>Sex with an IDU</i>	3	0.58	14	9.09	17	2.52
<i>Sex with HIV infected Partner</i>	21	4.03	36	23.38	57	8.44
<i>Sex with other High Risk Partners</i>	.	.	11	7.14	11	1.63
No Identified Risk (NIR)	115	22.07	66	42.86	181	26.81


Prevalent HIV cases are individuals with HIV (no AIDS) who are presumed to be alive as of June 30th, 2007

Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2007

Percentages may not add to 100 due to rounding

Incident, Prevalent, and Cumulative HIV Cases and AIDS Cases as of June 30th, 2007, Among Regions in Kansas by Date of Report

HIV/AIDS Community Planning Regions



Published by:
 Kansas Department of Health and Environment
 Bureau of Epidemiology and Disease Prevention
 Information Systems, Geographic Data Services
 Date of Publication: December 2004



Data Source:
 Kansas Cartographic Dataset
 Kansas HIV/STD Surveillance Program

Disclaimer: The purpose of this publication is to illustrate the status of the HIV/AIDS epidemic in the state of Kansas.
 This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007	Incident HIV Cases in Kansas as of JUNE 30th, 2007	Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007	Prevalent HIV Cases in Kansas as of JUNE 30th, 2007	Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007	Cumulative HIV Cases in Kansas as of JUNE 30th, 2007
	N	N	N	N	N	N
Region						
1	17	8	278	138	550	142
2	11	15	239	150	510	153
3	2	2	56	24	110	25
4	8	5	119	50	269	56
5	5	5	31	29	113	29
6	2	.	33	29	89	29
7	2	1	58	26	111	27
8	15	11	436	208	925	214
9	5	.	40	27	83	29
TOTAL	67	47	1290	681	2760	704

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th 2007
 Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th 2007
 Cumulative AIDS cases are those individuals ever reported in Kansas to have AIDS through June 30th 2007
 Incident HIV cases are individuals with HIV reported between January 1, 2007 and June 30th 2007
 Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th 2007
 Cumulative HIV cases are those individuals ever reported in Kansas to have HIV through June 30th 2007
 Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2007

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 1, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Incident HIV Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	13	76.5	8	100.0	236	84.9	111	80.4	488	88.7	115	81.0
Female	4	23.5	.	0.0	42	15.1	27	19.6	62	11.3	27	19.0
RACE/ETHNICITY												
Hispanic	4	23.5	1	12.5	52	18.7	25	18.1	67	12.2	27	19.0
American-Indian Non-Hispanic	.	0.0	.	0.0	1	0.4	.	0.0	2	0.4	.	0.0
Asian / Pacific Islander Non-Hispanic	1	5.9	.	0.0	1	0.4	.	0.0	1	0.2	.	0.0
Black Non-Hispanic	7	41.2	5	62.5	98	35.3	59	42.8	188	34.2	60	42.3
White Non-Hispanic	5	29.4	2	25.0	123	44.2	52	37.7	288	52.4	53	37.3
Multi-Race Non-Hispanic	.	0.0	.	0.0	3	1.1	1	0.7	4	0.7	1	0.7
Unknown Non-Hispanic	.	0.0	.	0.0	.	0.0	1	0.7	.	0.0	1	0.7
AGE												
< 13 Years	.	0.0	.	0.0	1	0.4	.	0.0	2	0.4	.	0.0
13 TO 14 Years
15 TO 24 Years	1	5.9	4	50.0	20	7.2	32	23.2	36	6.5	32	22.5
25 TO 34 Years	8	47.1	1	12.5	110	39.6	49	35.5	236	42.9	52	36.6
35 TO 44 Years	3	17.6	2	25.0	92	33.1	39	28.3	171	31.1	39	27.5
45 TO 54 Years	5	29.4	.	0.0	43	15.5	12	8.7	73	13.3	13	9.2
55 TO 64 Years	.	0.0	.	0.0	10	3.6	4	2.9	23	4.2	4	2.8
65 Years or Older	.	0.0	1	12.5	2	0.7	2	1.4	9	1.6	2	1.4
RISK BEHAVIOR												
Men who have sex with men (MSM)	5	29.4	6	75.0	141	50.7	62	44.9	309	56.2	64	45.1
Injection Drug User (IDU)	2	11.8	1	12.5	29	10.4	8	5.8	62	11.3	8	5.6
MSM and IDU	1	5.9	.	0.0	23	8.3	3	2.2	47	8.5	4	2.8
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	0.0	.	0.0	5	1.8	.	0.0	15	2.7	.	0.0
High Risk Heterosexual Contact	3	17.6	.	0.0	47	16.9	14	10.1	67	12.2	14	9.9
No Identified Risk (NIR) or Other	6	35.3	1	12.5	32	11.5	51	37.0	48	8.7	52	36.6
Pediatric (All Risk Combined)	.	0.0	.	0.0	1	0.4	.	0.0	2	0.4	.	0.0
TOTAL CASES	17	100.0	8	100.0	278	100.0	138	100.0	550	100.0	142	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 2, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Incident HIV Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	8	72.7	12	80.0	206	86.2	120	80.0	458	89.8	123	80.4
Female	3	27.3	3	20.0	33	13.8	30	20.0	52	10.2	30	19.6
RACE/ETHNICITY												
Hispanic	.	.	4	26.7	23	9.6	15	10.0	37	7.3	15	9.8
American-Indian Non-Hispanic	1	0.4	.	.	3	0.6	.	.
Asian / Pacific Islander Non-Hispanic	1	0.7	.	.	1	0.7
Black Non-Hispanic	4	36.4	.	.	46	19.2	36	24.0	60	11.8	36	23.5
White Non-Hispanic	7	63.6	10	66.7	165	69.0	90	60.0	403	79.0	93	60.8
Multi-Race Non-Hispanic	4	1.7	1	0.7	7	1.4	1	0.7
Unknown Non-Hispanic	.	.	1	6.7	.	.	7	4.7	.	.	7	4.6
AGE												
< 13 Years	1	0.4	.	.	2	0.4	.	.
13 TO 14 Years	1	0.2	.	.
15 TO 24 Years	.	.	3	20.0	16	6.7	32	21.3	26	5.1	33	21.6
25 TO 34 Years	5	45.5	9	60.0	94	39.3	55	36.7	195	38.2	55	35.9
35 TO 44 Years	5	45.5	1	6.7	89	37.2	39	26.0	180	35.3	39	25.5
45 TO 54 Years	1	9.1	2	13.3	23	9.6	21	14.0	64	12.5	22	14.4
55 TO 64 Years	13	5.4	3	2.0	30	5.9	4	2.6
65 Years or Older	3	1.3	.	.	12	2.4	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	7	63.6	6	40.0	142	59.4	74	49.3	335	65.7	76	49.7
Injection Drug User (IDU)	.	.	1	6.7	10	4.2	6	4.0	25	4.9	6	3.9
MSM and IDU	.	.	1	6.7	17	7.1	10	6.7	32	6.3	10	6.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	5	2.1	.	.	21	4.1	.	.
High Risk Heterosexual Contact	2	18.2	3	20.0	34	14.2	18	12.0	51	10.0	18	11.8
No Identified Risk (NIR) or Other	2	18.2	4	26.7	30	12.6	42	28.0	43	8.4	43	28.1
Pediatric (All Risk Combined)	1	0.4	.	.	3	0.6	.	.
TOTAL CASES	11	100.0	15	100.0	239	100.0	150	100.0	510	100.0	153	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 3, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Incident HIV Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	50.0	2	100.0	44	78.6	20	83.3	94	85.5	21	84.0
Female	1	50.0	.	.	12	21.4	4	16.7	16	14.5	4	16.0
RACE/ETHNICITY												
Hispanic	1	50.0	.	.	4	7.1	1	4.2	7	6.4	1	4.0
American-Indian Non-Hispanic	2	3.6	.	.	4	3.6	.	.
Black Non-Hispanic	9	16.1	3	12.5	15	13.6	3	12.0
White Non-Hispanic	1	50.0	2	100.0	40	71.4	19	79.2	83	75.5	20	80.0
Multi-Race Non-Hispanic	1	4.2	.	.	1	4.0
Unknown Non-Hispanic	1	1.8	.	.	1	0.9	.	.
AGE												
< 13 Years	2	3.6	.	.	2	1.8	.	.
13 TO 14 Years	1	0.9	.	.
15 TO 24 Years	.	.	1	50.0	7	12.5	7	29.2	11	10.0	7	28.0
25 TO 34 Years	17	30.4	9	37.5	40	36.4	9	36.0
35 TO 44 Years	2	100.0	1	50.0	15	26.8	6	25.0	31	28.2	7	28.0
45 TO 54 Years	13	23.2	2	8.3	18	16.4	2	8.0
55 TO 64 Years	2	3.6	.	.	4	3.6	.	.
65 Years or Older	3	2.7	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	50.0	2	100.0	32	57.1	18	75.0	69	62.7	18	72.0
Injection Drug User (IDU)	5	8.9	.	.	10	9.1	.	.
MSM and IDU	6	10.7	1	4.2	11	10.0	2	8.0
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	2.7	.	.
High Risk Heterosexual Contact	1	50.0	.	.	8	14.3	5	20.8	10	9.1	5	20.0
No Identified Risk (NIR) or Other	3	5.4	.	.	4	3.6	.	.
Pediatric (All Risk Combined)	2	3.6	.	.	3	2.7	.	.
TOTAL CASES	2	100.0	2	100.0	56	100.0	24	100.0	110	100.0	25	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 4, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Incident HIV Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	8	100.0	4	80.0	103	86.6	35	70.0	237	88.1	40	71.4
Female	.	.	1	20.0	16	13.4	15	30.0	32	11.9	16	28.6
RACE/ETHNICITY												
Hispanic	8	6.7	2	4.0	16	5.9	2	3.6
American-Indian Non-Hispanic	2	1.7	2	4.0	3	1.1	2	3.6
Black Non-Hispanic	2	25.0	1	20.0	30	25.2	20	40.0	56	20.8	20	35.7
White Non-Hispanic	6	75.0	4	80.0	78	65.5	26	52.0	189	70.3	31	55.4
Multi-Race Non-Hispanic	1	0.8	.	.	5	1.9	1	1.8
AGE												
< 13 Years	1	2.0	.	.	1	1.8
13 TO 14 Years
15 TO 24 Years	5	4.2	9	18.0	12	4.5	9	16.1
25 TO 34 Years	1	12.5	2	40.0	34	28.6	16	32.0	85	31.6	16	28.6
35 TO 44 Years	5	62.5	2	40.0	57	47.9	18	36.0	116	43.1	22	39.3
45 TO 54 Years	1	12.5	.	.	18	15.1	4	8.0	40	14.9	4	7.1
55 TO 64 Years	1	12.5	1	20.0	4	3.4	2	4.0	10	3.7	2	3.6
65 Years or Older	1	0.8	.	.	6	2.2	2	3.6
RISK BEHAVIOR												
Men who have sex with men (MSM)	7	87.5	4	80.0	64	53.8	22	44.0	163	60.6	24	42.9
Injection Drug User (IDU)	1	12.5	.	.	12	10.1	6	12.0	29	10.8	7	12.5
MSM and IDU	10	8.4	3	6.0	24	8.9	5	8.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	4	3.4	.	.	8	3.0	.	.
High Risk Heterosexual Contact	.	.	1	20.0	20	16.8	9	18.0	32	11.9	9	16.1
No Identified Risk (NIR) or Other	9	7.6	9	18.0	13	4.8	10	17.9
Pediatric (All Risk Combined)	1	2.0	.	.	1	1.8
TOTAL CASES	8	100.0	5	100.0	119	100.0	50	100.0	269	100.0	56	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 5, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Incident HIV Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	4	80.0	1	20.0	22	71.0	17	58.6	95	84.1	17	58.6
Female	1	20.0	4	80.0	9	29.0	12	41.4	18	15.9	12	41.4
RACE/ETHNICITY												
Hispanic	2	40.0	1	20.0	3	9.7	2	6.9	5	4.4	2	6.9
American-Indian Non-Hispanic	1	3.2	.	.	2	1.8	.	.
Black Non-Hispanic	1	20.0	2	40.0	1	3.2	7	24.1	4	3.5	7	24.1
White Non-Hispanic	2	40.0	2	40.0	26	83.9	19	65.5	102	90.3	19	65.5
Multi-Race Non-Hispanic	1	3.4	.	.	1	3.4
AGE												
< 13 Years
13 TO 14 Years
15 TO 24 Years	.	.	2	40.0	1	3.2	4	13.8	1	0.9	4	13.8
25 TO 34 Years	3	60.0	2	40.0	16	51.6	12	41.4	47	41.6	12	41.4
35 TO 44 Years	1	20.0	.	.	10	32.3	7	24.1	45	39.8	7	24.1
45 TO 54 Years	1	20.0	1	20.0	3	9.7	5	17.2	12	10.6	5	17.2
55 TO 64 Years	1	3.2	1	3.4	4	3.5	1	3.4
65 Years or Older	4	3.5	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	40.0	.	.	15	48.4	7	24.1	58	51.3	7	24.1
Injection Drug User (IDU)	.	.	2	40.0	3	9.7	6	20.7	10	8.8	6	20.7
MSM and IDU	3	9.7	1	3.4	11	9.7	1	3.4
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	3.2	.	.	11	9.7	.	.
High Risk Heterosexual Contact	1	20.0	1	20.0	6	19.4	8	27.6	14	12.4	8	27.6
No Identified Risk (NIR) or Other	2	40.0	2	40.0	2	6.5	7	24.1	8	7.1	7	24.1
Pediatric (All Risk Combined)	1	3.2	.	.	1	0.9	.	.
TOTAL CASES	5	100.0	5	100.0	31	100.0	29	100.0	113	100.0	29	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 6, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%	N	%	N	%
GENDER										
Male	2	100.0	22	66.7	22	75.9	69	77.5	22	75.9
Female	.	.	11	33.3	7	24.1	20	22.5	7	24.1
RACE/ETHNICITY										
Hispanic	1	50.0	2	6.1	2	6.9	8	9.0	2	6.9
American-Indian Non-Hispanic	.	.	1	3.0	.	.	1	1.1	.	.
Black Non-Hispanic	1	50.0	11	33.3	13	44.8	29	32.6	13	44.8
White Non-Hispanic	.	.	19	57.6	13	44.8	51	57.3	13	44.8
Unknown Non-Hispanic	1	3.4	.	.	1	3.4
AGE										
< 13 Years	.	.	1	3.0	1	3.4	2	2.2	1	3.4
13 TO 14 Years
15 TO 24 Years	1	50.0	3	9.1	6	20.7	7	7.9	6	20.7
25 TO 34 Years	.	.	7	21.2	11	37.9	32	36.0	11	37.9
35 TO 44 Years	.	.	17	51.5	6	20.7	37	41.6	6	20.7
45 TO 54 Years	1	50.0	5	15.2	3	10.3	9	10.1	3	10.3
55 TO 64 Years	2	6.9	2	2.2	2	6.9
65 Years or Older
RISK BEHAVIOR										
Men who have sex with men (MSM)	2	100.0	15	45.5	11	37.9	47	52.8	11	37.9
Injection Drug User (IDU)	.	.	4	12.1	1	3.4	15	16.9	1	3.4
MSM and IDU	.	.	4	12.1	1	3.4	7	7.9	1	3.4
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	1.1	.	.
High Risk Heterosexual Contact	.	.	8	24.2	2	6.9	14	15.7	2	6.9
No Identified Risk (NIR) or Other	.	.	1	3.0	13	44.8	3	3.4	13	44.8
Pediatric (All Risk Combined)	.	.	1	3.0	1	3.4	2	2.2	1	3.4
TOTAL CASES	2	100.0	33	100.0	29	100.0	89	100.0	29	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 7, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Incident HIV Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	50.0	1	100.0	44	75.9	18	69.2	87	78.4	19	70.4
Female	1	50.0	.	.	14	24.1	8	30.8	24	21.6	8	29.6
RACE/ETHNICITY												
Hispanic	9	15.5	3	11.5	11	9.9	3	11.1
Asian / Pacific Islander Non-Hispanic	1	1.7	.	.	1	0.9	.	.
Black Non-Hispanic	8	13.8	6	23.1	13	11.7	6	22.2
White Non-Hispanic	2	100.0	1	100.0	39	67.2	15	57.7	84	75.7	16	59.3
Multi-Race Non-Hispanic	1	1.7	.	.	2	1.8	.	.
Unknown Non-Hispanic	2	7.7	.	.	2	7.4
AGE												
< 13 Years	1	1.7	1	3.8	2	1.8	1	3.7
13 TO 14 Years
15 TO 24 Years	2	3.4	4	15.4	6	5.4	4	14.8
25 TO 34 Years	1	50.0	.	.	18	31.0	7	26.9	38	34.2	7	25.9
35 TO 44 Years	1	50.0	1	100.0	24	41.4	7	26.9	43	38.7	8	29.6
45 TO 54 Years	11	19.0	5	19.2	19	17.1	5	18.5
55 TO 64 Years	2	3.4	2	7.7	2	1.8	2	7.4
65 Years or Older	1	0.9	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	50.0	.	.	31	53.4	9	34.6	55	49.5	10	37.0
Injection Drug User (IDU)	15	25.9	5	19.2	23	20.7	5	18.5
MSM and IDU	4	6.9	2	7.7	12	10.8	2	7.4
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	1.7	.	.	4	3.6	.	.
High Risk Heterosexual Contact	.	.	1	100.0	4	6.9	5	19.2	9	8.1	5	18.5
No Identified Risk (NIR) or Other	1	50.0	.	.	2	3.4	4	15.4	5	4.5	4	14.8
Pediatric (All Risk Combined)	1	1.7	1	3.8	3	2.7	1	3.7
TOTAL CASES	2	100.0	1	100.0	58	100.0	26	100.0	111	100.0	27	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 8, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Incident HIV Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	13	86.7	8	72.7	368	84.4	163	78.4	824	89.1	165	77.1
Female	2	13.3	3	27.3	68	15.6	45	21.6	101	10.9	49	22.9
RACE/ETHNICITY												
Hispanic	.	.	1	9.1	52	11.9	32	15.4	79	8.5	32	15.0
American-Indian Non-Hispanic	3	0.7	3	1.4	8	0.9	3	1.4
Asian / Pacific Islander Non-Hispanic	1	0.2	.	.	1	0.1	.	.
Black Non-Hispanic	5	33.3	3	27.3	92	21.1	56	26.9	154	16.6	58	27.1
White Non-Hispanic	10	66.7	6	54.5	279	64.0	109	52.4	670	72.4	112	52.3
Multi-Race Non-Hispanic	9	2.1	6	2.9	13	1.4	6	2.8
Unknown Non-Hispanic	.	.	1	9.1	.	.	2	1.0	.	.	3	1.4
AGE												
< 13 Years	3	1.4	2	0.2	3	1.4
13 TO 14 Years	1	0.2	.	.	1	0.1	.	.
15 TO 24 Years	2	13.3	.	.	31	7.1	44	21.2	45	4.9	44	20.6
25 TO 34 Years	4	26.7	4	36.4	157	36.0	78	37.5	383	41.4	80	37.4
35 TO 44 Years	2	13.3	2	18.2	166	38.1	52	25.0	333	36.0	54	25.2
45 TO 54 Years	3	20.0	3	27.3	65	14.9	26	12.5	118	12.8	26	12.1
55 TO 64 Years	3	20.0	1	9.1	14	3.2	4	1.9	37	4.0	5	2.3
65 Years or Older	1	6.7	1	9.1	2	0.5	1	0.5	6	0.6	2	0.9
RISK BEHAVIOR												
Men who have sex with men (MSM)	8	53.3	6	54.5	257	58.9	101	48.6	593	64.1	101	47.2
Injection Drug User (IDU)	1	6.7	1	9.1	34	7.8	19	9.1	71	7.7	20	9.3
MSM and IDU	2	13.3	.	.	50	11.5	15	7.2	104	11.2	15	7.0
Hemophilia/Coagulation Disorder or Transfusion/Transplant	7	1.6	1	0.5	21	2.3	1	0.5
High Risk Heterosexual Contact	.	.	2	18.2	55	12.6	21	10.1	83	9.0	23	10.7
No Identified Risk (NIR) or Other	4	26.7	2	18.2	31	7.1	48	23.1	49	5.3	51	23.8
Pediatric (All Risk Combined)	2	0.5	3	1.4	4	0.4	3	1.4
TOTAL CASES	15	100.0	11	100.0	436	100.0	208	100.0	925	100.0	214	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 9, KANSAS, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent AIDS Cases in Kansas as of JUNE 30th, 2007		Prevalent HIV Cases in Kansas as of JUNE 30th, 2007		Cumulative AIDS Cases in Kansas as of JUNE 30th, 2007		Cumulative HIV Cases in Kansas as of JUNE 30th, 2007	
	N	%	N	%	N	%	N	%	N	%
GENDER										
Male	5	100.0	32	80.0	16	59.3	68	81.9	18	62.1
Female	.	.	8	20.0	11	40.7	15	18.1	11	37.9
RACE/ETHNICITY										
Hispanic	2	40.0	21	52.5	17	63.0	28	33.7	18	62.1
American-Indian Non-Hispanic	1	3.7	.	.	1	3.4
Black Non-Hispanic	1	20.0	2	5.0	1	3.7	6	7.2	1	3.4
White Non-Hispanic	2	40.0	17	42.5	8	29.6	49	59.0	9	31.0
AGE										
< 13 Years	1	1.2	.	.
13 TO 14 Years	.	.	1	2.5	.	.	1	1.2	.	.
15 TO 24 Years	.	.	3	7.5	8	29.6	6	7.2	8	27.6
25 TO 34 Years	2	40.0	16	40.0	10	37.0	30	36.1	10	34.5
35 TO 44 Years	2	40.0	11	27.5	7	25.9	31	37.3	8	27.6
45 TO 54 Years	1	20.0	9	22.5	2	7.4	11	13.3	3	10.3
55 TO 64 Years	3	3.6	.	.
65 Years or Older
RISK BEHAVIOR										
Men who have sex with men (MSM)	4	80.0	18	45.0	9	33.3	39	47.0	9	31.0
Injection Drug User (IDU)	.	.	5	12.5	8	29.6	12	14.5	8	27.6
MSM and IDU	4	4.8	.	.
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	2	5.0	.	.	8	9.6	.	.
High Risk Heterosexual Contact	.	.	9	22.5	3	11.1	11	13.3	3	10.3
No Identified Risk (NIR) or Other	1	20.0	5	12.5	7	25.9	7	8.4	9	31.0
Pediatric (All Risk Combined)	.	.	1	2.5	.	.	2	2.4	.	.
TOTAL CASES	5	100.0	40	100.0	27	100.0	83	100.0	29	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2007 and June 30th, 2007


Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2007

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2007

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.


Data Source: Kansas HIV/AIDS Reporting System (HARS)

State of Kansas Prevalent Cases of HIV / AIDS by County as of June 30th 2007 by Date of Report



Data Sources: Kansas Cartographic Dataset, and Kansas HIV / AIDS Reporting System (HARS)

Prevalent Cases by County as of June 30th, 2007 by Date of Report.



Prevalent cases are those people presumed living with HIV / AIDS. County of residence is based on county of residence at diagnosis. Cases that do not have a documented county of residence at diagnosis are not reflected in this map.

Disclaimer: The purpose of this publication is to illustrate the status of HIV / AIDS epidemic in the state of Kansas. The map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

Published by: HIV / AIDS Surveillance Program, Kansas Department of Health and Environment, Bureau of Epidemiology and Disease Prevention.

Date of Publication: July 2007.