


HIV/AIDS in Kansas

Biannual Report

June 2008

Kansas HIV/AIDS Program

*"Protecting the Health and Environment of
all Kansans by Promoting Responsible Choices."*



The HIV/AIDS Program works to promote public health and enhance the quality of life for Kansas residents by the prevention, intervention, and treatment of HIV and AIDS.

**HIV/AIDS Surveillance Program
HIV/AIDS Section
Bureau of Disease Control and Prevention
Kansas Department of Health and Environment**

Sources of information for this report:
Kansas HIV/AIDS Surveillance System (HARS)

For further information: Contact Praveen R. Pannala, MD, MPH, at 785-296-5587 or e-mail ppannala@kdhe.state.ks.us or Fax: (785) 296-0792



DIFFERENCE IN HIV (NON-AIDS) CASES REPORTED IN PREVIOUS REPORTS
AND REPORTS PRODUCED AFTER JANUARY 1st 2008

There is an increase in the number of living HIV (non AIDS) cases in the reports published after January 1st, 2008 by Kansas HIV/AIDS Surveillance program, compared to reports published prior to January 1st, 2008. Following is a brief explanation for this difference.

Prior to July 1999 Kansas City Missouri Health Department (KCMO) carried on HIV (non-AIDS) surveillance for Kansas and maintained HIV Reporting System (HRS) for Kansas cases receiving services in Missouri. Starting from July 1999 HIV (non-AIDS) surveillance was started in Kansas and the HRS database, which was maintained by Missouri, was merged with the existing Kansas AIDS Reporting System (ARS) and the new database was named HIV/AIDS Surveillance System (HARS). Historically, July 1999 has been used as a start date retrieval criteria for HIV (non AIDS) cases from HARS for analysis purposes. However, it had been established that there were Kansas HIV (non- AIDS) cases reported prior to July 1999 that were not included in the analysis during previous years. Starting from January 1st, 2008, retrieval criteria has been modified so that all HIV (non-AIDS) cases which meet CDC's surveillance definition are included in the analysis.

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF AIDS IN KANSAS AS OF JUNE 30th, 2008, BY DATE OF REPORT

	Incident AIDS Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%
ADULT/ADOLESCENT	54	100.0	1372	99.6	2866	99.5
PEDIATRIC (<13 YEARS OLD)	.	.	6	0.4	13	0.5
TOTAL	54	100.0	1378	100.0	2879	100.0
AGE						
< 13 Years	.	.	6	0.4	13	0.5
13 TO 14 Years	.	.	2	0.1	4	0.1
15 TO 24 Years	7	13.0	99	7.2	160	5.6
25 TO 34 Years	16	29.6	488	35.4	1111	38.6
35 TO 44 Years	18	33.3	516	37.4	1035	35.9
45 TO 54 Years	10	18.5	209	15.2	392	13.6
55 TO 64 Years	2	3.7	50	3.6	122	4.2
65 Years or Older	1	1.9	8	0.6	42	1.5
RACE/ETHNICITY						
Hispanic	4	7.4	176	12.8	261	9.1
American-Indian Non-Hispanic	1	1.9	11	0.8	24	0.8
Asian / Pacific Islander Non-Hispanic	1	1.9	10	0.7	15	0.5
Black Non-Hispanic	16	29.6	318	23.1	557	19.3
White Non-Hispanic	30	55.6	849	61.6	2000	69.5
Multi-Race Non-Hispanic	2	3.7	13	0.9	21	0.7
Unknown Non-Hispanic	.	.	1	0.1	1	0.0
GENDER						
Male	45	83.3	1151	83.5	2522	87.6
Female	9	16.7	227	16.5	357	12.4
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	30	55.6	763	55.4	1735	60.3
Injection Drug User (IDU)	4	7.4	124	9.0	269	9.3
MSM and IDU	4	7.4	126	9.1	263	9.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	1.9	26	1.9	94	3.3
High Risk Heterosexual Contact	4	7.4	204	14.8	305	10.6
No Identified Risk (NIR) or Other	11	20.4	125	9.1	193	6.7
Pediatric (All Risk Combined)	.	.	10	0.7	20	0.7
TOTAL	54	100.0	1378	100.0	2879	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008

Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV IN KANSAS AS OF JUNE 30th, 2008, BY DATE OF REPORT

	Incident HIV Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%
ADULT/ADOLESCENT	55	100.0	1072	99.0	1127	99.0
PEDIATRIC (<13 YEARS OLD)	.	.	11	1.0	11	1.0
TOTAL	55	100.0	1083	100.0	1138	100.0
AGE						
< 13 Years	.	.	11	1.0	11	1.0
13 TO 14 Years
15 TO 24 Years	16	29.1	238	22.0	243	21.4
25 TO 34 Years	17	30.9	424	39.2	433	38.0
35 TO 44 Years	10	18.2	277	25.6	302	26.5
45 TO 54 Years	8	14.5	99	9.1	107	9.4
55 TO 64 Years	3	5.5	30	2.8	34	3.0
65 Years or Older	1	1.8	4	0.4	8	0.7
RACE/ETHNICITY						
Hispanic	7	12.7	141	13.0	145	12.7
American-Indian Non-Hispanic	1	1.8	12	1.1	12	1.1
Asian / Pacific Islander Non-Hispanic	1	1.8	7	0.6	8	0.7
Black Non-Hispanic	21	38.2	297	27.4	308	27.1
White Non-Hispanic	25	45.5	608	56.1	647	56.9
Multi-Race Non-Hispanic	.	.	18	1.7	18	1.6
GENDER						
Male	44	80.0	846	78.1	888	78.0
Female	11	20.0	237	21.9	250	22.0
EXPOSURE CATEGORY						
Men who have sex with men (MSM)	27	49.1	532	49.1	552	48.5
Injection Drug User (IDU)	1	1.8	104	9.6	110	9.7
MSM and IDU	2	3.6	62	5.7	69	6.1
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	5	0.5	7	0.6
High Risk Heterosexual Contact	4	7.3	146	13.5	155	13.6
No Identified Risk (NIR) or Other	21	38.2	223	20.6	234	20.6
Pediatric (All Risk Combined)	.	.	11	1.0	11	1.0

Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008

Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008

Cumulative cases are those individuals ever reported in Kansas to have HIV through June 30th, 2008

As of 1/1/03 CDC requires all Surveillance Programs to collect Race/Ethnicity in the same manner as the Census Bureau.

Data Source: Kansas HIV/AIDS Reporting System (HARS)

Prevalent AIDS Cases in Kansas as of June 30th, 2008

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	763	66.64	.	.	763	55.77
Injection Drug User (IDU)	80	6.99	44	19.73	124	9.06
MSM and IDU	126	11.00	.	.	126	9.21
Hemophilia/Coagulation Disorder	9	0.79	.	.	9	0.66
High Risk Heterosexual Contact	69	6.02	135	60.49	204	5.91
<i>Sex with an IDU</i>	11	0.96	27	12.11	38	2.78
<i>Sex with HIV infected Partner</i>	56	4.89	94	42.15	150	10.96
<i>Sex with other High Risk Partners</i>	2	0.17	14	6.28	16	1.17
Transfusion/Transplant	10	0.87	7	3.14	17	1.24
No Identified Risk (NIR)	88	7.69	37	16.59	125	9.14

Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008

Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2008

Percentages may not add to 100 due to rounding

Prevalent HIV Cases in Kansas as of June 30th, 2008

Adult/Adolescent Exposure Category	GENDER				TOTAL	
	Male		Female			
	N	%	N	%	N	%
Men who have sex with men (MSM)	532	63.11	.	.	532	49.63
Injection Drug User (IDU)	64	7.59	40	17.47	104	9.70
MSM and IDU	62	7.35	.	.	62	5.78
Hemophilia/Coagulation Disorder	2	0.24	.	.	2	0.19
High Risk Heterosexual Contact	34	4.03	112	48.9	146	13.62
<i>Sex with an IDU</i>	5	0.59	20	8.73	25	2.33
<i>Sex with HIV infected Partner</i>	29	3.44	75	32.75	104	9.70
<i>Sex with other High Risk Partners</i>	.	.	17	7.42	17	1.59
Transfusion/Transplant	3	0.36	.	.	3	0.28
No Identified Risk (NIR)	146	17.32	77	33.62	223	20.80


Prevalent HIV cases are individuals with HIV (no AIDS) who are presumed to be alive as of June 30th, 2008

Data Source: Kansas HIV/AIDS Reporting System (HARS) - 2008

Percentages may not add to 100 due to rounding

INCIDENT, PREVALENT, AND CUMULATIVE HIV CASES AND AIDS CASES AS OF JUNE, 30th 2008, AMONG REGIONS IN KANSAS, BY DATE OF REPORT

HIV/AIDS Community Planning Regions



Published by:
 Kansas Department of Health and Environment
 Bureau of Epidemiology and Disease Prevention
 Information Systems, Geographic Data Services
 Date of Publication: December 2004



Data Source:
 Kansas Cartographic Dataset
 Kansas HIV/STD Surveillance Program

Disclaimer: The purpose of this publication is to illustrate the status of the HIV/AIDS epidemic in the state of Kansas. This map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

	Incident AIDS Cases in Kansas as of June 30th, 2008	Incident HIV Cases in Kansas as of June 30th, 2008	Prevalent AIDS Cases in Kansas as of June 30th, 2008	Prevalent HIV Cases in Kansas as of June 30th, 2008	Cumulative AIDS Cases in Kansas as of June 30th, 2008	Cumulative HIV Cases in Kansas as of June 30th, 2008
	N	N	N	N	N	N
Region						
1	11	16	301	246	578	256
2	20	11	273	230	546	239
3	3	5	59	46	114	47
4	2	2	120	97	273	108
5	4	1	35	40	120	41
6	.	2	34	37	91	37
7	1	3	62	36	117	41
8	12	15	452	312	954	325
9	1	.	42	38	86	43
10	.	.	.	1	.	1
TOTAL	54	55	1378	1083	2879	1138

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 1, KANSAS, BY DATE OF REPORT, JUNE 30th, 2008

	Incident AIDS Cases in Kansas as of June 30th, 2008		Incident HIV Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	11	100.0	14	87.5	258	85.7	198	80.5	515	89.1	206	80.5
Female	.	0.0	2	12.5	43	14.3	48	19.5	63	10.9	50	19.5
RACE/ETHNICITY												
Hispanic	1	9.1	4	25.0	55	18.3	42	17.1	70	12.1	44	17.2
American-Indian Non-Hispanic	.	0.0	.	0.0	1	0.3	1	0.4	2	0.3	1	0.4
Asian / Pacific Islander Non-Hispanic	1	9.1	.	0.0	2	0.7	.	0.0	3	0.5	.	0.0
Black Non-Hispanic	5	45.5	9	56.3	108	35.9	98	39.8	200	34.6	103	40.2
White Non-Hispanic	4	36.4	3	18.8	132	43.9	97	39.4	300	51.9	100	39.1
Multi-Race Non-Hispanic	.	0.0	.	0.0	3	1.0	8	3.3	3	0.5	8	3.1
AGE												
< 13 Years	.	0.0	.	0.0	1	0.3	2	0.8	2	0.3	2	0.8
15 TO 24 Years	4	36.4	7	43.8	25	8.3	54	22.0	41	7.1	55	21.5
25 TO 34 Years	2	18.2	5	31.3	115	38.2	97	39.4	241	41.7	100	39.1
35 TO 44 Years	2	18.2	.	0.0	102	33.9	63	25.6	182	31.5	66	25.8
45 TO 54 Years	3	27.3	3	18.8	46	15.3	20	8.1	79	13.7	21	8.2
55 TO 64 Years	.	0.0	1	6.3	10	3.3	8	3.3	24	4.2	10	3.9
65 Years or Older	.	0.0	.	0.0	2	0.7	2	0.8	9	1.6	2	0.8
RISK BEHAVIOR												
Men who have sex with men (MSM)	7	63.6	7	43.8	155	51.5	115	46.7	325	56.2	119	46.5
Injection Drug User (IDU)	2	18.2	.	0.0	33	11.0	18	7.3	67	11.6	19	7.4
MSM and IDU	.	0.0	.	0.0	24	8.0	8	3.3	49	8.5	9	3.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	0.0	.	0.0	5	1.7	.	0.0	15	2.6	.	0.0
High Risk Heterosexual Contact	.	0.0	1	6.3	49	16.3	32	13.0	69	11.9	34	13.3
No Identified Risk (NIR) or Other	2	18.2	8	50.0	34	11.3	71	28.9	51	8.8	73	28.5
Pediatric (All Risk Combined)	.	0.0	.	0.0	1	0.3	2	0.8	2	0.3	2	0.8
TOTAL CASES	11	100.0	16	100.0	301	100.0	246	100.0	578	100.0	256	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008*

**INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 2,
KANSAS, BY DATE OF REPORT, JUNE 30th, 2008**

	Incident AIDS Cases in Kansas as of June 30th, 2008		Incident HIV Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	14	70.0	7	63.6	230	84.2	188	81.7	484	88.6	193	80.8
Female	6	30.0	4	36.4	43	15.8	42	18.3	62	11.4	46	19.2
RACE/ETHNICITY												
Hispanic	2	10.0	1	9.1	23	8.4	21	9.1	37	6.8	21	8.8
American-Indian Non-Hispanic	1	0.4	.	.	3	0.5	.	.
Asian / Pacific Islander Non-Hispanic	.	.	1	9.1	3	1.1	5	2.2	5	0.9	5	2.1
Black Non-Hispanic	8	40.0	4	36.4	56	20.5	49	21.3	71	13.0	50	20.9
White Non-Hispanic	10	50.0	5	45.5	189	69.2	153	66.5	428	78.4	161	67.4
Multi-Race Non-Hispanic	1	0.4	2	0.9	2	0.4	2	0.8
AGE												
< 13 Years	1	0.4	1	0.4	2	0.4	1	0.4
13 TO 14 Years	1	0.2	.	.
15 TO 24 Years	3	15.0	3	27.3	19	7.0	48	20.9	28	5.1	50	20.9
25 TO 34 Years	6	30.0	4	36.4	100	36.6	99	43.0	202	37.0	100	41.8
35 TO 44 Years	6	30.0	2	18.2	100	36.6	55	23.9	191	35.0	57	23.8
45 TO 54 Years	3	15.0	2	18.2	33	12.1	20	8.7	75	13.7	21	8.8
55 TO 64 Years	1	5.0	.	.	16	5.9	7	3.0	34	6.2	9	3.8
65 Years or Older	1	5.0	.	.	4	1.5	.	.	13	2.4	1	0.4
RISK BEHAVIOR												
Men who have sex with men (MSM)	12	60.0	4	36.4	161	59.0	127	55.2	356	65.2	130	54.4
Injection Drug User (IDU)	1	5.0	.	.	11	4.0	12	5.2	26	4.8	12	5.0
MSM and IDU	18	6.6	15	6.5	33	6.0	16	6.7
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	5.0	.	.	7	2.6	1	0.4	23	4.2	2	0.8
High Risk Heterosexual Contact	2	10.0	1	9.1	41	15.0	30	13.0	58	10.6	31	13.0
No Identified Risk (NIR) or Other	4	20.0	6	54.5	34	12.5	44	19.1	47	8.6	47	19.7
Pediatric (All Risk Combined)	1	0.4	1	0.4	3	0.5	1	0.4
TOTAL CASES	20	100.0	11	100.0	273	100.0	230	100.0	546	100.0	239	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008*

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 3, KANSAS, BY DATE OF REPORT, JUNE 30th, 2008

	Incident AIDS Cases in Kansas as of June 30th, 2008		Incident HIV Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	2	66.7	5	100.0	46	78.0	41	89.1	97	85.1	42	89.4
Female	1	33.3	.	.	13	22.0	5	10.9	17	14.9	5	10.6
RACE/ETHNICITY												
Hispanic	1	33.3	.	.	5	8.5	2	4.3	8	7.0	2	4.3
American-Indian Non-Hispanic	1	33.3	1	20.0	3	5.1	2	4.3	5	4.4	2	4.3
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	.	.	1	20.0	9	15.3	7	15.2	15	13.2	7	14.9
White Non-Hispanic	1	33.3	3	60.0	41	69.5	34	73.9	85	74.6	35	74.5
Multi-Race Non-Hispanic	1	2.2	.	.	1	2.1
Unknown Non-Hispanic	1	1.7	.	.	1	0.9	.	.
AGE												
< 13 Years	2	3.4	1	2.2	2	1.8	1	2.1
13 TO 14 Years	1	0.9	.	.
15 TO 24 Years	.	.	2	40.0	8	13.6	12	26.1	12	10.5	12	25.5
25 TO 34 Years	.	.	1	20.0	17	28.8	17	37.0	40	35.1	17	36.2
35 TO 44 Years	2	66.7	1	20.0	16	27.1	12	26.1	33	28.9	13	27.7
45 TO 54 Years	1	33.3	1	20.0	14	23.7	4	8.7	19	16.7	4	8.5
55 TO 64 Years	2	3.4	.	.	4	3.5	.	.
65 Years or Older	3	2.6	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	2	66.7	4	80.0	33	55.9	32	69.6	71	62.3	32	68.1
Injection Drug User (IDU)	5	8.5	1	2.2	10	8.8	1	2.1
MSM and IDU	6	10.2	3	6.5	11	9.6	4	8.5
Hemophilia/Coagulation Disorder or Transfusion/Transplant	3	2.6	.	.
High Risk Heterosexual Contact	.	.	1	20.0	8	13.6	7	15.2	10	8.8	7	14.9
No Identified Risk (NIR) or Other	1	33.3	.	.	5	8.5	2	4.3	6	5.3	2	4.3
Pediatric (All Risk Combined)	2	3.4	1	2.2	3	2.6	1	2.1
TOTAL CASES	3	100.0	5	100.0	59	100.0	46	100.0	114	100.0	47	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008*

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 4, KANSAS, BY DATE OF REPORT, JUNE 30th, 2008

	Incident AIDS Cases in Kansas as of June 30th, 2008		Incident HIV Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	50.0	2	100.0	104	86.7	68	70.1	240	87.9	77	71.3
Female	1	50.0	.	.	16	13.3	29	29.9	33	12.1	31	28.7
RACE/ETHNICITY												
Hispanic	8	6.7	3	3.1	16	5.9	3	2.8
American-Indian Non-Hispanic	2	1.7	2	2.1	3	1.1	2	1.9
Asian / Pacific Islander Non-Hispanic	1	1.0	1	0.4	2	1.9
Black Non-Hispanic	.	.	1	50.0	31	25.8	28	28.9	57	20.9	30	27.8
White Non-Hispanic	2	100.0	1	50.0	79	65.8	62	63.9	193	70.7	70	64.8
Multi-Race Non-Hispanic	1	1.0	3	1.1	1	0.9
AGE												
< 13 Years	1	1.0	.	.	1	0.9
13 TO 14 Years
15 TO 24 Years	5	4.2	20	20.6	12	4.4	20	18.5
25 TO 34 Years	1	50.0	.	.	36	30.0	34	35.1	87	31.9	34	31.5
35 TO 44 Years	1	50.0	2	100.0	56	46.7	33	34.0	117	42.9	40	37.0
45 TO 54 Years	19	15.8	7	7.2	41	15.0	9	8.3
55 TO 64 Years	3	2.5	2	2.1	10	3.7	2	1.9
65 Years or Older	1	0.8	.	.	6	2.2	2	1.9
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	50.0	2	100.0	64	53.3	42	43.3	165	60.4	45	41.7
Injection Drug User (IDU)	12	10.0	14	14.4	29	10.6	15	13.9
MSM and IDU	10	8.3	6	6.2	24	8.8	10	9.3
Hemophilia/Coagulation Disorder or Transfusion/Transplant	4	3.3	.	.	8	2.9	.	.
High Risk Heterosexual Contact	21	17.5	16	16.5	33	12.1	17	15.7
No Identified Risk (NIR) or Other	1	50.0	.	.	9	7.5	18	18.6	14	5.1	20	18.5
Pediatric (All Risk Combined)	1	1.0	.	.	1	0.9
TOTAL CASES	2	100.0	2	100.0	120	100.0	97	100.0	273	100.0	108	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008*

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 5, KANSAS, BY DATE OF REPORT, JUNE 30th, 2008

	Incident AIDS Cases in Kansas as of June 30th, 2008		Incident HIV Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	3	75.0	1	100.0	24	68.6	27	67.5	100	83.3	28	68.3
Female	1	25.0	.	.	11	31.4	13	32.5	20	16.7	13	31.7
RACE/ETHNICITY												
Hispanic	2	5.7	2	5.0	5	4.2	2	4.9
American-Indian Non-Hispanic	1	2.9	.	.	2	1.7	.	.
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	2	5.7	6	15.0	6	5.0	6	14.6
White Non-Hispanic	3	75.0	1	100.0	29	82.9	31	77.5	106	88.3	32	78.0
Multi-Race Non-Hispanic	1	25.0	.	.	1	2.9	1	2.5	1	0.8	1	2.4
AGE												
< 13 Years
13 TO 14 Years
15 TO 24 Years	.	.	1	100.0	1	2.9	9	22.5	1	0.8	9	22.0
25 TO 34 Years												
35 TO 44 Years	1	25.0	.	.	12	34.3	9	22.5	49	40.8	10	24.4
45 TO 54 Years	1	25.0	.	.	4	11.4	5	12.5	14	11.7	5	12.2
55 TO 64 Years	1	2.9	2	5.0	4	3.3	2	4.9
65 Years or Older	4	3.3	.	.
RISK BEHAVIOR												
Men who have sex with men (MSM)	1	25.0	.	.	14	40.0	15	37.5	58	48.3	16	39.0
Injection Drug User (IDU)	4	11.4	8	20.0	12	10.0	8	19.5
MSM and IDU	1	25.0	.	.	4	11.4	2	5.0	12	10.0	2	4.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	2.9	.	.	11	9.2	.	.
High Risk Heterosexual Contact	1	25.0	.	.	8	22.9	9	22.5	16	13.3	9	22.0
No Identified Risk (NIR) or Other	1	25.0	1	100.0	3	8.6	6	15.0	10	8.3	6	14.6
Pediatric (All Risk Combined)	1	2.9	.	.	1	0.8	.	.
TOTAL CASES	4	100.0	1	100.0	35	100.0	40	100.0	120	100.0	41	100.0

Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008

**INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 6,
KANSAS, BY DATE OF REPORT, JUNE 30th, 2008**

	Incident HIV Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%	N	%	N	%
GENDER										
Male	1	50.0	24	70.6	25	67.6	71	78.0	25	67.6
Female	1	50.0	10	29.4	12	32.4	20	22.0	12	32.4
RACE/ETHNICITY										
Hispanic	.	.	3	8.8	3	8.1	9	9.9	3	8.1
American-Indian Non-Hispanic
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	2	100.0	11	32.4	18	48.6	30	33.0	18	48.6
White Non-Hispanic	.	.	20	58.8	16	43.2	52	57.1	16	43.2
Multi-Race Non-Hispanic
AGE										
< 13 Years	.	.	1	2.9	1	2.7	2	2.2	1	2.7
13 TO 14 Years
15 TO 24 Years	.	.	3	8.8	7	18.9	7	7.7	7	18.9
25 TO 34 Years	2	100.0	7	20.6	16	43.2	32	35.2	16	43.2
35 TO 44 Years	.	.	18	52.9	7	18.9	39	42.9	7	18.9
45 TO 54 Years	.	.	5	14.7	3	8.1	9	9.9	3	8.1
55 TO 64 Years	3	8.1	2	2.2	3	8.1
65 Years or Older
RISK BEHAVIOR										
Men who have sex with men (MSM)	.	.	16	47.1	13	35.1	48	52.7	13	35.1
Injection Drug User (IDU)	.	.	3	8.8	2	5.4	15	16.5	2	5.4
MSM and IDU	.	.	5	14.7	.	.	8	8.8	.	.
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	1.1	.	.
High Risk Heterosexual Contact	.	.	8	23.5	5	13.5	14	15.4	5	13.5
No Identified Risk (NIR) or Other	2	100.0	1	2.9	16	43.2	3	3.3	16	43.2
Pediatric (All Risk Combined)	.	.	1	2.9	1	2.7	2	2.2	1	2.7
TOTAL CASES	2	100.0	34	100.0	37	100.0	91	100.0	37	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008*

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 7, KANSAS, BY DATE OF REPORT, JUNE 30th, 2008

	Incident AIDS Cases in Kansas as of June 30th, 2008		Incident HIV Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	1	100.0	1	33.3	48	77.4	24	66.7	92	78.6	28	68.3
Female	.	.	2	66.7	14	22.6	12	33.3	25	21.4	13	31.7
RACE/ETHNICITY												
Hispanic	9	14.5	4	11.1	11	9.4	4	9.8
Asian / Pacific Islander Non-Hispanic	1	1.6	.	.	2	1.7	.	.
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	1	100.0	1	33.3	9	14.5	10	27.8	14	12.0	11	26.8
White Non-Hispanic	.	.	2	66.7	42	67.7	22	61.1	89	76.1	26	63.4
Multi-Race Non-Hispanic	1	1.6	.	.	1	0.9	.	.
AGE												
< 13 Years	1	1.6	1	2.8	2	1.7	1	2.4
13 TO 14 Years
15 TO 24 Years	.	.	1	33.3	2	3.2	6	16.7	6	5.1	7	17.1
25 TO 34 Years	1	100.0	.	.	18	29.0	9	25.0	38	32.5	10	24.4
35 TO 44 Years	27	43.5	9	25.0	48	41.0	12	29.3
45 TO 54 Years	12	19.4	7	19.4	20	17.1	7	17.1
55 TO 64 Years	.	.	1	33.3	2	3.2	3	8.3	2	1.7	3	7.3
65 Years or Older	.	.	1	33.3	.	.	1	2.8	1	0.9	1	2.4
RISK BEHAVIOR												
Men who have sex with men (MSM)	.	.	1	33.3	33	53.2	13	36.1	57	48.7	16	39.0
Injection Drug User (IDU)	14	22.6	10	27.8	23	19.7	11	26.8
MSM and IDU	5	8.1	2	5.6	14	12.0	2	4.9
Hemophilia/Coagulation Disorder or Transfusion/Transplant	1	1.6	.	.	5	4.3	1	2.4
High Risk Heterosexual Contact	4	6.5	5	13.9	9	7.7	5	12.2
No Identified Risk (NIR) or Other	1	100.0	2	66.7	4	6.5	5	13.9	6	5.1	5	12.2
Pediatric (All Risk Combined)	1	1.6	1	2.8	3	2.6	1	2.4
TOTAL CASES	1	100.0	3	100.0	62	100.0	36	100.0	117	100.0	41	100.0

*Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008*

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 8, KANSAS, BY DATE OF REPORT, JUNE 30th 2008

	Incident AIDS Cases in Kansas as of June 30th, 2008		Incident HIV Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%	N	%	N	%	N	%
GENDER												
Male	12	100.0	13	86.7	384	85.0	250	80.1	853	89.4	259	79.7
Female	.	.	2	13.3	68	15.0	62	19.9	101	10.6	66	20.3
RACE/ETHNICITY												
Hispanic	.	.	2	13.3	49	10.8	42	13.5	76	8.0	42	12.9
American-Indian Non-Hispanic	3	0.7	6	1.9	9	0.9	6	1.8
Asian / Pacific Islander Non-Hispanic	4	0.9	1	0.3	4	0.4	1	0.3
Black Non-Hispanic	2	16.7	3	20.0	90	19.9	79	25.3	158	16.6	81	24.9
White Non-Hispanic	9	75.0	10	66.7	299	66.2	179	57.4	696	73.0	190	58.5
Multi-Race Non-Hispanic	1	8.3	.	.	7	1.5	5	1.6	11	1.2	5	1.5
AGE												
< 13 Years	4	1.3	2	0.2	4	1.2
13 TO 14 Years	1	0.2	.	.	1	0.1	.	.
15 TO 24 Years	.	.	2	13.3	33	7.3	72	23.1	47	4.9	73	22.5
25 TO 34 Years	3	25.0	5	33.3	160	35.4	120	38.5	391	41.0	123	37.8
35 TO 44 Years	6	50.0	5	33.3	173	38.3	81	26.0	344	36.1	86	26.5
45 TO 54 Years	2	16.7	2	13.3	68	15.0	29	9.3	124	13.0	32	9.8
55 TO 64 Years	1	8.3	1	6.7	16	3.5	5	1.6	39	4.1	5	1.5
65 Years or Older	1	0.2	1	0.3	6	0.6	2	0.6
RISK BEHAVIOR												
Men who have sex with men (MSM)	6	50.0	9	60.0	268	59.3	160	51.3	614	64.4	166	51.1
Injection Drug User (IDU)	1	8.3	1	6.7	36	8.0	29	9.3	74	7.8	31	9.5
MSM and IDU	3	25.0	2	13.3	54	11.9	26	8.3	108	11.3	26	8.0
Hemophilia/Coagulation Disorder or Transfusion/Transplant	7	1.5	4	1.3	21	2.2	4	1.2
High Risk Heterosexual Contact	1	8.3	1	6.7	56	12.4	36	11.5	85	8.9	39	12.0
No Identified Risk (NIR) or Other	1	8.3	2	13.3	29	6.4	53	17.0	48	5.0	55	16.9
Pediatric (All Risk Combined)	2	0.4	4	1.3	4	0.4	4	1.2
TOTAL CASES	12	100.0	15	100.0	452	100.0	312	100.0	954	100.0	325	100.0


Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008

INCIDENT, PREVALENT, AND CUMULATIVE CASES OF HIV AND AIDS IN REGION 9, KANSAS, BY DATE OF REPORT, JUNE 30th, 2008

	Incident AIDS Cases in Kansas as of June 30th, 2008		Prevalent AIDS Cases in Kansas as of June 30th, 2008		Prevalent HIV Cases in Kansas as of June 30th, 2008		Cumulative AIDS Cases in Kansas as of June 30th, 2008		Cumulative HIV Cases in Kansas as of June 30th, 2008	
	N	%	N	%	N	%	N	%	N	%
GENDER										
Male	1	100.0	33	78.6	24	63.2	70	81.4	29	67.4
Female	.	.	9	21.4	14	36.8	16	18.6	14	32.6
RACE/ETHNICITY										
Hispanic	.	.	22	52.4	22	57.9	29	33.7	24	55.8
American-Indian Non-Hispanic	1	2.6	.	.	1	2.3
Asian / Pacific Islander Non-Hispanic
Black Non-Hispanic	.	.	2	4.8	2	5.3	6	7.0	2	4.7
White Non-Hispanic	1	100.0	18	42.9	13	34.2	51	59.3	16	37.2
Multi-Race Non-Hispanic
AGE										
< 13 Years	1	1.2	.	.
13 TO 14 Years	.	.	1	2.4	.	.	1	1.2	.	.
15 TO 24 Years	.	.	3	7.1	10	26.3	6	7.0	10	23.3
25 TO 34 Years	1	100.0	18	42.9	16	42.1	32	37.2	17	39.5
35 TO 44 Years	.	.	12	28.6	8	21.1	32	37.2	11	25.6
45 TO 54 Years	.	.	8	19.0	4	10.5	11	12.8	5	11.6
55 TO 64 Years	3	3.5	.	.
65 Years or Older
RISK BEHAVIOR										
Men who have sex with men (MSM)	1	100.0	19	45.2	14	36.8	41	47.7	14	32.6
Injection Drug User (IDU)	.	.	6	14.3	10	26.3	13	15.1	11	25.6
MSM and IDU	4	4.7	.	.
Hemophilia/Coagulation Disorder or Transfusion/Transplant	.	.	1	2.4	.	.	7	8.1	.	.
High Risk Heterosexual Contact	.	.	9	21.4	6	15.8	11	12.8	8	18.6
No Identified Risk (NIR) or Other	.	.	6	14.3	8	21.1	8	9.3	10	23.3
Pediatric (All Risk Combined)	.	.	1	2.4	.	.	2	2.3	.	.
TOTAL CASES	1	100.0	42	100.0	38	100.0	86	100.0	43	100.0


Incident AIDS cases are individuals with AIDS reported between January 1, 2008 and June 30th, 2008
Prevalent AIDS cases are individuals with AIDS who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008
Incident HIV cases are individuals with HIV reported between January 1, 2008 and June 30th, 2008
Prevalent HIV cases are individuals with HIV who are presumed to be alive as of June 30th, 2008
Cumulative cases are those individuals ever reported in Kansas to have AIDS through June 30th, 2008

State of Kansas Prevalent Cases of HIV / AIDS by County as of June 30th 2008 by Date of Diagnosis



Data Sources: Kansas Cartographic Dataset, and Kansas HIV / AIDS Reporting System (HARS)

Prevalent Cases by County as of June 30th, 2008 by Date of Diagnosis.



Prevalent cases are those people presumed living with HIV / AIDS. County of residence is based on county of residence at diagnosis. Cases that do not have a documented county of residence at diagnosis are not reflected in this map.

Disclaimer: The purpose of this publication is to illustrate the status of HIV / AIDS epidemic in the state of Kansas. The map product is provided without representation or implied or expressed warranty of accuracy for any uses beyond those expressed. The originating agencies are not responsible for publication or use of this product for purposes other than those expressed. This product may be corrected or updated as necessary without prior notification.

Published by: HIV / AIDS Surveillance Program, Kansas Department of Health and Environment, Bureau of Disease Control and Prevention.

Date of Publication: June 2008.