Reportable Diseases in Kansas

1995 Summary

Kansas Department of Health and Environment • Office of Epidemiologic Services

REPORTABLE DISEASES

IN

KANSAS

1995 SUMMARY

Jamie S. Kim, MPH
August, 1996

Kansas Department of Health and Environment
Division of Health
Office of Epidemiologic Services
Landon Building, Suite 1051
900 S.W. Jackson Street
Topeka, Kansas 66612-1290
Telephone (913) 296-2951
Fax (913) 291-3775

RECEIVED
OCT 31 1996
OFFICE OF HEALTH
CARE INFORMATION

Table of Contents

Page

Introduction 1

Section I - Disease Summaries 3

Acquired Immunodeficiency Syndrome (AIDS) 5
Amebiasis 6
Botulism, Foodborne 7
Campylobacteriosis 8
Chlamydia 9
E. coli O157:H7 10
Encephalitis, Arboviral 11
Encephalitis, Primary 12
Giardiasis 13
Gonorrhea 14
Hepatitis A 15
Hepatitis B 16
Hepatitis C/non-A, non-B 17
Influenza 18
Lead Poisoning, Pediatric 19
Legionellosis 20
Lyme Disease 21
Malaria 22
Measles 23
Meningitis, Aseptic 24
Meningitis, Haemophilus influenzae 25
Meningococcal Disease 26
Pertussis (Whooping Cough) 27
Rabies, Animal 28
Rocky Mountain Spotted Fever 29
Rubella 30
Salmonellosis 31
Shigellosis 32
Syphilis, Primary and Secondary 33
Tetanus 34
Toxic Shock Syndrome 35
Tuberculosis 36
Tularemia 37
Yersiniosis 38

Section II - Tables 39

Reportable diseases in Kansas, 1995 41

County abbreviations 43
Map of Kansas 44
Reportable diseases by year in Kansas, 1983-1995 45
Reportable diseases by county in Kansas, 1995 48
Publications on disease control in Kansas, 1995 55

INTRODUCTION

Purpose and format of this report

This is the Fourth annual summary of reportable diseases by the Kansas Department of Health and Environment. The purpose of the report is to provide useful information on notifiable diseases in Kansas for health care providers, public health workers and policy makers.

The report is divided into two sections. Section I presents summaries of 34 diseases or conditions of public health importance. Data are presented mainly by graphs and statistics. Rates have been calculated to adjust for population size allowing for more meaningful interpretation of the data. Rates by demographic characteristics and proportional changes from last year are reported when there were more than 50 cases of a disease reported in the state. If the total number of cases in the state was < 4, then no demographic information is presented (to ensure confidentiality of the patients). Whenever possible, information on disease trends for the United States has been included for comparison with Kansas trends.

Six additional diseases have been added to this year's report: amebiasis, foodborne botulism, primary encephalitis, hepatitis C/non-A, non-B, influenza and rubella. Disease incidence for urban and rural areas has also been included for most diseases. Urban counties were defined as counties with populations ≥ 100,000, and represent the three largest metropolitan areas in the state [Kansas City (Johnson and Wyandotte Counties), Wichita (Sedgwick County), and Topeka (Shawnee County)], which account for 44% of the population. The remaining 101 counties in the state are classified as rural for the purposes of this report.

Section II provides the list of reportable diseases during 1995, a summary of cases of reportable diseases by year for 1983-1995, and a summary of cases by county for 1995. Also included are a list of county abbreviations for use with Table 2, a map of Kansas with county names, and a list of publications on disease control from KDHE in 1995.

Disease reporting in Kansas

Selected diseases are reportable by law in Kansas by health care providers, laboratories and hospitals (Section II, Table 1). Reports are usually first sent to the local health department. The local health department is responsible for providing basic public health interventions such as providing immune globulin to a household contact of a person with hepatitis A or treating sexual contacts of a person with gonorrhea.

Reports are then sent to the Bureau of Disease Control in the Kansas Department of Health and Environment for review. After reports have been entered into the National Electronic Telecommunications System for Surveillance (NETSS), weekly summaries are forwarded to the Centers for Disease Control and Prevention (CDC) for inclusion in the Morbidity and Mortality Weekly Report. The final step in the surveillance system occurs when CDC sends selected data to the World Health Organization.

Local, state, national and international

health agencies that collect surveillance data are responsible for analyzing and interpreting the data. The information is used for planning, implementing and evaluating public health programs. Surveillance data can be used to determine the need for public health action and to assess the effectiveness of programs.

Important disease trends in 1995

The number of vaccine-preventable diseases remained low with no cases of polio or diphtheria reported. The incidence of haemophilus influenzae meningitis continued to decline. Measles, mumps and rubella remained at low levels. Pertussis and hepatitis B continued to be a problem.

Case counts for three sexually transmitted diseases (chlamydia, gonorrhea and syphilis) declined during 1995. Chlamydia continues to be the most commonly reported sexually transmitted diseases (STD), with 96 of 105 counties reporting at least one case during the year. Despite an increased number of screening sites and persons screened, chlamydia declined by 17% and gonorrhea by 24% compared to 1994. Both infections are leading causes of infertility, pelvic inflammatory disease and ectopic pregnancy. The number of reported primary and secondary syphilis cases declined by 37% compared to last year, marking the third consecutive yearly decrease. Two cases of congenital syphilis infections were reported for the year.

The number of reported Kansas AIDS cases in 1995 (286) showed an increase of 26% over those reported in 1994 (227). This increase was largely due to expanded active surveillance.

Tuberculosis (TB) remained a problem in 1995. The number of cases increased by 6% from 1994. The case rate increased from 3.4 per 100,000 to 3.5 per 100,000, but the incidence rate of TB in Kansas still remained well below the national average. Health departments often struggled to provide the services required by the increased number of patients.

Enteric infections (salmonellosis, shigellosis and giardiasis) continued to be reported in large numbers. Although not yet reportable by law in 1995, reports of *E. coli* O157:H7 continued to increase. Six outbreaks of foodborne illness were reported during the year.

Interpreting the data

When interpreting the data in this report it is important to remember that disease reporting is incomplete and often varies by disease. For example, reporting of AIDS cases is very good whereas reporting of chickenpox is poor. Absolute numbers are less meaningful than trends when interpreting the data. It is also important to note that since 59% (62/105) of counties in Kansas have populations less than 10,000, it is possible to have high rates of disease in these counties even if only one case is reported.

Acknowledgments

We would like to thank all physicians, nurses, hospitals, laboratorians, county health department staff and others who participated in reportable disease surveillance during 1995. We would also like to acknowledge the Bureau of Disease Control staff for their support.

SECTION I

DISEASE

SUMMARIES

AIDS

Number of cases - 286
% change from 1994 - plus 26%
Kansas rate - 11.2 per 100,000
U.S. rate (1994) - 30.1 per 100,000

Age of case-patients
- Median - 35 years
- Range - <1 to 84 years

Rate by sex
- Female - 2.8 per 100,000
- Male - 21.6 per 100,000

Rate by race
- White - 9.7 per 100,000
- Black - 34.9 per 100,000
- Asian - 18.9 per 100,000
- Am. Indian - 18.2 per 100,000

Rate by ethnicity
- Hispanic - 9.6 per 100,000
- Non Hispanic - 11.6 per 100,000

Rate by geographic area
- Urban - 19.3 per 100,000
- Rural - 6.6 per 100,000

Cases by transmission categories

Men who have sex with men (MSM)	144	(50%)
Injecting drug use (IDU)	25	(9%)
MSM & IDU	47	(16%)
Blood products	7	(2%)
Heterosexual	10	(4%)
Mother with/at risk for HIV infection	3	(1%)
Risk not reported/ Other	50	(18%)

AIDS rate by year of report
Kansas, 1983-1995



Comment: The introduction of a new definition accounts for the large number of cases in 1993.

Counties affected by HIV/AIDS
Kansas, 1981-1995



Shaded counties have reported or treated at least one person with HIV or AIDS

AIDS rate by age group
Kansas, 1995



Amebiasis

Number of cases - 2

Kansas rate - 0.1 per 100,000

U.S. rate (1994) - 1.2 per 100,000

Median age of cases - 30 years

Amebiasis rate by year of report
Kansas, 1983-1995



Amebiasis cases by county
Kansas, 1995



Botulism, Foodborne

Number of cases - 1

Kansas rate - < 0.1 per 100,000

U.S. rate (1994) - < 0.1 per 100,000

Foodborne Botulism rate by year of report
Kansas, 1983-1995



Foodborne Botulism cases by county
Kansas, 1995



Campylobacteriosis

Number of cases - 238
% change from 1994 - minus 4%

Kansas rate - 9.3 per 100,000
U.S. rate (1994) - not available

Age of case-patients

Median - 30 years
Range - < 1 to 89 years

Rate by sex

Female - 8.7 per 100,000
Male - 9.9 per 100,000

Rate by race

White - 7.7 per 100,000
Black - 6.3 per 100,000
Asian - 9.5 per 100,000
Am. Indian - 4.6 per 100,000

Rate by ethnicity

Hispanic - 4.3 per 100,000
Non Hispanic - 6.4 per 100,000

Rate by geographic area

Urban - 12.9 per 100,000
Rural - 6.5 per 100,000

Species identified by state laboratory

C. jejuni	130 (98%)
C. coli	2 (1%)
C. upsaliensis	1 (1%)

Campylobacteriosis rate by year
Kansas, 1983-1995



Campylobacteriosis rate by county
Kansas, 1995



Campylobacteriosis rate by age group
Kansas, 1995



Chlamydia

Number of cases - 5,315
% change from 1994 - minus 17%

Kansas rate - 208.1 per 100,000
U.S. rate (1994) - 188.4 per 100,000

Age of case-patients

Median - 20 years
Range - 1 to 61 years

Rate by sex

Female - 343.1 per 100,000
Male - 68.5 per 100,000

Rate by race

White - 109.6 per 100,000
Black - 1,251.8 per 100,000
Asian - 315.0 per 100,000
Am. Indian - 45.5 per 100,000

Rate by ethnicity

Hispanic - 453.7 per 100,000
Non Hispanic - 182.3 per 100,000

Rate by geographic area

Urban - 276.0 per 100,000
Rural - 154.0 per 100,000

Chlamydia rate by year
Kansas, 1984-1995



Chlamydia rate by county
Kansas, 1995



Chlamydia rate by age group
Kansas, 1995



E. coli O157:H7

Number of cases - 29

Kansas rate - 1.1 per 100,000

U.S. rate (1994) - 0.8 per 100,000

Age of case-patients

Median - 15 years

Range - 1 to 91 years

Cases by sex

Female - 14

Male - 15

Cases by geographic area

Urban - 19

Rural - 10

Comment: *E. Coli* O157:H7 infection became a reportable condition in Kansas in 1996.

E. coli O157:H7 rate by year
Kansas, 1983-1995



E.Coli O157:H7 cases by county
Kansas, 1995



E. coli O157:H7 cases by age group
Kansas, 1995



Arboviral Encephalitis

Human arbovirus cases, 1964-1995

	Kansas		U.S.	
	SLE	WEE	SLE	WEE
1964	2	2	470	64
1965	1	10	58	172
1966	20	6	325	47
1967	3	4	15	19
1968	3	0	35	17
1969	1	0	16	21
1970	11	1	15	4
1971	28	2	57	11
1972	0	0	13	8
1973	0	0	5	4
1974	2	0	72	2
1975	35	0	1815	132
1976	12	0	379	1
1977	0	1	161	41
1978	0	0	26	3
1979	1	0	32	3
1980	1	0	167	0
1981	3	2	15	19
1982	0	0	34	9
1983	0	0	21	7
1984	0	0	33	2
1985	0	0	21	1
1986	0	0	43	7
1987	2	0	17	41
1988	0	1	4	1
1989	0	0	33	0
1990	0	0	247	0
1991	0	0	78	1
1992	0	0	15	0
1993	0	0	16	0
1994	0	0	19	2
1995	0	0	25	0
Total	125	36	4282	639

Comment: Following extensive flooding in the midwest, mosquito trapping was conducted from June through October 1994 and June through August 1995 in seven northeast Kansas counties: Doniphan, Douglas, Jefferson, Johnson, Riley, Shawnee, and Wyandotte.

In 1995, each of these counties served as individual trap regions with the exception of Wyandotte and Johnson, which were combined into one region. Six sites were selected within each region resulting in 36 trap sites throughout the seven counties. Each site was sampled once per week with two CO_2-baited, CDC light traps and one gravid trap such that 108 traps were set each week. None of the 947 pools of *Culex pipiens*, consisting of no more than 25 mosquitoes each, tested positive for Saint Louis encephalitis (SLE). Testing for Western equine encephalitis (WEE) was not done.

Special thanks to Mr. Franz Birzer, Kansas State University, Dept. of Entomology, Manhattan, KS for the information provided.

Mosquitoes trapped by month
Kansas, 1995

Month	Number of trap days	Number Culex pipiens	Number Culex tarsalis
June	132	8099	154
July	132	8310	156
August	132	2150	11

Primary Encephalitis

Number of cases - 11

Kansas rate - 0.4 per 100,000

U.S. rate (1994) - 0.3 per 100,000

Age of case-patients

Median - 21 years

Range - 8 to 61 years

Cases by sex

Female - 3

Male - 8

Cases by geographic area

Urban - 4

Rural - 7

Primary Encephalitis rate by year
Kansas, 1983-1995



Primary Encephalitis cases by county
Kansas, 1995



Primary Encephalitis cases by age group
Kansas, 1995



Giardiasis

Number of cases - 395

% change from 1994 - minus 5 %

Kansas rate - 15.5 per 100,000

U.S. rate (1994) - not available

Age of case-patients

Median - 18 years
Range - < 1 to 90 years

Rate by sex

Female - 15.4 per 100,000
Male - 15.05 per 100,000

Rate by race

White - 9.4 per 100,000
Black - 7.0 per 100,000
Asian - 31.5 per 100,000
Am. Indian - 18.2 per 100,000

Rate by ethnicity

Hispanic - 15.0 per 100,000
Non Hispanic - 8.1 per 100,000

Rate by geographic area

Urban - 16.9 per 100,000
Rural - 14.4 per 100,000

Giardiasis rate by year
Kansas, 1983-1995



Giardiasis rate by county
Kansas, 1995



Giardiasis rate by age group
Kansas, 1995



Gonorrhea

Number of cases - 2,797

% change from 1994 - minus 24%

Kansas rate - 109.5 per 100,000

U.S. rate (1994) - 168.4 per 100,000

Age of case-patients

Median - 21 years
Range - 1 to 64 years

Rate by sex

Female - 117.8 per 100,000
Male - 101.0 per 100,000

Rate by race

White - 28.3 per 100,000
Black - 1,273.4 per 100,000
Asian - 94.5 per 100,000
Am. Indian - 13.7 per 100,000

Rate by ethnicity

Hispanic - 153.7 per 100,000
Non Hispanic - 104.3 per 100,000

Rate by geographic area

Urban - 184.0 per 100,000
Rural - 50.2 per 100,000

Gonorrhea rate by year
Kansas, 1983-1995



Gonorrhea rate by county
Kansas, 1995



Gonorrhea rate by age group
Kansas, 1995



Hepatitis A

Number of cases - 162
% change from 1994 - plus 46%

Kansas rate - 6.3 per 100,000
U.S. rate (1994) - 10.3 per 100,000

Age of case-patients

Median - 27 years
Range - 2 to 90 years

Rate by sex

Female - 5.8 per 100,000
Male - 6.9 per 100,000

Rate by race

White - 6.5 per 100,000
Black - 2.1 per 100,000
Asian - 9.5 per 100,000
Am. Indian - 4.6 per 100,000

Rate by ethnicity

Hispanic - 17.1 per 100,000
Non Hispanic - 5.0 per 100,000

Rate by geographic area

Urban - 5.8 per 100,000
Rural - 6.8 per 100,000

Risk factors: (during 2-6 weeks prior to illness)

Contact of hepatitis A case	59	(36%)
Foreign travel	5	(3%)

Hepatitis A rate by year
Kansas, 1983-1995



Hepatitis A rate by county
Kansas, 1995



Hepatitis A rate by age group
Kansas, 1995



Hepatitis B

Number of cases - 53
% change from 1994 - plus 71%
Kansas rate - 2.1 per 100,000
U.S. rate (1994) - 4.8 per 100,000

Age of case-patients
- Median - 35 years
- Range - 15 to 99 years

Rate by sex
- Female - 1.7 per 100,000
- Male - 2.5 per 100,000

Rate by race
- White - 1.9 per 100,000
- Black - 4.9 per 100,000
- Asian - 12.6 per 100,000
- Am. Indian - no case reported

Rate by ethnicity
- Hispanic - 4.3 per 100,000
- Non Hispanic - 2.1 per 100,000

Rate by geographic area
- Urban - 1.9 per 100,000
- Rural - 0.6 per 100,000

Cases who had received 3 doses of the hepatitis B vaccine	1	(2%)

Risk factors
(6 weeks - 6 months prior to illness)

≥ 2 sexual partners	3	(7%)
Contact of hepatitis B case	5	(9%)
Tattoo	5	(9%)
Injecting drug use	5	(9%)

Comment: Only acute cases are reported.

Hepatitis B rate by year
Kansas, 1983-1995



Hepatitis B rate by county
Kansas, 1995



Hepatitis B rate by age group
Kansas, 1995



Hepatitis C/non-A, non-B

Number of cases - 18

Kansas rate - 0.7 per 100,000

U.S. rate (1994) - 1.8 per 100,000

Age of case-patients

Median - 40 years

Range - 26 to 87 years

Cases by sex

Female - 11

Male - 7

Cases by geographic area

Urban - 5

Rural - 13

Comment: Only acute cases are reported.

Hepatitis C/non-A, non-B rate by year of report
Kansas, 1983-1995



Hepatitis C/non-A, non-B cases by county
Kansas, 1995



Hepatitis C/non-A, non-B cases by age group
Kansas, 1995



Influenza

Specimen submissions* for influenza

Influenza submissions	70
Unsatisfactory	2
Herpes simplex virus (+)	1
Parainfluenza 1 (+)	1
Analyzed for influenza	66
Negative	24
Positive (influenza A)	42
Typings	
H1N1 7	
H3N2 2	

Age group	Specimens	Pos	% Pos
< 12	27	22	(81%)
12 - 19	15	9	(60%)
20 - 39	13	7	(54%)
> 40	11	4	(36%)
Total	66	42	(64%)

Geographic Area	Total	Pos
NW	9	5
NC	16	13
NE	22	12
SW	0	0
SC	14	8
SE	5	4
Total	66	42

Comment: The trends observed in Kansas were reflected in the rest of the U.S., with heaviest flu-like activity occurring between early November and late December.

Geographic regions in Kansas



Percent of deaths due to pneumonia and influenza, October, 1995 - March, 1996, Kansas



Total deaths (October,1995 - March, 1996) = 12,433

Comment: During the 1995/1996 flu season, January showed the highest percentage of deaths due to pneumonia and influenza. Over 95% of deaths due to pneumonia during this period were among people aged 65 and over.

* Specimens analyzed by the Kansas Health and Environment Laboratory.

Pediatric Lead Poisoning

Number of cases - 1,202
% change from 1994 - plus 16%

Kansas rate - 451.1 per 100,000
children age < 6 years old

U.S. rate (1994) - not available

Age of case-patients

Median - 36 months
Range - 6 to 71 months

Rate by sex

Female - 403.3 per 100,000
Male - 425.6 per 100,000

Rate by race - not available

Rate by ethnicity - not available

Rate by geographic area

Urban - 126.0 per 100,000
Rural - 510.3 per 100,000

Comment: Pediatric lead poisoning was defined as a blood lead level ≥ 10 μg/dL.

Results were received from both private and public laboratories. Only elevated results are reported by private laboratories.

Differences in number of cases by geographic area may be attributable to variations in screening practices.

Positive Blood lead results for children 6 to 71 months
Kansas, 1995



Pediatric lead poisoning cases by county
Kansas, 1995



Pediatric lead poisoning by age group
Kansas, 1995



Legionellosis

Number of cases - 8

Kansas rate - 0.3 per 100,000

U.S. rate (1994) - 0.6 per 100,000

Age of case-patients

Median - 58 years

Range - 38 to 69 years

Cases by sex

Female - 1

Male - 7

Cases by geographic area

Urban - 4

Rural - 4

Underlying condition at date of onset

Smoker	4 (50%)
Systemic corticosteroids	2 (25%)
Cancer	0 (0%)
Other immuno-suppressants	2 (25%)
Diabetes	2 (25%)
Renal dialysis	1 (13%)
Renal transplant	1 (13%)

Legionellosis rate by year
Kansas, 1983-1995



Legionellosis cases by county
Kansas, 1995



Legionellosis cases by age group
Kansas, 1995



Lyme Disease

Number of cases - 23

Kansas rate - 0.9 per 100,000

U.S. rate (1994) - 5.0 per 100,000

Age of case-patients

Median - 35 years

Range - 3 to 72 years

Cases by sex

Female - 17

Male - 6

Site of likely exposure

Kansas	16 (70%)
Out of state	1 (4%)
Out of country	1 (4%)
Unknown	2 (9%)

Clinical characteristics

Erythema migrans	14 (61%)
Rheumatic signs	13 (57%)
Neurologic signs	3 (13%)
Cardiac signs	0 (0%)

Comment: The spirochete (Borrelia burgdorferi) that causes Lyme disease has not yet been isolated by culture in Kansas.

Lyme disease rate by year
Kansas, 1988-1995



Lyme disease cases by county
Kansas, 1995



Lyme disease cases by age group
Kansas, 1995



Malaria

Malaria rate by year
Kansas, 1983-1995



Number of cases - 4

Kansas rate - 0.2 per 100,000

U.S. rate (1994) - 0.5 per 100,000

Age of case-patients

Median - 31 years

Range - < 1 to 45 years

Cases by sex

Female - 2

Male - 2

Country of recent travel

India	1
Nigeria	1
Vietnam	1

U.S. citizen

Yes	2
No	2

Malaria species

P. vivax	1
Ovale	1
Unknown	2

Prophylaxis

Primaquine	3
Quinine	1

Comment: One of the cases reported in Kansas in 1995 was congenital malaria.

Measles

Number of cases - 1

Kansas rate - < 0.1 per 100,000

U.S. rate (1994) - 0.4 per 100,000

Comment: Children are to be immunized against measles at 12-15 months of age using the triple antigen vaccine (measles-mumps-rubella).

Measles rate by year
Kansas, 1983-1995



Measles cases by county
Kansas, 1995



Aseptic Meningitis

Number of cases - 117

% change from 1994 - plus 48%

Kansas rate - 4.6 per 100,000

U.S. rate (1994) - not available

Age of case-patients

Median - 26 years
Range - < 1 to 74 years

Rate by sex

Female - 4.5 per 100,000
Male - 4.6 per 100,000

Rate by race

White - 4.8 per 100,000
Black - 3.5 per 100,000
Asian - no case reported
Am. Indian - no case reported

Rate by ethnicity

Hispanic - 5.3 per 100,000
Non Hispanic - 3.7 per 100,000

Rate by geographic area

Urban - 7.9 per 100,000
Rural - 2.0 per 100,000

Aseptic Meningitis rate by year of report
Kansas, 1983-1995



Aseptic meningitis rate by county
Kansas, 1995



Aseptic Meningitis rate by age group
Kansas, 1995



Haemophilus influenzae Meningitis

Number of cases - 2

Kansas rate - 0.1 per 100,000

U.S. rate (1994) - 0.5 per 100,000

Median age of cases - 31 years

Comment: One pediatric case did not receive HIB vaccine.

Haemophilus influenzae meningitis rate by year - Kansas, 1983-1995



Haemophilus influenzae meningitis cases by county - Kansas, 1995



Meningococcal Disease

Number of cases - 28

Kansas rate - 1.1 per 100,000

U.S. rate (1994) - 1.1 per 100,000

Age of case-patients

Median - 20 years

Range - < 1 to 89 years

Cases by sex

Female - 19

Male - 9

Cases by geographic area

Urban - 17

Rural - 11

Serogroup

A	0	(0%)
B	0	(0%)
C	2	(7%)
Y	5	(18%)
Unknown	21	(75%)

Meningococcal disease rate by year
Kansas, 1983-1995



Meningococcal cases by county
Kansas, 1995



Meningococcal disease cases by age group
Kansas, 1995



Pertussis

Number of cases - 23

Kansas rate - 0.9 per 100,000

U.S. rate (1994) - 1.8 per 100,000

Age of case-patients

Median - 2 year
Range - < 1 to 7 years

Cases by sex

Female - 15
Male - 8

Cases by geographic area

Urban - 12
Rural - 11

Vaccination status of cases

No history of vaccine	6 (26%)
Too young for vaccine (< 2 mo.)	5 (22%)
Previous DPT, but not up-to-date	5 (22%)
Up-to-date	6 (26%)
Unknown	1 (4%)

Pertussis rate by year
Kansas, 1983-1995



Pertussis cases by county
Kansas, 1995



Pertussis cases by age group
Kansas, 1995



Rabies, Animal

Number of cases - 46

Number of counties reporting rabid animals - 20 (19%)

Types of rabid animals

Wild	37 (80%)
Domestic	9 (20%)
Pets	6
Livestock	3

Rabies was not found in the following species tested in Kansas during the past 5 years (1991-1995):

Antelope, Baboon, Badger, Beaver, Bison, Chipmunk, Coati, Cougar, Deer, Donkey, Ferret, G. Squirrel, Gerbil, Goat, Gopher, Groundhog, Guinea Pig, Hamster, Hedgehog, Human, Lion, Llama, Mink, Mole, Mouse, Muskrat, Opossum, Pig, Porcine, Porcupine, Prairie Dog, Primate, Pronghorn, Rabbit, Rat, Ringtail, Rodent, Sheep, Squirrel, Tiger, Weasel, Wolf, Woodchuck, Other rodents/ lagomorphs ,

Comment: The last human case of rabies in Kansas occurred in Montgomery County in 1968.

Animal rabies by year
Kansas, 1983-1995



Animal rabies by species and county
Kansas, 1995



B=bat C=cat D=dog H=horse S=skunk X=cow

Rabid animals by species
Kansas, 1995

Species	Number Tested	Number Positive	Percent Positive
Bat	50	6	12.0
Cat	623	4	0.6
Cow	41	2	4.9
Dog	713	2	0.3
Horse	13	1	7.7
Skunk	112	31	27.7

Rocky Mountain Spotted Fever

Number of cases - 4

Kansas rate - 0.2 per 100,000

U.S. rate (1994) - 0.2 per 100,000

Age of case-patients

Median - 34 years

Range - 11 to 44 years

Cases by sex

Female - 2

Male - 2

Cases by geographic area

Urban - 1

Rural - 3

Rocky Mountain Spotted Fever rate by year - Kansas, 1983-1995



Rocky Mountain Spotted Fever cases by county - Kansas, 1995



Rocky Mountain Spotted Fever cases by age group - Kansas, 1995



Rubella

Number of cases - 1

Kansas rate - < 0.1 per 100,000

U.S. rate (1994) - 0.1 per 100,000

Comment: Case history shows two documented doses of MMR. Acute and convalescent serum indicated a threefold rise in titer.

Rubella rate by year
Kansas, 1983-1995



Rubella cases by county
Kansas, 1995



Salmonellosis

Number of cases - 363
% change from 1994 - minus 9%
Kansas rate - 14.2 per 100,000
U.S. rate (1994) - 16.6 per 100,000

Age of case-patients
- Median - 25 years
- Range - < 1 to 98 years

Rate by sex
- Female - 14.6 per 100,000
- Male - 13.5 per 100,000

Rate by race
- White - 9.1 per 100,000
- Black - 16.1 per 100,000
- Asian - 9.5 per 100,000
- Am. Indian - 13.7 per 100,000

Rate by ethnicity
- Hispanic - 12.8 per 100,000
- Non Hispanic - 7.7 per 100,000

Rate by geographic area
- Urban - 16.0 per 100,000
- Rural - 16.0 per 100,000

Serotypes identified by state laboratory

S. typhimurium	76	(21%)
S. newport	43	(12%)
S. enteritidis	27	(8%)
S. heidelberg	11	(3%)
S. muenchen	8	(2%)
S. braenderup	7	(2%)
S. javiana	6	(2%)
S. montevideo	5	(1%)
S. stanley	4	(1%)
S. typhi	4	(1%)
S. hadar	3	(1%)
Other	95	(26%)
Unknown/not tested	74	(20%)

Salmonellosis rate by year
Kansas, 1983-1995



Salmonellosis rate by county
Kansas, 1995



Salmonellosis rate by age group
Kansas, 1995



Shigellosis

Number of cases - 302
% change from 1994 - plus 146%

Kansas rate - 11.8 per 100,000
U.S. rate (1994) - 11.4 per 100,000

Age of case-patients

Median - 10 years
Range - < 1 year to 83 years

Rate by sex

Female - 13.6 per 100,000
Male - 9.4 per 100,000

Rate by race

White - 7.0 per 100,000
Black - 48.9 per 100,000
Asian - 3.2 per 100,000
Am. Indian - 13.7 per 100,000

Rate by ethnicity

Hispanic - 13.9 per 100,000
Non Hispanic - 7.6 per 100,000

Rate by geographic area

Urban - 19.3 per 100,000
Rural - 5.9 per 100,000

Species isolated by state laboratory

S. sonnei	190	(63%)
S. flexneri	4	(1%)
S. boydii	1	(<1%)
Unknown/not tested	107	(35%)

Shigellosis rate by year
Kansas, 1983-1995



Shigellosis rate by county
Kansas, 1995



Shigellosis rate by age group
Kansas, 1995



Syphilis, Primary and Secondary

Number of cases - 47

Kansas rate - 1.8 per 100,000

U.S. rate (1994) - 8.1 per 100,000

Age of case-patients

Median - 30 years

Range - 15 to 55 years

Cases by sex

Female - 22

Male - 25

Cases by geographic area

Urban - 30

Rural - 17

Primary and secondary syphilis rate by year - Kansas, 1983-1995



Primary and secondary syphilis cases by county Kansas, 1995



Primary and secondary syphilis cases by age group - Kansas, 1995



Tetanus

Number of cases - 2

Kansas rate - 0.1 per 100,000

U.S. rate (1994) - < 0.1 per 100,000

Median age of cases - 69 years

Comment: Vaccination status of both cases is unknown.

Tetanus rate by year
Kansas, 1983-1995



Tetanus cases by county
Kansas, 1995



Toxic Shock Syndrome

Number of cases - 2

Kansas rate - 0.1 per 100,000

U.S. rate (1994) - 0.1 per 100,000

Median age of cases - 37 years

Toxic Shock Syndrome rate by year
Kansas, 1983-1995



Toxic Shock Syndrome cases by county
Kansas, 1995



Tuberculosis

Number of cases - 89
% change from 1994 - plus 6%
Kansas rate - 3.5 per 100,000
U.S. rate (1994) - 9.4 per 100,000

Age of case-patients
- Median - 47 years
- Range - 1 to 95 years

Rate by sex
- Female - 2.8 per 100,000
- Male - 4.2 per 100,000

Rate by race
- White - 2.5 per 100,000
- Black - 7.0 per 100,000
- Asian - 72.4 per 100,000
- Am. Indian - 4.6 per 100,000

Rate by ethnicity
- Hispanic - 20.3 per 100,000
- Non Hispanic - 2.9 per 100,000

Rate by geographic area
- Urban - 4.1 per 100,000
- Rural - 3.0 per 100,000

Site of infection

Pulmonary	64 (72%)
Extra-pulmonary	25 (28%)

Drug resistance

No drug resistance	69 (78%)
Isoniazid (INH)	3 (4%)
Streptomycin (SM)	2 (2%)
Ethambutol (EMB)	1 (1%)
INH&SM	2 (2%)
INH&EMB	1 (1%)
Unknown	11 (12%)

Tuberculosis rate by year
Kansas, 1983-1995



Tuberculosis rate by county
Kansas, 1995



Tuberculosis rate by age group
Kansas, 1995



Tularemia

Number of cases - 10

Kansas rate - 0.4 per 100,000

U.S. rate (1994) - < 0.1 per 100,000

Age of case-patients

Median - 30 years

Range - 5 to 57 years

Cases by sex

Female - 3

Male - 7

Cases by geographic area

Urban - 4

Rural - 6

Tularemia rate by year
Kansas, 1983-1995



Tularemia cases by county
Kansas, 1995



Tularemia cases by age group
Kansas, 1995



Yersiniosis

Number of cases - 2

Kansas rate - 0.1 per 100,000

U.S. rate (1994) - not available

Median age of cases - 41 years

Yersiniosis rate by year
Kansas, 1992-1995



Yersiniosis cases by county
Kansas, 1995



SECTION II

TABLES

Table 1. List of reportable diseases in Kansas, 1995

Reportable by physicians, dentists, physician's assistants, social workers, teachers and school administrators (K.A.R. 28-1-2 effective April 19, 1993 and 28-1-22 effective December 24, 1990)

Acquired Immune Deficiency Syndrome (AIDS)
Amebiasis
Anthrax
Botulism
Brucellosis
Campylobacteriosis
Chancroid
Chickenpox (varicella)
Chlamydia species infections, including psittacosis
Cholera
Diphtheria
Encephalitis, infectious
Giardiasis
Gonorrhea
Granuloma inguinale
Hepatitis, viral
Human Immunodeficiency Virus (HIV) - reportable by physicians only
Legionellosis
Leprosy (Hansen's disease)
Leptospirosis
Lyme disease
Lymphogranuloma venereum
Malaria
Measles (rubeola)
Meningitis
Mumps
Pertussis (whooping cough)
Plague
Poliomyelitis
Rabies
Rheumatic fever
Rocky Mountain Spotted Fever
Rubella, including congenital rubella syndrome
Salmonellosis, including typhoid fever
Shigellosis

Syphilis, including congenital syphilis
Tetanus
Toxic shock syndrome*
Trichinosis
Tuberculosis
Tularemia
Typhus, murine
Urethritis, other than gonococcal or chlamydial*
Vaginitis, non-specific*
Yellow Fever

Reportable by laboratories (K.A.R. 28-1-18 effective August 16, 1993 and 28-1-22 effective December 24, 1990)

Blood lead level $\geq$ 10 μg/dL for persons < 18 years of age, and $\geq$ 25 μg/dL for persons $\geq$ 18 years of age
CD4+ T-lymphocyte count of less than 200/ml or a CD4+ T-lymphocyte percent of total lymphocytes less than 14
Chlamydia
Gonorrhea
Human Immunodeficiency Virus (HIV)
Syphilis
Tuberculosis
E. Coli O152:H7**
Cryptosporidium**

Reportable by hospitals (K.A.R. 28-1-4 effective May 1, 1986 and 28-1-22 effective December 24, 1990)

Acquired Immune Deficiency Syndrome (AIDS)
Cancer
Congenital malformations in infants under one year of age
Fetal alcohol syndrome
Guillain-Barre Syndrome*
Reye syndrome
Toxic shock syndrome*

* No longer reportable in 1996
** Reportable starting in 1996

Table 2. County abbreviations

AL	Allen	HS	Haskell	RL	Riley
AN	Anderson	HG	Hodgeman	RO	Rooks
AT	Atchison	JA	Jackson	RH	Rush
BA	Barber	JF	Jefferson	RS	Russell
BT	Barton	JW	Jewell	SA	Saline
BB	Bourbon	JO	Johnson	SC	Scott
BR	Brown	KE	Kearny	SG	Sedgwick
BU	Butler	KM	Kingman	SW	Seward
CS	Chase	KW	Kiowa	SN	Shawnee
CQ	Chatauqua	LB	Labette	SD	Sheridan
CK	Cherokee	LE	Lane	SH	Sherman
CN	Cheyenne	LV	Leavenworth	SM	Smith
CA	Clark	LC	Lincoln	SF	Stafford
CY	Clay	LN	Linn	ST	Stanton
CD	Cloud	LG	Logan	SV	Stevens
CF	Coffey	LY	Lyon	SU	Sumner
CM	Comanche	MN	Marion	TH	Thomas
CL	Cowley	MS	Marshall	TR	Trego
CR	Crawford	MP	McPherson	WB	Wabaunsee
DC	Decatur	ME	Meade	WA	Wallace
DK	Dickinson	MI	Miami	WS	Washington
DP	Doniphan	MC	Mitchell	WH	Wichita
DG	Douglas	MG	Montgomery	WL	Wilson
ED	Edwards	MR	Morris	WO	Woodson
EK	Elk	MT	Morton	WY	Wyandotte
EL	Ellis	NM	Nemaha		
EW	Ellsworth	NO	Neosho		
FI	Finney	NS	Ness		
FO	Ford	NT	Norton		
FR	Franklin	OS	Osage		
GE	Geary	OB	Osborne		
GO	Gove	OT	Ottawa		
GH	Graham	PN	Pawnee		
GT	Grant	PL	Phillips		
GY	Gray	PT	Pottawatomie		
GL	Greeley	PR	Pratt		
GW	Greenwood	RA	Rawlins		
HM	Hamilton	RN	Reno		
HP	Harper	RP	Republic		
HV	Harvey	RC	Rice		

Table 3. Map of Kansas



Table 4. Cases of reportable diseases by year in Kansas, 1983-1995

DISEASE	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
AIDS	3	2	16	35	48	102	101	134	93	188	358	227	286
AMEBIASIS	30	11	29	22	49	36	19	4	1	1	22	15	2
ANTHRAX	0	0	0	0	0	0	0	0	0	0	0	0	0
BOTULISM, FOODBORNE	0	0	0	0	0	0	0	0	0	0	0	0	1
BOTULISM, INFANT	0	1	0	0	0	1	0	0	0	1	0	2	0
BOTULISM, OTHER	0	0	0	0	0	0	0	0	1	0	0	0	0
BRUCELLOSIS	2	2	2	1	0	0	1	1	0	0	0	0	0
CAMPYLOBACTERIOSIS	83	133	208	137	167	218	224	185	200	253	201	247	238
CHANCROID	0	0	0	0	4	1	1	13	5	3	1	5	2
CHICKENPOX *	6856	10295	9069	10367	8310	346	494	3253	3367	4179	1687	3190	1582
CHLAMYDIA	-	600	1124	1522	3042	3701	3772	5218	6791	7024	5694	6393	5315
CHOLERA	0	0	0	0	0	1	0	0	0	0	0	0	0
CRYPTOSPORIDIOSIS +	-	-	-	-	-	-	-	-	-	-	-	1	31
DIPHTHERIA	0	0	0	0	0	0	0	0	0	0	0	0	0
E. coli O157:H7 +	-	-	-	-	-	-	-	2	4	4	11	25	29
ENCEPHALITIS, PRIMARY	4	8	6	2	12	9	6	13	5	5	7	7	11
ENCEPHALITIS, SLE	0	0	0	0	2	0	0	0	0	0	0	0	0
ENCEPHALITIS, WEE	0	0	0	0	0	1	0	0	0	0	0	0	0
GIARDIASIS	494	577	646	537	659	561	419	380	309	521	385	415	395
GONORRHEA	7920	7217	7006	6617	4482	4852	5183	4673	4637	4404	3710	3682	2797
GRANULOMA INGUINALE	0	0	0	1	0	0	0	0	0	0	0	0	0
HANSEN'S DISEASE	1	0	1	2	0	1	0	0	0	0	0	0	0
HANTAVIRUS PULM. SYN.	-	-	-	-	-	-	-	-	-	-	1	4	0

* Aggregate cases, no county specific data.
\+ Became reportable as of January 12, 1996.

Table 4. Cases of reportable diseases by year in Kansas, 1983-1995

DISEASE	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
HEPATITIS A	96	70	97	137	402	396	276	271	89	141	79	111	162
HEPATITIS B	74	87	97	94	99	159	121	139	56	66	65	31	53
HEP, C/NON-A NON-B	10	17	28	18	19	17	18	40	20	16	16	18	18
LEAD ≥ 10 μg/dL	-	-	-	-	-	-	-	-	-	-	545	1034	1202
LEGIONELLOSIS	4	1	9	12	8	13	10	9	4	5	7	6	8
LEPTOSPIROSIS	0	0	0	0	1	0	0	0	0	0	0	0	0
LYME DISEASE	0	0	0	0	0	5	17	21	22	18	55	17	23
LYMPHOGRANULOMA VEN.	0	1	1	0	0	0	1	0	0	0	0	0	0
MALARIA	6	2	6	3	2	3	6	6	8	6	3	7	3
MEASLES	6	5	1	102	1	0	142	233	13	1	2	1	1
MENINGITIS, ASEPTIC	107	51	58	64	93	64	110	69	73	114	202	79	117
MENINGITIS, HIB	-	-	70	59	72	62	64	31	19	12	4	3	2
MENINGOCOCCAL DISEASE	28	37	16	16	28	25	9	22	26	17	36	28	28
MUMPS	77	62	51	61	74	205	297	91	31	3	1	1	0
PERTUSSIS	130	55	31	1229	17	6	12	27	12	34	24	18	23
PLAGUE	0	0	0	0	0	0	0	0	0	0	0	0	0
POLIOMYELITIS	0	0	0	0	0	0	0	-	-	0	0	0	0
PSITTACOSIS	3	0	1	0	0	0	0	1	0	1	0	0	0
RABIES, ANIMAL	82	53	63	63	33	39	58	45	63	374	79	35	46
RABIES, HUMAN	0	0	0	0	0	0	0	0	0	0	0	0	0
RHEUMATIC FEVER	3	4	1	6	11	10	6	1	2	0	3	1	0
RMSF	20	18	27	10	28	28	18	18	6	5	1	4	4
RUBELLA	36	30	7	9	1	2	2	0	1	4	0	0	1
RUBELLA, CONGENITAL	1	0	0	0	0	0	0	0	0	1	0	0	0
SALMONELLOSIS	462	339	501	379	413	358	318	295	245	304	299	397	363
SHIGELLOSIS	92	106	104	102	36	94	211	135	79	266	208	123	302

Table 4. Cases of reportable diseases by year in Kansas, 1983-1995

DISEASE	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995
SYPHILIS, P AND S	56	59	34	35	30	38	82	87	201	203	129	74	47
SYPHILIS, CONGENITAL	-	-	-	0	1	0	0	2	0	2	3	2	2
SYPHILIS, ALL STAGES	271	186	139	152	103	139	175	177	373	356	282	188	147
TETANUS	0	1	0	1	3	0	0	0	0	0	2	1	2
TOXIC SHOCK SYNDROME	8	4	12	12	9	8	10	11	8	9	3	5	2
TRICHINOSIS	0	0	0	0	0	0	0	6	0	0	0	0	0
TUBERCULOSIS	76	77	82	72	60	58	72	78	62	56	83	84	89
TULAREMIA	11	4	8	8	8	8	6	7	5	3	3	7	10
TYPHOID FEVER	2	1	0	1	1	1	2	1	0	1	1	2	1
TYPHUS	0	0	1	0	0	1	0	0	0	0	0	0	0
URETHRITIS	-	463	837	898	1097	788	726	908	1006	871	912	914	822
VAGINITIS	-	2299	3250	4000	5374	5175	5285	4977	3975	3426	3489	2944	730
YELLOW FEVER	0	0	0	0	0	0	0	0	0	0	0	0	0
YERSINIOSIS	-	-	-	-	-	-	-	-	-	3	1	2	2

Table 5. Cases of reportable diseases by county in Kansas, 1995

	AL	AN	AT	BA	BB	BR	BT	BU	CA	CD	CF	CK	CL	CM	CN
AIDS	*	0	*	0	0	0	0	*	0	0	0	*	0	0	0
AMEBIASIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BOTULISM, FOODBORNE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CAMPYLOBACTERIOSIS	3	0	1	0	0	0	0	2	1	0	0	0	0	0	2
CHANCROID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHLAMYDIA	11	5	12	1	15	12	39	41	2	8	3	21	53	1	0
CRYPTOSPORIDIOSIS +	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E. coli O157:H7 +	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ENCEPHALITIS, PRIMARY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GIARDIASIS	0	0	1	0	2	2	5	15	0	1	1	1	6	0	1
GONORRHEA	0	0	2	0	4	2	14	11	0	1	2	4	10	0	0
HEPATITIS A	0	1	0	0	10	0	0	0	0	0	1	2	3	0	0
HEPATITIS B	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
HEPATITIS, C/NON-A NON-B	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0
LEAD ≥ 10 μg/dL	6	28	8	1	33	10	9	29	2	1	11	120	50	0	0
LEGIONELLOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LYME DISEASE	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALARIA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGITIS, ASEPTIC	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MENINGITIS, HIB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL DISEASE	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
PERTUSSIS	0	1	0	0	2	0	0	1	0	0	0	0	0	0	0
RABIES, ANIMAL	0	0	0	0	0	0	1	7	0	0	0	0	2	0	0
RMSF	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
RUBELLA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALMONELLOSIS	0	0	3	0	2	0	6	8	3	0	0	4	8	0	1
SHIGELLOSIS	0	2	3	0	0	1	0	2	0	0	1	4	0	0	0
SYPHILIS, P AND S	0	0	0	0	2	0	0	3	0	0	0	0	0	0	0
SYPHILIS, CONGENITAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYPHILIS, ALL STAGES	0	0	0	0	2	0	1	7	0	0	0	0	0	0	0
TETANUS	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
TOXIC SHOCK SYNDROME	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TUBERCULOSIS	1	0	0	0	0	0	0	2	0	0	0	1	1	0	0
TULAREMIA	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
TYPHOID FEVER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
URETHRITIS	0	0	0	0	0	1	0	1	0	0	0	1	2	0	0
VAGINITIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YERSINIOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

* Counties which reported fewer than 5 cases.

\+ Became reportable as of January 12, 1996.

Table 5. Cases of reportable diseases by county in Kansas, 1995

	CQ	CR	CS	CY	DC	DG	DK	DP	ED	EK	EL	EW	FI	FO	FR
AIDS	0	*	0	0	0	7	0	0	0	0	0	0	*	*	*
AMEBIASIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BOTULISM, FOODBORNE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CAMPYLOBACTERIOSIS	0	0	1	1	0	7	3	0	1	1	0	0	0	3	1
CHANCROID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHLAMYDIA	3	61	1	7	1	192	19	7	2	1	68	5	82	89	25
CRYPTOSPORIDIOSIS +	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E. coli O157:H7 +	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ENCEPHALITIS, PRIMARY	0	0	0	0	0	3	0	0	0	0	1	0	1	0	0
GIARDIASIS	3	1	0	0	1	10	5	1	0	0	1	0	24	2	1
GONORRHEA	0	12	0	1	0	79	4	2	0	0	14	1	25	26	0
HEPATITIS A	0	0	0	0	0	4	0	0	0	0	1	0	8	15	4
HEPATITIS B	0	0	0	0	0	1	0	0	0	0	0	0	1	3	1
HEPATITIS, C/NON-A NON-B	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1
LEAD ≥ 10 μg/dL	0	12	3	2	0	3	5	3	2	2	4	5	7	16	16
LEGIONELLOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
LYME DISEASE	0	0	0	1	0	2	0	0	0	0	0	0	0	0	0
MALARIA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
MENINGITIS, ASEPTIC	0	0	0	0	0	11	0	0	0	0	0	0	0	1	1
MENINGITIS, HIB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL DISEASE	0	1	0	0	0	1	0	0	0	0	0	0	0	1	0
PERTUSSIS	0	0	0	0	0	4	0	0	0	0	0	0	0	1	0
RABIES, ANIMAL	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1
RMSF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RUBELLA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALMONELLOSIS	0	2	2	2	0	14	5	0	0	1	3	1	7	3	1
SHIGELLOSIS	1	0	0	0	0	4	0	1	0	0	3	0	4	5	0
SYPHILIS, P AND S	0	0	0	0	0	1	0	0	0	0	0	1	1	1	0
SYPHILIS, CONGENITAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYPHILIS, ALL STAGES	0	1	0	0	0	1	0	0	0	0	1	2	2	1	0
TETANUS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOXIC SHOCK SYNDROME	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TUBERCULOSIS	0	0	0	0	0	3	0	0	0	0	0	0	10	1	0
TULAREMIA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TYPHOID FEVER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
URETHRITIS	0	0	0	0	0	16	2	0	1	0	2	0	1	2	1
VAGINITIS	0	0	0	1	0	0	1	0	1	0	0	0	0	1	0
YERSINIOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

* Counties which reported fewer than 5 cases.
\+ Became reportable as of January 12, 1996.

Table 5. Cases of reportable diseases by county in Kansas, 1995

	GE	GH	GL	GO	GT	GW	GY	HG	HM	HP	HS	HV	JA	JF	JO
AIDS	6	0	0	0	0	0	0	0	0	0	0	*	0	0	34
AMEBIASIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BOTULISM, FOODBORNE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CAMPYLOBACTERIOSIS	0	0	0	0	1	0	0	0	0	0	0	5	2	5	62
CHANCROID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHLAMYDIA	368	0	0	2	12	3	5	0	0	4	1	45	12	1	340
CRYPTOSPORIDIOSIS +	0	0	0	0	0	0	0	0	0	0	0	0	0	2	10
E. coli 0157:H7 +	1	0	0	0	0	1	0	0	0	0	0	0	0	0	8
ENCEPHALITIS, PRIMARY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GIARDIASIS	6	0	0	0	0	1	0	0	0	0	0	5	4	2	68
GONORRHEA	152	0	0	0	2	0	3	0	0	0	0	13	5	2	89
HEPATITIS A	0	0	0	0	1	0	10	1	0	1	0	3	0	0	29
HEPATITIS B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
HEPATITIS, C/NON-A NON-B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LEAD ≥ 10 μg/dL	0	0	2	1	0	2	2	0	1	8	0	7	18	1	7
LEGIONELLOSIS	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
LYME DISEASE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
MALARIA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGITIS, ASEPTIC	0	0	0	0	0	0	0	0	0	0	0	1	1	1	56
MENINGITIS, HIB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL DISEASE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
PERTUSSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIES, ANIMAL	0	0	0	0	1	1	0	0	0	0	0	3	0	0	2
RMSF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RUBELLA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALMONELLOSIS	1	0	0	0	0	1	0	0	0	0	0	3	0	3	48
SHIGELLOSIS	1	0	1	0	0	0	0	0	0	0	0	2	0	1	42
SYPHILIS, P AND S	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1
SYPHILIS, CONGENITAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYPHILIS, ALL STAGES	15	0	0	0	0	0	0	0	0	0	0	2	0	0	2
TETANUS	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
TOXIC SHOCK SYNDROME	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TUBERCULOSIS	0	0	0	0	0	0	0	0	0	0	0	2	1	0	2
TULAREMIA	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0
TYPHOID FEVER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
URETHRITIS	38	0	0	0	0	0	0	0	0	0	0	2	1	1	17
VAGINITIS	11	0	0	0	0	0	0	0	0	0	0	0	0	0	26
YERSINIOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

* Counties which reported fewer than 5 cases.
\+ Became reportable as of January 12, 1996.

Table 5. Cases of reportable diseases by county in Kansas, 1995

	JW	KE	KM	KW	LB	LC	LE	LG	LN	LV	LY	MC	ME	MG	MI
AIDS	0	0	0	0	*	0	0	0	0	11	*	0	0	7	5
AMEBIASIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BOTULISM, FOODBORNE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CAMPYLOBACTERIOSIS	0	0	0	0	0	0	0	0	0	6	0	0	0	1	0
CHANCROID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHLAMYDIA	1	8	3	2	17	1	0	3	2	51	98	22	2	56	20
CRYPTOSPORIDIOSIS +	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
E. coli O157:H7 +	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0
ENCEPHALITIS, PRIMARY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GIARDIASIS	0	0	0	0	2	2	0	0	0	3	1	1	0	5	2
GONORRHEA	0	0	1	0	9	0	0	0	1	23	28	8	0	37	8
HEPATITIS A	0	0	0	1	0	0	0	0	0	3	2	0	0	8	0
HEPATITIS B	0	0	1	0	0	0	0	0	0	0	1	0	0	1	0
HEPATITIS, C/NON-A NON-B	0	0	2	1	0	0	0	0	0	0	1	0	1	0	0
LEAD ≥ 10 μg/dL	1	2	6	5	1	0	0	0	9	30	21	6	1	70	2
LEGIONELLOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LYME DISEASE	0	0	1	0	0	0	0	0	0	1	1	0	0	3	0
MALARIA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGITIS, ASEPTIC	0	0	0	1	0	0	0	0	1	4	0	0	0	0	0
MENINGITIS, HIB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL DISEASE	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
PERTUSSIS	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
RABIES, ANIMAL	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
RMSF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RUBELLA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALMONELLOSIS	0	1	0	0	3	0	0	0	2	5	3	0	0	7	3
SHIGELLOSIS	0	0	0	0	13	0	7	2	0	9	0	0	0	1	1
SYPHILIS, P AND S	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
SYPHILIS, CONGENITAL	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
SYPHILIS, ALL STAGES	0	0	0	0	0	0	0	0	0	8	2	1	0	4	0
TETANUS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOXIC SHOCK SYNDROME	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TUBERCULOSIS	0	0	0	0	3	0	0	0	1	3	0	0	0	1	0
TULAREMIA	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TYPHOID FEVER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
URETHRITIS	0	0	0	0	0	0	0	0	0	19	0	0	0	1	0
VAGINITIS	0	0	0	1	0	0	0	0	0	8	2	0	0	0	0
YERSINIOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

* Counties which reported fewer than 5 cases.
\+ Became reportable as of January 12, 1996.

Table 5. Cases of reportable diseases by county in Kansas, 1995

	MN	MP	MR	MS	MT	NM	NO	NS	NT	OB	OS	OT	PL	PN	PR
AIDS	5	*	0	0	0	0	7	0	0	0	0	0	0	0	0
AMEBIASIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BOTULISM, FOODBORNE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CAMPYLOBACTERIOSIS	1	0	1	0	0	1	2	0	0	0	1	0	0	0	6
CHANCROID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHLAMYDIA	6	23	7	5	5	1	5	1	3	1	12	1	2	4	9
CRYPTOSPORIDIOSIS +	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
E. coli O157:H7 +	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
ENCEPHALITIS, PRIMARY	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
GIARDIASIS	2	1	5	0	1	2	1	0	0	0	1	1	0	0	1
GONORRHEA	1	2	1	0	0	0	0	0	0	0	2	1	2	0	1
HEPATITIS A	0	1	0	5	0	0	0	1	0	0	0	0	0	0	0
HEPATITIS B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HEPATITIS, C/NON-A NON-B	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LEAD ≥ 10 μg/dL	5	1	3	7	0	13	9	1	6	0	5	1	1	4	0
LEGIONELLOSIS	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
LYME DISEASE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MALARIA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGITIS, ASEPTIC	0	0	0	0	0	1	0	0	0	0	1	0	0	0	1
MENINGITIS, HIB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGOCOCCAL DISEASE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PERTUSSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RABIES, ANIMAL	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
RMSF	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
RUBELLA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALMONELLOSIS	2	3	2	1	0	1	4	0	2	1	2	0	2	1	6
SHIGELLOSIS	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
SYPHILIS, P AND S	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYPHILIS, CONGENITAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYPHILIS, ALL STAGES	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
TETANUS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOXIC SHOCK SYNDROME	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TUBERCULOSIS	0	1	0	1	0	0	1	0	0	0	1	0	0	0	0
TULAREMIA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TYPHOID FEVER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
URETHRITIS	0	1	0	0	0	0	0	0	3	0	0	1	0	1	0
VAGINITIS	0	0	1	3	0	0	0	0	3	0	1	0	0	0	0
YERSINIOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

* Counties which reported fewer than 5 cases.

\+ Became reportable as of January 12, 1996.

Table 5. Cases of reportable diseases by county in Kansas, 1995

	PT	RA	RC	RH	RL	RN	RO	RP	RS	SA	SC	SD	SF	SG	SH
AIDS	0	0	0	0	*	*	0	0	0	5	0	0	0	87	0
AMEBIASIS	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
BUTULISM, FOODBORNE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CAMPYLOBACTERIOSIS	2	0	1	0	12	1	0	0	0	6	0	0	1	49	4
CHANCROID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHLAMYDIA	9	0	9	2	202	133	1	1	8	109	0	1	1	1324	9
CRYPTOSPORIDIOSIS +	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0
E. coli O157:H7 +	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
ENCEPHALITIS, PRIMARY	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
GIARDIASIS	5	0	0	0	7	31	0	0	0	9	0	0	1	46	0
GONORRHEA	1	0	4	0	46	54	1	0	0	64	0	0	0	714	0
HEPATITIS A	0	0	0	0	3	1	0	0	0	1	0	0	0	9	0
HEPATITIS B	0	0	0	0	0	1	0	0	0	0	0	0	0	11	0
HEPATITIS, C/NON-A NON-B	0	0	0	0	0	0	0	0	0	1	0	0	0	3	0
LEAD ≥ 10 μg/dL	12	2	0	1	0	24	5	0	3	1	1	0	0	23	4
LEGIONELLOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
LYME DISEASE	0	1	0	0	0	1	0	0	0	1	0	0	0	1	0
MALARIA	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MENINGITIS, ASEPTIC	0	0	0	0	0	1	0	0	0	0	0	1	0	5	0
MENINGITIS, HIB	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
MENINGOCOCCAL DISEASE	0	0	0	0	0	2	0	0	0	3	0	0	0	4	0
PERTUSSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	7	0
RABIES, ANIMAL	4	0	0	0	0	0	0	0	0	0	0	0	0	13	0
RMSF	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
RUBELLA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALMONELLOSIS	7	0	1	0	10	12	0	0	1	5	1	0	0	76	1
SHIGELLOSIS	0	0	0	0	2	3	0	0	0	0	0	0	0	55	1
SYPHILIS, P AND S	0	0	0	0	0	0	0	0	0	0	0	0	0	16	0
SYPHILIS, CONGENITAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYPHILIS, ALL STAGES	0	0	0	0	2	1	0	0	0	1	0	0	0	41	0
TETANUS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOXIC SHOCK SYNDROME	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TUBERCULOSIS	0	0	1	0	2	1	0	0	0	2	0	0	0	30	0
TULAREMIA	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0
TYPHOID FEVER	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
URETHRITIS	0	0	0	0	38	31	0	0	0	7	0	0	0	197	0
VAGINITIS	8	0	1	0	371	45	0	0	0	1	0	0	0	3	0
YERSINIOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

* Counties which reported fewer than 5 cases.

\+ Became reportable as of January 12, 1996.

Table 5. Cases of reportable diseases by county in Kansas, 1995

	SM	SN	ST	SU	SV	SW	TH	TR	WA	WB	WH	WL	WO	WS	WY	TOTAL
AIDS	0	23	0	*	0	7	0	0	0	0	0	0	0	0	50	286
AMEBIASIS	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
BUTULISM, FOODBORNE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CAMPYLOBACTERIOSIS	0	14	1	0	0	0	0	2	0	2	0	1	0	0	21	238
CHANCROID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
CHLAMYDIA	1	483	2	17	4	39	16	2	1	3	2	5	1	0	979	5315
CRYPTOSPORIDIOSIS +	0	7	0	0	0	0	0	0	0	1	0	0	0	0	0	31
E. coli O157:H7 +	0	1	0	0	0	0	0	0	0	0	0	0	0	0	7	29
ENCEPHALITIS, PRIMARY	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	11
GIARDIASIS	0	34	0	3	0	9	1	0	0	4	0	0	1	0	43	395
GONORRHEA	0	367	0	2	0	20	1	0	0	0	1	2	1	0	914	2797
HEPATITIS A	0	2	0	1	0	4	0	0	0	0	0	0	0	0	26	162
HEPATITIS B	0	25	0	0	0	0	0	0	0	0	0	0	0	0	3	53
HEPATITIS, C/NON-A NON-B	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	18
LEAD ≥ 10 μg/dL	2	53	0	19	0	0	4	1	2	1	0	2	12	0	71	890
LEGIONELLOSIS	0	0	0	0	0	0	0	1	0	0	0	0	0	0	3	8
LYME DISEASE	0	1	0	0	0	0	0	0	0	1	0	0	0	0	5	23
MALARIA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
MEASLES	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
MENINGITIS, ASEPTIC	0	14	0	0	0	0	0	0	0	0	0	0	0	0	14	117
MENINGITIS, HIB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
MENINGOCOCCAL DISEASE	0	5	0	0	0	0	0	0	0	0	0	0	0	0	3	28
PERTUSSIS	0	1	0	0	0	0	0	0	0	0	0	0	0	0	4	23
RABIES, ANIMAL	0	1	0	0	0	0	0	0	0	0	0	1	0	1	2	46
RMSF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
RUBELLA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
SALMONELLOSIS	0	27	0	6	0	2	0	1	0	0	0	0	0	0	30	363
SHIGELLOSIS	0	19	0	0	0	2	3	0	0	1	1	0	0	0	102	302
SYPHILIS, P AND S	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13	47
SYPHILIS, CONGENITAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
SYPHILIS, ALL STAGES	0	7	0	1	0	4	0	0	0	0	0	0	0	0	37	147
TETANUS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOXIC SHOCK SYNDROME	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TUBERCULOSIS	0	3	0	0	0	2	0	1	0	0	0	0	0	0	11	89
TULAREMIA	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	10
TYPHOID FEVER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
URETHRITIS	0	190	0	0	0	0	0	0	0	0	0	0	0	0	244	822
VAGINITIS	0	71	0	0	0	0	0	0	0	1	0	0	0	0	169	730
YERSINIOSIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2

* Counties which reported fewer than 5 cases.

\+ Became reportable as of January 12, 1996.

Table 6. Publications on disease control in Kansas, 1995

Calder, JC. Rabies in Kansas, 1994. 1995;6-7, 25.

CDC. Achievement of Dietary Goals - Kansas, 1993. MMWR. 1995;44:452-453, 459.

KDHE. Salmonella Outbreak at a High School in Kansas, 1994. Kansas Medicine. 1995;95:16-17.

KDHE. Physical Activity in Kansas, 1993. Kansas Medicine. 1995;95:18.

KDHE. A Swimming-Pool-Associated Outbreak of Cryptosporidiosis. Kansas Medicine. 1995;95:67-68.

KDHE. HIV Survey of childbearing Women in Kansas, 1992-1994. Kansas Medicine. 1995;95:69-70.

KDHE, Bureau of Disease Control. Kansas AIDS/STD Update, July 1995.

Wilberschied, LA. Pediatric blood lead testing in Kansas, 1994. The Kansas Nurse. 1995;70:10.

Wilberschied, LA. Reportable diseases in Kansas: 1994 summary. KDHE, Bureau of Disease Control. 1995.

Kansas Department of Health and Environment
Office of Epidemiologic Services
Landon Building, Suite 1051
900 SW Jackson St.
Topeka, KS 66612-1290
264-12

Dr. Lou Saadi

Office of Health Care Information
Mills Bldg, Suite 400A