

2011 Kansas Behavioral Risk Factor Surveillance System Local Data

Crawford County



2011 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Eric Cook-Wiens, MPH
Data and Measurement Manager
Kansas Healthcare Collaborative

Report Supervision:

Ericka Welsh, PhD
Senior Chronic Disease Epidemiologist
Bureau of Health Promotion (BHP)

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:

Partial funding for the 2011 Behavioral Risk Factor Survey was provided by cooperative agreement U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

Kansas Department of Health and Environment
Bureau of Health Promotion
November 2013

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years.


During the 2011 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 43 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 43 health risk indicators analyzed at the county or regional level. By the conclusion of the 10-year project, most of Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,

A handwritten signature in blue ink that reads "Robert Moser". The signature is fluid and cursive, with a large initial "R" and "M".

Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Crawford County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2011 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Kansas Department of Health and Environment
Bureau of Health Promotion
Curtis State Office Building
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ericka Welsh, PhD
Senior Chronic Disease Epidemiologist
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-0842
Fax: 785-296-8059
ewelsh@kdheks.gov

Table of Contents

Alcohol Consumption	
Binge Drinking.....	1
Heavy Drinking.....	3
Arthritis	
Arthritis.....	5
Activity Limitation Due to Arthritis.....	7
Asthma	9
Cancer	
Cancer (Excluding Skin Cancer).....	11
Skin Cancer.....	13
Cholesterol	
Not Checked Cholesterol within Five Years.....	15
High Blood Cholesterol Status.....	17
Chronic Obstructive Pulmonary Disease (COPD)	19
Depressive Disorder	21
Diabetes	23
Disability	
Activity Limitation Due to Physical, Mental, or Emotional Problems.....	25
Disability.....	27
Exercise and Physical Activity	
Did Not Meet Both the Aerobic AND Strengthening Exercise Recommendations...29	
Did Not Meet EITHER Aerobic OR Strengthening Recommendation.....	31
Not Participating in Any Physical Activity.....	33
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day.....	35
Consuming Vegetables Less than 1 Time Per Day.....	37

Health Care Access	
Lack Health Care Coverage	39
Lack Health Care Coverage (Ages 18 to 64 Years Old Only)	41
No Personal Doctor	43
Did Not See Doctor Due to Cost.....	45
General Health	47
Healthy Days-Health Related Quality of Life	
Physical Health Status.....	49
Mental Health Status	51
Poor Physical or Mental Health is Barrier to Usual Activities.....	53
Heart Attack	55
Coronary Heart Disease	57
Stroke	59
High Blood Pressure	61
Immunization	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza (Ages 65 Years and Older Only)	65
Never Had Pneumonia Vaccination.....	67
Weight Status (BMI Categories)	
Obese.....	69
Overweight or Obese	71
Seatbelt Use	73
Tobacco Use	
Current Smoker	75
Tried Quitting Smoking	77
Smokeless Tobacco Use.....	79
Male Smokeless Tobacco User.....	81
Veteran Status	83
Vision Impairment	85
Technical Notes	87

Percentage of Adults Who Are Binge Drinkers, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,281	17.0	0.4	16.2	17.8
Crawford County	32	21.7	3.7	14.4	29.0
Gender					
Men	21	30.8	6.2	18.7	42.9
Women	11	13.2	3.9	5.5	20.9
Age Group					
18 to 44 Years	22	32.2	6.2	20.1	44.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	21.8	3.8	14.3	29.2
Race					
White	29	20.1	3.5	13.1	27.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	11	20.4	5.9	8.8	32.0
Some College or College Graduate	21	22.6	4.8	13.1	32.0
Annual Household Income					
Less than \$35,000 per Year	12	15.8	4.4	7.1	24.4
\$35,000 or Higher per Year	16	26.4	6.3	14.0	38.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	28	29.3	5.0	19.5	39.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	11	30.3	8.3	14.0	46.7
Overweight (25 ≤ BMI < 30)	14	27.2	6.6	14.3	40.0
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	22.6	4.6	13.6	31.6
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	21	15.2	3.3	8.7	21.7
Smoking Status					
Current smoker	11	30.5	8.0	14.8	46.3
Non-smoker	21	18.3	4.2	10.1	26.6
Health Insurance Status					
Insured	22	19.6	4.3	11.2	27.9
Uninsured	*	*	*	*	*

Numerator: Male respondents having five or more drinks on one occasion in the past 30 days or female respondents having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	823	5.4	0.2	5.0	5.9
Crawford County	13	7.6	2.2	3.3	11.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	7.8	2.3	3.4	12.2
Race					
White	13	8.2	2.3	3.6	12.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	11	10.9	3.2	4.5	17.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,493	23.1	0.3	22.4	23.8
Crawford County	94	32.4	3.9	24.8	40.0
Gender					
Men	34	29.8	5.5	19.0	40.6
Women	60	35.0	5.4	24.5	45.5
Age Group					
18 to 44 Years	14	21.5	6.4	8.9	34.1
45 to 64 Years	34	34.5	5.6	23.6	45.4
65 Years and Older	46	60.1	5.8	48.6	71.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	91	32.2	3.9	24.4	39.9
Race					
White	85	30.6	3.8	23.2	38.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	40	40.1	7.0	26.4	53.7
Some College or College Graduate	54	27.6	4.4	18.9	36.2
Annual Household Income					
Less than \$35,000 per Year	57	43.6	5.9	32.0	55.3
\$35,000 or Higher per Year	25	21.9	5.5	11.2	32.6
Disability Status					
Living with a Disability	61	60.6	6.5	47.9	73.3
Living without a Disability	29	16.8	4.1	8.7	24.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	30.8	8.9	13.5	48.2
Overweight (25 ≤ BMI < 30)	25	25.6	5.5	14.8	36.4
Obese (BMI ≥ 30)	42	38.7	5.7	27.6	49.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	60	29.0	4.3	20.6	37.3
Does not participate in leisure time physical activity	31	39.5	8.2	23.5	55.4
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	81	32.6	4.1	24.5	40.6
Smoking Status					
Current smoker	21	38.0	9.1	20.1	55.8
Non-smoker	73	30.4	4.1	22.5	38.4
Health Insurance Status					
Insured	81	31.5	3.9	23.8	39.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,150	48.8	0.8	47.3	50.4
Crawford County	47	50.4	7.7	35.2	65.6
Gender					
Men	*	*	*	*	*
Women	31	56.9	9.6	38.2	75.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	47	52.3	7.9	36.7	67.8
Race					
White	43	54.1	7.6	39.2	69.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	25	38.0	8.6	21.2	54.8
Annual Household Income					
Less than \$35,000 per Year	30	57.9	9.2	39.8	76.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	41	74.7	6.8	61.4	88.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>28</i>	<i>39.5</i>	<i>8.1</i>	<i>23.6</i>	<i>55.3</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>41</i>	<i>52.0</i>	<i>7.8</i>	<i>36.6</i>	<i>67.3</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>36</i>	<i>44.5</i>	<i>8.1</i>	<i>28.6</i>	<i>60.4</i>
Health Insurance Status					
Insured	<i>39</i>	<i>40.9</i>	<i>7.1</i>	<i>26.9</i>	<i>54.8</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,709	8.8	0.3	8.2	9.3
Crawford County	24	8.5	2.0	4.5	12.5
Gender					
Men	*	*	*	*	*
Women	18	13.0	3.5	6.2	19.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	8.4	2.1	4.4	12.4
Race					
White	22	9.0	2.2	4.7	13.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	17	12.4	3.5	5.5	19.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	9.5	2.7	4.3	14.7
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	20	8.1	2.1	4.0	12.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	7.8	2.3	3.3	12.3
Health Insurance Status					
Insured	20	7.8	2.1	3.8	11.9
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,108	6.9	0.2	6.5	7.2
Crawford County	27	6.2	1.4	3.6	8.9
Gender					
Men	*	*	*	*	*
Women	19	8.3	2.2	4.0	12.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	23.2	5.3	12.8	33.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	6.1	1.4	3.4	8.7
Race					
White	26	6.5	1.4	3.7	9.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	19	5.6	1.4	2.8	8.4
Annual Household Income					
Less than \$35,000 per Year	15	7.8	2.2	3.6	12.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	16	11.5	3.3	5.0	17.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	5.3	1.5	2.3	8.3
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	23	6.4	1.5	3.4	9.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	6.3	1.6	3.2	9.4
Health Insurance Status					
Insured	26	8.0	1.8	4.6	11.5
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,950	6.2	0.2	5.9	6.5
Crawford County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	13.7	4.0	5.8	21.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	18	5.1	1.5	2.1	8.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	18	6.2	1.8	2.6	9.8
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Not Checked Cholesterol Within Five Years
Among Those Who Have Ever Had Cholesterol Checked, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,379	27.1	0.5	26.2	28.0
Crawford County	57	30.5	4.0	22.6	38.4
Gender					
Men	21	28.1	5.6	17.1	39.1
Women	36	32.6	5.7	21.4	43.8
Age Group					
18 to 44 Years	30	45.6	6.6	32.6	58.6
45 to 64 Years	18	18.3	4.5	9.4	27.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	57	31.2	4.1	23.1	39.2
Race					
White	57	33.4	4.2	25.1	41.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	42.1	7.3	27.8	56.5
Some College or College Graduate	31	22.8	4.1	14.9	30.8
Annual Household Income					
Less than \$35,000 per Year	31	39.7	6.3	27.4	52.0
\$35,000 or Higher per Year	18	18.5	4.7	9.3	27.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	46	36.3	4.9	26.7	45.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	21	34.3	8.4	18.0	50.7
Overweight (25 ≤ BMI < 30)	15	29.0	6.8	15.6	42.4
Obese (BMI ≥ 30)	20	28.0	5.8	16.5	39.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	27.8	4.3	19.4	36.3
Does not participate in leisure time physical activity	18	39.4	8.9	22.1	56.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	49	32.4	4.5	23.5	41.4
Smoking Status					
Current smoker	15	43.8	9.0	26.1	61.5
Non-smoker	42	25.2	4.0	17.4	33.0
Health Insurance Status					
Insured	39	24.2	3.9	16.5	31.9
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had not checked their blood cholesterol in the past five years.

Denominator: Respondents who ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,660	38.4	0.5	37.5	39.3
Crawford County	87	34.6	3.9	27.0	42.2
Gender					
Men	35	34.3	6.0	22.5	46.1
Women	52	34.9	4.8	25.5	44.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	40	43.5	6.3	31.1	55.8
65 Years and Older	39	55.9	6.6	42.9	69.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	85	34.5	3.9	26.9	42.2
Race					
White	81	35.8	4.0	28.1	43.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	48.6	7.8	33.4	63.8
Some College or College Graduate	52	27.4	4.1	19.4	35.5
Annual Household Income					
Less than \$35,000 per Year	45	47.8	6.2	35.6	60.0
\$35,000 or Higher per Year	35	23.6	4.4	15.0	32.2
Disability Status					
Living with a Disability	49	53.1	6.4	40.5	65.7
Living without a Disability	35	22.6	4.2	14.3	30.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	16	17.2	5.0	7.5	26.9
Overweight (25 ≤ BMI <30)	29	33.1	6.4	20.5	45.7
Obese (BMI ≥ 30)	39	48.3	6.6	35.3	61.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	58	32.2	4.5	23.4	41.1
Does not participate in leisure time physical activity	28	43.5	7.6	28.6	58.3
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	73	38.4	4.3	29.9	46.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	72	35.7	4.4	27.1	44.3
Health Insurance Status					
Insured	78	35.8	4.2	27.6	44.0
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Had Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,658	6.6	0.2	6.2	7.0
Crawford County	26	10.0	2.3	5.5	14.5
Gender					
Men	*	*	*	*	*
Women	15	9.7	2.9	4.0	15.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	16.1	4.6	7.2	25.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	9.3	2.3	4.9	13.8
Race					
White	25	10.8	2.5	6.0	15.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	18.1	5.1	8.1	28.0
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	19	14.2	3.7	6.9	21.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	15.8	4.4	7.1	24.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	24	10.1	2.4	5.4	14.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	23	10.3	2.5	5.3	15.3
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,360	15.9	0.3	15.2	16.5
Crawford County	55	21.7	3.1	15.6	27.8
Gender					
Men	17	16.3	4.2	8.1	24.5
Women	38	26.9	4.5	18.1	35.7
Age Group					
18 to 44 Years	21	24.4	5.1	14.5	34.4
45 to 64 Years	20	20.5	4.7	11.3	29.6
65 Years and Older	14	15.8	4.6	6.8	24.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	21.5	3.1	15.3	27.6
Race					
White	51	21.8	3.2	15.5	28.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	23.6	5.5	12.9	34.4
Some College or College Graduate	34	20.5	3.7	13.2	27.8
Annual Household Income					
Less than \$35,000 per Year	35	33.2	5.4	22.6	43.8
\$35,000 or Higher per Year	15	9.4	2.6	4.3	14.6
Disability Status					
Living with a Disability	35	40.8	6.6	27.9	53.7
Living without a Disability	20	12.7	3.1	6.6	18.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	15	18.7	5.5	7.9	29.5
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	25	29.0	5.5	18.2	39.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	21.2	3.8	13.8	28.6
Does not participate in leisure time physical activity	21	24.5	5.9	13.0	36.0
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	46	20.7	3.3	14.2	27.2
Smoking Status					
Current smoker	20	33.1	7.5	18.4	47.8
Non-smoker	35	17.5	3.3	11.1	23.9
Health Insurance Status					
Insured	43	19.3	3.3	12.9	25.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse, or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,584	9.5	0.2	9.1	10.0
Crawford County	38	9.3	1.8	5.8	12.8
Gender					
Men	20	12.6	3.2	6.3	18.8
Women	18	6.2	1.7	2.9	9.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	20	18.8	4.4	10.2	27.3
65 Years and Older	17	17.1	4.5	8.2	26.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	9.6	1.8	6.0	13.2
Race					
White	33	9.1	1.8	5.5	12.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	10.7	3.0	4.8	16.7
Some College or College Graduate	21	8.4	2.2	4.1	12.8
Annual Household Income					
Less than \$35,000 per Year	21	11.7	3.0	5.7	17.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	24	15.8	3.9	8.1	23.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	13.5	3.5	6.7	20.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	5.9	1.7	2.6	9.2
Does not participate in leisure time physical activity	20	16.8	4.6	7.8	25.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	34	10.4	2.1	6.3	14.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	9.8	2.2	5.5	14.0
Health Insurance Status					
Insured	34	10.3	2.0	6.4	14.3
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental, or Emotional Problems, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,714	23.0	0.4	22.3	23.7
Crawford County	97	33.3	3.8	25.9	40.7
Gender					
Men	40	31.7	5.2	21.4	41.9
Women	57	34.8	5.3	24.3	45.3
Age Group					
18 to 44 Years	20	24.1	5.9	12.6	35.7
45 to 64 Years	39	39.5	5.7	28.3	50.7
65 Years and Older	38	51.2	6.3	38.8	63.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	94	33.0	3.8	25.4	40.5
Race					
White	89	33.5	3.9	25.8	41.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	38.3	7.2	24.2	52.4
Some College or College Graduate	61	30.3	4.1	22.3	38.3
Annual Household Income					
Less than \$35,000 per Year	64	51.1	5.9	39.5	62.7
\$35,000 or Higher per Year	27	18.7	3.8	11.1	26.2
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	31	27.1	5.4	16.5	37.7
Obese (BMI ≥ 30)	46	47.7	6.0	35.9	59.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	59	28.1	3.9	20.4	35.7
Does not participate in leisure time physical activity	38	46.2	8.0	30.5	61.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	84	33.7	4.1	25.6	41.8
Smoking Status					
Current smoker	25	44.3	8.8	27.0	61.7
Non-smoker	72	29.1	3.7	21.8	36.4
Health Insurance Status					
Insured	83	31.9	3.7	24.6	39.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability , 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,179	24.5	0.4	23.7	25.2
Crawford County	102	34.0	3.8	26.6	41.4
Gender					
Men	40	31.7	5.2	21.4	41.9
Women	62	36.2	5.3	25.8	46.7
Age Group					
18 to 44 Years	20	24.1	5.9	12.6	35.7
45 to 64 Years	39	39.5	5.7	28.3	50.7
65 Years and Older	43	55.4	6.2	43.2	67.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	99	33.7	3.8	26.2	41.2
Race					
White	94	34.3	3.9	26.6	42.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	38.3	7.2	24.2	52.4
Some College or College Graduate	66	31.5	4.1	23.4	39.5
Annual Household Income					
Less than \$35,000 per Year	65	51.5	5.9	40.0	63.1
\$35,000 or Higher per Year	28	18.9	3.9	11.3	26.5
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	33	28.1	5.5	17.4	38.8
Obese (BMI ≥ 30)	46	47.7	6.0	35.9	59.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	62	28.8	3.9	21.1	36.4
Does not participate in leisure time physical activity	40	46.9	8.0	31.3	62.5
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	89	34.6	4.1	26.4	42.7
Smoking Status					
Current smoker	25	44.3	8.8	27.0	61.7
Non-smoker	77	30.1	3.8	22.7	37.5
Health Insurance Status					
Insured	88	32.8	3.7	25.5	40.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed, or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet Both The
Aerobic AND Strengthening Exercise Recommendations, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,604	83.5	0.4	82.7	84.2
Crawford County	229	84.0	3.2	77.6	90.3
Gender					
Men	87	82.0	5.4	71.4	92.6
Women	142	85.9	3.6	78.8	93.0
Age Group					
18 to 44 Years	66	78.9	5.6	68.0	89.8
45 to 64 Years	88	88.2	3.8	80.7	95.7
65 Years and Older	75	92.2	3.1	86.1	98.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	223	83.5	3.3	77.0	90.1
Race					
White	216	85.8	2.8	80.3	91.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	78	87.4	4.6	78.4	96.4
Some College or College Graduate	151	82.0	4.4	73.4	90.6
Annual Household Income					
Less than \$35,000 per Year	108	86.0	3.9	78.3	93.7
\$35,000 or Higher per Year	99	80.4	5.8	69.0	91.8
Disability Status					
Living with a Disability	89	87.0	4.6	78.1	96.0
Living without a Disability	139	82.8	4.3	74.3	91.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	66	78.1	7.8	62.8	93.3
Overweight (25 ≤ BMI <30)	73	86.0	4.9	76.4	95.6
Obese (BMI ≥ 30)	84	86.0	4.2	77.8	94.2
Smoking Status					
Current smoker	45	86.5	5.7	75.4	97.6
Non-smoker	184	83.0	3.9	75.4	90.7
Health Insurance Status					
Insured	193	83.7	3.8	76.2	91.1
Uninsured	*	*	*	*	*

Numerator: Respondents who did not meet both aerobic and strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

Meeting the physical activity guideline is defined as meeting both aerobic and strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet EITHER
Aerobic OR Strengthening Guideline, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,956	45.3	0.5	44.4	46.2
Crawford County	126	45.8	4.0	38.0	53.7
Gender					
Men	47	42.4	5.9	30.9	53.9
Women	79	49.2	5.3	38.7	59.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	48	47.1	5.8	35.7	58.4
65 Years and Older	40	42.9	6.2	30.8	55.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	122	45.3	4.1	37.3	53.3
Race					
White	118	46.7	4.1	38.7	54.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	44	51.0	7.1	37.0	64.9
Some College or College Graduate	82	42.7	4.6	33.6	51.8
Annual Household Income					
Less than \$35,000 per Year	62	50.3	6.0	38.6	62.0
\$35,000 or Higher per Year	52	40.5	5.6	29.4	51.5
Disability Status					
Living with a Disability	58	58.5	6.6	45.4	71.5
Living without a Disability	68	40.0	4.8	30.6	49.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	33	44.9	8.5	28.2	61.5
Overweight (25 ≤ BMI < 30)	38	38.7	6.4	26.1	51.3
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	95	40.0	4.2	31.8	48.2
Health Insurance Status					
Insured	103	43.0	4.2	34.9	51.2
Uninsured	*	*	*	*	*

Numerator: Respondents who did not meet either aerobic or strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity (Leisure Time Physical Activity) Other Than Their Regular Job in the Past 30 Days, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,740	26.8	0.4	26.0	27.6
Crawford County	78	28.9	3.7	21.5	36.2
Gender					
Men	29	28.1	5.2	17.9	38.3
Women	49	29.5	5.4	19.0	40.0
Age Group					
18 to 44 Years	15	22.1	6.0	10.3	33.9
45 to 64 Years	35	39.5	5.8	28.2	50.7
65 Years and Older	28	31.2	5.9	19.7	42.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	73	27.2	3.8	19.8	34.6
Race					
White	71	28.4	3.9	20.7	36.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	43.0	7.2	29.0	57.1
Some College or College Graduate	42	20.1	3.5	13.2	26.9
Annual Household Income					
Less than \$35,000 per Year	42	34.6	6.0	22.8	46.3
\$35,000 or Higher per Year	24	18.9	4.3	10.4	27.4
Disability Status					
Living with a Disability	40	40.0	7.1	26.2	53.9
Living without a Disability	38	23.4	4.1	15.4	31.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	30	35.1	6.4	22.7	47.6
Obese (BMI ≥ 30)	27	26.5	5.4	16.0	37.0
Smoking Status					
Current smoker	22	41.2	8.9	23.7	58.6
Non-smoker	56	24.1	3.6	17.1	31.2
Health Insurance Status					
Insured	62	24.6	3.5	17.8	31.4
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,375	41.4	0.5	40.5	42.4
Crawford County	107	44.6	4.0	36.7	52.4
Gender					
Men	51	48.6	6.0	36.8	60.4
Women	56	40.8	5.5	30.0	51.6
Age Group					
18 to 44 Years	33	43.9	6.5	31.1	56.7
45 to 64 Years	52	54.0	5.8	42.7	65.4
65 Years and Older	22	29.8	6.0	18.2	41.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	104	44.2	4.1	36.2	52.2
Race					
White	98	44.8	4.1	36.8	52.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	39	44.6	7.2	30.5	58.7
Some College or College Graduate	68	44.7	4.7	35.4	53.9
Annual Household Income					
Less than \$35,000 per Year	52	43.3	6.0	31.6	55.1
\$35,000 or Higher per Year	44	42.1	5.8	30.9	53.4
Disability Status					
Living with a Disability	42	47.7	7.0	34.0	61.4
Living without a Disability	62	42.0	4.9	32.5	51.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	40.3	8.4	23.8	56.8
Overweight (25 ≤ BMI < 30)	31	41.2	6.7	28.0	54.4
Obese (BMI ≥ 30)	46	51.1	6.0	39.4	62.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	72	40.4	4.4	31.7	49.1
Does not participate in leisure time physical activity	34	54.1	8.0	38.4	69.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	93	46.8	4.4	38.2	55.3
Smoking Status					
Current smoker	34	59.8	8.4	43.5	76.2
Non-smoker	73	38.4	4.2	30.1	46.7
Health Insurance Status					
Insured	86	41.5	4.2	33.4	49.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,908	22.3	0.4	21.4	23.1
Crawford County	58	24.9	3.7	17.6	32.2
Gender					
Men	27	27.6	5.2	17.5	37.7
Women	31	22.4	5.5	11.7	33.2
Age Group					
18 to 44 Years	19	26.3	6.1	14.3	38.3
45 to 64 Years	26	26.7	5.1	16.6	36.7
65 Years and Older	13	17.1	5.0	7.3	26.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	25.6	3.8	18.2	33.1
Race					
White	55	25.7	3.9	18.0	33.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	33.6	7.4	19.2	48.0
Some College or College Graduate	31	19.8	3.7	12.4	27.1
Annual Household Income					
Less than \$35,000 per Year	31	30.7	6.2	18.6	42.8
\$35,000 or Higher per Year	18	15.7	3.9	8.0	23.4
Disability Status					
Living with a Disability	22	30.4	7.5	15.7	45.2
Living without a Disability	36	22.4	4.0	14.6	30.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	21.7	5.5	10.8	32.5
Obese (BMI ≥ 30)	21	25.8	5.5	15.0	36.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	38	21.3	3.6	14.2	28.4
Does not participate in leisure time physical activity	20	34.4	8.8	17.2	51.6
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	50	25.3	4.2	17.1	33.5
Smoking Status					
Current smoker	17	34.2	9.0	16.6	51.8
Non-smoker	41	21.3	3.6	14.3	28.2
Health Insurance Status					
Insured	44	20.8	3.4	14.2	27.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,212	16.7	0.4	15.9	17.5
Crawford County	44	23.2	3.7	15.9	30.6
Gender					
Men	16	18.2	4.5	9.5	27.0
Women	28	27.8	5.6	16.8	38.9
Age Group					
18 to 44 Years	26	33.1	6.2	20.9	45.4
45 to 64 Years	18	19.9	5.2	9.8	30.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	22.9	3.8	15.5	30.4
Race					
White	41	23.8	4.0	16.0	31.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	32.5	7.4	18.0	46.9
Some College or College Graduate	26	17.4	3.5	10.5	24.3
Annual Household Income					
Less than \$35,000 per Year	36	39.2	6.1	27.3	51.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	27.0	7.6	12.1	42.0
Living without a Disability	29	21.2	4.0	13.3	29.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	11	22.1	6.0	10.3	34.0
Obese (BMI ≥ 30)	22	24.1	5.1	14.1	34.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	17.9	3.5	11.0	24.9
Does not participate in leisure time physical activity	16	35.5	8.6	18.6	52.3
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	35	22.9	4.2	14.7	31.2
Smoking Status					
Current smoker	17	39.0	9.0	21.3	56.7
Non-smoker	27	17.2	3.4	10.5	23.9

Numerator: Respondents reporting they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,123	20.1	0.5	19.2	21.0
Crawford County	44	28.3	4.4	19.6	36.9
Gender					
Men	16	21.7	5.3	11.3	32.0
Women	28	34.6	6.6	21.6	47.5
Age Group					
18 to 44 Years	26	33.1	6.2	20.9	45.4
45 to 64 Years	18	19.9	5.2	9.8	30.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	28.0	4.5	19.2	36.9
Race					
White	41	29.2	4.7	20.0	38.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	41.3	8.7	24.2	58.4
Some College or College Graduate	26	20.6	4.1	12.5	28.6
Annual Household Income					
Less than \$35,000 per Year	36	49.5	7.0	35.8	63.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	37.4	9.5	18.8	56.0
Living without a Disability	29	24.0	4.6	15.1	33.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	11	28.3	7.5	13.6	43.0
Obese (BMI ≥ 30)	22	29.4	6.1	17.5	41.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	21.6	4.2	13.3	29.9
Does not participate in leisure time physical activity	16	43.6	9.8	24.5	62.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	35	28.5	5.0	18.6	38.4
Smoking Status					
Current smoker	17	39.9	9.2	22.0	57.9
Non-smoker	27	22.5	4.4	13.9	31.1

Numerator: Respondents ages 18-64 years old reporting they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,606	19.7	0.4	18.9	20.6
Crawford County	45	19.7	3.1	13.7	25.7
Gender					
Men	21	23.6	4.9	14.0	33.2
Women	24	15.9	3.8	8.5	23.3
Age Group					
18 to 44 Years	23	26.7	5.3	16.3	37.0
45 to 64 Years	15	14.3	4.0	6.4	22.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	18.9	3.1	12.8	24.9
Race					
White	40	19.1	3.2	12.9	25.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	22.2	5.5	11.4	33.0
Some College or College Graduate	26	18.2	3.6	11.0	25.3
Annual Household Income					
Less than \$35,000 per Year	29	29.2	5.3	18.8	39.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	35	23.7	4.1	15.6	31.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	25.9	6.4	13.4	38.4
Overweight (25 ≤ BMI < 30)	11	20.5	5.9	8.9	32.1
Obese (BMI ≥ 30)	15	15.0	4.3	6.6	23.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	17.2	3.5	10.4	24.0
Does not participate in leisure time physical activity	15	23.8	6.4	11.2	36.4
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	33	18.5	3.4	11.8	25.1
Smoking Status					
Current smoker	14	26.5	7.0	12.9	40.1
Non-smoker	31	17.1	3.4	10.5	23.8
Health Insurance Status					
Insured	29	16.0	3.2	9.8	22.2
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See Doctor Because of Cost In the Past 12 Months, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,334	14.3	0.3	13.7	15.0
Crawford County	31	16.2	3.4	9.4	22.9
Gender					
Men	*	*	*	*	*
Women	21	21.9	5.6	11.0	32.8
Age Group					
18 to 44 Years	17	22.4	5.8	10.9	33.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	15.8	3.5	8.9	22.6
Race					
White	27	16.0	3.6	8.8	23.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	12.2	3.0	6.4	18.0
Annual Household Income					
Less than \$35,000 per Year	25	29.6	6.1	17.6	41.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	21	32.8	7.4	18.2	47.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	<i>17</i>	<i>19.0</i>	<i>4.7</i>	<i>9.8</i>	<i>28.2</i>
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>21</i>	<i>13.5</i>	<i>3.1</i>	<i>7.5</i>	<i>19.5</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>23</i>	<i>14.1</i>	<i>3.8</i>	<i>6.6</i>	<i>21.7</i>
Smoking Status					
Current smoker	<i>12</i>	<i>30.7</i>	<i>9.0</i>	<i>13.0</i>	<i>48.4</i>
Non-smoker	<i>19</i>	<i>10.7</i>	<i>2.8</i>	<i>5.3</i>	<i>16.1</i>
Health Insurance Status					
Insured	<i>15</i>	<i>7.7</i>	<i>2.1</i>	<i>3.6</i>	<i>11.8</i>
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,614	15.0	0.3	14.4	15.6
Crawford County	56	18.1	2.7	12.7	23.4
Gender					
Men	22	16.4	4.0	8.6	24.2
Women	34	19.6	3.7	12.4	26.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	21	22.4	4.9	12.8	32.1
65 Years and Older	24	29.9	6.0	18.2	41.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	17.1	2.7	11.9	22.4
Race					
White	49	16.5	2.7	11.3	21.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	23.4	5.2	13.2	33.7
Some College or College Graduate	30	14.7	3.0	8.8	20.6
Annual Household Income					
Less than \$35,000 per Year	41	27.7	4.7	18.5	37.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	45	39.6	6.3	27.3	51.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	21	25.7	6.0	14.0	37.5
Obese (BMI ≥ 30)	25	21.8	4.6	12.9	30.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	13.9	2.9	8.1	19.6
Does not participate in leisure time physical activity	26	29.7	6.4	17.1	42.2
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	50	19.4	3.0	13.5	25.3
Smoking Status					
Current smoker	19	27.9	6.9	14.5	41.4
Non-smoker	37	14.4	2.7	9.0	19.7
Health Insurance Status					
Insured	46	17.7	3.0	11.9	23.4
Uninsured	*	*	*	*	*

Numerator: Respondents reporting that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,519	10.5	0.3	10.0	11.0
Crawford County	35	11.0	2.1	6.9	15.0
Gender					
Men	14	9.1	2.7	3.8	14.4
Women	21	12.8	3.1	6.7	18.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	16.5	4.3	8.0	25.0
65 Years and Older	14	18.9	5.4	8.4	29.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	10.8	2.1	6.7	14.8
Race					
White	29	9.0	1.8	5.4	12.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	13.9	3.9	6.4	21.5
Some College or College Graduate	18	9.2	2.4	4.5	13.8
Annual Household Income					
Less than \$35,000 per Year	24	15.9	3.7	8.7	23.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	30	26.5	5.3	16.0	36.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	15	14.7	4.3	6.2	23.1
Obese (BMI ≥ 30)	15	13.5	3.7	6.2	20.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	7.2	2.0	3.3	11.2
Does not participate in leisure time physical activity	20	21.1	5.4	10.5	31.7
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	32	12.1	2.4	7.4	16.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	8.3	2.0	4.4	12.2
Health Insurance Status					
Insured	30	11.9	2.4	7.3	16.6
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their physical health was not good.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,937	10.2	0.3	9.6	10.8
Crawford County	29	10.5	2.2	6.3	14.7
Gender					
Men	*	*	*	*	*
Women	16	10.5	2.9	4.8	16.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	12.0	3.5	5.1	18.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	10.5	2.2	6.2	14.8
Race					
White	25	9.8	2.2	5.5	14.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	11.4	2.9	5.8	17.0
Annual Household Income					
Less than \$35,000 per Year	18	15.2	3.9	7.6	22.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	19	20.4	5.1	10.3	30.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	19.2	4.7	9.9	28.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	9.7	2.6	4.7	14.7
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	22	9.1	2.2	4.7	13.4
Smoking Status					
Current smoker	13	21.2	6.3	8.9	33.5
Non-smoker	16	6.5	1.8	3.0	10.0
Health Insurance Status					
Insured	24	10.3	2.4	5.7	15.0
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their mental health was not good.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work, or Recreation, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,985	39.5	0.7	38.2	40.8
Crawford County	51	39.0	5.1	29.0	49.0
Gender					
Men	20	35.9	7.7	21.0	50.9
Women	31	41.2	6.8	28.0	54.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	46.3	8.0	30.5	62.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	38.6	5.2	28.5	48.7
Race					
White	44	36.3	5.2	26.0	46.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	33	39.8	6.3	27.5	52.2
Annual Household Income					
Less than \$35,000 per Year	34	48.1	7.1	34.1	62.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	38	59.6	7.4	45.1	74.0
Living without a Disability	13	22.5	6.5	9.8	35.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	21	34.2	7.1	20.2	48.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	30.4	5.5	19.5	41.3
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	46	40.5	5.6	29.5	51.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	33	37.3	6.2	25.1	49.5
Health Insurance Status					
Insured	39	34.4	5.5	23.7	45.0
Uninsured	*	*	*	*	*

Numerator: Respondents reporting one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work, or recreation.

Denominator: Among respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,236	4.4	0.2	4.1	4.7
Crawford County	27	6.4	1.5	3.5	9.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	28.2	6.3	15.8	40.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	6.6	1.6	3.6	9.7
Race					
White	25	6.1	1.4	3.2	8.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	17	9.2	2.7	4.0	14.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	16.3	4.1	8.2	24.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	22	6.6	1.7	3.2	10.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	7.6	1.9	3.8	11.4
Health Insurance Status					
Insured	26	8.4	2.0	4.6	12.3
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,333	4.5	0.2	4.2	4.8
Crawford County	19	4.0	1.1	1.9	6.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	16	20.1	5.3	9.8	30.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	4.1	1.1	1.9	6.2
Race					
White	17	4.0	1.1	1.8	6.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	16	4.0	1.2	1.7	6.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	5.3	1.5	2.4	8.2
Health Insurance Status					
Insured	19	5.3	1.4	2.5	8.1
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Had A Stroke, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	831	2.7	0.1	2.5	3.0
Crawford County	14	3.5	1.0	1.4	5.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	3.6	1.1	1.5	5.7
Race					
White	14	3.8	1.1	1.6	6.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	14	4.6	1.4	1.9	7.3
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,234	30.8	0.4	30.1	31.6
Crawford County	113	32.9	3.4	26.2	39.5
Gender					
Men	50	38.9	5.5	28.1	49.8
Women	63	27.0	3.9	19.4	34.6
Age Group					
18 to 44 Years	16	16.5	4.2	8.2	24.9
45 to 64 Years	44	44.0	5.8	32.7	55.4
65 Years and Older	53	62.1	6.0	50.3	73.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	111	33.0	3.5	26.2	39.8
Race					
White	103	32.1	3.4	25.3	38.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	49	43.9	6.6	30.9	57.0
Some College or College Graduate	63	25.7	3.6	18.5	32.8
Annual Household Income					
Less than \$35,000 per Year	58	33.5	4.9	23.8	43.1
\$35,000 or Higher per Year	42	32.6	5.3	22.2	42.9
Disability Status					
Living with a Disability	61	52.0	6.9	38.4	65.5
Living without a Disability	49	22.6	3.8	15.3	30.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	17	10.8	3.7	4.7	17.0
Overweight (25 ≤ BMI <30)	42	38.1	6.3	25.7	50.5
Obese (BMI ≥ 30)	49	46.7	5.9	35.2	58.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	70	28.0	3.7	20.7	35.3
Does not participate in leisure time physical activity	41	45.4	7.7	30.4	60.5
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	94	34.1	3.8	26.7	41.6
Smoking Status					
Current smoker	21	31.3	7.3	17.0	45.7
Non-smoker	92	33.4	3.8	26.0	40.8
Health Insurance Status					
Insured	99	35.1	3.8	27.7	42.5
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,021	58.3	0.4	57.4	59.2
Crawford County	140	60.0	3.8	52.6	67.5
Gender					
Men	49	54.2	6.0	42.4	66.0
Women	91	65.6	4.5	56.7	74.4
Age Group					
18 to 44 Years	59	69.6	6.0	57.8	81.4
45 to 64 Years	59	62.3	5.4	51.7	72.9
65 Years and Older	22	26.9	5.6	15.9	37.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	136	59.7	3.9	52.1	67.3
Race					
White	133	61.5	3.8	54.2	68.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	49	66.9	6.0	55.2	78.7
Some College or College Graduate	91	55.9	4.7	46.6	65.1
Annual Household Income					
Less than \$35,000 per Year	67	63.5	5.3	53.1	73.9
\$35,000 or Higher per Year	61	57.7	5.8	46.3	69.0
Disability Status					
Living with a Disability	38	48.9	6.9	35.5	62.4
Living without a Disability	101	65.9	4.7	56.6	75.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	46	65.0	7.7	49.8	80.1
Overweight (25 ≤ BMI <30)	46	62.0	6.5	49.2	74.9
Obese (BMI ≥ 30)	47	57.6	5.7	46.3	68.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	99	57.2	4.5	48.3	66.1
Does not participate in leisure time physical activity	41	67.0	6.4	54.4	79.5
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	117	59.0	4.1	51.1	67.0
Smoking Status					
Current smoker	37	78.5	5.8	67.1	89.9
Non-smoker	103	53.0	4.4	44.4	61.5
Health Insurance Status					
Insured	104	53.8	4.2	45.6	62.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not have a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,059	32.4	0.7	31.0	33.7
Crawford County	22	26.9	5.6	15.9	37.9
Gender					
Men	*	*	*	*	*
Women	18	36.2	7.6	21.2	51.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	26.9	5.6	15.9	37.9
Race					
White	22	28.3	5.8	17.0	39.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	11	21.1	6.3	8.8	33.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	28.8	7.1	14.8	42.8
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	22	29.6	6.1	17.6	41.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	27.9	5.8	16.5	39.3
Health Insurance Status					
Insured	22	26.9	5.6	15.9	37.9
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they did not receive a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Never Had Pneumonia
Vaccination, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,792	29.2	0.7	27.9	30.6
Crawford County	21	25.3	5.5	14.5	36.0
Gender					
Men	*	*	*	*	*
Women	13	24.8	7.0	11.1	38.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	25.3	5.5	14.5	36.0
Race					
White	20	25.7	5.6	14.7	36.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>16</i>	<i>29.2</i>	<i>7.1</i>	<i>15.4</i>	<i>43.0</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>19</i>	<i>25.0</i>	<i>5.7</i>	<i>13.7</i>	<i>36.2</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>21</i>	<i>26.2</i>	<i>5.7</i>	<i>15.2</i>	<i>37.3</i>
Health Insurance Status					
Insured	<i>21</i>	<i>25.3</i>	<i>5.5</i>	<i>14.5</i>	<i>36.0</i>
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they never had a pneumonia vaccination.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults who are Obese, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,907	29.6	0.4	28.7	30.4
Crawford County	99	37.0	3.7	29.7	44.2
Gender					
Men	45	42.3	5.8	31.0	53.7
Women	54	31.7	4.5	22.9	40.5
Age Group					
18 to 44 Years	29	33.0	5.8	21.7	44.3
45 to 64 Years	46	44.2	5.8	32.9	55.5
65 Years and Older	24	36.9	6.4	24.4	49.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	97	37.4	3.8	30.0	44.8
Race					
White	94	38.2	3.8	30.7	45.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	37.9	6.6	25.0	50.8
Some College or College Graduate	64	36.5	4.4	27.9	45.2
Annual Household Income					
Less than \$35,000 per Year	51	41.5	5.6	30.4	52.5
\$35,000 or Higher per Year	44	35.2	5.4	24.6	45.8
Disability Status					
Living with a Disability	46	50.7	7.0	37.1	64.3
Living without a Disability	49	28.9	4.3	20.5	37.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>70</i>	<i>38.0</i>	<i>4.4</i>	<i>29.4</i>	<i>46.6</i>
Does not participate in leisure time physical activity	<i>27</i>	<i>33.8</i>	<i>7.1</i>	<i>19.8</i>	<i>47.7</i>
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>84</i>	<i>38.0</i>	<i>4.1</i>	<i>29.9</i>	<i>46.0</i>
Smoking Status					
Current smoker	<i>16</i>	<i>29.0</i>	<i>7.4</i>	<i>14.5</i>	<i>43.4</i>
Non-smoker	<i>83</i>	<i>40.1</i>	<i>4.2</i>	<i>31.9</i>	<i>48.3</i>
Health Insurance Status					
Insured	<i>77</i>	<i>37.7</i>	<i>4.1</i>	<i>29.7</i>	<i>45.7</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who are Overweight or Obese, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	12,869	64.4	0.5	63.5	65.3
Crawford County	185	67.6	4.0	59.7	75.5
Gender					
Men	88	80.4	5.3	70.0	90.9
Women	97	54.9	5.5	44.2	65.6
Age Group					
18 to 44 Years	49	57.0	6.6	44.1	70.0
45 to 64 Years	79	83.7	3.9	76.1	91.4
65 Years and Older	57	72.1	5.4	61.5	82.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	180	67.3	4.1	59.2	75.3
Race					
White	174	68.4	4.0	60.5	76.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	64	71.2	7.4	56.7	85.8
Some College or College Graduate	121	65.6	4.7	56.4	74.8
Annual Household Income					
Less than \$35,000 per Year	89	67.9	6.1	55.9	80.0
\$35,000 or Higher per Year	83	68.1	6.0	56.3	80.0
Disability Status					
Living with a Disability	79	76.6	7.5	61.9	91.3
Living without a Disability	102	63.3	4.9	53.6	73.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	126	66.5	4.6	57.6	75.4
Does not participate in leisure time physical activity	57	71.8	8.7	54.7	89.0
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	157	70.6	4.3	62.2	79.0
Smoking Status					
Current smoker	34	58.5	9.1	40.7	76.3
Non-smoker	151	71.1	4.2	62.9	79.3
Health Insurance Status					
Insured	151	68.1	4.2	59.9	76.4
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,339	19.4	0.4	18.6	20.1
Crawford County	45	20.2	3.2	13.9	26.5
Gender					
Men	22	24.0	5.2	13.8	34.3
Women	23	16.6	3.8	9.2	24.0
Age Group					
18 to 44 Years	18	22.2	5.2	12.1	32.4
45 to 64 Years	18	20.3	4.9	10.7	30.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	20.4	3.3	14.0	26.9
Race					
White	41	19.8	3.3	13.3	26.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	19.7	5.3	9.3	30.1
Some College or College Graduate	28	20.6	4.1	12.6	28.5
Annual Household Income					
Less than \$35,000 per Year	26	24.0	4.8	14.5	33.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	21	24.6	5.6	13.6	35.5
Living without a Disability	24	18.2	4.0	10.3	26.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	14	22.2	6.4	9.7	34.6
Obese (BMI ≥ 30)	20	23.6	5.3	13.3	33.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	18.6	3.7	11.3	25.9
Does not participate in leisure time physical activity	16	24.2	6.4	11.6	36.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	37	20.8	3.6	13.7	27.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	20.8	3.7	13.6	28.0
Health Insurance Status					
Insured	29	14.8	3.0	8.9	20.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they nearly always, sometimes, seldom, or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,547	22.0	0.4	21.2	22.8
Crawford County	54	27.2	3.8	19.7	34.8
Gender					
Men	24	26.4	5.2	16.1	36.7
Women	30	28.0	5.6	17.1	38.9
Age Group					
18 to 44 Years	25	34.6	6.4	22.1	47.0
45 to 64 Years	26	28.6	5.3	18.1	39.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	26.8	3.9	19.2	34.5
Race					
White	49	28.0	4.0	20.1	35.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	36.4	7.3	22.2	50.7
Some College or College Graduate	30	21.5	3.9	13.8	29.2
Annual Household Income					
Less than \$35,000 per Year	34	34.1	6.0	22.3	45.8
\$35,000 or Higher per Year	18	24.0	5.4	13.4	34.7
Disability Status					
Living with a Disability	25	36.0	7.3	21.7	50.4
Living without a Disability	28	23.3	4.4	14.8	31.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	35.6	8.4	19.2	52.0
Overweight (25 ≤ BMI < 30)	18	26.8	6.7	14.8	38.8
Obese (BMI ≥ 30)	16	21.7	5.3	11.3	32.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	23.0	4.0	15.1	30.9
Does not participate in leisure time physical activity	22	39.7	8.4	23.3	56.0
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	45	28.1	4.3	19.6	36.5
Health Insurance Status					
Insured	37	22.1	3.7	14.8	29.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,868	55.5	1.1	53.4	57.6
Crawford County	26	46.9	8.7	29.9	64.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	49.0	9.1	31.2	66.8
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Among current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	760	5.3	0.2	4.9	5.8
Crawford County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2011

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	684	10.1	0.4	9.2	11.0
Crawford County	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,699	11.5	0.3	11.0	12.1
Crawford County	32	10.2	2.0	6.3	14.0
Gender					
Men	29	18.5	3.8	11.1	25.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	19	28.1	5.9	16.5	39.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	10.4	2.0	6.5	14.4
Race					
White	29	10.0	2.0	6.1	14.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	9.8	2.3	5.3	14.4
Annual Household Income					
Less than \$35,000 per Year	16	11.1	3.0	5.2	17.1
\$35,000 or Higher per Year	14	9.3	2.8	3.9	14.7
Disability Status					
Living with a Disability	15	14.1	3.9	6.5	21.7
Living without a Disability	15	7.0	2.1	3.0	11.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	10.4	3.0	4.4	16.3
Obese (BMI ≥ 30)	13	14.9	4.2	6.7	23.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	9.6	2.3	5.0	14.1
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	26	9.5	2.0	5.5	13.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	10.7	2.3	6.1	15.3
Health Insurance Status					
Insured	28	10.5	2.2	6.3	14.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Vision Impairment In One of Both Eyes, Even
When Wearing Glasses, 2011**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,108	15.7	0.3	15.1	16.3
Crawford County	63	19.3	3.1	13.2	25.5
Gender					
Men	23	19.9	5.2	9.8	30.1
Women	40	18.7	3.6	11.7	25.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	17.4	4.7	8.3	26.6
65 Years and Older	38	45.8	6.4	33.3	58.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	63	19.8	3.2	13.5	26.1
Race					
White	57	17.0	2.7	11.8	22.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	22.7	5.2	12.4	32.9
Some College or College Graduate	38	17.0	4.0	9.2	24.7
Annual Household Income					
Less than \$35,000 per Year	37	24.4	4.5	15.5	33.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	42	35.2	6.0	23.3	47.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	16.0	4.4	7.3	24.7
Obese (BMI ≥ 30)	25	24.0	4.9	14.3	33.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	41	20.2	4.0	12.4	28.0
Does not participate in leisure time physical activity	20	16.9	4.8	7.5	26.3
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	49	16.8	2.8	11.2	22.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	51	19.9	3.7	12.6	27.3
Health Insurance Status					
Insured	57	21.1	3.7	13.9	28.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse, or other health professional that they have vision impairment in one of both eyes, even when wearing glasses.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

Data on 43 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be unreliable. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference while overlapping confidence intervals indicate that two estimates are not statistically significantly different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, 2011 BRFSS estimates cannot be compared to estimates from previous years.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>