

# 2011 Kansas Behavioral Risk Factor Surveillance System Local Data

## Franklin County



November 2013



# **2011 Kansas Behavioral Risk Factor Surveillance System Local Data**

State of Kansas  
Sam Brownback, Governor

Kansas Department of Health and Environment  
Dr. Robert Moser, Secretary and State Health Officer

## **Report Preparation:**

Pratik Pandya, MPH  
Advanced Epidemiologist  
Bureau of Health Promotion (BHP)

Eric Cook-Wiens, MPH  
Data and Measurement Manager  
Kansas Healthcare Collaborative

## **Report Supervision:**

Ericka Welsh, PhD  
Senior Chronic Disease Epidemiologist  
Bureau of Health Promotion (BHP)

Ghazala Perveen, MBBS, PhD, MPH  
Director of Science and Surveillance, Health Officer II  
Bureau of Health Promotion (BHP)

## **Project Funding:**

Partial funding for the 2011 Behavioral Risk Factor Survey was provided by cooperative agreement U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment**  
**Bureau of Health Promotion**  
November 2013

# **Kansas Department of Health and Environment (KDHE)**

## **Mission**

To protect and improve the health and environment of all Kansans

## **Vision**

Healthy Kansans living in safe and sustainable environments

**[www.kdheks.gov](http://www.kdheks.gov)**

## Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years.


During the 2011 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 43 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 43 health risk indicators analyzed at the county or regional level. By the conclusion of the 10-year project, most of Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD  
Secretary and State Health Officer  
Kansas Department of Health and Environment



Franklin County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2011 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH  
Advanced Epidemiologist  
Kansas Department of Health and Environment  
Bureau of Health Promotion  
Curtis State Office Building  
1000 SW Jackson Street, Suite 230  
Topeka, KS 66612  
Telephone: 785-296-6513  
Fax: 785-296-8059  
[ppandya@kdheks.gov](mailto:ppandya@kdheks.gov)

Ericka Welsh, PhD  
Senior Chronic Disease Epidemiologist  
Bureau of Health Promotion  
Kansas Department of Health & Environment  
Curtis State Office Building  
1000 SW Jackson, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-0842  
Fax: 785-296-8059  
[ewelsh@kdheks.gov](mailto:ewelsh@kdheks.gov)

# Table of Contents

## **Alcohol Consumption**

Binge Drinking.....	1
Heavy Drinking.....	3

## **Arthritis**

Arthritis.....	5
Activity Limitation Due to Arthritis.....	7

<b>Asthma</b> .....	9
---------------------	---

## **Cancer**

Cancer (Excluding Skin Cancer).....	11
Skin Cancer.....	13

## **Cholesterol**

Not Checked Cholesterol within Five Years.....	15
High Blood Cholesterol Status.....	17

<b>Chronic Obstructive Pulmonary Disease (COPD)</b> .....	19
---	----

<b>Depressive Disorder</b> .....	21
----------------------------------	----

<b>Diabetes</b> .....	23
-----------------------	----

## **Disability**

Activity Limitation Due to Physical, Mental, or Emotional Problems.....	25
Disability.....	27

## **Exercise and Physical Activity**

Did Not Meet Both the Aerobic AND Strengthening Exercise Recommendations...29	
Did Not Meet EITHER Aerobic OR Strengthening Recommendation.....	31
Not Participating in Any Physical Activity.....	33

## **Fruits and Vegetable Consumption**

Consuming Fruits Less than 1 Time Per Day.....	35
Consuming Vegetables Less than 1 Time Per Day.....	37

<b>Health Care Access</b>	
Lack Health Care Coverage .....	39
Lack Health Care Coverage (Ages 18 to 64 Years Old Only) .....	41
No Personal Doctor .....	43
Did Not See Doctor Due to Cost.....	45
<b>General Health</b> .....	47
<b>Healthy Days-Health Related Quality of Life</b>	
Physical Health Status.....	49
Mental Health Status.....	51
Poor Physical or Mental Health is Barrier to Usual Activities.....	53
<b>Heart Attack</b> .....	55
<b>Coronary Heart Disease</b> .....	57
<b>Stroke</b> .....	59
<b>High Blood Pressure</b> .....	61
<b>Immunization</b>	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza (Ages 65 Years and Older Only) .....	65
Never Had Pneumonia Vaccination.....	67
<b>Weight Status (BMI Categories)</b>	
Obese.....	69
Overweight or Obese .....	71
<b>Seatbelt Use</b> .....	73
<b>Tobacco Use</b>	
Current Smoker .....	75
Tried Quitting Smoking .....	77
Smokeless Tobacco Use.....	79
Male Smokeless Tobacco User.....	81
<b>Veteran Status</b> .....	83
<b>Vision Impairment</b> .....	85
<b>Technical Notes</b> .....	87

# Percentage of Adults Who Are Binge Drinkers, 2011

## Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,281	17.0	0.4	16.2	17.8
Franklin County	23	13.2	3.0	7.3	19.2
<b>Gender</b>					
Men	12	18.5	5.2	8.3	28.8
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	13	23.3	6.3	10.9	35.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	23	13.6	3.1	7.5	19.7
<b>Race</b>					
White	20	12.7	3.1	6.6	18.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	14.7	3.8	7.4	22.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	<i>13</i>	<i>13.0</i>	<i>3.7</i>	<i>5.7</i>	<i>20.2</i>
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>18</i>	<i>11.5</i>	<i>3.1</i>	<i>5.5</i>	<i>17.6</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>14</i>	<i>10.2</i>	<i>2.9</i>	<i>4.5</i>	<i>15.9</i>
<b>Health Insurance Status</b>					
Insured	<i>20</i>	<i>12.3</i>	<i>3.0</i>	<i>6.4</i>	<i>18.2</i>
Uninsured	*	*	*	*	*

Numerator: Male respondents having five or more drinks on one occasion in the past 30 days or female respondents having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	823	5.4	0.2	5.0	5.9
Franklin County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Doctor Diagnosed Arthritis, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,493	23.1	0.3	22.4	23.8
Franklin County	80	31.5	3.9	23.9	39.1
<b>Gender</b>					
Men	30	32.6	6.0	20.9	44.4
Women	50	30.4	5.0	20.7	40.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	33	34.3	6.1	22.3	46.2
65 Years and Older	36	53.3	7.1	39.4	67.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	79	31.0	3.9	23.4	38.6
<b>Race</b>					
White	76	31.6	4.0	23.8	39.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	45	34.5	5.5	23.7	45.2
Some College or College Graduate	35	27.5	5.4	16.9	38.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	41	43.3	7.5	28.6	57.9
\$35,000 or Higher per Year	33	28.1	5.2	17.9	38.3
<b>Disability Status</b>					
Living with a Disability	43	56.4	7.0	42.7	70.0
Living without a Disability	34	20.0	4.1	12.0	28.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	23	29.0	7.2	14.8	43.2
Overweight (25 ≤ BMI < 30)	24	32.1	6.7	18.9	45.3
Obese (BMI ≥ 30)	28	34.3	6.5	21.6	47.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	46	28.7	4.8	19.3	38.1
Does not participate in leisure time physical activity	32	37.1	6.5	24.3	49.9
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	69	31.1	4.1	23.0	39.2
<b>Smoking Status</b>					
Current smoker	26	47.1	8.7	30.0	64.1
Non-smoker	54	26.3	4.1	18.2	34.4
<b>Health Insurance Status</b>					
Insured	72	30.5	4.0	22.7	38.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,150	48.8	0.8	47.3	50.4
Franklin County	40	49.8	7.4	35.4	64.3
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	40	52.3	7.3	37.9	66.7
<b>Race</b>					
White	37	47.9	7.5	33.2	62.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	35	47.3	7.8	32.1	62.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	26	47.3	9.1	29.6	65.1
<b>Health Insurance Status</b>					
Insured	36	50.3	7.7	35.2	65.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

**Denominator:** Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Current Asthma, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,709	8.8	0.3	8.2	9.3
Franklin County	16	6.2	1.8	2.7	9.7
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	16	6.4	1.8	2.8	9.9
<b>Race</b>					
White	16	6.5	1.9	2.8	10.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	15	6.8	2.0	2.8	10.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had asthma and that they currently have asthma.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,108	6.9	0.2	6.5	7.2
Franklin County	31	10.0	2.0	6.1	13.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	24	14.2	3.2	7.8	20.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	25.4	6.0	13.7	37.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	31	10.3	2.0	6.3	14.2
<b>Race</b>					
White	31	10.4	2.1	6.4	14.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	11.4	2.9	5.8	17.0
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	9.1	2.6	4.1	14.2
<b>Disability Status</b>					
Living with a Disability	15	14.7	4.1	6.6	22.9
Living without a Disability	16	8.8	2.3	4.2	13.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	17	7.3	1.9	3.5	11.1
Does not participate in leisure time physical activity	14	17.4	4.8	7.9	26.8
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	28	10.9	2.2	6.5	15.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	25	10.0	2.2	5.7	14.4
<b>Health Insurance Status</b>					
Insured	28	10.3	2.1	6.1	14.4
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

# Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2011

## Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,950	6.2	0.2	5.9	6.5
Franklin County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	14	5.0	1.5	2.1	7.8
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had skin cancer.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Have Not Checked Cholesterol Within Five Years  
Among Those Who Have Ever Had Cholesterol Checked, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,379	27.1	0.5	26.2	28.0
Franklin County	52	29.9	4.1	21.8	38.1
<b>Gender</b>					
Men	23	36.1	6.6	23.2	49.0
Women	29	24.1	4.8	14.7	33.5
<b>Age Group</b>					
18 to 44 Years	23	42.0	7.7	26.9	57.0
45 to 64 Years	20	22.7	5.3	12.4	33.0
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	50	30.0	4.2	21.8	38.3
<b>Race</b>					
White	49	29.9	4.3	21.6	38.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	34	35.7	6.0	24.0	47.4
Some College or College Graduate	18	22.3	5.6	11.4	33.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	19	31.9	7.4	17.5	46.4
\$35,000 or Higher per Year	28	25.9	4.9	16.4	35.4
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	41	34.7	5.2	24.4	45.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	20	36.7	8.0	21.0	52.4
Overweight (25 ≤ BMI < 30)	17	29.4	6.9	16.0	42.9
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	31	29.8	5.3	19.4	40.2
Does not participate in leisure time physical activity	20	29.1	6.2	17.0	41.1
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	44	27.8	4.3	19.4	36.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	33	25.0	4.6	16.1	33.9
<b>Health Insurance Status</b>					
Insured	41	23.8	3.9	16.3	31.4
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had not checked their blood cholesterol in the past five years.

Denominator: Respondents who ever had their blood cholesterol checked, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Tested and Diagnosed with High Cholesterol, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,660	38.4	0.5	37.5	39.3
Franklin County	88	42.8	4.7	33.6	51.9
<b>Gender</b>					
Men	35	44.9	7.0	31.2	58.7
Women	53	40.8	6.2	28.6	53.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	42	48.0	6.6	35.0	60.9
65 Years and Older	36	65.4	7.5	50.7	80.0
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	88	44.1	4.8	34.7	53.4
<b>Race</b>					
White	83	42.5	4.8	33.0	51.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	40	43.6	7.1	29.6	57.5
Some College or College Graduate	48	41.8	5.9	30.3	53.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	35	40.2	8.1	24.2	56.1
\$35,000 or Higher per Year	44	44.1	6.1	32.1	56.1
<b>Disability Status</b>					
Living with a Disability	44	65.0	6.9	51.5	78.5
Living without a Disability	42	32.7	5.6	21.7	43.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	22	30.7	8.7	13.6	47.8
Overweight (25 ≤ BMI <30)	29	47.1	7.8	31.7	62.5
Obese (BMI ≥ 30)	32	48.5	7.3	34.2	62.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	50	35.6	5.5	24.7	46.4
Does not participate in leisure time physical activity	37	61.4	7.7	46.2	76.6
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	78	43.8	5.1	33.8	53.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	68	40.7	5.2	30.6	50.8
<b>Health Insurance Status</b>					
Insured	85	45.8	5.0	36.0	55.7
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Had Chronic Obstructive Pulmonary Disease  
(COPD), Emphysema or Chronic Bronchitis, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,658	6.6	0.2	6.2	7.0
Franklin County	16	5.4	1.6	2.3	8.4
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	16	5.5	1.6	2.4	8.7
<b>Race</b>					
White	16	5.6	1.6	2.4	8.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,  
2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,360	15.9	0.3	15.2	16.5
Franklin County	47	19.7	3.3	13.2	26.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	36	27.4	5.0	17.6	37.3
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	30	27.5	5.5	16.8	38.2
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	46	18.8	3.2	12.6	25.0
<b>Race</b>					
White	45	19.4	3.4	12.9	26.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	17	15.2	4.2	6.9	23.4
Some College or College Graduate	30	25.7	5.1	15.8	35.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	19	22.7	6.0	10.9	34.4
\$35,000 or Higher per Year	25	21.3	4.7	12.2	30.5
<b>Disability Status</b>					
Living with a Disability	27	45.3	7.2	31.1	59.6
Living without a Disability	19	10.8	3.0	4.9	16.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	25.3	5.8	13.9	36.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	21	14.4	3.6	7.2	21.5
Does not participate in leisure time physical activity	25	33.2	6.6	20.3	46.2
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	44	22.0	3.7	14.7	29.3
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	29	15.5	3.4	8.8	22.1
<b>Health Insurance Status</b>					
Insured	41	18.4	3.3	12.0	24.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse, or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Diabetes, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,584	9.5	0.2	9.1	10.0
Franklin County	35	13.5	2.6	8.4	18.6
<b>Gender</b>					
Men	20	18.3	4.3	9.8	26.7
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	14.1	3.8	6.6	21.6
65 Years and Older	15	24.6	6.1	12.7	36.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	35	13.9	2.7	8.6	19.1
<b>Race</b>					
White	32	12.4	2.6	7.4	17.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	16.0	4.0	8.2	23.7
Some College or College Graduate	15	10.1	2.9	4.5	15.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	22	22.4	5.5	11.6	33.1
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	22	27.0	5.9	15.5	38.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	24	35.1	6.7	21.9	48.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	16	9.4	2.7	4.0	14.7
Does not participate in leisure time physical activity	18	20.7	5.1	10.7	30.7
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	32	13.5	2.7	8.2	18.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	26	13.3	3.0	7.5	19.1
<b>Health Insurance Status</b>					
Insured	33	14.0	2.8	8.6	19.4
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,  
Mental, or Emotional Problems, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,714	23.0	0.4	22.3	23.7
Franklin County	67	26.1	3.5	19.2	32.9
<b>Gender</b>					
Men	22	20.1	4.5	11.2	29.0
Women	45	31.3	5.1	21.3	41.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	31	32.1	5.8	20.7	43.5
65 Years and Older	27	41.1	7.0	27.4	54.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	66	26.3	3.6	19.3	33.3
<b>Race</b>					
White	62	25.0	3.5	18.0	31.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	35	24.7	4.7	15.4	33.9
Some College or College Graduate	32	28.0	5.1	17.9	38.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	29	27.4	6.1	15.5	39.3
\$35,000 or Higher per Year	29	25.6	4.9	16.0	35.1
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	19	22.9	6.4	10.3	35.5
Overweight (25 ≤ BMI < 30)	15	16.9	4.7	7.7	26.0
Obese (BMI ≥ 30)	28	37.2	6.6	24.2	50.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	32	19.1	3.9	11.4	26.8
Does not participate in leisure time physical activity	35	42.0	6.6	29.0	54.9
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	59	26.4	3.8	19.0	33.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	48	23.7	3.9	16.1	31.4
<b>Health Insurance Status</b>					
Insured	58	24.6	3.6	17.6	31.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they were limited in any activities because of physical, mental, or emotional problems.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Who Reported Living with a Disability , 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,179	24.5	0.4	23.7	25.2
Franklin County	74	28.0	3.6	21.0	35.0
<b>Gender</b>					
Men	26	23.5	4.8	14.1	33.0
Women	48	31.9	5.2	21.8	42.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	34	35.0	5.9	23.5	46.6
65 Years and Older	31	45.0	7.0	31.2	58.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	73	28.3	3.6	21.2	35.4
<b>Race</b>					
White	67	26.0	3.6	19.0	33.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	39	27.3	4.9	17.7	36.9
Some College or College Graduate	35	28.9	5.1	18.9	39.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	32	31.3	6.4	18.7	43.9
\$35,000 or Higher per Year	32	26.3	4.9	16.7	35.8
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	21	23.5	6.4	10.8	36.1
Overweight (25 ≤ BMI < 30)	17	19.0	4.9	9.4	28.6
Obese (BMI ≥ 30)	31	40.7	6.8	27.4	54.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	35	19.5	3.9	11.8	27.2
Does not participate in leisure time physical activity	39	47.1	6.7	34.0	60.1
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	64	28.3	3.8	20.7	35.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	52	24.4	3.9	16.7	32.0
<b>Health Insurance Status</b>					
Insured	65	26.8	3.7	19.6	34.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed, or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet Both The  
Aerobic AND Strengthening Exercise Recommendations, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,604	83.5	0.4	82.7	84.2
Franklin County	196	88.9	2.6	83.8	94.1
<b>Gender</b>					
Men	69	83.1	4.8	73.6	92.6
Women	127	94.2	2.1	90.1	98.3
<b>Age Group</b>					
18 to 44 Years	49	88.5	4.4	79.9	97.1
45 to 64 Years	89	86.9	4.5	78.0	95.7
65 Years and Older	57	93.9	3.1	87.8	99.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	192	88.6	2.7	83.4	93.9
<b>Race</b>					
White	186	89.4	2.7	84.2	94.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	103	93.5	2.9	87.9	99.2
Some College or College Graduate	93	82.6	4.6	73.6	91.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	71	89.9	4.2	81.6	98.1
\$35,000 or Higher per Year	105	89.9	3.6	82.7	97.0
<b>Disability Status</b>					
Living with a Disability	64	90.8	3.9	83.2	98.4
Living without a Disability	132	88.7	3.3	82.4	95.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	65	91.5	3.9	83.8	99.2
Overweight (25 ≤ BMI < 30)	58	82.6	5.8	71.3	93.9
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	148	87.6	3.0	81.7	93.6
<b>Health Insurance Status</b>					
Insured	177	87.5	3.0	81.7	93.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not meet both aerobic and strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

Meeting the physical activity guideline is defined as meeting both aerobic and strengthening guidelines.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet EITHER  
Aerobic OR Strengthening Guideline, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,956	45.3	0.5	44.4	46.2
Franklin County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not meet either aerobic or strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in Any Physical Activity (Leisure Time Physical Activity) Other Than Their Regular Job in the Past 30 Days, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,740	26.8	0.4	26.0	27.6
Franklin County	78	30.1	3.6	22.9	37.2
<b>Gender</b>					
Men	25	27.1	5.5	16.4	37.8
Women	53	32.8	4.9	23.2	42.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	36	34.5	5.7	23.4	45.6
65 Years and Older	30	49.0	7.1	35.1	62.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	75	28.8	3.6	21.8	35.8
<b>Race</b>					
White	71	28.5	3.7	21.3	35.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	54	41.3	5.8	29.9	52.7
Some College or College Graduate	24	15.2	3.4	8.5	21.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	37	34.7	6.7	21.6	47.7
\$35,000 or Higher per Year	32	25.5	4.5	16.6	34.4
<b>Disability Status</b>					
Living with a Disability	39	51.6	7.1	37.7	65.5
Living without a Disability	39	22.6	4.0	14.7	30.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	23	24.7	6.2	12.6	36.9
Overweight (25 ≤ BMI < 30)	23	31.5	6.5	18.7	44.3
Obese (BMI ≥ 30)	27	32.7	6.2	20.5	44.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	46	21.8	3.6	14.8	28.8
<b>Health Insurance Status</b>					
Insured	70	29.4	3.8	22.0	36.8
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,  
2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,375	41.4	0.5	40.5	42.4
Franklin County	94	51.5	4.4	43.0	60.0
<b>Gender</b>					
Men	41	55.7	6.5	43.0	68.3
Women	53	47.8	6.0	36.1	59.4
<b>Age Group</b>					
18 to 44 Years	23	48.8	7.9	33.2	64.4
45 to 64 Years	48	58.6	6.0	46.8	70.3
65 Years and Older	22	43.5	7.3	29.1	57.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	92	51.1	4.4	42.4	59.7
<b>Race</b>					
White	88	51.1	4.5	42.2	59.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	56	61.9	5.8	50.5	73.2
Some College or College Graduate	38	38.0	5.8	26.7	49.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	37	58.2	7.6	43.4	73.0
\$35,000 or Higher per Year	47	47.4	5.5	36.6	58.3
<b>Disability Status</b>					
Living with a Disability	30	50.8	7.3	36.6	65.1
Living without a Disability	64	53.5	5.3	43.1	63.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	32	51.1	8.1	35.2	67.0
Overweight (25 ≤ BMI < 30)	24	46.6	7.5	32.0	61.2
Obese (BMI ≥ 30)	36	58.9	6.9	45.4	72.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	51	44.8	5.7	33.8	55.9
Does not participate in leisure time physical activity	43	67.9	5.8	56.5	79.3
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	85	53.1	4.6	44.0	62.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	61	46.2	5.1	36.1	56.2
<b>Health Insurance Status</b>					
Insured	81	48.8	4.6	39.8	57.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time  
Per Day, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,908	22.3	0.4	21.4	23.1
Franklin County	47	24.5	3.7	17.3	31.6
<b>Gender</b>					
Men	22	26.3	5.5	15.5	37.0
Women	25	22.7	4.9	13.2	32.3
<b>Age Group</b>					
18 to 44 Years	14	25.0	6.3	12.7	37.4
45 to 64 Years	21	24.8	5.5	13.9	35.6
65 Years and Older	12	22.9	6.6	9.9	35.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	47	25.2	3.7	17.8	32.5
<b>Race</b>					
White	44	24.1	3.7	16.8	31.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	30	26.8	5.2	16.6	36.9
Some College or College Graduate	17	21.5	5.1	11.4	31.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	24	31.9	7.0	18.2	45.7
\$35,000 or Higher per Year	21	23.7	4.8	14.2	33.2
<b>Disability Status</b>					
Living with a Disability	14	27.4	6.8	14.1	40.8
Living without a Disability	33	24.1	4.4	15.4	32.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	18	27.7	6.9	14.2	41.1
Overweight (25 ≤ BMI < 30)	11	19.8	5.9	8.2	31.3
Obese (BMI ≥ 30)	17	27.0	6.5	14.4	39.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	25	19.9	4.2	11.6	28.1
Does not participate in leisure time physical activity	22	35.1	6.7	21.9	48.3
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	43	25.5	4.0	17.7	33.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	29	20.5	4.0	12.7	28.3
<b>Health Insurance Status</b>					
Insured	42	24.8	3.9	17.1	32.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Lack Health Care Coverage, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,212	16.7	0.4	15.9	17.5
Franklin County	21	13.3	3.2	7.1	19.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	20	12.3	3.1	6.3	18.3
<b>Race</b>					
White	18	12.7	3.3	6.3	19.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	16	18.6	4.8	9.3	28.0
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	30.4	7.3	16.2	44.6
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>18</i>	<i>12.5</i>	<i>3.2</i>	<i>6.2</i>	<i>18.8</i>
<b>Smoking Status</b>					
Current smoker	<i>11</i>	<i>32.8</i>	<i>8.8</i>	<i>15.6</i>	<i>50.1</i>
Non-smoker	*	*	*	*	*

Numerator: Respondents reporting they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,  
2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,123	20.1	0.5	19.2	21.0
Franklin County	20	16.1	3.9	8.5	23.8
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	19	14.8	3.8	7.5	22.2
<b>Race</b>					
White	17	15.3	4.0	7.5	23.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	15	23.4	6.1	11.4	35.4
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>17</i>	<i>15.3</i>	<i>4.0</i>	<i>7.4</i>	<i>23.1</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old reporting they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults with No Personal Doctor or Health Care Provider, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,606	19.7	0.4	18.9	20.6
Franklin County	30	20.4	3.9	12.8	28.0
<b>Gender</b>					
Men	19	31.0	6.4	18.5	43.5
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	15	32.8	7.4	18.3	47.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	29	19.6	3.9	12.1	27.2
<b>Race</b>					
White	27	20.7	4.0	12.8	28.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	24.5	5.5	13.7	35.4
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	26.3	7.0	12.5	40.1
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	23.8	4.8	14.3	33.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	15	31.8	7.8	16.5	47.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	21	23.6	5.1	13.6	33.6
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	25	18.7	4.0	10.9	26.6
<b>Smoking Status</b>					
Current smoker	11	39.7	9.1	21.9	57.6
Non-smoker	18	13.3	3.7	6.1	20.6
<b>Health Insurance Status</b>					
Insured	20	13.0	3.2	6.7	19.3
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Could Not See Doctor Because of Cost In the Past 12 Months, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,334	14.3	0.3	13.7	15.0
Franklin County	25	14.2	3.0	8.2	20.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	16	15.9	4.2	7.6	24.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	15.4	4.4	6.7	24.0
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	23	12.7	2.9	7.1	18.3
<b>Race</b>					
White	21	13.0	3.0	7.1	19.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	18	19.9	4.8	10.5	29.3
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	27.7	6.9	14.3	41.1
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	14	25.6	6.5	12.8	38.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	15	24.6	6.2	12.5	36.7
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	23	15.6	3.4	8.9	22.3
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,614	15.0	0.3	14.4	15.6
Franklin County	55	21.7	3.2	15.3	28.0
<b>Gender</b>					
Men	21	21.1	4.6	12.0	30.1
Women	34	22.2	4.5	13.4	31.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	25	29.8	5.9	18.2	41.4
65 Years and Older	27	47.3	7.2	33.2	61.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	54	21.8	3.3	15.4	28.2
<b>Race</b>					
White	50	20.2	3.2	13.9	26.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	37	24.4	4.5	15.6	33.2
Some College or College Graduate	18	17.9	4.7	8.7	27.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	33	29.6	6.0	17.8	41.5
\$35,000 or Higher per Year	15	16.4	4.5	7.5	25.2
<b>Disability Status</b>					
Living with a Disability	40	57.0	7.0	43.2	70.8
Living without a Disability	15	9.4	2.7	4.2	14.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	17	19.7	5.8	8.4	31.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	24	30.6	6.2	18.4	42.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	23	14.2	3.4	7.5	21.0
Does not participate in leisure time physical activity	32	41.0	6.6	28.0	54.0
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	51	24.7	3.7	17.4	32.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	37	19.3	3.7	12.1	26.5
<b>Health Insurance Status</b>					
Insured	50	23.1	3.6	16.0	30.1
Uninsured	*	*	*	*	*

Numerator: Respondents reporting that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,519	10.5	0.3	10.0	11.0
Franklin County	28	11.1	2.5	6.2	16.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	22.1	5.7	10.9	33.2
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	26	10.7	2.6	5.7	15.7
<b>Race</b>					
White	25	10.0	2.5	5.1	14.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	18	12.7	3.5	5.9	19.5
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	20	32.6	7.2	18.4	46.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	18	21.5	5.5	10.7	32.3
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	27	12.8	2.9	7.0	18.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	22	12.8	3.3	6.4	19.2
<b>Health Insurance Status</b>					
Insured	25	11.0	2.7	5.7	16.3
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their physical health was not good.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14  
or More Days in the Past 30 Days, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,937	10.2	0.3	9.6	10.8
Franklin County	33	16.1	3.1	10.1	22.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	25	21.1	4.7	11.8	30.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	33	16.5	3.1	10.4	22.7
<b>Race</b>					
White	30	15.4	3.1	9.3	21.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	17.2	4.2	9.0	25.5
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	19.1	5.4	8.4	29.8
\$35,000 or Higher per Year	14	16.0	4.5	7.3	24.8
<b>Disability Status</b>					
Living with a Disability	21	38.7	7.3	24.3	53.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	24	35.9	6.6	23.0	48.8
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	32	18.7	3.6	11.7	25.7
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	22	14.9	3.5	8.1	21.7
<b>Health Insurance Status</b>					
Insured	28	15.1	3.2	8.9	21.3
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their mental health was not good.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work, or Recreation, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,985	39.5	0.7	38.2	40.8
Franklin County	51	42.4	5.5	31.6	53.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	35	48.5	6.9	34.9	62.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	47.3	8.6	30.5	64.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	49	42.6	5.6	31.7	53.6
<b>Race</b>					
White	48	42.9	5.8	31.5	54.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	26	42.0	7.5	27.4	56.7
Some College or College Graduate	25	42.8	8.0	27.1	58.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	22	39.6	8.5	23.0	56.3
\$35,000 or Higher per Year	24	42.7	7.8	27.4	58.1
<b>Disability Status</b>					
Living with a Disability	32	65.5	7.3	51.2	79.8
Living without a Disability	18	25.3	6.3	12.9	37.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	26	41.7	7.5	27.1	56.4
Does not participate in leisure time physical activity	24	43.1	8.1	27.1	59.0
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	47	42.8	5.8	31.4	54.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	37	41.9	6.5	29.2	54.6
<b>Health Insurance Status</b>					
Insured	47	45.6	5.9	34.0	57.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work, or recreation.

**Denominator:** Among respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who had a Heart Attack, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,236	4.4	0.2	4.1	4.7
Franklin County	19	5.9	1.6	2.8	8.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	19	6.0	1.6	2.9	9.2
<b>Race</b>					
White	18	5.7	1.6	2.6	8.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	19	6.9	1.8	3.3	10.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	19	6.9	1.8	3.3	10.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a heart attack also called a myocardial infarction.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults Who had Angina or Coronary Heart Disease, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,333	4.5	0.2	4.2	4.8
Franklin County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had angina or coronary heart disease.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults Who Had A Stroke, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	831	2.7	0.1	2.5	3.0
Franklin County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Diagnosed Hypertension, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,234	30.8	0.4	30.1	31.6
Franklin County	94	34.1	3.8	26.6	41.6
<b>Gender</b>					
Men	36	31.2	5.5	20.3	42.0
Women	58	36.9	5.3	26.5	47.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	40	43.4	6.2	31.3	55.5
65 Years and Older	45	64.3	7.0	50.6	78.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	94	35.1	3.9	27.4	42.8
<b>Race</b>					
White	87	33.3	3.9	25.6	41.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	45	33.1	5.3	22.7	43.6
Some College or College Graduate	49	35.5	5.4	24.9	46.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	38	34.9	6.6	21.9	48.0
\$35,000 or Higher per Year	43	34.2	5.3	23.9	44.6
<b>Disability Status</b>					
Living with a Disability	51	65.6	6.8	52.4	78.9
Living without a Disability	42	23.4	4.1	15.3	31.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	23	20.7	5.8	9.3	32.0
Overweight (25 ≤ BMI <30)	28	33.0	6.5	20.3	45.7
Obese (BMI ≥ 30)	40	51.1	7.1	37.2	64.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	53	29.1	4.6	20.0	38.2
Does not participate in leisure time physical activity	40	47.2	6.7	34.1	60.2
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	80	35.0	4.2	26.8	43.2
<b>Smoking Status</b>					
Current smoker	21	29.3	7.1	15.4	43.2
Non-smoker	72	35.8	4.5	26.9	44.7
<b>Health Insurance Status</b>					
Insured	90	38.5	4.3	30.1	46.8
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,021	58.3	0.4	57.4	59.2
Franklin County	113	58.2	4.3	49.8	66.6
<b>Gender</b>					
Men	44	62.5	6.0	50.8	74.3
Women	69	54.4	5.9	42.8	66.0
<b>Age Group</b>					
18 to 44 Years	42	69.7	8.2	53.7	85.8
45 to 64 Years	49	59.1	5.9	47.6	70.6
65 Years and Older	22	32.7	6.6	19.9	45.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	112	58.5	4.4	49.9	67.0
<b>Race</b>					
White	106	58.0	4.4	49.3	66.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	59	57.1	6.2	44.9	69.3
Some College or College Graduate	54	59.7	5.5	48.9	70.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	41	55.4	8.0	39.7	71.2
\$35,000 or Higher per Year	62	62.2	5.2	52.0	72.4
<b>Disability Status</b>					
Living with a Disability	32	49.8	7.1	35.9	63.6
Living without a Disability	81	61.9	5.4	51.4	72.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	39	59.9	8.5	43.2	76.6
Overweight (25 ≤ BMI <30)	38	57.5	7.2	43.4	71.5
Obese (BMI ≥ 30)	32	56.3	6.8	42.9	69.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	79	60.9	5.5	50.2	71.6
Does not participate in leisure time physical activity	34	52.0	6.7	38.8	65.2
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	100	57.5	4.6	48.4	66.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	85	56.3	5.0	46.4	66.1
<b>Health Insurance Status</b>					
Insured	97	54.5	4.6	45.6	63.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not have a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,059	32.4	0.7	31.0	33.7
Franklin County	22	32.7	6.6	19.9	45.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	22	33.6	6.7	20.5	46.6
<b>Race</b>					
White	22	34.2	6.8	20.9	47.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>21</i>	<i>35.4</i>	<i>7.1</i>	<i>21.5</i>	<i>49.3</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>15</i>	<i>27.6</i>	<i>6.9</i>	<i>14.0</i>	<i>41.2</i>
<b>Health Insurance Status</b>					
Insured	<i>21</i>	<i>31.2</i>	<i>6.5</i>	<i>18.5</i>	<i>44.0</i>
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they did not receive a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Never Had Pneumonia  
Vaccination, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,792	29.2	0.7	27.9	30.6
Franklin County	26	41.2	7.1	27.3	55.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	39.7	7.1	25.7	53.7
<b>Race</b>					
White	23	38.5	7.2	24.4	52.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>23</i>	<i>42.2</i>	<i>7.6</i>	<i>27.4</i>	<i>57.1</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	<i>25</i>	<i>39.9</i>	<i>7.1</i>	<i>25.9</i>	<i>53.9</i>
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they never had a pneumonia vaccination.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults who are Obese, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,907	29.6	0.4	28.7	30.4
Franklin County	71	31.9	3.9	24.2	39.5
<b>Gender</b>					
Men	29	32.5	5.9	20.9	44.1
Women	42	31.2	5.7	21.3	41.1
<b>Age Group</b>					
18 to 44 Years	17	29.8	6.8	16.3	43.2
45 to 64 Years	37	37.2	5.8	25.9	48.6
65 Years and Older	17	27.2	6.3	14.8	39.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	70	32.0	3.9	24.3	39.7
<b>Race</b>					
White	67	31.3	4.0	23.5	39.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	36	30.4	5.4	19.8	40.9
Some College or College Graduate	35	33.9	5.5	23.1	44.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	28	26.5	5.9	14.8	38.1
\$35,000 or Higher per Year	36	33.6	5.1	23.5	43.6
<b>Disability Status</b>					
Living with a Disability	31	47.4	7.2	33.2	61.6
Living without a Disability	39	26.4	4.6	17.4	35.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	43	30.0	4.8	20.5	39.4
Does not participate in leisure time physical activity	27	35.2	6.4	22.6	47.7
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	65	33.7	4.3	25.3	42.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	60	36.4	4.7	27.1	45.7
<b>Health Insurance Status</b>					
Insured	62	31.4	4.0	23.5	39.3
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who are Overweight or Obese, 2011

### Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	12,869	64.4	0.5	63.5	65.3
Franklin County	142	62.3	4.5	53.4	71.1
<b>Gender</b>					
Men	65	72.4	6.0	60.5	84.2
Women	77	52.6	6.1	40.6	64.5
<b>Age Group</b>					
18 to 44 Years	31	47.8	7.8	32.5	63.0
45 to 64 Years	72	77.9	5.3	67.4	88.4
65 Years and Older	39	67.4	6.6	54.5	80.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	141	63.2	4.5	54.3	72.1
<b>Race</b>					
White	134	61.8	4.7	52.7	70.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	68	61.3	6.4	48.8	73.8
Some College or College Graduate	74	63.6	6.1	51.7	75.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	48	49.7	7.9	34.2	65.2
\$35,000 or Higher per Year	82	71.9	5.2	61.6	82.1
<b>Disability Status</b>					
Living with a Disability	48	68.3	7.4	53.9	82.8
Living without a Disability	91	60.5	5.6	49.5	71.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	90	59.3	5.7	48.0	70.5
Does not participate in leisure time physical activity	50	67.7	6.8	54.4	81.0
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	123	62.0	4.9	52.4	71.5
<b>Smoking Status</b>					
Current smoker	25	47.8	8.7	30.8	64.8
Non-smoker	115	67.3	5.3	57.0	77.6
<b>Health Insurance Status</b>					
Insured	126	62.6	4.8	53.3	72.0
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt  
When They Drive or Ride in a Car, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,339	19.4	0.4	18.6	20.1
Franklin County	40	18.9	3.3	12.4	25.4
<b>Gender</b>					
Men	19	24.4	5.7	13.2	35.6
Women	21	14.0	3.4	7.3	20.6
<b>Age Group</b>					
18 to 44 Years	12	20.0	5.9	8.5	31.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	22.2	5.9	10.7	33.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	39	18.0	3.2	11.7	24.3
<b>Race</b>					
White	38	19.0	3.4	12.3	25.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	27	22.1	4.8	12.7	31.6
Some College or College Graduate	13	14.4	4.3	6.0	22.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	19	23.3	6.1	11.3	35.3
\$35,000 or Higher per Year	17	18.0	4.6	8.9	27.0
<b>Disability Status</b>					
Living with a Disability	16	17.1	4.6	8.1	26.2
Living without a Disability	24	19.7	4.2	11.3	28.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	15	22.9	6.4	10.3	35.5
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	22	17.0	4.0	9.2	24.8
Does not participate in leisure time physical activity	18	23.2	5.8	11.7	34.6
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	36	19.6	3.6	12.5	26.7
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	27	16.0	3.5	9.2	22.8
<b>Health Insurance Status</b>					
Insured	33	16.6	3.2	10.2	23.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they nearly always, sometimes, seldom, or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Currently Smoke Cigarettes, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,547	22.0	0.4	21.2	22.8
Franklin County	50	25.9	3.9	18.4	33.5
<b>Gender</b>					
Men	22	30.0	6.1	18.0	42.0
Women	28	22.1	4.6	13.1	31.2
<b>Age Group</b>					
18 to 44 Years	14	30.6	7.2	16.6	44.7
45 to 64 Years	21	20.0	4.8	10.7	29.3
65 Years and Older	15	26.8	6.6	13.9	39.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	48	24.8	3.8	17.3	32.3
<b>Race</b>					
White	45	24.9	3.9	17.2	32.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	34	32.5	5.6	21.5	43.4
Some College or College Graduate	16	17.1	5.1	7.1	27.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	30	43.4	7.7	28.4	58.4
\$35,000 or Higher per Year	15	14.6	4.1	6.5	22.7
<b>Disability Status</b>					
Living with a Disability	21	34.1	6.8	20.8	47.4
Living without a Disability	27	20.9	4.5	12.1	29.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	25	36.9	7.7	21.8	52.1
Overweight (25 ≤ BMI < 30)	14	24.7	6.7	11.5	37.8
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	17	16.7	4.4	8.0	25.4
Does not participate in leisure time physical activity	32	46.5	6.8	33.2	59.8
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	46	25.7	4.0	17.8	33.6
<b>Health Insurance Status</b>					
Insured	39	20.6	3.6	13.5	27.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because  
They Were Trying to Quit Smoking, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,868	55.5	1.1	53.4	57.6
Franklin County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

**Denominator:** Among current smokers, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	760	5.3	0.2	4.9	5.8
Franklin County	*	*	*	*	*
<b>Gender</b>					
Men	13	17.6	5.1	7.6	27.5
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

# Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2011

## Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	684	10.1	0.4	9.2	11.0
Franklin County	13	17.6	5.1	7.6	27.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	13	18.2	5.2	8.0	28.5
<b>Race</b>					
White	13	18.6	5.4	8.1	29.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>12</i>	<i>20.6</i>	<i>6.0</i>	<i>9.0</i>	<i>32.3</i>
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States  
Armed Forces, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,699	11.5	0.3	11.0	12.1
Franklin County	34	16.6	3.1	10.6	22.6
<b>Gender</b>					
Men	30	31.4	5.7	20.2	42.5
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	15.2	4.3	6.8	23.6
65 Years and Older	14	29.2	6.9	15.7	42.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	33	15.7	2.9	9.9	21.5
<b>Race</b>					
White	33	17.2	3.2	10.9	23.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	17	16.4	4.2	8.2	24.7
Some College or College Graduate	17	16.9	4.4	8.2	25.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	21.5	6.1	9.6	33.4
\$35,000 or Higher per Year	14	14.0	3.8	6.5	21.6
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	18.7	4.1	10.7	26.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	12	22.1	6.2	10.0	34.2
Obese (BMI ≥ 30)	14	14.1	4.0	6.2	22.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	24	17.5	3.8	10.0	25.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	28	15.7	3.3	9.3	22.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	29	17.7	3.5	10.8	24.5
<b>Health Insurance Status</b>					
Insured	30	15.7	3.0	9.7	21.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Vision Impairment In One of Both Eyes, Even  
When Wearing Glasses, 2011**

**Franklin County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,108	15.7	0.3	15.1	16.3
Franklin County	51	15.0	2.5	10.2	19.8
<b>Gender</b>					
Men	18	14.3	3.7	7.0	21.5
Women	33	15.6	3.2	9.3	22.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	24.3	5.0	14.5	34.1
65 Years and Older	24	29.2	6.1	17.2	41.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	51	15.4	2.5	10.5	20.3
<b>Race</b>					
White	47	14.1	2.4	9.3	18.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	22	12.1	3.0	6.2	18.0
Some College or College Graduate	29	19.0	4.0	11.2	26.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	24	16.5	4.2	8.3	24.7
\$35,000 or Higher per Year	20	14.1	3.5	7.2	21.0
<b>Disability Status</b>					
Living with a Disability	29	32.8	6.2	20.6	44.9
Living without a Disability	22	9.0	2.4	4.3	13.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	15	15.0	4.5	6.2	23.8
Obese (BMI ≥ 30)	19	21.2	5.2	11.0	31.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	27	11.0	2.6	5.9	16.0
Does not participate in leisure time physical activity	24	25.3	5.4	14.7	36.0
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	43	15.2	2.6	10.0	20.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	42	16.7	3.0	10.7	22.6
<b>Health Insurance Status</b>					
Insured	49	16.5	2.7	11.1	21.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse, or other health professional that they have vision impairment in one of both eyes, even when wearing glasses.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Technical Notes

Data on 43 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be unreliable. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference while overlapping confidence intervals indicate that two estimates are not statistically significantly different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("\*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, 2011 BRFSS estimates cannot be compared to estimates from previous years.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>