


2011 Kansas Behavioral Risk Factor Surveillance System Local Data

Geary County



November 2013

2011 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Eric Cook-Wiens, MPH
Data and Measurement Manager
Kansas Healthcare Collaborative

Report Supervision:

Ericka Welsh, PhD
Senior Chronic Disease Epidemiologist
Bureau of Health Promotion (BHP)

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:

Partial funding for the 2011 Behavioral Risk Factor Survey was provided by cooperative agreement U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

Kansas Department of Health and Environment
Bureau of Health Promotion
November 2013

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years.


During the 2011 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 43 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 43 health risk indicators analyzed at the county or regional level. By the conclusion of the 10-year project, most of Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Geary County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2011 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Kansas Department of Health and Environment
Bureau of Health Promotion
Curtis State Office Building
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ericka Welsh, PhD
Senior Chronic Disease Epidemiologist
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-0842
Fax: 785-296-8059
ewelsh@kdheks.gov

Table of Contents

Alcohol Consumption	
Binge Drinking.....	1
Heavy Drinking.....	3
Arthritis	
Arthritis.....	5
Activity Limitation Due to Arthritis.....	7
Asthma	9
Cancer	
Cancer (Excluding Skin Cancer).....	11
Skin Cancer.....	13
Cholesterol	
Not Checked Cholesterol within Five Years.....	15
High Blood Cholesterol Status.....	17
Chronic Obstructive Pulmonary Disease (COPD)	19
Depressive Disorder	21
Diabetes	23
Disability	
Activity Limitation Due to Physical, Mental, or Emotional Problems.....	25
Disability.....	27
Exercise and Physical Activity	
Did Not Meet Both the Aerobic AND Strengthening Exercise Recommendations...29	
Did Not Meet EITHER Aerobic OR Strengthening Recommendation.....	31
Not Participating in Any Physical Activity.....	33
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day.....	35
Consuming Vegetables Less than 1 Time Per Day.....	37

Health Care Access	
Lack Health Care Coverage	39
Lack Health Care Coverage (Ages 18 to 64 Years Old Only)	41
No Personal Doctor	43
Did Not See Doctor Due to Cost.....	45
General Health	47
Healthy Days-Health Related Quality of Life	
Physical Health Status.....	49
Mental Health Status.....	51
Poor Physical or Mental Health is Barrier to Usual Activities.....	53
Heart Attack	55
Coronary Heart Disease	57
Stroke	59
High Blood Pressure	61
Immunization	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza (Ages 65 Years and Older Only)	65
Never Had Pneumonia Vaccination.....	67
Weight Status (BMI Categories)	
Obese.....	69
Overweight or Obese	71
Seatbelt Use	73
Tobacco Use	
Current Smoker	75
Tried Quitting Smoking	77
Smokeless Tobacco Use.....	79
Male Smokeless Tobacco User.....	81
Veteran Status	83
Vision Impairment	85
Technical Notes	87

Percentage of Adults Who Are Binge Drinkers, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,281	17.0	0.4	16.2	17.8
Geary County	28	22.5	4.3	14.0	30.9
Gender					
Men	15	32.8	7.7	17.8	47.9
Women	13	13.2	3.7	5.9	20.5
Age Group					
18 to 44 Years	19	28.3	6.2	16.1	40.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	22.5	4.4	13.8	31.2
Race					
White	25	27.7	5.0	17.8	37.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	21.8	5.0	12.0	31.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	20	30.6	6.0	18.8	42.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	24.4	5.2	14.2	34.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	12	28.4	8.4	11.9	44.8
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	26.5	5.3	16.1	36.8
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	18	20.1	5.1	10.1	30.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	14.0	3.8	6.7	21.4
Health Insurance Status					
Insured	25	19.8	3.9	12.1	27.4
Uninsured	*	*	*	*	*

Numerator: Male respondents having five or more drinks on one occasion in the past 30 days or female respondents having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	823	5.4	0.2	5.0	5.9
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	15.7	4.7	6.5	24.9
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,493	23.1	0.3	22.4	23.8
Geary County	53	21.6	3.3	15.0	28.1
Gender					
Men	16	18.1	4.9	8.4	27.7
Women	37	24.9	4.5	16.1	33.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	25	40.0	7.6	25.1	55.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	22.6	3.5	15.7	29.4
Race					
White	41	23.8	4.0	15.9	31.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	23.5	5.6	12.4	34.5
Some College or College Graduate	29	20.1	4.0	12.2	28.0
Annual Household Income					
Less than \$35,000 per Year	18	22.9	6.2	10.7	35.1
\$35,000 or Higher per Year	25	20.8	4.5	12.0	29.5
Disability Status					
Living with a Disability	32	58.6	8.0	42.8	74.3
Living without a Disability	20	11.5	3.0	5.5	17.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	18	22.1	6.0	10.3	33.9
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	19.8	3.7	12.5	27.1
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	42	24.5	4.3	16.1	32.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	43	24.3	4.1	16.3	32.4
Health Insurance Status					
Insured	52	24.4	3.7	17.1	31.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,150	48.8	0.8	47.3	50.4
Geary County	26	46.3	8.1	30.5	62.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	46.3	8.1	30.5	62.1
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	25	45.9	8.1	30.0	61.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,709	8.8	0.3	8.2	9.3
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,108	6.9	0.2	6.5	7.2
Geary County	17	6.0	1.8	2.5	9.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,950	6.2	0.2	5.9	6.5
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Have Not Checked Cholesterol Within Five Years
Among Those Who Have Ever Had Cholesterol Checked, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,379	27.1	0.5	26.2	28.0
Geary County	33	25.0	4.5	16.1	33.9
Gender					
Men	10	24.4	7.3	10.1	38.7
Women	23	25.6	5.4	15.1	36.1
Age Group					
18 to 44 Years	22	31.6	6.5	18.7	44.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	24.6	4.6	15.6	33.6
Race					
White	24	21.8	4.7	12.7	31.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	32.9	8.1	17.1	48.8
Some College or College Graduate	19	18.5	4.5	9.8	27.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	12	18.1	5.0	8.2	28.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	26.7	5.4	16.0	37.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	35.5	8.9	17.9	53.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	30.6	5.7	19.5	41.8
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	26	25.3	5.5	14.5	36.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	16.7	4.1	8.7	24.8
Health Insurance Status					
Insured	27	19.1	3.8	11.5	26.6
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had not checked their blood cholesterol in the past five years.

Denominator: Respondents who ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,660	38.4	0.5	37.5	39.3
Geary County	47	27.7	4.4	19.1	36.3
Gender					
Men	*	*	*	*	*
Women	32	31.1	6.1	19.3	43.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	45	27.6	4.5	18.9	36.4
Race					
White	35	29.6	5.1	19.6	39.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	22.0	6.3	9.6	34.4
Some College or College Graduate	30	31.7	5.9	20.2	43.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	26	33.4	6.3	21.0	45.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	27	22.0	4.7	12.8	31.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	26.6	5.0	16.8	36.4
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	36	30.2	5.5	19.5	40.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	24.8	4.5	15.9	33.6
Health Insurance Status					
Insured	45	27.7	4.4	19.0	36.4
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Had Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,658	6.6	0.2	6.2	7.0
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,360	15.9	0.3	15.2	16.5
Geary County	28	13.4	2.7	8.1	18.7
Gender					
Men	*	*	*	*	*
Women	20	16.5	3.9	8.8	24.3
Age Group					
18 to 44 Years	16	13.1	3.6	6.1	20.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	14.0	2.8	8.4	19.6
Race					
White	24	17.2	3.6	10.0	24.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	16.6	3.9	9.0	24.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>18</i>	<i>11.7</i>	<i>3.0</i>	<i>5.9</i>	<i>17.5</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>18</i>	<i>11.9</i>	<i>3.0</i>	<i>5.9</i>	<i>17.8</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>20</i>	<i>11.9</i>	<i>2.9</i>	<i>6.2</i>	<i>17.6</i>
Health Insurance Status					
Insured	<i>26</i>	<i>14.3</i>	<i>3.0</i>	<i>8.4</i>	<i>20.1</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse, or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,584	9.5	0.2	9.1	10.0
Geary County	18	6.6	1.8	3.2	10.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	6.7	1.8	3.1	10.3
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	18	7.6	2.0	3.6	11.5
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental, or Emotional Problems, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,714	23.0	0.4	22.3	23.7
Geary County	47	20.6	3.3	14.2	27.0
Gender					
Men	*	*	*	*	*
Women	36	27.5	4.8	18.1	36.9
Age Group					
18 to 44 Years	14	12.0	3.4	5.3	18.7
45 to 64 Years	21	36.8	7.6	21.9	51.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	47	21.6	3.4	14.9	28.3
Race					
White	40	24.8	4.1	16.8	32.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	19.1	5.0	9.3	29.0
Some College or College Graduate	30	22.0	4.3	13.5	30.5
Annual Household Income					
Less than \$35,000 per Year	16	23.5	6.3	11.2	35.9
\$35,000 or Higher per Year	23	21.4	4.6	12.3	30.4
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	18.2	5.3	7.9	28.6
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	19.0	3.6	11.9	26.0
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	39	23.4	4.1	15.3	31.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	34	19.2	3.6	12.1	26.2
Health Insurance Status					
Insured	46	23.4	3.7	16.2	30.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability , 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,179	24.5	0.4	23.7	25.2
Geary County	50	21.1	3.3	14.6	27.5
Gender					
Men	*	*	*	*	*
Women	38	28.2	4.8	18.7	37.6
Age Group					
18 to 44 Years	14	12.0	3.4	5.3	18.7
45 to 64 Years	21	36.8	7.6	21.9	51.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	22.0	3.4	15.3	28.8
Race					
White	42	25.4	4.1	17.3	33.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	19.8	5.1	9.9	29.8
Some College or College Graduate	31	22.3	4.3	13.8	30.8
Annual Household Income					
Less than \$35,000 per Year	18	24.5	6.4	12.0	37.0
\$35,000 or Higher per Year	24	21.6	4.6	12.5	30.7
Weight Category					
Normal or Underweight (BMI <25)	16	14.6	4.3	6.1	23.1
Overweight (25 ≤ BMI < 30)	15	18.6	5.3	8.1	29.0
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	19.6	3.6	12.4	26.7
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	41	23.8	4.1	15.8	31.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	37	19.8	3.6	12.7	26.9
Health Insurance Status					
Insured	49	23.9	3.7	16.7	31.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed, or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet Both The
Aerobic AND Strengthening Exercise Recommendations, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,604	83.5	0.4	82.7	84.2
Geary County	127	74.1	4.2	65.8	82.4
Gender					
Men	36	66.5	7.4	52.0	81.1
Women	91	80.9	4.2	72.7	89.1
Age Group					
18 to 44 Years	51	67.3	6.2	55.2	79.4
45 to 64 Years	45	86.9	4.7	77.6	96.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	122	74.7	4.3	66.3	83.1
Race					
White	93	70.7	4.9	61.1	80.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	83.1	5.2	72.9	93.3
Some College or College Graduate	75	67.2	5.9	55.5	78.8
Annual Household Income					
Less than \$35,000 per Year	50	84.4	6.9	70.8	98.0
\$35,000 or Higher per Year	57	65.1	6.1	53.2	77.0
Disability Status					
Living with a Disability	41	81.5	6.2	69.3	93.7
Living without a Disability	86	72.1	5.1	62.1	82.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	47	76.4	6.4	64.0	88.9
Overweight (25 ≤ BMI <30)	37	62.1	8.4	45.6	78.5
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	97	74.2	5.0	64.3	84.0
Health Insurance Status					
Insured	116	70.9	4.6	61.9	79.9
Uninsured	*	*	*	*	*

Numerator: Respondents who did not meet both aerobic and strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

Meeting the physical activity guideline is defined as meeting both aerobic and strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet EITHER
Aerobic OR Strengthening Guideline, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,956	45.3	0.5	44.4	46.2
Geary County	68	40.0	4.8	30.7	49.4
Gender					
Men	19	33.4	7.4	19.0	47.9
Women	49	45.9	6.0	34.1	57.7
Age Group					
18 to 44 Years	28	36.3	6.5	23.6	49.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	40.8	4.9	31.2	50.5
Race					
White	48	40.9	5.4	30.4	51.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	38.8	7.6	23.9	53.6
Some College or College Graduate	39	41.0	6.0	29.2	52.9
Annual Household Income					
Less than \$35,000 per Year	29	41.3	8.4	24.8	57.8
\$35,000 or Higher per Year	29	38.7	6.4	26.2	51.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	46	38.6	5.7	27.6	49.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	30.8	7.7	15.8	45.8
Overweight (25 ≤ BMI < 30)	20	38.6	8.2	22.4	54.7
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	50	42.4	5.6	31.4	53.4
Health Insurance Status					
Insured	65	42.0	5.0	32.3	51.7
Uninsured	*	*	*	*	*

Numerator: Respondents who did not meet either aerobic or strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity (Leisure Time Physical Activity) Other Than Their Regular Job in the Past 30 Days, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,740	26.8	0.4	26.0	27.6
Geary County	44	25.3	4.3	16.8	33.7
Gender					
Men	15	23.5	6.3	11.2	35.8
Women	29	26.9	5.9	15.5	38.4
Age Group					
18 to 44 Years	13	20.1	5.9	8.5	31.6
45 to 64 Years	17	31.7	7.6	16.9	46.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	26.1	4.5	17.4	34.9
Race					
White	32	23.6	4.4	14.9	32.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	29.8	7.4	15.2	44.3
Some College or College Graduate	24	22.0	5.0	12.2	31.8
Annual Household Income					
Less than \$35,000 per Year	21	31.9	8.3	15.7	48.1
\$35,000 or Higher per Year	15	23.1	6.0	11.3	34.8
Disability Status					
Living with a Disability	15	30.6	7.5	16.0	45.2
Living without a Disability	29	23.8	5.1	13.9	33.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	23.4	7.0	9.7	37.0
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	25.6	5.2	15.3	35.8
Health Insurance Status					
Insured	40	25.8	4.6	16.8	34.8
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,375	41.4	0.5	40.5	42.4
Geary County	60	38.3	4.8	28.9	47.8
Gender					
Men	25	41.1	7.8	25.7	56.5
Women	35	35.7	5.8	24.3	47.1
Age Group					
18 to 44 Years	26	39.1	6.8	25.9	52.4
45 to 64 Years	19	34.4	7.6	19.6	49.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	38.5	4.9	28.9	48.2
Race					
White	49	39.4	5.2	29.1	49.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	41.4	8.2	25.4	57.5
Some College or College Graduate	36	35.5	5.8	24.0	47.0
Annual Household Income					
Less than \$35,000 per Year	17	30.9	8.7	13.9	48.0
\$35,000 or Higher per Year	30	38.6	6.3	26.2	51.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	41	37.6	5.8	26.3	48.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	51.5	8.4	35.1	68.0
Overweight (25 ≤ BMI < 30)	14	24.6	7.1	10.8	38.5
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	41	37.0	5.6	25.9	48.0
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	45	36.8	5.7	25.6	48.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	42	34.7	5.3	24.3	45.1
Health Insurance Status					
Insured	53	35.6	4.7	26.3	44.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,908	22.3	0.4	21.4	23.1
Geary County	26	21.6	4.8	12.2	31.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	12	25.0	6.9	11.5	38.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	22.7	5.0	12.9	32.4
Race					
White	19	16.1	4.1	8.1	24.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	12	29.0	8.6	12.2	45.8
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	24.9	5.9	13.5	36.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	35.4	9.6	16.6	54.2
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	24	27.7	6.1	15.7	39.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	20.6	5.5	9.8	31.4
Health Insurance Status					
Insured	23	19.7	4.7	10.4	29.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,212	16.7	0.4	15.9	17.5
Geary County	14	12.9	3.9	5.4	20.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents reporting they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,123	20.1	0.5	19.2	21.0
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old reporting they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with No Personal Doctor or Health Care Provider, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,606	19.7	0.4	18.9	20.6
Geary County	44	34.4	4.8	25.0	43.9
Gender					
Men	18	35.3	7.5	20.5	50.1
Women	26	33.6	6.7	21.6	45.7
Age Group					
18 to 44 Years	31	41.5	6.7	28.3	54.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	34.5	5.0	24.7	44.2
Race					
White	29	29.1	5.0	19.3	38.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	11	34.6	8.5	18.0	51.2
Some College or College Graduate	33	34.7	5.6	23.8	45.6
Annual Household Income					
Less than \$35,000 per Year	17	40.5	9.7	22.7	58.3
\$35,000 or Higher per Year	20	29.9	6.0	18.1	41.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	34	38.0	5.8	26.6	49.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	12	39.9	9.1	22.0	57.8
Overweight (25 ≤ BMI < 30)	20	33.7	7.3	19.4	48.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	35.0	5.5	24.2	45.8
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	29	33.8	5.9	22.2	45.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	25.3	5.1	15.3	35.2
Health Insurance Status					
Insured	33	26.0	4.6	17.0	34.9
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See Doctor Because of Cost In the Past 12 Months, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,334	14.3	0.3	13.7	15.0
Geary County	16	8.7	2.3	4.1	13.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	8.1	2.3	3.7	12.5
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>13</i>	<i>10.5</i>	<i>3.1</i>	<i>4.4</i>	<i>16.6</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,614	15.0	0.3	14.4	15.6
Geary County	27	12.9	2.8	7.4	18.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	13.5	2.9	7.8	19.1
Race					
White	20	13.1	3.2	6.8	19.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	13.1	3.5	6.2	19.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	26.1	7.0	12.3	39.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	22	15.5	3.7	8.3	22.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	11.4	2.9	5.7	17.1
Health Insurance Status					
Insured	23	11.4	2.6	6.3	16.5
Uninsured	*	*	*	*	*

Numerator: Respondents reporting that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14
or More Days in the Past 30 Days, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,519	10.5	0.3	10.0	11.0
Geary County	18	9.0	2.4	4.3	13.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	9.4	2.5	4.5	14.2
Race					
White	15	9.6	2.8	4.2	15.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>16</i>	<i>11.4</i>	<i>3.2</i>	<i>5.2</i>	<i>17.7</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	<i>18</i>	<i>10.3</i>	<i>2.7</i>	<i>5.0</i>	<i>15.6</i>
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their physical health was not good.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,937	10.2	0.3	9.6	10.8
Geary County	26	17.0	3.6	10.0	24.0
Gender					
Men	*	*	*	*	*
Women	18	18.7	4.5	9.8	27.6
Age Group					
18 to 44 Years	14	18.2	5.1	8.2	28.2
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	17.8	3.7	10.5	25.1
Race					
White	22	21.3	4.7	12.0	30.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	21.1	6.3	8.8	33.5
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	31.7	7.7	16.6	46.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	15.5	4.2	7.3	23.8
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	19	17.9	4.3	9.4	26.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	16.8	4.4	8.2	25.3
Health Insurance Status					
Insured	24	18.7	4.0	10.9	26.5
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their mental health was not good.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work, or Recreation, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,985	39.5	0.7	38.2	40.8
Geary County	31	27.4	5.3	16.9	37.8
Gender					
Men	*	*	*	*	*
Women	25	30.4	6.4	17.8	43.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	27.9	5.4	17.3	38.5
Race					
White	27	32.8	6.6	19.8	45.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	28.5	6.5	15.9	41.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	25.1	6.5	12.4	37.9
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	24	24.9	5.5	14.1	35.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	29.0	6.4	16.4	41.6
Health Insurance Status					
Insured	29	25.9	5.2	15.7	36.1
Uninsured	*	*	*	*	*

Numerator: Respondents reporting one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work, or recreation.

Denominator: Among respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,236	4.4	0.2	4.1	4.7
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had Angina or Coronary Heart Disease, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,333	4.5	0.2	4.2	4.8
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Had A Stroke, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	831	2.7	0.1	2.5	3.0
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,234	30.8	0.4	30.1	31.6
Geary County	62	29.4	4.0	21.6	37.2
Gender					
Men	25	30.4	6.3	18.1	42.7
Women	37	28.5	5.0	18.7	38.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	24	48.8	8.0	33.2	64.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	61	30.5	4.1	22.4	38.7
Race					
White	46	32.9	4.8	23.5	42.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	26.8	6.2	14.5	39.0
Some College or College Graduate	38	31.8	5.2	21.7	41.9
Annual Household Income					
Less than \$35,000 per Year	20	25.4	6.5	12.7	38.1
\$35,000 or Higher per Year	33	35.6	6.0	23.9	47.3
Disability Status					
Living with a Disability	27	59.3	7.8	43.9	74.7
Living without a Disability	35	21.8	4.2	13.6	30.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	19	22.6	5.8	11.3	33.9
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	40	23.6	4.1	15.6	31.5
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	53	36.2	5.2	26.1	46.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	48	29.6	4.6	20.6	38.6
Health Insurance Status					
Insured	60	32.1	4.3	23.7	40.5
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,021	58.3	0.4	57.4	59.2
Geary County	77	47.1	4.9	37.5	56.7
Gender					
Men	21	42.9	7.8	27.6	58.1
Women	56	51.1	6.0	39.3	62.9
Age Group					
18 to 44 Years	32	41.2	6.8	27.8	54.6
45 to 64 Years	34	68.1	7.2	54.0	82.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	75	48.0	5.0	38.2	57.8
Race					
White	58	45.3	5.3	34.9	55.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	56.5	7.8	41.2	71.8
Some College or College Graduate	46	39.3	5.8	28.1	50.6
Annual Household Income					
Less than \$35,000 per Year	25	53.7	8.9	36.2	71.2
\$35,000 or Higher per Year	37	41.6	6.2	29.4	53.8
Disability Status					
Living with a Disability	16	28.7	7.1	14.7	42.7
Living without a Disability	61	52.1	5.8	40.7	63.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	30	54.7	8.3	38.3	71.0
Overweight (25 ≤ BMI <30)	20	36.2	7.9	20.7	51.6
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	55	41.8	5.6	30.9	52.8
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	62	52.6	5.8	41.3	63.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	56	43.0	5.6	32.0	53.9
Health Insurance Status					
Insured	68	41.5	4.9	31.8	51.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not have a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,059	32.4	0.7	31.0	33.7
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they did not receive a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Ages 65 Years and Older Who Never Had Pneumonia
Vaccination, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,792	29.2	0.7	27.9	30.6
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they never had a pneumonia vaccination.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults who are Obese, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,907	29.6	0.4	28.7	30.4
Geary County	47	25.1	3.9	17.5	32.7
Gender					
Men	16	23.9	6.0	12.1	35.7
Women	31	26.3	5.0	16.6	36.0
Age Group					
18 to 44 Years	20	21.2	5.0	11.4	31.0
45 to 64 Years	19	38.3	7.9	22.9	53.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	25.3	4.0	17.5	33.1
Race					
White	37	29.3	4.8	19.8	38.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	22.2	6.1	10.2	34.2
Some College or College Graduate	33	27.7	5.0	17.9	37.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	30	35.1	6.0	23.3	46.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	29	20.7	4.3	12.4	29.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>36</i>	<i>24.2</i>	<i>4.3</i>	<i>15.8</i>	<i>32.7</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>38</i>	<i>30.1</i>	<i>5.0</i>	<i>20.2</i>	<i>40.0</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>38</i>	<i>27.5</i>	<i>4.7</i>	<i>18.3</i>	<i>36.7</i>
Health Insurance Status					
Insured	<i>44</i>	<i>26.3</i>	<i>4.2</i>	<i>18.2</i>	<i>34.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who are Overweight or Obese, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	12,869	64.4	0.5	63.5	65.3
Geary County	103	61.9	4.9	52.3	71.6
Gender					
Men	39	68.7	7.5	54.0	83.4
Women	64	55.6	6.2	43.5	67.8
Age Group					
18 to 44 Years	51	62.6	6.8	49.1	76.0
45 to 64 Years	32	66.2	8.0	50.5	81.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	97	60.5	5.1	50.5	70.4
Race					
White	78	66.5	4.9	56.8	76.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	53.7	8.2	37.6	69.8
Some College or College Graduate	68	69.1	5.5	58.3	80.0
Annual Household Income					
Less than \$35,000 per Year	32	59.0	9.3	40.7	77.2
\$35,000 or Higher per Year	59	71.7	5.5	60.9	82.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	67	58.4	6.0	46.7	70.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	75	61.2	5.6	50.2	72.2
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	75	61.4	6.0	49.6	73.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	81	68.4	5.4	57.9	79.0
Health Insurance Status					
Insured	95	66.2	4.8	56.7	75.7
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,339	19.4	0.4	18.6	20.1
Geary County	21	15.0	3.6	8.0	22.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	15.7	3.7	8.4	23.0
Race					
White	17	18.5	4.7	9.3	27.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	15.9	4.3	7.5	24.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	16	16.7	4.5	8.0	25.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	15.4	4.3	7.1	23.8
Health Insurance Status					
Insured	16	11.2	3.3	4.8	17.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they nearly always, sometimes, seldom, or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,547	22.0	0.4	21.2	22.8
Geary County	40	26.9	4.4	18.3	35.5
Gender					
Men	15	30.4	7.3	16.0	44.8
Women	25	23.6	4.9	14.0	33.3
Age Group					
18 to 44 Years	21	28.0	6.1	16.1	39.9
45 to 64 Years	12	29.3	8.2	13.3	45.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	27.1	4.5	18.3	36.0
Race					
White	33	29.0	4.8	19.6	38.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	33.4	7.8	18.1	48.7
Some College or College Graduate	21	21.1	4.7	11.9	30.3
Annual Household Income					
Less than \$35,000 per Year	19	35.8	8.6	18.9	52.6
\$35,000 or Higher per Year	15	21.9	5.3	11.5	32.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	28	26.3	5.2	16.0	36.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	40.5	8.6	23.6	57.3
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	27.5	5.3	17.1	37.9
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	29	27.4	5.4	16.7	38.0
Health Insurance Status					
Insured	32	20.1	3.7	12.8	27.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,868	55.5	1.1	53.4	57.6
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Among current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	760	5.3	0.2	4.9	5.8
Geary County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2011

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	684	10.1	0.4	9.2	11.0
Geary County	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,699	11.5	0.3	11.0	12.1
Geary County	55	36.7	4.6	27.6	45.7
Gender					
Men	38	59.1	7.8	43.9	74.3
Women	17	15.9	4.0	8.1	23.7
Age Group					
18 to 44 Years	31	39.5	6.5	26.8	52.3
45 to 64 Years	12	26.6	7.1	12.6	40.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	36.9	4.7	27.6	46.1
Race					
White	41	39.1	5.2	28.8	49.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	28.0	6.9	14.5	41.6
Some College or College Graduate	39	43.8	5.9	32.2	55.5
Annual Household Income					
Less than \$35,000 per Year	17	34.4	8.3	18.2	50.6
\$35,000 or Higher per Year	33	45.2	6.4	32.7	57.7
Disability Status					
Living with a Disability	20	48.3	8.0	32.6	64.1
Living without a Disability	34	34.0	5.5	23.4	44.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	25.8	6.7	12.8	38.9
Overweight (25 ≤ BMI < 30)	26	52.5	8.2	36.5	68.5
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	39.3	5.4	28.7	49.9
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	35	31.9	5.3	21.6	42.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	41	35.7	5.3	25.3	46.2
Health Insurance Status					
Insured	52	40.7	4.9	31.0	50.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Vision Impairment In One of Both Eyes, Even
When Wearing Glasses, 2011**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,108	15.7	0.3	15.1	16.3
Geary County	23	10.2	2.4	5.5	14.8
Gender					
Men	*	*	*	*	*
Women	19	14.5	3.7	7.2	21.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	9.4	2.3	4.9	14.0
Race					
White	16	10.3	2.9	4.5	16.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	9.4	2.7	4.1	14.8
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	17	10.0	2.8	4.6	15.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	9.4	2.7	4.1	14.6
Health Insurance Status					
Insured	22	10.5	2.5	5.6	15.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse, or other health professional that they have vision impairment in one of both eyes, even when wearing glasses.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

Data on 43 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be unreliable. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference while overlapping confidence intervals indicate that two estimates are not statistically significantly different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, 2011 BRFSS estimates cannot be compared to estimates from previous years.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>