


2011 Kansas Behavioral Risk Factor Surveillance System Local Data

Labette County



November 2013

2011 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Eric Cook-Wiens, MPH
Data and Measurement Manager
Kansas Healthcare Collaborative

Report Supervision:

Ericka Welsh, PhD
Senior Chronic Disease Epidemiologist
Bureau of Health Promotion (BHP)

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:

Partial funding for the 2011 Behavioral Risk Factor Survey was provided by cooperative agreement U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

Kansas Department of Health and Environment
Bureau of Health Promotion
November 2013

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years.


During the 2011 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 43 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 43 health risk indicators analyzed at the county or regional level. By the conclusion of the 10-year project, most of Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,

A handwritten signature in blue ink that reads "Robert Moser". The signature is written in a cursive style with a large, looped "M" at the end.

Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Labette County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2011 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Kansas Department of Health and Environment
Bureau of Health Promotion
Curtis State Office Building
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ericka Welsh, PhD
Senior Chronic Disease Epidemiologist
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-0842
Fax: 785-296-8059
ewelsh@kdheks.gov

Table of Contents

Alcohol Consumption	
Binge Drinking.....	1
Heavy Drinking.....	3
Arthritis	
Arthritis.....	5
Activity Limitation Due to Arthritis.....	7
Asthma	9
Cancer	
Cancer (Excluding Skin Cancer).....	11
Skin Cancer.....	13
Cholesterol	
Not Checked Cholesterol within Five Years.....	15
High Blood Cholesterol Status.....	17
Chronic Obstructive Pulmonary Disease (COPD)	19
Depressive Disorder	21
Diabetes	23
Disability	
Activity Limitation Due to Physical, Mental, or Emotional Problems.....	25
Disability.....	27
Exercise and Physical Activity	
Did Not Meet Both the Aerobic AND Strengthening Exercise Recommendations...29	
Did Not Meet EITHER Aerobic OR Strengthening Recommendation.....	31
Not Participating in Any Physical Activity.....	33
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day.....	35
Consuming Vegetables Less than 1 Time Per Day.....	37

Health Care Access	
Lack Health Care Coverage	39
Lack Health Care Coverage (Ages 18 to 64 Years Old Only)	41
No Personal Doctor	43
Did Not See Doctor Due to Cost.....	45
General Health	47
Healthy Days-Health Related Quality of Life	
Physical Health Status.....	49
Mental Health Status.....	51
Poor Physical or Mental Health is Barrier to Usual Activities.....	53
Heart Attack	55
Coronary Heart Disease	57
Stroke	59
High Blood Pressure	61
Immunization	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza (Ages 65 Years and Older Only)	65
Never Had Pneumonia Vaccination.....	67
Weight Status (BMI Categories)	
Obese.....	69
Overweight or Obese	71
Seatbelt Use	73
Tobacco Use	
Current Smoker	75
Tried Quitting Smoking	77
Smokeless Tobacco Use.....	79
Male Smokeless Tobacco User.....	81
Veteran Status	83
Vision Impairment	85
Technical Notes	87

Percentage of Adults Who Are Binge Drinkers, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,281	17.0	0.4	16.2	17.8
Labette County	17	14.5	3.7	7.3	21.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	11	17.9	5.3	7.6	28.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	13.6	3.6	6.6	20.6
Race					
White	14	13.6	3.8	6.2	21.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	20.7	5.2	10.5	30.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>14</i>	<i>13.6</i>	<i>3.9</i>	<i>6.1</i>	<i>21.2</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents having five or more drinks on one occasion in the past 30 days or female respondents having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	823	5.4	0.2	5.0	5.9
Labette County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Doctor Diagnosed Arthritis, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,493	23.1	0.3	22.4	23.8
Labette County	78	32.3	3.8	24.8	39.8
Gender					
Men	28	26.9	5.4	16.3	37.5
Women	50	37.3	5.3	26.9	47.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	31.8	5.6	20.8	42.8
65 Years and Older	41	57.7	6.9	44.1	71.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	74	32.5	3.9	24.8	40.2
Race					
White	68	32.2	4.1	24.2	40.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	37.3	5.7	26.1	48.5
Some College or College Graduate	35	27.4	5.1	17.5	37.4
Annual Household Income					
Less than \$35,000 per Year	44	36.3	5.7	25.1	47.5
\$35,000 or Higher per Year	21	32.4	6.8	19.1	45.7
Disability Status					
Living with a Disability	53	65.7	6.4	53.2	78.1
Living without a Disability	21	15.1	3.7	7.8	22.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	24	28.1	6.2	16.1	40.2
Obese (BMI ≥ 30)	40	51.6	7.2	37.5	65.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	26.9	4.3	18.4	35.4
Does not participate in leisure time physical activity	29	38.4	7.2	24.3	52.5
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	65	32.2	4.2	24.0	40.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	65	33.1	4.2	24.8	41.4
Health Insurance Status					
Insured	73	34.6	4.2	26.4	42.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,150	48.8	0.8	47.3	50.4
Labette County	43	58.0	6.7	44.8	71.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	57.1	6.9	43.6	70.7
Race					
White	35	53.2	7.3	38.8	67.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	41	78.0	6.3	65.7	90.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>39</i>	<i>59.6</i>	<i>7.1</i>	<i>45.7</i>	<i>73.6</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>34</i>	<i>57.5</i>	<i>7.2</i>	<i>43.5</i>	<i>71.6</i>
Health Insurance Status					
Insured	<i>39</i>	<i>56.1</i>	<i>6.8</i>	<i>42.7</i>	<i>69.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,709	8.8	0.3	8.2	9.3
Labette County	18	5.3	1.4	2.5	8.1
Gender					
Men	*	*	*	*	*
Women	15	8.2	2.4	3.5	12.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	5.5	1.5	2.6	8.4
Race					
White	17	5.6	1.6	2.6	8.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	13	14.1	4.2	5.9	22.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	15	5.8	1.7	2.5	9.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	6.0	1.8	2.5	9.5
Health Insurance Status					
Insured	16	5.1	1.4	2.3	7.9
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,108	6.9	0.2	6.5	7.2
Labette County	24	8.3	2.1	4.2	12.4
Gender					
Men	*	*	*	*	*
Women	19	11.5	3.4	4.9	18.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	25.4	6.0	13.7	37.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	8.6	2.2	4.4	12.9
Race					
White	23	9.0	2.3	4.4	13.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	16	8.5	2.4	3.9	13.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	18.5	4.7	9.3	27.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	18	7.8	2.3	3.3	12.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	10.2	2.7	4.9	15.4
Health Insurance Status					
Insured	22	9.4	2.5	4.6	14.2
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,950	6.2	0.2	5.9	6.5
Labette County	20	5.9	1.5	3.0	8.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	16	23.0	5.7	11.9	34.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	5.9	1.5	2.9	8.9
Race					
White	18	6.2	1.6	3.0	9.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	14.2	4.1	6.1	22.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	17	6.2	1.7	2.9	9.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	6.7	1.8	3.1	10.2
Health Insurance Status					
Insured	20	7.1	1.8	3.6	10.5
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Not Checked Cholesterol Within Five Years
Among Those Who Have Ever Had Cholesterol Checked, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,379	27.1	0.5	26.2	28.0
Labette County	40	29.8	4.4	21.1	38.5
Gender					
Men	13	27.1	6.8	13.8	40.4
Women	27	32.4	5.8	21.1	43.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	16.7	4.7	7.4	26.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	28.4	4.5	19.7	37.2
Race					
White	34	28.7	4.7	19.6	37.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	23.6	6.0	11.8	35.4
Some College or College Graduate	25	35.7	6.4	23.2	48.2
Annual Household Income					
Less than \$35,000 per Year	24	34.1	6.2	21.9	46.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	31.5	6.0	19.8	43.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	29.4	7.0	15.8	43.1
Obese (BMI ≥ 30)	12	27.4	7.1	13.4	41.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	28.3	5.8	17.0	39.6
Does not participate in leisure time physical activity	13	26.7	7.2	12.7	40.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	30	27.5	4.8	18.0	37.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	24.2	4.7	15.0	33.4
Health Insurance Status					
Insured	26	21.9	4.5	13.1	30.7
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had not checked their blood cholesterol in the past five years.

Denominator: Respondents who ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,660	38.4	0.5	37.5	39.3
Labette County	78	47.0	4.8	37.6	56.3
Gender					
Men	33	52.6	7.3	38.3	66.9
Women	45	41.5	5.8	30.0	52.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	36	46.0	6.3	33.5	58.4
65 Years and Older	38	65.7	6.8	52.4	79.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	76	47.1	4.8	37.6	56.5
Race					
White	72	48.1	5.0	38.3	57.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	41	50.9	6.7	37.8	64.0
Some College or College Graduate	37	42.8	6.8	29.5	56.0
Annual Household Income					
Less than \$35,000 per Year	37	46.4	7.0	32.6	60.2
\$35,000 or Higher per Year	27	42.1	7.4	27.7	56.5
Disability Status					
Living with a Disability	41	58.6	7.0	44.9	72.4
Living without a Disability	37	41.8	6.3	29.4	54.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	27	49.1	8.2	33.0	65.2
Obese (BMI ≥ 30)	33	53.0	7.8	37.7	68.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	50	41.9	5.5	31.1	52.7
Does not participate in leisure time physical activity	28	60.0	8.0	44.3	75.7
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	69	49.0	5.1	39.0	59.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	71	49.2	5.1	39.2	59.1
Health Insurance Status					
Insured	73	45.7	4.9	36.1	55.3
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Had Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,658	6.6	0.2	6.2	7.0
Labette County	23	8.8	2.1	4.7	13.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	16.7	4.9	7.1	26.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	8.9	2.2	4.6	13.2
Race					
White	22	9.6	2.4	5.0	14.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	20.5	5.0	10.6	30.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	12	17.6	5.3	7.3	28.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	21	10.2	2.6	5.2	15.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	8.2	2.1	4.0	12.4
Health Insurance Status					
Insured	21	8.7	2.2	4.5	13.0
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,360	15.9	0.3	15.2	16.5
Labette County	42	23.0	3.7	15.8	30.3
Gender					
Men	14	17.9	5.3	7.6	28.3
Women	28	27.6	5.1	17.6	37.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	19.6	4.5	10.8	28.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	23.1	3.8	15.6	30.5
Race					
White	34	21.5	3.8	14.0	29.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	24.4	5.4	13.9	34.9
Some College or College Graduate	20	21.6	5.1	11.7	31.6
Annual Household Income					
Less than \$35,000 per Year	24	26.5	5.6	15.6	37.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	26	36.8	6.5	24.1	49.5
Living without a Disability	16	19.1	4.8	9.7	28.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	27.9	6.5	15.2	40.7
Obese (BMI ≥ 30)	18	29.1	6.7	16.0	42.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	23.6	4.7	14.4	32.8
Does not participate in leisure time physical activity	16	27.0	7.0	13.3	40.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	33	22.2	4.0	14.3	30.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	34	23.3	4.1	15.3	31.4
Health Insurance Status					
Insured	37	22.2	3.8	14.6	29.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse, or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,584	9.5	0.2	9.1	10.0
Labette County	32	13.3	2.7	8.0	18.6
Gender					
Men	19	17.1	4.6	8.0	26.2
Women	13	9.8	2.8	4.2	15.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	14.0	3.8	6.5	21.5
65 Years and Older	15	25.7	6.3	13.3	38.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	13.5	2.8	8.1	18.9
Race					
White	29	13.9	2.9	8.2	19.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	17.4	4.6	8.4	26.4
Some College or College Graduate	15	9.3	2.7	4.1	14.6
Annual Household Income					
Less than \$35,000 per Year	20	15.3	3.8	7.9	22.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	21	27.5	5.8	16.2	38.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	24	31.1	6.2	18.9	43.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	15.0	3.7	7.7	22.3
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	27	14.6	3.2	8.4	20.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	17.2	3.4	10.4	23.9
Health Insurance Status					
Insured	28	13.6	3.0	7.7	19.4
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental, or Emotional Problems, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,714	23.0	0.4	22.3	23.7
Labette County	73	30.3	3.8	23.0	37.7
Gender					
Men	26	26.3	5.4	15.8	36.9
Women	47	33.9	5.1	23.8	44.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	33	32.7	5.4	22.0	43.3
65 Years and Older	33	51.6	6.9	38.0	65.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	69	29.6	3.8	22.2	37.0
Race					
White	64	29.9	4.0	22.2	37.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	38	35.1	5.7	24.0	46.2
Some College or College Graduate	35	25.7	4.9	16.2	35.3
Annual Household Income					
Less than \$35,000 per Year	43	35.7	5.6	24.6	46.8
\$35,000 or Higher per Year	16	24.8	6.4	12.3	37.3
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	23.6	5.8	12.1	35.0
Obese (BMI ≥ 30)	36	44.8	7.1	30.9	58.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	40	24.9	4.3	16.5	33.2
Does not participate in leisure time physical activity	32	39.2	7.1	25.2	53.1
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	66	31.9	4.1	23.8	40.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	30.4	4.1	22.3	38.5
Health Insurance Status					
Insured	65	31.2	4.1	23.3	39.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability , 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,179	24.5	0.4	23.7	25.2
Labette County	78	32.2	3.8	24.7	39.7
Gender					
Men	27	27.6	5.5	16.8	38.3
Women	51	36.3	5.2	26.0	46.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	34	33.7	5.5	23.0	44.5
65 Years and Older	37	57.6	6.8	44.4	70.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	74	31.5	3.9	24.0	39.1
Race					
White	69	32.0	4.0	24.1	39.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	41	37.9	5.8	26.5	49.2
Some College or College Graduate	37	26.7	4.9	17.1	36.3
Annual Household Income					
Less than \$35,000 per Year	45	37.8	5.8	26.5	49.1
\$35,000 or Higher per Year	16	24.8	6.4	12.3	37.3
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	20	23.9	5.8	12.5	35.4
Obese (BMI ≥ 30)	38	47.8	7.2	33.7	61.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	44	27.1	4.4	18.5	35.8
Does not participate in leisure time physical activity	33	40.2	7.2	26.2	54.2
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	71	34.0	4.2	25.7	42.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	62	32.7	4.2	24.4	41.0
Health Insurance Status					
Insured	70	33.4	4.2	25.3	41.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed, or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet Both The
Aerobic AND Strengthening Exercise Recommendations, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,604	83.5	0.4	82.7	84.2
Labette County	162	91.4	2.5	86.6	96.3
Gender					
Men	67	92.4	3.6	85.5	99.4
Women	95	90.5	3.4	83.7	97.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	74	90.8	3.2	84.4	97.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	155	91.2	2.5	86.2	96.2
Race					
White	144	92.0	2.3	87.4	96.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	83	88.6	3.8	81.1	96.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	49	86.3	4.7	77.2	95.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	90	88.3	3.6	81.3	95.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	53	86.3	5.0	76.5	96.1
Obese (BMI ≥ 30)	59	92.3	4.2	84.1	100
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	131	91.5	2.7	86.2	96.8
Health Insurance Status					
Insured	141	91.2	2.6	86.1	96.2
Uninsured	*	*	*	*	*

Numerator: Respondents who did not meet both aerobic and strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

Meeting the physical activity guideline is defined as meeting both aerobic and strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet EITHER
Aerobic OR Strengthening Guideline, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,956	45.3	0.5	44.4	46.2
Labette County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who did not meet either aerobic or strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity (Leisure Time Physical Activity) Other Than Their Regular Job in the Past 30 Days, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,740	26.8	0.4	26.0	27.6
Labette County	63	35.0	4.3	26.6	43.4
Gender					
Men	26	40.2	6.9	26.7	53.7
Women	37	30.2	5.1	20.3	40.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	39.1	6.2	27.0	51.2
65 Years and Older	25	39.1	6.9	25.5	52.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	61	36.0	4.4	27.3	44.6
Race					
White	53	34.5	4.6	25.6	43.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	45.8	6.3	33.4	58.2
Some College or College Graduate	27	24.5	5.4	13.9	35.1
Annual Household Income					
Less than \$35,000 per Year	35	38.7	6.2	26.5	51.0
\$35,000 or Higher per Year	14	27.9	6.8	14.6	41.1
Disability Status					
Living with a Disability	33	43.5	6.6	30.6	56.4
Living without a Disability	29	29.9	5.4	19.3	40.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	21	<i>33.0</i>	7.2	<i>18.9</i>	<i>47.0</i>
Obese (BMI ≥ 30)	25	<i>41.1</i>	7.3	<i>26.9</i>	<i>55.4</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	49	<i>33.6</i>	4.6	<i>24.5</i>	<i>42.7</i>
Health Insurance Status					
Insured	53	<i>31.9</i>	4.4	<i>23.2</i>	<i>40.6</i>
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,375	41.4	0.5	40.5	42.4
Labette County	72	43.9	4.5	35.0	52.8
Gender					
Men	32	49.8	6.8	36.5	63.2
Women	40	37.9	5.7	26.7	49.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	39	49.9	6.1	38.0	61.9
65 Years and Older	18	32.2	7.0	18.5	45.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	70	45.3	4.6	36.2	54.3
Race					
White	63	43.1	4.8	33.7	52.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	46.3	6.4	33.8	58.9
Some College or College Graduate	38	41.6	6.4	29.1	54.1
Annual Household Income					
Less than \$35,000 per Year	39	45.7	6.4	33.1	58.3
\$35,000 or Higher per Year	21	35.6	6.9	22.0	49.3
Disability Status					
Living with a Disability	24	31.0	6.2	18.9	43.1
Living without a Disability	44	47.1	5.9	35.5	58.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	28	42.3	7.4	27.8	56.9
Obese (BMI ≥ 30)	22	39.1	7.3	24.8	53.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	35.4	5.6	24.5	46.3
Does not participate in leisure time physical activity	33	58.3	7.6	43.4	73.1
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	62	44.2	4.9	34.6	53.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	52	38.5	4.9	28.9	48.0
Health Insurance Status					
Insured	62	42.7	4.9	33.2	52.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,908	22.3	0.4	21.4	23.1
Labette County	44	26.6	4.1	18.5	34.7
Gender					
Men	21	24.7	5.8	13.4	36.1
Women	23	28.3	5.8	17.0	39.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	24	30.0	5.8	18.7	41.4
65 Years and Older	12	21.9	6.0	10.2	33.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	27.3	4.2	19.0	35.6
Race					
White	35	24.3	4.3	16.0	32.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	29.7	6.1	17.7	41.6
Some College or College Graduate	22	23.8	5.6	12.9	34.7
Annual Household Income					
Less than \$35,000 per Year	23	25.0	5.6	14.0	36.1
\$35,000 or Higher per Year	13	26.8	7.0	13.0	40.6
Disability Status					
Living with a Disability	18	24.9	5.7	13.7	36.2
Living without a Disability	25	25.9	5.3	15.5	36.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	28.7	6.9	15.1	42.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	18.8	4.8	9.3	28.3
Does not participate in leisure time physical activity	27	41.6	7.7	26.5	56.6
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	42	30.2	4.6	21.1	39.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	23.2	4.4	14.7	31.8
Health Insurance Status					
Insured	37	25.0	4.3	16.6	33.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,212	16.7	0.4	15.9	17.5
Labette County	22	16.8	3.6	9.8	23.8
Gender					
Men	*	*	*	*	*
Women	15	20.5	5.7	10.6	30.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	16.3	3.6	9.2	23.4
Race					
White	16	14.7	3.7	7.6	21.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	10	18.7	5.5	7.8	29.5
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	15	24.1	5.9	12.6	35.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	17.8	4.8	8.4	27.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	<i>11</i>	<i>23.1</i>	<i>6.6</i>	<i>10.2</i>	<i>36.1</i>
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	<i>10</i>	<i>24.9</i>	<i>7.2</i>	<i>10.8</i>	<i>39.0</i>
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>20</i>	<i>18.3</i>	<i>4.1</i>	<i>10.3</i>	<i>26.3</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>12</i>	<i>11.4</i>	<i>3.4</i>	<i>4.8</i>	<i>18.1</i>

Numerator: Respondents reporting they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,123	20.1	0.5	19.2	21.0
Labette County	22	21.7	4.5	12.8	30.5
Gender					
Men	*	*	*	*	*
Women	15	27.1	6.5	14.4	39.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	21.2	4.6	12.2	30.2
Race					
White	16	19.5	4.7	10.2	28.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	10	26.6	7.5	11.9	41.4
Some College or College Graduate	12	17.6	5.3	7.3	28.0
Annual Household Income					
Less than \$35,000 per Year	15	30.9	7.2	16.7	45.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	21.3	5.6	10.2	32.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>20</i>	<i>23.8</i>	<i>5.2</i>	<i>13.7</i>	<i>33.9</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>12</i>	<i>15.9</i>	<i>4.6</i>	<i>6.8</i>	<i>25.0</i>

Numerator: Respondents ages 18-64 years old reporting they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,606	19.7	0.4	18.9	20.6
Labette County	27	15.4	3.2	9.1	21.7
Gender					
Men	12	18.5	5.4	7.8	29.2
Women	15	12.4	3.5	5.6	19.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	12	14.4	4.3	5.9	22.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	14.7	3.2	8.4	21.0
Race					
White	20	13.1	3.2	6.8	19.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	16.8	4.6	7.8	25.8
Annual Household Income					
Less than \$35,000 per Year	15	14.9	4.3	6.5	23.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	14.7	3.6	7.6	21.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	20.1	5.7	8.8	31.4
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	19	12.2	3.0	6.2	18.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	20	14.2	3.5	7.4	21.0
Health Insurance Status					
Insured	18	10.8	2.9	5.1	16.5
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See Doctor Because of Cost In the Past 12 Months, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,334	14.3	0.3	13.7	15.0
Labette County	31	18.8	3.6	11.7	25.8
Gender					
Men	*	*	*	*	*
Women	19	19.6	4.8	10.2	29.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	21.2	5.0	11.4	31.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	19.1	3.7	11.8	26.3
Race					
White	25	18.0	3.8	10.4	25.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	20.4	5.4	9.9	30.9
Some College or College Graduate	15	17.1	4.8	7.8	26.5
Annual Household Income					
Less than \$35,000 per Year	25	28.4	5.7	17.2	39.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	15	19.5	5.3	9.0	29.9
Living without a Disability	13	16.1	4.6	7.0	25.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	25.0	6.6	12.0	37.9
Obese (BMI ≥ 30)	15	22.9	6.3	10.7	35.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	14.9	4.2	6.6	23.2
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	28	19.5	4.0	11.6	27.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	18.6	4.1	10.7	26.6
Health Insurance Status					
Insured	21	14.0	3.4	7.3	20.7
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,614	15.0	0.3	14.4	15.6
Labette County	59	23.6	3.4	17.0	30.2
Gender					
Men	22	18.3	4.3	9.9	26.7
Women	37	28.6	4.9	18.9	38.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	22	23.4	5.0	13.5	33.3
65 Years and Older	30	45.0	6.9	31.5	58.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	24.2	3.5	17.4	31.0
Race					
White	52	22.8	3.5	16.0	29.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	28.9	5.2	18.6	39.2
Some College or College Graduate	26	18.5	4.1	10.4	26.6
Annual Household Income					
Less than \$35,000 per Year	40	34.4	5.6	23.4	45.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	49	60.8	6.5	48.0	73.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	16.7	4.9	7.1	26.2
Obese (BMI ≥ 30)	31	40.9	6.9	27.4	54.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	17.2	3.5	10.3	24.0
Does not participate in leisure time physical activity	27	34.4	6.8	21.0	47.9
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	55	26.0	3.8	18.5	33.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	46	24.5	3.8	17.0	31.9
Health Insurance Status					
Insured	52	24.1	3.6	17.0	31.1
Uninsured	*	*	*	*	*

Numerator: Respondents reporting that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14
or More Days in the Past 30 Days, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,519	10.5	0.3	10.0	11.0
Labette County	46	18.7	3.0	12.8	24.6
Gender					
Men	18	17.1	4.3	8.7	25.5
Women	28	20.2	4.2	11.9	28.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	21	22.4	4.9	12.8	32.0
65 Years and Older	22	35.5	6.8	22.2	48.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	19.3	3.1	13.2	25.4
Race					
White	38	16.9	3.0	10.9	22.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	20.2	4.5	11.3	29.1
Some College or College Graduate	25	17.2	4.0	9.4	25.0
Annual Household Income					
Less than \$35,000 per Year	28	21.6	4.5	12.8	30.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	38	54.6	6.7	41.5	67.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	<i>15.0</i>	4.5	6.2	23.7
Obese (BMI ≥ 30)	19	<i>25.3</i>	5.9	13.8	36.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	<i>11.1</i>	3.0	5.2	17.0
Does not participate in leisure time physical activity	27	<i>31.8</i>	6.5	19.0	44.6
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	41	<i>20.2</i>	3.4	13.4	26.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	<i>19.7</i>	3.5	12.8	26.5
Health Insurance Status					
Insured	43	<i>21.0</i>	3.4	14.2	27.7
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their physical health was not good.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,937	10.2	0.3	9.6	10.8
Labette County	31	16.3	3.2	10.0	22.6
Gender					
Men	*	*	*	*	*
Women	21	22.0	4.9	12.4	31.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	13.4	3.8	6.0	20.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	15.8	3.2	9.6	22.1
Race					
White	22	13.7	3.2	7.3	20.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	18.5	4.9	8.8	28.1
Some College or College Graduate	16	14.2	4.1	6.3	22.2
Annual Household Income					
Less than \$35,000 per Year	22	24.4	5.4	13.8	34.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	19	27.6	6.3	15.3	39.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	27.0	6.6	14.1	39.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	13.7	3.8	6.3	21.2
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	25	14.6	3.2	8.3	20.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	16.2	3.6	9.0	23.3
Health Insurance Status					
Insured	24	14.8	3.4	8.2	21.4
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their mental health was not good.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work, or Recreation, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,985	39.5	0.7	38.2	40.8
Labette County	48	42.7	5.6	31.7	53.7
Gender					
Men	*	*	*	*	*
Women	28	42.5	7.1	28.5	56.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	47	43.4	5.7	32.3	54.6
Race					
White	39	38.7	5.9	27.2	50.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	40.1	7.8	24.7	55.4
Some College or College Graduate	26	45.7	8.0	30.0	61.3
Annual Household Income					
Less than \$35,000 per Year	31	48.0	7.6	33.1	62.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	29	56.6	7.7	41.5	71.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	49.2	7.7	34.1	64.4
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	42	44.3	6.2	32.2	56.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	38	44.9	6.5	32.2	57.6
Health Insurance Status					
Insured	40	42.6	6.1	30.7	54.6
Uninsured	*	*	*	*	*

Numerator: Respondents reporting one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work, or recreation.

Denominator: Among respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,236	4.4	0.2	4.1	4.7
Labette County	24	10.1	2.5	5.2	15.1
Gender					
Men	16	16.1	4.7	6.9	25.3
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	15	20.6	5.6	9.7	31.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	10.3	2.6	5.2	15.5
Race					
White	19	9.3	2.6	4.1	14.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	16.5	4.6	7.5	25.5
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	22	11.9	3.0	5.9	17.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	11.3	3.1	5.1	17.4
Health Insurance Status					
Insured	20	10.3	2.8	4.7	15.9
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,333	4.5	0.2	4.2	4.8
Labette County	20	6.4	1.6	3.2	9.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	19.5	5.3	9.0	29.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	6.4	1.7	3.2	9.7
Race					
White	16	6.2	1.7	2.8	9.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	18	7.3	1.9	3.5	11.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	7.8	2.1	3.8	11.9
Health Insurance Status					
Insured	18	6.5	1.7	3.1	9.8
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Had A Stroke, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	831	2.7	0.1	2.5	3.0
Labette County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,234	30.8	0.4	30.1	31.6
Labette County	99	40.3	4.1	32.2	48.3
Gender					
Men	42	46.0	6.6	33.0	59.0
Women	57	34.9	4.9	25.4	44.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	43	47.6	6.0	35.8	59.4
65 Years and Older	47	70.9	6.3	58.5	83.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	95	40.7	4.2	32.5	49.0
Race					
White	90	42.0	4.4	33.3	50.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	53	48.3	6.1	36.3	60.3
Some College or College Graduate	46	32.4	5.3	22.0	42.9
Annual Household Income					
Less than \$35,000 per Year	48	37.0	5.7	25.8	48.2
\$35,000 or Higher per Year	33	47.3	7.2	33.3	61.4
Disability Status					
Living with a Disability	54	64.4	6.6	51.4	77.4
Living without a Disability	42	29.9	5.0	20.1	39.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	36	40.0	6.8	26.6	53.4
Obese (BMI ≥ 30)	38	45.3	7.0	31.6	58.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	61	37.1	4.9	27.5	46.7
Does not participate in leisure time physical activity	34	44.6	7.6	29.8	59.4
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	84	41.7	4.6	32.7	50.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	86	46.5	4.7	37.2	55.8
Health Insurance Status					
Insured	93	44.2	4.5	35.3	53.1
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,021	58.3	0.4	57.4	59.2
Labette County	81	51.1	4.5	42.3	59.9
Gender					
Men	34	53.5	6.9	39.8	67.1
Women	47	49.0	5.8	37.7	60.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	41	51.6	6.1	39.7	63.5
65 Years and Older	20	32.0	6.7	18.9	45.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	77	51.1	4.6	42.1	60.0
Race					
White	68	48.0	4.8	38.7	57.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	56.3	6.1	44.3	68.4
Some College or College Graduate	38	46.1	6.5	33.4	58.7
Annual Household Income					
Less than \$35,000 per Year	43	54.4	6.2	42.2	66.6
\$35,000 or Higher per Year	25	49.2	7.5	34.6	63.9
Disability Status					
Living with a Disability	27	36.7	6.4	24.1	49.2
Living without a Disability	54	58.1	5.7	47.0	69.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	28	48.0	7.5	33.2	62.7
Obese (BMI ≥ 30)	25	46.4	7.4	31.9	60.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	51	51.4	5.5	40.7	62.2
Does not participate in leisure time physical activity	30	51.8	7.8	36.5	67.1
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	71	51.6	4.8	42.1	61.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	61	46.4	4.9	36.7	56.0
Health Insurance Status					
Insured	68	47.7	4.8	38.2	57.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not have a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,059	32.4	0.7	31.0	33.7
Labette County	20	32.0	6.7	18.9	45.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	31.9	6.8	18.5	45.3
Race					
White	19	32.1	6.9	18.6	45.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>18</i>	<i>36.8</i>	<i>7.6</i>	<i>22.0</i>	<i>51.6</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>18</i>	<i>32.0</i>	<i>6.9</i>	<i>18.4</i>	<i>45.6</i>
Health Insurance Status					
Insured	<i>20</i>	<i>32.5</i>	<i>6.8</i>	<i>19.2</i>	<i>45.8</i>
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they did not receive a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Never Had Pneumonia
Vaccination, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,792	29.2	0.7	27.9	30.6
Labette County	19	34.3	6.9	20.7	47.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	34.2	7.0	20.4	48.0
Race					
White	18	34.4	7.1	20.5	48.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	17	37.7	7.6	22.7	52.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	33.8	7.2	19.7	47.9
Health Insurance Status					
Insured	19	34.8	7.0	21.1	48.5
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they never had a pneumonia vaccination.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults who are Obese, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,907	29.6	0.4	28.7	30.4
Labette County	68	33.6	4.1	25.6	41.5
Gender					
Men	26	27.7	5.6	16.7	38.7
Women	42	39.7	5.7	28.5	50.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	32	38.0	6.0	26.2	49.9
65 Years and Older	24	37.9	6.9	24.5	51.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	33.2	4.1	25.1	41.3
Race					
White	60	33.9	4.3	25.5	42.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	35.8	5.9	24.2	47.3
Some College or College Graduate	34	31.3	5.6	20.4	42.3
Annual Household Income					
Less than \$35,000 per Year	43	43.8	6.3	31.5	56.1
\$35,000 or Higher per Year	20	32.1	6.7	18.9	45.3
Disability Status					
Living with a Disability	38	50.5	6.8	37.2	63.9
Living without a Disability	28	26.7	5.2	16.6	36.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>41</i>	<i>31.1</i>	<i>5.0</i>	<i>21.4</i>	<i>40.9</i>
Does not participate in leisure time physical activity	<i>25</i>	<i>41.1</i>	<i>7.8</i>	<i>25.9</i>	<i>56.3</i>
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>59</i>	<i>36.3</i>	<i>4.6</i>	<i>27.2</i>	<i>45.4</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>60</i>	<i>36.6</i>	<i>4.6</i>	<i>27.5</i>	<i>45.6</i>
Health Insurance Status					
Insured	<i>57</i>	<i>30.5</i>	<i>4.2</i>	<i>22.3</i>	<i>38.7</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who are Overweight or Obese, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	12,869	64.4	0.5	63.5	65.3
Labette County	141	78.9	3.5	71.9	85.8
Gender					
Men	59	77.0	5.5	66.2	87.9
Women	82	80.8	4.3	72.4	89.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	63	77.7	5.3	67.4	87.9
65 Years and Older	44	67.8	6.5	55.2	80.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	135	79.8	3.5	73.0	86.6
Race					
White	122	78.4	3.7	71.1	85.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	70	82.1	4.3	73.7	90.6
Some College or College Graduate	71	75.7	5.5	64.9	86.5
Annual Household Income					
Less than \$35,000 per Year	76	83.3	4.6	74.4	92.3
\$35,000 or Higher per Year	49	87.8	3.9	80.2	95.5
Disability Status					
Living with a Disability	58	81.9	5.0	72.0	91.7
Living without a Disability	75	75.0	5.0	65.1	84.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>88</i>	<i>75.6</i>	<i>4.8</i>	<i>66.2</i>	<i>85.1</i>
Does not participate in leisure time physical activity	<i>46</i>	<i>82.5</i>	<i>5.4</i>	<i>71.8</i>	<i>93.2</i>
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>112</i>	<i>77.8</i>	<i>4.0</i>	<i>70.1</i>	<i>85.6</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>117</i>	<i>81.6</i>	<i>3.4</i>	<i>74.8</i>	<i>88.3</i>
Health Insurance Status					
Insured	<i>123</i>	<i>76.6</i>	<i>4.0</i>	<i>68.7</i>	<i>84.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,339	19.4	0.4	18.6	20.1
Labette County	42	31.9	4.5	23.0	40.8
Gender					
Men	26	41.8	7.1	27.9	55.7
Women	16	23.2	5.6	12.2	34.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	20	30.5	6.0	18.8	42.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	31.6	4.6	22.5	40.6
Race					
White	37	31.4	4.8	22.0	40.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	26.0	5.9	14.3	37.6
Some College or College Graduate	25	37.6	6.6	24.6	50.5
Annual Household Income					
Less than \$35,000 per Year	21	29.6	6.2	17.5	41.8
\$35,000 or Higher per Year	12	27.8	7.1	14.0	41.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	31	38.3	5.9	26.7	50.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	18	38.5	7.7	23.4	53.6
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	33.3	5.7	22.2	44.4
Does not participate in leisure time physical activity	14	30.0	7.7	14.9	45.0
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	39	34.5	4.9	24.8	44.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	28.0	4.9	18.4	37.7
Health Insurance Status					
Insured	35	31.2	4.9	21.6	40.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they nearly always, sometimes, seldom, or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,547	22.0	0.4	21.2	22.8
Labette County	38	23.5	4.0	15.7	31.4
Gender					
Men	15	23.6	6.2	11.5	35.7
Women	23	23.5	5.2	13.3	33.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	23.4	5.5	12.6	34.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	24.4	4.1	16.3	32.5
Race					
White	32	23.4	4.3	15.0	31.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	30.0	6.2	17.9	42.1
Some College or College Graduate	18	17.2	4.8	7.7	26.7
Annual Household Income					
Less than \$35,000 per Year	22	29.1	6.1	17.2	41.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	16	20.1	5.5	9.4	30.7
Living without a Disability	18	21.7	5.3	11.4	32.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	16	22.9	6.1	10.9	34.9
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	20.5	5.0	10.8	30.2
Does not participate in leisure time physical activity	14	25.8	7.2	11.7	39.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	30	22.8	4.5	14.1	31.6
Health Insurance Status					
Insured	28	18.6	4.0	10.8	26.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,868	55.5	1.1	53.4	57.6
Labette County	*	*	*	*	*
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Among current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	760	5.3	0.2	4.9	5.8
Labette County	*	*	*	*	*
Gender					
Men	12	17.8	5.3	7.4	28.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2011

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	684	10.1	0.4	9.2	11.0
Labette County	12	17.8	5.3	7.4	28.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	12	17.9	5.4	7.4	28.4
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,699	11.5	0.3	11.0	12.1
Labette County	16	7.4	2.1	3.3	11.5
Gender					
Men	16	15.2	4.2	6.9	23.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	11	21.1	6.2	9.0	33.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	7.5	2.1	3.3	11.7
Race					
White	13	6.6	1.9	2.8	10.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>15</i>	<i>9.4</i>	<i>2.7</i>	<i>4.1</i>	<i>14.6</i>
Health Insurance Status					
Insured	<i>14</i>	<i>7.1</i>	<i>2.1</i>	<i>3.1</i>	<i>11.2</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Vision Impairment In One of Both Eyes, Even
When Wearing Glasses, 2011**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,108	15.7	0.3	15.1	16.3
Labette County	53	20.7	3.2	14.5	27.0
Gender					
Men	20	20.5	5.7	10.6	30.5
Women	33	20.9	3.9	13.2	28.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	16.8	4.1	8.8	24.8
65 Years and Older	29	40.2	6.8	26.9	53.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	52	21.3	3.3	14.9	27.8
Race					
White	48	20.8	3.3	14.3	27.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	21.0	4.5	12.1	29.8
Some College or College Graduate	26	20.5	4.5	11.7	29.3
Annual Household Income					
Less than \$35,000 per Year	27	22.7	4.8	13.2	32.2
\$35,000 or Higher per Year	13	14.8	4.3	6.4	23.2
Disability Status					
Living with a Disability	28	29.7	5.7	18.5	41.0
Living without a Disability	24	17.1	3.8	9.7	24.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	19	20.0	5.3	9.6	30.5
Obese (BMI ≥ 30)	18	23.2	5.6	12.2	34.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	20.8	4.0	13.0	28.6
Does not participate in leisure time physical activity	20	20.7	5.2	10.5	30.8
Aerobic and Strengthening Exercise (2-Level)					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	44	19.5	3.2	13.2	25.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	45	24.8	3.9	17.1	32.4
Health Insurance Status					
Insured	48	21.3	3.4	14.6	28.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse, or other health professional that they have vision impairment in one of both eyes, even when wearing glasses.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

Data on 43 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be unreliable. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference while overlapping confidence intervals indicate that two estimates are not statistically significantly different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, 2011 BRFSS estimates cannot be compared to estimates from previous years.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>