


# 2011 Kansas Behavioral Risk Factor Surveillance System Local Data

## Marion County



November 2013



# **2011 Kansas Behavioral Risk Factor Surveillance System Local Data**

State of Kansas  
Sam Brownback, Governor

Kansas Department of Health and Environment  
Dr. Robert Moser, Secretary and State Health Officer

## **Report Preparation:**

Pratik Pandya, MPH  
Advanced Epidemiologist  
Bureau of Health Promotion (BHP)

Eric Cook-Wiens, MPH  
Data and Measurement Manager  
Kansas Healthcare Collaborative

## **Report Supervision:**

Ericka Welsh, PhD  
Senior Chronic Disease Epidemiologist  
Bureau of Health Promotion (BHP)

Ghazala Perveen, MBBS, PhD, MPH  
Director of Science and Surveillance, Health Officer II  
Bureau of Health Promotion (BHP)

## **Project Funding:**

Partial funding for the 2011 Behavioral Risk Factor Survey was provided by cooperative agreement U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment**  
**Bureau of Health Promotion**  
November 2013

# **Kansas Department of Health and Environment (KDHE)**

## **Mission**

To protect and improve the health and environment of all Kansans

## **Vision**

Healthy Kansans living in safe and sustainable environments

**[www.kdheks.gov](http://www.kdheks.gov)**

## Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years.


During the 2011 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 43 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 43 health risk indicators analyzed at the county or regional level. By the conclusion of the 10-year project, most of Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD  
Secretary and State Health Officer  
Kansas Department of Health and Environment



Marion County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2011 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH  
Advanced Epidemiologist  
Kansas Department of Health and Environment  
Bureau of Health Promotion  
Curtis State Office Building  
1000 SW Jackson Street, Suite 230  
Topeka, KS 66612  
Telephone: 785-296-6513  
Fax: 785-296-8059  
[ppandya@kdheks.gov](mailto:ppandya@kdheks.gov)

Ericka Welsh, PhD  
Senior Chronic Disease Epidemiologist  
Bureau of Health Promotion  
Kansas Department of Health & Environment  
Curtis State Office Building  
1000 SW Jackson, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-0842  
Fax: 785-296-8059  
[ewelsh@kdheks.gov](mailto:ewelsh@kdheks.gov)

# Table of Contents

<b>Alcohol Consumption</b>	
Binge Drinking.....	1
Heavy Drinking.....	3
<b>Arthritis</b>	
Arthritis.....	5
Activity Limitation Due to Arthritis.....	7
<b>Asthma</b> .....	9
<b>Cancer</b>	
Cancer (Excluding Skin Cancer).....	11
Skin Cancer.....	13
<b>Cholesterol</b>	
Not Checked Cholesterol within Five Years.....	15
High Blood Cholesterol Status.....	17
<b>Chronic Obstructive Pulmonary Disease (COPD)</b> .....	19
<b>Depressive Disorder</b> .....	21
<b>Diabetes</b> .....	23
<b>Disability</b>	
Activity Limitation Due to Physical, Mental, or Emotional Problems.....	25
Disability.....	27
<b>Exercise and Physical Activity</b>	
Did Not Meet Both the Aerobic AND Strengthening Exercise Recommendations...29	
Did Not Meet EITHER Aerobic OR Strengthening Recommendation.....	31
Not Participating in Any Physical Activity.....	33
<b>Fruits and Vegetable Consumption</b>	
Consuming Fruits Less than 1 Time Per Day.....	35
Consuming Vegetables Less than 1 Time Per Day.....	37

<b>Health Care Access</b>	
Lack Health Care Coverage .....	39
Lack Health Care Coverage (Ages 18 to 64 Years Old Only) .....	41
No Personal Doctor .....	43
Did Not See Doctor Due to Cost.....	45
<b>General Health</b> .....	47
<b>Healthy Days-Health Related Quality of Life</b>	
Physical Health Status.....	49
Mental Health Status.....	51
Poor Physical or Mental Health is Barrier to Usual Activities.....	53
<b>Heart Attack</b> .....	55
<b>Coronary Heart Disease</b> .....	57
<b>Stroke</b> .....	59
<b>High Blood Pressure</b> .....	61
<b>Immunization</b>	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza (Ages 65 Years and Older Only) .....	65
Never Had Pneumonia Vaccination.....	67
<b>Weight Status (BMI Categories)</b>	
Obese.....	69
Overweight or Obese .....	71
<b>Seatbelt Use</b> .....	73
<b>Tobacco Use</b>	
Current Smoker .....	75
Tried Quitting Smoking .....	77
Smokeless Tobacco Use.....	79
Male Smokeless Tobacco User.....	81
<b>Veteran Status</b> .....	83
<b>Vision Impairment</b> .....	85
<b>Technical Notes</b> .....	87

# Percentage of Adults Who Are Binge Drinkers, 2011

## Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,281	17.0	0.4	16.2	17.8
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents having five or more drinks on one occasion in the past 30 days or female respondents having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	823	5.4	0.2	5.0	5.9
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Doctor Diagnosed Arthritis, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,493	23.1	0.3	22.4	23.8
Marion County	44	30.0	4.8	20.6	39.4
<b>Gender</b>					
Men	*	*	*	*	*
Women	29	26.8	5.5	16.0	37.7
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	28	53.0	7.9	37.5	68.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	42	28.1	4.7	19.0	37.2
<b>Race</b>					
White	42	29.3	4.8	20.0	38.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	21.4	5.0	11.7	31.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	24.7	6.7	11.5	37.8
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	20.0	4.9	10.4	29.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	21	22.3	5.3	12.0	32.6
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	39	31.1	5.4	20.6	41.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	36	29.1	5.1	19.1	39.1
<b>Health Insurance Status</b>					
Insured	42	35.8	5.6	24.9	46.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,150	48.8	0.8	47.3	50.4
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

**Denominator:** Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Current Asthma, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,709	8.8	0.3	8.2	9.3
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had asthma and that they currently have asthma.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,108	6.9	0.2	6.5	7.2
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

# Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2011

## Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,950	6.2	0.2	5.9	6.5
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Have Not Checked Cholesterol Within Five Years  
Among Those Who Have Ever Had Cholesterol Checked, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,379	27.1	0.5	26.2	28.0
Marion County	24	27.8	5.4	17.2	38.5
<b>Gender</b>					
Men	*	*	*	*	*
Women	18	34.8	7.5	20.0	49.6
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	24	28.7	5.6	17.8	39.6
<b>Race</b>					
White	24	29.5	5.7	18.4	40.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	31.6	6.6	18.6	44.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	16	27.6	6.5	14.9	40.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	19	28.9	6.2	16.7	41.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	17	26.3	6.0	14.5	38.1
<b>Health Insurance Status</b>					
Insured	15	18.9	5.1	8.9	28.9
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had not checked their blood cholesterol in the past five years.

Denominator: Respondents who ever had their blood cholesterol checked, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Tested and Diagnosed with High Cholesterol, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,660	38.4	0.5	37.5	39.3
Marion County	49	51.2	6.1	39.3	63.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	30	52.9	7.9	37.5	68.3
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	26	57.6	7.8	42.4	72.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	48	53.0	6.1	41.0	65.0
<b>Race</b>					
White	46	50.3	6.1	38.3	62.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	32	50.4	7.7	35.4	65.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	27	49.3	7.5	34.7	64.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	<i>31</i>	<i>46.6</i>	<i>7.2</i>	<i>32.3</i>	<i>60.8</i>
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>41</i>	<i>50.8</i>	<i>6.7</i>	<i>37.7</i>	<i>63.9</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>40</i>	<i>48.1</i>	<i>6.4</i>	<i>35.6</i>	<i>60.7</i>
<b>Health Insurance Status</b>					
Insured	<i>45</i>	<i>50.1</i>	<i>6.3</i>	<i>37.7</i>	<i>62.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

*Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.*

**Percentage of Adults Who Had Chronic Obstructive Pulmonary Disease  
(COPD), Emphysema or Chronic Bronchitis, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,658	6.6	0.2	6.2	7.0
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,  
2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,360	15.9	0.3	15.2	16.5
Marion County	14	9.6	2.9	4.0	15.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	14	9.9	2.9	4.1	15.7
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>14</i>	<i>11.7</i>	<i>3.4</i>	<i>4.9</i>	<i>18.4</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse, or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults with Diagnosed Diabetes, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,584	9.5	0.2	9.1	10.0
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	11	26.4	7.6	11.5	41.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,  
Mental, or Emotional Problems, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,714	23.0	0.4	22.3	23.7
Marion County	35	22.6	4.4	14.1	31.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	26	24.2	5.5	13.5	34.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	21	34.2	7.3	19.8	48.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	32	20.1	4.0	12.2	28.0
<b>Race</b>					
White	33	21.4	4.2	13.2	29.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	23.6	5.2	13.4	33.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	<i>18</i>	<i>17.8</i>	<i>4.9</i>	<i>8.2</i>	<i>27.5</i>
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>32</i>	<i>23.5</i>	<i>4.8</i>	<i>14.1</i>	<i>32.8</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>27</i>	<i>19.7</i>	<i>4.2</i>	<i>11.4</i>	<i>28.0</i>
<b>Health Insurance Status</b>					
Insured	<i>31</i>	<i>22.9</i>	<i>4.7</i>	<i>13.6</i>	<i>32.2</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Reported Living with a Disability , 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,179	24.5	0.4	23.7	25.2
Marion County	36	23.6	4.4	14.9	32.3
<b>Gender</b>					
Men	*	*	*	*	*
Women	26	24.2	5.5	13.5	34.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	22	37.7	7.6	22.8	52.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	33	21.1	4.1	13.0	29.2
<b>Race</b>					
White	34	22.5	4.3	14.1	30.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	25	25.5	5.5	14.8	36.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	19	19.1	5.0	9.3	29.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	33	24.6	4.9	15.1	34.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	28	20.9	4.4	12.3	29.4
<b>Health Insurance Status</b>					
Insured	32	24.2	4.8	14.7	33.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed, or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet Both The  
Aerobic AND Strengthening Exercise Recommendations, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,604	83.5	0.4	82.7	84.2
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not meet both aerobic and strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

Meeting the physical activity guideline is defined as meeting both aerobic and strengthening guidelines.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet EITHER  
Aerobic OR Strengthening Guideline, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,956	45.3	0.5	44.4	46.2
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not meet either aerobic or strengthening physical activity guidelines. The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in Any Physical Activity (Leisure Time Physical Activity) Other Than Their Regular Job in the Past 30 Days, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,740	26.8	0.4	26.0	27.6
Marion County	35	26.6	4.8	17.1	36.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	24	25.8	6.0	14.0	37.6
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	38.8	7.9	23.2	54.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	34	26.8	4.9	17.2	36.5
<b>Race</b>					
White	35	28.2	5.0	18.3	38.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	20	20.8	5.2	10.5	31.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	21.1	5.4	10.5	31.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>27</i>	<i>23.5</i>	<i>5.0</i>	<i>13.7</i>	<i>33.3</i>
<b>Health Insurance Status</b>					
Insured	<i>29</i>	<i>23.9</i>	<i>5.0</i>	<i>14.2</i>	<i>33.7</i>
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,  
2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,375	41.4	0.5	40.5	42.4
Marion County	40	38.3	5.6	27.4	49.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	23	30.3	6.8	17.0	43.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	39	37.3	5.6	26.3	48.2
<b>Race</b>					
White	38	38.1	5.6	27.1	49.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	34.1	7.0	20.3	47.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	19	41.6	8.0	25.9	57.4
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	25	36.2	6.6	23.3	49.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	23	32.8	6.4	20.2	45.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	39	44.0	6.2	31.8	56.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	27	32.4	5.9	20.8	44.0
<b>Health Insurance Status</b>					
Insured	31	33.7	5.8	22.2	45.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time  
Per Day, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,908	22.3	0.4	21.4	23.1
Marion County	26	24.9	5.0	15.1	34.8
<b>Gender</b>					
Men	*	*	*	*	*
Women	16	22.1	6.1	10.2	34.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	23.4	4.9	13.8	33.0
<b>Race</b>					
White	24	23.9	5.0	14.1	33.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	23.1	6.3	10.7	35.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	32.1	7.9	16.5	47.6
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	23.2	5.8	11.9	34.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	15	21.0	5.6	10.0	32.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	24	27.5	5.8	16.3	38.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	17	21.1	5.2	10.9	31.2
<b>Health Insurance Status</b>					
Insured	20	23.5	5.5	12.6	34.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Lack Health Care Coverage, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,212	16.7	0.4	15.9	17.5
Marion County	14	16.5	4.3	8.0	25.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	10	22.5	6.7	9.4	35.6
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	14	17.1	4.5	8.3	25.8
<b>Race</b>					
White	13	16.1	4.4	7.5	24.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>12</i>	<i>18.7</i>	<i>5.1</i>	<i>8.7</i>	<i>28.7</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents reporting they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,  
2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,123	20.1	0.5	19.2	21.0
Marion County	14	23.3	6.0	11.7	35.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	14	24.1	6.1	12.1	36.0
<b>Race</b>					
White	13	23.4	6.2	11.2	35.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

**Numerator:** Respondents ages 18-64 years old reporting they had no health care coverage.

**Denominator:** All respondents ages 18-64 years old, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

# Percentage of Adults with No Personal Doctor or Health Care Provider, 2011

## Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,606	19.7	0.4	18.9	20.6
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Could Not See Doctor Because of Cost In the Past 12 Months, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,334	14.3	0.3	13.7	15.0
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,614	15.0	0.3	14.4	15.6
Marion County	24	16.2	3.9	8.5	23.8
<b>Gender</b>					
Men	*	*	*	*	*
Women	18	17.5	5.0	7.6	27.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	16	28.4	7.1	14.6	42.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	21	13.6	3.5	6.8	20.4
<b>Race</b>					
White	23	14.9	3.6	7.8	22.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>20</i>	<i>17.7</i>	<i>4.6</i>	<i>8.7</i>	<i>26.7</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>17</i>	<i>11.9</i>	<i>3.3</i>	<i>5.5</i>	<i>18.3</i>
<b>Health Insurance Status</b>					
Insured	<i>21</i>	<i>15.3</i>	<i>4.0</i>	<i>7.5</i>	<i>23.1</i>
Uninsured	*	*	*	*	*

Numerator: Respondents reporting that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14  
or More Days in the Past 30 Days, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,519	10.5	0.3	10.0	11.0
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their physical health was not good.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14  
or More Days in the Past 30 Days, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,937	10.2	0.3	9.6	10.8
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their mental health was not good.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work, or Recreation, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,985	39.5	0.7	38.2	40.8
Marion County	19	30.3	7.0	16.6	43.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	18	30.8	7.2	16.7	44.9
<b>Race</b>					
White	18	29.7	7.1	15.8	43.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>18</i>	<i>31.5</i>	<i>7.4</i>	<i>17.0</i>	<i>46.0</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work, or recreation.

**Denominator:** Among respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Who had a Heart Attack, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,236	4.4	0.2	4.1	4.7
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a heart attack also called a myocardial infarction.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults Who had Angina or Coronary Heart Disease, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,333	4.5	0.2	4.2	4.8
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had angina or coronary heart disease.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults Who Had A Stroke, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	831	2.7	0.1	2.5	3.0
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Diagnosed Hypertension, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,234	30.8	0.4	30.1	31.6
Marion County	47	30.6	4.8	21.2	39.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	31	29.3	6.0	17.6	41.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	31	60.5	7.5	45.7	75.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	44	28.4	4.6	19.4	37.5
<b>Race</b>					
White	44	28.6	4.6	19.5	37.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	26	24.8	5.3	14.5	35.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	23	37.6	7.5	22.8	52.4
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	29	30.4	5.7	19.2	41.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	29	27.1	5.4	16.5	37.7
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	39	30.7	5.3	20.2	41.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	39	26.9	4.6	17.8	36.0
<b>Health Insurance Status</b>					
Insured	45	34.6	5.3	24.2	45.0
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,021	58.3	0.4	57.4	59.2
Marion County	68	68.4	4.9	58.7	78.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	39	64.3	6.5	51.6	77.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	43.1	8.2	27.0	59.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	65	67.4	5.0	57.5	77.3
<b>Race</b>					
White	65	67.9	5.1	58.0	77.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	39	64.7	6.5	51.9	77.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	37	78.2	6.0	66.5	90.0
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	46	67.5	6.0	55.8	79.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	45	65.2	6.1	53.3	77.1
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	56	66.7	5.5	55.9	77.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	53	64.1	5.6	53.2	75.1
<b>Health Insurance Status</b>					
Insured	56	66.5	5.3	56.2	76.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not have a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,059	32.4	0.7	31.0	33.7
Marion County	20	43.1	8.2	27.0	59.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	18	41.3	8.4	24.8	57.7
<b>Race</b>					
White	20	43.1	8.2	27.0	59.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	<i>20</i>	<i>43.1</i>	<i>8.2</i>	<i>27.0</i>	<i>59.2</i>
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they did not receive a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Never Had Pneumonia  
Vaccination, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,792	29.2	0.7	27.9	30.6
Marion County	21	38.3	8.0	22.6	53.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	21	38.3	8.0	22.6	53.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	<i>21</i>	<i>38.3</i>	<i>8.0</i>	<i>22.6</i>	<i>53.9</i>
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they never had a pneumonia vaccination.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults who are Obese, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,907	29.6	0.4	28.7	30.4
Marion County	40	31.4	5.1	21.3	41.4
<b>Gender</b>					
Men	*	*	*	*	*
Women	31	38.7	7.0	24.9	52.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	19	30.3	7.0	16.6	44.0
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	38	29.5	5.0	19.7	39.3
<b>Race</b>					
White	39	30.9	5.1	20.9	41.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	29.2	6.3	16.9	41.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	19	35.3	7.8	20.1	50.5
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	28.5	6.0	16.8	40.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	24	26.2	5.7	15.0	37.5
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	36	34.2	5.8	22.7	45.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	32	26.5	5.0	16.6	36.4
<b>Health Insurance Status</b>					
Insured	35	32.2	5.6	21.3	43.2
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who are Overweight or Obese, 2011

### Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	12,869	64.4	0.5	63.5	65.3
Marion County	84	70.0	5.5	59.3	80.7
<b>Gender</b>					
Men	*	*	*	*	*
Women	50	61.4	7.7	46.3	76.6
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	40	79.0	6.5	66.2	91.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	81	69.1	5.6	58.1	80.0
<b>Race</b>					
White	82	70.5	5.5	59.7	81.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	51	71.1	6.7	57.9	84.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	38	71.2	7.3	56.9	85.6
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	50	62.0	6.9	48.5	75.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	<i>51</i>	<i>60.5</i>	<i>6.9</i>	<i>47.0</i>	<i>74.0</i>
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>70</i>	<i>70.3</i>	<i>6.1</i>	<i>58.3</i>	<i>82.3</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>70</i>	<i>65.4</i>	<i>6.2</i>	<i>53.3</i>	<i>77.6</i>
<b>Health Insurance Status</b>					
Insured	<i>73</i>	<i>72.7</i>	<i>5.5</i>	<i>61.9</i>	<i>83.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt  
When They Drive or Ride in a Car, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,339	19.4	0.4	18.6	20.1
Marion County	26	26.4	5.2	16.2	36.7
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	25.0	5.1	14.9	35.1
<b>Race</b>					
White	24	25.5	5.2	15.3	35.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	23.2	6.4	10.7	35.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	28.8	7.5	14.1	43.5
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	25.8	6.2	13.7	37.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	15	22.4	6.1	10.5	34.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	26	31.1	5.9	19.4	42.7
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	19	23.5	5.5	12.7	34.3
<b>Health Insurance Status</b>					
Insured	22	24.7	5.5	13.9	35.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they nearly always, sometimes, seldom, or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

# Percentage of Adults Who Currently Smoke Cigarettes, 2011

## Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,547	22.0	0.4	21.2	22.8
Marion County	18	16.4	4.2	8.1	24.7
<b>Gender</b>					
Men	*	*	*	*	*
Women	14	21.8	6.3	9.5	34.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	17	14.7	3.9	7.0	22.4
<b>Race</b>					
White	16	14.9	4.0	7.0	22.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>18</i>	<i>19.9</i>	<i>5.0</i>	<i>10.0</i>	<i>29.7</i>
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because  
They Were Trying to Quit Smoking, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,868	55.5	1.1	53.4	57.6
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

**Denominator:** Among current smokers, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

# Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2011

## Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	760	5.3	0.2	4.9	5.8
Marion County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

# Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2011

## Marion County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	684	10.1	0.4	9.2	11.0
Marion County	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Ever Served on Active Duty in the United States  
Armed Forces, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,699	11.5	0.3	11.0	12.1
Marion County	13	10.3	3.0	4.5	16.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	13	10.7	3.1	4.6	16.7
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	12	11.5	3.5	4.7	18.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Vision Impairment In One of Both Eyes, Even  
When Wearing Glasses, 2011**

**Marion County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,108	15.7	0.3	15.1	16.3
Marion County	23	15.3	3.7	8.0	22.7
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	33.1	7.7	18.0	48.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	23	15.7	3.8	8.3	23.2
<b>Race</b>					
White	22	16.1	3.9	8.4	23.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	14.6	4.3	6.2	23.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>20</i>	<i>16.6</i>	<i>4.3</i>	<i>8.1</i>	<i>25.0</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>17</i>	<i>12.2</i>	<i>3.3</i>	<i>5.7</i>	<i>18.7</i>
<b>Health Insurance Status</b>					
Insured	<i>22</i>	<i>16.9</i>	<i>4.1</i>	<i>8.9</i>	<i>24.9</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse, or other health professional that they have vision impairment in one of both eyes, even when wearing glasses.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Technical Notes

Data on 43 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be unreliable. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference while overlapping confidence intervals indicate that two estimates are not statistically significantly different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("\*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, 2011 BRFSS estimates cannot be compared to estimates from previous years.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>