


# 2011 Kansas Behavioral Risk Factor Surveillance System Local Data

## Neosho County



November 2013



# **2011 Kansas Behavioral Risk Factor Surveillance System Local Data**

State of Kansas  
Sam Brownback, Governor

Kansas Department of Health and Environment  
Dr. Robert Moser, Secretary and State Health Officer

## **Report Preparation:**

Pratik Pandya, MPH  
Advanced Epidemiologist  
Bureau of Health Promotion (BHP)

Eric Cook-Wiens, MPH  
Data and Measurement Manager  
Kansas Healthcare Collaborative

## **Report Supervision:**

Ericka Welsh, PhD  
Senior Chronic Disease Epidemiologist  
Bureau of Health Promotion (BHP)

Ghazala Perveen, MBBS, PhD, MPH  
Director of Science and Surveillance, Health Officer II  
Bureau of Health Promotion (BHP)

## **Project Funding:**

Partial funding for the 2011 Behavioral Risk Factor Survey was provided by cooperative agreement U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment**  
**Bureau of Health Promotion**  
November 2013

# **Kansas Department of Health and Environment (KDHE)**

## **Mission**

To protect and improve the health and environment of all Kansans

## **Vision**

Healthy Kansans living in safe and sustainable environments

**[www.kdheks.gov](http://www.kdheks.gov)**

## Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years.


During the 2011 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 43 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 43 health risk indicators analyzed at the county or regional level. By the conclusion of the 10-year project, most of Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,

A handwritten signature in blue ink that reads "Robert Moser". The signature is fluid and cursive, with a large initial "R" and "M".

Robert Moser, MD  
Secretary and State Health Officer  
Kansas Department of Health and Environment



Neosho County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2011 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH  
Advanced Epidemiologist  
Kansas Department of Health and Environment  
Bureau of Health Promotion  
Curtis State Office Building  
1000 SW Jackson Street, Suite 230  
Topeka, KS 66612  
Telephone: 785-296-6513  
Fax: 785-296-8059  
[ppandya@kdheks.gov](mailto:ppandya@kdheks.gov)

Ericka Welsh, PhD  
Senior Chronic Disease Epidemiologist  
Bureau of Health Promotion  
Kansas Department of Health & Environment  
Curtis State Office Building  
1000 SW Jackson, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-0842  
Fax: 785-296-8059  
[ewelsh@kdheks.gov](mailto:ewelsh@kdheks.gov)



# Table of Contents

## **Alcohol Consumption**

Binge Drinking.....	1
Heavy Drinking.....	3

## **Arthritis**

Arthritis.....	5
Activity Limitation Due to Arthritis.....	7

<b>Asthma</b> .....	9
---------------------	---

## **Cancer**

Cancer (Excluding Skin Cancer).....	11
Skin Cancer.....	13

## **Cholesterol**

Not Checked Cholesterol within Five Years.....	15
High Blood Cholesterol Status.....	17

<b>Chronic Obstructive Pulmonary Disease (COPD)</b> .....	19
---	----

<b>Depressive Disorder</b> .....	21
----------------------------------	----

<b>Diabetes</b> .....	23
-----------------------	----

## **Disability**

Activity Limitation Due to Physical, Mental, or Emotional Problems.....	25
Disability.....	27

## **Exercise and Physical Activity**

Did Not Meet Both the Aerobic AND Strengthening Exercise Recommendations...29	
Did Not Meet EITHER Aerobic OR Strengthening Recommendation.....	31
Not Participating in Any Physical Activity.....	33

## **Fruits and Vegetable Consumption**

Consuming Fruits Less than 1 Time Per Day.....	35
Consuming Vegetables Less than 1 Time Per Day.....	37

<b>Health Care Access</b>	
Lack Health Care Coverage .....	39
Lack Health Care Coverage (Ages 18 to 64 Years Old Only) .....	41
No Personal Doctor .....	43
Did Not See Doctor Due to Cost.....	45
<b>General Health</b> .....	47
<b>Healthy Days-Health Related Quality of Life</b>	
Physical Health Status.....	49
Mental Health Status.....	51
Poor Physical or Mental Health is Barrier to Usual Activities.....	53
<b>Heart Attack</b> .....	55
<b>Coronary Heart Disease</b> .....	57
<b>Stroke</b> .....	59
<b>High Blood Pressure</b> .....	61
<b>Immunization</b>	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza (Ages 65 Years and Older Only) .....	65
Never Had Pneumonia Vaccination.....	67
<b>Weight Status (BMI Categories)</b>	
Obese.....	69
Overweight or Obese .....	71
<b>Seatbelt Use</b> .....	73
<b>Tobacco Use</b>	
Current Smoker .....	75
Tried Quitting Smoking .....	77
Smokeless Tobacco Use.....	79
Male Smokeless Tobacco User.....	81
<b>Veteran Status</b> .....	83
<b>Vision Impairment</b> .....	85
<b>Technical Notes</b> .....	87

# Percentage of Adults Who Are Binge Drinkers, 2011

## Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,281	17.0	0.4	16.2	17.8
Neosho County	14	17.0	4.3	8.5	25.5
<b>Gender</b>					
Men	11	28.2	7.4	13.6	42.7
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	14	17.3	4.4	8.7	25.9
<b>Race</b>					
White	13	17.6	4.6	8.6	26.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	11	22.2	6.1	10.2	34.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	10	27.1	7.4	12.6	41.7
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	11	18.4	5.2	8.2	28.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	14	18.5	4.7	9.4	27.7
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	11	17.3	4.9	7.7	27.0
<b>Health Insurance Status</b>					
Insured	12	15.9	4.4	7.2	24.5
Uninsured	*	*	*	*	*

Numerator: Male respondents having five or more drinks on one occasion in the past 30 days or female respondents having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	823	5.4	0.2	5.0	5.9
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Doctor Diagnosed Arthritis, 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,493	23.1	0.3	22.4	23.8
Neosho County	38	26.8	4.4	18.1	35.5
<b>Gender</b>					
Men	14	22.9	6.2	10.7	35.2
Women	24	30.5	6.3	18.2	42.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	37.0	7.8	21.8	52.3
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	37	27.0	4.5	18.2	35.9
<b>Race</b>					
White	33	24.4	4.3	15.9	32.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	26.6	5.4	16.1	37.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	19	31.3	7.4	16.8	45.7
\$35,000 or Higher per Year	15	23.3	5.9	11.6	34.9
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	18.7	4.6	9.6	27.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	27.0	6.8	13.7	40.3
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	21	22.7	5.2	12.5	32.8
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	35	28.1	4.8	18.8	37.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	25	22.7	4.7	13.4	32.0
<b>Health Insurance Status</b>					
Insured	35	28.5	4.8	19.2	37.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,150	48.8	0.8	47.3	50.4
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

**Denominator:** Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Current Asthma, 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,709	8.8	0.3	8.2	9.3
Neosho County	14	14.2	3.7	6.8	21.5
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	14	14.5	3.8	7.0	21.9
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	12	13.5	3.9	5.9	21.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	13	15.0	4.1	7.0	23.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had asthma and that they currently have asthma.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,108	6.9	0.2	6.5	7.2
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

# Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2011

## Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,950	6.2	0.2	5.9	6.5
Neosho County	16	10.0	2.8	4.5	15.5
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	16	10.2	2.9	4.6	15.8
<b>Race</b>					
White	16	10.8	3.0	4.8	16.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	14	12.6	3.8	5.2	20.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	16	10.9	3.1	4.9	16.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	15	11.1	3.1	4.9	17.2
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Not Checked Cholesterol Within Five Years  
Among Those Who Have Ever Had Cholesterol Checked, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,379	27.1	0.5	26.2	28.0
Neosho County	24	24.1	4.8	14.7	33.5
<b>Gender</b>					
Men	14	30.8	7.5	16.1	45.5
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	24	24.5	4.9	15.0	34.0
<b>Race</b>					
White	22	25.1	5.1	15.2	35.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	12	20.5	6.0	8.8	32.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	12	26.7	7.6	11.8	41.7
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	21.8	5.2	11.6	32.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	13	29.7	7.6	14.9	44.5
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	17	28.3	6.2	16.1	40.5
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	23	25.0	5.1	15.1	35.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	12	14.7	4.3	6.3	23.1
<b>Health Insurance Status</b>					
Insured	17	20.0	4.7	10.8	29.3
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had not checked their blood cholesterol in the past five years.

Denominator: Respondents who ever had their blood cholesterol checked, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Tested and Diagnosed with High Cholesterol, 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,660	38.4	0.5	37.5	39.3
Neosho County	53	44.3	5.6	33.4	55.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	34	41.7	7.7	27.8	55.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	52	44.9	5.6	33.8	55.9
<b>Race</b>					
White	47	42.5	5.7	31.3	53.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	32	41.5	6.6	28.6	54.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	28	33.2	6.2	21.0	45.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	29	35.2	6.5	22.6	47.9
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	51	47.9	5.9	36.3	59.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	42	45.0	6.3	32.8	57.3
<b>Health Insurance Status</b>					
Insured	50	45.5	5.7	34.4	56.6
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Had Chronic Obstructive Pulmonary Disease  
(COPD), Emphysema or Chronic Bronchitis, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,658	6.6	0.2	6.2	7.0
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,  
2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,360	15.9	0.3	15.2	16.5
Neosho County	18	17.4	4.2	9.2	25.5
<b>Gender</b>					
Men	*	*	*	*	*
Women	12	19.9	5.8	8.7	31.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	18	17.7	4.2	9.4	26.0
<b>Race</b>					
White	15	14.7	4.0	6.9	22.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>18</i>	<i>18.9</i>	<i>4.5</i>	<i>10.1</i>	<i>27.7</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	<i>15</i>	<i>17.3</i>	<i>4.5</i>	<i>8.4</i>	<i>26.1</i>
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse, or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults with Diagnosed Diabetes, 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,584	9.5	0.2	9.1	10.0
Neosho County	19	12.7	3.2	6.4	18.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	18	12.6	3.2	6.3	19.0
<b>Race</b>					
White	16	10.3	2.7	5.0	15.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>18</i>	<i>12.6</i>	<i>3.3</i>	<i>6.2</i>	<i>19.1</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>10.8</i>	<i>3.1</i>	<i>4.6</i>	<i>16.9</i>
<b>Health Insurance Status</b>					
Insured	<i>17</i>	<i>12.2</i>	<i>3.3</i>	<i>5.7</i>	<i>18.7</i>
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,  
Mental, or Emotional Problems, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,714	23.0	0.4	22.3	23.7
Neosho County	35	26.3	4.6	17.4	35.3
<b>Gender</b>					
Men	15	31.3	7.5	16.6	45.9
Women	20	21.8	5.2	11.6	32.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	31.7	7.6	16.8	46.7
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	34	26.5	4.7	17.4	35.6
<b>Race</b>					
White	31	24.8	4.7	15.6	33.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	25.1	5.6	14.1	36.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	31.6	7.7	16.5	46.7
\$35,000 or Higher per Year	13	20.8	6.1	8.9	32.7
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	29.0	7.3	14.8	43.2
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	22	25.4	5.5	14.6	36.1
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	34	27.9	4.9	18.3	37.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	23	21.8	4.8	12.5	31.1
<b>Health Insurance Status</b>					
Insured	32	26.8	4.9	17.2	36.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they were limited in any activities because of physical, mental, or emotional problems.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Who Reported Living with a Disability , 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,179	24.5	0.4	23.7	25.2
Neosho County	39	28.1	4.6	19.0	37.2
<b>Gender</b>					
Men	16	32.9	7.5	18.2	47.6
Women	23	23.6	5.3	13.2	34.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	31.7	7.6	16.8	46.7
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	38	28.3	4.7	19.1	37.5
<b>Race</b>					
White	35	26.6	4.7	17.4	35.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	27.7	5.8	16.5	39.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	19	35.5	7.8	20.2	50.8
\$35,000 or Higher per Year	13	20.8	6.1	8.9	32.7
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	31.3	7.3	16.9	45.7
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	25	26.8	5.5	15.9	37.7
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	36	29.4	4.9	19.7	39.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	27	24.4	4.9	14.8	34.0
<b>Health Insurance Status</b>					
Insured	36	28.7	4.9	19.1	38.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental, or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed, or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet Both The  
Aerobic AND Strengthening Exercise Recommendations, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,604	83.5	0.4	82.7	84.2
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not meet both aerobic and strengthening physical activity guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

Meeting the physical activity guideline is defined as meeting both aerobic and strengthening guidelines.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Doing Enough Physical Activity To Meet EITHER  
Aerobic OR Strengthening Guideline, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,956	45.3	0.5	44.4	46.2
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not meet either aerobic or strengthening physical activity guidelines. The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in Any Physical Activity (Leisure Time Physical Activity) Other Than Their Regular Job in the Past 30 Days, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,740	26.8	0.4	26.0	27.6
Neosho County	46	34.6	4.9	25.0	44.2
<b>Gender</b>					
Men	20	39.0	7.6	24.1	53.9
Women	26	30.3	6.0	18.5	42.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	39.0	8.0	23.4	54.5
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	45	34.9	5.0	25.2	44.6
<b>Race</b>					
White	43	33.8	5.0	24.0	43.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	21	33.3	7.6	18.4	48.2
Some College or College Graduate	25	35.5	6.4	23.0	48.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	21	31.6	7.1	17.6	45.5
\$35,000 or Higher per Year	17	35.0	7.5	20.2	49.7
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	31	32.1	5.6	21.2	43.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	<i>21</i>	<i>40.4</i>	<i>7.6</i>	<i>25.6</i>	<i>55.3</i>
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>30</i>	<i>30.6</i>	<i>5.4</i>	<i>20.0</i>	<i>41.2</i>
<b>Health Insurance Status</b>					
Insured	<i>42</i>	<i>36.5</i>	<i>5.2</i>	<i>26.3</i>	<i>46.7</i>
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,  
2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,375	41.4	0.5	40.5	42.4
Neosho County	57	50.6	5.3	40.3	60.9
<b>Gender</b>					
Men	30	65.6	7.1	51.7	79.5
Women	27	37.1	7.0	23.3	50.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	48.6	8.0	32.9	64.2
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	56	50.2	5.3	39.8	60.7
<b>Race</b>					
White	52	48.8	5.5	38.1	59.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	30	43.1	6.6	30.2	55.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	26	52.6	8.3	36.4	68.8
\$35,000 or Higher per Year	24	47.1	7.6	32.1	62.0
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	39	50.5	6.3	38.2	62.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	28	58.0	7.5	43.2	72.8
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	30	42.5	6.6	29.7	55.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	53	51.0	5.5	40.2	61.8
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	36	44.3	6.1	32.4	56.2
<b>Health Insurance Status</b>					
Insured	51	47.7	5.4	37.1	58.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time  
Per Day, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,908	22.3	0.4	21.4	23.1
Neosho County	30	26.5	4.8	17.1	36.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	16	23.2	6.0	11.5	34.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	28	26.4	4.9	16.8	36.0
<b>Race</b>					
White	27	26.6	5.0	16.8	36.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	25.2	6.3	12.9	37.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	31.4	7.8	16.1	46.7
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	22.4	5.2	12.2	32.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	16	34.9	7.7	19.8	50.1
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	14	18.9	5.3	8.5	29.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	29	27.9	5.1	17.9	38.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	18	19.7	4.9	10.1	29.2
<b>Health Insurance Status</b>					
Insured	26	26.3	5.0	16.5	36.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

# Percentage of Adults Who Lack Health Care Coverage, 2011

## Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,212	16.7	0.4	15.9	17.5
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

**Numerator:** Respondents reporting they had no health care coverage.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,  
2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,123	20.1	0.5	19.2	21.0
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

**Numerator:** Respondents ages 18-64 years old reporting they had no health care coverage.

**Denominator:** All respondents ages 18-64 years old, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

# Percentage of Adults with No Personal Doctor or Health Care Provider, 2011

## Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,606	19.7	0.4	18.9	20.6
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Could Not See Doctor Because of Cost In the Past 12 Months, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,334	14.3	0.3	13.7	15.0
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,614	15.0	0.3	14.4	15.6
Neosho County	19	15.3	3.8	7.8	22.8
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	11	26.0	7.5	11.3	40.7
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	18	15.2	3.9	7.6	22.8
<b>Race</b>					
White	15	12.3	3.6	5.4	19.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>16</i>	<i>14.5</i>	<i>4.0</i>	<i>6.8</i>	<i>22.3</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	<i>18</i>	<i>14.9</i>	<i>3.8</i>	<i>7.5</i>	<i>22.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents reporting that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,519	10.5	0.3	10.0	11.0
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their physical health was not good.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14  
or More Days in the Past 30 Days, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,937	10.2	0.3	9.6	10.8
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	12	24.9	7.2	10.8	39.1
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents reporting 14 or more days when their mental health was not good.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work, or Recreation, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,985	39.5	0.7	38.2	40.8
Neosho County	20	42.3	8.3	26.0	58.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	18	41.4	8.4	24.8	57.9
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	<i>20</i>	<i>45.5</i>	<i>8.5</i>	<i>28.8</i>	<i>62.1</i>
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work, or recreation.

**Denominator:** Among respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

# Percentage of Adults Who had a Heart Attack, 2011

## Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,236	4.4	0.2	4.1	4.7
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a heart attack also called a myocardial infarction.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults Who had Angina or Coronary Heart Disease, 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,333	4.5	0.2	4.2	4.8
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had angina or coronary heart disease.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults Who Had A Stroke, 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	831	2.7	0.1	2.5	3.0
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents reporting they had been told by a doctor, nurse, or other health professional that they had a stroke.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Diagnosed Hypertension, 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,234	30.8	0.4	30.1	31.6
Neosho County	56	40.7	5.0	30.9	50.5
<b>Gender</b>					
Men	25	45.2	7.6	30.3	60.0
Women	31	36.5	6.5	23.8	49.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	20	41.7	7.9	26.2	57.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	54	39.8	5.0	30.0	49.7
<b>Race</b>					
White	52	39.3	5.1	29.3	49.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	27	44.2	8.2	28.2	60.2
Some College or College Graduate	29	38.1	6.3	25.7	50.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	23	32.2	7.1	18.2	46.2
\$35,000 or Higher per Year	23	47.1	7.5	32.4	61.9
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	37	41.2	6.0	29.4	53.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	27	48.6	7.6	33.7	63.5
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	34	36.6	6.0	24.9	48.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	53	41.6	5.3	31.2	51.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	45	45.4	5.9	33.8	56.9
<b>Health Insurance Status</b>					
Insured	53	44.1	5.3	33.7	54.4
Uninsured	*	*	*	*	*

Numerator: Respondents reporting they had been told by a doctor, nurse, or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,021	58.3	0.4	57.4	59.2
Neosho County	62	53.4	5.2	43.3	63.5
<b>Gender</b>					
Men	30	56.4	7.6	41.5	71.2
Women	32	50.5	7.1	36.7	64.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	58.9	7.7	43.7	74.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	62	54.3	5.2	44.1	64.4
<b>Race</b>					
White	57	54.5	5.3	44.1	64.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	35	46.3	6.5	33.6	59.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	31	59.9	7.7	44.8	75.1
\$35,000 or Higher per Year	24	44.5	7.4	30.0	59.1
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	47	58.7	5.9	47.1	70.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	26	49.8	7.6	34.8	64.8
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	40	55.1	6.3	42.7	67.5
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	55	53.0	5.4	42.4	63.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	41	48.8	6.0	37.0	60.5
<b>Health Insurance Status</b>					
Insured	52	47.6	5.4	37.1	58.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not have a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 65 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,059	32.4	0.7	31.0	33.7
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they did not receive a flu shot or vaccine sprayed in the nose during the past 12 months.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Ages 65 Years and Older Who Never Had Pneumonia  
Vaccination, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,792	29.2	0.7	27.9	30.6
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents ages 65 years and older who reported they never had a pneumonia vaccination.

Denominator: All respondents ages 65 years and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults who are Obese, 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,907	29.6	0.4	28.7	30.4
Neosho County	34	32.4	5.1	22.3	42.4
<b>Gender</b>					
Men	17	38.0	7.7	22.8	53.1
Women	17	26.5	6.4	13.9	39.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	33	32.7	5.2	22.5	42.9
<b>Race</b>					
White	32	32.1	5.3	21.7	42.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	32.7	6.4	20.1	45.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	12	27.9	7.8	12.6	43.2
\$35,000 or Higher per Year	16	34.1	7.4	19.6	48.6
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	28.9	5.9	17.4	40.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	<i>18</i>	<i>29.4</i>	<i>6.2</i>	<i>17.1</i>	<i>41.6</i>
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>33</i>	<i>34.2</i>	<i>5.4</i>	<i>23.6</i>	<i>44.9</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>23</i>	<i>26.5</i>	<i>5.4</i>	<i>15.9</i>	<i>37.1</i>
<b>Health Insurance Status</b>					
Insured	<i>32</i>	<i>33.2</i>	<i>5.3</i>	<i>22.8</i>	<i>43.7</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who are Overweight or Obese, 2011

### Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	12,869	64.4	0.5	63.5	65.3
Neosho County	89	76.1	4.5	67.4	84.9
<b>Gender</b>					
Men	47	91.8	3.8	84.4	99.1
Women	42	59.8	7.2	45.8	73.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	87	77.1	4.4	68.4	85.7
<b>Race</b>					
White	83	76.9	4.6	67.9	85.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	52	74.5	5.5	63.9	85.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	36	70.0	7.6	55.0	85.0
\$35,000 or Higher per Year	41	78.6	6.0	66.8	90.3
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	59	71.2	5.8	59.9	82.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	<i>51</i>	<i>69.0</i>	<i>6.1</i>	<i>57.1</i>	<i>80.9</i>
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	<i>84</i>	<i>79.8</i>	<i>4.4</i>	<i>71.2</i>	<i>88.5</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>66</i>	<i>73.6</i>	<i>5.6</i>	<i>62.6</i>	<i>84.6</i>
<b>Health Insurance Status</b>					
Insured	<i>81</i>	<i>77.2</i>	<i>4.2</i>	<i>68.9</i>	<i>85.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt  
When They Drive or Ride in a Car, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,339	19.4	0.4	18.6	20.1
Neosho County	29	28.7	4.9	19.2	38.2
<b>Gender</b>					
Men	18	39.0	7.6	24.2	53.8
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	37.7	7.9	22.3	53.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	29	29.2	4.9	19.5	38.8
<b>Race</b>					
White	28	28.9	5.0	19.1	38.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	20.3	5.4	9.7	30.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	11	26.7	7.6	11.9	41.5
\$35,000 or Higher per Year	12	24.9	6.5	12.1	37.6
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	32.2	5.8	20.8	43.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	10	23.4	6.6	10.5	36.3
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	20	30.3	6.1	18.3	42.4
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	27	29.3	5.1	19.3	39.3
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	20	24.6	5.1	14.7	34.5
<b>Health Insurance Status</b>					
Insured	26	27.5	4.9	17.9	37.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they nearly always, sometimes, seldom, or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Currently Smoke Cigarettes, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,547	22.0	0.4	21.2	22.8
Neosho County	33	32.1	5.2	21.9	42.2
<b>Gender</b>					
Men	13	30.9	7.6	16.0	45.8
Women	20	33.2	7.0	19.5	47.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	31.5	7.6	16.5	46.4
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	33	32.7	5.2	22.4	43.0
<b>Race</b>					
White	30	30.8	5.3	20.5	41.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	17	41.8	8.5	25.2	58.5
Some College or College Graduate	16	24.7	6.2	12.5	36.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	18	38.7	8.2	22.6	54.7
\$35,000 or Higher per Year	13	26.4	7.0	12.6	40.3
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	27.9	5.8	16.4	39.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	11	24.0	7.1	10.0	38.0
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	18	28.6	6.3	16.4	40.9
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	32	33.8	5.5	23.0	44.5
<b>Health Insurance Status</b>					
Insured	27	29.3	5.3	18.9	39.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because  
They Were Trying to Quit Smoking, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,868	55.5	1.1	53.4	57.6
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

**Denominator:** Among current smokers, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	760	5.3	0.2	4.9	5.8
Neosho County	*	*	*	*	*
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

# Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2011

## Neosho County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	684	10.1	0.4	9.2	11.0
Neosho County	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Ever Served on Active Duty in the United States  
Armed Forces, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,699	11.5	0.3	11.0	12.1
Neosho County	16	11.1	3.0	5.2	17.0
<b>Gender</b>					
Men	16	22.7	5.9	11.1	34.3
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	16	11.3	3.1	5.3	17.3
<b>Race</b>					
White	15	11.2	3.2	5.0	17.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	16	12.1	3.3	5.7	18.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	16	12.5	3.4	5.9	19.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Vision Impairment In One of Both Eyes, Even  
When Wearing Glasses, 2011**

**Neosho County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,108	15.7	0.3	15.1	16.3
Neosho County	26	18.3	3.7	11.0	25.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	16	19.1	4.9	9.5	28.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	18.3	3.8	10.9	25.8
<b>Race</b>					
White	20	14.5	3.3	8.0	21.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	16.9	4.3	8.5	25.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	21.2	5.5	10.4	32.0
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	14	13.5	3.7	6.1	20.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	15	25.5	6.3	13.1	37.9
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	18	17.2	4.2	8.9	25.4
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Aerobic and Strengthening Exercise (2-Level)</b>					
Met Both Aerobic and Strengthening Guidelines	*	*	*	*	*
Did Not Meet Both Aerobic and Strengthening Guidelines	23	18.0	3.9	10.4	25.7
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	18	17.5	4.2	9.3	25.8
<b>Health Insurance Status</b>					
Insured	23	18.2	3.9	10.6	25.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse, or other health professional that they have vision impairment in one of both eyes, even when wearing glasses.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Technical Notes

Data on 43 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be unreliable. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference while overlapping confidence intervals indicate that two estimates are not statistically significantly different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("\*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, 2011 BRFSS estimates cannot be compared to estimates from previous years.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>