


2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Crawford County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Crawford County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

Heart Attack	13
Coronary Heart Disease	15
Stroke	17
High Blood Pressure	19

Cholesterol

Not Checked Cholesterol within Five Years	21
High Blood Cholesterol Status.....	23

Chronic Obstructive Pulmonary Disease (COPD)	25
---	----

Depressive Disorder	27
----------------------------------	----

Diabetes	29
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	31
Disability	33

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	35
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	37

Not Participating in Any Physical Activity	39
--	----

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	41
Consuming Vegetables Less than 1 Time Per Day.....	43

Health Care Access

Lack of Health Care Coverage.....	45
Lack of Health Care Coverage 18 to 64 Years Old Only	47
No Personal Doctor.....	49
Did Not See Doctor Due to Cost.....	51

General Health	53
-----------------------------	----

Healthy Days - Health Related Quality of Life

Physical Health Status.....	55
Mental Health Status.....	57
Poor Physical or Mental Health is Barrier to Usual Activities.....	59

Immunization

Not Immunized Against Influenza.....	61
Not Immunized Against Influenza 65 Years and Older Only	63
Never Had Pneumonia Vaccination 65 Years and Older Only	65

Seatbelt Use	67
---------------------------	----

Tobacco Use

Current Smoker	69
Tried Quitting Smoking	71
Male Smokeless Tobacco Use	73

Veteran Status	75
-----------------------------	----

Weight Status (BMI Categories)

Obese.....	77
Overweight or Obese	79

Technical Notes	81
------------------------------	----

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Crawford County: Heavy Drinking and Smokeless Tobacco Use.

Percentage of Adults Who Are Binge Drinkers, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Crawford County	35	15.9	2.8	10.4	21.3
Gender					
Men	18	22.7	4.8	13.1	32.2
Women	17	9.4	2.6	4.3	14.5
Age Group					
18 to 44 Years	23	25.5	4.9	16.0	35.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	16.2	2.9	10.6	21.9
Race					
White	32	16.3	2.9	10.5	22.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	12	15.0	4.5	6.3	23.7
Some College or College Graduate	23	16.4	3.5	9.5	23.4
Annual Household Income					
Less than \$35,000 per Year	14	13.9	3.7	6.6	21.2
\$35,000 or Higher per Year	18	19.5	4.8	10.1	28.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	28	19.0	3.5	12.1	25.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	23.4	5.8	11.9	34.8
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	17.6	3.4	10.9	24.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	13	20.1	5.8	8.7	31.5
Non-smoker	22	14.3	3.1	8.2	20.5
Health Insurance Status					
Insured	28	15.1	3.0	9.2	20.9
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Crawford County	136	28.5	2.7	23.2	33.9
Gender					
Men	34	18.6	3.7	11.4	25.8
Women	102	38.0	3.8	30.5	45.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	61	46.9	5.0	37.0	56.7
65 Years and Older	63	54.5	5.4	44.0	65.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	131	28.8	2.8	23.3	34.3
Race					
White	126	28.8	2.8	23.2	34.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	64	33.0	4.6	24.0	42.1
Some College or College Graduate	72	25.4	3.4	18.8	32.0
Annual Household Income					
Less than \$35,000 per Year	77	32.9	4.1	24.9	41.0
\$35,000 or Higher per Year	32	20.1	4.0	12.2	28.1
Disability Status					
Living with a Disability	79	66.2	5.9	54.6	77.7
Living without a Disability	56	16.3	2.6	11.2	21.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	33	20.3	4.3	11.8	28.7
Overweight (25 ≤ BMI < 30)	48	35.3	5.3	25.0	45.7
Obese (BMI ≥ 30)	51	33.7	5.3	23.3	44.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	78	22.9	3.0	17.1	28.8
Does not participate in leisure time physical activity	55	43.5	6.1	31.5	55.5
Smoking Status					
Current smoker	31	26.5	5.5	15.7	37.3
Non-smoker	103	29.6	3.2	23.3	35.8
Health Insurance Status					
Insured	120	29.4	3.0	23.5	35.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Crawford County	65	54.2	5.2	44.1	64.3
Gender					
Men	*	*	*	*	*
Women	49	55.2	5.8	43.9	66.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	35	63.8	6.8	50.5	77.1
65 Years and Older	26	50.2	7.4	35.6	64.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	55.6	5.2	45.3	65.8
Race					
White	57	51.7	5.4	41.2	62.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	66.9	6.6	54.0	79.7
Some College or College Graduate	30	42.9	7.2	28.9	57.0
Annual Household Income					
Less than \$35,000 per Year	40	63.5	6.1	51.4	75.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	53	75.4	5.4	64.9	85.9
Living without a Disability	12	26.6	7.7	11.5	41.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	28	64.6	7.5	50.0	79.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	46.8	6.9	33.2	60.3
Does not participate in leisure time physical activity	35	62.7	7.9	47.2	78.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	45	47.5	5.9	35.9	59.0
Health Insurance Status					
Insured	61	60.1	5.2	50.0	70.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Crawford County	28	7.2	1.7	3.9	10.5
Gender					
Men	*	*	*	*	*
Women	21	9.1	2.6	4.1	14.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	9.3	2.7	4.0	14.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	7.5	1.8	4.0	11.0
Race					
White	24	7.2	1.8	3.7	10.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	20	9.6	2.4	4.8	14.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	21	18.2	4.3	9.8	26.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	8.9	2.4	4.2	13.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	7.4	2.1	3.3	11.4
Health Insurance Status					
Insured	22	7.2	1.9	3.4	11.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Crawford County	39	8.0	1.5	5.1	10.9
Gender					
Men	*	*	*	*	*
Women	29	11.3	2.3	6.7	15.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	9.8	2.7	4.4	15.1
65 Years and Older	21	19.8	4.5	11.0	28.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	8.4	1.6	5.4	11.5
Race					
White	35	7.9	1.5	4.9	11.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	25	8.1	1.9	4.4	11.7
Annual Household Income					
Less than \$35,000 per Year	16	6.4	1.8	2.9	9.8
\$35,000 or Higher per Year	16	9.1	2.7	3.8	14.4
Disability Status					
Living with a Disability	18	16.4	4.1	8.4	24.4
Living without a Disability	21	5.3	1.4	2.6	8.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	12.3	3.3	5.8	18.8
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	8.9	2.0	4.9	12.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	8.4	1.8	4.9	11.9
Health Insurance Status					
Insured	36	9.2	1.8	5.8	12.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Crawford County	29	5.5	1.1	3.2	7.7
Gender					
Men	*	*	*	*	*
Women	18	6.6	1.8	3.1	10.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	18	17.2	4.1	9.2	25.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	5.8	1.2	3.4	8.1
Race					
White	27	5.7	1.2	3.3	8.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	5.8	1.5	2.8	8.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	5.6	1.4	2.8	8.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	6.3	1.5	3.3	9.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	5.9	1.4	3.1	8.7
Health Insurance Status					
Insured	27	6.1	1.3	3.5	8.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,331	4.2	0.1	4.0	4.5
Crawford County	36	9.3	1.8	5.9	12.8
Gender					
Men	19	11.2	2.9	5.6	16.8
Women	17	7.5	2.1	3.4	11.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	17.9	4.4	9.3	26.5
65 Years and Older	19	22.4	5.0	12.6	32.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	9.6	1.8	6.0	13.2
Race					
White	34	9.8	1.9	6.1	13.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	13.5	3.5	6.7	20.3
Some College or College Graduate	17	6.5	1.7	3.1	9.9
Annual Household Income					
Less than \$35,000 per Year	26	12.4	2.7	7.2	17.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	24	21.3	4.6	12.3	30.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	12.1	3.4	5.4	18.8
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	5.8	1.7	2.5	9.2
Does not participate in leisure time physical activity	21	18.2	4.4	9.6	26.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	7.4	1.7	4.1	10.7
Health Insurance Status					
Insured	31	10.0	2.1	6.0	14.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,352	4.2	0.1	4.0	4.5
Crawford County	36	7.2	1.5	4.4	10.1
Gender					
Men	*	*	*	*	*
Women	23	8.1	2.1	4.0	12.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	11.9	3.4	5.1	18.7
65 Years and Older	18	18.6	4.6	9.6	27.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	7.6	1.5	4.6	10.6
Race					
White	33	7.4	1.6	4.4	10.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	9.8	2.8	4.3	15.4
Some College or College Graduate	18	5.4	1.5	2.5	8.3
Annual Household Income					
Less than \$35,000 per Year	27	10.6	2.4	5.9	15.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	25	20.2	4.5	11.4	29.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	13.3	3.7	6.0	20.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	6.0	1.7	2.7	9.3
Does not participate in leisure time physical activity	17	10.8	3.2	4.5	17.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	6.1	1.4	3.3	8.9
Health Insurance Status					
Insured	32	7.9	1.7	4.6	11.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Had a Stroke, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	923	3.0	0.1	2.7	3.2
Crawford County	17	3.2	1.0	1.4	5.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Crawford County	160	35.9	3.1	29.8	42.0
Gender					
Men	60	36.6	5.0	26.8	46.4
Women	100	35.3	3.7	28.0	42.6
Age Group					
18 to 44 Years	17	17.9	4.3	9.5	26.3
45 to 64 Years	60	44.7	5.0	34.9	54.4
65 Years and Older	83	74.9	4.6	65.9	83.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	157	36.6	3.2	30.4	42.9
Race					
White	152	37.7	3.3	31.3	44.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	71	37.7	5.0	28.0	47.5
Some College or College Graduate	89	34.6	4.0	26.8	42.5
Annual Household Income					
Less than \$35,000 per Year	87	38.1	4.5	29.2	46.9
\$35,000 or Higher per Year	49	32.4	4.9	22.7	42.0
Disability Status					
Living with a Disability	74	57.3	5.8	45.9	68.7
Living without a Disability	85	29.1	3.5	22.2	35.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	40	29.1	5.3	18.8	39.4
Overweight (25 ≤ BMI < 30)	51	35.8	5.5	25.0	46.5
Obese (BMI ≥ 30)	62	48.1	6.1	36.1	60.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	96	33.5	3.7	26.1	40.8
Does not participate in leisure time physical activity	57	42.3	6.1	30.4	54.2
Smoking Status					
Current smoker	29	29.8	6.4	17.2	42.4
Non-smoker	130	38.7	3.6	31.7	45.8
Health Insurance Status					
Insured	141	37.8	3.4	31.1	44.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Crawford County	60	28.1	3.4	21.4	34.7
Gender					
Men	23	27.1	5.3	16.8	37.4
Women	37	28.9	4.3	20.4	37.4
Age Group					
18 to 44 Years	38	45.6	5.9	34.1	57.1
45 to 64 Years	15	13.9	3.7	6.7	21.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	57	28.2	3.5	21.4	35.1
Race					
White	54	27.5	3.5	20.6	34.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	35.6	5.6	24.6	46.7
Some College or College Graduate	28	23.0	4.1	14.9	31.1
Annual Household Income					
Less than \$35,000 per Year	33	32.1	4.9	22.5	41.8
\$35,000 or Higher per Year	20	22.3	4.9	12.6	32.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	50	33.4	4.2	25.3	41.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	36.5	6.5	23.8	49.2
Overweight (25 ≤ BMI < 30)	19	24.6	5.6	13.7	35.5
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	24.5	4.0	16.6	32.3
Does not participate in leisure time physical activity	22	34.8	6.6	21.9	47.6
Smoking Status					
Current smoker	22	42.9	7.3	28.6	57.2
Non-smoker	37	23.0	3.8	15.6	30.3
Health Insurance Status					
Insured	40	22.7	3.5	15.8	29.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Crawford County	133	41.1	3.6	34.0	48.1
Gender					
Men	40	33.9	5.6	22.9	44.9
Women	93	48.0	4.5	39.2	56.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	63	55.7	5.2	45.6	65.8
65 Years and Older	59	53.9	5.6	43.0	64.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	129	41.8	3.7	34.5	49.0
Race					
White	124	41.1	3.7	33.8	48.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	46.8	6.3	34.4	59.3
Some College or College Graduate	81	37.9	4.4	29.3	46.5
Annual Household Income					
Less than \$35,000 per Year	67	47.1	5.6	36.2	58.0
\$35,000 or Higher per Year	46	35.8	5.3	25.5	46.2
Disability Status					
Living with a Disability	56	51.2	6.1	39.3	63.2
Living without a Disability	77	37.5	4.3	29.0	46.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	32	32.1	6.0	20.4	43.9
Overweight (25 ≤ BMI < 30)	47	47.1	6.3	34.9	59.4
Obese (BMI ≥ 30)	50	45.7	6.4	33.1	58.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	85	39.8	4.4	31.2	48.4
Does not participate in leisure time physical activity	39	42.4	6.8	29.1	55.6
Smoking Status					
Current smoker	31	58.0	8.6	41.1	74.8
Non-smoker	100	36.9	3.8	29.4	44.3
Health Insurance Status					
Insured	122	44.1	3.8	36.6	51.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Crawford County	50	11.4	1.9	7.7	15.0
Gender					
Men	17	9.6	2.8	4.2	14.9
Women	33	13.1	2.5	8.1	18.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	20.2	4.1	12.2	28.2
65 Years and Older	20	18.8	4.2	10.6	27.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	12.0	2.0	8.1	15.9
Race					
White	47	11.7	2.0	7.8	15.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	17.4	3.7	10.1	24.7
Some College or College Graduate	21	7.2	1.8	3.7	10.7
Annual Household Income					
Less than \$35,000 per Year	36	15.6	3.0	9.7	21.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	36	29.6	5.0	19.8	39.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	8.5	2.4	3.8	13.2
Overweight (25 ≤ BMI < 30)	13	13.2	4.0	5.5	21.0
Obese (BMI ≥ 30)	21	14.7	3.9	7.1	22.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	10.4	2.4	5.7	15.1
Does not participate in leisure time physical activity	24	14.0	3.3	7.5	20.4
Smoking Status					
Current smoker	19	18.2	5.0	8.3	28.1
Non-smoker	31	9.1	1.8	5.5	12.6
Health Insurance Status					
Insured	44	11.9	2.0	7.8	15.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Crawford County	83	23.9	2.8	18.3	29.4
Gender					
Men	22	17.3	4.1	9.3	25.3
Women	61	30.1	3.8	22.6	37.7
Age Group					
18 to 44 Years	23	22.2	4.5	13.3	31.1
45 to 64 Years	47	33.6	4.6	24.6	42.7
65 Years and Older	13	13.3	3.9	5.7	21.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	81	24.5	2.9	18.7	30.2
Race					
White	78	24.5	3.0	18.7	30.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	23.6	4.3	15.0	32.1
Some College or College Graduate	46	24.1	3.7	16.7	31.4
Annual Household Income					
Less than \$35,000 per Year	46	28.3	4.3	19.8	36.8
\$35,000 or Higher per Year	23	15.1	3.6	8.0	22.2
Disability Status					
Living with a Disability	43	49.7	5.8	38.4	61.1
Living without a Disability	40	15.5	2.9	9.9	21.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	20	21.8	5.3	11.5	32.1
Overweight (25 ≤ BMI < 30)	24	22.2	5.0	12.4	32.1
Obese (BMI ≥ 30)	33	25.9	4.9	16.2	35.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	49	22.0	3.5	15.2	28.9
Does not participate in leisure time physical activity	33	30.3	5.5	19.5	41.0
Smoking Status					
Current smoker	26	31.5	6.6	18.7	44.3
Non-smoker	57	21.5	3.1	15.4	27.5
Health Insurance Status					
Insured	65	23.1	3.1	17.0	29.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Crawford County	56	13.1	2.0	9.1	17.0
Gender					
Men	17	10.0	2.7	4.7	15.3
Women	39	16.0	2.9	10.3	21.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	17.3	3.9	9.5	25.0
65 Years and Older	27	29.5	5.3	19.1	39.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	13.3	2.1	9.2	17.3
Race					
White	52	13.0	2.1	8.9	17.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	16.3	3.6	9.2	23.3
Some College or College Graduate	30	10.9	2.3	6.3	15.4
Annual Household Income					
Less than \$35,000 per Year	33	15.9	3.2	9.7	22.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	33	26.7	4.9	17.2	36.3
Living without a Disability	23	8.7	2.1	4.6	12.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	33	27.6	5.2	17.5	37.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	10.4	2.4	5.8	15.0
Does not participate in leisure time physical activity	29	20.5	4.3	12.1	29.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	43	14.3	2.5	9.4	19.1
Health Insurance Status					
Insured	50	14.3	2.3	9.7	18.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Crawford County	100	22.6	2.6	17.6	27.7
Gender					
Men	36	19.9	3.8	12.4	27.3
Women	64	25.2	3.4	18.5	32.0
Age Group					
18 to 44 Years	15	12.9	3.5	6.1	19.8
45 to 64 Years	41	29.6	4.5	20.8	38.4
65 Years and Older	44	39.7	5.3	29.2	50.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	99	23.6	2.7	18.3	28.8
Race					
White	89	22.0	2.6	16.8	27.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	26.8	4.4	18.1	35.4
Some College or College Graduate	57	19.8	3.1	13.7	26.0
Annual Household Income					
Less than \$35,000 per Year	67	33.7	4.4	25.0	42.4
\$35,000 or Higher per Year	16	8.5	2.4	3.7	13.3
Weight Category					
Normal or Underweight (BMI < 25)	22	14.4	3.4	7.8	20.9
Overweight (25 ≤ BMI < 30)	35	30.5	5.4	19.8	41.1
Obese (BMI ≥ 30)	37	24.2	4.5	15.4	33.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	52	19.3	3.1	13.3	25.4
Does not participate in leisure time physical activity	46	31.4	5.2	21.1	41.6
Smoking Status					
Current smoker	28	28.3	6.2	16.2	40.4
Non-smoker	71	20.6	2.7	15.3	25.8
Health Insurance Status					
Insured	85	23.2	2.9	17.5	28.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Crawford County	114	25.1	2.7	19.8	30.3
Gender					
Men	38	21.3	3.9	13.6	29.0
Women	76	28.6	3.5	21.7	35.6
Age Group					
18 to 44 Years	17	14.5	3.7	7.3	21.7
45 to 64 Years	46	32.1	4.5	23.2	41.0
65 Years and Older	51	44.5	5.4	34.0	55.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	113	26.1	2.8	20.7	31.6
Race					
White	102	24.5	2.7	19.1	29.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	54	30.8	4.6	21.8	39.8
Some College or College Graduate	60	21.1	3.3	14.8	27.5
Annual Household Income					
Less than \$35,000 per Year	75	35.8	4.5	27.1	44.6
\$35,000 or Higher per Year	18	10.7	2.9	5.0	16.3
Weight Category					
Normal or Underweight (BMI < 25)	26	16.7	3.6	9.7	23.8
Overweight (25 ≤ BMI < 30)	37	31.3	5.4	20.6	41.9
Obese (BMI ≥ 30)	43	27.8	4.8	18.4	37.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	58	20.9	3.2	14.7	27.1
Does not participate in leisure time physical activity	51	34.2	5.4	23.6	44.8
Smoking Status					
Current smoker	32	30.6	6.2	18.4	42.8
Non-smoker	81	23.0	2.8	17.5	28.6
Health Insurance Status					
Insured	97	25.8	3.0	20.0	31.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Crawford County	269	83.6	2.7	78.4	88.8
Gender					
Men	98	86.2	3.8	78.9	93.6
Women	171	81.1	3.7	73.9	88.4
Age Group					
18 to 44 Years	76	82.4	4.4	73.9	91.0
45 to 64 Years	101	81.2	4.1	73.3	89.2
65 Years and Older	92	91.3	2.7	86.0	96.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	262	84.7	2.5	79.7	89.7
Race					
White	251	83.0	2.8	77.5	88.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	103	85.0	4.5	76.1	93.9
Some College or College Graduate	166	82.7	3.3	76.3	89.0
Annual Household Income					
Less than \$35,000 per Year	140	91.3	2.5	86.3	96.2
\$35,000 or Higher per Year	96	78.4	4.4	69.8	87.1
Disability Status					
Living with a Disability	97	93.9	2.5	89.1	98.7
Living without a Disability	171	80.1	3.4	73.4	86.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	77	82.3	4.3	74.0	90.7
Overweight (25 ≤ BMI < 30)	90	80.6	5.0	70.9	90.4
Obese (BMI ≥ 30)	84	88.7	4.5	79.7	97.6
Smoking Status					
Current smoker	62	91.3	3.5	84.3	98.2
Non-smoker	206	80.9	3.3	74.4	87.4
Health Insurance Status					
Insured	229	82.8	2.9	77.2	88.4
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Crawford County	145	49.9	3.5	43.0	56.8
Gender					
Men	45	47.9	5.7	36.7	59.0
Women	100	51.8	4.3	43.3	60.3
Age Group					
18 to 44 Years	43	51.8	5.7	40.7	63.0
45 to 64 Years	56	47.2	5.2	37.0	57.3
65 Years and Older	46	48.5	5.6	37.5	59.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	141	50.4	3.6	43.4	57.4
Race					
White	135	49.2	3.6	42.0	56.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	66	63.4	5.5	52.7	74.2
Some College or College Graduate	79	41.0	4.4	32.4	49.7
Annual Household Income					
Less than \$35,000 per Year	82	61.3	4.7	52.1	70.5
\$35,000 or Higher per Year	41	35.7	5.4	25.2	46.3
Disability Status					
Living with a Disability	66	65.8	5.5	55.0	76.6
Living without a Disability	79	44.6	4.3	36.2	53.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	39	47.5	6.6	34.6	60.4
Overweight (25 ≤ BMI <30)	45	48.7	6.1	36.8	60.6
Obese (BMI ≥ 30)	48	50.3	6.5	37.5	63.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	103	45.0	4.0	37.1	52.8
Health Insurance Status					
Insured	116	45.2	3.8	37.7	52.7
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Crawford County	102	31.7	3.3	25.3	38.2
Gender					
Men	32	30.9	5.4	20.3	41.6
Women	70	32.4	3.9	24.9	40.0
Age Group					
18 to 44 Years	25	29.4	5.4	18.9	40.0
45 to 64 Years	43	35.1	4.9	25.5	44.8
65 Years and Older	34	33.5	5.2	23.2	43.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	99	32.0	3.4	25.4	38.6
Race					
White	92	29.9	3.3	23.4	36.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	46.2	5.8	34.9	57.4
Some College or College Graduate	50	22.0	3.6	15.0	29.0
Annual Household Income					
Less than \$35,000 per Year	61	41.6	5.1	31.6	51.5
\$35,000 or Higher per Year	25	21.7	4.6	12.6	30.8
Disability Status					
Living with a Disability	51	43.1	5.8	31.8	54.4
Living without a Disability	50	27.8	4.0	19.9	35.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	28	33.9	6.5	21.2	46.6
Overweight (25 ≤ BMI < 30)	30	26.5	5.2	16.4	36.7
Obese (BMI ≥ 30)	33	30.0	5.8	18.7	41.3
Smoking Status					
Current smoker	29	37.0	7.2	22.9	51.1
Non-smoker	72	29.7	3.7	22.6	36.9
Health Insurance Status					
Insured	81	28.5	3.5	21.7	35.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Crawford County	119	38.7	3.4	31.9	45.4
Gender					
Men	48	41.7	5.6	30.8	52.6
Women	71	35.9	4.1	27.8	44.0
Age Group					
18 to 44 Years	38	40.2	5.6	29.3	51.2
45 to 64 Years	50	41.3	5.1	31.4	51.2
65 Years and Older	31	30.4	5.3	20.1	40.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	116	39.4	3.5	32.5	46.3
Race					
White	112	38.1	3.5	31.3	45.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	50	42.5	5.8	31.2	53.8
Some College or College Graduate	69	36.1	4.2	27.8	44.3
Annual Household Income					
Less than \$35,000 per Year	61	40.7	5.0	31.0	50.5
\$35,000 or Higher per Year	41	36.3	5.4	25.7	46.9
Disability Status					
Living with a Disability	44	44.1	5.9	32.5	55.7
Living without a Disability	74	36.7	4.1	28.6	44.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	33	43.3	6.6	30.3	56.2
Overweight (25 ≤ BMI < 30)	38	37.3	5.9	25.8	48.8
Obese (BMI ≥ 30)	40	36.5	5.8	25.1	47.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	72	32.8	3.9	25.2	40.4
Does not participate in leisure time physical activity	46	50.6	6.4	38.0	63.2
Smoking Status					
Current smoker	32	43.5	7.4	28.9	58.1
Non-smoker	87	37.0	3.8	29.5	44.5
Health Insurance Status					
Insured	100	38.6	3.8	31.2	45.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Crawford County	71	24.8	3.1	18.6	31.0
Gender					
Men	27	26.1	5.1	16.0	36.1
Women	44	23.6	3.8	16.3	31.0
Age Group					
18 to 44 Years	19	22.2	4.9	12.5	31.8
45 to 64 Years	29	30.4	5.1	20.4	40.3
65 Years and Older	23	24.0	5.0	14.1	33.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	68	24.4	3.2	18.1	30.6
Race					
White	64	22.8	3.1	16.8	28.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	37.6	5.9	26.1	49.2
Some College or College Graduate	34	16.5	3.2	10.3	22.7
Annual Household Income					
Less than \$35,000 per Year	36	22.8	4.3	14.5	31.2
\$35,000 or Higher per Year	25	25.9	5.1	15.9	36.0
Disability Status					
Living with a Disability	24	22.0	4.6	13.0	31.1
Living without a Disability	46	25.5	3.9	17.9	33.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	23.8	6.2	11.6	36.1
Overweight (25 ≤ BMI < 30)	21	23.3	5.3	12.9	33.7
Obese (BMI ≥ 30)	28	27.8	5.5	16.9	38.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	46	22.9	3.5	16.0	29.8
Does not participate in leisure time physical activity	25	29.2	6.4	16.6	41.8
Smoking Status					
Current smoker	19	30.2	7.3	15.9	44.6
Non-smoker	52	23.0	3.4	16.4	29.6
Health Insurance Status					
Insured	61	25.3	3.5	18.4	32.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Crawford County	48	19.2	2.9	13.5	24.9
Gender					
Men	16	20.3	4.8	10.9	29.8
Women	32	18.1	3.4	11.5	24.7
Age Group					
18 to 44 Years	26	27.5	5.1	17.5	37.4
45 to 64 Years	19	15.0	3.5	8.2	21.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	17.3	2.9	11.8	22.9
Race					
White	42	19.0	3.1	13.0	25.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	25.3	5.1	15.3	35.4
Some College or College Graduate	23	14.9	3.4	8.3	21.6
Annual Household Income					
Less than \$35,000 per Year	38	29.2	4.7	20.0	38.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	16	17.0	4.2	8.8	25.2
Living without a Disability	32	20.1	3.7	13.0	27.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	17.5	5.1	7.6	27.4
Overweight (25 ≤ BMI < 30)	13	14.8	4.4	6.2	23.3
Obese (BMI ≥ 30)	15	20.7	5.6	9.7	31.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	14.4	3.2	8.1	20.7
Does not participate in leisure time physical activity	21	27.6	6.0	15.8	39.5
Smoking Status					
Current smoker	16	23.7	6.1	11.7	35.8
Non-smoker	31	17.7	3.4	11.1	24.3

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Crawford County	45	23.0	3.5	16.1	29.9
Gender					
Men	15	23.2	5.6	12.3	34.1
Women	30	22.8	4.2	14.5	31.1
Age Group					
18 to 44 Years	26	27.5	5.1	17.5	37.4
45 to 64 Years	19	15.0	3.5	8.2	21.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	20.8	3.5	14.0	27.6
Race					
White	40	22.9	3.7	15.7	30.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	32.3	6.5	19.5	45.0
Some College or College Graduate	22	17.3	3.9	9.6	25.0
Annual Household Income					
Less than \$35,000 per Year	36	36.6	5.8	25.3	48.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	23.0	5.9	11.4	34.6
Living without a Disability	31	23.3	4.2	15.1	31.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	12	19.9	6.0	8.2	31.6
Overweight (25 ≤ BMI < 30)	12	18.8	5.6	7.9	29.7
Obese (BMI ≥ 30)	15	25.9	6.8	12.6	39.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	17.1	3.9	9.5	24.6
Does not participate in leisure time physical activity	21	34.0	7.2	19.8	48.2
Smoking Status					
Current smoker	16	25.6	6.6	12.7	38.5
Non-smoker	29	22.3	4.2	14.0	30.6

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Crawford County	46	21.7	3.2	15.3	28.0
Gender					
Men	25	29.6	5.3	19.1	40.0
Women	21	14.1	3.5	7.3	20.9
Age Group					
18 to 44 Years	29	35.0	5.5	24.3	45.8
45 to 64 Years	14	10.0	2.8	4.5	15.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	19.0	3.2	12.8	25.2
Race					
White	40	20.1	3.2	13.8	26.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	27.3	5.6	16.3	38.2
Some College or College Graduate	25	17.7	3.7	10.4	25.1
Annual Household Income					
Less than \$35,000 per Year	24	22.8	4.7	13.6	31.9
\$35,000 or Higher per Year	14	15.5	4.5	6.8	24.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	38	27.4	4.1	19.4	35.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	21.4	6.2	9.2	33.5
Overweight (25 ≤ BMI < 30)	16	19.9	5.2	9.7	30.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	14.6	3.3	8.1	21.0
Does not participate in leisure time physical activity	17	33.8	6.8	20.5	47.2
Smoking Status					
Current smoker	17	31.7	7.1	17.7	45.7
Non-smoker	28	18.1	3.5	11.2	25.0
Health Insurance Status					
Insured	30	16.5	3.3	10.1	23.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Crawford County	41	12.4	2.2	8.0	16.8
Gender					
Men	*	*	*	*	*
Women	33	17.1	3.2	10.7	23.4
Age Group					
18 to 44 Years	17	14.0	3.7	6.7	21.3
45 to 64 Years	20	16.4	3.7	9.2	23.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	11.5	2.1	7.3	15.7
Race					
White	39	13.0	2.4	8.3	17.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	17.4	4.3	8.9	25.9
Some College or College Graduate	21	8.9	2.2	4.5	13.2
Annual Household Income					
Less than \$35,000 per Year	28	15.7	3.4	8.9	22.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	18	20.0	4.7	10.8	29.2
Living without a Disability	23	10.0	2.6	5.0	15.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	12.2	3.5	5.3	19.1
Obese (BMI ≥ 30)	15	17.1	4.9	7.5	26.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	8.9	2.4	4.3	13.5
Does not participate in leisure time physical activity	20	21.5	5.2	11.3	31.6
Smoking Status					
Current smoker	14	12.8	3.8	5.4	20.2
Non-smoker	27	12.4	2.8	7.0	17.9
Health Insurance Status					
Insured	17	4.9	1.4	2.2	7.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Crawford County	82	18.0	2.3	13.6	22.5
Gender					
Men	24	13.2	3.0	7.2	19.1
Women	58	22.7	3.3	16.3	29.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	36	29.5	4.7	20.3	38.8
65 Years and Older	37	33.6	5.2	23.5	43.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	81	18.4	2.3	13.8	23.0
Race					
White	76	18.1	2.4	13.4	22.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	47	27.7	4.4	19.0	36.4
Some College or College Graduate	35	11.4	2.3	6.9	15.9
Annual Household Income					
Less than \$35,000 per Year	58	25.1	3.7	17.9	32.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	66	55.0	5.9	43.6	66.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	10.0	2.5	5.1	15.0
Overweight (25 ≤ BMI < 30)	26	20.2	4.3	11.8	28.6
Obese (BMI ≥ 30)	35	26.9	5.1	17.0	36.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	13.2	2.5	8.3	18.1
Does not participate in leisure time physical activity	41	29.7	5.2	19.6	39.8
Smoking Status					
Current smoker	27	22.0	5.0	12.2	31.9
Non-smoker	55	16.9	2.6	11.8	21.9
Health Insurance Status					
Insured	71	18.9	2.6	13.8	23.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Crawford County	62	14.0	2.0	10.0	18.0
Gender					
Men	22	12.2	2.9	6.5	18.0
Women	40	15.6	2.8	10.1	21.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	35	26.7	4.5	17.9	35.6
65 Years and Older	21	20.3	4.4	11.8	28.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	62	14.7	2.1	10.5	18.9
Race					
White	57	14.1	2.2	9.9	18.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	20.4	3.9	12.6	28.1
Some College or College Graduate	28	9.7	2.1	5.5	13.8
Annual Household Income					
Less than \$35,000 per Year	36	15.8	3.0	9.9	21.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	49	42.7	5.7	31.5	54.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	10.0	2.7	4.7	15.4
Overweight (25 ≤ BMI < 30)	21	17.3	4.1	9.2	25.4
Obese (BMI ≥ 30)	23	16.9	4.2	8.7	25.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	10.6	2.3	6.1	15.1
Does not participate in leisure time physical activity	29	21.7	4.5	12.9	30.6
Smoking Status					
Current smoker	20	17.4	4.7	8.3	26.5
Non-smoker	42	13.0	2.3	8.6	17.4
Health Insurance Status					
Insured	55	15.6	2.4	10.9	20.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Crawford County	38	11.3	2.3	6.8	15.7
Gender					
Men	*	*	*	*	*
Women	29	13.6	2.9	8.0	19.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	21	13.9	3.2	7.6	20.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	11.9	2.4	7.2	16.6
Race					
White	35	11.4	2.4	6.6	16.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	16.7	4.1	8.6	24.8
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	25	16.5	4.0	8.6	24.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	26.7	5.9	15.2	38.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	9.0	2.5	4.2	13.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	18	18.2	5.3	7.7	28.7
Non-smoker	20	8.9	2.5	4.0	13.7
Health Insurance Status					
Insured	27	8.9	2.2	4.7	13.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Crawford County	85	43.8	4.7	34.6	52.9
Gender					
Men	29	41.0	7.7	25.9	56.1
Women	56	46.3	5.5	35.5	57.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	47	59.8	6.3	47.4	72.2
65 Years and Older	21	38.2	7.6	23.3	53.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	83	43.9	4.8	34.6	53.3
Race					
White	77	42.4	4.7	33.1	51.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	55.9	7.4	41.4	70.4
Some College or College Graduate	42	35.1	5.8	23.8	46.3
Annual Household Income					
Less than \$35,000 per Year	51	45.0	6.3	32.7	57.4
\$35,000 or Higher per Year	21	41.6	8.2	25.5	57.7
Disability Status					
Living with a Disability	57	68.1	5.9	56.6	79.6
Living without a Disability	28	27.5	5.9	15.9	39.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	43.4	8.7	26.4	60.5
Overweight (25 ≤ BMI < 30)	22	39.2	8.6	22.4	56.1
Obese (BMI ≥ 30)	35	47.8	7.8	32.5	63.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	49	42.2	5.8	30.8	53.6
Does not participate in leisure time physical activity	32	44.6	8.0	28.9	60.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	52	35.7	5.0	25.8	45.6
Health Insurance Status					
Insured	72	46.3	5.2	36.1	56.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Crawford County	171	59.8	3.3	53.4	66.3
Gender					
Men	70	68.8	4.8	59.5	78.2
Women	101	51.3	4.3	43.0	59.7
Age Group					
18 to 44 Years	66	72.6	4.9	63.0	82.1
45 to 64 Years	66	53.1	5.1	43.1	63.1
65 Years and Older	39	34.5	5.2	24.4	44.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	166	59.8	3.4	53.3	66.4
Race					
White	157	59.4	3.4	52.7	66.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	65	61.2	5.4	50.7	71.7
Some College or College Graduate	106	58.9	4.2	50.7	67.1
Annual Household Income					
Less than \$35,000 per Year	91	67.6	4.2	59.3	75.9
\$35,000 or Higher per Year	63	53.9	5.4	43.4	64.5
Disability Status					
Living with a Disability	47	52.0	5.9	40.5	63.5
Living without a Disability	123	62.4	3.9	54.7	70.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	53	59.7	6.1	47.7	71.7
Overweight (25 ≤ BMI < 30)	58	59.7	5.6	48.8	70.6
Obese (BMI ≥ 30)	45	53.5	6.3	41.2	65.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	117	58.3	4.0	50.4	66.2
Does not participate in leisure time physical activity	54	63.1	5.7	51.9	74.3
Smoking Status					
Current smoker	48	76.1	5.7	65.0	87.3
Non-smoker	122	53.9	3.9	46.4	61.5
Health Insurance Status					
Insured	133	53.4	3.7	46.1	60.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,547	35.2	0.6	33.9	36.4
Crawford County	39	34.5	5.2	24.4	44.7
Gender					
Men	*	*	*	*	*
Women	24	26.7	5.5	15.9	37.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	35.6	5.2	25.4	45.9
Race					
White	36	34.1	5.3	23.7	44.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	19	34.6	7.3	20.3	48.9
Annual Household Income					
Less than \$35,000 per Year	25	34.9	6.6	22.0	47.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	36.2	7.1	22.3	50.0
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	33.2	6.4	20.8	45.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	31.8	5.4	21.1	42.5
Health Insurance Status					
Insured	39	35.1	5.2	24.8	45.3
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	30.0	0.6	28.7	31.2
Crawford County	31	28.7	5.2	18.5	38.8
Gender					
Men	*	*	*	*	*
Women	23	31.9	6.7	18.7	45.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	30	26.3	4.8	17.0	35.6
Race					
White	29	28.8	5.3	18.4	39.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	21.4	5.9	9.8	32.9
Annual Household Income					
Less than \$35,000 per Year	17	27.4	6.3	15.0	39.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	30.9	7.1	16.9	44.9
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	30.0	6.5	17.3	42.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	28.4	5.5	17.6	39.3
Health Insurance Status					
Insured	31	29.2	5.2	18.9	39.4
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Crawford County	56	20.3	3.0	14.5	26.1
Gender					
Men	28	27.4	5.1	17.4	37.3
Women	28	13.6	3.0	7.7	19.5
Age Group					
18 to 44 Years	19	22.3	4.8	12.8	31.8
45 to 64 Years	21	17.4	4.2	9.1	25.6
65 Years and Older	16	19.7	5.0	9.9	29.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	21.2	3.1	15.1	27.2
Race					
White	54	21.4	3.1	15.3	27.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	18.9	4.4	10.3	27.5
Some College or College Graduate	34	21.3	4.0	13.5	29.0
Annual Household Income					
Less than \$35,000 per Year	35	25.8	4.7	16.6	35.0
\$35,000 or Higher per Year	16	16.4	4.3	7.9	24.9
Disability Status					
Living with a Disability	22	23.7	5.8	12.3	35.1
Living without a Disability	34	19.2	3.4	12.5	25.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	11	21.2	5.9	9.6	32.9
Overweight (25 ≤ BMI < 30)	15	16.0	4.6	7.0	25.1
Obese (BMI ≥ 30)	25	22.7	5.2	12.4	33.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	16.9	3.3	10.4	23.5
Does not participate in leisure time physical activity	25	27.6	5.9	16.0	39.2
Smoking Status					
Current smoker	21	34.0	7.3	19.8	48.3
Non-smoker	34	15.3	2.9	9.6	21.0
Health Insurance Status					
Insured	46	19.3	3.1	13.1	25.5
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Crawford County	77	27.1	3.2	20.8	33.4
Gender					
Men	32	33.9	5.4	23.3	44.5
Women	45	20.6	3.3	14.1	27.2
Age Group					
18 to 44 Years	25	29.6	5.3	19.3	40.0
45 to 64 Years	38	32.9	5.0	23.2	42.7
65 Years and Older	14	10.9	3.2	4.5	17.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	75	28.1	3.3	21.5	34.6
Race					
White	70	25.7	3.2	19.4	32.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	38	30.2	5.2	20.0	40.4
Some College or College Graduate	39	24.9	4.1	16.9	32.9
Annual Household Income					
Less than \$35,000 per Year	50	37.5	5.0	27.7	47.3
\$35,000 or Higher per Year	18	16.6	4.2	8.4	24.7
Disability Status					
Living with a Disability	32	33.1	5.9	21.5	44.6
Living without a Disability	45	25.1	3.8	17.7	32.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	26.1	5.9	14.5	37.6
Overweight (25 ≤ BMI < 30)	24	26.6	5.5	15.8	37.5
Obese (BMI ≥ 30)	24	27.7	5.8	16.3	39.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	43	24.3	3.8	16.8	31.8
Does not participate in leisure time physical activity	29	30.8	6.1	18.8	42.8
Health Insurance Status					
Insured	61	25.9	3.5	19.0	32.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	56.5	1.0	54.5	58.4
Crawford County	43	55.2	7.2	41.1	69.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	56.2	7.3	41.9	70.6
Race					
White	39	57.9	7.3	43.5	72.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	28	58.5	9.0	40.8	76.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	36	59.5	8.2	43.4	75.5
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	866	10.4	0.4	9.6	11.2
Crawford County	12	14.1	4.1	6.0	22.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	12	14.7	4.3	6.3	23.1
Race					
White	11	14.8	4.4	6.2	23.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Crawford County	33	8.4	1.6	5.2	11.7
Gender					
Men	28	15.2	3.2	8.9	21.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	18	20.1	4.7	10.9	29.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	8.4	1.7	5.0	11.7
Race					
White	31	8.6	1.7	5.2	12.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	9.7	2.3	5.2	14.3
Annual Household Income					
Less than \$35,000 per Year	17	8.1	2.2	3.8	12.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	15	16.5	4.5	7.7	25.3
Living without a Disability	17	5.7	1.5	2.6	8.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	13.4	3.9	5.7	21.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	8.5	2.1	4.5	12.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	8.2	1.9	4.4	11.9
Health Insurance Status					
Insured	25	8.3	1.9	4.6	11.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Crawford County	102	34.5	3.4	27.8	41.2
Gender					
Men	46	39.7	5.4	29.2	50.3
Women	56	29.0	4.1	20.9	37.1
Age Group					
18 to 44 Years	31	37.0	5.7	25.7	48.3
45 to 64 Years	37	29.8	4.9	20.3	39.4
65 Years and Older	34	36.1	5.5	25.4	46.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	99	34.2	3.5	27.5	41.0
Race					
White	98	36.1	3.6	29.2	43.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	29.7	5.5	18.9	40.6
Some College or College Graduate	69	37.5	4.3	29.1	46.0
Annual Household Income					
Less than \$35,000 per Year	60	39.5	5.1	29.6	49.4
\$35,000 or Higher per Year	30	30.4	5.2	20.1	40.7
Disability Status					
Living with a Disability	43	38.3	5.7	27.2	49.4
Living without a Disability	59	33.8	4.2	25.6	42.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	65	34.4	4.1	26.3	42.4
Does not participate in leisure time physical activity	33	34.2	6.4	21.6	46.8
Smoking Status					
Current smoker	24	36.1	7.2	21.9	50.3
Non-smoker	77	34.5	3.9	26.9	42.1
Health Insurance Status					
Insured	86	33.5	3.6	26.3	40.6
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Crawford County	216	66.9	3.4	60.3	73.5
Gender					
Men	88	71.2	5.2	60.9	81.5
Women	128	62.3	4.2	54.1	70.5
Age Group					
18 to 44 Years	55	64.4	5.8	53.1	75.7
45 to 64 Years	83	67.6	4.8	58.2	76.9
65 Years and Older	78	73.6	4.5	64.7	82.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	211	66.5	3.4	59.7	73.2
Race					
White	204	68.7	3.3	62.1	75.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	82	67.2	5.6	56.2	78.2
Some College or College Graduate	134	66.7	4.2	58.4	74.9
Annual Household Income					
Less than \$35,000 per Year	107	69.2	4.8	59.9	78.6
\$35,000 or Higher per Year	78	64.9	5.3	54.6	75.3
Disability Status					
Living with a Disability	80	78.6	4.3	70.2	87.0
Living without a Disability	136	63.8	4.2	55.7	72.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	146	69.1	3.8	61.6	76.6
Does not participate in leisure time physical activity	63	63.3	6.9	49.7	76.8
Smoking Status					
Current smoker	48	68.6	7.0	54.9	82.3
Non-smoker	166	67.3	3.8	59.9	74.8
Health Insurance Status					
Insured	186	66.4	3.7	59.2	73.6
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>