

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Ford County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Ford County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov

Table of Contents

Arthritis	1
Cancer	
Cancer (Excluding Skin Cancer)	3
Skin Cancer	5
Cardiovascular Health	
High Blood Pressure	7
Cholesterol	
Not Checked Cholesterol within Five Years	9
High Blood Cholesterol Status.....	11
Chronic Obstructive Pulmonary Disease (COPD)	13
Depressive Disorder	15
Diabetes	17
Disability	
Activity Limitation Due to Physical, Mental or Emotional Problems	19
Disability	21
Exercise and Physical Activity	
Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	23
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	25
Not Participating in Any Physical Activity	27
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day	29
Consuming Vegetables Less than 1 Time Per Day.....	31
Health Care Access	
Lack of Health Care Coverage.....	33
Lack of Health Care Coverage 18 to 64 Years Old Only	35
No Personal Doctor	37

Did Not See Doctor Due to Cost.....39

General Health41

Healthy Days - Health Related Quality of Life

Physical Health Status.....43

Mental Health Status45

Poor Physical or Mental Health is Barrier to Usual Activities.....47

Immunization

Not Immunized Against Influenza.....49

Seatbelt Use.....51

Tobacco Use

Current Smoker53

Veteran Status55

Weight Status (BMI Categories)

Obese.....57

Overweight or Obese59

Technical Notes.....61

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Ford County: Binge Drinking, Heavy Drinking, Activity Limitation Due to Arthritis, Asthma, Heart Attack, Coronary Heart Disease, Stroke, Not Immunized Against Influenza 65 Years and Older Only, Never Had Pneumonia Vaccination 65 Years and Older Only, Tried Quitting Smoking, Smokeless Tobacco Use and Male Smokeless Tobacco Use.

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Ford County	47	14.3	2.4	9.6	19.1
Gender					
Men	18	13.1	3.5	6.1	20.0
Women	29	15.6	3.3	9.2	22.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	25.4	5.9	13.8	37.0
65 Years and Older	25	39.7	7.6	24.8	54.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	22.9	3.8	15.4	30.4
Race					
White	42	17.7	3.2	11.5	23.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	9.1	2.6	4.1	14.2
Some College or College Graduate	31	21.2	4.2	12.9	29.4
Annual Household Income					
Less than \$35,000 per Year	23	13.9	3.6	6.9	20.9
\$35,000 or Higher per Year	18	16.2	4.2	8.0	24.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	8.2	2.1	4.0	12.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	16.0	4.2	7.7	24.3
Obese (BMI ≥ 30)	18	19.9	5.5	9.2	30.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	12.8	2.9	7.2	18.3
Does not participate in leisure time physical activity	18	17.4	4.8	8.0	26.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	37	14.8	2.8	9.3	20.3
Health Insurance Status					
Insured	43	17.8	3.1	11.7	23.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Ford County	21	7.1	1.7	3.8	10.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	15	29.3	7.1	15.5	43.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	13.4	3.1	7.4	19.4
Race					
White	20	9.5	2.3	5.0	14.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	8.5	2.1	4.3	12.7
Health Insurance Status					
Insured	21	10.0	2.4	5.4	14.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Ford County	14	4.5	1.3	1.9	7.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	30.9	7.6	16.0	45.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	8.5	2.5	3.6	13.3
Race					
White	14	6.3	1.9	2.6	10.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	14	6.3	1.9	2.7	10.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Ford County	87	33.6	3.9	25.9	41.3
Gender					
Men	34	34.4	6.1	22.4	46.4
Women	53	32.7	4.9	23.2	42.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	39	52.2	7.1	38.2	66.1
65 Years and Older	36	68.7	7.5	53.9	83.5
Ethnicity					
Hispanic	20	28.6	6.5	15.9	41.4
Non-Hispanic	66	38.4	4.7	29.1	47.6
Race					
White	73	36.6	4.6	27.6	45.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	33.1	5.8	21.8	44.5
Some College or College Graduate	50	34.2	5.0	24.4	44.0
Annual Household Income					
Less than \$35,000 per Year	38	34.6	6.3	22.2	47.0
\$35,000 or Higher per Year	36	32.9	5.8	21.6	44.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	56	29.2	4.3	20.7	37.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	33	37.5	6.7	24.4	50.5
Obese (BMI ≥ 30)	37	47.1	8.2	31.0	63.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	46	32.5	5.0	22.6	42.3
Does not participate in leisure time physical activity	34	32.9	6.3	20.6	45.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	69	34.5	4.4	25.8	43.1
Health Insurance Status					
Insured	78	39.1	4.6	30.0	48.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Ford County	52	41.9	4.7	32.6	51.2
Gender					
Men	21	44.7	7.4	30.2	59.3
Women	31	38.9	5.7	27.7	50.1
Age Group					
18 to 44 Years	39	65.9	6.6	52.8	78.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	25	56.2	7.7	41.1	71.2
Non-Hispanic	26	28.6	5.3	18.2	39.0
Race					
White	37	36.5	5.3	26.2	46.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	48.6	6.8	35.3	62.0
Some College or College Graduate	25	32.7	5.9	21.1	44.2
Annual Household Income					
Less than \$35,000 per Year	24	45.3	7.4	30.9	59.8
\$35,000 or Higher per Year	22	39.9	7.2	25.8	54.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	46	46.8	5.3	36.3	57.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	20	40.5	7.9	25.1	56.0
Obese (BMI ≥ 30)	9	31.0	9.0	13.5	48.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	41.0	6.4	28.5	53.6
Does not participate in leisure time physical activity	19	45.4	7.7	30.3	60.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	33	37.2	5.4	26.6	47.7
Health Insurance Status					
Insured	30	32.4	5.5	21.5	43.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Ford County	65	40.8	5.1	30.8	50.8
Gender					
Men	25	44.0	8.3	27.7	60.3
Women	40	37.9	6.0	26.1	49.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	24	32.4	6.6	19.4	45.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	44.1	5.5	33.3	54.9
Race					
White	58	43.8	5.7	32.7	54.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	39.7	8.1	23.8	55.5
Some College or College Graduate	42	42.1	6.0	30.3	53.8
Annual Household Income					
Less than \$35,000 per Year	26	38.9	8.5	22.2	55.6
\$35,000 or Higher per Year	28	40.3	7.1	26.4	54.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	41	36.6	5.9	24.9	48.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	40.5	8.1	24.7	56.3
Obese (BMI ≥ 30)	22	41.2	9.0	23.5	58.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	41.0	6.4	28.3	53.6
Does not participate in leisure time physical activity	26	39.0	8.1	23.2	54.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	54	39.5	5.4	28.9	50.1
Health Insurance Status					
Insured	56	37.9	5.1	27.9	47.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Ford County	15	5.8	1.7	2.4	9.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Ford County	34	14.1	3.0	8.2	20.1
Gender					
Men	*	*	*	*	*
Women	24	17.1	3.9	9.5	24.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	14.7	3.2	8.4	21.0
Race					
White	27	11.9	2.6	6.8	17.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	20	13.9	3.4	7.2	20.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	10.8	3.2	4.5	17.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	16.5	4.5	7.8	25.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	10.7	2.6	5.5	15.9
Health Insurance Status					
Insured	26	14.2	3.7	7.0	21.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Ford County	24	8.6	2.0	4.7	12.6
Gender					
Men	*	*	*	*	*
Women	14	9.1	2.7	3.8	14.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	10.4	2.7	5.1	15.6
Race					
White	21	10.3	2.6	5.3	15.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	11.2	2.7	5.9	16.5
Health Insurance Status					
Insured	22	10.9	2.6	5.7	16.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Ford County	38	12.2	2.4	7.5	16.9
Gender					
Men	18	14.2	3.9	6.5	21.9
Women	20	10.0	2.7	4.7	15.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	34.0	7.7	18.9	49.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	18.7	3.6	11.6	25.8
Race					
White	35	15.9	3.2	9.6	22.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	27	17.0	3.8	9.7	24.4
Annual Household Income					
Less than \$35,000 per Year	19	14.1	4.2	5.9	22.2
\$35,000 or Higher per Year	15	10.8	3.2	4.5	17.2
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	17.7	5.0	7.9	27.4
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	11.1	3.1	5.0	17.3
Does not participate in leisure time physical activity	17	15.5	4.4	6.9	24.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	11.1	2.6	5.9	16.3
Health Insurance Status					
Insured	35	13.9	2.8	8.5	19.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Ford County	47	15.4	2.6	10.2	20.6
Gender					
Men	23	18.2	4.3	9.7	26.7
Women	24	12.4	3.0	6.6	18.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	18.8	5.6	7.8	29.8
65 Years and Older	26	45.9	8.1	30.1	61.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	23.4	4.0	15.6	31.2
Race					
White	42	19.5	3.5	12.7	26.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	12.0	3.4	5.2	18.7
Some College or College Graduate	31	19.9	4.0	12.1	27.8
Annual Household Income					
Less than \$35,000 per Year	24	17.6	4.5	8.8	26.4
\$35,000 or Higher per Year	16	12.4	3.5	5.5	19.3
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	20	18.8	5.1	8.9	28.8
Obese (BMI ≥ 30)	18	17.9	5.0	8.2	27.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	14.0	3.4	7.3	20.7
Does not participate in leisure time physical activity	20	19.1	4.9	9.6	28.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	15.0	3.0	9.1	20.9
Health Insurance Status					
Insured	44	18.5	3.2	12.2	24.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Ford County	152	88.2	3.0	82.4	94.0
Gender					
Men	59	87.5	4.8	78.2	96.9
Women	93	89.0	3.4	82.3	95.6
Age Group					
18 to 44 Years	56	85.9	4.8	76.4	95.3
45 to 64 Years	52	90.9	3.5	84.1	97.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	45	86.7	5.3	76.3	97.1
Non-Hispanic	105	89.3	3.1	83.3	95.3
Race					
White	120	91.4	2.4	86.6	96.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	68	94.2	3.3	87.8	100
Some College or College Graduate	84	80.1	5.1	70.1	90.1
Annual Household Income					
Less than \$35,000 per Year	64	89.5	4.9	79.9	99.2
\$35,000 or Higher per Year	68	86.0	4.3	77.6	94.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	116	87.8	3.3	81.3	94.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	57	90.5	4.5	81.6	99.3
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	120	90.0	2.7	84.6	95.3
Health Insurance Status					
Insured	124	90.6	2.6	85.4	95.7
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Ford County	95	59.7	4.6	50.7	68.7
Gender					
Men	40	65.0	7.0	51.4	78.7
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	59.9	5.2	49.6	70.1
Race					
White	74	62.3	4.9	52.6	72.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	49	47.2	6.0	35.4	59.1
Annual Household Income					
Less than \$35,000 per Year	39	59.5	7.2	45.4	73.6
\$35,000 or Higher per Year	41	58.3	6.5	45.6	71.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	72	59.8	5.1	49.8	69.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	71	58.9	5.1	49.0	68.9
Health Insurance Status					
Insured	77	59.0	5.2	48.8	69.3
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Ford County	70	38.5	4.4	29.8	47.2
Gender					
Men	28	38.5	6.8	25.2	51.9
Women	42	38.5	5.7	27.3	49.6
Age Group					
18 to 44 Years	21	34.0	6.7	20.9	47.1
45 to 64 Years	27	45.6	7.3	31.3	60.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	19	38.4	7.7	23.4	53.4
Non-Hispanic	49	37.2	5.0	27.3	47.1
Race					
White	58	41.5	5.0	31.6	51.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	45.6	6.7	32.5	58.8
Some College or College Graduate	37	29.3	5.0	19.5	39.2
Annual Household Income					
Less than \$35,000 per Year	29	40.5	7.2	26.4	54.6
\$35,000 or Higher per Year	28	35.3	6.3	22.9	47.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	50	37.2	5.0	27.4	47.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	27	39.6	7.3	25.3	53.9
Obese (BMI ≥ 30)	22	45.4	8.5	28.7	62.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	53	37.1	5.0	27.3	46.9
Health Insurance Status					
Insured	61	41.4	5.1	31.4	51.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Ford County	66	35.4	4.3	26.9	43.8
Gender					
Men	32	45.3	7.2	31.3	59.4
Women	34	25.8	4.6	16.8	34.7
Age Group					
18 to 44 Years	23	33.0	6.4	20.4	45.6
45 to 64 Years	24	37.2	7.1	23.4	51.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	13	21.7	6.4	9.3	34.2
Non-Hispanic	51	45.5	5.3	35.0	56.0
Race					
White	55	38.5	4.9	28.8	48.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	34.1	6.2	21.9	46.4
Some College or College Graduate	37	37.0	5.7	25.8	48.1
Annual Household Income					
Less than \$35,000 per Year	26	34.8	7.0	21.1	48.4
\$35,000 or Higher per Year	29	36.6	6.3	24.2	49.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	49	34.3	4.8	24.9	43.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	28	40.6	7.3	26.2	55.0
Obese (BMI ≥ 30)	23	35.4	7.7	20.4	50.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	43	38.6	5.7	27.4	49.7
Does not participate in leisure time physical activity	23	31.2	6.6	18.2	44.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	49	31.6	4.6	22.5	40.7
Health Insurance Status					
Insured	53	33.9	4.8	24.6	43.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Ford County	31	18.3	3.7	11.1	25.6
Gender					
Men	16	25.4	6.5	12.6	38.1
Women	15	11.5	3.3	5.0	18.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	21.0	4.6	12.0	30.0
Race					
White	25	17.6	3.9	9.9	25.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	21.5	5.6	10.5	32.5
Some College or College Graduate	14	14.0	4.2	5.8	22.2
Annual Household Income					
Less than \$35,000 per Year	15	21.6	6.4	9.1	34.1
\$35,000 or Higher per Year	14	19.1	5.4	8.5	29.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	27	20.1	4.3	11.8	28.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	21.6	6.4	9.0	34.2
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	17.1	4.9	7.5	26.6
Does not participate in leisure time physical activity	14	20.8	5.9	9.3	32.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	20	13.2	3.5	6.3	20.1
Health Insurance Status					
Insured	26	18.0	4.0	10.2	25.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Ford County	40	29.3	4.3	20.9	37.6
Gender					
Men	16	29.5	6.7	16.4	42.5
Women	24	29.0	5.2	18.8	39.3
Age Group					
18 to 44 Years	26	39.5	6.6	26.5	52.6
45 to 64 Years	12	23.4	6.5	10.6	36.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	29	50.8	7.6	36.0	65.7
Non-Hispanic	*	*	*	*	*
Race					
White	20	18.8	4.3	10.4	27.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	37.0	6.4	24.4	49.5
Some College or College Graduate	15	19.1	4.8	9.6	28.5
Annual Household Income					
Less than \$35,000 per Year	28	49.2	7.0	35.6	62.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	36	31.8	4.8	22.3	41.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	28.5	6.6	15.6	41.5
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	30.7	5.5	20.0	41.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	26.4	4.7	17.1	35.7

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Ford County	38	33.8	4.9	24.2	43.4
Gender					
Men	16	35.0	7.7	20.0	50.1
Women	22	32.5	6.0	20.8	44.2
Age Group					
18 to 44 Years	26	39.5	6.6	26.5	52.6
45 to 64 Years	12	23.4	6.5	10.6	36.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	28	52.2	7.9	36.8	67.6
Non-Hispanic	*	*	*	*	*
Race					
White	19	22.8	5.2	12.7	32.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	41.6	7.1	27.7	55.5
Some College or College Graduate	13	22.1	5.9	10.7	33.6
Annual Household Income					
Less than \$35,000 per Year	27	57.2	7.7	42.0	72.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	35	34.8	5.3	24.5	45.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	33.9	7.9	18.3	49.4
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	34.8	6.3	22.4	47.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	31.1	5.6	20.2	42.0

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Ford County	44	33.4	4.5	24.5	42.3
Gender					
Men	21	41.5	7.1	27.7	55.4
Women	23	24.8	5.1	14.9	34.8
Age Group					
18 to 44 Years	25	44.4	6.9	31.0	57.9
45 to 64 Years	15	25.1	6.4	12.6	37.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	27	51.5	7.5	36.8	66.1
Non-Hispanic	16	16.4	4.4	7.8	25.0
Race					
White	27	27.6	5.1	17.7	37.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	43.9	6.7	30.8	57.0
Some College or College Graduate	18	19.6	4.8	10.2	29.0
Annual Household Income					
Less than \$35,000 per Year	23	40.1	7.0	26.3	53.9
\$35,000 or Higher per Year	13	21.9	6.3	9.6	34.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	40	38.7	5.2	28.6	48.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	36.1	7.4	21.6	50.7
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	31.5	5.9	19.9	43.2
Does not participate in leisure time physical activity	15	33.1	7.4	18.6	47.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	29.4	5.2	19.2	39.5
Health Insurance Status					
Insured	22	21.9	5.0	12.1	31.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Ford County	33	17.7	3.4	10.9	24.4
Gender					
Men	*	*	*	*	*
Women	25	20.7	4.2	12.4	29.0
Age Group					
18 to 44 Years	17	21.6	5.5	10.9	32.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	19	26.5	6.5	13.8	39.2
Non-Hispanic	14	10.4	3.1	4.4	16.4
Race					
White	19	14.2	3.8	6.7	21.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	18.0	5.2	7.9	28.1
Some College or College Graduate	18	17.3	4.2	9.1	25.5
Annual Household Income					
Less than \$35,000 per Year	21	27.0	6.3	14.6	39.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	15.3	3.7	8.0	22.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	18.5	4.4	9.9	27.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	15.1	3.4	8.4	21.9
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Ford County	35	16.7	3.1	10.6	22.9
Gender					
Men	13	15.8	4.7	6.6	25.0
Women	22	17.6	4.1	9.6	25.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	22.9	5.9	11.3	34.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	18	22.8	5.7	11.6	34.1
Non-Hispanic	16	9.8	2.7	4.5	15.2
Race					
White	22	12.7	3.0	6.7	18.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	23.7	5.2	13.6	33.9
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	17	17.1	5.0	7.3	26.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	13.1	3.4	6.5	19.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	15.8	4.7	6.6	25.1
Obese (BMI ≥ 30)	15	18.5	5.4	8.0	29.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	12.6	3.7	5.3	19.8
Does not participate in leisure time physical activity	18	25.4	6.2	13.2	37.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	18.4	3.9	10.8	26.0
Health Insurance Status					
Insured	26	16.1	3.5	9.3	22.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Ford County	21	9.5	2.5	4.6	14.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	9.4	2.7	4.1	14.6
Race					
White	17	8.5	2.4	3.7	13.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	<i>20</i>	<i>11.4</i>	<i>2.9</i>	<i>5.6</i>	<i>17.1</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Ford County	16	8.6	2.6	3.6	13.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Ford County	32	29.9	5.8	18.6	41.3
Gender					
Men	*	*	*	*	*
Women	21	31.3	7.6	16.5	46.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	39.4	7.6	24.6	54.2
Race					
White	27	30.1	6.3	17.8	42.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	45.4	8.0	29.7	61.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	24.8	6.7	11.8	37.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	35.7	8.2	19.7	51.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	34.9	7.1	20.9	48.9
Health Insurance Status					
Insured	28	29.1	6.1	17.1	41.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Ford County	105	63.6	4.2	55.3	71.9
Gender					
Men	39	67.4	6.3	55.1	79.8
Women	66	59.9	5.5	49.1	70.7
Age Group					
18 to 44 Years	52	76.9	5.6	65.8	87.9
45 to 64 Years	36	58.4	7.2	44.2	72.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	34	67.8	7.0	54.0	81.6
Non-Hispanic	70	59.5	5.1	49.6	69.4
Race					
White	81	63.5	4.7	54.3	72.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	44	63.8	6.2	51.8	75.9
Some College or College Graduate	61	63.3	5.4	52.7	74.0
Annual Household Income					
Less than \$35,000 per Year	39	61.7	6.9	48.2	75.2
\$35,000 or Higher per Year	53	66.4	6.2	54.3	78.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	90	67.7	4.6	58.7	76.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	39	66.4	6.7	53.4	79.5
Obese (BMI ≥ 30)	26	53.8	8.5	37.1	70.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	70	66.0	5.2	55.7	76.3
Does not participate in leisure time physical activity	34	59.1	7.1	45.2	73.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	78	60.5	4.8	51.1	69.9
Health Insurance Status					
Insured	75	55.3	5.1	45.2	65.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Ford County	42	24.9	4.1	16.8	33.0
Gender					
Men	22	31.7	6.9	18.2	45.2
Women	20	18.2	4.3	9.8	26.6
Age Group					
18 to 44 Years	19	28.1	6.5	15.4	40.8
45 to 64 Years	15	24.0	6.3	11.7	36.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	11	23.0	6.9	9.5	36.6
Non-Hispanic	31	27.0	5.0	17.2	36.8
Race					
White	33	23.1	4.3	14.5	31.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	34.1	6.5	21.4	46.9
Some College or College Graduate	19	12.9	3.4	6.2	19.6
Annual Household Income					
Less than \$35,000 per Year	17	20.9	5.8	9.6	32.2
\$35,000 or Higher per Year	17	19.6	5.1	9.7	29.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	34	26.9	4.7	17.6	36.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	21.8	6.3	9.5	34.1
Obese (BMI ≥ 30)	15	27.3	8.0	11.6	42.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	25.6	5.5	14.9	36.3
Does not participate in leisure time physical activity	16	23.8	6.1	11.7	35.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	18.5	3.9	10.9	26.1
Health Insurance Status					
Insured	36	28.3	4.9	18.7	38.0
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Ford County	43	26.5	4.1	18.4	34.6
Gender					
Men	27	39.2	6.8	25.9	52.5
Women	16	13.3	4.0	5.6	21.1
Age Group					
18 to 44 Years	19	28.9	6.4	16.4	41.5
45 to 64 Years	15	25.8	6.5	13.0	38.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	14	26.3	7.0	12.6	39.9
Non-Hispanic	28	25.3	4.8	15.8	34.8
Race					
White	32	24.2	4.4	15.6	32.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	27.2	6.1	15.3	39.1
Some College or College Graduate	25	25.5	5.3	15.1	35.9
Annual Household Income					
Less than \$35,000 per Year	22	25.4	5.9	13.8	37.0
\$35,000 or Higher per Year	16	27.5	6.4	15.1	40.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	31	25.9	4.7	16.7	35.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	33.8	6.8	20.5	47.0
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	24.4	5.4	13.7	35.0
Does not participate in leisure time physical activity	17	28.7	6.8	15.5	42.0
Health Insurance Status					
Insured	30	24.7	4.8	15.3	34.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Ford County	17	5.6	1.6	2.5	8.7
Gender					
Men	15	10.4	3.1	4.4	16.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	10.4	2.9	4.8	16.1
Race					
White	16	7.4	2.1	3.2	11.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	17	7.9	2.2	3.6	12.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Ford County	61	34.2	4.5	25.4	43.1
Gender					
Men	30	42.5	6.9	28.9	56.1
Women	31	24.4	4.9	14.8	34.0
Age Group					
18 to 44 Years	19	35.9	7.3	21.7	50.2
45 to 64 Years	25	34.3	6.8	21.0	47.6
65 Years and Older	17	29.3	7.1	15.4	43.2
Ethnicity					
Hispanic	17	38.5	8.1	22.6	54.4
Non-Hispanic	43	31.2	4.8	21.8	40.6
Race					
White	50	31.9	4.8	22.6	41.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	38.5	6.8	25.2	51.7
Some College or College Graduate	31	28.6	5.3	18.2	38.9
Annual Household Income					
Less than \$35,000 per Year	23	34.0	7.2	19.9	48.1
\$35,000 or Higher per Year	32	37.6	6.5	24.8	50.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	42	33.0	5.1	22.9	43.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	29.9	5.5	19.1	40.7
Does not participate in leisure time physical activity	22	39.3	7.8	24.0	54.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	52	34.2	4.9	24.5	43.9
Health Insurance Status					
Insured	55	37.0	5.1	27.1	46.9
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Ford County	134	74.8	3.9	67.1	82.4
Gender					
Men	64	83.7	5.2	73.5	93.9
Women	70	64.2	5.6	53.1	75.3
Age Group					
18 to 44 Years	42	69.0	6.6	56.1	81.9
45 to 64 Years	53	82.6	4.7	73.3	91.8
65 Years and Older	38	77.2	6.1	65.3	89.2
Ethnicity					
Hispanic	39	79.8	6.0	68.1	91.6
Non-Hispanic	94	72.1	4.9	62.5	81.6
Race					
White	110	75.0	4.3	66.5	83.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	57	76.8	5.5	66.0	87.6
Some College or College Graduate	77	72.0	5.3	61.7	82.4
Annual Household Income					
Less than \$35,000 per Year	52	71.5	6.3	59.2	83.9
\$35,000 or Higher per Year	63	79.2	5.2	69.0	89.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	95	72.3	4.5	63.4	81.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	75	70.0	5.5	59.2	80.8
Does not participate in leisure time physical activity	49	80.8	5.5	69.9	91.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	101	72.2	4.7	62.9	81.5
Health Insurance Status					
Insured	112	76.1	4.3	67.8	84.4
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>