


2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Franklin County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,

A handwritten signature in blue ink that reads "Robert Moser".

Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Franklin County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov

Table of Contents

Alcohol Consumption	
Binge Drinking.....	1
Arthritis	
Arthritis	3
Activity Limitation Due to Arthritis	5
Cancer	
Cancer (Excluding Skin Cancer)	7
Skin Cancer	9
Cardiovascular Health	
Coronary Heart Disease	11
High Blood Pressure	13
Cholesterol	
Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17
Chronic Obstructive Pulmonary Disease (COPD)	19
Depressive Disorder	21
Diabetes	23
Disability	
Activity Limitation Due to Physical, Mental or Emotional Problems	25
Disability	27
Exercise and Physical Activity	
Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	29
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	31
Not Participating in Any Physical Activity	33
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day	35

Consuming Vegetables Less than 1 Time Per Day.....37

Health Care Access

Lack of Health Care Coverage.....39

Lack of Health Care Coverage 18 to 64 Years Old Only41

No Personal Doctor43

Did Not See Doctor Due to Cost.....45

General Health47

Healthy Days - Health Related Quality of Life

Physical Health Status.....49

Mental Health Status51

Poor Physical or Mental Health is Barrier to Usual Activities.....53

Immunization

Not Immunized Against Influenza.....55

Not Immunized Against Influenza 65 Years and Older Only57

Never Had Pneumonia Vaccination 65 Years and Older Only59

Seatbelt Use.....61

Tobacco Use

Current Smoker63

Veteran Status65

Weight Status (BMI Categories)

Obese.....67

Overweight or Obese69

Technical Notes.....71

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Franklin County: Heavy Drinking, Asthma, Heart Attack, Stroke, Tried Quitting Smoking, Smokeless Tobacco Use and Male Smokeless Tobacco Use.

Percentage of Adults Who Are Binge Drinkers, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Franklin County	23	16.9	3.6	9.7	24.0
Gender					
Men	13	20.8	5.9	9.2	32.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	16	33.9	7.4	19.4	48.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	17.2	3.7	9.9	24.4
Race					
White	23	18.2	3.9	10.6	25.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	16.3	4.3	7.9	24.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	17	19.8	4.6	10.7	28.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	21.3	4.6	12.3	30.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	10	26.6	7.5	11.8	41.3
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	17.9	4.8	8.5	27.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	14.5	4.1	6.4	22.6
Health Insurance Status					
Insured	18	14.4	3.5	7.6	21.2
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Franklin County	79	28.6	3.6	21.6	35.7
Gender					
Men	25	23.9	5.4	13.3	34.5
Women	54	33.1	4.8	23.8	42.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	34	35.4	6.1	23.5	47.2
65 Years and Older	39	53.6	6.8	40.2	66.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	79	29.1	3.7	22.0	36.3
Race					
White	74	26.5	3.4	19.8	33.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	30.8	6.2	18.7	42.9
Some College or College Graduate	47	27.1	4.3	18.6	35.5
Annual Household Income					
Less than \$35,000 per Year	31	38.6	7.6	23.7	53.5
\$35,000 or Higher per Year	38	24.3	4.3	15.8	32.8
Disability Status					
Living with a Disability	43	70.7	6.9	57.1	84.2
Living without a Disability	36	15.4	2.9	9.6	21.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	27.6	7.0	13.8	41.4
Overweight (25 ≤ BMI < 30)	23	23.3	6.3	11.0	35.7
Obese (BMI ≥ 30)	36	37.4	6.5	24.7	50.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	44	23.9	4.4	15.4	32.4
Does not participate in leisure time physical activity	33	39.1	6.8	25.7	52.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	62	28.1	3.9	20.4	35.7
Health Insurance Status					
Insured	71	27.9	3.6	20.9	34.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Franklin County	38	44.2	7.2	30.0	58.4
Gender					
Men	*	*	*	*	*
Women	29	55.8	8.3	39.4	72.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	44.2	7.2	30.0	58.4
Race					
White	34	43.3	7.1	29.3	57.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>31</i>	<i>50.3</i>	<i>7.7</i>	<i>35.1</i>	<i>65.5</i>
Health Insurance Status					
Insured	<i>36</i>	<i>52.7</i>	<i>7.2</i>	<i>38.6</i>	<i>66.7</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Franklin County	17	4.2	1.1	2.0	6.4
Gender					
Men	*	*	*	*	*
Women	15	7.4	2.1	3.3	11.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	4.3	1.1	2.1	6.5
Race					
White	17	4.5	1.2	2.2	6.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	4.7	1.3	2.2	7.3
Health Insurance Status					
Insured	15	4.6	1.3	2.1	7.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Franklin County	23	7.2	1.7	4.0	10.5
Gender					
Men	*	*	*	*	*
Women	14	6.7	2.0	2.8	10.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	15	23.0	5.7	11.9	34.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	7.3	1.7	4.0	10.7
Race					
White	22	7.2	1.7	3.9	10.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	8.5	2.3	3.9	13.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	6.2	1.8	2.6	9.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	5.9	1.8	2.5	9.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	20	8.7	2.1	4.5	12.8
Health Insurance Status					
Insured	23	9.1	2.1	5.0	13.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,352	4.2	0.1	4.0	4.5
Franklin County	18	7.0	1.8	3.4	10.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	12	20.9	6.1	9.0	32.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	7.1	1.9	3.5	10.7
Race					
White	16	6.2	1.8	2.8	9.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	13	8.0	2.4	3.3	12.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	17	7.6	2.0	3.7	11.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Franklin County	83	30.1	3.7	22.9	37.3
Gender					
Men	33	33.9	6.1	21.9	45.8
Women	50	26.6	4.1	18.6	34.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	35	32.5	5.3	22.1	43.0
65 Years and Older	40	58.1	6.6	45.1	71.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	82	29.9	3.7	22.7	37.1
Race					
White	77	28.9	3.7	21.6	36.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	34.0	6.6	21.0	46.9
Some College or College Graduate	49	27.4	4.1	19.4	35.4
Annual Household Income					
Less than \$35,000 per Year	26	32.7	7.5	17.9	47.4
\$35,000 or Higher per Year	47	28.8	4.5	20.0	37.5
Disability Status					
Living with a Disability	32	41.3	7.7	26.2	56.4
Living without a Disability	50	26.7	4.3	18.3	35.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	22	19.0	4.8	9.6	28.3
Obese (BMI ≥ 30)	47	56.8	7.1	42.9	70.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	50	28.4	4.6	19.4	37.5
Does not participate in leisure time physical activity	31	38.4	6.9	24.8	52.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	68	32.8	4.3	24.4	41.3
Health Insurance Status					
Insured	75	30.9	3.8	23.5	38.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Franklin County	35	26.6	4.2	18.4	34.9
Gender					
Men	19	31.8	6.6	18.9	44.7
Women	16	21.4	5.1	11.4	31.3
Age Group					
18 to 44 Years	18	47.0	7.9	31.4	62.5
45 to 64 Years	15	15.9	4.1	7.8	24.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	26.1	4.2	17.8	34.4
Race					
White	33	27.2	4.4	18.6	35.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	25.0	7.1	11.0	39.0
Some College or College Graduate	22	27.7	5.2	17.6	37.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	18	22.6	4.9	13.0	32.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	29	30.0	5.0	20.2	39.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	11	33.8	8.5	17.1	50.5
Overweight (25 ≤ BMI < 30)	13	23.5	6.3	11.1	36.0
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	25.4	5.3	15.0	35.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	27.9	5.1	18.0	37.9
Health Insurance Status					
Insured	20	18.3	4.0	10.5	26.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Franklin County	86	43.8	4.3	35.4	52.3
Gender					
Men	35	48.0	6.9	34.4	61.6
Women	51	40.0	5.2	29.8	50.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	41	50.5	6.5	37.8	63.1
65 Years and Older	34	53.4	6.9	39.7	67.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	86	44.3	4.3	35.8	52.8
Race					
White	81	40.9	4.2	32.8	49.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	39.5	7.3	25.2	53.8
Some College or College Graduate	56	47.0	5.2	36.8	57.3
Annual Household Income					
Less than \$35,000 per Year	23	44.0	8.8	26.9	61.2
\$35,000 or Higher per Year	55	43.5	5.3	33.2	53.8
Disability Status					
Living with a Disability	31	59.1	8.1	43.2	75.1
Living without a Disability	55	38.7	4.8	29.3	48.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	29.0	7.6	14.1	43.8
Overweight (25 ≤ BMI < 30)	29	46.9	7.6	32.0	61.8
Obese (BMI ≥ 30)	39	50.3	7.3	36.1	64.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	53	43.8	5.5	33.0	54.6
Does not participate in leisure time physical activity	31	47.0	7.4	32.5	61.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	72	48.0	4.6	38.9	57.0
Health Insurance Status					
Insured	79	41.5	4.3	33.2	49.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Franklin County	22	7.5	1.9	3.9	11.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	7.7	1.9	3.9	11.4
Race					
White	19	6.2	1.7	2.9	9.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	15	17.1	5.0	7.3	27.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	7.7	2.3	3.3	12.2
Health Insurance Status					
Insured	18	6.4	1.7	3.0	9.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Franklin County	48	20.6	3.2	14.3	26.9
Gender					
Men	*	*	*	*	*
Women	37	28.9	4.9	19.4	38.5
Age Group					
18 to 44 Years	12	21.2	5.9	9.6	32.7
45 to 64 Years	27	24.5	4.7	15.2	33.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	48	21.0	3.3	14.6	27.3
Race					
White	45	20.6	3.3	14.1	27.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	18.4	4.5	9.5	27.3
Some College or College Graduate	29	22.2	4.4	13.5	30.8
Annual Household Income					
Less than \$35,000 per Year	20	28.9	6.6	16.0	41.8
\$35,000 or Higher per Year	23	17.5	4.1	9.5	25.6
Disability Status					
Living with a Disability	24	46.0	8.2	29.9	62.0
Living without a Disability	24	12.6	2.9	6.9	18.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	12	23.8	6.9	10.2	37.3
Overweight (25 ≤ BMI < 30)	16	18.9	5.2	8.7	29.1
Obese (BMI ≥ 30)	19	22.9	5.6	11.9	33.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	19.6	3.8	12.2	27.0
Does not participate in leisure time physical activity	14	22.4	6.1	10.4	34.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	17.2	3.5	10.4	24.0
Health Insurance Status					
Insured	38	19.7	3.4	13.0	26.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Franklin County	19	6.6	1.7	3.4	9.9
Gender					
Men	*	*	*	*	*
Women	13	7.2	2.1	3.1	11.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	6.8	1.7	3.4	10.1
Race					
White	16	5.7	1.6	2.6	8.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	6.2	1.8	2.7	9.7
Health Insurance Status					
Insured	16	6.7	1.8	3.2	10.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Franklin County	59	23.5	3.5	16.6	30.3
Gender					
Men	22	21.9	5.3	11.4	32.3
Women	37	25.0	4.5	16.1	33.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	28.4	6.0	16.7	40.2
65 Years and Older	25	35.5	6.6	22.6	48.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	59	23.9	3.5	17.0	30.8
Race					
White	52	19.5	3.1	13.5	25.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	26.8	6.0	15.0	38.5
Some College or College Graduate	32	21.1	4.2	13.0	29.3
Annual Household Income					
Less than \$35,000 per Year	32	41.5	7.7	26.3	56.7
\$35,000 or Higher per Year	24	16.3	3.8	8.9	23.7
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	24.3	6.6	11.3	37.2
Obese (BMI ≥ 30)	26	28.3	5.9	16.7	39.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	21.4	4.3	13.0	29.9
Does not participate in leisure time physical activity	22	26.8	6.2	14.7	39.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	42	21.2	3.7	14.0	28.4
Health Insurance Status					
Insured	48	20.5	3.2	14.1	26.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Franklin County	65	24.5	3.5	17.6	31.4
Gender					
Men	25	23.0	5.3	12.5	33.4
Women	40	26.0	4.6	17.0	35.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	29.2	6.0	17.4	40.9
65 Years and Older	29	38.7	6.6	25.7	51.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	65	24.9	3.6	18.0	31.9
Race					
White	58	20.6	3.1	14.5	26.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	27.6	6.0	15.8	39.3
Some College or College Graduate	36	22.3	4.2	14.0	30.6
Annual Household Income					
Less than \$35,000 per Year	34	42.7	7.8	27.5	58.0
\$35,000 or Higher per Year	28	17.4	3.9	9.8	24.9
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	24.8	6.7	11.6	37.9
Obese (BMI ≥ 30)	29	29.9	6.0	18.1	41.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	22.6	4.3	14.1	31.1
Does not participate in leisure time physical activity	23	27.2	6.2	15.1	39.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	48	22.4	3.7	15.2	29.7
Health Insurance Status					
Insured	54	21.8	3.3	15.3	28.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Franklin County	187	86.8	3.3	80.4	93.2
Gender					
Men	77	85.9	5.5	75.0	96.7
Women	110	87.7	3.6	80.7	94.7
Age Group					
18 to 44 Years	46	81.7	6.7	68.7	94.8
45 to 64 Years	82	88.5	3.6	81.5	95.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	186	86.7	3.3	80.2	93.2
Race					
White	179	86.4	3.5	79.6	93.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	110	84.1	4.0	76.2	92.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	107	85.2	3.5	78.3	92.2
Disability Status					
Living with a Disability	55	94.4	2.7	89.2	99.6
Living without a Disability	132	84.4	4.2	76.2	92.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	52	83.3	6.4	70.7	95.8
Overweight (25 ≤ BMI < 30)	63	84.9	5.1	74.9	94.8
Obese (BMI ≥ 30)	65	89.7	6.5	77.1	100
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	145	85.6	4.1	77.6	93.6
Health Insurance Status					
Insured	161	87.8	3.1	81.7	93.8
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Franklin County	102	49.6	4.2	41.3	57.9
Gender					
Men	46	55.1	6.6	42.2	68.0
Women	56	44.2	5.3	33.8	54.7
Age Group					
18 to 44 Years	27	46.2	7.5	31.5	60.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	102	50.0	4.3	41.7	58.4
Race					
White	96	48.2	4.3	39.8	56.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	60	48.3	5.1	38.2	58.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	60	49.2	5.3	38.8	59.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	70	45.2	4.8	35.7	54.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	44.7	7.9	29.3	60.2
Overweight (25 ≤ BMI < 30)	29	46.0	7.3	31.6	60.4
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	78	46.7	4.7	37.4	55.9
Health Insurance Status					
Insured	92	52.3	4.4	43.5	61.0
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Franklin County	69	32.8	3.9	25.1	40.5
Gender					
Men	33	36.0	6.1	24.0	48.0
Women	36	29.7	4.9	20.0	39.3
Age Group					
18 to 44 Years	17	32.5	7.2	18.5	46.5
45 to 64 Years	26	29.3	5.4	18.8	39.8
65 Years and Older	26	40.3	6.8	27.0	53.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	69	33.1	3.9	25.4	40.8
Race					
White	67	34.1	4.1	26.1	42.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	34.8	6.6	21.9	47.7
Some College or College Graduate	37	31.4	4.8	21.9	40.9
Annual Household Income					
Less than \$35,000 per Year	26	34.9	7.3	20.7	49.2
\$35,000 or Higher per Year	36	32.4	5.1	22.4	42.5
Disability Status					
Living with a Disability	23	37.0	7.9	21.5	52.6
Living without a Disability	46	31.5	4.5	22.6	40.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	38.7	7.7	23.5	53.8
Overweight (25 ≤ BMI < 30)	18	27.9	6.6	15.0	40.8
Obese (BMI ≥ 30)	26	32.7	6.6	19.7	45.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	52	31.9	4.4	23.3	40.5
Health Insurance Status					
Insured	63	36.6	4.3	28.2	45.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Franklin County	80	41.0	4.2	32.7	49.3
Gender					
Men	38	49.5	6.6	36.5	62.4
Women	42	32.9	5.1	23.0	42.9
Age Group					
18 to 44 Years	25	48.2	7.6	33.3	63.0
45 to 64 Years	41	45.0	6.2	32.8	57.1
65 Years and Older	14	17.5	4.8	8.1	26.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	80	41.4	4.2	33.0	49.7
Race					
White	77	40.8	4.2	32.4	49.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	48.4	7.2	34.3	62.6
Some College or College Graduate	43	35.9	5.0	26.0	45.7
Annual Household Income					
Less than \$35,000 per Year	25	40.1	8.2	23.9	56.2
\$35,000 or Higher per Year	50	44.9	5.3	34.5	55.3
Disability Status					
Living with a Disability	25	45.3	8.6	28.4	62.3
Living without a Disability	55	39.6	4.8	30.2	49.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	44.8	8.0	29.2	60.4
Overweight (25 ≤ BMI < 30)	25	43.1	7.5	28.4	57.7
Obese (BMI ≥ 30)	29	39.3	7.2	25.2	53.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	48	34.5	5.0	24.7	44.4
Does not participate in leisure time physical activity	32	54.4	7.0	40.6	68.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	55	35.0	4.5	26.1	43.9
Health Insurance Status					
Insured	66	38.7	4.4	30.1	47.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Franklin County	41	22.1	3.6	15.0	29.2
Gender					
Men	19	26.8	5.9	15.3	38.3
Women	22	17.6	4.3	9.3	26.0
Age Group					
18 to 44 Years	14	31.1	7.2	17.1	45.2
45 to 64 Years	19	16.8	4.0	9.0	24.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	22.3	3.6	15.1	29.4
Race					
White	39	22.9	3.8	15.4	30.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	34.6	6.7	21.5	47.6
Some College or College Graduate	16	14.0	4.0	6.0	21.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	25	23.1	4.8	13.8	32.4
Disability Status					
Living with a Disability	14	26.2	7.7	11.0	41.4
Living without a Disability	27	20.8	4.1	12.8	28.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	22.7	6.4	10.1	35.3
Obese (BMI ≥ 30)	14	18.6	5.2	8.4	28.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	17.4	3.8	10.0	24.8
Does not participate in leisure time physical activity	16	31.7	7.4	17.2	46.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	23.9	4.4	15.4	32.5
Health Insurance Status					
Insured	34	20.4	3.7	13.1	27.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Franklin County	31	20.3	3.8	12.8	27.9
Gender					
Men	15	27.1	6.5	14.2	39.9
Women	16	14.0	3.7	6.7	21.2
Age Group					
18 to 44 Years	12	26.2	6.8	12.8	39.6
45 to 64 Years	16	20.2	5.9	8.6	31.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	20.7	3.9	13.1	28.3
Race					
White	28	18.5	3.7	11.3	25.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	32.1	7.2	18.0	46.3
Some College or College Graduate	14	11.9	3.3	5.4	18.5
Annual Household Income					
Less than \$35,000 per Year	18	40.4	8.4	23.9	56.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	17.6	4.1	9.5	25.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	24.9	5.2	14.7	35.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	17.6	4.3	9.2	25.9

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Franklin County	28	23.4	4.6	14.4	32.4
Gender					
Men	14	30.0	7.3	15.6	44.4
Women	14	16.3	4.7	7.2	25.5
Age Group					
18 to 44 Years	12	26.2	6.8	12.8	39.6
45 to 64 Years	16	20.2	5.9	8.6	31.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	23.7	4.6	14.6	32.7
Race					
White	26	21.5	4.4	12.9	30.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	36.9	8.7	19.7	54.0
Some College or College Graduate	14	14.5	4.0	6.6	22.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	20.3	4.8	10.8	29.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>21</i>	<i>27.6</i>	<i>6.0</i>	<i>15.8</i>	<i>39.4</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>15</i>	<i>20.2</i>	<i>5.3</i>	<i>9.8</i>	<i>30.6</i>

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Franklin County	27	17.9	3.5	11.0	24.8
Gender					
Men	14	22.7	6.0	11.0	34.3
Women	13	13.3	3.7	6.0	20.6
Age Group					
18 to 44 Years	14	28.1	6.9	14.7	41.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	17.2	3.5	10.3	24.1
Race					
White	26	18.2	3.7	11.0	25.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	15.9	3.9	8.3	23.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	18	18.8	4.3	10.4	27.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	20.6	4.3	12.2	29.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	15.0	4.3	6.6	23.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	20.0	4.4	11.4	28.5
Health Insurance Status					
Insured	17	12.3	3.0	6.4	18.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Franklin County	33	18.8	3.5	11.9	25.7
Gender					
Men	*	*	*	*	*
Women	23	22.3	4.7	13.0	31.5
Age Group					
18 to 44 Years	14	24.7	6.2	12.6	36.8
45 to 64 Years	16	19.8	5.9	8.2	31.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	19.1	3.6	12.1	26.1
Race					
White	30	16.9	3.3	10.5	23.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	23.3	6.2	11.1	35.5
Some College or College Graduate	17	15.5	4.0	7.7	23.4
Annual Household Income					
Less than \$35,000 per Year	17	32.0	7.8	16.8	47.3
\$35,000 or Higher per Year	14	12.8	3.8	5.3	20.3
Disability Status					
Living with a Disability	15	42.1	8.8	24.9	59.3
Living without a Disability	18	11.5	2.9	5.8	17.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	11	25.7	7.4	11.2	40.1
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	19.3	4.5	10.4	28.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	12.8	3.3	6.2	19.3
Health Insurance Status					
Insured	16	9.9	2.8	4.5	15.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Franklin County	31	12.5	2.6	7.4	17.7
Gender					
Men	*	*	*	*	*
Women	20	14.6	4.0	6.7	22.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	12.2	3.5	5.3	19.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	12.7	2.7	7.5	18.0
Race					
White	28	12.1	2.7	6.8	17.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	13.9	3.8	6.4	21.4
Annual Household Income					
Less than \$35,000 per Year	19	20.4	5.3	10.1	30.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	26	44.1	8.2	28.1	60.1
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	16	22.1	6.0	10.3	33.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	12.6	3.2	6.3	18.9
Health Insurance Status					
Insured	25	11.7	2.7	6.3	17.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Franklin County	25	10.6	2.4	5.9	15.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	10.8	2.4	6.1	15.5
Race					
White	24	10.9	2.5	6.0	15.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	9.8	2.9	4.1	15.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	19	31.8	7.6	16.8	46.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	13	14.2	4.2	5.9	22.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	11.8	2.9	6.1	17.5
Health Insurance Status					
Insured	19	8.5	2.1	4.4	12.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Franklin County	18	9.4	2.6	4.4	14.4
Gender					
Men	*	*	*	*	*
Women	15	15.2	4.4	6.6	23.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	9.6	2.6	4.5	14.7
Race					
White	16	9.4	2.7	4.0	14.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Franklin County	40	36.1	5.6	25.1	47.2
Gender					
Men	*	*	*	*	*
Women	26	33.7	7.0	20.0	47.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	36.1	5.6	25.1	47.2
Race					
White	36	35.2	5.9	23.6	46.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	27	35.7	6.8	22.3	49.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	21	35.3	7.5	20.6	50.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	34.6	7.7	19.5	49.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	35.4	6.7	22.2	48.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	36.4	6.3	24.0	48.7
Health Insurance Status					
Insured	32	32.6	6.0	20.8	44.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Franklin County	110	63.4	3.7	56.0	70.7
Gender					
Men	54	75.0	4.8	65.7	84.4
Women	56	52.0	5.3	41.7	62.3
Age Group					
18 to 44 Years	39	80.0	5.3	69.6	90.4
45 to 64 Years	55	65.3	5.5	54.5	76.0
65 Years and Older	16	23.1	5.7	11.9	34.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	110	63.9	3.7	56.6	71.2
Race					
White	107	64.4	3.8	57.0	71.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	42	67.6	5.8	56.2	79.0
Some College or College Graduate	68	60.5	4.8	51.1	69.8
Annual Household Income					
Less than \$35,000 per Year	34	64.4	7.0	50.6	78.2
\$35,000 or Higher per Year	66	62.9	4.8	53.5	72.2
Disability Status					
Living with a Disability	26	53.9	8.1	37.9	69.8
Living without a Disability	84	66.4	4.2	58.2	74.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	31	60.4	7.4	45.9	74.9
Overweight (25 ≤ BMI < 30)	43	69.3	6.0	57.6	81.0
Obese (BMI ≥ 30)	30	57.2	6.9	43.8	70.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	78	65.6	4.5	56.8	74.3
Does not participate in leisure time physical activity	32	58.9	6.7	45.7	72.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	80	59.5	4.4	51.0	68.0
Health Insurance Status					
Insured	86	57.6	4.2	49.4	65.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,547	35.2	0.6	33.9	36.4
Franklin County	16	23.1	5.7	11.9	34.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	23.1	5.7	11.9	34.4
Race					
White	16	25.4	6.1	13.4	37.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	24.5	6.3	12.1	36.8
Health Insurance Status					
Insured	15	23.3	6.0	11.6	35.1
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	30.0	0.6	28.7	31.2
Franklin County	14	20.5	5.4	10.0	31.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	20.5	5.4	10.0	31.0
Race					
White	14	22.7	5.8	11.3	34.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	22.8	5.9	11.2	34.4
Health Insurance Status					
Insured	13	20.5	5.5	9.6	31.3
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Franklin County	44	26.8	4.1	18.9	34.8
Gender					
Men	29	40.1	6.6	27.0	53.1
Women	15	14.0	3.8	6.5	21.4
Age Group					
18 to 44 Years	15	29.9	7.2	15.9	43.9
45 to 64 Years	18	26.2	6.3	13.8	38.7
65 Years and Older	11	21.3	6.1	9.4	33.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	27.1	4.1	19.0	35.1
Race					
White	41	25.2	4.0	17.5	33.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	34.2	7.4	19.6	48.7
Some College or College Graduate	25	21.8	4.3	13.3	30.2
Annual Household Income					
Less than \$35,000 per Year	18	41.6	8.7	24.6	58.6
\$35,000 or Higher per Year	22	20.4	4.3	12.0	28.9
Disability Status					
Living with a Disability	14	30.4	8.7	13.5	47.4
Living without a Disability	30	25.7	4.6	16.7	34.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	27.7	7.4	13.1	42.3
Obese (BMI ≥ 30)	16	28.0	7.2	13.9	42.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	25.8	5.2	15.6	36.0
Does not participate in leisure time physical activity	18	29.0	6.5	16.3	41.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	34	27.5	4.6	18.4	36.5
Health Insurance Status					
Insured	31	19.6	3.6	12.6	26.6
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Franklin County	45	25.7	3.9	18.1	33.3
Gender					
Men	16	23.6	6.0	11.8	35.4
Women	29	27.7	5.0	18.0	37.4
Age Group					
18 to 44 Years	16	31.7	6.9	18.2	45.2
45 to 64 Years	22	27.8	6.1	15.7	39.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	25.4	3.9	17.7	33.0
Race					
White	42	24.5	3.8	17.1	31.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	28.3	6.8	14.9	41.7
Some College or College Graduate	26	23.9	4.5	15.1	32.7
Annual Household Income					
Less than \$35,000 per Year	23	37.2	8.0	21.6	52.8
\$35,000 or Higher per Year	20	23.8	4.9	14.1	33.4
Disability Status					
Living with a Disability	16	33.3	8.4	16.8	49.9
Living without a Disability	29	23.2	4.3	14.8	31.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	34.1	7.7	19.0	49.2
Overweight (25 ≤ BMI < 30)	16	26.7	7.1	12.9	40.6
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	25.2	4.9	15.6	34.9
Does not participate in leisure time physical activity	16	29.0	6.9	15.4	42.5
Health Insurance Status					
Insured	33	22.6	3.9	14.9	30.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Franklin County	27	11.2	2.2	6.8	15.5
Gender					
Men	26	22.4	4.5	13.5	31.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	11	13.2	3.8	5.6	20.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	11.4	2.3	6.9	15.8
Race					
White	25	11.0	2.3	6.5	15.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	13.5	3.2	7.2	19.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	19	13.7	3.2	7.4	20.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	12.3	2.7	7.0	17.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	18.6	5.0	8.9	28.4
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	10.5	2.7	5.2	15.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	12.5	2.8	7.1	17.9
Health Insurance Status					
Insured	25	12.9	2.7	7.7	18.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Franklin County	76	36.2	4.1	28.2	44.2
Gender					
Men	33	38.1	6.5	25.4	50.7
Women	43	34.5	5.0	24.6	44.4
Age Group					
18 to 44 Years	17	32.7	7.5	18.1	47.4
45 to 64 Years	34	38.2	5.8	26.8	49.6
65 Years and Older	25	40.1	6.8	26.8	53.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	75	35.7	4.1	27.7	43.7
Race					
White	72	36.2	4.2	28.0	44.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	41.1	7.1	27.1	55.0
Some College or College Graduate	46	32.8	4.7	23.6	42.0
Annual Household Income					
Less than \$35,000 per Year	25	40.4	8.1	24.6	56.2
\$35,000 or Higher per Year	46	34.6	5.0	24.8	44.3
Disability Status					
Living with a Disability	29	43.6	8.0	27.8	59.3
Living without a Disability	47	34.2	4.8	24.7	43.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	47	36.1	5.2	25.9	46.2
Does not participate in leisure time physical activity	26	35.9	7.0	22.2	49.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	63	39.0	4.7	29.8	48.3
Health Insurance Status					
Insured	67	36.2	4.2	27.9	44.4
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Franklin County	153	71.3	3.8	64.0	78.7
Gender					
Men	71	80.0	5.2	69.9	90.1
Women	82	63.1	5.2	52.9	73.3
Age Group					
18 to 44 Years	35	63.8	7.2	49.7	78.0
45 to 64 Years	73	81.4	4.2	73.2	89.5
65 Years and Older	45	68.4	6.3	56.0	80.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	152	71.1	3.8	63.7	78.5
Race					
White	146	70.2	3.9	62.5	77.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	61	77.4	5.2	67.3	87.5
Some College or College Graduate	92	67.0	5.1	57.1	77.0
Annual Household Income					
Less than \$35,000 per Year	48	79.4	5.5	68.7	90.2
\$35,000 or Higher per Year	95	70.8	4.8	61.4	80.3
Disability Status					
Living with a Disability	47	77.8	6.8	64.4	91.2
Living without a Disability	105	69.1	4.5	60.3	77.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	102	73.4	4.6	64.4	82.4
Does not participate in leisure time physical activity	44	65.6	7.1	51.7	79.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	123	74.5	4.2	66.3	82.7
Health Insurance Status					
Insured	133	70.2	4.1	62.1	78.2
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>