


2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Geary County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Geary County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov



Table of Contents

Alcohol Consumption	
Binge Drinking.....	1
Arthritis	
Arthritis	3
Activity Limitation Due to Arthritis	5
Asthma	7
Cancer	
Cancer (Excluding Skin Cancer)	9
Cardiovascular Health	
High Blood Pressure	11
Cholesterol	
Not Checked Cholesterol within Five Years	13
High Blood Cholesterol Status.....	15
Depressive Disorder	17
Diabetes	19
Disability	
Activity Limitation Due to Physical, Mental or Emotional Problems	21
Disability	23
Exercise and Physical Activity	
Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	25
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	27
Not Participating in Any Physical Activity	29
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day	31
Consuming Vegetables Less than 1 Time Per Day.....	33

Health Care Access	
Lack of Health Care Coverage.....	35
Lack of Health Care Coverage 18 to 64 Years Old Only	37
No Personal Doctor.....	39
Did Not See Doctor Due to Cost.....	41
General Health	43
Healthy Days - Health Related Quality of Life	
Physical Health Status.....	45
Mental Health Status.....	47
Poor Physical or Mental Health is Barrier to Usual Activities.....	49
Immunization	
Not Immunized Against Influenza.....	51
Seatbelt Use	53
Tobacco Use	
Current Smoker	55
Tried Quitting Smoking	57
Veteran Status	59
Weight Status (BMI Categories)	
Obese.....	61
Overweight or Obese	63
Technical Notes	65

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Geary County: Heavy Drinking, Skin Cancer, Heart Attack, Coronary Heart Disease, Stroke, Chronic Obstructive Pulmonary Disease (COPD), Not Immunized Against Influenza 65 Years and Older Only, Never Had Pneumonia Vaccination 65 Years and Older Only, Smokeless Tobacco Use and Male Smokeless Tobacco Use.

Percentage of Adults Who Are Binge Drinkers, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Geary County	23	15.7	3.3	9.2	22.2
Gender					
Men	13	23.6	6.0	11.7	35.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	13	18.1	4.9	8.5	27.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	16.0	3.5	9.1	22.9
Race					
White	18	17.5	4.0	9.6	25.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	13	13.9	4.0	6.1	21.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	19.7	5.4	9.1	30.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	15.6	3.7	8.2	22.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	12	28.0	7.5	13.2	42.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	15.5	4.0	7.6	23.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	17	26.6	6.2	14.5	38.7
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	19	15.6	3.6	8.4	22.7
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Geary County	55	22.9	3.4	16.3	29.5
Gender					
Men	16	17.0	4.7	7.9	26.1
Women	39	28.4	4.8	18.9	37.8
Age Group					
18 to 44 Years	13	13.3	3.8	5.8	20.8
45 to 64 Years	19	32.6	6.9	19.0	46.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	25.2	3.7	18.0	32.3
Race					
White	43	25.1	4.0	17.3	33.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	22.7	5.2	12.5	32.9
Some College or College Graduate	33	23.1	4.4	14.5	31.8
Annual Household Income					
Less than \$35,000 per Year	19	18.8	4.6	9.7	27.9
\$35,000 or Higher per Year	28	26.7	5.4	16.2	37.3
Disability Status					
Living with a Disability	35	61.0	8.2	45.0	77.1
Living without a Disability	20	12.9	3.2	6.7	19.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	19.2	5.1	9.2	29.2
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	22	35.7	7.3	21.5	50.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	22.9	4.2	14.6	31.1
Does not participate in leisure time physical activity	21	28.2	6.6	15.3	41.1
Smoking Status					
Current smoker	25	32.4	6.2	20.2	44.6
Non-smoker	29	16.3	3.3	9.7	22.8
Health Insurance Status					
Insured	49	24.5	3.8	17.0	32.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Geary County	30	56.3	8.1	40.4	72.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	30	56.8	8.2	40.7	72.8
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Geary County	18	8.3	2.1	4.2	12.3
Gender					
Men	*	*	*	*	*
Women	13	10.3	3.1	4.3	16.4
Age Group					
18 to 44 Years	12	10.3	3.0	4.3	16.2
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	8.1	2.1	3.9	12.2
Race					
White	13	9.3	2.6	4.1	14.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	14	7.2	2.0	3.2	11.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Geary County	13	3.9	1.1	1.7	6.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	13	4.8	1.4	2.1	7.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Geary County	79	33.5	3.9	25.9	41.1
Gender					
Men	30	31.0	5.7	19.9	42.1
Women	49	35.8	5.3	25.4	46.2
Age Group					
18 to 44 Years	16	19.6	4.9	10.0	29.3
45 to 64 Years	38	55.7	7.0	42.1	69.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	72	32.4	4.0	24.6	40.3
Race					
White	61	33.5	4.3	25.0	42.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	32.9	6.0	21.1	44.7
Some College or College Graduate	49	34.0	5.1	24.1	44.0
Annual Household Income					
Less than \$35,000 per Year	32	37.8	6.6	24.9	50.8
\$35,000 or Higher per Year	37	32.1	5.4	21.5	42.7
Disability Status					
Living with a Disability	29	49.2	8.3	33.0	65.4
Living without a Disability	50	30.5	4.5	21.7	39.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	21	25.0	6.1	13.1	36.9
Obese (BMI ≥ 30)	38	60.9	7.5	46.2	75.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	46	30.2	4.7	21.0	39.3
Does not participate in leisure time physical activity	31	44.6	7.6	29.8	59.5
Smoking Status					
Current smoker	22	29.4	6.2	17.2	41.5
Non-smoker	55	37.4	5.1	27.4	47.3
Health Insurance Status					
Insured	66	32.9	4.2	24.6	41.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Geary County	51	34.3	4.2	26.1	42.6
Gender					
Men	23	35.7	6.4	23.0	48.3
Women	28	33.1	5.5	22.3	43.9
Age Group					
18 to 44 Years	37	45.6	6.1	33.8	57.5
45 to 64 Years	11	19.9	5.7	8.7	31.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	34.4	4.4	25.8	43.0
Race					
White	37	35.1	4.8	25.7	44.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	36.2	6.5	23.4	49.0
Some College or College Graduate	29	32.9	5.5	22.2	43.7
Annual Household Income					
Less than \$35,000 per Year	23	40.9	7.1	27.0	54.9
\$35,000 or Higher per Year	20	26.6	5.5	15.7	37.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	45	40.3	5.0	30.4	50.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	21	45.1	7.6	30.2	59.9
Overweight (25 ≤ BMI < 30)	16	34.1	7.5	19.3	48.8
Obese (BMI ≥ 30)	11	23.1	6.7	10.0	36.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	36.9	5.1	26.8	47.0
Does not participate in leisure time physical activity	14	30.3	7.7	15.2	45.4
Smoking Status					
Current smoker	28	44.5	6.9	30.9	58.1
Non-smoker	23	27.9	5.2	17.7	38.1
Health Insurance Status					
Insured	37	28.0	4.3	19.6	36.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Geary County	59	30.7	4.2	22.4	39.0
Gender					
Men	19	26.9	6.2	14.7	39.0
Women	40	34.0	5.7	22.7	45.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	48.3	7.7	33.2	63.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	31.1	4.4	22.4	39.8
Race					
White	51	38.0	5.2	27.8	48.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	25.7	6.3	13.3	38.1
Some College or College Graduate	41	34.2	5.6	23.2	45.3
Annual Household Income					
Less than \$35,000 per Year	15	21.3	5.8	9.9	32.7
\$35,000 or Higher per Year	34	34.7	6.2	22.5	46.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	37	29.0	5.0	19.1	38.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	29.1	5.1	19.0	39.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	47	39.1	5.7	27.8	50.3
Health Insurance Status					
Insured	56	31.7	4.5	22.8	40.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Geary County	53	27.9	3.8	20.5	35.4
Gender					
Men	20	25.9	5.6	15.0	36.8
Women	33	29.8	5.2	19.6	40.0
Age Group					
18 to 44 Years	30	33.4	5.5	22.5	44.2
45 to 64 Years	16	21.6	5.4	11.0	32.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	27.6	3.9	20.0	35.3
Race					
White	44	31.9	4.5	23.0	40.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	32.6	6.1	20.6	44.5
Some College or College Graduate	30	24.3	4.7	15.0	33.6
Annual Household Income					
Less than \$35,000 per Year	25	34.1	6.4	21.5	46.6
\$35,000 or Higher per Year	24	24.3	5.2	14.1	34.5
Disability Status					
Living with a Disability	23	51.1	8.3	34.9	67.3
Living without a Disability	30	22.5	4.1	14.4	30.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	26.9	6.2	14.7	39.1
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	22	41.5	7.7	26.5	56.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	28.1	4.6	19.1	37.1
Does not participate in leisure time physical activity	17	31.9	7.4	17.3	46.5
Smoking Status					
Current smoker	25	38.3	6.7	25.2	51.4
Non-smoker	28	21.1	4.2	12.8	29.4
Health Insurance Status					
Insured	41	25.4	4.1	17.4	33.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Geary County	24	8.3	1.9	4.6	12.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	21.3	5.7	10.0	32.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	8.6	2.0	4.7	12.6
Race					
White	18	8.9	2.3	4.4	13.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	13	6.7	2.0	2.8	10.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	13	20.3	5.9	8.8	31.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	7.5	2.2	3.1	11.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	10.6	2.7	5.4	15.8
Health Insurance Status					
Insured	22	8.9	2.1	4.9	13.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Geary County	47	20.4	3.2	14.0	26.7
Gender					
Men	20	24.8	5.6	13.9	35.7
Women	27	16.5	3.5	9.7	23.3
Age Group					
18 to 44 Years	17	17.6	4.4	9.0	26.2
45 to 64 Years	14	20.9	5.7	9.8	32.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	21.3	3.5	14.5	28.1
Race					
White	37	22.3	3.9	14.7	30.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	20.7	5.3	10.4	31.1
Some College or College Graduate	30	20.1	4.1	12.1	28.1
Annual Household Income					
Less than \$35,000 per Year	21	21.1	4.9	11.5	30.7
\$35,000 or Higher per Year	18	16.6	4.5	7.7	25.4
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	11	21.9	6.4	9.4	34.4
Obese (BMI ≥ 30)	20	30.8	6.9	17.2	44.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	19.9	3.8	12.5	27.3
Does not participate in leisure time physical activity	14	22.5	6.6	9.7	35.4
Smoking Status					
Current smoker	18	22.9	5.7	11.8	34.0
Non-smoker	28	17.8	3.6	10.7	24.9
Health Insurance Status					
Insured	40	20.6	3.6	13.5	27.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Geary County	53	22.3	3.3	15.8	28.9
Gender					
Men	20	25.4	5.7	14.3	36.5
Women	33	19.7	3.8	12.2	27.1
Age Group					
18 to 44 Years	17	17.9	4.5	9.2	26.7
45 to 64 Years	14	20.9	5.7	9.8	32.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	23.4	3.6	16.4	30.5
Race					
White	42	23.7	3.9	16.0	31.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	23.4	5.4	12.7	34.0
Some College or College Graduate	32	21.6	4.2	13.3	29.9
Annual Household Income					
Less than \$35,000 per Year	22	22.1	5.0	12.2	32.0
\$35,000 or Higher per Year	20	18.9	4.8	9.6	28.2
Weight Category					
Normal or Underweight (BMI < 25)	16	12.1	3.4	5.5	18.7
Overweight (25 ≤ BMI < 30)	12	23.0	6.6	10.1	35.8
Obese (BMI ≥ 30)	22	34.5	7.1	20.5	48.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	20.8	3.8	13.3	28.2
Does not participate in leisure time physical activity	18	26.3	6.8	12.9	39.6
Smoking Status					
Current smoker	18	22.9	5.7	11.8	34.0
Non-smoker	33	20.8	3.9	13.1	28.4
Health Insurance Status					
Insured	46	22.7	3.7	15.4	30.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Geary County	136	72.1	3.9	64.4	79.8
Gender					
Men	50	70.9	5.7	59.7	82.2
Women	86	73.1	5.4	62.5	83.8
Age Group					
18 to 44 Years	48	64.4	5.9	52.9	75.9
45 to 64 Years	52	82.7	5.1	72.7	92.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	123	70.5	4.2	62.3	78.8
Race					
White	106	71.5	4.2	63.2	79.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	56	72.9	6.3	60.6	85.1
Some College or College Graduate	80	71.5	5.0	61.6	81.3
Annual Household Income					
Less than \$35,000 per Year	56	75.9	6.3	63.6	88.2
\$35,000 or Higher per Year	65	68.7	5.7	57.5	79.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	100	71.5	4.6	62.4	80.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	47	69.9	6.9	56.3	83.4
Overweight (25 ≤ BMI <30)	33	64.4	7.7	49.3	79.6
Obese (BMI ≥ 30)	48	77.8	6.5	65.1	90.5
Smoking Status					
Current smoker	54	84.2	4.4	75.6	92.8
Non-smoker	81	61.7	5.6	50.8	72.6
Health Insurance Status					
Insured	112	68.3	4.5	59.5	77.2
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Geary County	76	43.0	4.3	34.5	51.5
Gender					
Men	24	37.7	6.7	24.6	50.8
Women	52	47.9	5.7	36.8	59.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	47.0	7.1	33.0	61.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	68	40.3	4.5	31.5	49.0
Race					
White	59	40.9	4.7	31.6	50.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	40	51.1	6.8	37.8	64.4
Some College or College Graduate	36	36.8	5.7	25.7	47.9
Annual Household Income					
Less than \$35,000 per Year	37	53.2	7.0	39.5	66.9
\$35,000 or Higher per Year	28	32.5	6.0	20.8	44.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	55	42.0	5.0	32.3	51.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	28	51.2	7.6	36.3	66.1
Smoking Status					
Current smoker	30	49.7	7.0	36.0	63.4
Non-smoker	45	37.1	5.1	27.1	47.1
Health Insurance Status					
Insured	60	39.0	4.6	29.9	48.1
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Geary County	62	34.6	4.2	26.4	42.9
Gender					
Men	20	33.7	6.6	20.8	46.7
Women	42	35.5	5.3	25.1	45.9
Age Group					
18 to 44 Years	20	31.2	6.1	19.3	43.1
45 to 64 Years	21	32.7	6.6	19.8	45.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	31.5	4.3	23.1	39.8
Race					
White	50	35.1	4.7	25.9	44.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	42.2	6.5	29.5	55.0
Some College or College Graduate	28	28.7	5.5	17.9	39.4
Annual Household Income					
Less than \$35,000 per Year	27	38.6	6.9	25.1	52.1
\$35,000 or Higher per Year	24	27.9	5.8	16.6	39.2
Disability Status					
Living with a Disability	18	39.3	8.6	22.5	56.1
Living without a Disability	43	32.3	4.8	22.9	41.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	21	31.0	7.1	17.0	44.9
Overweight (25 ≤ BMI < 30)	13	25.1	7.3	10.8	39.5
Obese (BMI ≥ 30)	23	45.8	7.7	30.8	60.9
Smoking Status					
Current smoker	21	38.8	7.1	24.8	52.7
Non-smoker	40	31.5	4.8	22.1	40.9
Health Insurance Status					
Insured	52	33.6	4.5	24.7	42.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Geary County	73	42.9	4.3	34.3	51.4
Gender					
Men	32	50.5	6.7	37.5	63.6
Women	41	36.4	5.5	25.7	47.2
Age Group					
18 to 44 Years	32	44.2	6.2	32.0	56.5
45 to 64 Years	26	41.1	7.0	27.4	54.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	68	42.4	4.5	33.6	51.3
Race					
White	58	41.6	4.7	32.4	50.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	37.8	6.4	25.2	50.4
Some College or College Graduate	45	46.4	5.7	35.2	57.7
Annual Household Income					
Less than \$35,000 per Year	28	43.5	7.1	29.6	57.4
\$35,000 or Higher per Year	33	40.7	6.1	28.7	52.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	52	42.5	5.0	32.6	52.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	35.1	7.2	20.9	49.3
Overweight (25 ≤ BMI < 30)	23	45.6	8.1	29.7	61.5
Obese (BMI ≥ 30)	26	52.1	7.6	37.2	67.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	41	32.4	4.8	23.0	41.8
Does not participate in leisure time physical activity	31	61.2	7.2	47.1	75.2
Smoking Status					
Current smoker	32	50.4	7.0	36.7	64.2
Non-smoker	41	36.8	5.2	26.6	47.0
Health Insurance Status					
Insured	62	42.3	4.7	33.0	51.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Geary County	42	24.5	3.9	16.9	32.1
Gender					
Men	14	21.0	5.7	9.9	32.2
Women	28	27.4	5.3	17.0	37.8
Age Group					
18 to 44 Years	14	20.8	5.3	10.4	31.3
45 to 64 Years	19	33.1	7.1	19.3	46.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	27.2	4.3	18.9	35.6
Race					
White	30	19.8	3.7	12.5	27.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	28.2	6.4	15.6	40.7
Some College or College Graduate	22	21.8	4.8	12.4	31.3
Annual Household Income					
Less than \$35,000 per Year	19	26.8	6.4	14.3	39.4
\$35,000 or Higher per Year	17	22.0	5.5	11.2	32.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	32	24.7	4.5	15.9	33.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	<i>24.8</i>	<i>7.1</i>	<i>10.8</i>	<i>38.7</i>
Obese (BMI ≥ 30)	15	<i>29.6</i>	<i>7.1</i>	<i>15.7</i>	<i>43.6</i>
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	<i>19.6</i>	<i>4.5</i>	<i>10.7</i>	<i>28.5</i>
Does not participate in leisure time physical activity	20	<i>35.7</i>	<i>7.5</i>	<i>21.1</i>	<i>50.3</i>
Smoking Status					
Current smoker	15	<i>27.3</i>	<i>6.6</i>	<i>14.2</i>	<i>40.3</i>
Non-smoker	27	<i>22.4</i>	<i>4.6</i>	<i>13.4</i>	<i>31.4</i>
Health Insurance Status					
Insured	37	<i>26.0</i>	<i>4.4</i>	<i>17.4</i>	<i>34.6</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Geary County	29	19.4	3.5	12.4	26.3
Gender					
Men	15	25.9	6.0	14.1	37.7
Women	14	13.3	3.6	6.3	20.4
Age Group					
18 to 44 Years	17	21.6	5.0	11.8	31.4
45 to 64 Years	11	21.2	6.0	9.4	33.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	18.4	3.6	11.3	25.5
Race					
White	19	17.4	3.8	10.0	24.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	29.3	6.0	17.4	41.1
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	20	31.7	6.5	18.9	44.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	19.4	4.2	11.3	27.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	11	21.1	6.3	8.7	33.4
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	18.5	4.1	10.4	26.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	17	28.4	6.3	15.9	40.8
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Geary County	28	21.5	4.0	13.7	29.2
Gender					
Men	14	27.1	6.4	14.5	39.8
Women	14	15.8	4.2	7.5	24.1
Age Group					
18 to 44 Years	17	21.6	5.0	11.8	31.4
45 to 64 Years	11	21.2	6.0	9.4	33.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	20.3	4.0	12.3	28.2
Race					
White	18	19.4	4.3	10.9	27.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	33.3	7.0	19.7	47.0
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	19	35.1	7.3	20.8	49.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	20.6	4.5	11.8	29.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	11	22.5	6.7	9.3	35.6
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	20.2	4.5	11.4	29.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	17	29.4	6.5	16.5	42.2
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Geary County	57	36.9	4.2	28.7	45.1
Gender					
Men	34	48.7	6.4	36.1	61.2
Women	23	26.0	5.1	16.0	36.0
Age Group					
18 to 44 Years	43	50.6	6.0	38.9	62.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	35.5	4.4	27.0	44.0
Race					
White	41	35.6	4.6	26.5	44.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	39.8	6.4	27.2	52.4
Some College or College Graduate	32	34.6	5.5	23.8	45.5
Annual Household Income					
Less than \$35,000 per Year	28	46.4	6.9	32.9	59.9
\$35,000 or Higher per Year	18	25.1	5.6	14.1	36.1
Disability Status					
Living with a Disability	15	33.2	7.7	18.0	48.3
Living without a Disability	41	38.1	5.0	28.4	47.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	38.7	7.4	24.2	53.2
Overweight (25 ≤ BMI < 30)	21	42.3	7.6	27.3	57.3
Obese (BMI ≥ 30)	13	26.0	6.7	12.9	39.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	39.2	5.1	29.2	49.2
Does not participate in leisure time physical activity	13	29.7	7.6	14.8	44.7
Smoking Status					
Current smoker	27	42.3	6.8	29.0	55.7
Non-smoker	28	32.2	5.3	21.8	42.7
Health Insurance Status					
Insured	37	28.3	4.3	19.8	36.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Geary County	31	14.2	2.7	8.9	19.5
Gender					
Men	*	*	*	*	*
Women	19	15.2	3.6	8.1	22.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	21.4	5.6	10.3	32.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	13.2	2.7	7.8	18.6
Race					
White	20	13.0	3.0	7.1	18.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	17.3	4.6	8.2	26.3
Some College or College Graduate	16	11.8	3.1	5.7	17.9
Annual Household Income					
Less than \$35,000 per Year	25	27.0	5.5	16.1	37.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	12	22.9	6.6	9.9	35.9
Living without a Disability	18	10.8	2.7	5.6	16.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	21.0	5.6	10.1	31.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	15.0	3.4	8.3	21.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	13.7	3.3	7.1	20.2
Health Insurance Status					
Insured	16	6.5	1.7	3.2	9.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Geary County	35	15.4	2.9	9.7	21.0
Gender					
Men	15	19.5	5.0	9.6	29.4
Women	20	11.6	2.9	6.0	17.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	14.0	2.8	8.5	19.4
Race					
White	26	16.2	3.5	9.4	22.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	19.1	4.7	9.8	28.4
Some College or College Graduate	15	12.6	3.6	5.6	19.6
Annual Household Income					
Less than \$35,000 per Year	17	14.4	3.9	6.8	22.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	20	37.7	8.1	21.8	53.7
Living without a Disability	15	9.8	2.8	4.4	15.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	13.9	4.1	5.9	22.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	9.6	2.8	4.0	15.2
Does not participate in leisure time physical activity	21	30.1	6.8	16.6	43.5
Smoking Status					
Current smoker	14	17.4	5.1	7.4	27.4
Non-smoker	20	14.2	3.3	7.7	20.7
Health Insurance Status					
Insured	29	14.1	2.9	8.4	19.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Geary County	24	10.8	2.4	6.0	15.6
Gender					
Men	*	*	*	*	*
Women	15	10.8	3.0	4.8	16.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	11.1	2.6	6.0	16.3
Race					
White	18	11.6	3.1	5.6	17.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	16.7	4.7	7.4	26.0
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	14	12.9	3.7	5.6	20.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	28.5	7.8	13.1	43.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	13	8.7	2.5	3.7	13.7
Health Insurance Status					
Insured	21	11.3	2.8	5.8	16.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Geary County	31	20.4	3.7	13.2	27.5
Gender					
Men	11	18.1	5.2	7.8	28.3
Women	20	22.4	5.1	12.5	32.4
Age Group					
18 to 44 Years	24	27.7	5.4	17.1	38.2
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	22.0	4.0	14.3	29.8
Race					
White	22	18.7	3.9	11.0	26.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	28.1	6.2	16.0	40.3
Some College or College Graduate	14	14.2	4.1	6.2	22.1
Annual Household Income					
Less than \$35,000 per Year	17	27.5	6.4	14.9	40.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	12	35.5	8.7	18.5	52.4
Living without a Disability	19	17.2	4.0	9.3	25.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	11	24.3	7.1	10.4	38.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	20.4	4.5	11.6	29.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	20	32.3	6.6	19.5	45.2
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	21	17.2	3.9	9.5	24.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Geary County	50	44.9	5.5	34.1	55.7
Gender					
Men	*	*	*	*	*
Women	29	38.9	6.9	25.4	52.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	48	46.5	5.7	35.2	57.7
Race					
White	38	43.7	6.1	31.8	55.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	30.6	6.6	17.6	43.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	32.4	6.5	19.7	45.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	45.9	6.9	32.4	59.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	47.9	7.2	33.7	62.1
Health Insurance Status					
Insured	40	44.5	6.2	32.4	56.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Geary County	93	51.1	4.3	42.6	59.6
Gender					
Men	32	45.6	6.7	32.5	58.7
Women	61	56.3	5.7	45.1	67.4
Age Group					
18 to 44 Years	36	48.1	6.3	35.8	60.4
45 to 64 Years	37	59.9	6.9	46.3	73.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	85	51.4	4.5	42.4	60.3
Race					
White	72	50.6	4.8	41.1	60.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	45	62.6	6.4	50.0	75.2
Some College or College Graduate	48	42.2	5.6	31.2	53.2
Annual Household Income					
Less than \$35,000 per Year	43	58.1	7.0	44.4	71.9
\$35,000 or Higher per Year	38	42.9	6.1	30.8	54.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	71	51.6	5.0	41.8	61.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	34	56.9	7.4	42.4	71.4
Overweight (25 ≤ BMI < 30)	28	49.6	8.0	33.9	65.3
Obese (BMI ≥ 30)	23	40.2	7.6	25.4	55.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	57	44.5	5.2	34.4	54.6
Does not participate in leisure time physical activity	36	63.4	7.3	49.0	77.7
Smoking Status					
Current smoker	37	56.2	7.0	42.4	69.9
Non-smoker	54	46.1	5.4	35.6	56.7
Health Insurance Status					
Insured	71	44.3	4.7	35.0	53.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Geary County	35	20.9	3.7	13.7	28.1
Gender					
Men	17	24.8	5.9	13.4	36.3
Women	18	17.2	4.5	8.4	26.0
Age Group					
18 to 44 Years	12	19.2	5.3	8.9	29.6
45 to 64 Years	15	25.5	6.2	13.3	37.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	20.8	3.8	13.4	28.2
Race					
White	23	18.6	4.0	10.7	26.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	18.9	5.2	8.7	29.2
Some College or College Graduate	20	22.4	5.1	12.4	32.4
Annual Household Income					
Less than \$35,000 per Year	16	25.3	6.4	12.7	37.9
\$35,000 or Higher per Year	15	16.6	4.7	7.5	25.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	25	19.6	4.2	11.4	27.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	31.5	7.3	17.3	45.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	18.1	4.1	9.9	26.2
Does not participate in leisure time physical activity	14	26.1	7.0	12.3	39.9
Smoking Status					
Current smoker	19	30.8	6.7	17.7	43.8
Non-smoker	16	13.2	3.6	6.1	20.3
Health Insurance Status					
Insured	26	17.6	3.8	10.1	25.1
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Geary County	71	45.6	4.3	37.1	54.1
Gender					
Men	35	54.0	6.4	41.5	66.6
Women	36	38.3	5.6	27.2	49.3
Age Group					
18 to 44 Years	40	51.1	6.0	39.3	62.9
45 to 64 Years	25	47.5	7.1	33.5	61.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	68	47.3	4.5	38.4	56.1
Race					
White	53	44.7	4.8	35.3	54.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	48.8	6.6	35.8	61.8
Some College or College Graduate	39	43.3	5.7	32.1	54.5
Annual Household Income					
Less than \$35,000 per Year	32	49.1	7.0	35.4	62.8
\$35,000 or Higher per Year	29	40.4	6.2	28.2	52.6
Disability Status					
Living with a Disability	18	47.4	8.6	30.6	64.2
Living without a Disability	52	44.3	5.0	34.5	54.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	42.0	7.4	27.4	56.6
Overweight (25 ≤ BMI < 30)	20	45.8	8.1	30.0	61.6
Obese (BMI ≥ 30)	25	51.1	7.6	36.2	66.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	48	42.9	5.1	32.8	53.0
Does not participate in leisure time physical activity	21	50.8	7.7	35.7	65.9
Health Insurance Status					
Insured	54	40.4	4.7	31.1	49.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	56.5	1.0	54.5	58.4
Geary County	38	61.0	6.6	48.0	73.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	61.7	6.6	48.8	74.7
Race					
White	29	61.5	7.5	46.8	76.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	29	61.5	7.6	46.6	76.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	25	53.6	7.9	38.0	69.2
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Geary County	75	43.2	4.2	34.9	51.5
Gender					
Men	57	67.1	6.1	55.1	79.0
Women	18	21.2	4.9	11.7	30.8
Age Group					
18 to 44 Years	42	49.9	5.9	38.3	61.6
45 to 64 Years	19	32.1	6.5	19.3	44.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	72	45.8	4.4	37.1	54.5
Race					
White	59	42.9	4.7	33.8	52.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	36.2	6.5	23.5	49.0
Some College or College Graduate	53	48.7	5.6	37.7	59.6
Annual Household Income					
Less than \$35,000 per Year	25	36.4	6.6	23.5	49.4
\$35,000 or Higher per Year	43	52.7	6.0	40.9	64.5
Disability Status					
Living with a Disability	21	53.5	8.1	37.6	69.4
Living without a Disability	52	39.2	4.8	29.8	48.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	20	37.5	7.2	23.3	51.7
Overweight (25 ≤ BMI < 30)	28	49.0	7.7	34.0	64.0
Obese (BMI ≥ 30)	26	51.1	7.6	36.2	66.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	54	48.2	5.2	38.1	58.4
Does not participate in leisure time physical activity	15	30.0	7.2	15.8	44.2
Smoking Status					
Current smoker	30	42.9	6.8	29.6	56.2
Non-smoker	41	40.4	5.4	29.8	51.0
Health Insurance Status					
Insured	68	48.2	4.6	39.1	57.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Geary County	59	31.0	4.0	23.2	38.8
Gender					
Men	26	31.0	5.9	19.5	42.5
Women	33	31.1	5.4	20.6	41.6
Age Group					
18 to 44 Years	20	24.0	5.2	13.8	34.2
45 to 64 Years	28	47.6	7.2	33.5	61.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	30.6	4.1	22.6	38.6
Race					
White	45	32.9	4.6	23.8	41.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	30.1	6.0	18.3	41.9
Some College or College Graduate	36	31.8	5.3	21.4	42.1
Annual Household Income					
Less than \$35,000 per Year	28	38.8	6.8	25.5	52.1
\$35,000 or Higher per Year	28	28.6	5.5	17.8	39.5
Disability Status					
Living with a Disability	22	48.3	8.5	31.6	65.0
Living without a Disability	37	27.3	4.5	18.5	36.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	27.2	4.6	18.1	36.2
Does not participate in leisure time physical activity	23	44.6	8.0	28.9	60.2
Smoking Status					
Current smoker	25	35.6	6.7	22.5	48.7
Non-smoker	34	29.2	5.0	19.5	38.9
Health Insurance Status					
Insured	49	30.4	4.4	21.9	39.0
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Geary County	120	65.7	4.1	57.6	73.7
Gender					
Men	61	72.9	5.7	61.6	84.1
Women	59	58.3	5.8	46.9	69.6
Age Group					
18 to 44 Years	50	61.9	5.9	50.3	73.4
45 to 64 Years	49	81.1	4.9	71.5	90.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	112	65.2	4.3	56.7	73.7
Race					
White	91	63.5	4.6	54.4	72.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	60.8	6.4	48.1	73.4
Some College or College Graduate	77	69.6	5.3	59.2	80.0
Annual Household Income					
Less than \$35,000 per Year	43	61.7	7.0	48.0	75.3
\$35,000 or Higher per Year	66	72.1	5.3	61.7	82.6
Disability Status					
Living with a Disability	34	81.9	5.0	72.1	91.6
Living without a Disability	84	60.8	5.0	51.0	70.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	79	63.1	5.1	53.2	73.0
Does not participate in leisure time physical activity	36	67.9	7.5	53.2	82.7
Smoking Status					
Current smoker	45	67.8	6.6	54.9	80.6
Non-smoker	71	61.8	5.4	51.2	72.4
Health Insurance Status					
Insured	99	64.5	4.5	55.7	73.3
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>