

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Harvey County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,

A handwritten signature in blue ink that reads "Robert Moser".

Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Harvey County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

Heart Attack	13
Coronary Heart Disease	15
Stroke	17
High Blood Pressure	19

Cholesterol

Not Checked Cholesterol within Five Years	21
High Blood Cholesterol Status.....	23

Chronic Obstructive Pulmonary Disease (COPD)	25
---	----

Depressive Disorder	27
----------------------------------	----

Diabetes	29
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	31
Disability	33

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	35
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	37

Not Participating in Any Physical Activity	39
--	----

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	41
Consuming Vegetables Less than 1 Time Per Day.....	43

Health Care Access

Lack of Health Care Coverage.....	45
Lack of Health Care Coverage 18 to 64 Years Old Only	47
No Personal Doctor.....	49
Did Not See Doctor Due to Cost.....	51

General Health	53
-----------------------------	----

Healthy Days - Health Related Quality of Life

Physical Health Status.....	55
Mental Health Status.....	57
Poor Physical or Mental Health is Barrier to Usual Activities.....	59

Immunization

Not Immunized Against Influenza.....	61
Not Immunized Against Influenza 65 Years and Older Only	63
Never Had Pneumonia Vaccination 65 Years and Older Only	65

Seatbelt Use	67
---------------------------	----

Tobacco Use

Current Smoker	69
Smokeless Tobacco Use	71
Male Smokeless Tobacco Use	73

Veteran Status	75
-----------------------------	----

Weight Status (BMI Categories)

Obese.....	77
Overweight or Obese	79

Technical Notes	81
------------------------------	----

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Harvey County: Heavy Drinking and Tried Quitting Smoking.

Percentage of Adults Who Are Binge Drinkers, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Harvey County	33	13.0	2.3	8.6	17.4
Gender					
Men	23	19.8	4.0	12.1	27.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	22	21.7	4.4	13.1	30.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	14.0	2.4	9.3	18.7
Race					
White	31	12.7	2.3	8.2	17.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	12	13.4	3.8	5.9	20.9
Some College or College Graduate	21	12.8	2.8	7.3	18.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	21	17.5	3.6	10.4	24.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	25	12.9	2.6	7.9	17.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	16.9	4.1	8.9	24.9
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	13.3	2.7	8.0	18.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	11.6	2.4	6.9	16.2
Health Insurance Status					
Insured	29	13.2	2.4	8.4	17.9
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Harvey County	95	23.3	2.6	18.2	28.3
Gender					
Men	31	18.4	3.6	11.4	25.4
Women	64	27.8	3.6	20.7	35.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	33	28.5	4.9	18.9	38.0
65 Years and Older	53	46.3	5.6	35.4	57.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	94	24.5	2.7	19.2	29.7
Race					
White	88	23.6	2.7	18.3	29.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	23.5	4.4	14.9	32.1
Some College or College Graduate	62	23.3	3.2	17.1	29.6
Annual Household Income					
Less than \$35,000 per Year	36	28.3	5.0	18.5	38.0
\$35,000 or Higher per Year	41	19.2	3.2	13.0	25.4
Disability Status					
Living with a Disability	51	54.9	6.4	42.4	67.3
Living without a Disability	44	14.2	2.4	9.5	19.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	29	18.5	3.8	11.1	25.9
Overweight (25 ≤ BMI < 30)	35	25.8	4.7	16.7	34.9
Obese (BMI ≥ 30)	24	24.6	5.3	14.3	34.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	58	19.8	2.9	14.2	25.5
Does not participate in leisure time physical activity	34	32.6	5.8	21.3	43.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	83	23.2	2.8	17.8	28.6
Health Insurance Status					
Insured	89	24.8	2.8	19.4	30.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Harvey County	45	47.8	6.3	35.5	60.1
Gender					
Men	*	*	*	*	*
Women	35	56.5	7.6	41.5	71.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	28	52.4	8.1	36.5	68.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	45	49.1	6.3	36.7	61.5
Race					
White	42	46.5	6.4	33.9	59.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	26	45.1	8.0	29.5	60.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	38.5	7.6	23.7	53.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	45.5	6.6	32.6	58.4
Health Insurance Status					
Insured	42	48.7	6.4	36.2	61.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Harvey County	33	11.1	2.2	6.8	15.4
Gender					
Men	*	*	*	*	*
Women	24	15.1	3.2	8.7	21.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	12	13.7	4.1	5.7	21.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	12.0	2.3	7.4	16.5
Race					
White	29	10.8	2.3	6.3	15.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	9.8	2.3	5.3	14.4
Annual Household Income					
Less than \$35,000 per Year	13	11.2	3.3	4.7	17.7
\$35,000 or Higher per Year	16	10.6	2.9	5.0	16.2
Disability Status					
Living with a Disability	14	18.5	5.1	8.4	28.5
Living without a Disability	19	9.1	2.4	4.4	13.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	8.9	2.2	4.6	13.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	9.9	2.2	5.5	14.3
Health Insurance Status					
Insured	28	10.7	2.3	6.2	15.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Harvey County	40	10.5	1.9	6.8	14.1
Gender					
Men	*	*	*	*	*
Women	27	12.7	2.7	7.3	18.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	27	28.7	5.4	18.2	39.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	10.7	1.9	6.9	14.4
Race					
White	39	11.3	2.0	7.3	15.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	16.5	4.1	8.5	24.4
Some College or College Graduate	21	6.7	1.6	3.7	9.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	17	8.5	2.2	4.1	12.8
Disability Status					
Living with a Disability	14	14.3	4.2	6.1	22.4
Living without a Disability	26	9.5	2.1	5.4	13.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	9.7	2.2	5.4	14.0
Does not participate in leisure time physical activity	14	13.1	3.8	5.6	20.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	9.1	1.9	5.4	12.9
Health Insurance Status					
Insured	38	12.0	2.2	7.7	16.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Harvey County	25	5.8	1.3	3.3	8.4
Gender					
Men	*	*	*	*	*
Women	13	5.1	1.5	2.1	8.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	15.7	4.0	7.9	23.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	6.3	1.4	3.5	9.1
Race					
White	25	6.4	1.4	3.6	9.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	5.1	1.4	2.5	7.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	4.9	1.4	2.2	7.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	5.6	1.4	2.8	8.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	6.8	1.5	3.7	9.8
Health Insurance Status					
Insured	25	7.0	1.6	3.9	10.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,331	4.2	0.1	4.0	4.5
Harvey County	18	5.1	1.4	2.3	7.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	5.5	1.5	2.5	8.4
Race					
White	18	5.5	1.5	2.6	8.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	18	6.1	1.7	2.8	9.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had Angina or Coronary Heart Disease, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,352	4.2	0.1	4.0	4.5
Harvey County	25	5.9	1.4	3.3	8.6
Gender					
Men	*	*	*	*	*
Women	15	5.4	1.6	2.4	8.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	16	12.9	3.3	6.4	19.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	6.4	1.5	3.5	9.2
Race					
White	24	6.3	1.5	3.4	9.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	4.6	1.3	2.0	7.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	20	20.1	4.9	10.5	29.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	5.3	1.6	2.2	8.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	5.1	1.2	2.6	7.5
Health Insurance Status					
Insured	24	6.9	1.6	3.7	10.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Had a Stroke, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	923	3.0	0.1	2.7	3.2
Harvey County	15	4.1	1.2	1.8	6.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	3.8	1.1	1.6	6.0
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	15	4.9	1.4	2.1	7.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Harvey County	118	30.9	2.9	25.2	36.5
Gender					
Men	54	35.6	4.6	26.6	44.6
Women	64	26.4	3.5	19.6	33.2
Age Group					
18 to 44 Years	12	12.0	3.6	5.0	19.0
45 to 64 Years	43	38.3	5.2	28.0	48.6
65 Years and Older	62	54.3	5.6	43.3	65.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	116	31.9	3.0	26.1	37.7
Race					
White	112	31.1	3.0	25.2	36.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	27.7	4.8	18.3	37.2
Some College or College Graduate	82	33.0	3.6	26.1	40.0
Annual Household Income					
Less than \$35,000 per Year	44	33.0	5.1	23.0	43.1
\$35,000 or Higher per Year	53	29.0	3.9	21.3	36.7
Disability Status					
Living with a Disability	48	54.0	6.4	41.5	66.6
Living without a Disability	70	24.5	3.0	18.5	30.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	13.7	3.0	7.9	19.6
Overweight (25 ≤ BMI < 30)	43	33.6	5.1	23.7	43.6
Obese (BMI ≥ 30)	41	46.6	6.2	34.4	58.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	82	31.2	3.4	24.5	37.9
Does not participate in leisure time physical activity	32	28.8	5.4	18.3	39.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	101	31.3	3.1	25.1	37.5
Health Insurance Status					
Insured	110	33.1	3.1	27.1	39.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Harvey County	63	25.3	3.0	19.4	31.3
Gender					
Men	31	28.4	4.8	19.0	37.8
Women	32	22.4	3.7	15.1	29.7
Age Group					
18 to 44 Years	42	46.3	5.7	35.2	57.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	57	23.2	3.0	17.4	29.0
Race					
White	59	25.7	3.2	19.4	31.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	32.4	5.8	21.1	43.7
Some College or College Graduate	38	21.0	3.3	14.6	27.5
Annual Household Income					
Less than \$35,000 per Year	23	28.7	5.5	18.0	39.4
\$35,000 or Higher per Year	27	21.0	4.1	13.0	29.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	58	29.8	3.6	22.7	37.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	29.8	5.2	19.5	40.0
Overweight (25 ≤ BMI < 30)	18	23.7	5.6	12.8	34.6
Obese (BMI ≥ 30)	15	21.6	5.3	11.2	32.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	44	24.2	3.5	17.4	31.1
Does not participate in leisure time physical activity	18	28.9	6.5	16.2	41.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	53	25.6	3.4	19.0	32.2
Health Insurance Status					
Insured	41	17.4	2.7	12.1	22.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Harvey County	113	37.1	3.4	30.4	43.7
Gender					
Men	44	37.0	5.3	26.7	47.3
Women	69	37.1	4.4	28.5	45.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	49	45.7	5.4	35.0	56.3
65 Years and Older	57	48.4	5.7	37.2	59.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	111	37.5	3.4	30.7	44.2
Race					
White	108	38.7	3.6	31.8	45.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	42.1	6.6	29.2	55.1
Some College or College Graduate	80	33.9	3.8	26.6	41.3
Annual Household Income					
Less than \$35,000 per Year	37	37.8	6.1	25.8	49.8
\$35,000 or Higher per Year	55	31.3	4.1	23.2	39.3
Disability Status					
Living with a Disability	40	51.8	6.5	39.1	64.5
Living without a Disability	73	31.5	3.8	24.1	39.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	30	27.6	5.7	16.3	38.8
Overweight (25 ≤ BMI < 30)	42	36.8	5.4	26.2	47.4
Obese (BMI ≥ 30)	35	47.3	7.0	33.6	61.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	87	36.9	3.9	29.3	44.5
Does not participate in leisure time physical activity	24	38.6	7.3	24.3	52.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	98	35.7	3.6	28.7	42.8
Health Insurance Status					
Insured	109	37.6	3.5	30.7	44.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Harvey County	26	8.8	2.0	4.8	12.8
Gender					
Men	*	*	*	*	*
Women	15	7.5	2.2	3.1	11.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	14.2	4.0	6.4	22.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	8.2	1.8	4.6	11.8
Race					
White	25	9.2	2.2	5.0	13.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	15.9	4.4	7.2	24.6
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	18	24.7	5.7	13.5	35.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	9.9	2.9	4.2	15.6
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	14	15.2	4.2	7.0	23.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	22	7.6	1.8	4.1	11.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Harvey County	55	15.3	2.4	10.7	19.9
Gender					
Men	*	*	*	*	*
Women	40	19.5	3.3	13.1	25.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	24.6	4.6	15.6	33.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	15.8	2.4	11.0	20.6
Race					
White	50	15.3	2.5	10.4	20.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	17.0	4.6	8.0	26.0
Some College or College Graduate	39	14.3	2.5	9.3	19.2
Annual Household Income					
Less than \$35,000 per Year	22	18.1	4.2	9.8	26.3
\$35,000 or Higher per Year	18	11.1	3.2	4.7	17.4
Disability Status					
Living with a Disability	25	28.1	5.7	16.9	39.3
Living without a Disability	30	11.7	2.5	6.7	16.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	21	23.8	5.3	13.4	34.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	12.4	2.4	7.7	17.1
Does not participate in leisure time physical activity	20	24.4	6.0	12.6	36.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	41	12.6	2.4	7.9	17.3
Health Insurance Status					
Insured	47	13.6	2.2	9.3	17.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Harvey County	44	11.0	1.8	7.4	14.5
Gender					
Men	20	12.0	2.9	6.3	17.8
Women	24	10.0	2.2	5.6	14.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	14.7	3.7	7.5	22.0
65 Years and Older	24	22.1	4.5	13.2	31.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	10.4	1.8	6.9	13.9
Race					
White	41	11.2	1.9	7.4	14.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	13.2	3.5	6.4	20.0
Some College or College Graduate	25	9.0	1.9	5.2	12.8
Annual Household Income					
Less than \$35,000 per Year	19	13.3	3.3	6.7	19.8
\$35,000 or Higher per Year	18	10.1	2.6	5.0	15.2
Disability Status					
Living with a Disability	21	22.6	5.2	12.5	32.7
Living without a Disability	23	7.7	1.7	4.2	11.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	9.4	2.7	4.2	14.7
Obese (BMI ≥ 30)	20	21.9	4.9	12.3	31.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	11.0	2.2	6.6	15.4
Does not participate in leisure time physical activity	14	11.3	3.3	4.9	17.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	39	11.1	2.0	7.3	15.0
Health Insurance Status					
Insured	41	12.4	2.1	8.2	16.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Harvey County	78	21.1	2.5	16.1	26.0
Gender					
Men	29	19.7	3.8	12.3	27.2
Women	49	22.3	3.3	15.8	28.8
Age Group					
18 to 44 Years	12	10.8	3.2	4.5	17.1
45 to 64 Years	34	29.6	4.9	20.1	39.1
65 Years and Older	31	26.9	4.9	17.3	36.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	77	22.4	2.7	17.2	27.6
Race					
White	72	20.9	2.6	15.7	26.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	27.3	4.8	17.8	36.8
Some College or College Graduate	43	17.3	2.8	11.9	22.7
Annual Household Income					
Less than \$35,000 per Year	36	31.1	5.2	20.9	41.3
\$35,000 or Higher per Year	28	15.6	3.1	9.6	21.7
Weight Category					
Normal or Underweight (BMI < 25)	21	14.1	3.4	7.3	20.8
Overweight (25 ≤ BMI < 30)	26	20.7	4.3	12.3	29.1
Obese (BMI ≥ 30)	28	31.1	5.6	20.1	42.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	15.9	2.7	10.7	21.1
Does not participate in leisure time physical activity	35	37.0	6.1	25.0	48.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	59	18.0	2.5	13.1	22.9
Health Insurance Status					
Insured	72	22.8	2.8	17.4	28.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Harvey County	85	22.7	2.6	17.7	27.8
Gender					
Men	31	21.3	4.0	13.5	29.0
Women	54	24.1	3.4	17.4	30.7
Age Group					
18 to 44 Years	12	10.8	3.2	4.5	17.1
45 to 64 Years	36	31.8	5.0	22.0	41.5
65 Years and Older	36	31.0	5.1	21.0	40.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	84	24.2	2.7	18.8	29.5
Race					
White	79	22.7	2.7	17.4	28.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	38	30.4	5.1	20.5	40.3
Some College or College Graduate	47	18.0	2.8	12.6	23.5
Annual Household Income					
Less than \$35,000 per Year	39	33.2	5.3	22.9	43.5
\$35,000 or Higher per Year	29	15.9	3.1	9.8	22.0
Weight Category					
Normal or Underweight (BMI < 25)	25	16.7	3.7	9.4	23.9
Overweight (25 ≤ BMI < 30)	28	21.3	4.3	12.8	29.8
Obese (BMI ≥ 30)	29	33.4	5.8	22.1	44.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	46	17.3	2.8	11.9	22.7
Does not participate in leisure time physical activity	38	39.6	6.2	27.4	51.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	65	19.5	2.6	14.4	24.6
Health Insurance Status					
Insured	79	24.7	2.8	19.2	30.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Harvey County	251	82.5	2.5	77.6	87.5
Gender					
Men	102	81.9	3.9	74.2	89.6
Women	149	83.1	3.3	76.7	89.5
Age Group					
18 to 44 Years	72	78.0	4.6	69.0	87.1
45 to 64 Years	91	86.7	3.7	79.4	94.1
65 Years and Older	86	84.5	4.1	76.4	92.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	240	82.3	2.6	77.1	87.4
Race					
White	234	81.9	2.7	76.7	87.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	84	87.4	3.9	79.7	95.1
Some College or College Graduate	167	79.4	3.3	73.0	85.9
Annual Household Income					
Less than \$35,000 per Year	85	81.8	4.4	73.2	90.5
\$35,000 or Higher per Year	127	84.6	3.3	78.2	91.0
Disability Status					
Living with a Disability	70	88.8	4.5	80.1	97.6
Living without a Disability	181	81.6	3.0	75.8	87.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	75	75.6	5.0	65.8	85.5
Overweight (25 ≤ BMI < 30)	89	82.2	4.3	73.8	90.5
Obese (BMI ≥ 30)	72	89.1	4.2	80.9	97.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	215	81.4	2.8	75.9	87.0
Health Insurance Status					
Insured	224	82.5	2.7	77.3	87.8
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Harvey County	123	41.7	3.3	35.2	48.3
Gender					
Men	51	44.0	5.3	33.6	54.4
Women	72	39.7	4.2	31.5	47.9
Age Group					
18 to 44 Years	40	44.0	5.7	32.7	55.2
45 to 64 Years	47	45.4	5.6	34.4	56.3
65 Years and Older	34	31.4	5.2	21.3	41.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	120	43.9	3.4	37.1	50.6
Race					
White	114	41.6	3.5	34.8	48.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	55	54.9	6.0	43.2	66.7
Some College or College Graduate	68	33.3	3.7	26.0	40.6
Annual Household Income					
Less than \$35,000 per Year	48	42.6	5.7	31.6	53.7
\$35,000 or Higher per Year	52	39.8	4.7	30.5	49.1
Disability Status					
Living with a Disability	48	62.7	6.4	50.2	75.3
Living without a Disability	75	36.0	3.8	28.5	43.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	41	41.6	5.9	30.0	53.1
Overweight (25 ≤ BMI <30)	33	34.3	5.6	23.2	45.4
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	96	37.5	3.6	30.5	44.5
Health Insurance Status					
Insured	106	41.2	3.5	34.4	48.1
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Harvey County	83	25.8	2.9	20.1	31.5
Gender					
Men	34	26.6	4.7	17.5	35.8
Women	49	25.0	3.5	18.1	32.0
Age Group					
18 to 44 Years	25	27.4	5.3	17.0	37.7
45 to 64 Years	27	21.4	4.2	13.2	29.7
65 Years and Older	29	28.0	5.0	18.2	37.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	81	27.0	3.0	21.0	32.9
Race					
White	78	26.2	3.0	20.2	32.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	45	40.5	5.7	29.3	51.7
Some College or College Graduate	38	16.5	2.8	11.1	21.9
Annual Household Income					
Less than \$35,000 per Year	39	32.1	5.1	22.1	42.1
\$35,000 or Higher per Year	29	21.4	4.1	13.4	29.3
Disability Status					
Living with a Disability	38	44.6	6.3	32.2	57.0
Living without a Disability	45	20.4	3.2	14.1	26.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	33	29.1	5.2	18.8	39.4
Overweight (25 ≤ BMI < 30)	18	20.2	5.0	10.5	30.0
Obese (BMI ≥ 30)	29	30.9	5.5	20.1	41.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	64	23.4	3.1	17.4	29.5
Health Insurance Status					
Insured	68	23.2	2.9	17.6	28.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Harvey County	110	38.7	3.3	32.3	45.1
Gender					
Men	52	41.4	5.0	31.5	51.3
Women	58	36.3	4.2	28.0	44.6
Age Group					
18 to 44 Years	44	47.6	5.7	36.4	58.9
45 to 64 Years	36	34.5	5.2	24.3	44.8
65 Years and Older	30	29.8	5.3	19.4	40.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	107	40.0	3.3	33.4	46.5
Race					
White	99	37.0	3.4	30.4	43.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	48	48.5	5.9	37.0	60.1
Some College or College Graduate	62	32.7	3.8	25.3	40.2
Annual Household Income					
Less than \$35,000 per Year	43	44.0	5.7	32.7	55.2
\$35,000 or Higher per Year	50	36.5	4.6	27.6	45.5
Disability Status					
Living with a Disability	37	49.0	6.4	36.4	61.6
Living without a Disability	72	35.2	3.8	27.8	42.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	32	32.9	5.5	22.2	43.7
Overweight (25 ≤ BMI < 30)	33	35.5	5.6	24.4	46.5
Obese (BMI ≥ 30)	39	50.6	6.3	38.3	63.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	73	35.1	3.7	27.9	42.3
Does not participate in leisure time physical activity	36	48.2	6.8	34.9	61.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	87	36.3	3.5	29.4	43.3
Health Insurance Status					
Insured	90	35.1	3.3	28.5	41.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Harvey County	63	22.5	2.9	16.9	28.2
Gender					
Men	34	27.2	4.7	18.0	36.5
Women	29	18.2	3.4	11.5	24.9
Age Group					
18 to 44 Years	23	27.5	5.3	17.1	37.9
45 to 64 Years	22	19.2	4.2	10.9	27.4
65 Years and Older	17	17.7	4.4	9.2	26.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	62	23.5	3.0	17.6	29.3
Race					
White	58	21.4	2.9	15.7	27.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	26.6	5.2	16.4	36.8
Some College or College Graduate	34	20.0	3.4	13.4	26.7
Annual Household Income					
Less than \$35,000 per Year	29	25.1	4.8	15.8	34.4
\$35,000 or Higher per Year	23	18.7	4.0	10.8	26.6
Disability Status					
Living with a Disability	19	19.7	4.8	10.3	29.0
Living without a Disability	43	22.9	3.4	16.1	29.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	17.7	4.4	9.1	26.3
Overweight (25 ≤ BMI < 30)	23	23.4	5.1	13.4	33.4
Obese (BMI ≥ 30)	18	27.9	6.0	16.2	39.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	21.9	3.3	15.4	28.3
Does not participate in leisure time physical activity	21	24.3	5.9	12.7	35.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	53	24.0	3.3	17.6	30.4
Health Insurance Status					
Insured	49	18.7	2.7	13.4	24.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Harvey County	34	15.1	2.7	9.8	20.5
Gender					
Men	18	18.6	4.5	9.8	27.5
Women	16	11.9	3.1	5.9	17.9
Age Group					
18 to 44 Years	21	24.0	5.2	13.8	34.2
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	12.9	2.5	7.9	17.9
Race					
White	30	14.3	2.8	8.9	19.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	27.1	5.6	16.0	38.2
Some College or College Graduate	13	7.8	2.3	3.3	12.3
Annual Household Income					
Less than \$35,000 per Year	20	25.4	5.4	14.9	35.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	27	16.7	3.3	10.3	23.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	20.6	5.2	10.3	30.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	11.6	2.9	5.9	17.3
Does not participate in leisure time physical activity	15	24.0	6.2	11.9	36.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	14.1	2.9	8.3	19.8

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Harvey County	32	19.3	3.4	12.5	26.0
Gender					
Men	16	22.6	5.5	11.8	33.5
Women	16	16.0	4.0	8.1	23.9
Age Group					
18 to 44 Years	21	24.0	5.2	13.8	34.2
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	16.5	3.3	10.1	22.9
Race					
White	28	18.6	3.6	11.5	25.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	35.1	7.0	21.4	48.9
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	18	32.9	6.8	19.5	46.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	20.8	4.0	12.9	28.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	24.2	6.3	11.9	36.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	15.0	3.7	7.8	22.3
Does not participate in leisure time physical activity	13	30.6	8.0	14.9	46.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	18.3	3.9	10.8	25.9

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Harvey County	40	16.0	2.6	10.9	21.2
Gender					
Men	20	17.6	4.2	9.3	25.9
Women	20	14.6	3.2	8.3	20.8
Age Group					
18 to 44 Years	24	27.6	5.2	17.4	37.8
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	13.6	2.4	8.8	18.4
Race					
White	36	15.5	2.7	10.1	20.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	18.2	5.1	8.2	28.3
Some College or College Graduate	27	14.7	2.8	9.2	20.2
Annual Household Income					
Less than \$35,000 per Year	15	20.3	5.1	10.4	30.2
\$35,000 or Higher per Year	18	12.6	3.4	5.9	19.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	39	20.5	3.3	14.0	27.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	19.4	4.6	10.5	28.4
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	13.7	2.8	8.2	19.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	14.4	2.8	8.8	19.9
Health Insurance Status					
Insured	27	10.6	2.1	6.5	14.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Harvey County	26	9.3	1.9	5.6	13.0
Gender					
Men	*	*	*	*	*
Women	21	13.7	3.0	7.7	19.7
Age Group					
18 to 44 Years	14	13.2	3.4	6.4	19.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	10.0	2.0	6.1	14.0
Race					
White	23	9.3	2.0	5.4	13.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	11.7	3.3	5.3	18.2
Some College or College Graduate	13	7.9	2.3	3.4	12.4
Annual Household Income					
Less than \$35,000 per Year	14	15.8	4.1	7.7	23.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	8.6	2.1	4.5	12.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	6.5	1.9	2.8	10.3
Does not participate in leisure time physical activity	11	<i>16.0</i>	4.7	6.8	25.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	7.4	1.9	3.7	11.0
Health Insurance Status					
Insured	17	7.0	1.8	3.5	10.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Harvey County	51	14.9	2.3	10.4	19.4
Gender					
Men	19	12.8	3.2	6.4	19.1
Women	32	16.9	3.3	10.5	23.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	22	24.0	4.9	14.4	33.7
65 Years and Older	25	20.2	4.2	11.9	28.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	15.4	2.4	10.6	20.2
Race					
White	47	15.0	2.4	10.3	19.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	17.7	4.1	9.8	25.7
Some College or College Graduate	28	13.1	2.8	7.7	18.6
Annual Household Income					
Less than \$35,000 per Year	30	23.7	4.6	14.7	32.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	35	42.6	6.4	30.1	55.1
Living without a Disability	16	7.1	2.1	3.0	11.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	9.2	2.7	4.0	14.4
Overweight (25 ≤ BMI < 30)	14	12.4	3.7	5.1	19.6
Obese (BMI ≥ 30)	20	24.6	5.6	13.6	35.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	13.6	2.7	8.2	19.0
Does not participate in leisure time physical activity	21	19.8	4.6	10.7	28.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	11.9	2.2	7.5	16.3
Health Insurance Status					
Insured	47	16.1	2.6	11.1	21.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Harvey County	36	10.1	1.9	6.4	13.8
Gender					
Men	*	*	*	*	*
Women	26	13.3	2.8	7.9	18.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	14.7	4.0	6.9	22.6
65 Years and Older	16	12.7	3.4	6.1	19.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	9.9	1.9	6.1	13.6
Race					
White	31	9.5	2.0	5.7	13.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	13.0	3.7	5.8	20.2
Some College or College Graduate	21	8.4	2.1	4.3	12.4
Annual Household Income					
Less than \$35,000 per Year	22	19.4	4.5	10.7	28.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	27	35.3	6.4	22.8	47.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	7.3	2.0	3.3	11.2
Does not participate in leisure time physical activity	18	19.5	4.8	10.1	28.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	8.3	1.8	4.8	11.9
Health Insurance Status					
Insured	33	11.3	2.2	7.0	15.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Harvey County	24	9.0	1.9	5.2	12.8
Gender					
Men	*	*	*	*	*
Women	18	12.1	3.0	6.1	18.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	12	13.3	4.0	5.6	21.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	9.7	2.1	5.6	13.8
Race					
White	21	8.6	2.0	4.7	12.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	11.1	2.7	5.8	16.3
Annual Household Income					
Less than \$35,000 per Year	14	15.6	4.2	7.2	23.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	7.4	2.1	3.2	11.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	7.2	2.1	3.0	11.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	7.1	1.9	3.3	10.8
Health Insurance Status					
Insured	19	7.6	1.9	4.0	11.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Harvey County	61	41.5	4.9	31.9	51.0
Gender					
Men	18	42.0	8.6	25.2	58.7
Women	43	41.2	5.7	30.0	52.3
Age Group					
18 to 44 Years	21	44.8	8.0	29.1	60.5
45 to 64 Years	20	36.1	7.7	21.0	51.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	60	41.9	5.0	32.1	51.6
Race					
White	58	42.0	5.1	32.0	52.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	49.5	8.4	33.0	66.0
Some College or College Graduate	38	36.0	5.5	25.1	46.8
Annual Household Income					
Less than \$35,000 per Year	27	36.2	6.9	22.7	49.6
\$35,000 or Higher per Year	26	46.9	7.6	32.0	61.7
Disability Status					
Living with a Disability	36	58.3	7.5	43.6	73.0
Living without a Disability	25	32.4	6.3	20.0	44.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	31.5	5.3	21.2	41.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	48	42.4	5.6	31.4	53.3
Health Insurance Status					
Insured	54	41.1	5.0	31.2	51.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Harvey County	146	51.0	3.3	44.6	57.5
Gender					
Men	67	54.4	5.0	44.6	64.1
Women	79	47.9	4.3	39.5	56.2
Age Group					
18 to 44 Years	56	60.0	5.6	49.1	70.9
45 to 64 Years	61	56.6	5.3	46.2	67.0
65 Years and Older	27	25.9	4.8	16.4	35.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	141	51.7	3.3	45.2	58.3
Race					
White	140	52.6	3.4	45.9	59.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	51	54.3	5.7	43.1	65.6
Some College or College Graduate	95	49.1	3.9	41.5	56.8
Annual Household Income					
Less than \$35,000 per Year	50	50.2	5.8	38.9	61.6
\$35,000 or Higher per Year	72	49.0	4.6	40.1	58.0
Disability Status					
Living with a Disability	25	36.5	6.5	23.8	49.1
Living without a Disability	120	55.5	3.8	48.1	62.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	52	54.3	5.7	43.2	65.4
Overweight (25 ≤ BMI < 30)	46	48.0	5.7	36.9	59.2
Obese (BMI ≥ 30)	39	50.8	6.3	38.5	63.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	102	47.0	3.8	39.5	54.4
Does not participate in leisure time physical activity	44	62.6	6.1	50.7	74.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	124	51.8	3.6	44.8	58.8
Health Insurance Status					
Insured	121	46.3	3.4	39.5	53.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,547	35.2	0.6	33.9	36.4
Harvey County	27	25.9	4.8	16.4	35.4
Gender					
Men	*	*	*	*	*
Women	14	23.9	6.2	11.8	36.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	27.0	5.0	17.2	36.7
Race					
White	26	25.8	4.9	16.2	35.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	24.7	5.7	13.6	35.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	11	22.2	6.3	9.9	34.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	28.1	5.9	16.5	39.6
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	29.2	6.0	17.5	41.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	26.6	5.1	16.5	36.6
Health Insurance Status					
Insured	27	26.1	4.9	16.6	35.7
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	30.0	0.6	28.7	31.2
Harvey County	21	20.5	4.9	11.0	30.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	21.4	5.0	11.6	31.2
Race					
White	20	20.3	4.9	10.7	29.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	19.3	5.0	9.4	29.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	26.7	6.5	13.9	39.4
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	23.3	6.2	11.2	35.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	21.3	5.2	11.1	31.4
Health Insurance Status					
Insured	21	20.7	4.9	11.1	30.3
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Harvey County	51	16.4	2.5	11.5	21.3
Gender					
Men	35	25.8	4.5	17.0	34.5
Women	16	7.9	2.2	3.5	12.3
Age Group					
18 to 44 Years	14	14.3	4.2	6.1	22.5
45 to 64 Years	18	16.4	4.0	8.5	24.3
65 Years and Older	19	20.5	4.9	10.9	30.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	17.7	2.7	12.5	22.9
Race					
White	50	17.5	2.7	12.2	22.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	20.0	4.9	10.4	29.7
Some College or College Graduate	31	13.6	2.6	8.5	18.6
Annual Household Income					
Less than \$35,000 per Year	16	15.0	4.2	6.8	23.2
\$35,000 or Higher per Year	29	19.1	3.9	11.6	26.7
Disability Status					
Living with a Disability	16	21.0	5.4	10.4	31.6
Living without a Disability	35	15.2	2.9	9.6	20.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	12.7	3.8	5.2	20.1
Overweight (25 ≤ BMI < 30)	21	19.2	4.6	10.2	28.2
Obese (BMI ≥ 30)	15	19.2	5.2	9.1	29.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	12.8	2.5	7.9	17.7
Does not participate in leisure time physical activity	20	26.7	6.2	14.6	38.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	14.7	2.6	9.5	19.9
Health Insurance Status					
Insured	42	14.7	2.4	9.9	19.4
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Harvey County	44	14.5	2.3	10.0	19.0
Gender					
Men	15	12.5	3.3	6.0	19.1
Women	29	16.3	3.2	10.1	22.5
Age Group					
18 to 44 Years	14	13.8	3.7	6.6	21.0
45 to 64 Years	21	20.4	4.5	11.6	29.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	15.1	2.4	10.4	19.9
Race					
White	41	14.5	2.4	9.8	19.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	23.9	4.8	14.5	33.3
Some College or College Graduate	20	8.6	2.1	4.5	12.6
Annual Household Income					
Less than \$35,000 per Year	25	27.3	5.2	17.1	37.5
\$35,000 or Higher per Year	16	10.0	2.7	4.7	15.2
Disability Status					
Living with a Disability	19	27.1	6.0	15.3	39.0
Living without a Disability	25	10.9	2.3	6.4	15.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	21	16.8	3.8	9.2	24.3
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	11.8	2.5	6.9	16.6
Does not participate in leisure time physical activity	18	21.8	5.3	11.3	32.3
Health Insurance Status					
Insured	37	13.8	2.4	9.1	18.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	961	5.5	0.2	5.1	5.9
Harvey County	16	6.8	1.8	3.4	10.2
Gender					
Men	13	10.9	3.1	4.9	16.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	7.3	1.9	3.6	11.0
Race					
White	15	7.0	1.9	3.4	10.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	7.1	2.1	3.1	11.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	13	6.5	1.9	2.8	10.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	866	10.4	0.4	9.6	11.2
Harvey County	13	10.9	3.1	4.9	16.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	11.7	3.3	5.3	18.1
Race					
White	12	11.0	3.2	4.6	17.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Harvey County	35	10.4	1.9	6.6	14.1
Gender					
Men	31	19.8	3.7	12.6	27.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	18.1	4.5	9.3	26.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	10.5	2.0	6.7	14.4
Race					
White	31	9.8	1.9	6.1	13.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	10.6	2.4	5.9	15.2
Annual Household Income					
Less than \$35,000 per Year	14	12.1	3.6	5.1	19.1
\$35,000 or Higher per Year	15	10.0	2.8	4.6	15.5
Disability Status					
Living with a Disability	12	16.6	5.0	6.9	26.4
Living without a Disability	22	8.3	2.0	4.5	12.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	19.6	5.1	9.7	29.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	9.9	2.2	5.5	14.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	9.7	1.9	5.8	13.5
Health Insurance Status					
Insured	32	11.5	2.2	7.2	15.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Harvey County	84	28.7	3.0	22.8	34.6
Gender					
Men	38	29.1	4.5	20.2	37.9
Women	46	28.4	4.0	20.6	36.2
Age Group					
18 to 44 Years	26	28.8	5.1	18.9	38.8
45 to 64 Years	33	32.8	5.2	22.6	43.1
65 Years and Older	24	22.0	4.4	13.4	30.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	79	28.6	3.1	22.5	34.6
Race					
White	76	28.1	3.1	22.0	34.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	29.4	5.1	19.3	39.4
Some College or College Graduate	53	28.4	3.7	21.1	35.6
Annual Household Income					
Less than \$35,000 per Year	35	34.2	5.4	23.6	44.8
\$35,000 or Higher per Year	36	24.2	4.0	16.5	32.0
Disability Status					
Living with a Disability	29	41.6	6.5	28.9	54.3
Living without a Disability	55	25.1	3.3	18.6	31.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	53	27.0	3.5	20.0	34.0
Does not participate in leisure time physical activity	29	33.9	6.0	22.1	45.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	72	28.1	3.2	21.8	34.4
Health Insurance Status					
Insured	70	27.1	3.1	21.0	33.3
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Harvey County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Harvey County	199	66.2	3.1	60.1	72.3
Gender					
Men	108	80.3	3.9	72.6	87.9
Women	91	52.0	4.4	43.4	60.7
Age Group					
18 to 44 Years	57	63.5	5.4	52.9	74.2
45 to 64 Years	74	70.5	4.8	61.1	79.8
65 Years and Older	67	65.2	5.6	54.3	76.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	190	65.7	3.2	59.4	71.9
Race					
White	186	67.7	3.2	61.5	74.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	62	67.6	5.4	56.9	78.2
Some College or College Graduate	137	65.4	3.7	58.0	72.7
Annual Household Income					
Less than \$35,000 per Year	64	64.4	5.4	53.8	74.9
\$35,000 or Higher per Year	110	71.6	4.0	63.8	79.4
Disability Status					
Living with a Disability	57	76.0	5.1	66.0	86.0
Living without a Disability	141	63.6	3.7	56.4	70.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	148	67.9	3.6	60.9	74.9
Does not participate in leisure time physical activity	47	63.0	6.4	50.4	75.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	174	67.0	3.4	60.3	73.7
Health Insurance Status					
Insured	177	65.6	3.3	59.0	72.1
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>