

# 2013 Kansas Behavioral Risk Factor Surveillance System Local Data

## Labette County



November 2014



# **2013 Kansas Behavioral Risk Factor Surveillance System Local Data**

State of Kansas  
Sam Brownback, Governor

Kansas Department of Health and Environment  
Dr. Robert Moser, Secretary and State Health Officer

**Report Preparation:**  
Pratik Pandya, MPH  
Advanced Epidemiologist  
Bureau of Health Promotion (BHP)

**Report Supervision:**  
Ghazala Perveen, MBBS, PhD, MPH  
Director of Science and Surveillance, Health Officer II  
Bureau of Health Promotion (BHP)

**Project Funding:**  
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment  
Bureau of Health Promotion  
November 2014**

# **Kansas Department of Health and Environment (KDHE)**

## **Mission**

To protect and improve the health and environment of all Kansans

## **Vision**

Healthy Kansans living in safe and sustainable environments

**[www.kdheks.gov](http://www.kdheks.gov)**

## Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD  
Secretary and State Health Officer  
Kansas Department of Health and Environment



Labette County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH  
Advanced Epidemiologist  
Bureau of Health Promotion  
Kansas Department of Health and Environment  
Curtis State Office Building,  
1000 SW Jackson Street, Suite 230  
Topeka, KS 66612  
Telephone: 785-296-6513  
Fax: 785-296-8059  
[ppandya@kdheks.gov](mailto:ppandya@kdheks.gov)

Ghazala Perveen, MBBS, PhD, MPH  
Director of Science and Surveillance/Health Officer II  
Bureau of Health Promotion  
Kansas Department of Health & Environment  
Curtis State Office Building  
1000 SW Jackson, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-1949  
Fax: 785-296-8059  
[gperveen@kdheks.gov](mailto:gperveen@kdheks.gov)



# Table of Contents

## **Alcohol Consumption**

Binge Drinking.....	1
Heavy Drinking.....	3

## **Arthritis**

Arthritis.....	5
Activity Limitation Due to Arthritis.....	7

<b>Asthma</b> .....	9
---------------------	---

## **Cancer**

Cancer (Excluding Skin Cancer).....	11
Skin Cancer.....	13

## **Cardiovascular Health**

Coronary Heart Disease.....	15
High Blood Pressure.....	17

## **Cholesterol**

Not Checked Cholesterol within Five Years.....	19
High Blood Cholesterol Status.....	21

<b>Chronic Obstructive Pulmonary Disease (COPD)</b> .....	23
---	----

<b>Depressive Disorder</b> .....	25
----------------------------------	----

<b>Diabetes</b> .....	27
-----------------------	----

## **Disability**

Activity Limitation Due to Physical, Mental or Emotional Problems.....	29
Disability.....	31

## **Exercise and Physical Activity**

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening).....	33
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	35
Not Participating in Any Physical Activity.....	37

**Fruits and Vegetable Consumption**

Consuming Fruits Less than 1 Time Per Day .....39  
Consuming Vegetables Less than 1 Time Per Day.....41

**Health Care Access**

Lack of Health Care Coverage.....43  
Lack of Health Care Coverage 18 to 64 Years Old Only .....45  
No Personal Doctor .....47  
Did Not See Doctor Due to Cost.....49

**General Health .....51**

**Healthy Days - Health Related Quality of Life**

Physical Health Status.....53  
Mental Health Status .....55  
Poor Physical or Mental Health is Barrier to Usual Activities.....57

**Immunization**

Not Immunized Against Influenza.....59  
Not Immunized Against Influenza 65 Years and Older Only .....61  
Never Had Pneumonia Vaccination 65 Years and Older Only .....63

**Seatbelt Use.....65**

**Tobacco Use**

Current Smoker .....67

**Veteran Status .....69**

**Weight Status (BMI Categories)**

Obese.....71  
Overweight or Obese .....73

**Technical Notes.....75**

**Unpublished Tables** - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Labette County: Heart Attack, Stroke, Tried Quitting Smoking, Smokeless Tobacco Use and Male Smokeless Tobacco Use.

## Percentage of Adults Who Are Binge Drinkers, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Labette County	19	17.6	4.2	9.4	25.7
<b>Gender</b>					
Men	13	21.8	5.9	10.3	33.4
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	18	17.4	4.2	9.1	25.7
<b>Race</b>					
White	15	17.1	4.5	8.2	26.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	21.7	5.4	11.0	32.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	12	15.1	4.5	6.3	24.0
Uninsured	*	*	*	*	*

**Numerator:** Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	916	4.6	0.2	4.2	4.9
Labette County	14	8.5	2.5	3.6	13.3
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Doctor Diagnosed Arthritis, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Labette County	80	33.6	4.0	25.7	41.5
<b>Gender</b>					
Men	25	29.5	5.7	18.3	40.8
Women	55	37.5	5.8	26.2	48.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	35.7	6.7	22.5	48.9
65 Years and Older	50	70.2	5.7	59.1	81.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	77	33.4	4.1	25.3	41.4
<b>Race</b>					
White	70	33.2	4.3	24.8	41.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	35	32.5	5.9	20.8	44.1
Some College or College Graduate	45	34.7	5.5	23.9	45.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	37	34.9	6.1	23.0	46.8
\$35,000 or Higher per Year	28	29.5	6.1	17.6	41.4
<b>Disability Status</b>					
Living with a Disability	48	67.6	8.5	51.0	84.2
Living without a Disability	31	21.8	4.3	13.4	30.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	19	29.6	7.5	14.8	44.3
Overweight (25 ≤ BMI < 30)	22	34.1	7.4	19.5	48.7
Obese (BMI ≥ 30)	35	39.0	6.7	26.0	52.1
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	40	28.7	5.1	18.7	38.6
Does not participate in leisure time physical activity	34	40.2	6.9	26.7	53.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	64	36.2	4.9	26.6	45.7
<b>Health Insurance Status</b>					
Insured	75	39.1	4.7	29.8	48.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Labette County	37	49.0	7.0	35.3	62.7
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	35	47.8	7.1	33.9	61.7
<b>Race</b>					
White	30	47.5	7.6	32.6	62.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>31</i>	<i>49.2</i>	<i>7.6</i>	<i>34.4</i>	<i>64.0</i>
<b>Health Insurance Status</b>					
Insured	<i>34</i>	<i>47.8</i>	<i>7.2</i>	<i>33.7</i>	<i>62.0</i>
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

**Denominator:** Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Current Asthma, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Labette County	19	8.6	2.4	4.0	13.3
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	19	8.9	2.4	4.1	13.7
<b>Race</b>					
White	16	8.7	2.6	3.6	13.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	15	7.4	2.2	3.1	11.7
<b>Health Insurance Status</b>					
Insured	17	9.5	2.8	4.1	15.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Labette County	19	5.4	1.4	2.7	8.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	16	8.7	2.5	3.7	13.7
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	19.7	4.8	10.2	29.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	18	5.1	1.4	2.4	7.8
<b>Race</b>					
White	19	6.1	1.6	3.0	9.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	15	5.7	1.6	2.5	8.9
<b>Health Insurance Status</b>					
Insured	18	6.3	1.7	3.0	9.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Labette County	14	7.3	2.2	3.1	11.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	14	7.5	2.2	3.2	11.9
<b>Race</b>					
White	14	8.3	2.4	3.5	13.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults Who had Angina or Coronary Heart Disease, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,352	4.2	0.1	4.0	4.5
Labette County	17	5.9	1.7	2.6	9.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	16.7	4.8	7.3	26.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	17	6.1	1.7	2.7	9.4
<b>Race</b>					
White	16	6.4	1.9	2.8	10.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	16	6.3	1.8	2.8	9.8
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Hypertension, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Labette County	85	35.7	4.2	27.5	43.9
<b>Gender</b>					
Men	34	35.6	6.0	23.9	47.4
Women	51	35.7	5.8	24.3	47.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	30	44.5	7.0	30.8	58.2
65 Years and Older	49	67.1	6.3	54.8	79.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	83	36.0	4.3	27.7	44.4
<b>Race</b>					
White	76	36.1	4.5	27.3	44.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	34	29.6	5.7	18.5	40.8
Some College or College Graduate	51	41.5	6.0	29.8	53.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	46	47.5	6.8	34.2	60.8
\$35,000 or Higher per Year	28	26.9	5.7	15.8	38.0
<b>Disability Status</b>					
Living with a Disability	37	54.2	8.2	38.2	70.3
Living without a Disability	47	29.2	4.7	20.0	38.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	23	29.1	7.4	14.6	43.6
Overweight (25 ≤ BMI < 30)	23	31.6	7.0	17.8	45.4
Obese (BMI ≥ 30)	35	43.6	7.0	29.9	57.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	49	34.6	5.5	23.9	45.3
Does not participate in leisure time physical activity	34	39.3	6.9	25.7	52.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	65	37.7	5.1	27.8	47.6
<b>Health Insurance Status</b>					
Insured	75	35.6	4.5	26.8	44.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked  
Within the Past Five Years, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Labette County	28	26.3	4.5	17.5	35.2
<b>Gender</b>					
Men	13	25.2	6.2	13.0	37.4
Women	15	27.4	6.5	14.6	40.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	11	23.7	6.8	10.4	37.0
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	26	26.2	4.6	17.2	35.3
<b>Race</b>					
White	23	25.5	4.8	16.0	35.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	19	38.4	7.1	24.4	52.3
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	35.1	7.3	20.7	49.4
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	28.6	5.4	17.9	39.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	10	32.3	8.8	15.0	49.5
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	21	33.6	6.3	21.3	46.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	13	18.1	4.8	8.7	27.5
<b>Health Insurance Status</b>					
Insured	13	16.5	4.4	7.9	25.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had not checked their blood cholesterol in the past five years.

**Denominator:** All respondents excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Labette County	64	32.4	4.3	24.1	40.8
<b>Gender</b>					
Men	22	28.2	5.9	16.6	39.8
Women	42	36.9	6.2	24.8	49.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	42.1	7.2	28.0	56.2
65 Years and Older	38	54.6	6.5	41.8	67.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	63	33.4	4.4	24.8	42.1
<b>Race</b>					
White	57	33.0	4.6	23.9	42.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	25	32.2	6.7	19.1	45.2
Some College or College Graduate	39	32.7	5.6	21.8	43.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	26	31.3	6.3	18.9	43.8
\$35,000 or Higher per Year	31	35.8	6.6	22.8	48.9
<b>Disability Status</b>					
Living with a Disability	35	59.3	7.6	44.4	74.1
Living without a Disability	29	21.8	4.4	13.3	30.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	24	31.4	6.5	18.8	44.1
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	34	29.5	5.5	18.7	40.3
Does not participate in leisure time physical activity	28	38.7	7.1	24.7	52.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	53	35.7	5.1	25.7	45.7
<b>Health Insurance Status</b>					
Insured	64	37.2	4.8	27.8	46.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

**Denominator:** Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease  
(COPD), Emphysema or Chronic Bronchitis, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Labette County	26	12.6	3.1	6.6	18.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	19	17.5	5.0	7.6	27.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	16.4	4.6	7.5	25.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	12.5	3.1	6.4	18.6
<b>Race</b>					
White	23	12.1	3.2	5.9	18.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	20	34.1	8.0	18.4	49.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	25	15.6	3.8	8.2	23.1
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,  
2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Labette County	33	18.5	3.7	11.2	25.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	22	23.8	5.9	12.3	35.3
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	15.5	4.3	7.0	24.0
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	31	18.0	3.8	10.5	25.4
<b>Race</b>					
White	26	16.5	3.9	8.8	24.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	21	22.3	5.4	11.8	32.9
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	20	22.1	5.4	11.6	32.6
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	16	25.5	6.3	13.2	37.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	22.3	6.1	10.4	34.2
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	15	20.2	5.6	9.2	31.3
Does not participate in leisure time physical activity	16	15.6	4.3	7.2	24.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	20	15.7	4.3	7.2	24.2
<b>Health Insurance Status</b>					
Insured	27	19.8	4.4	11.2	28.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Diabetes, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Labette County	23	8.3	1.9	4.6	12.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	15	9.4	2.7	4.1	14.7
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	22	8.4	1.9	4.6	12.2
<b>Race</b>					
White	20	8.3	2.0	4.4	12.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	9.0	2.6	3.8	14.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	16.2	4.4	7.5	24.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	14	7.9	2.4	3.3	12.6
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	23	12.5	2.8	7.0	18.1
<b>Health Insurance Status</b>					
Insured	22	9.9	2.3	5.4	14.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,  
Mental or Emotional Problems, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Labette County	59	25.3	3.7	18.0	32.6
<b>Gender</b>					
Men	17	17.6	4.5	8.7	26.4
Women	42	32.8	5.8	21.4	44.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	24.1	5.7	12.9	35.2
65 Years and Older	35	48.6	6.6	35.6	61.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	56	24.8	3.8	17.4	32.2
<b>Race</b>					
White	52	25.6	4.0	17.7	33.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	26	26.9	5.9	15.3	38.5
Some College or College Graduate	33	23.9	4.6	14.8	32.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	29	29.7	6.1	17.9	41.6
\$35,000 or Higher per Year	17	15.0	4.2	6.8	23.2
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	21.4	6.1	9.4	33.4
Obese (BMI ≥ 30)	27	30.1	6.1	18.1	42.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	27	20.4	4.8	11.0	29.8
Does not participate in leisure time physical activity	29	32.9	6.3	20.6	45.3
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	45	24.1	4.0	16.2	32.1
<b>Health Insurance Status</b>					
Insured	56	30.0	4.4	21.3	38.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Who Reported Living with a Disability, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Labette County	61	26.7	3.8	19.2	34.2
<b>Gender</b>					
Men	18	19.9	4.9	10.3	29.4
Women	43	33.3	5.8	21.8	44.7
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	27.2	6.1	15.2	39.2
65 Years and Older	36	49.6	6.6	36.7	62.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	58	26.3	3.9	18.6	33.9
<b>Race</b>					
White	54	27.2	4.2	19.0	35.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	27	29.1	6.1	17.0	41.1
Some College or College Graduate	34	24.5	4.7	15.4	33.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	31	32.6	6.3	20.3	44.9
\$35,000 or Higher per Year	17	15.2	4.2	6.8	23.5
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	21.8	6.2	9.5	34.0
Obese (BMI ≥ 30)	29	33.6	6.5	20.9	46.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	27	20.5	4.8	11.1	30.0
Does not participate in leisure time physical activity	31	36.2	6.6	23.3	49.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	46	24.7	4.1	16.6	32.7
<b>Health Insurance Status</b>					
Insured	58	31.8	4.6	22.9	40.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Labette County	147	90.9	2.6	85.9	95.9
<b>Gender</b>					
Men	57	87.2	4.1	79.1	95.3
Women	90	94.5	3.0	88.6	100
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	54	94.6	2.5	89.7	99.5
65 Years and Older	62	91.1	4.1	83.1	99.0
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	142	90.7	2.6	85.5	95.8
<b>Race</b>					
White	129	91.9	2.7	86.6	97.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	80	86.2	4.0	78.5	94.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	71	91.2	4.1	83.3	99.2
\$35,000 or Higher per Year	56	91.5	2.8	86.0	97.1
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	96	91.5	2.8	86.0	97.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	56	88.8	4.8	79.4	98.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	111	90.9	2.9	85.2	96.6
<b>Health Insurance Status</b>					
Insured	125	91.3	2.6	86.2	96.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

**Denominator:** All respondents, excluding unknowns and refusals.

**Not participating in the recommended level of physical activity** referred to not participating in aerobic and strengthening exercises according to guidelines.

**Participating in insufficient level of recommended physical activity** referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Labette County	88	55.3	4.9	45.8	64.8
<b>Gender</b>					
Men	32	48.2	6.9	34.7	61.7
Women	56	62.1	6.7	48.9	75.3
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	37	60.0	7.3	45.7	74.2
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	84	55.1	4.9	45.4	64.8
<b>Race</b>					
White	77	56.8	5.2	46.5	67.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	44	47.1	6.5	34.4	59.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	39	48.2	7.1	34.4	62.1
\$35,000 or Higher per Year	34	60.4	7.1	46.4	74.4
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	49	52.0	5.9	40.4	63.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	67	58.8	5.5	48.0	69.6
<b>Health Insurance Status</b>					
Insured	74	57.1	5.3	46.8	67.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

**Denominator:** All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Labette County	69	39.3	4.6	30.3	48.2
<b>Gender</b>					
Men	26	36.8	6.4	24.2	49.4
Women	43	41.6	6.5	28.8	54.3
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	30	54.1	7.1	40.1	68.1
65 Years and Older	28	40.2	6.6	27.2	53.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	67	39.4	4.6	30.3	48.5
<b>Race</b>					
White	60	40.4	5.0	30.7	50.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	35	45.9	7.1	31.9	59.9
Some College or College Graduate	34	33.3	5.7	22.2	44.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	34	37.4	6.4	24.8	50.0
\$35,000 or Higher per Year	25	44.6	7.5	29.8	59.3
<b>Disability Status</b>					
Living with a Disability	31	53.9	8.3	37.7	70.1
Living without a Disability	38	34.8	5.5	24.0	45.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	43.6	8.7	26.6	60.6
Obese (BMI ≥ 30)	30	47.2	7.3	33.0	61.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	51	41.1	5.5	30.4	51.9
<b>Health Insurance Status</b>					
Insured	59	40.7	5.0	30.8	50.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,  
2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Labette County	84	58.7	4.5	49.9	67.6
<b>Gender</b>					
Men	34	55.6	6.7	42.4	68.8
Women	50	61.5	6.0	49.8	73.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	32	55.2	7.1	41.3	69.1
65 Years and Older	26	33.9	6.2	21.7	46.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	81	58.4	4.6	49.4	67.4
<b>Race</b>					
White	72	58.8	4.9	49.2	68.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	44	70.2	5.9	58.6	81.9
Some College or College Graduate	40	48.4	6.4	35.9	61.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	38	57.9	6.6	44.9	70.8
\$35,000 or Higher per Year	33	58.1	7.2	44.1	72.2
<b>Disability Status</b>					
Living with a Disability	27	55.3	8.2	39.2	71.3
Living without a Disability	55	59.0	5.5	48.3	69.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	<i>59.8</i>	<i>8.0</i>	44.2	75.5
Obese (BMI ≥ 30)	36	<i>59.0</i>	<i>7.0</i>	45.3	72.8
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	48	<i>55.5</i>	<i>6.1</i>	43.6	67.4
Does not participate in leisure time physical activity	36	<i>64.4</i>	<i>6.5</i>	51.6	77.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	60	<i>57.6</i>	<i>5.4</i>	47.1	68.2
<b>Health Insurance Status</b>					
Insured	65	<i>56.0</i>	<i>5.0</i>	46.1	65.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they consumed fruit less than 1 time per day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time  
Per Day, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Labette County	43	28.7	4.6	19.8	37.7
<b>Gender</b>					
Men	18	27.1	6.2	14.9	39.3
Women	25	30.1	6.6	17.2	43.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	30.5	6.6	17.7	43.4
65 Years and Older	15	18.6	4.9	8.9	28.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	40	27.7	4.6	18.7	36.8
<b>Race</b>					
White	33	26.1	4.9	16.6	35.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	27	39.7	7.1	25.8	53.7
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	19	21.9	5.5	11.2	32.6
\$35,000 or Higher per Year	15	31.5	7.8	16.1	46.9
<b>Disability Status</b>					
Living with a Disability	18	32.6	7.6	17.6	47.6
Living without a Disability	23	25.7	5.6	14.7	36.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	14	31.4	8.4	15.0	47.8
Obese (BMI ≥ 30)	18	35.7	7.5	21.0	50.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	27	30.5	6.1	18.5	42.4
Does not participate in leisure time physical activity	16	26.0	6.8	12.8	39.3
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	29	25.2	5.4	14.5	35.8
<b>Health Insurance Status</b>					
Insured	38	32.4	5.3	22.1	42.8
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they consumed vegetables less than 1 time per day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Who Lack Health Care Coverage, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Labette County	26	20.9	4.1	13.0	28.9
<b>Gender</b>					
Men	12	20.0	5.6	9.0	31.0
Women	14	21.8	5.9	10.3	33.3
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	26.0	6.5	13.1	38.8
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	24	20.7	4.1	12.6	28.8
<b>Race</b>					
White	23	22.4	4.5	13.6	31.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	17	28.9	6.5	16.1	41.6
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	20	36.6	7.0	22.9	50.3
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	27.2	5.3	16.8	37.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	12	22.6	6.3	10.3	35.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	15	22.3	5.5	11.5	33.1
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	12	14.7	4.4	6.1	23.3

**Numerator:** Respondents who reported they had no health care coverage.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,  
2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Labette County	25	26.3	5.1	16.4	36.2
<b>Gender</b>					
Men	12	24.4	6.7	11.3	37.6
Women	13	28.2	7.6	13.3	43.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	26.0	6.5	13.1	38.8
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	23	26.2	5.2	16.0	36.4
<b>Race</b>					
White	23	28.9	5.6	17.8	40.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	32.0	6.1	20.1	44.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	15	28.6	6.9	15.1	42.1
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

**Numerator:** Respondents ages 18-64 years old who reported they had no health care coverage.

**Denominator:** All respondents ages 18-64 years old, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Labette County	32	25.6	4.4	16.9	34.2
<b>Gender</b>					
Men	17	28.7	6.2	16.5	40.9
Women	15	22.6	6.3	10.4	34.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	23.6	6.1	11.5	35.6
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	31	26.1	4.5	17.2	34.9
<b>Race</b>					
White	28	26.7	4.8	17.2	36.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	16	26.3	6.2	14.1	38.5
Some College or College Graduate	16	24.9	6.2	12.7	37.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	14	23.1	6.0	11.2	34.9
\$35,000 or Higher per Year	11	25.8	7.2	11.6	39.9
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	29	33.1	5.6	22.1	44.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	23.9	6.3	11.5	36.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	22	32.4	6.3	20.1	44.8
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	20	23.8	5.4	13.2	34.4
<b>Health Insurance Status</b>					
Insured	18	17.9	4.5	9.1	26.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had no personal doctor or health care provider.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Labette County	25	17.4	3.8	9.9	24.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	18	24.7	6.1	12.7	36.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	19.8	5.6	8.7	30.8
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	23	17.2	3.9	9.5	24.8
<b>Race</b>					
White	20	16.6	4.1	8.6	24.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	12	20.8	6.1	8.8	32.8
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	18	31.6	7.0	17.9	45.2
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	16.9	4.5	8.2	25.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	17	23.1	5.7	11.9	34.2
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they could not see a doctor because of cost in the past 12 months.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Labette County	41	19.5	3.3	12.9	26.1
<b>Gender</b>					
Men	13	13.4	4.0	5.6	21.2
Women	28	25.2	5.2	15.0	35.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	27.1	6.1	15.0	39.1
65 Years and Older	20	29.8	6.3	17.4	42.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	37	18.6	3.4	12.0	25.2
<b>Race</b>					
White	33	18.2	3.5	11.4	25.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	25	28.9	5.9	17.3	40.4
Some College or College Graduate	16	10.6	3.0	4.8	16.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	23	27.0	5.8	15.7	38.4
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	30	50.2	8.0	34.5	65.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	21	29.4	6.4	16.8	42.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	17	14.4	4.1	6.5	22.4
Does not participate in leisure time physical activity	23	28.2	6.0	16.3	40.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	26	14.6	3.2	8.4	20.9
<b>Health Insurance Status</b>					
Insured	32	19.0	3.7	11.7	26.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that in general their health is fair or poor.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14  
or More Days in the Past 30 Days, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Labette County	22	8.8	2.2	4.6	13.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	21	8.6	2.2	4.4	12.9
<b>Race</b>					
White	21	9.6	2.4	4.9	14.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	17	29.9	7.2	15.8	43.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	14	16.3	4.7	7.1	25.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	19	9.4	2.4	4.7	14.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14  
or More Days in the Past 30 Days, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Labette County	19	11.3	3.0	5.5	17.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	17	10.5	3.0	4.7	16.3
<b>Race</b>					
White	15	10.6	3.2	4.4	16.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Labette County	33	40.5	6.5	27.8	53.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	19	37.4	8.4	20.9	54.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	33	40.9	6.5	28.1	53.7
<b>Race</b>					
White	30	39.6	6.8	26.3	52.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	17	27.7	6.7	14.6	40.9
<b>Health Insurance Status</b>					
Insured	26	38.1	7.1	24.2	52.1
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

**Denominator:** Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Labette County	78	55.3	4.7	46.1	64.5
<b>Gender</b>					
Men	34	56.3	6.6	43.4	69.3
Women	44	54.4	6.6	41.3	67.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	31	53.1	7.2	39.0	67.2
65 Years and Older	22	30.8	6.3	18.4	43.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	74	55.1	4.8	45.8	64.5
<b>Race</b>					
White	68	55.5	5.1	45.6	65.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	36	56.9	7.1	42.9	70.9
Some College or College Graduate	42	53.9	6.2	41.7	66.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	38	52.6	6.9	39.1	66.1
\$35,000 or Higher per Year	28	56.5	7.2	42.4	70.6
<b>Disability Status</b>					
Living with a Disability	24	47.3	8.4	30.9	63.8
Living without a Disability	53	57.9	5.6	46.9	68.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	49.1	8.7	32.0	66.3
Obese (BMI ≥ 30)	37	65.8	6.5	53.0	78.6
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	45	53.4	6.2	41.2	65.6
Does not participate in leisure time physical activity	33	58.2	7.1	44.3	72.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	54	55.6	5.4	45.0	66.3
<b>Health Insurance Status</b>					
Insured	61	52.6	5.2	42.5	62.8
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,547	35.2	0.6	33.9	36.4
Labette County	22	30.8	6.3	18.4	43.2
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	21	30.4	6.3	17.9	42.8
<b>Race</b>					
White	21	32.9	6.8	19.7	46.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	19	28.5	6.3	16.1	40.9
<b>Health Insurance Status</b>					
Insured	21	29.5	6.3	17.1	41.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

**Denominator:** All respondents 65 years old and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia  
Vaccination, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	30.0	0.6	28.7	31.2
Labette County	25	41.7	7.0	28.0	55.4
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	24	41.3	7.0	27.6	55.1
<b>Race</b>					
White	23	43.0	7.4	28.5	57.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>20</i>	<i>36.8</i>	<i>7.2</i>	<i>22.8</i>	<i>50.9</i>
<b>Health Insurance Status</b>					
Insured	<i>24</i>	<i>40.8</i>	<i>7.1</i>	<i>27.0</i>	<i>54.7</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt  
When They Drive or Ride in a Car, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Labette County	36	24.2	4.4	15.5	32.8
<b>Gender</b>					
Men	16	26.0	6.3	13.5	38.4
Women	20	22.5	6.1	10.5	34.5
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	30.0	6.8	16.8	43.3
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	35	24.5	4.5	15.7	33.3
<b>Race</b>					
White	32	25.0	4.8	15.5	34.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	19	25.5	6.2	13.4	37.5
Some College or College Graduate	17	23.0	6.3	10.6	35.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	17	23.4	6.0	11.7	35.1
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	25.0	5.6	14.1	35.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	29.5	8.5	12.9	46.2
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	22	27.1	6.1	15.1	39.1
Does not participate in leisure time physical activity	14	19.7	5.8	8.3	31.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	25	24.9	5.5	14.0	35.7
<b>Health Insurance Status</b>					
Insured	29	23.1	4.9	13.5	32.7
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Currently Smoke Cigarettes, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Labette County	45	33.2	4.5	24.3	42.1
<b>Gender</b>					
Men	21	31.6	6.3	19.4	43.9
Women	24	34.7	6.5	21.9	47.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	21	35.9	7.0	22.3	49.6
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	45	34.0	4.6	24.9	43.0
<b>Race</b>					
White	41	34.1	4.9	24.5	43.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	28	45.6	7.0	31.9	59.4
Some College or College Graduate	17	21.5	5.2	11.4	31.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	29	47.7	6.9	34.2	61.2
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	14	37.0	8.5	20.3	53.7
Living without a Disability	30	31.1	5.3	20.6	41.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	15	38.6	8.7	21.5	55.7
Overweight (25 ≤ BMI < 30)	14	29.0	7.9	13.5	44.5
Obese (BMI ≥ 30)	13	26.9	6.7	13.7	40.1
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	25	35.0	6.2	22.9	47.1
Does not participate in leisure time physical activity	18	29.9	6.8	16.6	43.3
<b>Health Insurance Status</b>					
Insured	31	28.0	4.8	18.5	37.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States  
Armed Forces, 2013**

**Labette County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Labette County	32	16.1	3.1	10.1	22.2
<b>Gender</b>					
Men	28	30.6	5.8	19.2	41.9
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	16	26.0	6.0	14.3	37.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	31	16.5	3.2	10.2	22.7
<b>Race</b>					
White	26	15.0	3.2	8.7	21.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	21.8	4.8	12.5	31.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	16.7	4.5	7.9	25.5
\$35,000 or Higher per Year	14	18.6	5.3	8.3	29.0
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	17.5	3.9	9.8	25.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	17.9	5.1	7.9	27.8
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	22	17.8	4.2	9.6	25.9
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	23	15.7	3.6	8.7	22.7
<b>Health Insurance Status</b>					
Insured	29	17.1	3.4	10.5	23.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Obese, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Labette County	68	39.2	4.5	30.3	48.1
<b>Gender</b>					
Men	29	37.7	6.3	25.4	50.1
Women	39	40.7	6.5	28.0	53.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	37.8	6.8	24.6	51.1
65 Years and Older	23	35.6	6.5	22.8	48.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	66	39.6	4.6	30.5	48.6
<b>Race</b>					
White	56	36.7	4.8	27.3	46.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	31	42.5	7.0	28.7	56.3
Some College or College Graduate	37	36.4	5.8	25.1	47.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	32	42.7	6.7	29.5	55.9
\$35,000 or Higher per Year	26	35.4	6.9	21.9	49.0
<b>Disability Status</b>					
Living with a Disability	29	51.5	7.8	36.2	66.9
Living without a Disability	38	34.5	5.4	24.0	45.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	36	34.5	5.8	23.2	45.8
Does not participate in leisure time physical activity	30	45.7	7.4	31.2	60.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	55	42.0	5.5	31.3	52.7
<b>Health Insurance Status</b>					
Insured	55	37.8	4.9	28.1	47.4
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Overweight or Obese, 2013

### Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Labette County	121	68.3	4.6	59.3	77.2
<b>Gender</b>					
Men	51	70.6	6.0	58.9	82.3
Women	70	65.9	6.8	52.5	79.3
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	46	71.2	6.8	58.0	84.5
65 Years and Older	48	69.3	6.3	57.0	81.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	117	68.3	4.6	59.2	77.4
<b>Race</b>					
White	108	69.0	4.9	59.3	78.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	54	75.1	6.3	62.9	87.4
Some College or College Graduate	67	62.4	6.3	50.0	74.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	52	62.7	7.0	49.1	76.3
\$35,000 or Higher per Year	53	74.6	6.8	61.3	88.0
<b>Disability Status</b>					
Living with a Disability	44	76.6	6.6	63.6	89.5
Living without a Disability	75	64.9	5.7	53.8	76.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	67	62.0	6.4	49.5	74.5
Does not participate in leisure time physical activity	49	77.1	6.3	64.8	89.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	92	71.6	5.4	61.0	82.2
<b>Health Insurance Status</b>					
Insured	104	70.6	4.8	61.2	80.1
Uninsured	*	*	*	*	*

**Numerator:** Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("\*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>