


2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Lyon County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,

A handwritten signature in blue ink that reads "Robert Moser".

Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Lyon County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Skin Cancer	9
-------------------	---

Cardiovascular Health

Coronary Heart Disease	11
High Blood Pressure	13

Cholesterol

Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17

Chronic Obstructive Pulmonary Disease (COPD)	19
---	----

Depressive Disorder	21
----------------------------------	----

Diabetes	23
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	25
Disability	27

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	29
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	31
Not Participating in Any Physical Activity	33

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day35
Consuming Vegetables Less than 1 Time Per Day.....37

Health Care Access

Lack of Health Care Coverage.....39
Lack of Health Care Coverage 18 to 64 Years Old Only41
No Personal Doctor43
Did Not See Doctor Due to Cost.....45

General Health47

Healthy Days - Health Related Quality of Life

Physical Health Status.....49
Mental Health Status51
Poor Physical or Mental Health is Barrier to Usual Activities.....53

Immunization

Not Immunized Against Influenza.....55
Not Immunized Against Influenza 65 Years and Older Only57
Never Had Pneumonia Vaccination 65 Years and Older Only59

Seatbelt Use.....61

Tobacco Use

Current Smoker63

Veteran Status65

Weight Status (BMI Categories)

Obese.....67
Overweight or Obese69

Technical Notes.....71

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Lyon County: Heavy Drinking, Cancer (Excluding Skin Cancer), Heart Attack, Stroke, Tried Quitting Smoking, Smokeless Tobacco Use and Male Smokeless Tobacco Use.

Percentage of Adults Who Are Binge Drinkers, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Lyon County	29	15.1	2.8	9.6	20.5
Gender					
Men	21	25.2	5.0	15.4	35.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	20	21.6	4.6	12.6	30.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	13.6	2.7	8.3	18.8
Race					
White	24	14.0	2.8	8.5	19.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	17.2	3.6	10.2	24.2
Annual Household Income					
Less than \$35,000 per Year	13	15.5	4.2	7.2	23.7
\$35,000 or Higher per Year	13	14.5	4.1	6.5	22.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	17.0	3.3	10.6	23.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	11	18.7	5.2	8.5	29.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	15.9	3.2	9.6	22.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	13.7	3.0	7.9	19.6
Health Insurance Status					
Insured	24	15.1	3.1	9.1	21.1
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Lyon County	77	20.9	2.6	15.8	26.0
Gender					
Men	22	13.2	3.2	6.9	19.5
Women	55	28.1	4.0	20.4	35.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	36	34.8	5.5	24.0	45.5
65 Years and Older	35	45.2	6.7	32.0	58.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	75	23.7	2.9	18.0	29.5
Race					
White	71	23.6	3.0	17.8	29.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	30.0	5.3	19.6	40.5
Some College or College Graduate	41	15.4	2.7	10.2	20.6
Annual Household Income					
Less than \$35,000 per Year	38	25.2	4.3	16.9	33.5
\$35,000 or Higher per Year	30	18.7	3.8	11.2	26.1
Disability Status					
Living with a Disability	37	51.8	7.4	37.2	66.4
Living without a Disability	39	13.8	2.4	9.0	18.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	14.4	3.7	7.1	21.7
Overweight (25 ≤ BMI < 30)	21	25.6	5.7	14.3	36.8
Obese (BMI ≥ 30)	34	26.7	4.8	17.2	36.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	53	20.6	3.1	14.6	26.7
Does not participate in leisure time physical activity	22	23.0	5.4	12.4	33.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	64	20.4	2.8	14.9	25.8
Health Insurance Status					
Insured	69	22.4	2.9	16.7	28.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Lyon County	30	40.2	6.6	27.1	53.2
Gender					
Men	*	*	*	*	*
Women	24	46.3	7.9	30.7	61.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	40.9	6.8	27.6	54.1
Race					
White	29	43.3	7.0	29.5	57.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	33.2	7.7	18.1	48.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	37.4	6.9	23.8	51.0
Health Insurance Status					
Insured	26	37.7	6.8	24.4	51.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Lyon County	26	10.3	2.6	5.3	15.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	11.3	2.9	5.7	17.0
Race					
White	23	9.1	2.1	4.9	13.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	13	9.2	2.6	4.0	14.4
Annual Household Income					
Less than \$35,000 per Year	15	9.7	2.8	4.3	15.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	13.8	3.9	6.2	21.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	20	8.5	2.1	4.3	12.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Lyon County	15	4.2	1.2	1.8	6.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	12	20.0	5.8	8.7	31.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	5.0	1.4	2.2	7.8
Race					
White	15	5.2	1.5	2.3	8.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	5.1	1.5	2.1	8.1
Health Insurance Status					
Insured	15	5.3	1.5	2.3	8.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,352	4.2	0.1	4.0	4.5
Lyon County	14	2.7	0.8	1.1	4.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	3.1	0.9	1.3	4.9
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	14	3.3	1.0	1.4	5.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Lyon County	110	30.5	3.1	24.3	36.6
Gender					
Men	50	31.0	4.8	21.5	40.4
Women	60	30.0	4.0	22.1	37.9
Age Group					
18 to 44 Years	17	15.6	4.0	7.8	23.5
45 to 64 Years	40	34.6	5.3	24.2	45.1
65 Years and Older	53	69.7	6.2	57.5	82.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	106	32.0	3.3	25.6	38.3
Race					
White	98	32.0	3.3	25.6	38.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	46	38.6	6.0	26.8	50.5
Some College or College Graduate	64	25.6	3.4	18.9	32.3
Annual Household Income					
Less than \$35,000 per Year	48	29.7	4.5	20.9	38.6
\$35,000 or Higher per Year	45	31.3	5.0	21.5	41.0
Disability Status					
Living with a Disability	48	66.6	7.5	52.0	81.3
Living without a Disability	61	22.2	3.2	15.9	28.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	21.3	5.0	11.6	31.1
Overweight (25 ≤ BMI < 30)	32	30.7	5.6	19.8	41.7
Obese (BMI ≥ 30)	49	42.7	5.9	31.1	54.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	73	28.8	3.6	21.6	35.9
Does not participate in leisure time physical activity	31	34.5	6.7	21.3	47.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	93	33.3	3.6	26.3	40.4
Health Insurance Status					
Insured	102	34.5	3.5	27.5	41.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Lyon County	71	34.7	3.8	27.3	42.1
Gender					
Men	36	38.1	5.8	26.8	49.5
Women	35	31.5	4.8	22.0	41.0
Age Group					
18 to 44 Years	43	52.0	6.0	40.4	63.7
45 to 64 Years	18	19.1	4.8	9.7	28.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	62	34.2	4.0	26.4	42.1
Race					
White	60	31.8	3.8	24.4	39.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	34.6	7.0	20.9	48.3
Some College or College Graduate	49	34.3	4.3	25.8	42.8
Annual Household Income					
Less than \$35,000 per Year	37	39.1	5.5	28.4	49.8
\$35,000 or Higher per Year	24	27.0	5.7	15.8	38.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	59	38.5	4.3	30.0	47.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	27	43.0	6.9	29.4	56.6
Overweight (25 ≤ BMI < 30)	20	30.3	6.3	17.9	42.7
Obese (BMI ≥ 30)	18	23.2	5.7	12.0	34.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	34.9	4.6	25.8	44.0
Does not participate in leisure time physical activity	22	34.2	7.0	20.6	47.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	34.4	4.2	26.2	42.6
Health Insurance Status					
Insured	49	28.2	3.8	20.7	35.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Lyon County	82	33.3	3.8	25.8	40.7
Gender					
Men	30	32.7	6.1	20.7	44.7
Women	52	33.8	4.7	24.6	43.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	39	41.5	6.0	29.6	53.3
65 Years and Older	37	49.7	7.0	35.9	63.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	76	30.5	3.5	23.6	37.5
Race					
White	70	30.6	3.7	23.4	37.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	39.1	6.9	25.6	52.7
Some College or College Graduate	50	29.5	4.3	21.1	37.8
Annual Household Income					
Less than \$35,000 per Year	35	31.9	5.6	20.9	42.9
\$35,000 or Higher per Year	30	28.5	5.5	17.7	39.3
Disability Status					
Living with a Disability	31	43.5	7.8	28.2	58.8
Living without a Disability	50	30.3	4.4	21.7	38.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	27.6	7.1	13.7	41.4
Overweight (25 ≤ BMI < 30)	25	31.6	6.5	18.8	44.3
Obese (BMI ≥ 30)	34	38.7	6.3	26.3	51.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	52	32.3	4.5	23.5	41.1
Does not participate in leisure time physical activity	25	36.0	8.1	20.1	52.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	68	34.2	4.2	26.0	42.4
Health Insurance Status					
Insured	75	33.7	4.0	25.8	41.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Lyon County	22	6.9	1.7	3.5	10.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	8.0	2.0	4.1	12.0
Race					
White	17	7.3	2.0	3.3	11.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	15	8.8	2.5	3.9	13.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	19	7.1	2.0	3.2	10.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Lyon County	53	19.7	2.9	14.0	25.4
Gender					
Men	16	14.4	3.7	7.0	21.7
Women	37	24.8	4.3	16.4	33.2
Age Group					
18 to 44 Years	19	19.3	4.5	10.5	28.0
45 to 64 Years	15	16.4	4.3	8.0	24.7
65 Years and Older	19	27.8	6.4	15.2	40.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	20.8	3.1	14.7	26.9
Race					
White	47	20.7	3.1	14.5	26.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	22.6	5.1	12.6	32.5
Some College or College Graduate	29	18.1	3.5	11.2	25.0
Annual Household Income					
Less than \$35,000 per Year	31	25.8	4.7	16.6	35.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	29	47.5	7.5	32.9	62.1
Living without a Disability	23	12.8	2.8	7.2	18.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	19.6	5.2	9.5	29.8
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	23	26.6	5.5	15.9	37.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	19.3	3.5	12.5	26.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	14.7	2.7	9.3	20.1
Health Insurance Status					
Insured	43	19.1	3.2	12.9	25.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Lyon County	32	9.1	1.9	5.3	12.8
Gender					
Men	*	*	*	*	*
Women	19	10.3	2.7	5.1	15.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	12.1	3.3	5.7	18.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	9.3	1.9	5.6	13.0
Race					
White	29	9.3	1.9	5.5	13.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	15.5	4.3	7.2	23.9
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	21	13.3	3.2	7.0	19.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	19	29.9	6.6	16.9	42.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	14.6	3.8	7.2	22.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	13	16.3	4.8	6.9	25.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	10.1	2.3	5.6	14.5
Health Insurance Status					
Insured	31	11.1	2.3	6.5	15.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Lyon County	64	18.4	2.6	13.3	23.5
Gender					
Men	21	13.4	3.3	7.0	19.8
Women	43	23.1	3.9	15.5	30.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	25	22.3	4.5	13.4	31.2
65 Years and Older	29	42.0	6.9	28.5	55.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	62	21.0	2.9	15.3	26.8
Race					
White	58	20.7	3.0	14.9	26.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	26.1	5.0	16.2	35.9
Some College or College Graduate	31	13.9	2.9	8.2	19.5
Annual Household Income					
Less than \$35,000 per Year	39	28.5	4.7	19.3	37.7
\$35,000 or Higher per Year	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	16	18.4	4.9	8.8	28.1
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	31	24.2	4.6	15.3	33.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	13.9	2.9	8.2	19.6
Does not participate in leisure time physical activity	29	31.0	6.2	18.9	43.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	53	17.6	2.7	12.3	23.0
Health Insurance Status					
Insured	59	20.9	3.0	15.0	26.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Lyon County	66	18.9	2.6	13.8	24.0
Gender					
Men	22	14.1	3.3	7.5	20.6
Women	44	23.4	3.9	15.7	31.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	23.3	4.6	14.2	32.4
65 Years and Older	30	42.8	6.9	29.3	56.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	21.6	3.0	15.8	27.4
Race					
White	60	21.2	3.0	15.4	27.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	27.3	5.1	17.2	37.3
Some College or College Graduate	31	13.9	2.9	8.2	19.5
Annual Household Income					
Less than \$35,000 per Year	40	28.8	4.7	19.5	38.0
\$35,000 or Higher per Year	15	8.6	2.5	3.6	13.5
Weight Category					
Normal or Underweight (BMI < 25)	16	18.4	4.9	8.8	28.1
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	33	25.7	4.7	16.5	34.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	14.5	2.9	8.8	20.3
Does not participate in leisure time physical activity	29	31.0	6.2	18.9	43.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	54	17.8	2.7	12.5	23.1
Health Insurance Status					
Insured	61	21.4	3.0	15.5	27.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Lyon County	216	81.9	3.4	75.3	88.4
Gender					
Men	90	70.5	5.8	59.1	81.9
Women	126	92.9	2.2	88.4	97.3
Age Group					
18 to 44 Years	71	74.0	5.6	63.0	85.0
45 to 64 Years	82	91.2	3.3	84.8	97.7
65 Years and Older	62	89.7	4.3	81.3	98.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	197	81.6	3.6	74.5	88.6
Race					
White	191	85.3	2.9	79.6	91.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	74	82.0	6.8	68.7	95.3
Some College or College Graduate	141	81.6	3.5	74.7	88.6
Annual Household Income					
Less than \$35,000 per Year	98	86.1	4.0	78.3	94.0
\$35,000 or Higher per Year	92	80.3	5.6	69.4	91.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	156	79.1	4.0	71.3	86.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	59	70.3	7.0	56.6	84.1
Overweight (25 ≤ BMI < 30)	67	88.9	4.2	80.7	97.1
Obese (BMI ≥ 30)	76	88.8	4.1	80.9	96.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	176	80.2	3.8	72.7	87.8
Health Insurance Status					
Insured	185	81.3	3.4	74.7	87.9
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Lyon County	105	39.5	3.7	32.2	46.8
Gender					
Men	*	*	*	*	*
Women	66	51.7	5.1	41.7	61.7
Age Group					
18 to 44 Years	36	37.5	5.6	26.5	48.5
45 to 64 Years	39	44.2	6.1	32.2	56.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	92	36.5	3.8	29.1	43.9
Race					
White	93	41.0	3.9	33.4	48.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	35.9	6.5	23.2	48.5
Some College or College Graduate	70	41.2	4.5	32.4	49.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	41	34.6	5.5	23.9	45.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	71	36.6	4.2	28.4	44.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	23	28.1	6.7	16.1	40.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	86	38.1	4.0	30.2	45.9
Health Insurance Status					
Insured	86	36.4	3.9	28.8	44.1
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Lyon County	69	23.9	3.1	17.8	30.1
Gender					
Men	26	18.6	4.1	10.5	26.6
Women	43	29.1	4.6	20.1	38.1
Age Group					
18 to 44 Years	21	22.3	4.7	13.0	31.5
45 to 64 Years	23	23.2	5.2	13.0	33.4
65 Years and Older	24	30.1	6.2	18.0	42.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	59	20.5	3.0	14.7	26.4
Race					
White	61	24.0	3.2	17.6	30.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	24.2	5.4	13.5	34.9
Some College or College Graduate	41	23.2	3.8	15.8	30.6
Annual Household Income					
Less than \$35,000 per Year	37	32.5	5.2	22.3	42.7
\$35,000 or Higher per Year	20	16.7	4.3	8.3	25.0
Disability Status					
Living with a Disability	29	40.3	7.3	26.0	54.6
Living without a Disability	40	20.4	3.5	13.5	27.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	16.8	4.7	7.6	26.0
Overweight (25 ≤ BMI < 30)	22	25.4	5.9	13.9	36.9
Obese (BMI ≥ 30)	27	32.5	6.2	20.4	44.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	24.4	3.5	17.5	31.2
Health Insurance Status					
Insured	57	21.6	3.2	15.4	27.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Lyon County	104	42.1	3.8	34.7	49.5
Gender					
Men	49	47.2	5.8	35.9	58.5
Women	55	37.3	4.8	27.9	46.8
Age Group					
18 to 44 Years	43	46.1	5.9	34.6	57.7
45 to 64 Years	35	38.3	5.8	27.0	49.6
65 Years and Older	25	36.0	6.9	22.6	49.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	98	45.4	4.0	37.6	53.3
Race					
White	87	40.6	3.9	33.0	48.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	37.9	6.8	24.7	51.2
Some College or College Graduate	70	44.6	4.5	35.9	53.3
Annual Household Income					
Less than \$35,000 per Year	43	39.7	5.5	28.9	50.6
\$35,000 or Higher per Year	49	44.4	5.8	33.1	55.7
Disability Status					
Living with a Disability	28	47.0	7.9	31.4	62.6
Living without a Disability	76	41.4	4.3	33.0	49.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	32	45.4	6.9	31.9	58.9
Overweight (25 ≤ BMI < 30)	31	40.8	6.7	27.7	53.9
Obese (BMI ≥ 30)	35	38.6	6.1	26.6	50.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	73	41.7	4.4	33.1	50.3
Does not participate in leisure time physical activity	31	44.7	7.5	29.9	59.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	86	42.5	4.2	34.3	50.7
Health Insurance Status					
Insured	87	39.9	3.9	32.2	47.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Lyon County	63	27.7	3.5	20.9	34.6
Gender					
Men	39	37.9	5.6	26.9	48.8
Women	24	18.2	4.1	10.1	26.2
Age Group					
18 to 44 Years	26	29.4	5.3	19.0	39.9
45 to 64 Years	20	25.8	5.8	14.5	37.1
65 Years and Older	16	25.6	6.9	12.1	39.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	57	26.4	3.5	19.4	33.3
Race					
White	54	27.0	3.7	19.8	34.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	33.3	6.5	20.6	45.9
Some College or College Graduate	36	24.4	4.0	16.5	32.3
Annual Household Income					
Less than \$35,000 per Year	29	30.8	5.5	20.0	41.6
\$35,000 or Higher per Year	24	23.1	4.8	13.7	32.5
Disability Status					
Living with a Disability	15	29.2	7.4	14.7	43.7
Living without a Disability	48	27.6	4.0	19.8	35.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	32.6	6.4	20.0	45.1
Overweight (25 ≤ BMI < 30)	14	26.3	6.7	13.1	39.5
Obese (BMI ≥ 30)	20	20.3	5.0	10.6	30.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	26.6	3.9	18.9	34.3
Does not participate in leisure time physical activity	18	31.5	7.4	16.9	46.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	51	27.6	3.9	20.0	35.2
Health Insurance Status					
Insured	52	27.1	3.7	19.7	34.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Lyon County	37	17.7	2.9	12.0	23.3
Gender					
Men	17	18.4	4.3	9.8	26.9
Women	20	17.0	3.9	9.4	24.6
Age Group					
18 to 44 Years	20	19.6	4.3	11.3	28.0
45 to 64 Years	15	21.3	5.5	10.4	32.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	14.6	2.8	9.1	20.1
Race					
White	29	14.5	2.7	9.1	19.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	23.5	5.6	12.6	34.4
Some College or College Graduate	20	14.3	3.2	8.0	20.6
Annual Household Income					
Less than \$35,000 per Year	29	31.0	5.2	20.8	41.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	33	20.2	3.4	13.4	26.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	20.9	5.1	10.9	31.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	12	17.7	5.0	7.8	27.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	13.8	3.0	7.9	19.8
Does not participate in leisure time physical activity	11	26.0	7.2	11.9	40.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	11.4	2.7	6.1	16.6

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Lyon County	35	20.3	3.4	13.6	26.9
Gender					
Men	17	20.8	4.9	11.3	30.4
Women	18	19.7	4.7	10.5	28.9
Age Group					
18 to 44 Years	20	19.6	4.3	11.3	28.0
45 to 64 Years	15	21.3	5.5	10.4	32.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	17.1	3.4	10.5	23.6
Race					
White	27	16.8	3.3	10.3	23.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	28.0	6.9	14.4	41.5
Some College or College Graduate	20	16.5	3.7	9.3	23.7
Annual Household Income					
Less than \$35,000 per Year	28	36.4	6.0	24.6	48.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	32	22.0	3.8	14.6	29.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	24.5	6.1	12.6	36.4
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	11	19.2	5.7	7.9	30.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	15.3	3.4	8.6	22.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	12.8	3.2	6.5	19.0

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Lyon County	61	28.2	3.4	21.5	34.8
Gender					
Men	40	39.3	5.4	28.7	49.9
Women	21	17.8	4.1	9.8	25.8
Age Group					
18 to 44 Years	33	35.4	5.3	24.9	45.9
45 to 64 Years	25	30.3	5.8	19.0	41.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	26.0	3.5	19.1	32.9
Race					
White	50	26.6	3.5	19.6	33.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	28.3	5.9	16.7	39.8
Some College or College Graduate	39	27.6	4.1	19.5	35.7
Annual Household Income					
Less than \$35,000 per Year	34	36.6	5.4	26.1	47.2
\$35,000 or Higher per Year	21	21.5	4.6	12.5	30.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	54	31.4	3.9	23.7	39.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	28	38.5	6.4	26.0	51.1
Overweight (25 ≤ BMI < 30)	13	22.3	6.1	10.4	34.2
Obese (BMI ≥ 30)	15	18.7	5.1	8.7	28.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	43	27.6	4.0	19.7	35.4
Does not participate in leisure time physical activity	16	32.3	7.3	18.0	46.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	42	24.0	3.6	17.1	31.0
Health Insurance Status					
Insured	36	19.4	3.3	13.0	25.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Lyon County	39	15.2	2.6	10.2	20.2
Gender					
Men	22	16.8	3.8	9.4	24.3
Women	17	13.7	3.4	7.0	20.5
Age Group					
18 to 44 Years	19	17.9	4.1	9.9	25.9
45 to 64 Years	17	16.6	4.3	8.2	25.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	12.1	2.4	7.3	16.9
Race					
White	29	12.9	2.5	8.0	17.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	15.4	4.0	7.5	23.3
Some College or College Graduate	23	15.2	3.3	8.7	21.7
Annual Household Income					
Less than \$35,000 per Year	27	24.7	4.6	15.7	33.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	28	15.2	2.9	9.4	20.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	15.0	4.3	6.6	23.4
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	20.4	4.9	10.7	30.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	12.5	2.7	7.1	17.9
Does not participate in leisure time physical activity	11	20.8	6.2	8.7	32.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	10.9	2.4	6.2	15.7
Health Insurance Status					
Insured	19	8.1	2.0	4.1	12.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Lyon County	56	16.5	2.4	11.8	21.2
Gender					
Men	17	11.3	3.0	5.4	17.3
Women	39	21.4	3.6	14.3	28.4
Age Group					
18 to 44 Years	12	9.6	2.8	4.1	15.2
45 to 64 Years	23	22.8	4.7	13.6	32.1
65 Years and Older	20	25.5	6.1	13.6	37.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	17.5	2.6	12.4	22.6
Race					
White	50	17.6	2.6	12.4	22.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	24.1	4.8	14.8	33.5
Some College or College Graduate	25	11.9	2.6	6.8	17.0
Annual Household Income					
Less than \$35,000 per Year	34	23.8	4.2	15.5	32.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	37	53.9	7.5	39.2	68.5
Living without a Disability	17	7.3	1.9	3.5	11.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	30	26.5	4.9	16.9	36.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	13.1	2.7	7.9	18.4
Does not participate in leisure time physical activity	24	24.9	5.4	14.3	35.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	13.8	2.4	9.1	18.5
Health Insurance Status					
Insured	46	15.8	2.5	10.8	20.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Lyon County	37	12.4	2.4	7.8	17.0
Gender					
Men	*	*	*	*	*
Women	26	15.1	3.3	8.7	21.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	14.2	3.8	6.9	21.6
65 Years and Older	15	21.8	5.6	10.8	32.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	11.4	2.2	7.2	15.7
Race					
White	30	10.8	2.2	6.6	15.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	22.6	5.3	12.1	33.1
Some College or College Graduate	15	6.2	1.7	2.8	9.6
Annual Household Income					
Less than \$35,000 per Year	22	14.2	3.2	7.9	20.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	27	40.4	7.1	26.5	54.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	21	21.0	4.9	11.3	30.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	9.6	2.8	4.0	15.1
Does not participate in leisure time physical activity	17	18.9	4.8	9.5	28.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	12.2	2.7	7.0	17.5
Health Insurance Status					
Insured	33	14.0	2.8	8.5	19.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Mental Health Was Not Good on 14 or More Days in the Past 30 Days, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Lyon County	19	8.1	2.0	4.2	12.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	5.9	1.7	2.6	9.1
Race					
White	16	7.9	2.1	3.7	12.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	13	14.7	4.0	6.8	22.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	6.9	2.0	3.1	10.8
Health Insurance Status					
Insured	18	9.0	2.3	4.6	13.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Lyon County	55	40.4	5.2	30.3	50.6
Gender					
Men	20	36.2	7.9	20.7	51.8
Women	35	44.3	6.6	31.4	57.3
Age Group					
18 to 44 Years	19	36.4	7.5	21.8	51.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	52	45.2	5.7	34.0	56.3
Race					
White	47	44.3	5.6	33.3	55.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	33	43.2	6.4	30.7	55.8
Annual Household Income					
Less than \$35,000 per Year	30	41.7	6.8	28.4	55.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	30.6	5.8	19.2	42.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	36.4	6.4	23.9	49.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	43	39.4	5.8	27.9	50.8
Health Insurance Status					
Insured	45	43.2	5.8	31.8	54.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Lyon County	125	55.3	3.7	48.0	62.6
Gender					
Men	61	61.9	5.2	51.6	72.2
Women	64	48.8	5.0	38.9	58.7
Age Group					
18 to 44 Years	54	62.3	5.6	51.4	73.3
45 to 64 Years	48	56.0	6.0	44.3	67.6
65 Years and Older	23	31.3	6.5	18.5	44.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	111	53.5	3.9	45.8	61.1
Race					
White	108	54.1	3.9	46.5	61.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	38	55.2	6.6	42.2	68.2
Some College or College Graduate	86	55.0	4.4	46.3	63.7
Annual Household Income					
Less than \$35,000 per Year	59	56.7	5.5	46.0	67.4
\$35,000 or Higher per Year	54	59.1	5.5	48.3	69.9
Disability Status					
Living with a Disability	21	42.5	7.9	27.0	58.0
Living without a Disability	103	58.5	4.2	50.2	66.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	47	71.0	5.7	59.7	82.2
Overweight (25 ≤ BMI < 30)	28	41.6	6.7	28.5	54.6
Obese (BMI ≥ 30)	41	46.1	6.4	33.5	58.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	92	55.5	4.3	47.0	64.0
Does not participate in leisure time physical activity	32	53.9	7.4	39.3	68.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	97	52.8	4.1	44.7	60.9
Health Insurance Status					
Insured	98	50.7	4.0	42.8	58.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,547	35.2	0.6	33.9	36.4
Lyon County	23	31.3	6.5	18.5	44.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	31.3	6.5	18.5	44.0
Race					
White	20	31.1	6.8	17.8	44.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>18</i>	<i>30.6</i>	<i>6.9</i>	<i>17.0</i>	<i>44.2</i>
Health Insurance Status					
Insured	<i>22</i>	<i>31.5</i>	<i>6.7</i>	<i>18.4</i>	<i>44.6</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	30.0	0.6	28.7	31.2
Lyon County	25	34.4	6.9	20.8	47.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	34.4	6.9	20.8	47.9
Race					
White	22	34.3	7.2	20.3	48.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>19</i>	<i>32.5</i>	<i>7.3</i>	<i>18.1</i>	<i>46.8</i>
Health Insurance Status					
Insured	<i>25</i>	<i>35.8</i>	<i>7.0</i>	<i>22.0</i>	<i>49.6</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Lyon County	38	12.5	2.2	8.1	16.9
Gender					
Men	24	17.0	3.7	9.7	24.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	17.4	4.5	8.7	26.1
65 Years and Older	13	15.7	4.7	6.5	24.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	13.6	2.5	8.7	18.4
Race					
White	35	13.4	2.4	8.6	18.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	29	16.9	3.3	10.4	23.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	20	15.0	3.6	8.0	22.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	27	12.1	2.5	7.1	17.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	20	18.1	4.4	9.4	26.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	11.6	2.5	6.7	16.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	13.4	2.5	8.4	18.3
Health Insurance Status					
Insured	33	13.6	2.6	8.5	18.6
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Lyon County	46	19.0	3.0	13.2	24.9
Gender					
Men	21	20.2	4.6	11.2	29.3
Women	25	17.9	3.9	10.3	25.5
Age Group					
18 to 44 Years	20	20.8	4.5	11.9	29.6
45 to 64 Years	17	21.9	5.5	11.2	32.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	19.1	3.2	12.9	25.3
Race					
White	38	19.0	3.2	12.7	25.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	24.9	5.5	14.1	35.8
Some College or College Graduate	25	15.5	3.5	8.7	22.4
Annual Household Income					
Less than \$35,000 per Year	25	23.9	4.9	14.3	33.5
\$35,000 or Higher per Year	16	14.2	3.9	6.5	21.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	33	17.5	3.3	11.1	23.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	25.7	6.0	14.1	37.4
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	13.5	3.9	5.7	21.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	19.7	3.6	12.7	26.8
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	31	14.0	2.9	8.3	19.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Lyon County	26	7.1	1.6	3.9	10.3
Gender					
Men	25	14.5	3.3	8.0	20.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	17.5	5.1	7.4	27.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	7.6	1.7	4.1	11.0
Race					
White	20	6.7	1.7	3.3	10.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	19	7.7	2.1	3.6	11.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	7.0	1.8	3.4	10.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	8.0	2.0	4.0	12.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	7.9	1.9	4.2	11.6
Health Insurance Status					
Insured	24	7.7	1.8	4.1	11.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Lyon County	96	33.3	3.4	26.6	40.0
Gender					
Men	42	30.0	4.8	20.5	39.4
Women	54	36.6	4.8	27.1	46.0
Age Group					
18 to 44 Years	28	29.3	5.3	19.0	39.7
45 to 64 Years	40	39.3	5.8	28.0	50.5
65 Years and Older	28	34.3	6.3	21.9	46.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	87	32.0	3.5	25.2	38.9
Race					
White	86	34.7	3.6	27.6	41.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	32.8	6.1	20.8	44.7
Some College or College Graduate	65	33.6	4.1	25.6	41.6
Annual Household Income					
Less than \$35,000 per Year	49	34.9	5.0	25.0	44.8
\$35,000 or Higher per Year	37	30.2	5.1	20.2	40.2
Disability Status					
Living with a Disability	33	43.7	7.3	29.5	58.0
Living without a Disability	62	30.7	3.9	23.1	38.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	61	28.5	3.9	20.9	36.0
Does not participate in leisure time physical activity	27	42.8	7.6	27.9	57.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	78	34.6	3.9	27.0	42.2
Health Insurance Status					
Insured	83	33.6	3.7	26.4	40.8
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Lyon County	175	60.5	3.8	53.1	68.0
Gender					
Men	71	51.0	5.6	40.0	62.0
Women	104	69.9	4.8	60.5	79.3
Age Group					
18 to 44 Years	50	49.7	5.9	38.1	61.3
45 to 64 Years	74	76.5	5.5	65.7	87.2
65 Years and Older	50	63.0	6.8	49.7	76.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	160	59.4	4.0	51.5	67.3
Race					
White	156	63.1	3.9	55.5	70.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	55	58.3	6.9	44.7	71.9
Some College or College Graduate	120	61.9	4.4	53.2	70.6
Annual Household Income					
Less than \$35,000 per Year	76	59.2	5.6	48.3	70.1
\$35,000 or Higher per Year	80	61.8	6.0	50.1	73.5
Disability Status					
Living with a Disability	47	62.7	7.9	47.3	78.1
Living without a Disability	127	60.0	4.4	51.5	68.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	116	56.7	4.6	47.7	65.8
Does not participate in leisure time physical activity	49	72.8	6.9	59.2	86.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	147	63.9	4.2	55.7	72.1
Health Insurance Status					
Insured	157	63.5	4.0	55.7	71.4
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>