


2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Reno County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,

A handwritten signature in blue ink that reads "Robert Moser".

Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Reno County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	3

Arthritis

Arthritis	5
Activity Limitation Due to Arthritis	7

Asthma	9
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	11
Skin Cancer	13

Cardiovascular Health

Heart Attack	15
Coronary Heart Disease	17
Stroke	19
High Blood Pressure	21

Cholesterol

Not Checked Cholesterol within Five Years	23
High Blood Cholesterol Status.....	25

Chronic Obstructive Pulmonary Disease (COPD)	27
---	----

Depressive Disorder	29
----------------------------------	----

Diabetes	31
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	33
Disability	35

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	37
---	----

Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	39
Not Participating in Any Physical Activity	41
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day	43
Consuming Vegetables Less than 1 Time Per Day.....	45
Health Care Access	
Lack Health Care Coverage	47
Lack Health Care Coverage 18 to 64 Years Old Only	49
No Personal Doctor	51
Did Not See Doctor Due to Cost.....	53
General Health	55
Healthy Days - Health Related Quality of Life	
Physical Health Status.....	57
Mental Health Status	59
Poor Physical or Mental Health is Barrier to Usual Activities.....	61
Immunization	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza 65 Years and Older Only	65
Never Had Pneumonia Vaccination 65 Years and Older Only	67
Seatbelt Use	69
Tobacco Use	
Current Smoker	71
Tried Quitting Smoking	73
Smokeless Tobacco Use	75
Male Smokeless Tobacco Use	77
Veteran Status	79
Weight Status (BMI Categories)	
Obese.....	81
Overweight or Obese	83
Technical Notes	85

Percentage of Adults Who Are Binge Drinkers, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Reno County	47	10.4	1.7	7.0	13.8
Gender					
Men	30	13.9	2.8	8.4	19.5
Women	17	7.0	2.0	3.1	10.9
Age Group					
18 to 44 Years	18	12.9	3.3	6.4	19.5
45 to 64 Years	19	11.3	2.7	6.0	16.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	45	10.7	1.8	7.2	14.3
Race					
White	44	10.9	1.9	7.2	14.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	11.1	3.1	5.0	17.2
Some College or College Graduate	32	10.0	2.0	6.1	14.0
Annual Household Income					
Less than \$35,000 per Year	17	10.5	2.8	4.9	16.0
\$35,000 or Higher per Year	28	12.2	2.6	7.1	17.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	38	11.6	2.1	7.5	15.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	12.7	3.2	6.4	19.0
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	11.1	2.1	6.9	15.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	15	17.4	4.9	7.8	27.0
Non-smoker	32	8.5	1.7	5.1	11.8
Health Insurance Status					
Insured	41	10.1	1.8	6.5	13.6
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	916	4.6	0.2	4.2	4.9
Reno County	24	5.3	1.2	2.9	7.7
Gender					
Men	14	6.8	2.0	2.9	10.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	4.9	1.3	2.4	7.4
Race					
White	19	4.6	1.3	2.1	7.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	5.4	1.5	2.5	8.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	4.7	1.3	2.1	7.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	22	6.0	1.4	3.2	8.8
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Reno County	203	26.2	2.1	22.2	30.2
Gender					
Men	73	26.1	3.2	19.8	32.3
Women	130	26.3	2.6	21.2	31.5
Age Group					
18 to 44 Years	19	11.1	2.7	5.8	16.5
45 to 64 Years	57	27.3	3.5	20.5	34.2
65 Years and Older	126	51.3	3.8	43.9	58.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	195	26.3	2.1	22.2	30.5
Race					
White	190	26.9	2.2	22.6	31.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	83	30.1	3.7	22.8	37.5
Some College or College Graduate	120	23.7	2.4	19.0	28.4
Annual Household Income					
Less than \$35,000 per Year	109	34.4	3.7	27.1	41.6
\$35,000 or Higher per Year	68	20.8	2.7	15.4	26.2
Disability Status					
Living with a Disability	113	56.9	4.6	48.0	65.9
Living without a Disability	88	16.4	2.1	12.3	20.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	49	21.5	3.5	14.7	28.3
Overweight (25 ≤ BMI < 30)	64	26.7	3.6	19.7	33.7
Obese (BMI ≥ 30)	77	30.7	3.9	23.0	38.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	106	22.0	2.4	17.2	26.8
Does not participate in leisure time physical activity	83	33.5	4.1	25.5	41.4
Smoking Status					
Current smoker	39	31.2	5.1	21.2	41.3
Non-smoker	162	24.8	2.2	20.5	29.2
Health Insurance Status					
Insured	190	28.2	2.3	23.8	32.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Reno County	93	47.3	4.5	38.5	56.1
Gender					
Men	28	38.8	6.8	25.5	52.0
Women	65	56.2	5.5	45.4	67.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	47.4	8.1	31.5	63.3
65 Years and Older	58	50.3	5.4	39.7	60.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	92	50.1	4.6	41.1	59.1
Race					
White	88	47.9	4.6	38.8	57.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	47.2	7.0	33.5	61.0
Some College or College Graduate	56	47.3	5.8	35.9	58.7
Annual Household Income					
Less than \$35,000 per Year	61	63.0	5.9	51.3	74.6
\$35,000 or Higher per Year	24	28.6	6.0	16.9	40.3
Disability Status					
Living with a Disability	74	69.5	5.3	59.1	80.0
Living without a Disability	18	22.3	5.9	10.6	33.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	30	48.0	7.4	33.4	62.5
Obese (BMI ≥ 30)	38	47.9	7.3	33.7	62.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	43	37.8	5.6	26.8	48.9
Does not participate in leisure time physical activity	50	59.0	6.8	45.7	72.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	71	44.7	5.0	34.9	54.4
Health Insurance Status					
Insured	87	48.6	4.7	39.5	57.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Reno County	68	11.5	1.6	8.3	14.7
Gender					
Men	19	8.7	2.2	4.3	13.0
Women	49	14.3	2.4	9.7	18.9
Age Group					
18 to 44 Years	20	13.4	3.7	7.4	19.4
45 to 64 Years	26	10.4	2.3	5.9	14.9
65 Years and Older	22	9.8	2.6	4.7	14.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	11.7	1.7	8.4	15.0
Race					
White	65	11.6	1.7	8.3	14.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	13.5	3.2	7.3	19.7
Some College or College Graduate	44	10.2	1.7	6.8	13.7
Annual Household Income					
Less than \$35,000 per Year	43	18.2	3.2	12.0	24.4
\$35,000 or Higher per Year	21	7.5	1.9	3.8	11.2
Disability Status					
Living with a Disability	32	16.6	3.3	10.2	23.0
Living without a Disability	36	10.0	1.9	6.3	13.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	9.4	2.8	3.9	14.9
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	33	16.1	3.0	10.1	22.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	8.3	1.7	4.9	11.7
Does not participate in leisure time physical activity	31	15.7	3.3	9.3	22.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	54	11.9	1.9	8.2	15.7
Health Insurance Status					
Insured	61	11.3	1.7	8.0	14.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Reno County	53	6.0	0.9	4.1	7.8
Gender					
Men	20	5.7	1.4	3.0	8.3
Women	33	6.2	1.3	3.7	8.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	41	15.4	2.5	10.5	20.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	6.1	1.0	4.2	8.0
Race					
White	51	6.3	1.0	4.3	8.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	6.6	1.6	3.4	9.7
Some College or College Graduate	31	5.6	1.1	3.4	7.8
Annual Household Income					
Less than \$35,000 per Year	30	8.5	1.8	5.0	12.1
\$35,000 or Higher per Year	17	4.3	1.2	2.0	6.6
Disability Status					
Living with a Disability	23	11.4	2.6	6.4	16.5
Living without a Disability	29	4.2	0.9	2.4	6.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	6.2	1.6	3.1	9.3
Obese (BMI ≥ 30)	21	9.3	2.3	4.8	13.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	6.6	1.3	4.0	9.1
Does not participate in leisure time physical activity	18	5.9	1.5	2.8	8.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	46	6.1	1.0	4.1	8.1
Health Insurance Status					
Insured	53	7.1	1.1	4.9	9.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Reno County	64	7.4	1.1	5.3	9.5
Gender					
Men	24	7.2	1.6	4.1	10.4
Women	40	7.6	1.5	4.7	10.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	47	19.8	2.9	14.1	25.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	8.0	1.2	5.7	10.3
Race					
White	61	8.0	1.2	5.7	10.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	7.5	1.7	4.2	10.8
Some College or College Graduate	39	7.3	1.4	4.6	10.1
Annual Household Income					
Less than \$35,000 per Year	33	9.4	1.9	5.7	13.2
\$35,000 or Higher per Year	25	6.8	1.6	3.7	9.8
Disability Status					
Living with a Disability	29	12.2	2.4	7.5	16.9
Living without a Disability	35	6.0	1.2	3.6	8.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	7.7	1.9	3.9	11.4
Overweight (25 ≤ BMI < 30)	21	7.5	1.9	3.7	11.3
Obese (BMI ≥ 30)	19	8.3	2.1	4.1	12.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	40	8.0	1.5	5.1	10.9
Does not participate in leisure time physical activity	21	6.9	1.8	3.4	10.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	55	8.8	1.4	6.1	11.5
Health Insurance Status					
Insured	62	8.6	1.3	6.1	11.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,331	4.2	0.1	4.0	4.5
Reno County	37	5.3	1.0	3.4	7.2
Gender					
Men	19	5.8	1.4	3.0	8.6
Women	18	4.8	1.3	2.3	7.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	23	12.3	2.6	7.2	17.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	4.9	0.9	3.1	6.7
Race					
White	31	4.8	1.0	2.9	6.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	6.8	1.9	3.1	10.5
Some College or College Graduate	21	4.3	1.0	2.3	6.4
Annual Household Income					
Less than \$35,000 per Year	23	7.8	1.8	4.2	11.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	19	10.3	2.6	5.3	15.3
Living without a Disability	18	3.8	1.0	1.8	5.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	8.3	2.2	4.0	12.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	4.1	1.1	1.9	6.3
Does not participate in leisure time physical activity	19	7.7	2.0	3.9	11.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	5.7	1.1	3.5	7.9
Health Insurance Status					
Insured	34	5.7	1.1	3.6	7.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,352	4.2	0.1	4.0	4.5
Reno County	42	5.5	0.9	3.7	7.4
Gender					
Men	24	7.0	1.5	4.0	10.0
Women	18	4.1	1.0	2.0	6.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	6.1	1.8	2.6	9.6
65 Years and Older	26	13.2	2.6	8.1	18.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	6.0	1.0	4.0	8.0
Race					
White	38	5.6	1.0	3.7	7.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	4.8	1.4	2.1	7.6
Some College or College Graduate	28	6.0	1.2	3.6	8.4
Annual Household Income					
Less than \$35,000 per Year	23	7.4	1.7	4.2	10.7
\$35,000 or Higher per Year	15	4.7	1.3	2.1	7.3
Disability Status					
Living with a Disability	26	15.3	3.0	9.3	21.3
Living without a Disability	16	2.5	0.7	1.1	3.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	7.0	1.8	3.5	10.5
Obese (BMI ≥ 30)	15	7.0	2.0	3.1	10.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	4.4	1.1	2.3	6.5
Does not participate in leisure time physical activity	19	7.7	1.9	3.9	11.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	5.4	1.0	3.4	7.3
Health Insurance Status					
Insured	40	6.3	1.1	4.2	8.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Had a Stroke, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	923	3.0	0.1	2.7	3.2
Reno County	35	4.5	0.9	2.8	6.2
Gender					
Men	*	*	*	*	*
Women	23	4.3	1.0	2.4	6.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	24	12.3	2.6	7.2	17.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	4.9	0.9	3.1	6.8
Race					
White	30	4.4	0.9	2.6	6.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	6.5	1.7	3.1	9.9
Some College or College Graduate	17	3.3	0.9	1.5	5.0
Annual Household Income					
Less than \$35,000 per Year	25	7.8	1.8	4.3	11.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	22	11.5	2.7	6.3	16.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	20	7.4	1.8	3.8	10.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	4.0	0.9	2.3	5.7
Health Insurance Status					
Insured	33	5.1	1.0	3.2	7.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Reno County	287	35.4	2.3	30.9	39.9
Gender					
Men	108	35.4	3.5	28.5	42.4
Women	179	35.3	2.9	29.6	41.0
Age Group					
18 to 44 Years	20	11.2	3.0	5.3	17.1
45 to 64 Years	103	44.5	3.8	37.0	51.9
65 Years and Older	162	65.0	3.7	57.8	72.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	274	35.5	2.4	30.8	40.1
Race					
White	265	35.7	2.4	31.0	40.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	102	33.7	3.8	26.2	41.1
Some College or College Graduate	184	36.3	2.8	30.7	41.9
Annual Household Income					
Less than \$35,000 per Year	131	38.0	3.8	30.6	45.4
\$35,000 or Higher per Year	116	32.9	3.3	26.5	39.3
Disability Status					
Living with a Disability	120	58.2	4.6	49.1	67.3
Living without a Disability	164	28.1	2.5	23.1	33.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	56	18.4	2.9	12.7	24.1
Overweight (25 ≤ BMI < 30)	102	41.9	4.3	33.5	50.3
Obese (BMI ≥ 30)	111	47.9	4.7	38.8	57.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	158	32.6	2.9	26.9	38.2
Does not participate in leisure time physical activity	112	41.6	4.3	33.2	50.0
Smoking Status					
Current smoker	44	28.4	4.7	19.1	37.6
Non-smoker	240	37.5	2.6	32.3	42.6
Health Insurance Status					
Insured	276	39.5	2.5	34.5	44.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Reno County	94	24.7	2.5	19.7	29.6
Gender					
Men	39	23.5	3.7	16.3	30.7
Women	55	25.8	3.4	19.1	32.5
Age Group					
18 to 44 Years	57	45.6	5.1	35.6	55.5
45 to 64 Years	28	15.1	3.0	9.3	21.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	83	22.8	2.5	17.9	27.7
Race					
White	79	23.3	2.6	18.3	28.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	38	32.1	4.7	22.9	41.3
Some College or College Graduate	56	20.2	2.8	14.8	25.7
Annual Household Income					
Less than \$35,000 per Year	43	28.9	4.2	20.7	37.0
\$35,000 or Higher per Year	40	20.6	3.4	14.0	27.1
Disability Status					
Living with a Disability	16	13.4	3.7	6.2	20.6
Living without a Disability	77	28.5	3.1	22.5	34.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	41	32.7	4.7	23.5	41.8
Overweight (25 ≤ BMI < 30)	29	22.2	4.1	14.2	30.1
Obese (BMI ≥ 30)	21	18.3	4.4	9.7	26.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	56	25.8	3.3	19.3	32.2
Does not participate in leisure time physical activity	29	19.7	4.0	12.0	27.5
Smoking Status					
Current smoker	26	29.6	5.6	18.6	40.6
Non-smoker	66	23.4	2.9	17.8	28.9
Health Insurance Status					
Insured	68	19.8	2.5	14.9	24.7
Uninsured	26	53.3	8.1	37.5	69.2

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Reno County	206	37.0	2.6	31.9	42.0
Gender					
Men	81	37.7	4.0	29.8	45.5
Women	125	36.3	3.2	30.0	42.6
Age Group					
18 to 44 Years	16	15.0	4.0	7.1	22.9
45 to 64 Years	77	41.9	4.0	34.0	49.7
65 Years and Older	112	53.1	3.8	45.5	60.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	197	36.8	2.6	31.6	42.0
Race					
White	195	38.6	2.7	33.3	43.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	80	46.8	5.0	36.9	56.7
Some College or College Graduate	125	31.5	2.9	25.9	37.1
Annual Household Income					
Less than \$35,000 per Year	92	40.4	4.5	31.7	49.2
\$35,000 or Higher per Year	82	33.0	3.5	26.2	39.9
Disability Status					
Living with a Disability	80	52.8	4.6	43.7	61.9
Living without a Disability	124	30.8	3.0	25.0	36.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	43	23.5	3.9	15.9	31.1
Overweight (25 ≤ BMI < 30)	73	39.7	4.6	30.7	48.6
Obese (BMI ≥ 30)	78	46.5	4.7	37.2	55.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	116	33.4	3.2	27.2	39.6
Does not participate in leisure time physical activity	79	43.8	4.8	34.4	53.2
Smoking Status					
Current smoker	41	35.4	5.8	24.0	46.7
Non-smoker	163	37.7	2.9	32.0	43.3
Health Insurance Status					
Insured	196	38.7	2.7	33.4	44.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Reno County	65	8.2	1.2	5.9	10.6
Gender					
Men	24	7.8	1.8	4.4	11.3
Women	41	8.6	1.6	5.6	11.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	10.2	2.3	5.7	14.8
65 Years and Older	38	16.0	2.7	10.7	21.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	65	8.9	1.3	6.4	11.5
Race					
White	61	8.6	1.3	6.1	11.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	8.1	1.9	4.4	11.8
Some College or College Graduate	41	8.3	1.5	5.4	11.3
Annual Household Income					
Less than \$35,000 per Year	48	15.1	2.6	10.1	20.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	44	23.6	3.8	16.2	31.0
Living without a Disability	21	3.4	0.8	1.8	5.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	8.2	2.2	3.8	12.6
Overweight (25 ≤ BMI < 30)	16	6.2	1.7	2.8	9.6
Obese (BMI ≥ 30)	26	11.3	2.5	6.4	16.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	3.6	0.9	1.8	5.4
Does not participate in leisure time physical activity	38	16.7	3.0	10.8	22.7
Smoking Status					
Current smoker	31	21.5	4.2	13.2	29.8
Non-smoker	33	4.4	0.9	2.7	6.1
Health Insurance Status					
Insured	59	8.5	1.3	6.0	11.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Reno County	136	21.7	2.1	17.6	25.7
Gender					
Men	43	17.6	2.9	11.9	23.4
Women	93	25.6	2.9	20.0	31.2
Age Group					
18 to 44 Years	34	20.3	3.7	13.1	27.6
45 to 64 Years	59	27.4	3.4	20.7	34.1
65 Years and Older	42	15.7	2.5	10.8	20.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	129	21.6	2.1	17.5	25.7
Race					
White	126	21.6	2.1	17.5	25.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	50	23.0	3.6	16.0	30.1
Some College or College Graduate	86	20.8	2.5	16.0	25.7
Annual Household Income					
Less than \$35,000 per Year	77	32.9	4.0	25.1	40.7
\$35,000 or Higher per Year	43	14.2	2.4	9.6	18.9
Disability Status					
Living with a Disability	73	42.9	4.4	34.2	51.6
Living without a Disability	63	15.0	2.2	10.7	19.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	39	19.4	3.7	12.2	26.6
Overweight (25 ≤ BMI < 30)	39	20.7	3.6	13.6	27.7
Obese (BMI ≥ 30)	54	27.6	3.9	20.0	35.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	84	23.1	2.8	17.6	28.5
Does not participate in leisure time physical activity	44	19.9	3.2	13.6	26.3
Smoking Status					
Current smoker	42	34.2	5.4	23.6	44.7
Non-smoker	93	18.3	2.2	14.1	22.6
Health Insurance Status					
Insured	119	20.7	2.1	16.7	24.8
Uninsured	17	26.6	6.7	13.5	39.8

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Reno County	92	11.3	1.4	8.6	14.1
Gender					
Men	36	11.5	2.0	7.5	15.5
Women	56	11.2	1.9	7.5	14.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	31	12.9	2.4	8.2	17.7
65 Years and Older	53	22.2	3.2	16.0	28.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	88	11.3	1.4	8.6	14.1
Race					
White	81	10.7	1.4	8.0	13.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	12.0	2.4	7.2	16.8
Some College or College Graduate	57	11.0	1.6	7.8	14.2
Annual Household Income					
Less than \$35,000 per Year	58	18.3	2.9	12.6	23.9
\$35,000 or Higher per Year	22	5.9	1.4	3.2	8.6
Disability Status					
Living with a Disability	54	24.8	3.7	17.5	32.1
Living without a Disability	37	6.9	1.3	4.4	9.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	26	10.6	2.3	6.0	15.1
Obese (BMI ≥ 30)	53	21.3	3.2	15.0	27.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	8.8	1.5	5.9	11.6
Does not participate in leisure time physical activity	37	14.2	2.9	8.6	19.9
Smoking Status					
Current smoker	22	15.3	3.9	7.7	22.9
Non-smoker	69	10.2	1.4	7.5	12.9
Health Insurance Status					
Insured	87	12.4	1.5	9.4	15.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Reno County	161	21.8	1.9	18.1	25.6
Gender					
Men	55	19.3	2.8	13.8	24.7
Women	106	24.4	2.7	19.2	29.6
Age Group					
18 to 44 Years	23	12.9	2.9	7.2	18.6
45 to 64 Years	55	24.5	3.3	18.0	31.0
65 Years and Older	82	34.0	3.5	27.1	40.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	158	22.8	2.0	18.8	26.8
Race					
White	150	22.3	2.0	18.3	26.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	62	24.6	3.6	17.5	31.6
Some College or College Graduate	99	20.1	2.2	15.8	24.4
Annual Household Income					
Less than \$35,000 per Year	104	34.6	3.8	27.2	42.0
\$35,000 or Higher per Year	37	11.2	2.0	7.2	15.2
Weight Category					
Normal or Underweight (BMI < 25)	36	16.0	3.2	9.7	22.3
Overweight (25 ≤ BMI < 30)	44	19.0	3.0	13.1	24.9
Obese (BMI ≥ 30)	72	32.4	4.1	24.4	40.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	77	16.4	2.1	12.2	20.6
Does not participate in leisure time physical activity	77	33.4	4.1	25.4	41.4
Smoking Status					
Current smoker	43	33.5	5.3	23.2	43.9
Non-smoker	117	18.5	1.9	14.7	22.3
Health Insurance Status					
Insured	148	22.9	2.1	18.8	27.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Reno County	179	24.5	2.0	20.6	28.5
Gender					
Men	66	22.3	2.9	16.6	28.1
Women	113	26.7	2.8	21.3	32.2
Age Group					
18 to 44 Years	25	14.2	3.0	8.3	20.1
45 to 64 Years	60	27.5	3.5	20.7	34.2
65 Years and Older	93	38.6	3.6	31.5	45.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	175	25.4	2.1	21.3	29.6
Race					
White	168	25.3	2.1	21.1	29.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	69	26.7	3.7	19.5	33.9
Some College or College Graduate	110	23.1	2.4	18.5	27.7
Annual Household Income					
Less than \$35,000 per Year	111	37.4	3.9	29.8	45.0
\$35,000 or Higher per Year	44	13.4	2.2	9.1	17.7
Weight Category					
Normal or Underweight (BMI < 25)	37	17.0	3.3	10.5	23.5
Overweight (25 ≤ BMI < 30)	49	20.9	3.1	14.7	27.0
Obese (BMI ≥ 30)	80	37.0	4.3	28.6	45.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	89	19.5	2.3	15.0	24.0
Does not participate in leisure time physical activity	81	35.0	4.1	26.9	43.1
Smoking Status					
Current smoker	45	36.3	5.5	25.6	47.0
Non-smoker	132	21.0	2.0	17.0	25.0
Health Insurance Status					
Insured	165	25.8	2.2	21.5	30.1
Uninsured	14	17.9	5.2	7.7	28.1

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Reno County	487	86.7	2.1	82.6	90.8
Gender					
Men	186	85.5	3.7	79.4	91.5
Women	301	88.0	2.8	82.4	93.6
Age Group					
18 to 44 Years	110	80.7	4.4	72.0	89.4
45 to 64 Years	185	91.6	2.1	87.5	95.8
65 Years and Older	192	90.1	2.2	85.8	94.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	465	87.5	2.1	83.4	91.5
Race					
White	460	89.7	1.7	86.3	93.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	162	87.3	3.9	79.7	94.8
Some College or College Graduate	325	86.4	2.4	81.7	91.2
Annual Household Income					
Less than \$35,000 per Year	202	89.0	3.7	81.8	96.3
\$35,000 or Higher per Year	235	86.7	2.5	81.8	91.5
Disability Status					
Living with a Disability	156	94.2	2.2	89.9	98.5
Living without a Disability	330	84.2	2.7	79.0	89.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	137	84.2	3.9	76.6	91.8
Overweight (25 ≤ BMI < 30)	168	87.1	3.8	79.6	94.6
Obese (BMI ≥ 30)	154	90.2	2.7	85.0	95.5
Smoking Status					
Current smoker	90	89.2	4.3	80.8	97.6
Non-smoker	396	86.0	2.4	81.4	90.7
Health Insurance Status					
Insured	441	88.4	2.0	84.6	92.3
Uninsured	46	78.0	7.5	63.2	92.7

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Reno County	264	46.0	2.7	40.7	51.3
Gender					
Men	85	40.5	4.0	32.6	48.4
Women	179	51.3	3.6	44.2	58.3
Age Group					
18 to 44 Years	55	37.6	4.9	28.0	47.1
45 to 64 Years	99	51.3	4.0	43.4	59.2
65 Years and Older	110	52.8	3.9	45.1	60.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	246	45.1	2.8	39.7	50.6
Race					
White	244	46.3	2.8	40.8	51.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	107	55.5	5.0	45.8	65.2
Some College or College Graduate	157	40.2	3.1	34.1	46.4
Annual Household Income					
Less than \$35,000 per Year	130	54.2	4.6	45.2	63.2
\$35,000 or Higher per Year	103	37.9	3.6	30.8	44.9
Disability Status					
Living with a Disability	97	59.3	4.5	50.4	68.2
Living without a Disability	167	41.5	3.2	35.2	47.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	66	43.3	4.9	33.7	53.0
Overweight (25 ≤ BMI <30)	88	43.7	4.5	34.9	52.4
Obese (BMI ≥ 30)	88	48.0	4.9	38.4	57.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	204	42.6	2.9	36.9	48.4
Health Insurance Status					
Insured	240	47.0	2.8	41.4	52.6
Uninsured	24	40.8	7.8	25.5	56.1

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Reno County	197	34.2	2.6	29.1	39.2
Gender					
Men	66	32.7	3.9	24.9	40.4
Women	131	35.6	3.3	29.1	42.1
Age Group					
18 to 44 Years	38	29.5	4.7	20.2	38.7
45 to 64 Years	62	32.4	3.9	24.8	40.0
65 Years and Older	97	44.8	3.9	37.2	52.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	184	33.0	2.6	27.9	38.2
Race					
White	180	33.9	2.7	28.6	39.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	86	44.5	4.8	35.2	53.8
Some College or College Graduate	111	27.7	2.8	22.2	33.1
Annual Household Income					
Less than \$35,000 per Year	105	46.0	4.4	37.3	54.7
\$35,000 or Higher per Year	71	25.1	3.2	18.8	31.5
Disability Status					
Living with a Disability	81	48.3	4.6	39.3	57.3
Living without a Disability	116	29.6	3.0	23.7	35.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	50	33.6	4.7	24.4	42.8
Overweight (25 ≤ BMI < 30)	66	31.2	4.0	23.3	39.1
Obese (BMI ≥ 30)	63	33.7	4.7	24.4	43.0
Smoking Status					
Current smoker	49	50.1	6.3	37.8	62.3
Non-smoker	148	29.8	2.7	24.6	35.1
Health Insurance Status					
Insured	178	33.9	2.7	28.7	39.1
Uninsured	19	35.5	7.7	20.4	50.7

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Reno County	231	47.9	2.7	42.5	53.2
Gender					
Men	108	54.7	4.1	46.6	62.8
Women	123	41.4	3.5	34.4	48.3
Age Group					
18 to 44 Years	64	50.1	5.2	39.8	60.3
45 to 64 Years	92	50.1	4.0	42.3	57.9
65 Years and Older	75	41.2	4.0	33.3	49.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	219	48.0	2.8	42.5	53.6
Race					
White	214	47.6	2.8	42.1	53.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	74	51.5	4.8	42.0	61.0
Some College or College Graduate	157	45.6	3.2	39.3	51.9
Annual Household Income					
Less than \$35,000 per Year	86	52.4	4.5	43.6	61.3
\$35,000 or Higher per Year	119	44.8	3.7	37.6	52.0
Disability Status					
Living with a Disability	62	43.7	4.7	34.5	52.9
Living without a Disability	169	49.4	3.3	42.9	55.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	59	39.8	4.8	30.3	49.3
Overweight (25 ≤ BMI < 30)	85	52.2	4.6	43.3	61.2
Obese (BMI ≥ 30)	72	50.7	4.9	41.0	60.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	139	41.0	3.3	34.6	47.5
Does not participate in leisure time physical activity	91	62.1	4.4	53.5	70.8
Smoking Status					
Current smoker	57	62.8	6.1	50.9	74.7
Non-smoker	174	43.8	3.0	37.9	49.7
Health Insurance Status					
Insured	204	48.2	2.9	42.6	53.9
Uninsured	27	45.8	8.0	30.0	61.5

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Reno County	121	22.5	2.3	18.1	26.9
Gender					
Men	58	28.3	3.8	20.8	35.7
Women	63	17.1	2.4	12.3	21.8
Age Group					
18 to 44 Years	24	18.2	3.9	10.4	25.9
45 to 64 Years	44	24.8	3.7	17.6	32.0
65 Years and Older	52	26.4	3.5	19.5	33.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	118	23.0	2.3	18.5	27.5
Race					
White	114	22.7	2.3	18.2	27.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	56	31.6	4.5	22.8	40.4
Some College or College Graduate	65	16.9	2.3	12.5	21.3
Annual Household Income					
Less than \$35,000 per Year	62	28.7	3.9	21.0	36.4
\$35,000 or Higher per Year	50	17.8	2.8	12.4	23.3
Disability Status					
Living with a Disability	42	28.0	4.3	19.6	36.5
Living without a Disability	79	20.7	2.6	15.5	25.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	33	19.0	3.7	11.8	26.2
Overweight (25 ≤ BMI < 30)	35	19.1	3.6	12.1	26.1
Obese (BMI ≥ 30)	42	26.7	4.3	18.3	35.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	70	19.2	2.6	14.1	24.3
Does not participate in leisure time physical activity	51	29.2	4.3	20.8	37.7
Smoking Status					
Current smoker	29	28.0	5.3	17.5	38.4
Non-smoker	92	21.0	2.5	16.1	25.9
Health Insurance Status					
Insured	108	22.0	2.3	17.4	26.5
Uninsured	13	25.4	7.2	11.4	39.4

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Reno County	59	15.7	2.2	11.5	20.0
Gender					
Men	22	14.6	3.2	8.4	20.9
Women	37	16.8	2.9	11.0	22.6
Age Group					
18 to 44 Years	35	27.4	4.5	18.7	36.2
45 to 64 Years	23	12.1	2.7	6.9	17.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	13.6	2.1	9.5	17.7
Race					
White	47	13.5	2.1	9.3	17.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	19.9	4.0	12.1	27.8
Some College or College Graduate	34	13.1	2.5	8.2	17.9
Annual Household Income					
Less than \$35,000 per Year	37	24.8	4.0	16.9	32.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	11.5	3.3	5.1	17.9
Living without a Disability	44	17.2	2.7	12.0	22.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	21.0	4.3	12.6	29.4
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	13.1	3.4	6.5	19.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	15.2	2.8	9.8	20.6
Does not participate in leisure time physical activity	19	16.2	3.9	8.6	23.8
Smoking Status					
Current smoker	28	31.2	5.7	20.0	42.4
Non-smoker	30	11.4	2.2	7.0	15.7

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Reno County	58	20.6	2.8	15.1	26.0
Gender					
Men	22	19.1	4.1	11.1	27.1
Women	36	22.1	3.8	14.6	29.6
Age Group					
18 to 44 Years	35	27.4	4.5	18.7	36.2
45 to 64 Years	23	12.1	2.7	6.9	17.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	18.0	2.7	12.6	23.3
Race					
White	46	17.9	2.8	12.5	23.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	28.1	5.5	17.4	38.8
Some College or College Graduate	33	16.3	3.0	10.3	22.3
Annual Household Income					
Less than \$35,000 per Year	36	34.7	5.4	24.1	45.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	18.5	5.1	8.6	28.5
Living without a Disability	43	21.2	3.3	14.8	27.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	26.0	5.2	15.9	36.1
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	17.3	4.4	8.7	25.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	19.0	3.4	12.3	25.7
Does not participate in leisure time physical activity	19	23.8	5.5	13.0	34.6
Smoking Status					
Current smoker	28	36.3	6.5	23.6	49.0
Non-smoker	29	15.4	3.0	9.6	21.2

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Reno County	75	20.0	2.4	15.3	24.7
Gender					
Men	35	22.0	3.7	14.8	29.2
Women	40	17.9	3.1	11.8	24.0
Age Group					
18 to 44 Years	40	33.5	4.8	24.1	42.9
45 to 64 Years	26	14.1	3.0	8.3	20.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	18.6	2.4	13.9	23.4
Race					
White	60	17.5	2.4	12.8	22.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	28.5	4.7	19.4	37.7
Some College or College Graduate	43	14.5	2.4	9.9	19.2
Annual Household Income					
Less than \$35,000 per Year	34	27.1	4.5	18.3	35.9
\$35,000 or Higher per Year	27	12.1	2.5	7.3	16.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	67	24.2	3.0	18.3	30.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	32	23.9	4.2	15.7	32.0
Overweight (25 ≤ BMI < 30)	22	19.8	4.2	11.5	28.1
Obese (BMI ≥ 30)	16	14.4	4.3	6.0	22.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	50	20.7	3.0	14.8	26.7
Does not participate in leisure time physical activity	23	20.7	4.5	12.0	29.5
Smoking Status					
Current smoker	25	29.8	5.8	18.4	41.1
Non-smoker	48	17.1	2.6	12.0	22.3
Health Insurance Status					
Insured	45	12.9	2.2	8.5	17.3
Uninsured	30	57.7	7.6	42.8	72.7

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Reno County	68	13.6	1.8	10.0	17.2
Gender					
Men	18	9.7	2.5	4.9	14.6
Women	50	17.4	2.7	12.2	22.7
Age Group					
18 to 44 Years	33	19.8	3.6	12.7	27.0
45 to 64 Years	26	12.8	2.8	7.3	18.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	13.6	1.9	9.9	17.4
Race					
White	57	13.0	1.9	9.2	16.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	16.6	3.5	9.8	23.5
Some College or College Graduate	41	11.7	2.0	7.7	15.6
Annual Household Income					
Less than \$35,000 per Year	46	21.8	3.4	15.1	28.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	33	24.4	4.2	16.2	32.6
Living without a Disability	34	10.0	2.0	6.1	13.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	11.6	3.2	5.2	17.9
Overweight (25 ≤ BMI < 30)	20	11.3	2.8	5.9	16.8
Obese (BMI ≥ 30)	27	15.8	3.3	9.4	22.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	11.9	2.2	7.5	16.2
Does not participate in leisure time physical activity	26	15.3	3.5	8.4	22.3
Smoking Status					
Current smoker	33	30.5	5.3	20.1	40.9
Non-smoker	33	8.5	1.8	5.1	12.0
Health Insurance Status					
Insured	41	8.8	1.5	5.8	11.8
Uninsured	27	39.4	7.4	24.8	54.0

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Reno County	109	14.3	1.6	11.2	17.3
Gender					
Men	40	14.6	2.5	9.8	19.4
Women	69	13.9	1.9	10.2	17.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	37	17.8	3.0	11.9	23.7
65 Years and Older	61	25.3	3.2	19.1	31.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	106	15.0	1.7	11.7	18.2
Race					
White	101	15.0	1.7	11.7	18.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	49	16.5	2.8	11.1	22.0
Some College or College Graduate	60	12.9	1.8	9.2	16.5
Annual Household Income					
Less than \$35,000 per Year	74	22.6	3.0	16.7	28.6
\$35,000 or Higher per Year	21	6.6	1.6	3.6	9.7
Disability Status					
Living with a Disability	86	45.6	4.4	36.9	54.3
Living without a Disability	23	4.4	1.0	2.4	6.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	28	13.0	2.9	7.3	18.7
Overweight (25 ≤ BMI < 30)	24	9.7	2.2	5.4	13.9
Obese (BMI ≥ 30)	50	21.3	3.3	14.8	27.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	8.9	1.5	5.9	11.8
Does not participate in leisure time physical activity	56	24.6	3.6	17.5	31.7
Smoking Status					
Current smoker	33	25.1	4.7	15.8	34.4
Non-smoker	75	11.2	1.4	8.4	14.0
Health Insurance Status					
Insured	99	14.4	1.6	11.2	17.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Reno County	86	12.6	1.6	9.5	15.8
Gender					
Men	32	11.7	2.3	7.2	16.2
Women	54	13.6	2.2	9.3	18.0
Age Group					
18 to 44 Years	16	9.3	2.6	4.2	14.4
45 to 64 Years	30	15.1	2.9	9.4	20.7
65 Years and Older	40	15.2	2.5	10.3	20.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	84	12.9	1.6	9.7	16.2
Race					
White	78	12.6	1.7	9.3	15.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	13.6	2.9	7.8	19.3
Some College or College Graduate	53	12.1	1.9	8.5	15.7
Annual Household Income					
Less than \$35,000 per Year	64	24.1	3.4	17.3	30.8
\$35,000 or Higher per Year	17	5.5	1.4	2.7	8.3
Disability Status					
Living with a Disability	73	43.6	4.5	34.7	52.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	12.3	3.1	6.2	18.3
Overweight (25 ≤ BMI < 30)	22	9.2	2.3	4.7	13.6
Obese (BMI ≥ 30)	38	19.3	3.4	12.6	26.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	7.3	1.4	4.5	10.2
Does not participate in leisure time physical activity	48	24.1	3.9	16.5	31.7
Smoking Status					
Current smoker	25	21.4	4.7	12.1	30.7
Non-smoker	60	10.3	1.6	7.2	13.4
Health Insurance Status					
Insured	78	12.6	1.6	9.4	15.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Reno County	62	9.4	1.3	6.8	12.1
Gender					
Men	20	7.5	1.8	3.9	11.0
Women	42	11.4	2.0	7.5	15.2
Age Group					
18 to 44 Years	22	10.5	2.4	5.9	15.1
45 to 64 Years	24	11.3	2.5	6.5	16.2
65 Years and Older	16	5.0	1.4	2.2	7.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	60	9.5	1.4	6.8	12.2
Race					
White	53	8.7	1.4	6.1	11.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	10.4	2.4	5.7	15.1
Some College or College Graduate	38	8.8	1.6	5.7	11.9
Annual Household Income					
Less than \$35,000 per Year	40	14.8	2.7	9.6	20.0
\$35,000 or Higher per Year	16	5.6	1.5	2.6	8.7
Disability Status					
Living with a Disability	45	27.3	4.0	19.4	35.2
Living without a Disability	17	3.8	1.0	1.8	5.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	6.6	2.0	2.7	10.4
Obese (BMI ≥ 30)	32	16.6	3.1	10.4	22.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	7.2	1.5	4.3	10.1
Does not participate in leisure time physical activity	29	14.5	3.0	8.7	20.4
Smoking Status					
Current smoker	24	18.3	4.0	10.3	26.2
Non-smoker	37	6.9	1.3	4.4	9.5
Health Insurance Status					
Insured	54	9.4	1.4	6.6	12.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Reno County	121	38.5	3.6	31.5	45.5
Gender					
Men	47	40.5	5.6	29.5	51.5
Women	74	36.7	4.5	27.8	45.5
Age Group					
18 to 44 Years	29	33.8	6.1	21.8	45.8
45 to 64 Years	49	44.5	5.5	33.7	55.3
65 Years and Older	42	37.8	5.3	27.4	48.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	118	38.3	3.6	31.2	45.4
Race					
White	113	38.4	3.7	31.1	45.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	39	44.7	6.8	31.4	57.9
Some College or College Graduate	82	35.3	4.0	27.4	43.2
Annual Household Income					
Less than \$35,000 per Year	72	46.9	5.3	36.5	57.2
\$35,000 or Higher per Year	40	32.0	5.3	21.7	42.4
Disability Status					
Living with a Disability	79	62.0	5.4	51.5	72.5
Living without a Disability	41	24.6	4.2	16.3	32.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	37	38.2	6.6	25.2	51.2
Overweight (25 ≤ BMI < 30)	26	31.2	6.4	18.7	43.6
Obese (BMI ≥ 30)	55	46.4	5.9	34.9	57.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	63	31.6	4.2	23.4	39.8
Does not participate in leisure time physical activity	51	51.9	6.3	39.7	64.2
Smoking Status					
Current smoker	33	51.5	7.7	36.5	66.6
Non-smoker	86	33.8	3.9	26.1	41.4
Health Insurance Status					
Insured	111	39.2	3.8	31.8	46.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Reno County	272	57.1	2.6	52.0	62.3
Gender					
Men	122	63.4	3.7	56.1	70.7
Women	150	50.9	3.5	44.0	57.8
Age Group					
18 to 44 Years	86	69.1	4.7	59.9	78.3
45 to 64 Years	106	56.5	3.9	48.8	64.2
65 Years and Older	80	38.4	3.8	30.8	45.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	257	57.3	2.7	52.0	62.6
Race					
White	250	56.2	2.7	50.8	61.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	93	61.4	4.5	52.6	70.3
Some College or College Graduate	179	54.4	3.2	48.2	60.6
Annual Household Income					
Less than \$35,000 per Year	106	58.6	4.3	50.3	67.0
\$35,000 or Higher per Year	128	53.1	3.7	45.9	60.4
Disability Status					
Living with a Disability	76	53.2	4.6	44.2	62.3
Living without a Disability	194	58.4	3.1	52.3	64.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	88	63.0	4.6	54.0	72.0
Overweight (25 ≤ BMI < 30)	93	58.5	4.3	50.1	67.0
Obese (BMI ≥ 30)	81	52.1	4.9	42.6	61.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	181	57.2	3.2	50.9	63.5
Does not participate in leisure time physical activity	90	56.9	4.5	48.1	65.8
Smoking Status					
Current smoker	65	73.6	5.5	62.9	84.4
Non-smoker	206	52.8	2.9	47.0	58.6
Health Insurance Status					
Insured	232	54.3	2.8	48.9	59.8
Uninsured	40	71.9	7.5	57.3	86.5

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,547	35.2	0.6	33.9	36.4
Reno County	80	38.4	3.8	30.8	45.9
Gender					
Men	33	43.9	6.3	31.6	56.2
Women	47	32.9	4.3	24.4	41.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	77	38.3	3.9	30.6	45.9
Race					
White	79	39.5	3.9	31.8	47.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	42.0	6.1	30.1	54.0
Some College or College Graduate	46	35.1	4.7	25.8	44.3
Annual Household Income					
Less than \$35,000 per Year	36	30.6	5.0	20.8	40.3
\$35,000 or Higher per Year	27	41.6	6.4	29.0	54.2
Disability Status					
Living with a Disability	34	42.5	5.9	30.9	54.2
Living without a Disability	45	36.0	5.1	26.0	45.9
Weight Category					
Normal or Underweight (BMI < 25)	21	31.8	6.6	18.8	44.7
Overweight (25 ≤ BMI < 30)	29	39.8	6.4	27.3	52.3
Obese (BMI ≥ 30)	26	40.2	6.7	27.2	53.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	48	39.9	4.9	30.4	49.4
Does not participate in leisure time physical activity	31	36.1	6.2	23.9	48.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	68	35.3	4.0	27.5	43.1
Health Insurance Status					
Insured	79	38.1	3.9	30.5	45.7
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	30.0	0.6	28.7	31.2
Reno County	61	27.7	3.6	20.7	34.7
Gender					
Men	28	33.9	6.0	22.1	45.6
Women	33	21.5	3.7	14.2	28.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	26.6	3.5	19.7	33.5
Race					
White	57	26.3	3.5	19.4	33.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	25.9	5.6	14.9	36.9
Some College or College Graduate	38	29.3	4.6	20.3	38.3
Annual Household Income					
Less than \$35,000 per Year	23	20.4	4.6	11.4	29.5
\$35,000 or Higher per Year	24	28.9	5.5	18.1	39.6
Disability Status					
Living with a Disability	15	17.4	4.5	8.6	26.2
Living without a Disability	46	34.3	5.0	24.6	44.0
Weight Category					
Normal or Underweight (BMI < 25)	21	29.2	6.1	17.3	41.1
Overweight (25 ≤ BMI < 30)	25	30.6	5.9	19.0	42.2
Obese (BMI ≥ 30)	12	18.5	5.3	8.0	28.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	35.1	4.7	25.9	44.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	55	28.6	3.9	21.0	36.2
Health Insurance Status					
Insured	61	27.7	3.6	20.7	34.7
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Reno County	86	17.3	2.0	13.3	21.3
Gender					
Men	49	23.2	3.4	16.6	29.9
Women	37	11.5	2.2	7.1	15.9
Age Group					
18 to 44 Years	23	17.3	3.7	10.0	24.7
45 to 64 Years	34	19.0	3.3	12.5	25.4
65 Years and Older	29	15.0	2.9	9.4	20.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	81	17.1	2.1	13.0	21.2
Race					
White	79	17.1	2.1	13.0	21.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	14.1	3.2	7.8	20.4
Some College or College Graduate	62	19.3	2.6	14.2	24.4
Annual Household Income					
Less than \$35,000 per Year	31	17.7	3.6	10.7	24.7
\$35,000 or Higher per Year	46	17.9	2.8	12.5	23.4
Disability Status					
Living with a Disability	26	15.7	3.3	9.3	22.1
Living without a Disability	59	17.8	2.5	12.9	22.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	17.8	4.0	10.0	25.6
Overweight (25 ≤ BMI < 30)	29	18.9	3.7	11.7	26.1
Obese (BMI ≥ 30)	30	17.2	3.4	10.5	23.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	54	17.6	2.6	12.6	22.6
Does not participate in leisure time physical activity	32	16.8	3.4	10.2	23.4
Smoking Status					
Current smoker	14	18.6	5.2	8.5	28.8
Non-smoker	72	17.0	2.2	12.7	21.2
Health Insurance Status					
Insured	74	15.8	2.0	11.9	19.7
Uninsured	12	25.2	7.2	11.2	39.2

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Reno County	111	22.4	2.3	17.9	26.9
Gender					
Men	49	24.5	3.6	17.4	31.6
Women	62	20.4	2.8	14.9	25.9
Age Group					
18 to 44 Years	37	27.4	4.5	18.6	36.1
45 to 64 Years	46	23.0	3.3	16.5	29.5
65 Years and Older	27	12.7	2.7	7.4	18.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	106	22.6	2.4	17.9	27.3
Race					
White	100	22.3	2.4	17.5	27.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	44	27.2	4.2	18.9	35.5
Some College or College Graduate	67	19.4	2.6	14.3	24.5
Annual Household Income					
Less than \$35,000 per Year	62	35.1	4.4	26.5	43.6
\$35,000 or Higher per Year	40	14.7	2.5	9.8	19.7
Disability Status					
Living with a Disability	45	33.5	4.5	24.6	42.3
Living without a Disability	66	19.0	2.6	13.8	24.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	48	35.2	4.7	25.9	44.4
Overweight (25 ≤ BMI < 30)	30	15.4	3.1	9.4	21.4
Obese (BMI ≥ 30)	29	19.3	4.2	10.9	27.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	52	16.3	2.5	11.4	21.3
Does not participate in leisure time physical activity	49	31.5	4.6	22.5	40.5
Health Insurance Status					
Insured	83	18.3	2.3	13.9	22.8
Uninsured	28	44.3	7.7	29.3	59.4

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	56.5	1.0	54.5	58.4
Reno County	64	64.8	5.4	54.3	75.3
Gender					
Men	*	*	*	*	*
Women	36	68.5	6.6	55.5	81.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	61	65.3	5.5	54.5	76.0
Race					
White	58	65.4	5.7	54.3	76.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	40	67.8	6.7	54.7	80.9
Annual Household Income					
Less than \$35,000 per Year	41	75.1	6.1	63.1	87.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	40	71.9	6.3	59.6	84.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	65.9	7.8	50.7	81.1
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	46	62.4	6.3	50.0	74.8
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	961	5.5	0.2	5.1	5.9
Reno County	19	4.6	1.1	2.3	6.8
Gender					
Men	18	9.0	2.2	4.6	13.4
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	5.0	1.2	2.5	7.4
Race					
White	19	5.1	1.3	2.6	7.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	7.9	2.1	3.7	12.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	5.0	1.4	2.2	7.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	4.3	1.2	1.9	6.7
Health Insurance Status					
Insured	17	4.9	1.3	2.4	7.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	866	10.4	0.4	9.6	11.2
Reno County	18	9.0	2.2	4.6	13.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	9.9	2.5	5.1	14.7
Race					
White	18	10.0	2.5	5.1	14.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	13.9	3.6	6.8	21.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	9.7	2.7	4.5	15.0
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	8.6	2.4	3.9	13.4
Health Insurance Status					
Insured	17	9.7	2.5	4.8	14.6
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Reno County	91	14.3	1.7	11.0	17.5
Gender					
Men	83	26.5	3.1	20.4	32.7
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	13.9	2.8	8.4	19.3
65 Years and Older	54	30.8	3.8	23.4	38.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	87	14.2	1.7	10.9	17.5
Race					
White	87	15.3	1.8	11.8	18.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	14.8	2.9	9.1	20.5
Some College or College Graduate	61	14.0	2.0	10.1	17.9
Annual Household Income					
Less than \$35,000 per Year	34	14.2	2.6	9.1	19.3
\$35,000 or Higher per Year	50	16.4	2.5	11.4	21.3
Disability Status					
Living with a Disability	27	16.1	3.1	10.0	22.3
Living without a Disability	64	13.9	2.0	10.0	17.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	10.7	2.6	5.6	15.7
Overweight (25 ≤ BMI < 30)	40	19.6	3.3	13.1	26.1
Obese (BMI ≥ 30)	24	11.4	2.5	6.4	16.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	52	11.8	1.8	8.2	15.3
Does not participate in leisure time physical activity	31	18.9	3.6	11.9	25.9
Smoking Status					
Current smoker	19	14.3	3.6	7.3	21.3
Non-smoker	71	14.4	1.9	10.6	18.1
Health Insurance Status					
Insured	87	16.0	1.9	12.3	19.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Reno County	187	30.2	2.4	25.5	34.9
Gender					
Men	72	28.0	3.5	21.2	34.9
Women	115	32.6	3.3	26.2	39.0
Age Group					
18 to 44 Years	38	26.4	4.5	17.5	35.2
45 to 64 Years	77	34.8	3.7	27.6	42.1
65 Years and Older	71	30.2	3.4	23.5	36.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	177	30.3	2.5	25.4	35.2
Race					
White	172	30.4	2.5	25.4	35.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	65	34.0	4.5	25.1	42.9
Some College or College Graduate	122	28.0	2.7	22.7	33.2
Annual Household Income					
Less than \$35,000 per Year	86	32.3	4.0	24.5	40.0
\$35,000 or Higher per Year	76	28.3	3.4	21.7	34.9
Disability Status					
Living with a Disability	80	46.0	4.6	37.0	55.0
Living without a Disability	106	25.4	2.8	20.0	30.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	112	30.1	3.0	24.2	36.0
Does not participate in leisure time physical activity	63	31.5	4.6	22.5	40.4
Smoking Status					
Current smoker	29	25.5	5.5	14.7	36.2
Non-smoker	158	32.2	2.7	26.9	37.5
Health Insurance Status					
Insured	171	30.6	2.6	25.6	35.7
Uninsured	16	27.7	6.8	14.4	41.0

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Reno County	386	66.3	2.5	61.4	71.3
Gender					
Men	180	72.1	3.7	64.9	79.3
Women	206	60.1	3.5	53.4	66.9
Age Group					
18 to 44 Years	78	57.4	5.0	47.7	67.2
45 to 64 Years	151	72.3	3.5	65.4	79.2
65 Years and Older	155	72.9	3.3	66.5	79.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	363	64.8	2.6	59.7	70.0
Race					
White	356	65.2	2.7	60.0	70.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	126	68.8	4.3	60.4	77.2
Some College or College Graduate	260	64.8	3.1	58.7	71.0
Annual Household Income					
Less than \$35,000 per Year	154	64.3	4.3	55.9	72.7
\$35,000 or Higher per Year	189	67.9	3.4	61.2	74.6
Disability Status					
Living with a Disability	129	76.8	4.2	68.6	85.0
Living without a Disability	254	63.3	3.1	57.2	69.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	239	68.6	3.1	62.5	74.6
Does not participate in leisure time physical activity	129	67.3	4.6	58.3	76.3
Smoking Status					
Current smoker	59	49.5	6.0	37.6	61.3
Non-smoker	324	71.9	2.6	66.7	77.1
Health Insurance Status					
Insured	357	68.9	2.6	63.9	74.0
Uninsured	29	50.7	8.0	35.1	66.3

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>