


2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Saline County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Saline County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

Heart Attack	13
Coronary Heart Disease	15
Stroke	17
High Blood Pressure	19

Cholesterol

Not Checked Cholesterol within Five Years	21
High Blood Cholesterol Status.....	23

Chronic Obstructive Pulmonary Disease (COPD)	25
---	----

Depressive Disorder	27
----------------------------------	----

Diabetes	29
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	31
Disability	33

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	35
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	37

Not Participating in Any Physical Activity39

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day41

Consuming Vegetables Less than 1 Time Per Day.....43

Health Care Access

Lack of Health Care Coverage.....45

Lack of Health Care Coverage 18 to 64 Years Old Only47

No Personal Doctor49

Did Not See Doctor Due to Cost.....51

General Health53

Healthy Days - Health Related Quality of Life

Physical Health Status.....55

Mental Health Status.....57

Poor Physical or Mental Health is Barrier to Usual Activities.....59

Immunization

Not Immunized Against Influenza.....61

Not Immunized Against Influenza 65 Years and Older Only63

Never Had Pneumonia Vaccination 65 Years and Older Only65

Seatbelt Use.....67

Tobacco Use

Current Smoker69

Tried Quitting Smoking71

Smokeless Tobacco Use73

Veteran Status75

Weight Status (BMI Categories)

Obese.....77

Overweight or Obese79

Technical Notes.....81

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Saline County: Heavy Drinking and Male Smokeless Tobacco Use.

Percentage of Adults Who Are Binge Drinkers, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Saline County	42	13.0	2.1	8.8	17.2
Gender					
Men	24	17.9	3.7	10.7	25.1
Women	18	8.3	2.1	4.2	12.4
Age Group					
18 to 44 Years	24	21.0	4.1	12.9	29.1
45 to 64 Years	14	8.5	2.4	3.8	13.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	13.0	2.2	8.7	17.3
Race					
White	38	13.1	2.3	8.7	17.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	13.5	3.5	6.5	20.4
Some College or College Graduate	28	12.7	2.6	7.5	17.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	28	15.8	3.1	9.6	21.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	39	14.6	2.5	9.8	19.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	12.0	3.6	5.1	19.0
Overweight (25 ≤ BMI < 30)	14	13.4	3.8	5.8	20.9
Obese (BMI ≥ 30)	14	15.4	4.2	7.2	23.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	13.9	2.7	8.7	19.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	34	12.2	2.3	7.8	16.6
Health Insurance Status					
Insured	32	11.4	2.2	7.1	15.7
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Saline County	127	21.2	2.1	17.1	25.3
Gender					
Men	31	13.0	2.7	7.7	18.3
Women	96	29.0	3.1	22.9	35.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	53	27.9	3.9	20.1	35.6
65 Years and Older	63	44.3	4.7	35.1	53.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	125	22.7	2.3	18.3	27.1
Race					
White	117	22.2	2.2	17.8	26.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	54	24.8	3.7	17.5	32.0
Some College or College Graduate	73	18.6	2.4	13.9	23.4
Annual Household Income					
Less than \$35,000 per Year	63	24.1	3.5	17.3	30.8
\$35,000 or Higher per Year	43	16.3	2.8	10.8	21.8
Disability Status					
Living with a Disability	67	57.5	5.8	46.0	68.9
Living without a Disability	60	12.8	1.9	9.0	16.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	36	16.8	3.2	10.5	23.0
Overweight (25 ≤ BMI < 30)	33	17.7	3.6	10.5	24.8
Obese (BMI ≥ 30)	51	29.0	4.3	20.7	37.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	73	17.7	2.4	13.0	22.4
Does not participate in leisure time physical activity	47	29.7	4.5	20.9	38.6
Smoking Status					
Current smoker	19	17.9	4.7	8.6	27.1
Non-smoker	106	22.0	2.4	17.4	26.7
Health Insurance Status					
Insured	116	23.8	2.4	19.0	28.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Saline County	56	46.1	5.5	35.3	56.8
Gender					
Men	*	*	*	*	*
Women	45	52.2	6.2	40.0	64.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	51.1	8.7	34.0	68.2
65 Years and Older	21	37.6	7.3	23.3	52.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	45.0	5.5	34.1	55.8
Race					
White	48	43.1	5.6	32.2	54.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	37	49.9	6.9	36.5	63.4
Annual Household Income					
Less than \$35,000 per Year	32	54.7	7.8	39.4	70.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	49	78.3	5.7	67.1	89.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	35.8	6.7	22.6	48.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	46	43.7	5.9	32.1	55.3
Health Insurance Status					
Insured	52	48.1	5.8	36.8	59.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Saline County	49	9.9	1.7	6.5	13.3
Gender					
Men	*	*	*	*	*
Women	42	13.8	2.5	9.0	18.7
Age Group					
18 to 44 Years	16	12.4	3.3	5.9	18.9
45 to 64 Years	19	8.7	2.1	4.5	12.8
65 Years and Older	14	6.5	1.8	2.9	10.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	47	9.9	1.7	6.5	13.2
Race					
White	47	10.0	1.7	6.6	13.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	36	12.3	2.4	7.5	17.1
Annual Household Income					
Less than \$35,000 per Year	24	13.7	3.5	6.9	20.5
\$35,000 or Higher per Year	20	7.2	1.8	3.7	10.8
Disability Status					
Living with a Disability	21	13.9	3.4	7.3	20.5
Living without a Disability	28	9.0	2.0	5.2	12.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	10.0	2.9	4.3	15.7
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	25	15.6	3.6	8.6	22.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	11.5	2.4	6.8	16.2
Does not participate in leisure time physical activity	14	7.9	2.3	3.4	12.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	44	11.2	2.1	7.1	15.2
Health Insurance Status					
Insured	42	8.8	1.6	5.6	12.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Saline County	46	7.4	1.7	4.2	10.7
Gender					
Men	14	3.7	1.1	1.6	5.7
Women	32	11.0	3.0	5.2	16.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	28	18.4	3.4	11.7	25.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	7.9	1.8	4.4	11.4
Race					
White	40	6.2	1.1	4.1	8.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	7.6	1.8	4.1	11.1
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	25	8.7	1.9	4.9	12.5
\$35,000 or Higher per Year	15	4.3	1.2	1.9	6.7
Disability Status					
Living with a Disability	21	13.9	3.3	7.5	20.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	6.7	1.9	2.9	10.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	8.5	2.3	3.9	13.1
Does not participate in leisure time physical activity	13	6.3	1.9	2.6	10.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	39	6.8	1.2	4.5	9.2
Health Insurance Status					
Insured	43	8.4	2.0	4.5	12.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Saline County	50	6.8	1.1	4.7	8.9
Gender					
Men	18	5.3	1.3	2.6	7.9
Women	32	8.3	1.6	5.1	11.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	12	5.4	1.6	2.2	8.5
65 Years and Older	37	24.1	3.9	16.4	31.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	7.4	1.2	5.1	9.7
Race					
White	48	7.5	1.2	5.2	9.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	7.0	1.8	3.5	10.4
Some College or College Graduate	30	6.7	1.3	4.1	9.3
Annual Household Income					
Less than \$35,000 per Year	23	7.4	1.7	4.0	10.8
\$35,000 or Higher per Year	17	4.9	1.3	2.3	7.5
Disability Status					
Living with a Disability	21	13.4	3.2	7.1	19.6
Living without a Disability	29	5.3	1.1	3.2	7.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	7.2	2.0	3.3	11.1
Overweight (25 ≤ BMI < 30)	16	6.6	1.8	3.1	10.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	6.5	1.2	4.2	8.9
Does not participate in leisure time physical activity	15	9.1	2.6	4.0	14.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	6.7	1.2	4.4	8.9
Health Insurance Status					
Insured	48	8.2	1.3	5.6	10.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,331	4.2	0.1	4.0	4.5
Saline County	32	4.7	1.0	2.8	6.7
Gender					
Men	17	6.5	1.7	3.0	9.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	15.5	3.8	8.1	23.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	4.9	1.1	2.8	7.1
Race					
White	28	4.8	1.1	2.7	7.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	20	4.3	1.1	2.1	6.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	19	10.6	2.9	5.0	16.2
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	4.5	1.2	2.0	6.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	4.7	1.1	2.5	7.0
Health Insurance Status					
Insured	29	5.6	1.2	3.1	8.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,352	4.2	0.1	4.0	4.5
Saline County	30	4.6	1.0	2.7	6.6
Gender					
Men	16	6.4	1.8	2.9	9.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	6.4	1.9	2.6	10.1
65 Years and Older	16	12.4	3.5	5.5	19.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	4.8	1.1	2.7	6.9
Race					
White	28	5.0	1.1	2.8	7.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	5.4	1.3	2.9	7.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	5.4	1.5	2.4	8.4
Disability Status					
Living with a Disability	19	12.0	3.2	5.8	18.2
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	4.1	1.2	1.8	6.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	5.2	1.2	2.9	7.5
Health Insurance Status					
Insured	27	5.5	1.2	3.0	7.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Had a Stroke, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	923	3.0	0.1	2.7	3.2
Saline County	32	4.2	0.9	2.5	6.0
Gender					
Men	*	*	*	*	*
Women	22	4.6	1.1	2.5	6.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	18	10.3	2.7	5.0	15.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	4.3	0.9	2.4	6.1
Race					
White	28	4.4	1.0	2.4	6.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	19	4.2	1.2	1.8	6.5
Annual Household Income					
Less than \$35,000 per Year	21	5.7	1.5	2.8	8.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	15.4	3.6	8.4	22.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	18	8.1	2.2	3.8	12.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	4.8	1.1	2.7	7.0
Health Insurance Status					
Insured	30	5.1	1.1	2.9	7.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Saline County	201	32.4	2.5	27.5	37.2
Gender					
Men	72	30.3	3.8	22.9	37.7
Women	129	34.4	3.3	28.0	40.7
Age Group					
18 to 44 Years	12	10.9	3.1	4.8	17.1
45 to 64 Years	89	40.9	4.1	32.8	49.1
65 Years and Older	99	67.1	4.4	58.6	75.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	189	32.1	2.5	27.1	37.1
Race					
White	182	31.9	2.5	27.0	36.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	81	33.3	4.0	25.4	41.2
Some College or College Graduate	120	31.7	3.1	25.6	37.9
Annual Household Income					
Less than \$35,000 per Year	92	34.6	4.1	26.6	42.6
\$35,000 or Higher per Year	83	30.8	3.4	24.0	37.6
Disability Status					
Living with a Disability	77	55.3	5.8	44.0	66.7
Living without a Disability	124	27.2	2.6	22.0	32.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	43	17.8	3.2	11.5	24.0
Overweight (25 ≤ BMI < 30)	58	28.0	4.1	20.1	36.0
Obese (BMI ≥ 30)	87	51.0	5.0	41.1	60.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	119	28.6	2.9	22.8	34.3
Does not participate in leisure time physical activity	72	42.3	5.0	32.4	52.2
Smoking Status					
Current smoker	28	26.9	5.9	15.5	38.4
Non-smoker	171	33.9	2.8	28.5	39.3
Health Insurance Status					
Insured	188	38.2	2.9	32.5	43.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Saline County	86	28.9	2.8	23.4	34.4
Gender					
Men	37	31.4	4.4	22.8	40.1
Women	49	26.4	3.5	19.5	33.3
Age Group					
18 to 44 Years	58	52.6	5.0	42.7	62.4
45 to 64 Years	20	13.7	3.2	7.3	20.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	77	27.8	2.9	22.2	33.5
Race					
White	77	29.7	3.0	23.9	35.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	44	35.2	4.6	26.1	44.2
Some College or College Graduate	42	24.2	3.5	17.4	31.1
Annual Household Income					
Less than \$35,000 per Year	44	36.3	4.7	27.1	45.5
\$35,000 or Higher per Year	34	22.8	3.7	15.6	30.0
Disability Status					
Living with a Disability	13	18.5	5.2	8.3	28.8
Living without a Disability	73	31.3	3.2	25.0	37.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	34	34.5	5.1	24.4	44.5
Overweight (25 ≤ BMI < 30)	23	26.4	5.0	16.6	36.3
Obese (BMI ≥ 30)	22	24.6	4.9	15.1	34.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	54	28.1	3.5	21.3	35.0
Does not participate in leisure time physical activity	25	27.5	5.1	17.4	37.6
Smoking Status					
Current smoker	24	45.5	7.0	31.7	59.3
Non-smoker	62	25.5	3.0	19.6	31.5
Health Insurance Status					
Insured	55	20.7	2.7	15.4	26.1
Uninsured	30	60.7	6.9	47.2	74.1

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Saline County	171	42.0	3.1	36.1	48.0
Gender					
Men	71	45.3	4.9	35.7	54.9
Women	100	39.0	3.7	31.8	46.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	87	49.3	4.5	40.4	58.1
65 Years and Older	75	59.7	4.7	50.6	68.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	165	43.5	3.1	37.4	49.7
Race					
White	162	45.4	3.2	39.0	51.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	59	40.4	5.2	30.3	50.6
Some College or College Graduate	112	43.1	3.7	35.7	50.4
Annual Household Income					
Less than \$35,000 per Year	66	39.7	5.0	29.9	49.4
\$35,000 or Higher per Year	85	43.1	4.3	34.7	51.4
Disability Status					
Living with a Disability	58	54.2	6.0	42.5	66.0
Living without a Disability	112	38.8	3.5	31.9	45.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	37	32.1	5.3	21.8	42.5
Overweight (25 ≤ BMI < 30)	58	45.6	5.5	34.8	56.4
Obese (BMI ≥ 30)	65	46.5	5.3	36.0	57.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	108	39.9	3.7	32.6	47.1
Does not participate in leisure time physical activity	56	49.4	6.0	37.6	61.2
Smoking Status					
Current smoker	22	44.5	8.2	28.4	60.6
Non-smoker	146	41.9	3.3	35.3	48.4
Health Insurance Status					
Insured	162	45.0	3.3	38.6	51.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Saline County	36	5.2	1.1	3.1	7.4
Gender					
Men	*	*	*	*	*
Women	30	6.9	1.5	4.1	9.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	20	12.0	3.1	5.8	18.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	5.4	1.2	3.1	7.7
Race					
White	34	5.7	1.2	3.3	8.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	5.6	1.6	2.5	8.8
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	26	9.2	2.3	4.6	13.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	24	13.5	3.0	7.6	19.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	21	12.2	3.1	6.0	18.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	18	8.9	2.4	4.2	13.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	4.9	1.3	2.5	7.4
Health Insurance Status					
Insured	31	5.1	1.1	3.0	7.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Saline County	83	16.3	2.0	12.4	20.2
Gender					
Men	23	12.3	2.8	6.8	17.8
Women	60	20.2	2.8	14.7	25.7
Age Group					
18 to 44 Years	26	16.9	3.5	10.2	23.7
45 to 64 Years	38	18.4	3.1	12.3	24.5
65 Years and Older	19	11.2	2.7	5.9	16.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	77	16.5	2.1	12.4	20.5
Race					
White	78	17.3	2.2	13.1	21.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	15.3	3.1	9.2	21.4
Some College or College Graduate	52	17.1	2.6	12.1	22.1
Annual Household Income					
Less than \$35,000 per Year	41	19.5	3.4	12.9	26.2
\$35,000 or Higher per Year	35	14.9	2.8	9.5	20.3
Disability Status					
Living with a Disability	37	34.1	5.5	23.4	44.9
Living without a Disability	46	12.2	2.0	8.3	16.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	18.1	3.9	10.4	25.8
Overweight (25 ≤ BMI < 30)	18	10.3	2.7	5.0	15.5
Obese (BMI ≥ 30)	38	22.0	3.9	14.5	29.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	46	14.4	2.4	9.7	19.1
Does not participate in leisure time physical activity	33	20.6	3.8	13.2	28.0
Smoking Status					
Current smoker	14	15.9	4.6	6.9	24.8
Non-smoker	67	16.2	2.2	11.9	20.5
Health Insurance Status					
Insured	68	15.6	2.1	11.5	19.7
Uninsured	15	19.6	5.4	9.1	30.1

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Saline County	66	12.0	1.9	8.2	15.8
Gender					
Men	26	11.0	2.4	6.3	15.7
Women	40	12.9	3.0	7.1	18.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	35	15.6	2.9	10.0	21.2
65 Years and Older	26	20.0	3.9	12.4	27.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	62	11.8	2.0	7.9	15.7
Race					
White	58	10.3	1.5	7.4	13.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	9.6	2.3	5.1	14.1
Some College or College Graduate	43	13.7	2.9	8.1	19.3
Annual Household Income					
Less than \$35,000 per Year	29	12.0	2.7	6.8	17.2
\$35,000 or Higher per Year	26	9.5	2.0	5.7	13.4
Disability Status					
Living with a Disability	29	19.8	3.9	12.1	27.4
Living without a Disability	37	10.2	2.2	5.8	14.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	39	21.9	3.8	14.4	29.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	38	12.1	2.6	6.9	17.2
Does not participate in leisure time physical activity	25	12.9	3.0	7.0	18.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	56	11.2	1.7	7.9	14.5
Health Insurance Status					
Insured	62	14.4	2.4	9.8	19.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Saline County	105	17.1	2.0	13.3	21.0
Gender					
Men	33	13.7	2.8	8.1	19.2
Women	72	20.5	2.7	15.2	25.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	50	22.6	3.5	15.8	29.4
65 Years and Older	44	27.2	4.1	19.2	35.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	100	17.8	2.1	13.7	21.8
Race					
White	95	17.6	2.1	13.5	21.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	18.8	3.2	12.4	25.1
Some College or College Graduate	62	16.0	2.4	11.2	20.8
Annual Household Income					
Less than \$35,000 per Year	60	20.8	3.2	14.5	27.0
\$35,000 or Higher per Year	30	12.5	2.7	7.2	17.8
Weight Category					
Normal or Underweight (BMI < 25)	29	16.6	3.6	9.4	23.7
Overweight (25 ≤ BMI < 30)	25	12.6	3.1	6.6	18.7
Obese (BMI ≥ 30)	47	23.3	3.8	15.9	30.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	53	11.2	1.9	7.5	14.9
Does not participate in leisure time physical activity	48	32.0	4.8	22.7	41.4
Smoking Status					
Current smoker	22	25.3	5.9	13.7	37.0
Non-smoker	83	15.3	2.0	11.5	19.1
Health Insurance Status					
Insured	94	19.0	2.3	14.6	23.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Saline County	119	19.0	2.0	15.0	23.0
Gender					
Men	40	15.8	2.9	10.1	21.6
Women	79	22.0	2.8	16.6	27.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	51	23.0	3.5	16.2	29.9
65 Years and Older	56	35.0	4.4	26.4	43.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	114	19.8	2.1	15.6	24.0
Race					
White	108	19.6	2.1	15.4	23.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	50	21.2	3.4	14.6	27.7
Some College or College Graduate	69	17.5	2.5	12.5	22.4
Annual Household Income					
Less than \$35,000 per Year	69	23.6	3.4	17.0	30.2
\$35,000 or Higher per Year	34	13.9	2.8	8.5	19.3
Weight Category					
Normal or Underweight (BMI < 25)	32	17.3	3.7	10.2	24.5
Overweight (25 ≤ BMI < 30)	28	13.8	3.2	7.6	20.0
Obese (BMI ≥ 30)	54	26.3	3.9	18.6	34.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	60	12.5	2.0	8.7	16.3
Does not participate in leisure time physical activity	55	35.7	4.9	26.1	45.2
Smoking Status					
Current smoker	22	25.3	5.9	13.7	37.0
Non-smoker	97	17.6	2.1	13.6	21.7
Health Insurance Status					
Insured	107	21.2	2.3	16.6	25.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Saline County	357	85.5	2.0	81.5	89.5
Gender					
Men	133	82.6	3.3	76.2	89.1
Women	224	88.3	2.4	83.6	93.0
Age Group					
18 to 44 Years	93	82.2	3.8	74.7	89.7
45 to 64 Years	153	92.4	2.1	88.3	96.6
65 Years and Older	111	80.3	3.7	73.0	87.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	338	84.6	2.2	80.3	88.9
Race					
White	324	85.4	2.2	81.1	89.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	135	90.2	2.8	84.8	95.7
Some College or College Graduate	222	82.3	2.8	76.8	87.9
Annual Household Income					
Less than \$35,000 per Year	144	85.4	3.5	78.6	92.3
\$35,000 or Higher per Year	170	84.0	2.8	78.5	89.5
Disability Status					
Living with a Disability	95	87.2	3.6	80.2	94.3
Living without a Disability	262	85.0	2.4	80.4	89.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	112	88.1	3.7	82.1	94.1
Overweight (25 ≤ BMI < 30)	109	84.1	3.9	76.5	91.7
Obese (BMI ≥ 30)	119	86.7	3.6	79.7	93.7
Smoking Status					
Current smoker	62	92.3	4.0	84.5	100
Non-smoker	292	83.7	2.4	79.1	88.3
Health Insurance Status					
Insured	311	86.1	2.1	81.9	90.3
Uninsured	46	85.2	5.3	74.9	95.5

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Saline County	189	45.3	3.0	39.4	51.2
Gender					
Men	57	40.2	4.6	31.3	49.2
Women	132	50.4	4.0	42.6	58.2
Age Group					
18 to 44 Years	54	45.1	5.2	34.9	55.3
45 to 64 Years	79	48.3	4.6	39.3	57.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	178	44.0	3.1	38.0	50.0
Race					
White	170	44.5	3.1	38.5	50.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	78	48.5	5.0	38.8	58.3
Some College or College Graduate	111	43.2	3.8	35.9	50.6
Annual Household Income					
Less than \$35,000 per Year	80	45.6	4.8	36.2	55.1
\$35,000 or Higher per Year	80	42.0	4.1	34.0	50.1
Disability Status					
Living with a Disability	54	52.8	5.8	41.4	64.2
Living without a Disability	135	43.5	3.4	36.8	50.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	47	37.1	5.2	26.9	47.4
Overweight (25 ≤ BMI <30)	54	46.0	5.4	35.4	56.6
Obese (BMI ≥ 30)	74	53.0	5.2	42.8	63.2
Smoking Status					
Current smoker	35	49.2	7.7	34.1	64.4
Non-smoker	153	44.3	3.3	37.9	50.7
Health Insurance Status					
Insured	160	44.4	3.2	38.0	50.7
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Saline County	131	29.1	2.6	24.0	34.2
Gender					
Men	36	23.4	3.8	15.9	30.9
Women	95	34.8	3.6	27.8	41.8
Age Group					
18 to 44 Years	35	26.9	4.4	18.3	35.4
45 to 64 Years	50	28.8	4.1	20.8	36.8
65 Years and Older	46	35.1	4.7	25.9	44.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	124	28.8	2.7	23.5	34.0
Race					
White	119	29.6	2.7	24.3	35.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	65	35.3	4.5	26.5	44.0
Some College or College Graduate	66	25.0	3.2	18.8	31.3
Annual Household Income					
Less than \$35,000 per Year	68	33.9	4.3	25.5	42.3
\$35,000 or Higher per Year	38	19.5	3.3	13.0	26.0
Disability Status					
Living with a Disability	55	54.0	5.7	42.8	65.2
Living without a Disability	76	23.2	2.8	17.7	28.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	37	30.2	4.9	20.6	39.8
Overweight (25 ≤ BMI < 30)	34	25.4	4.5	16.6	34.2
Obese (BMI ≥ 30)	53	33.4	4.7	24.2	42.6
Smoking Status					
Current smoker	28	38.2	7.0	24.4	52.0
Non-smoker	102	26.7	2.8	21.2	32.1
Health Insurance Status					
Insured	108	28.0	2.8	22.5	33.4
Uninsured	23	35.0	7.1	21.2	48.9

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Saline County	159	42.0	3.0	36.1	47.8
Gender					
Men	66	44.7	4.6	35.8	53.7
Women	93	39.2	3.8	31.7	46.7
Age Group					
18 to 44 Years	56	49.0	5.3	38.6	59.3
45 to 64 Years	68	42.8	4.5	34.0	51.6
65 Years and Older	35	23.6	4.1	15.6	31.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	150	42.3	3.1	36.3	48.4
Race					
White	143	43.3	3.1	37.2	49.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	71	51.4	4.9	41.8	61.1
Some College or College Graduate	88	35.8	3.6	28.6	42.9
Annual Household Income					
Less than \$35,000 per Year	62	42.5	4.8	33.1	52.0
\$35,000 or Higher per Year	78	42.1	4.1	34.0	50.1
Disability Status					
Living with a Disability	36	38.7	5.9	27.0	50.3
Living without a Disability	123	42.7	3.4	36.0	49.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	42	38.8	5.4	28.2	49.4
Overweight (25 ≤ BMI < 30)	49	40.5	5.4	30.0	51.1
Obese (BMI ≥ 30)	61	49.5	5.2	39.3	59.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	93	35.4	3.5	28.4	42.3
Does not participate in leisure time physical activity	64	57.8	5.1	47.8	67.9
Smoking Status					
Current smoker	28	41.7	7.5	27.1	56.4
Non-smoker	131	42.3	3.3	35.9	48.7
Health Insurance Status					
Insured	132	39.6	3.2	33.3	45.9
Uninsured	27	53.8	7.6	38.8	68.7

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Saline County	98	24.4	2.6	19.3	29.5
Gender					
Men	41	22.6	3.8	15.1	30.1
Women	57	26.3	3.5	19.4	33.2
Age Group					
18 to 44 Years	33	29.9	4.8	20.6	39.2
45 to 64 Years	36	18.8	3.4	12.2	25.4
65 Years and Older	29	22.1	4.0	14.2	29.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	94	25.0	2.7	19.7	30.3
Race					
White	93	26.4	2.8	20.9	31.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	44	30.7	4.7	21.5	39.8
Some College or College Graduate	54	20.3	2.9	14.6	26.0
Annual Household Income					
Less than \$35,000 per Year	39	25.0	4.3	16.5	33.5
\$35,000 or Higher per Year	47	22.8	3.4	16.2	29.5
Disability Status					
Living with a Disability	24	23.8	5.3	13.3	34.3
Living without a Disability	74	24.5	2.9	18.8	30.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	31	26.6	4.9	17.0	36.1
Overweight (25 ≤ BMI < 30)	28	16.0	3.6	9.0	23.0
Obese (BMI ≥ 30)	33	29.3	4.9	19.7	39.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	63	20.5	2.9	14.9	26.1
Does not participate in leisure time physical activity	34	34.2	5.3	23.8	44.7
Smoking Status					
Current smoker	18	26.9	6.5	14.2	39.7
Non-smoker	80	23.9	2.8	18.4	29.5
Health Insurance Status					
Insured	87	25.5	2.9	19.9	31.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Saline County	64	19.8	2.5	15.0	24.6
Gender					
Men	32	24.7	4.1	16.7	32.6
Women	32	15.1	2.8	9.7	20.5
Age Group					
18 to 44 Years	37	32.4	4.7	23.2	41.6
45 to 64 Years	25	14.1	3.1	8.1	20.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	60	19.8	2.5	14.8	24.8
Race					
White	55	19.7	2.6	14.6	24.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	23.7	4.1	15.7	31.8
Some College or College Graduate	33	16.9	3.0	11.0	22.9
Annual Household Income					
Less than \$35,000 per Year	42	31.8	4.5	22.9	40.6
\$35,000 or Higher per Year	14	8.9	2.4	4.2	13.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	52	22.0	2.9	16.2	27.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	25.0	4.6	15.9	34.0
Overweight (25 ≤ BMI < 30)	17	19.2	4.5	10.4	28.0
Obese (BMI ≥ 30)	19	16.6	4.2	8.4	24.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	17.1	3.0	11.3	22.9
Does not participate in leisure time physical activity	23	22.2	4.6	13.2	31.3
Smoking Status					
Current smoker	26	38.4	6.9	24.9	52.0
Non-smoker	38	15.4	2.6	10.3	20.4

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Saline County	62	24.3	3.0	18.4	30.2
Gender					
Men	31	28.8	4.7	19.6	37.9
Women	31	19.5	3.6	12.5	26.5
Age Group					
18 to 44 Years	37	32.4	4.7	23.2	41.6
45 to 64 Years	25	14.1	3.1	8.1	20.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	24.8	3.1	18.7	31.0
Race					
White	53	24.9	3.2	18.6	31.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	31.2	5.3	20.9	41.6
Some College or College Graduate	32	19.8	3.6	12.8	26.8
Annual Household Income					
Less than \$35,000 per Year	41	40.9	5.5	30.0	51.7
\$35,000 or Higher per Year	13	10.3	2.8	4.7	15.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	51	25.8	3.4	19.2	32.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	31.2	5.7	20.1	42.3
Overweight (25 ≤ BMI < 30)	16	24.3	5.6	13.2	35.3
Obese (BMI ≥ 30)	18	19.3	4.9	9.8	28.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	20.6	3.6	13.6	27.6
Does not participate in leisure time physical activity	22	28.5	5.8	17.1	40.0
Smoking Status					
Current smoker	26	41.9	7.5	27.2	56.6
Non-smoker	36	19.4	3.2	13.0	25.7

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Saline County	54	18.0	2.4	13.3	22.8
Gender					
Men	30	22.5	3.9	14.9	30.1
Women	24	13.7	2.9	8.0	19.4
Age Group					
18 to 44 Years	37	32.0	4.7	22.9	41.1
45 to 64 Years	15	9.2	2.6	4.0	14.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	47	16.4	2.4	11.8	21.1
Race					
White	45	16.7	2.4	12.0	21.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	20.6	4.1	12.7	28.6
Some College or College Graduate	30	16.2	3.0	10.4	22.0
Annual Household Income					
Less than \$35,000 per Year	35	31.2	4.6	22.2	40.2
\$35,000 or Higher per Year	14	7.9	2.3	3.5	12.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	49	20.1	2.8	14.5	25.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	16.6	3.9	9.0	24.3
Overweight (25 ≤ BMI < 30)	19	21.7	4.7	12.5	30.9
Obese (BMI ≥ 30)	13	12.9	3.8	5.5	20.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	17.2	3.1	11.2	23.2
Does not participate in leisure time physical activity	15	15.1	3.9	7.4	22.8
Smoking Status					
Current smoker	19	32.6	6.8	19.4	45.9
Non-smoker	34	14.4	2.5	9.4	19.3
Health Insurance Status					
Insured	26	10.0	2.1	5.9	14.0
Uninsured	28	51.3	7.1	37.3	65.2

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Saline County	54	11.9	1.8	8.3	15.5
Gender					
Men	16	10.8	2.9	5.3	16.4
Women	38	12.9	2.3	8.3	17.5
Age Group					
18 to 44 Years	23	16.1	3.4	9.3	22.8
45 to 64 Years	28	12.6	2.7	7.3	17.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	11.9	1.9	8.2	15.6
Race					
White	44	11.9	2.0	8.0	15.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	11.7	3.0	5.8	17.5
Some College or College Graduate	33	12.1	2.3	7.5	16.6
Annual Household Income					
Less than \$35,000 per Year	34	16.7	3.2	10.3	23.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	20	14.6	3.7	7.4	21.8
Living without a Disability	34	11.3	2.1	7.2	15.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	10.9	3.2	4.7	17.1
Overweight (25 ≤ BMI < 30)	15	11.5	3.2	5.3	17.7
Obese (BMI ≥ 30)	20	14.1	3.6	7.0	21.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	10.5	2.2	6.3	14.8
Does not participate in leisure time physical activity	24	17.5	4.0	9.6	25.4
Smoking Status					
Current smoker	18	20.5	5.3	10.1	30.9
Non-smoker	35	9.8	1.9	6.0	13.5
Health Insurance Status					
Insured	28	6.4	1.4	3.7	9.1
Uninsured	26	34.7	6.7	21.6	47.8

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Saline County	75	15.2	2.1	11.2	19.3
Gender					
Men	28	16.7	3.4	10.1	23.3
Women	47	13.8	2.3	9.2	18.4
Age Group					
18 to 44 Years	16	13.3	3.4	6.5	20.0
45 to 64 Years	38	18.6	3.3	12.2	25.0
65 Years and Older	21	13.6	3.4	7.0	20.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	68	14.0	2.0	10.0	18.1
Race					
White	60	13.1	2.0	9.1	17.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	18.6	3.5	11.7	25.5
Some College or College Graduate	38	12.8	2.4	8.0	17.6
Annual Household Income					
Less than \$35,000 per Year	48	23.0	3.9	15.4	30.6
\$35,000 or Higher per Year	16	7.9	2.2	3.7	12.1
Disability Status					
Living with a Disability	45	36.6	5.5	25.8	47.5
Living without a Disability	30	10.3	2.1	6.2	14.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	10.8	3.0	5.0	16.7
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	41	30.2	4.8	20.8	39.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	13.2	2.4	8.4	18.0
Does not participate in leisure time physical activity	27	19.7	4.2	11.5	27.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	60	15.8	2.4	11.2	20.4
Health Insurance Status					
Insured	63	15.7	2.3	11.2	20.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Saline County	48	9.4	1.6	6.3	12.5
Gender					
Men	22	11.5	2.7	6.1	16.8
Women	26	7.3	1.7	4.0	10.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	24	12.9	2.9	7.1	18.6
65 Years and Older	15	8.7	2.6	3.6	13.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	8.5	1.6	5.4	11.5
Race					
White	37	8.3	1.6	5.2	11.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	9.4	2.5	4.6	14.2
Some College or College Graduate	28	9.4	2.1	5.3	13.5
Annual Household Income					
Less than \$35,000 per Year	28	10.8	2.4	6.0	15.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	33	29.1	5.4	18.6	39.6
Living without a Disability	15	5.0	1.4	2.2	7.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	22	12.4	2.9	6.7	18.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	7.3	1.8	3.7	10.9
Does not participate in leisure time physical activity	22	16.0	3.6	8.9	23.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	9.0	1.8	5.5	12.5
Health Insurance Status					
Insured	43	10.3	1.9	6.6	13.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Saline County	35	8.6	1.7	5.4	11.9
Gender					
Men	*	*	*	*	*
Women	24	10.3	2.4	5.6	14.9
Age Group					
18 to 44 Years	15	11.7	3.2	5.5	17.9
45 to 64 Years	15	7.9	2.3	3.5	12.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	8.9	1.8	5.4	12.3
Race					
White	30	8.6	1.8	5.0	12.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	11.5	3.0	5.6	17.4
Some College or College Graduate	16	6.6	1.9	2.9	10.2
Annual Household Income					
Less than \$35,000 per Year	19	10.8	2.9	5.1	16.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	16	18.4	4.9	8.7	28.0
Living without a Disability	19	6.4	1.7	3.1	9.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	13.4	3.7	6.1	20.6
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	8.6	2.2	4.3	12.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	7.7	1.8	4.2	11.2
Health Insurance Status					
Insured	24	7.0	1.7	3.7	10.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Saline County	79	37.3	4.1	29.3	45.3
Gender					
Men	27	39.4	6.8	26.0	52.8
Women	52	35.6	4.9	26.0	45.2
Age Group					
18 to 44 Years	25	39.5	6.7	26.4	52.6
45 to 64 Years	36	37.7	6.0	25.9	49.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	73	36.7	4.2	28.4	44.9
Race					
White	68	36.8	4.3	28.3	45.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	40.2	7.2	26.1	54.4
Some College or College Graduate	53	35.5	4.9	26.0	45.0
Annual Household Income					
Less than \$35,000 per Year	37	38.4	6.5	25.6	51.2
\$35,000 or Higher per Year	31	36.4	5.9	24.8	48.0
Disability Status					
Living with a Disability	44	53.6	7.0	39.9	67.4
Living without a Disability	35	31.2	4.9	21.6	40.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	36.4	7.7	21.3	51.6
Overweight (25 ≤ BMI < 30)	20	26.3	6.5	13.6	39.0
Obese (BMI ≥ 30)	39	47.8	6.8	34.4	61.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	48	35.5	5.2	25.3	45.7
Does not participate in leisure time physical activity	28	43.7	7.1	29.7	57.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	58	34.7	4.6	25.8	43.7
Health Insurance Status					
Insured	63	34.3	4.4	25.8	42.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Saline County	231	62.0	2.8	56.5	67.4
Gender					
Men	103	66.5	4.1	58.6	74.5
Women	128	57.3	3.8	49.8	64.7
Age Group					
18 to 44 Years	81	75.0	4.2	66.8	83.3
45 to 64 Years	99	60.8	4.3	52.3	69.2
65 Years and Older	51	32.8	4.4	24.2	41.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	218	60.5	2.9	54.8	66.2
Race					
White	204	59.8	2.9	54.1	65.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	87	66.4	4.4	57.8	74.9
Some College or College Graduate	144	59.1	3.6	52.1	66.1
Annual Household Income					
Less than \$35,000 per Year	90	60.2	4.5	51.3	69.0
\$35,000 or Higher per Year	115	62.2	3.8	54.7	69.7
Disability Status					
Living with a Disability	53	43.7	5.7	32.5	54.9
Living without a Disability	178	66.3	3.0	60.4	72.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	69	58.8	5.2	48.6	69.1
Overweight (25 ≤ BMI < 30)	78	65.7	4.7	56.4	74.9
Obese (BMI ≥ 30)	72	61.2	4.8	51.8	70.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	164	63.6	3.3	57.1	70.0
Does not participate in leisure time physical activity	67	58.1	5.1	48.1	68.0
Smoking Status					
Current smoker	42	68.7	6.5	55.9	81.5
Non-smoker	186	60.1	3.1	54.1	66.1
Health Insurance Status					
Insured	190	57.4	3.1	51.3	63.6
Uninsured	41	83.5	4.5	74.7	92.3

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,547	35.2	0.6	33.9	36.4
Saline County	51	32.8	4.4	24.2	41.4
Gender					
Men	22	38.0	7.4	23.4	52.6
Women	29	29.0	5.4	18.5	39.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	32.8	4.4	24.2	41.4
Race					
White	49	32.7	4.5	24.0	41.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	34.1	6.5	21.3	46.9
Some College or College Graduate	26	31.3	5.9	19.8	42.8
Annual Household Income					
Less than \$35,000 per Year	24	29.2	6.0	17.4	41.0
\$35,000 or Higher per Year	20	35.3	7.1	21.4	49.2
Disability Status					
Living with a Disability	23	37.7	7.5	23.0	52.5
Living without a Disability	28	30.1	5.4	19.5	40.7
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	33.8	7.3	19.4	48.1
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	31.9	5.2	21.8	42.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	46	31.2	4.5	22.4	40.1
Health Insurance Status					
Insured	51	33.2	4.4	24.4	41.9
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	30.0	0.6	28.7	31.2
Saline County	42	29.7	4.4	21.1	38.3
Gender					
Men	*	*	*	*	*
Women	28	29.0	5.4	18.4	39.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	29.7	4.4	21.1	38.3
Race					
White	41	29.6	4.4	21.0	38.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	29.3	6.5	16.7	42.0
Some College or College Graduate	24	30.1	5.9	18.6	41.6
Annual Household Income					
Less than \$35,000 per Year	15	24.8	6.2	12.7	36.9
\$35,000 or Higher per Year	18	28.9	6.6	16.0	41.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	28	27.3	5.1	17.3	37.3
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	26.9	5.1	16.9	36.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	40	29.0	4.5	20.3	37.8
Health Insurance Status					
Insured	42	30.0	4.4	21.3	38.7
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Saline County	71	20.5	2.5	15.5	25.5
Gender					
Men	40	26.9	4.2	18.8	35.1
Women	31	14.0	2.7	8.6	19.3
Age Group					
18 to 44 Years	30	26.7	4.6	17.8	35.7
45 to 64 Years	24	17.8	3.8	10.4	25.1
65 Years and Older	17	10.7	2.7	5.4	16.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	67	20.1	2.6	15.0	25.2
Race					
White	63	20.4	2.7	15.2	25.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	23.5	4.4	14.9	32.1
Some College or College Graduate	41	18.5	3.0	12.6	24.5
Annual Household Income					
Less than \$35,000 per Year	29	19.9	4.1	11.9	27.9
\$35,000 or Higher per Year	31	20.0	3.6	13.1	27.0
Disability Status					
Living with a Disability	18	20.1	5.0	10.2	29.9
Living without a Disability	53	20.6	2.9	14.9	26.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	25	24.8	5.0	15.0	34.5
Obese (BMI ≥ 30)	32	30.7	5.0	20.8	40.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	17.9	2.9	12.2	23.6
Does not participate in leisure time physical activity	26	26.9	5.0	17.1	36.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	61	21.0	2.8	15.5	26.6
Health Insurance Status					
Insured	57	19.2	2.7	13.9	24.5
Uninsured	14	26.6	6.9	13.2	40.1

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Saline County	74	20.2	2.6	15.2	25.2
Gender					
Men	29	18.4	3.5	11.6	25.1
Women	45	21.9	3.7	14.7	29.2
Age Group					
18 to 44 Years	29	25.4	4.6	16.3	34.4
45 to 64 Years	33	19.7	3.6	12.6	26.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	69	20.1	2.7	14.9	25.4
Race					
White	63	18.3	2.4	13.6	23.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	22.1	4.0	14.4	29.9
Some College or College Graduate	39	18.8	3.4	12.2	25.4
Annual Household Income					
Less than \$35,000 per Year	45	25.9	4.0	18.1	33.8
\$35,000 or Higher per Year	20	12.9	3.0	7.1	18.8
Disability Status					
Living with a Disability	22	26.7	5.6	15.6	37.7
Living without a Disability	52	18.6	2.8	13.1	24.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	31	27.3	5.3	17.0	37.6
Overweight (25 ≤ BMI < 30)	17	15.1	3.9	7.4	22.7
Obese (BMI ≥ 30)	22	18.0	4.1	10.0	26.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	17.3	3.1	11.2	23.3
Does not participate in leisure time physical activity	28	26.2	4.8	16.8	35.6
Health Insurance Status					
Insured	48	15.6	2.7	10.4	20.9
Uninsured	26	38.9	6.8	25.5	52.3

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	56.5	1.0	54.5	58.4
Saline County	33	45.3	7.3	30.9	59.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	43.0	7.7	27.8	58.1
Race					
White	27	40.6	7.1	26.6	54.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	43.6	8.8	26.3	60.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	961	5.5	0.2	5.1	5.9
Saline County	13	4.3	1.3	1.8	6.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	4.7	1.4	1.9	7.4
Race					
White	13	4.9	1.5	2.0	7.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Saline County	68	15.7	2.1	11.5	19.8
Gender					
Men	64	30.3	3.9	22.6	38.0
Women	*	*	*	*	*
Age Group					
18 to 44 Years	13	12.5	3.4	5.9	19.1
45 to 64 Years	23	15.3	3.4	8.7	21.9
65 Years and Older	32	23.9	4.1	15.9	32.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	65	16.5	2.2	12.1	20.9
Race					
White	59	16.1	2.3	11.6	20.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	14.0	3.1	8.0	20.0
Some College or College Graduate	43	16.9	2.9	11.3	22.5
Annual Household Income					
Less than \$35,000 per Year	28	14.4	3.1	8.3	20.5
\$35,000 or Higher per Year	37	19.8	3.4	13.2	26.5
Disability Status					
Living with a Disability	21	20.8	5.1	10.9	30.8
Living without a Disability	47	14.5	2.3	10.0	19.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	11.4	3.3	5.0	17.9
Overweight (25 ≤ BMI < 30)	31	24.3	4.6	15.4	33.3
Obese (BMI ≥ 30)	21	14.7	3.5	7.9	21.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	52	18.4	2.8	12.9	23.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	56	16.7	2.5	11.9	21.5
Health Insurance Status					
Insured	61	17.1	2.4	12.4	21.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Saline County	146	32.9	2.7	27.5	38.3
Gender					
Men	55	31.8	4.1	23.6	39.9
Women	91	34.1	3.6	27.1	41.1
Age Group					
18 to 44 Years	39	32.0	4.8	22.7	41.4
45 to 64 Years	70	37.1	4.2	28.8	45.3
65 Years and Older	37	27.1	4.3	18.7	35.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	135	32.1	2.8	26.6	37.6
Race					
White	129	31.8	2.8	26.2	37.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	62	37.2	4.6	28.2	46.1
Some College or College Graduate	84	29.9	3.4	23.3	36.5
Annual Household Income					
Less than \$35,000 per Year	67	38.4	4.6	29.4	47.5
\$35,000 or Higher per Year	61	29.1	3.6	22.0	36.2
Disability Status					
Living with a Disability	54	45.2	5.7	34.0	56.5
Living without a Disability	92	30.1	3.1	24.0	36.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	87	32.0	3.4	25.3	38.8
Does not participate in leisure time physical activity	53	38.0	5.1	28.0	48.0
Smoking Status					
Current smoker	22	29.3	6.5	16.6	42.0
Non-smoker	122	34.0	3.0	28.1	40.0
Health Insurance Status					
Insured	127	34.7	3.0	28.7	40.6
Uninsured	19	26.9	6.5	14.2	39.6

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Saline County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Saline County	291	64.7	2.9	59.0	70.3
Gender					
Men	135	73.1	4.0	65.2	81.0
Women	156	56.0	3.9	48.3	63.7
Age Group					
18 to 44 Years	68	56.3	5.2	46.2	66.5
45 to 64 Years	131	75.4	3.7	68.1	82.6
65 Years and Older	92	64.0	4.5	55.2	72.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	270	62.8	3.0	56.9	68.7
Race					
White	261	63.5	3.0	57.7	69.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	103	64.0	4.5	55.2	72.8
Some College or College Graduate	188	65.1	3.8	57.7	72.5
Annual Household Income					
Less than \$35,000 per Year	118	67.1	4.3	58.6	75.5
\$35,000 or Higher per Year	138	65.4	3.9	57.8	73.0
Disability Status					
Living with a Disability	82	68.1	5.7	56.9	79.3
Living without a Disability	208	63.9	3.3	57.4	70.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	190	66.1	3.6	59.1	73.2
Does not participate in leisure time physical activity	87	65.4	5.2	55.1	75.6
Smoking Status					
Current smoker	39	53.0	7.6	38.1	67.8
Non-smoker	248	68.0	3.0	62.1	74.0
Health Insurance Status					
Insured	255	67.1	3.1	60.9	73.2
Uninsured	36	57.1	7.1	43.1	71.0

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>