


2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Sedgwick County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Sedgwick County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	3

Arthritis

Arthritis	5
Activity Limitation Due to Arthritis	7

Asthma	9
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	11
Skin Cancer	13

Cardiovascular Health

Heart Attack	15
Coronary Heart Disease	17
Stroke	19
High Blood Pressure	21

Cholesterol

Not Checked Cholesterol within Five Years	23
High Blood Cholesterol Status.....	25

Chronic Obstructive Pulmonary Disease (COPD)	27
---	----

Depressive Disorder	29
----------------------------------	----

Diabetes	31
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	33
Disability	35

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	37
---	----

Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	39
Not Participating in Any Physical Activity	41
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day	43
Consuming Vegetables Less than 1 Time Per Day.....	45
Health Care Access	
Lack Health Care Coverage	47
Lack Health Care Coverage 18 to 64 Years Old Only	49
No Personal Doctor	51
Did Not See Doctor Due to Cost.....	53
General Health	55
Healthy Days - Health Related Quality of Life	
Physical Health Status.....	57
Mental Health Status	59
Poor Physical or Mental Health is Barrier to Usual Activities.....	61
Immunization	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza 65 Years and Older Only	65
Never Had Pneumonia Vaccination 65 Years and Older Only	67
Seatbelt Use	69
Tobacco Use	
Current Smoker	71
Tried Quitting Smoking	73
Smokeless Tobacco Use	75
Male Smokeless Tobacco Use	77
Veteran Status	79
Weight Status (BMI Categories)	
Obese.....	81
Overweight or Obese	83
Technical Notes	85

Percentage of Adults Who Are Binge Drinkers, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Sedgwick County	412	15.2	0.8	13.6	16.9
Gender					
Men	237	19.7	1.4	17.0	22.4
Women	175	11.0	1.0	9.1	12.9
Age Group					
18 to 44 Years	235	21.9	1.4	19.1	24.7
45 to 64 Years	136	11.8	1.3	9.2	14.4
65 Years and Older	39	3.4	0.6	2.2	4.6
Ethnicity					
Hispanic	35	15.4	2.7	10.1	20.7
Non-Hispanic	376	15.2	0.9	13.5	16.9
Race					
White	355	14.8	0.8	13.1	16.4
African American	21	15.9	3.6	8.9	23.0
Other	25	18.3	4.1	10.4	26.3
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	121	13.5	1.4	10.6	16.3
Some College or College Graduate	291	16.5	1.0	14.5	18.5
Annual Household Income					
Less than \$35,000 per Year	134	15.2	1.4	12.3	18.0
\$35,000 or Higher per Year	249	16.8	1.2	14.5	19.1
Disability Status					
Living with a Disability	73	11.2	1.4	8.4	14.0
Living without a Disability	338	16.4	1.0	14.5	18.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	151	17.5	1.6	14.2	20.7
Overweight (25 ≤ BMI < 30)	130	14.4	1.3	11.7	17.0
Obese (BMI ≥ 30)	123	15.1	1.5	12.2	18.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	319	16.6	1.0	14.6	18.7
Does not participate in leisure time physical activity	84	11.9	1.4	9.0	14.7
Smoking Status					
Current smoker	137	26.3	2.4	21.6	31.0
Non-smoker	272	11.9	0.8	10.4	13.5
Health Insurance Status					
Insured	342	14.9	0.9	13.2	16.6
Uninsured	69	16.6	2.4	12.0	21.3

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	916	4.6	0.2	4.2	4.9
Sedgwick County	156	4.7	0.4	3.8	5.6
Gender					
Men	86	6.0	0.8	4.6	7.5
Women	70	3.4	0.5	2.4	4.3
Age Group					
18 to 44 Years	66	5.7	0.8	4.2	7.2
45 to 64 Years	55	4.1	0.7	2.9	5.4
65 Years and Older	34	2.9	0.5	1.9	4.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	149	4.8	0.5	3.9	5.7
Race					
White	145	5.1	0.5	4.1	6.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	46	4.4	0.8	2.9	5.8
Some College or College Graduate	110	4.9	0.6	3.8	6.0
Annual Household Income					
Less than \$35,000 per Year	51	4.7	0.8	3.1	6.2
\$35,000 or Higher per Year	94	5.1	0.6	3.9	6.3
Disability Status					
Living with a Disability	29	3.7	0.8	2.1	5.4
Living without a Disability	126	5.0	0.5	3.9	6.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	67	5.9	0.8	4.3	7.6
Overweight (25 ≤ BMI < 30)	57	5.5	0.9	3.8	7.2
Obese (BMI ≥ 30)	28	2.9	0.7	1.6	4.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	120	4.8	0.5	3.8	5.9
Does not participate in leisure time physical activity	33	4.4	0.9	2.7	6.0
Smoking Status					
Current smoker	56	9.7	1.5	6.8	12.5
Non-smoker	99	3.2	0.4	2.4	3.9
Health Insurance Status					
Insured	131	4.8	0.5	3.8	5.8
Uninsured	25	4.4	1.0	2.4	6.3

Numerator: Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Sedgwick County	1,148	22.3	0.8	20.8	23.8
Gender					
Men	399	19.8	1.1	17.6	22.0
Women	749	24.8	1.0	22.7	26.8
Age Group					
18 to 44 Years	97	7.5	0.8	5.9	9.2
45 to 64 Years	457	30.9	1.5	28.0	33.8
65 Years and Older	585	47.3	1.7	44.0	50.6
Ethnicity					
Hispanic	24	8.5	1.9	4.7	12.3
Non-Hispanic	1,124	24.1	0.8	22.5	25.8
Race					
White	1,034	24.4	0.8	22.8	26.1
African American	62	19.7	3.0	13.7	25.7
Other	29	10.3	2.2	6.1	14.6
Multi-Race	19	16.4	4.5	7.5	25.3
Education					
High School Graduate or Less	447	24.6	1.4	22.0	27.3
Some College or College Graduate	699	20.8	0.9	19.1	22.6
Annual Household Income					
Less than \$35,000 per Year	477	26.2	1.4	23.4	29.0
\$35,000 or Higher per Year	495	18.7	1.0	16.8	20.6
Disability Status					
Living with a Disability	571	52.4	2.0	48.5	56.4
Living without a Disability	566	14.3	0.7	12.9	15.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	300	16.9	1.2	14.6	19.3
Overweight (25 ≤ BMI < 30)	394	23.9	1.4	21.2	26.6
Obese (BMI ≥ 30)	411	27.8	1.5	24.8	30.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	747	20.5	0.9	18.8	22.3
Does not participate in leisure time physical activity	370	29.4	1.7	26.0	32.8
Smoking Status					
Current smoker	209	23.8	1.9	20.1	27.5
Non-smoker	928	22.2	0.8	20.5	23.8
Health Insurance Status					
Insured	1,049	24.4	0.9	22.8	26.1
Uninsured	98	14.3	1.7	11.0	17.6

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Sedgwick County	523	47.5	1.9	43.8	51.2
Gender					
Men	167	44.6	3.1	38.4	50.7
Women	356	49.7	2.3	45.2	54.2
Age Group					
18 to 44 Years	39	38.8	5.6	27.7	49.8
45 to 64 Years	225	53.9	2.9	48.3	59.5
65 Years and Older	256	43.4	2.4	38.7	48.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	514	48.2	1.9	44.5	51.9
Race					
White	454	44.3	1.9	40.5	48.1
African American	36	62.7	7.9	47.1	78.2
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	219	53.4	3.0	47.5	59.3
Some College or College Graduate	303	42.9	2.3	38.3	47.4
Annual Household Income					
Less than \$35,000 per Year	264	57.8	3.0	52.0	63.6
\$35,000 or Higher per Year	188	38.4	2.7	33.2	43.6
Disability Status					
Living with a Disability	386	72.4	2.3	67.9	76.8
Living without a Disability	133	22.3	2.1	18.2	26.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	132	44.6	3.7	37.5	51.8
Overweight (25 ≤ BMI < 30)	163	42.8	3.2	36.6	49.1
Obese (BMI ≥ 30)	215	54.4	3.1	48.3	60.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	334	45.7	2.3	41.2	50.1
Does not participate in leisure time physical activity	189	51.1	3.3	44.6	57.6
Smoking Status					
Current smoker	110	56.7	4.4	48.1	65.3
Non-smoker	412	44.7	2.0	40.7	48.7
Health Insurance Status					
Insured	474	46.3	1.9	42.5	50.1
Uninsured	48	55.4	6.3	43.0	67.7

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Sedgwick County	326	8.8	0.6	7.6	10.1
Gender					
Men	105	7.4	0.9	5.5	9.2
Women	221	10.3	0.8	8.7	11.9
Age Group					
18 to 44 Years	107	8.9	0.9	7.0	10.7
45 to 64 Years	132	10.1	1.2	7.8	12.5
65 Years and Older	85	6.2	0.8	4.7	7.7
Ethnicity					
Hispanic	17	5.9	1.6	2.8	9.1
Non-Hispanic	309	9.2	0.7	7.9	10.6
Race					
White	266	8.5	0.6	7.3	9.7
African American	28	9.8	2.2	5.5	14.1
Other	*	*	*	*	*
Multi-Race	14	16.6	4.7	7.5	25.8
Education					
High School Graduate or Less	124	10.3	1.2	7.9	12.7
Some College or College Graduate	202	7.9	0.6	6.7	9.2
Annual Household Income					
Less than \$35,000 per Year	146	11.1	1.1	8.9	13.2
\$35,000 or Higher per Year	147	7.5	0.8	5.8	9.1
Disability Status					
Living with a Disability	154	17.8	1.6	14.6	21.0
Living without a Disability	171	6.6	0.7	5.3	7.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	83	8.0	1.2	5.6	10.5
Overweight (25 ≤ BMI < 30)	91	7.0	0.9	5.3	8.7
Obese (BMI ≥ 30)	139	12.2	1.2	9.9	14.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	204	8.2	0.8	6.7	9.6
Does not participate in leisure time physical activity	106	11.2	1.3	8.7	13.6
Smoking Status					
Current smoker	77	11.3	1.7	8.0	14.7
Non-smoker	249	8.4	0.6	7.1	9.6
Health Insurance Status					
Insured	271	8.4	0.6	7.2	9.6
Uninsured	55	10.8	1.9	7.1	14.6

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Sedgwick County	340	6.2	0.4	5.4	7.0
Gender					
Men	106	4.2	0.5	3.3	5.2
Women	234	8.1	0.7	6.8	9.4
Age Group					
18 to 44 Years	29	2.1	0.4	1.2	3.0
45 to 64 Years	109	7.2	0.8	5.6	8.8
65 Years and Older	200	15.9	1.2	13.6	18.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	328	6.5	0.4	5.6	7.3
Race					
White	301	6.5	0.5	5.6	7.4
African American	18	5.9	1.7	2.5	9.2
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	136	7.3	0.8	5.8	8.8
Some College or College Graduate	203	5.5	0.5	4.6	6.4
Annual Household Income					
Less than \$35,000 per Year	143	7.7	0.8	6.1	9.3
\$35,000 or Higher per Year	152	5.4	0.5	4.4	6.4
Disability Status					
Living with a Disability	135	11.8	1.2	9.4	14.1
Living without a Disability	200	4.7	0.4	3.9	5.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	114	5.7	0.7	4.4	7.1
Overweight (25 ≤ BMI < 30)	112	6.3	0.7	4.9	7.8
Obese (BMI ≥ 30)	107	7.0	0.8	5.4	8.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	213	5.2	0.4	4.4	6.0
Does not participate in leisure time physical activity	119	9.2	1.1	7.1	11.3
Smoking Status					
Current smoker	54	5.3	0.9	3.6	7.0
Non-smoker	281	6.4	0.5	5.5	7.3
Health Insurance Status					
Insured	318	6.9	0.5	6.0	7.8
Uninsured	22	3.4	0.9	1.7	5.2

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Sedgwick County	299	5.5	0.4	4.7	6.2
Gender					
Men	134	5.4	0.6	4.3	6.5
Women	165	5.5	0.5	4.5	6.5
Age Group					
18 to 44 Years	17	1.3	0.3	0.6	1.9
45 to 64 Years	91	6.1	0.7	4.6	7.5
65 Years and Older	191	16.4	1.2	14.0	18.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	296	6.1	0.4	5.3	6.9
Race					
White	291	6.6	0.5	5.7	7.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	105	5.8	0.7	4.5	7.1
Some College or College Graduate	193	5.2	0.4	4.4	6.1
Annual Household Income					
Less than \$35,000 per Year	100	5.2	0.6	4.0	6.5
\$35,000 or Higher per Year	168	5.9	0.5	4.9	7.0
Disability Status					
Living with a Disability	106	8.7	1.0	6.8	10.7
Living without a Disability	190	4.6	0.4	3.8	5.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	106	5.5	0.6	4.3	6.8
Overweight (25 ≤ BMI < 30)	126	7.0	0.7	5.5	8.4
Obese (BMI ≥ 30)	63	4.4	0.7	3.1	5.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	206	5.4	0.4	4.6	6.3
Does not participate in leisure time physical activity	83	5.7	0.8	4.3	7.2
Smoking Status					
Current smoker	34	3.1	0.6	1.9	4.3
Non-smoker	263	6.2	0.4	5.3	7.1
Health Insurance Status					
Insured	284	6.4	0.4	5.5	7.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had a Heart Attack, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,331	4.2	0.1	4.0	4.5
Sedgwick County	221	4.3	0.4	3.6	5.0
Gender					
Men	117	5.4	0.6	4.2	6.6
Women	104	3.2	0.4	2.5	4.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	68	5.1	0.7	3.7	6.5
65 Years and Older	146	13.1	1.2	10.8	15.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	220	4.8	0.4	4.0	5.6
Race					
White	196	4.5	0.4	3.8	5.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	111	6.0	0.7	4.6	7.4
Some College or College Graduate	109	3.2	0.4	2.4	3.9
Annual Household Income					
Less than \$35,000 per Year	112	6.5	0.7	5.0	7.9
\$35,000 or Higher per Year	78	3.0	0.4	2.1	3.8
Disability Status					
Living with a Disability	116	10.6	1.2	8.3	12.9
Living without a Disability	102	2.5	0.3	1.9	3.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	54	3.2	0.6	2.1	4.3
Overweight (25 ≤ BMI < 30)	82	4.4	0.6	3.3	5.5
Obese (BMI ≥ 30)	77	5.5	0.8	4.0	7.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	122	3.3	0.4	2.5	4.0
Does not participate in leisure time physical activity	90	7.3	0.9	5.5	9.0
Smoking Status					
Current smoker	50	6.8	1.2	4.5	9.1
Non-smoker	167	3.6	0.3	2.9	4.2
Health Insurance Status					
Insured	203	4.8	0.4	4.0	5.6
Uninsured	17	2.3	0.6	1.1	3.6

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had Angina or Coronary Heart Disease, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,352	4.2	0.1	4.0	4.5
Sedgwick County	242	4.7	0.4	3.9	5.4
Gender					
Men	117	5.3	0.6	4.1	6.6
Women	125	4.0	0.4	3.2	4.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	82	5.6	0.7	4.1	7.0
65 Years and Older	150	13.4	1.2	11.1	15.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	239	5.2	0.4	4.4	6.0
Race					
White	217	5.1	0.4	4.3	6.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	104	5.9	0.7	4.5	7.3
Some College or College Graduate	138	3.9	0.4	3.1	4.7
Annual Household Income					
Less than \$35,000 per Year	104	5.5	0.7	4.2	6.8
\$35,000 or Higher per Year	106	4.0	0.5	3.0	5.0
Disability Status					
Living with a Disability	144	13.2	1.3	10.6	15.8
Living without a Disability	95	2.3	0.3	1.7	2.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	55	2.7	0.5	1.8	3.6
Overweight (25 ≤ BMI < 30)	88	4.8	0.6	3.6	5.9
Obese (BMI ≥ 30)	94	7.1	0.9	5.3	8.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	143	3.8	0.4	3.0	4.6
Does not participate in leisure time physical activity	93	7.3	0.9	5.5	9.1
Smoking Status					
Current smoker	50	5.3	1.0	3.4	7.2
Non-smoker	190	4.5	0.4	3.7	5.3
Health Insurance Status					
Insured	225	5.3	0.4	4.4	6.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Had a Stroke, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	923	3.0	0.1	2.7	3.2
Sedgwick County	172	3.4	0.3	2.7	4.0
Gender					
Men	76	3.7	0.5	2.7	4.8
Women	96	3.0	0.4	2.3	3.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	49	3.5	0.6	2.4	4.5
65 Years and Older	116	10.5	1.2	8.2	12.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	167	3.6	0.4	2.9	4.3
Race					
White	147	3.4	0.4	2.7	4.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	85	4.9	0.6	3.6	6.1
Some College or College Graduate	86	2.4	0.3	1.7	3.1
Annual Household Income					
Less than \$35,000 per Year	91	5.0	0.7	3.7	6.3
\$35,000 or Higher per Year	45	1.7	0.3	1.0	2.4
Disability Status					
Living with a Disability	112	9.9	1.1	7.7	12.1
Living without a Disability	60	1.7	0.3	1.1	2.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	53	2.9	0.5	1.8	3.9
Overweight (25 ≤ BMI < 30)	60	3.5	0.5	2.5	4.6
Obese (BMI ≥ 30)	57	4.2	0.7	2.8	5.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	93	2.6	0.4	1.9	3.3
Does not participate in leisure time physical activity	72	5.5	0.8	4.0	7.0
Smoking Status					
Current smoker	37	3.6	0.8	2.1	5.1
Non-smoker	133	3.3	0.4	2.6	4.0
Health Insurance Status					
Insured	158	3.8	0.4	3.0	4.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Sedgwick County	1,525	32.3	0.9	30.5	34.1
Gender					
Men	644	34.5	1.4	31.7	37.4
Women	881	30.2	1.1	28.0	32.5
Age Group					
18 to 44 Years	159	14.1	1.2	11.8	16.4
45 to 64 Years	590	41.5	1.6	38.3	44.6
65 Years and Older	769	66.1	1.6	63.1	69.2
Ethnicity					
Hispanic	51	18.9	2.7	13.6	24.1
Non-Hispanic	1,468	34.0	1.0	32.1	35.9
Race					
White	1,319	32.5	0.9	30.6	34.3
African American	121	41.4	4.1	33.4	49.4
Other	63	27.2	3.9	19.6	34.9
Multi-Race	16	22.2	6.2	10.2	34.3
Education					
High School Graduate or Less	584	36.7	1.7	33.5	40.0
Some College or College Graduate	938	29.4	1.1	27.3	31.4
Annual Household Income					
Less than \$35,000 per Year	582	34.0	1.6	30.9	37.2
\$35,000 or Higher per Year	731	30.9	1.2	28.5	33.4
Disability Status					
Living with a Disability	571	51.8	2.0	47.9	55.8
Living without a Disability	939	27.3	1.0	25.3	29.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	339	21.3	1.5	18.3	24.3
Overweight (25 ≤ BMI < 30)	525	33.1	1.6	30.0	36.2
Obese (BMI ≥ 30)	593	44.7	1.8	41.2	48.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	991	30.1	1.1	27.9	32.2
Does not participate in leisure time physical activity	483	39.8	1.9	36.0	43.5
Smoking Status					
Current smoker	230	29.6	2.2	25.3	34.0
Non-smoker	1,278	33.4	1.0	31.4	35.4
Health Insurance Status					
Insured	1,381	34.5	1.0	32.6	36.4
Uninsured	142	24.2	2.3	19.6	28.8

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Sedgwick County	631	26.7	1.0	24.6	28.7
Gender					
Men	330	30.5	1.6	27.4	33.6
Women	301	23.0	1.4	20.3	25.6
Age Group					
18 to 44 Years	403	43.2	1.8	39.8	46.7
45 to 64 Years	162	14.5	1.4	11.8	17.2
65 Years and Older	63	5.8	0.9	4.1	7.5
Ethnicity					
Hispanic	87	47.0	3.8	39.6	54.5
Non-Hispanic	540	24.1	1.1	22.0	26.2
Race					
White	502	24.3	1.0	22.2	26.4
African American	37	24.9	4.7	16.8	33.0
Other	66	46.5	4.6	37.5	55.4
Multi-Race	20	32.6	6.7	19.4	45.7
Education					
High School Graduate or Less	285	35.4	1.9	31.7	39.2
Some College or College Graduate	346	21.1	1.2	18.8	23.3
Annual Household Income					
Less than \$35,000 per Year	283	35.7	1.9	32.0	39.5
\$35,000 or Higher per Year	256	19.7	1.3	17.2	22.3
Disability Status					
Living with a Disability	101	14.5	1.6	11.4	17.7
Living without a Disability	521	29.8	1.2	27.4	32.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	259	32.9	1.9	29.1	36.7
Overweight (25 ≤ BMI < 30)	178	24.2	1.8	20.6	27.7
Obese (BMI ≥ 30)	155	21.4	1.7	18.0	24.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	428	25.4	1.2	23.0	27.8
Does not participate in leisure time physical activity	167	28.6	2.1	24.5	32.7
Smoking Status					
Current smoker	182	38.8	2.6	33.7	43.8
Non-smoker	435	23.0	1.1	20.8	25.2
Health Insurance Status					
Insured	426	20.2	1.0	18.2	22.2
Uninsured	201	52.4	2.8	46.9	58.0

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Sedgwick County	1,407	39.0	1.1	36.9	41.0
Gender					
Men	553	38.8	1.6	35.6	41.9
Women	854	39.2	1.4	36.4	41.9
Age Group					
18 to 44 Years	162	21.0	1.7	17.7	24.3
45 to 64 Years	610	46.8	1.6	43.5	50.0
65 Years and Older	626	56.1	1.7	52.7	59.5
Ethnicity					
Hispanic	44	24.6	3.7	17.3	32.0
Non-Hispanic	1,359	40.3	1.1	38.1	42.4
Race					
White	1,260	40.5	1.1	38.4	42.7
African American	75	35.1	4.4	26.4	43.7
Other	43	27.9	4.4	19.4	36.5
Multi-Race	23	37.2	7.8	21.9	52.5
Education					
High School Graduate or Less	488	44.0	2.0	40.2	47.8
Some College or College Graduate	916	36.2	1.2	33.8	38.6
Annual Household Income					
Less than \$35,000 per Year	484	41.9	2.0	38.0	45.8
\$35,000 or Higher per Year	743	36.9	1.3	34.3	39.6
Disability Status					
Living with a Disability	487	54.4	2.1	50.2	58.5
Living without a Disability	905	34.2	1.2	31.9	36.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	342	29.6	1.8	26.1	33.2
Overweight (25 ≤ BMI < 30)	494	40.4	1.8	36.9	44.0
Obese (BMI ≥ 30)	520	46.6	1.9	42.8	50.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	949	36.3	1.2	33.9	38.7
Does not participate in leisure time physical activity	419	47.6	2.2	43.3	51.8
Smoking Status					
Current smoker	210	37.7	2.7	32.5	42.9
Non-smoker	1,183	39.5	1.2	37.2	41.8
Health Insurance Status					
Insured	1,295	40.5	1.1	38.3	42.7
Uninsured	110	30.1	3.1	24.1	36.1

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Sedgwick County	305	6.2	0.5	5.3	7.1
Gender					
Men	119	5.8	0.7	4.5	7.2
Women	186	6.5	0.6	5.3	7.8
Age Group					
18 to 44 Years	42	3.6	0.6	2.3	4.8
45 to 64 Years	103	6.7	0.8	5.2	8.3
65 Years and Older	158	12.7	1.1	10.5	15.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	301	6.8	0.5	5.8	7.8
Race					
White	261	6.4	0.5	5.4	7.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	156	9.5	1.0	7.7	11.4
Some College or College Graduate	149	4.0	0.4	3.2	4.8
Annual Household Income					
Less than \$35,000 per Year	185	10.7	1.0	8.8	12.7
\$35,000 or Higher per Year	83	3.2	0.5	2.3	4.1
Disability Status					
Living with a Disability	215	20.2	1.6	17.0	23.3
Living without a Disability	87	2.4	0.4	1.7	3.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	101	6.1	0.8	4.5	7.7
Overweight (25 ≤ BMI < 30)	85	5.2	0.7	3.8	6.6
Obese (BMI ≥ 30)	114	8.0	0.9	6.2	9.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	149	4.5	0.5	3.6	5.5
Does not participate in leisure time physical activity	137	10.9	1.2	8.7	13.2
Smoking Status					
Current smoker	113	12.3	1.5	9.5	15.2
Non-smoker	190	4.5	0.4	3.7	5.4
Health Insurance Status					
Insured	268	6.3	0.5	5.3	7.2
Uninsured	37	6.1	1.3	3.5	8.6

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Sedgwick County	756	19.5	0.8	17.9	21.1
Gender					
Men	224	14.4	1.1	12.3	16.5
Women	532	24.4	1.2	22.1	26.6
Age Group					
18 to 44 Years	225	18.8	1.3	16.3	21.3
45 to 64 Years	345	23.2	1.3	20.6	25.8
65 Years and Older	184	14.7	1.2	12.4	17.0
Ethnicity					
Hispanic	48	17.6	2.6	12.5	22.8
Non-Hispanic	707	19.8	0.8	18.1	21.4
Race					
White	654	20.5	0.9	18.7	22.2
African American	44	17.2	3.0	11.4	23.1
Other	28	13.5	2.6	8.4	18.6
Multi-Race	26	26.1	5.6	15.2	37.1
Education					
High School Graduate or Less	285	21.3	1.4	18.6	24.1
Some College or College Graduate	471	18.4	0.9	16.5	20.2
Annual Household Income					
Less than \$35,000 per Year	383	27.9	1.6	24.8	30.9
\$35,000 or Higher per Year	291	14.0	0.9	12.2	15.8
Disability Status					
Living with a Disability	365	40.1	2.0	36.2	44.1
Living without a Disability	384	14.2	0.8	12.6	15.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	201	17.0	1.3	14.4	19.6
Overweight (25 ≤ BMI < 30)	224	17.2	1.3	14.6	19.7
Obese (BMI ≥ 30)	298	25.1	1.6	22.0	28.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	453	17.1	0.9	15.3	18.9
Does not participate in leisure time physical activity	278	27.5	1.8	24.0	31.0
Smoking Status					
Current smoker	208	28.6	2.1	24.5	32.7
Non-smoker	544	17.3	0.8	15.6	18.9
Health Insurance Status					
Insured	628	19.1	0.9	17.4	20.8
Uninsured	127	21.5	2.1	17.4	25.5

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Sedgwick County	496	10.6	0.6	9.5	11.7
Gender					
Men	206	10.3	0.8	8.7	11.9
Women	290	10.9	0.8	9.4	12.3
Age Group					
18 to 44 Years	41	2.9	0.5	1.9	3.8
45 to 64 Years	203	15.4	1.2	13.1	17.7
65 Years and Older	249	23.0	1.5	20.0	25.9
Ethnicity					
Hispanic	23	8.2	1.9	4.5	11.9
Non-Hispanic	473	10.9	0.6	9.8	12.1
Race					
White	413	10.5	0.6	9.4	11.7
African American	47	10.5	2.0	6.7	14.3
Other	26	11.0	2.3	6.4	15.5
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	219	13.3	1.1	11.3	15.4
Some College or College Graduate	275	8.7	0.6	7.5	9.9
Annual Household Income					
Less than \$35,000 per Year	228	13.2	1.1	11.1	15.2
\$35,000 or Higher per Year	197	8.8	0.7	7.4	10.1
Disability Status					
Living with a Disability	246	24.6	1.7	21.3	28.0
Living without a Disability	246	6.8	0.5	5.8	7.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	60	3.5	0.5	2.4	4.5
Overweight (25 ≤ BMI < 30)	142	9.2	0.9	7.5	11.0
Obese (BMI ≥ 30)	272	20.1	1.4	17.4	22.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	290	8.9	0.6	7.7	10.1
Does not participate in leisure time physical activity	185	15.4	1.3	12.8	17.9
Smoking Status					
Current smoker	82	8.9	1.1	6.7	11.1
Non-smoker	405	11.0	0.6	9.8	12.3
Health Insurance Status					
Insured	445	11.3	0.6	10.1	12.5
Uninsured	51	7.9	1.3	5.4	10.5

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Sedgwick County	882	19.5	0.8	18.0	20.9
Gender					
Men	319	16.9	1.1	14.7	19.0
Women	563	22.0	1.1	19.9	24.1
Age Group					
18 to 44 Years	128	10.6	1.0	8.6	12.5
45 to 64 Years	384	26.9	1.4	24.1	29.7
65 Years and Older	367	30.4	1.6	27.3	33.5
Ethnicity					
Hispanic	25	8.7	1.9	5.0	12.4
Non-Hispanic	856	20.9	0.8	19.3	22.5
Race					
White	771	20.3	0.8	18.7	22.0
African American	60	21.9	3.2	15.5	28.3
Other	30	11.8	2.4	7.1	16.5
Multi-Race	17	15.6	4.4	7.1	24.2
Education					
High School Graduate or Less	347	22.2	1.4	19.5	24.8
Some College or College Graduate	533	17.7	0.9	15.9	19.4
Annual Household Income					
Less than \$35,000 per Year	456	28.0	1.5	25.0	30.9
\$35,000 or Higher per Year	305	13.1	0.9	11.4	14.8
Weight Category					
Normal or Underweight (BMI < 25)	228	14.8	1.2	12.6	17.1
Overweight (25 ≤ BMI < 30)	277	19.1	1.3	16.5	21.7
Obese (BMI ≥ 30)	345	25.7	1.5	22.7	28.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	491	15.9	0.8	14.2	17.5
Does not participate in leisure time physical activity	367	30.6	1.7	27.1	34.0
Smoking Status					
Current smoker	227	27.4	2.0	23.5	31.2
Non-smoker	648	17.3	0.8	15.7	18.8
Health Insurance Status					
Insured	782	20.2	0.8	18.6	21.8
Uninsured	100	16.8	1.9	13.2	20.5

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Sedgwick County	978	21.5	0.8	19.9	23.0
Gender					
Men	363	19.1	1.1	16.9	21.4
Women	615	23.8	1.1	21.6	25.9
Age Group					
18 to 44 Years	134	11.1	1.0	9.1	13.1
45 to 64 Years	408	29.2	1.5	26.3	32.1
65 Years and Older	432	35.9	1.6	32.7	39.1
Ethnicity					
Hispanic	29	10.1	2.0	6.1	14.0
Non-Hispanic	948	23.0	0.9	21.3	24.6
Race					
White	849	22.2	0.9	20.6	23.9
African American	73	25.9	3.5	19.0	32.7
Other	33	13.2	2.6	8.2	18.3
Multi-Race	19	17.7	4.7	8.6	26.9
Education					
High School Graduate or Less	394	24.6	1.4	21.8	27.4
Some College or College Graduate	582	19.4	0.9	17.6	21.2
Annual Household Income					
Less than \$35,000 per Year	501	30.3	1.6	27.3	33.3
\$35,000 or Higher per Year	338	14.6	0.9	12.8	16.4
Weight Category					
Normal or Underweight (BMI < 25)	249	16.0	1.2	13.6	18.3
Overweight (25 ≤ BMI < 30)	309	21.8	1.4	19.0	24.5
Obese (BMI ≥ 30)	385	28.3	1.6	25.2	31.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	540	17.3	0.9	15.6	19.0
Does not participate in leisure time physical activity	408	34.1	1.8	30.5	37.7
Smoking Status					
Current smoker	238	29.3	2.1	25.3	33.4
Non-smoker	732	19.3	0.8	17.6	20.9
Health Insurance Status					
Insured	872	22.6	0.9	20.9	24.3
Uninsured	106	17.5	1.9	13.8	21.2

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Sedgwick County	2,816	80.9	0.9	79.2	82.6
Gender					
Men	1,158	79.2	1.4	76.5	81.9
Women	1,658	82.5	1.1	80.4	84.6
Age Group					
18 to 44 Years	804	78.8	1.5	75.9	81.6
45 to 64 Years	1,091	82.5	1.4	79.8	85.2
65 Years and Older	917	83.2	1.2	80.9	85.6
Ethnicity					
Hispanic	163	80.4	3.1	74.3	86.4
Non-Hispanic	2,646	80.9	0.9	79.1	82.7
Race					
White	2,447	81.2	0.9	79.5	82.9
African American	167	82.4	3.6	75.3	89.5
Other	129	76.6	4.3	68.1	85.1
Multi-Race	56	79.3	5.8	68.0	90.5
Education					
High School Graduate or Less	984	83.7	1.5	80.7	86.6
Some College or College Graduate	1,827	79.1	1.0	77.1	81.2
Annual Household Income					
Less than \$35,000 per Year	1,012	84.8	1.4	82.0	87.6
\$35,000 or Higher per Year	1,468	77.5	1.2	75.0	79.9
Disability Status					
Living with a Disability	796	86.7	1.4	83.9	89.5
Living without a Disability	2,002	79.1	1.0	77.1	81.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	851	76.6	1.7	73.2	80.1
Overweight (25 ≤ BMI < 30)	913	79.7	1.5	76.8	82.6
Obese (BMI ≥ 30)	922	85.2	1.4	82.5	88.0
Smoking Status					
Current smoker	531	85.5	2.0	81.5	89.5
Non-smoker	2,274	79.6	1.0	77.7	81.5
Health Insurance Status					
Insured	2,438	80.0	0.9	78.2	81.8
Uninsured	374	85.1	2.4	80.4	89.9

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Sedgwick County	1,371	40.5	1.1	38.4	42.5
Gender					
Men	540	39.0	1.6	35.9	42.1
Women	831	41.8	1.4	39.1	44.6
Age Group					
18 to 44 Years	376	38.0	1.7	34.6	41.4
45 to 64 Years	561	43.8	1.7	40.6	47.1
65 Years and Older	430	39.7	1.7	36.3	43.0
Ethnicity					
Hispanic	92	45.8	3.9	38.1	53.4
Non-Hispanic	1,277	39.9	1.1	37.8	42.0
Race					
White	1,161	39.3	1.1	37.2	41.5
African American	99	49.5	4.4	40.8	58.2
Other	69	40.3	4.6	31.3	49.3
Multi-Race	29	39.7	7.1	25.7	53.6
Education					
High School Graduate or Less	564	48.3	1.9	44.6	51.9
Some College or College Graduate	805	35.4	1.2	33.0	37.8
Annual Household Income					
Less than \$35,000 per Year	576	49.0	1.9	45.3	52.7
\$35,000 or Higher per Year	619	33.5	1.3	30.8	36.1
Disability Status					
Living with a Disability	467	51.5	2.1	47.4	55.5
Living without a Disability	895	37.3	1.2	34.9	39.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	388	36.5	1.8	32.9	40.1
Overweight (25 ≤ BMI < 30)	423	38.1	1.8	34.6	41.6
Obese (BMI ≥ 30)	490	44.8	1.9	41.1	48.5
Smoking Status					
Current smoker	308	49.3	2.5	44.4	54.2
Non-smoker	1,059	38.1	1.1	35.8	40.3
Health Insurance Status					
Insured	1,164	39.0	1.1	36.8	41.2
Uninsured	204	46.7	2.9	41.0	52.4

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Sedgwick County	968	26.4	0.9	24.6	28.2
Gender					
Men	372	26.0	1.4	23.3	28.8
Women	596	26.7	1.2	24.3	29.1
Age Group					
18 to 44 Years	217	21.4	1.4	18.5	24.2
45 to 64 Years	389	30.7	1.5	27.6	33.7
65 Years and Older	357	31.5	1.6	28.4	34.6
Ethnicity					
Hispanic	63	28.9	3.4	22.2	35.5
Non-Hispanic	904	26.2	1.0	24.3	28.1
Race					
White	813	25.8	1.0	23.9	27.7
African American	80	33.4	4.0	25.5	41.3
Other	47	25.6	3.8	18.1	33.1
Multi-Race	21	25.5	5.9	14.0	37.0
Education					
High School Graduate or Less	450	34.9	1.7	31.5	38.3
Some College or College Graduate	515	20.7	1.0	18.7	22.7
Annual Household Income					
Less than \$35,000 per Year	452	34.1	1.7	30.7	37.5
\$35,000 or Higher per Year	380	20.2	1.1	18.0	22.5
Disability Status					
Living with a Disability	408	41.4	2.0	37.5	45.3
Living without a Disability	551	22.2	1.0	20.2	24.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	284	25.0	1.6	21.7	28.2
Overweight (25 ≤ BMI < 30)	277	23.0	1.5	20.0	26.0
Obese (BMI ≥ 30)	353	29.8	1.7	26.5	33.0
Smoking Status					
Current smoker	246	37.5	2.4	32.8	42.2
Non-smoker	719	23.2	1.0	21.3	25.1
Health Insurance Status					
Insured	817	25.1	1.0	23.3	27.0
Uninsured	149	31.6	2.6	26.5	36.7

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Sedgwick County	1,398	42.8	1.1	40.7	44.9
Gender					
Men	689	48.8	1.6	45.6	51.9
Women	709	37.1	1.4	34.4	39.8
Age Group					
18 to 44 Years	461	44.1	1.7	40.7	47.5
45 to 64 Years	574	45.2	1.7	42.0	48.5
65 Years and Older	356	34.2	1.7	30.9	37.5
Ethnicity					
Hispanic	76	35.1	3.7	27.9	42.3
Non-Hispanic	1,320	43.8	1.1	41.7	46.0
Race					
White	1,215	43.7	1.1	41.5	45.9
African American	87	45.0	4.5	36.3	53.8
Other	61	35.3	4.5	26.4	44.2
Multi-Race	29	39.5	7.0	25.8	53.3
Education					
High School Graduate or Less	524	47.7	1.9	44.0	51.3
Some College or College Graduate	870	39.5	1.3	37.1	42.0
Annual Household Income					
Less than \$35,000 per Year	506	45.2	1.9	41.5	48.9
\$35,000 or Higher per Year	735	41.5	1.4	38.8	44.3
Disability Status					
Living with a Disability	366	44.4	2.1	40.4	48.5
Living without a Disability	1,024	42.2	1.2	39.8	44.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	426	42.5	1.9	38.8	46.3
Overweight (25 ≤ BMI < 30)	433	37.9	1.8	34.4	41.4
Obese (BMI ≥ 30)	476	47.9	1.9	44.2	51.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	907	37.7	1.2	35.3	40.1
Does not participate in leisure time physical activity	473	56.3	2.0	52.3	60.3
Smoking Status					
Current smoker	322	52.8	2.5	47.8	57.7
Non-smoker	1,070	39.8	1.1	37.6	42.1
Health Insurance Status					
Insured	1,171	40.8	1.1	38.6	42.9
Uninsured	223	51.1	2.9	45.4	56.8

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Sedgwick County	767	24.0	0.9	22.1	25.8
Gender					
Men	369	27.3	1.5	24.4	30.1
Women	398	20.9	1.2	18.5	23.2
Age Group					
18 to 44 Years	233	23.8	1.5	20.7	26.8
45 to 64 Years	304	25.0	1.5	22.1	27.9
65 Years and Older	223	22.3	1.5	19.3	25.4
Ethnicity					
Hispanic	47	23.3	3.3	16.8	29.8
Non-Hispanic	719	24.1	1.0	22.2	26.0
Race					
White	632	23.2	1.0	21.3	25.1
African American	71	36.0	4.4	27.4	44.6
Other	41	20.3	3.4	13.7	27.0
Multi-Race	18	23.4	5.8	12.0	34.7
Education					
High School Graduate or Less	331	29.3	1.7	26.0	32.7
Some College or College Graduate	434	20.5	1.1	18.4	22.6
Annual Household Income					
Less than \$35,000 per Year	320	28.2	1.7	24.9	31.6
\$35,000 or Higher per Year	345	20.6	1.2	18.3	23.0
Disability Status					
Living with a Disability	203	25.3	1.9	21.6	29.0
Living without a Disability	560	23.5	1.1	21.4	25.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	234	21.7	1.6	18.6	24.8
Overweight (25 ≤ BMI < 30)	250	24.1	1.6	20.9	27.3
Obese (BMI ≥ 30)	239	25.9	1.8	22.4	29.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	470	20.3	1.0	18.3	22.4
Does not participate in leisure time physical activity	293	34.4	2.0	30.5	38.4
Smoking Status					
Current smoker	165	27.6	2.2	23.3	32.0
Non-smoker	599	22.9	1.0	20.9	24.9
Health Insurance Status					
Insured	647	22.8	1.0	20.9	24.7
Uninsured	120	29.4	2.7	24.1	34.7

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Sedgwick County	479	20.1	1.0	18.2	22.0
Gender					
Men	216	20.4	1.4	17.6	23.2
Women	263	19.8	1.3	17.3	22.3
Age Group					
18 to 44 Years	255	27.8	1.6	24.6	31.0
45 to 64 Years	208	18.7	1.5	15.9	21.6
65 Years and Older	15	1.5	0.4	0.7	2.3
Ethnicity					
Hispanic	92	45.6	3.7	38.3	52.9
Non-Hispanic	386	17.0	0.9	15.1	18.9
Race					
White	344	16.2	0.9	14.4	17.9
African American	55	36.0	4.4	27.3	44.7
Other	54	34.0	4.4	25.4	42.6
Multi-Race	17	28.3	6.6	15.2	41.3
Education					
High School Graduate or Less	247	29.7	1.8	26.2	33.3
Some College or College Graduate	232	13.8	1.0	11.8	15.7
Annual Household Income					
Less than \$35,000 per Year	317	36.7	1.9	33.1	40.3
\$35,000 or Higher per Year	95	7.9	1.0	5.9	9.8
Disability Status					
Living with a Disability	106	16.1	1.6	12.9	19.4
Living without a Disability	362	20.9	1.1	18.7	23.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	144	18.5	1.7	15.2	21.9
Overweight (25 ≤ BMI < 30)	128	17.4	1.6	14.3	20.5
Obese (BMI ≥ 30)	166	22.0	1.7	18.6	25.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	299	18.1	1.1	15.8	20.3
Does not participate in leisure time physical activity	149	23.3	1.9	19.6	27.0
Smoking Status					
Current smoker	161	33.7	2.5	28.7	38.6
Non-smoker	309	16.1	1.0	14.2	18.0

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Sedgwick County	463	24.1	1.1	21.8	26.3
Gender					
Men	205	23.6	1.7	20.3	26.8
Women	258	24.5	1.5	21.5	27.6
Age Group					
18 to 44 Years	255	27.8	1.6	24.6	31.0
45 to 64 Years	208	18.7	1.5	15.9	21.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	91	47.0	3.8	39.5	54.5
Non-Hispanic	371	20.7	1.2	18.5	23.0
Race					
White	333	19.9	1.1	17.7	22.0
African American	51	39.9	4.9	30.4	49.4
Other	53	36.3	4.6	27.2	45.4
Multi-Race	17	29.8	7.0	16.1	43.4
Education					
High School Graduate or Less	240	36.8	2.2	32.6	41.0
Some College or College Graduate	223	16.1	1.2	13.8	18.3
Annual Household Income					
Less than \$35,000 per Year	307	45.3	2.2	41.0	49.6
\$35,000 or Higher per Year	92	9.0	1.1	6.8	11.2
Disability Status					
Living with a Disability	101	22.1	2.2	17.7	26.5
Living without a Disability	351	24.2	1.3	21.7	26.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	141	22.1	2.0	18.2	26.0
Overweight (25 ≤ BMI < 30)	123	21.9	2.0	18.1	25.7
Obese (BMI ≥ 30)	159	25.2	2.0	21.3	29.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	289	21.3	1.3	18.7	23.9
Does not participate in leisure time physical activity	144	29.1	2.3	24.5	33.7
Smoking Status					
Current smoker	159	36.0	2.7	30.8	41.3
Non-smoker	295	19.8	1.2	17.5	22.2

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Sedgwick County	470	19.9	0.9	18.0	21.7
Gender					
Men	247	22.4	1.4	19.7	25.2
Women	223	17.4	1.2	14.9	19.8
Age Group					
18 to 44 Years	285	31.1	1.7	27.8	34.3
45 to 64 Years	147	12.8	1.1	10.5	15.0
65 Years and Older	36	2.7	0.5	1.6	3.7
Ethnicity					
Hispanic	94	47.2	3.7	39.9	54.5
Non-Hispanic	376	16.5	0.9	14.8	18.3
Race					
White	345	16.4	0.9	14.6	18.2
African American	38	28.6	4.3	20.2	37.0
Other	59	34.9	4.2	26.7	43.2
Multi-Race	21	36.3	6.9	22.8	49.9
Education					
High School Graduate or Less	220	26.8	1.7	23.4	30.2
Some College or College Graduate	250	15.3	1.0	13.3	17.3
Annual Household Income					
Less than \$35,000 per Year	258	31.0	1.8	27.4	34.5
\$35,000 or Higher per Year	139	10.9	1.0	8.9	12.8
Disability Status					
Living with a Disability	88	12.7	1.5	9.7	15.7
Living without a Disability	370	21.4	1.1	19.2	23.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	156	20.8	1.7	17.5	24.1
Overweight (25 ≤ BMI < 30)	140	18.8	1.6	15.6	22.0
Obese (BMI ≥ 30)	141	18.0	1.6	14.9	21.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	304	18.0	1.1	15.9	20.1
Does not participate in leisure time physical activity	136	22.4	1.9	18.6	26.2
Smoking Status					
Current smoker	153	31.2	2.4	26.5	35.9
Non-smoker	306	16.2	1.0	14.3	18.1
Health Insurance Status					
Insured	229	10.6	0.8	9.1	12.1
Uninsured	237	56.0	2.7	50.6	61.4

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Sedgwick County	455	16.3	0.9	14.7	18.0
Gender					
Men	171	14.4	1.2	12.0	16.8
Women	284	18.1	1.2	15.8	20.5
Age Group					
18 to 44 Years	214	20.7	1.4	17.9	23.5
45 to 64 Years	197	16.5	1.4	13.8	19.2
65 Years and Older	43	3.8	0.7	2.4	5.1
Ethnicity					
Hispanic	59	24.7	3.1	18.6	30.9
Non-Hispanic	396	15.4	0.9	13.6	17.1
Race					
White	348	14.4	0.8	12.7	16.0
African American	44	25.6	3.9	17.9	33.3
Other	36	19.6	3.8	12.0	27.1
Multi-Race	20	34.0	6.8	20.8	47.2
Education					
High School Graduate or Less	209	21.6	1.6	18.4	24.7
Some College or College Graduate	245	12.9	0.9	11.1	14.7
Annual Household Income					
Less than \$35,000 per Year	285	29.0	1.7	25.6	32.3
\$35,000 or Higher per Year	121	8.1	0.9	6.3	10.0
Disability Status					
Living with a Disability	176	24.4	1.9	20.7	28.1
Living without a Disability	271	14.1	1.0	12.2	15.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	125	14.6	1.6	11.5	17.6
Overweight (25 ≤ BMI < 30)	126	13.2	1.3	10.7	15.8
Obese (BMI ≥ 30)	173	20.7	1.6	17.4	23.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	287	14.9	1.0	12.9	16.8
Does not participate in leisure time physical activity	150	20.0	1.7	16.7	23.4
Smoking Status					
Current smoker	157	28.3	2.4	23.7	33.0
Non-smoker	292	12.9	0.8	11.2	14.5
Health Insurance Status					
Insured	240	8.8	0.7	7.5	10.1
Uninsured	213	45.9	2.8	40.5	51.4

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Sedgwick County	627	16.1	0.7	14.7	17.5
Gender					
Men	258	15.4	1.1	13.3	17.4
Women	369	16.8	1.0	14.8	18.8
Age Group					
18 to 44 Years	123	10.6	1.0	8.6	12.6
45 to 64 Years	258	20.3	1.3	17.7	23.0
65 Years and Older	244	23.3	1.5	20.3	26.3
Ethnicity					
Hispanic	47	18.4	2.7	13.0	23.7
Non-Hispanic	579	15.9	0.8	14.4	17.3
Race					
White	493	14.9	0.8	13.4	16.4
African American	66	21.4	3.2	15.2	27.7
Other	48	20.7	3.2	14.5	27.0
Multi-Race	16	20.1	5.4	9.6	30.7
Education					
High School Graduate or Less	327	23.1	1.4	20.3	25.9
Some College or College Graduate	297	11.3	0.8	9.8	12.9
Annual Household Income					
Less than \$35,000 per Year	384	27.6	1.6	24.6	30.6
\$35,000 or Higher per Year	153	7.8	0.7	6.3	9.2
Disability Status					
Living with a Disability	412	44.4	2.0	40.5	48.4
Living without a Disability	209	8.4	0.7	7.1	9.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	146	10.8	1.1	8.7	12.8
Overweight (25 ≤ BMI < 30)	191	15.4	1.3	12.9	18.0
Obese (BMI ≥ 30)	261	23.1	1.5	20.0	26.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	294	11.2	0.8	9.7	12.6
Does not participate in leisure time physical activity	304	30.1	1.8	26.5	33.7
Smoking Status					
Current smoker	188	25.0	2.0	21.2	28.9
Non-smoker	431	13.6	0.8	12.1	15.1
Health Insurance Status					
Insured	512	15.0	0.8	13.5	16.5
Uninsured	114	20.8	2.0	16.8	24.8

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Sedgwick County	441	10.8	0.6	9.6	12.0
Gender					
Men	171	10.3	0.9	8.5	12.1
Women	270	11.2	0.8	9.6	12.8
Age Group					
18 to 44 Years	75	5.9	0.7	4.5	7.4
45 to 64 Years	191	15.5	1.2	13.1	17.9
65 Years and Older	174	15.5	1.3	12.9	18.1
Ethnicity					
Hispanic	21	7.0	1.6	3.8	10.3
Non-Hispanic	418	11.2	0.7	9.9	12.5
Race					
White	366	10.8	0.7	9.5	12.1
African American	34	9.3	2.1	5.2	13.3
Other	25	11.0	2.4	6.3	15.6
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	201	13.6	1.1	11.3	15.8
Some College or College Graduate	239	9.0	0.7	7.6	10.3
Annual Household Income					
Less than \$35,000 per Year	245	16.0	1.2	13.7	18.4
\$35,000 or Higher per Year	134	6.9	0.7	5.5	8.2
Disability Status					
Living with a Disability	331	39.3	2.0	35.3	43.3
Living without a Disability	108	3.4	0.4	2.6	4.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	135	9.1	0.9	7.3	11.0
Overweight (25 ≤ BMI < 30)	120	9.2	1.0	7.2	11.2
Obese (BMI ≥ 30)	160	13.7	1.2	11.3	16.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	220	8.4	0.7	7.1	9.8
Does not participate in leisure time physical activity	202	18.3	1.5	15.4	21.2
Smoking Status					
Current smoker	114	14.8	1.6	11.7	17.8
Non-smoker	318	9.7	0.7	8.4	10.9
Health Insurance Status					
Insured	379	10.8	0.7	9.5	12.1
Uninsured	62	10.7	1.5	7.8	13.7

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Sedgwick County	351	10.8	0.7	9.5	12.2
Gender					
Men	122	8.6	0.9	6.8	10.4
Women	229	13.0	1.0	11.0	15.0
Age Group					
18 to 44 Years	120	11.3	1.1	9.0	13.5
45 to 64 Years	158	12.3	1.1	10.2	14.4
65 Years and Older	71	6.8	0.9	5.0	8.5
Ethnicity					
Hispanic	26	9.9	2.1	5.7	14.1
Non-Hispanic	323	10.9	0.7	9.5	12.3
Race					
White	289	10.1	0.7	8.8	11.4
African American	35	19.3	3.6	12.3	26.4
Other	17	9.3	2.6	4.1	14.4
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	154	12.9	1.2	10.5	15.3
Some College or College Graduate	197	9.5	0.8	7.9	11.0
Annual Household Income					
Less than \$35,000 per Year	203	17.1	1.4	14.4	19.7
\$35,000 or Higher per Year	112	6.9	0.8	5.3	8.5
Disability Status					
Living with a Disability	190	23.6	1.8	20.0	27.1
Living without a Disability	156	7.3	0.7	5.9	8.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	108	11.2	1.3	8.7	13.7
Overweight (25 ≤ BMI < 30)	74	7.3	1.0	5.3	9.2
Obese (BMI ≥ 30)	150	14.3	1.4	11.6	16.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	202	9.7	0.8	8.1	11.3
Does not participate in leisure time physical activity	134	14.1	1.4	11.4	16.8
Smoking Status					
Current smoker	125	19.5	1.9	15.7	23.3
Non-smoker	221	8.4	0.7	7.0	9.7
Health Insurance Status					
Insured	271	9.8	0.7	8.4	11.1
Uninsured	80	15.3	1.9	11.5	19.1

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Sedgwick County	781	40.3	1.4	37.5	43.1
Gender					
Men	302	42.2	2.3	37.6	46.7
Women	479	38.8	1.8	35.3	42.4
Age Group					
18 to 44 Years	208	34.6	2.2	30.3	39.0
45 to 64 Years	344	48.0	2.2	43.6	52.4
65 Years and Older	224	42.1	2.6	37.0	47.1
Ethnicity					
Hispanic	37	35.6	5.3	25.1	46.1
Non-Hispanic	741	40.8	1.5	37.9	43.8
Race					
White	669	40.7	1.5	37.7	43.6
African American	56	43.6	5.8	32.3	55.0
Other	25	32.3	6.2	20.1	44.5
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	298	42.7	2.4	37.9	47.5
Some College or College Graduate	482	38.7	1.8	35.2	42.1
Annual Household Income					
Less than \$35,000 per Year	359	44.2	2.3	39.6	48.7
\$35,000 or Higher per Year	333	37.8	2.0	33.9	41.8
Disability Status					
Living with a Disability	441	64.3	2.2	59.9	68.7
Living without a Disability	331	29.2	1.7	25.9	32.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	224	35.9	2.5	31.0	40.8
Overweight (25 ≤ BMI < 30)	240	42.0	2.6	36.9	47.2
Obese (BMI ≥ 30)	288	43.5	2.5	38.7	48.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	476	37.4	1.7	34.0	40.8
Does not participate in leisure time physical activity	275	47.8	2.7	42.5	53.0
Smoking Status					
Current smoker	206	49.8	3.1	43.7	55.9
Non-smoker	565	37.2	1.6	34.1	40.4
Health Insurance Status					
Insured	664	39.9	1.5	36.9	42.9
Uninsured	117	42.8	3.7	35.6	50.0

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Sedgwick County	1,873	59.7	1.0	57.8	61.7
Gender					
Men	843	63.2	1.5	60.3	66.1
Women	1,030	56.5	1.4	53.8	59.2
Age Group					
18 to 44 Years	686	68.8	1.6	65.7	72.0
45 to 64 Years	742	58.0	1.6	54.8	61.1
65 Years and Older	436	38.9	1.7	35.5	42.2
Ethnicity					
Hispanic	127	64.4	3.6	57.2	71.5
Non-Hispanic	1,737	59.1	1.1	57.0	61.1
Race					
White	1,595	58.9	1.1	56.8	60.9
African American	117	59.6	4.4	50.9	68.2
Other	99	64.2	4.2	55.8	72.5
Multi-Race	46	69.6	6.2	57.5	81.8
Education					
High School Graduate or Less	660	64.2	1.7	60.8	67.5
Some College or College Graduate	1,210	56.9	1.2	54.5	59.3
Annual Household Income					
Less than \$35,000 per Year	694	66.1	1.7	62.7	69.4
\$35,000 or Higher per Year	952	55.9	1.4	53.2	58.6
Disability Status					
Living with a Disability	452	52.1	2.0	48.1	56.1
Living without a Disability	1,409	62.0	1.2	59.7	64.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	612	61.8	1.8	58.2	65.4
Overweight (25 ≤ BMI < 30)	585	56.8	1.8	53.4	60.3
Obese (BMI ≥ 30)	580	59.7	1.8	56.1	63.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	1,340	58.2	1.2	55.9	60.6
Does not participate in leisure time physical activity	532	64.0	1.9	60.3	67.6
Smoking Status					
Current smoker	403	71.6	2.1	67.4	75.8
Non-smoker	1,462	56.4	1.1	54.2	58.6
Health Insurance Status					
Insured	1,530	54.9	1.1	52.7	57.0
Uninsured	340	80.5	2.2	76.2	84.8

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,547	35.2	0.6	33.9	36.4
Sedgwick County	436	38.9	1.7	35.5	42.2
Gender					
Men	161	39.3	2.7	34.0	44.7
Women	275	38.5	2.1	34.3	42.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	432	38.8	1.7	35.5	42.1
Race					
White	398	38.5	1.7	35.1	41.8
African American	24	45.4	8.5	28.7	62.1
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	171	39.3	2.7	34.0	44.6
Some College or College Graduate	265	38.6	2.1	34.5	42.8
Annual Household Income					
Less than \$35,000 per Year	190	41.4	2.8	36.0	46.9
\$35,000 or Higher per Year	161	35.8	2.5	30.9	40.8
Disability Status					
Living with a Disability	159	39.7	2.9	34.0	45.4
Living without a Disability	275	38.4	2.1	34.3	42.4
Weight Category					
Normal or Underweight (BMI < 25)	135	38.7	3.0	32.8	44.6
Overweight (25 ≤ BMI < 30)	169	38.2	2.7	32.9	43.4
Obese (BMI ≥ 30)	113	38.5	3.3	31.9	45.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	296	37.9	2.0	34.0	41.9
Does not participate in leisure time physical activity	139	40.6	3.1	34.6	46.7
Smoking Status					
Current smoker	48	44.9	5.9	33.4	56.5
Non-smoker	386	38.2	1.8	34.7	41.7
Health Insurance Status					
Insured	427	38.5	1.7	35.1	41.8
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	30.0	0.6	28.7	31.2
Sedgwick County	312	30.1	1.6	26.9	33.4
Gender					
Men	129	33.7	2.7	28.4	39.0
Women	183	27.6	2.0	23.6	31.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	306	29.6	1.6	26.4	32.8
Race					
White	291	29.7	1.6	26.5	32.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	129	33.0	2.7	27.7	38.2
Some College or College Graduate	182	27.7	2.0	23.8	31.6
Annual Household Income					
Less than \$35,000 per Year	122	29.9	2.8	24.5	35.3
\$35,000 or Higher per Year	141	32.9	2.5	28.0	37.8
Disability Status					
Living with a Disability	75	21.6	2.7	16.4	26.9
Living without a Disability	236	34.9	2.1	30.9	39.0
Weight Category					
Normal or Underweight (BMI < 25)	107	32.4	3.0	26.5	38.2
Overweight (25 ≤ BMI < 30)	127	31.4	2.6	26.3	36.6
Obese (BMI ≥ 30)	67	24.9	3.0	18.9	30.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	230	31.9	2.0	28.0	35.8
Does not participate in leisure time physical activity	81	26.1	2.9	20.4	31.8
Smoking Status					
Current smoker	33	36.0	5.9	24.5	47.6
Non-smoker	277	29.5	1.7	26.1	32.8
Health Insurance Status					
Insured	305	29.8	1.7	26.6	33.1
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Sedgwick County	412	14.2	0.8	12.7	15.8
Gender					
Men	243	19.5	1.3	16.9	22.0
Women	169	9.3	0.8	7.6	11.0
Age Group					
18 to 44 Years	169	17.3	1.3	14.7	20.0
45 to 64 Years	147	12.5	1.1	10.3	14.7
65 Years and Older	94	9.5	1.1	7.2	11.7
Ethnicity					
Hispanic	25	12.3	2.5	7.4	17.3
Non-Hispanic	384	14.4	0.8	12.8	16.0
Race					
White	353	14.7	0.9	13.0	16.4
African American	26	13.9	3.0	8.0	19.9
Other	18	10.0	2.5	5.1	15.0
Multi-Race	11	20.1	6.0	8.3	31.8
Education					
High School Graduate or Less	153	15.9	1.4	13.1	18.6
Some College or College Graduate	257	13.2	0.9	11.4	15.0
Annual Household Income					
Less than \$35,000 per Year	168	16.3	1.4	13.6	19.1
\$35,000 or Higher per Year	201	13.1	1.0	11.1	15.1
Disability Status					
Living with a Disability	109	12.7	1.4	9.9	15.5
Living without a Disability	301	14.8	0.9	12.9	16.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	120	14.3	1.4	11.5	17.0
Overweight (25 ≤ BMI < 30)	137	14.2	1.3	11.6	16.8
Obese (BMI ≥ 30)	135	14.8	1.4	12.0	17.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	275	13.4	0.9	11.7	15.2
Does not participate in leisure time physical activity	137	16.6	1.6	13.5	19.7
Smoking Status					
Current smoker	107	18.7	1.9	14.9	22.5
Non-smoker	304	13.0	0.8	11.3	14.6
Health Insurance Status					
Insured	343	14.0	0.8	12.3	15.6
Uninsured	68	15.1	2.0	11.2	19.0

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Sedgwick County	654	22.5	0.9	20.6	24.3
Gender					
Men	321	25.6	1.5	22.7	28.5
Women	333	19.5	1.2	17.1	21.8
Age Group					
18 to 44 Years	250	25.8	1.6	22.8	28.9
45 to 64 Years	300	24.8	1.6	21.8	27.9
65 Years and Older	104	9.1	1.0	7.2	11.1
Ethnicity					
Hispanic	46	20.8	3.0	14.8	26.7
Non-Hispanic	607	22.7	1.0	20.8	24.7
Race					
White	531	20.8	0.9	18.9	22.6
African American	59	36.0	4.3	27.5	44.4
Other	32	21.2	4.2	13.0	29.3
Multi-Race	28	44.1	7.0	30.5	57.8
Education					
High School Graduate or Less	322	31.2	1.8	27.8	34.7
Some College or College Graduate	332	16.7	1.0	14.7	18.6
Annual Household Income					
Less than \$35,000 per Year	341	33.2	1.8	29.7	36.7
\$35,000 or Higher per Year	241	15.3	1.1	13.0	17.5
Disability Status					
Living with a Disability	238	30.5	1.9	26.7	34.3
Living without a Disability	411	20.2	1.1	18.0	22.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	260	27.1	1.8	23.6	30.6
Overweight (25 ≤ BMI < 30)	198	21.1	1.6	17.9	24.3
Obese (BMI ≥ 30)	174	20.2	1.6	17.0	23.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	382	19.1	1.1	17.0	21.3
Does not participate in leisure time physical activity	246	32.0	2.0	28.1	35.8
Health Insurance Status					
Insured	491	18.6	0.9	16.8	20.4
Uninsured	161	37.8	2.8	32.2	43.3

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	56.5	1.0	54.5	58.4
Sedgwick County	345	56.5	2.4	51.7	61.3
Gender					
Men	156	53.0	3.5	46.2	59.9
Women	189	60.9	3.3	54.5	67.3
Age Group					
18 to 44 Years	156	64.1	3.4	57.4	70.7
45 to 64 Years	139	46.4	3.7	39.1	53.8
65 Years and Older	50	50.2	5.8	38.8	61.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	313	54.8	2.6	49.8	59.9
Race					
White	266	53.2	2.6	48.1	58.3
African American	41	67.1	7.4	52.6	81.5
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	165	54.6	3.6	47.6	61.5
Some College or College Graduate	180	59.0	3.2	52.6	65.3
Annual Household Income					
Less than \$35,000 per Year	187	59.1	3.3	52.6	65.5
\$35,000 or Higher per Year	116	48.8	4.2	40.7	57.0
Disability Status					
Living with a Disability	131	59.8	3.8	52.4	67.3
Living without a Disability	209	54.5	3.1	48.5	60.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	127	49.6	4.0	41.8	57.5
Overweight (25 ≤ BMI < 30)	111	64.2	4.0	56.3	72.1
Obese (BMI ≥ 30)	94	56.4	4.6	47.4	65.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	215	59.9	3.2	53.5	66.3
Does not participate in leisure time physical activity	117	51.3	3.9	43.6	58.9
Health Insurance Status					
Insured	264	58.4	2.7	53.1	63.7
Uninsured	80	53.1	4.9	43.5	62.8

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	961	5.5	0.2	5.1	5.9
Sedgwick County	134	4.5	0.5	3.6	5.4
Gender					
Men	118	8.6	0.9	6.9	10.4
Women	16	0.6	0.2	0.3	0.9
Age Group					
18 to 44 Years	66	5.9	0.8	4.3	7.4
45 to 64 Years	45	3.7	0.7	2.4	5.0
65 Years and Older	23	2.4	0.6	1.2	3.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	126	4.7	0.5	3.7	5.6
Race					
White	119	4.9	0.5	3.9	5.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	4.9	0.8	3.4	6.4
Some College or College Graduate	82	4.3	0.6	3.2	5.4
Annual Household Income					
Less than \$35,000 per Year	42	3.9	0.7	2.5	5.3
\$35,000 or Higher per Year	80	5.3	0.7	3.9	6.7
Disability Status					
Living with a Disability	22	2.6	0.7	1.2	4.0
Living without a Disability	112	5.1	0.6	4.0	6.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	37	4.3	0.8	2.7	5.8
Overweight (25 ≤ BMI < 30)	53	5.5	0.9	3.7	7.3
Obese (BMI ≥ 30)	41	4.3	0.8	2.7	5.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	88	3.8	0.5	2.9	4.7
Does not participate in leisure time physical activity	37	6.2	1.2	3.9	8.5
Smoking Status					
Current smoker	39	7.0	1.3	4.4	9.6
Non-smoker	94	3.7	0.4	2.8	4.6
Health Insurance Status					
Insured	107	4.4	0.5	3.4	5.3
Uninsured	27	5.2	1.2	2.9	7.6

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	866	10.4	0.4	9.6	11.2
Sedgwick County	118	8.6	0.9	6.9	10.4
Age Group					
18 to 44 Years	61	11.2	1.5	8.2	14.2
45 to 64 Years	39	6.7	1.2	4.3	9.2
65 Years and Older	18	4.8	1.4	2.1	7.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	111	9.0	1.0	7.1	10.9
Race					
White	106	9.3	1.0	7.4	11.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	44	8.9	1.5	6.0	11.8
Some College or College Graduate	74	8.4	1.1	6.2	10.7
Annual Household Income					
Less than \$35,000 per Year	33	7.7	1.5	4.8	10.7
\$35,000 or Higher per Year	78	9.5	1.2	7.1	11.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	102	9.5	1.1	7.4	11.6
Weight Category					
Normal or Underweight (BMI < 25)	31	8.7	1.7	5.4	11.9
Overweight (25 ≤ BMI < 30)	46	8.6	1.5	5.7	11.6
Obese (BMI ≥ 30)	38	8.6	1.6	5.5	11.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	79	7.3	0.9	5.5	9.2
Does not participate in leisure time physical activity	33	12.4	2.3	7.8	16.9
Smoking Status					
Current smoker	32	11.4	2.3	6.9	15.9
Non-smoker	85	7.5	0.9	5.7	9.3
Health Insurance Status					
Insured	94	8.4	1.0	6.5	10.3
Uninsured	24	9.8	2.3	5.2	14.3

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Sedgwick County	510	12.3	0.6	11.1	13.6
Gender					
Men	465	22.8	1.2	20.5	25.2
Women	45	2.2	0.4	1.5	3.0
Age Group					
18 to 44 Years	77	7.4	0.9	5.7	9.2
45 to 64 Years	169	13.2	1.1	11.0	15.3
65 Years and Older	263	24.8	1.5	21.9	27.7
Ethnicity					
Hispanic	17	6.6	1.7	3.3	10.0
Non-Hispanic	492	13.0	0.7	11.7	14.4
Race					
White	462	13.5	0.7	12.1	14.9
African American	29	13.4	2.8	7.9	19.0
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	146	10.4	1.0	8.5	12.3
Some College or College Graduate	363	13.6	0.8	12.0	15.3
Annual Household Income					
Less than \$35,000 per Year	168	11.7	1.1	9.6	13.8
\$35,000 or Higher per Year	298	14.0	0.9	12.1	15.8
Disability Status					
Living with a Disability	158	17.2	1.5	14.1	20.2
Living without a Disability	349	11.1	0.7	9.8	12.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	144	10.3	1.0	8.3	12.4
Overweight (25 ≤ BMI < 30)	212	14.8	1.2	12.5	17.1
Obese (BMI ≥ 30)	152	13.7	1.2	11.3	16.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	365	12.4	0.8	10.9	13.8
Does not participate in leisure time physical activity	127	12.8	1.3	10.3	15.3
Smoking Status					
Current smoker	90	12.2	1.5	9.3	15.0
Non-smoker	417	12.5	0.7	11.1	13.9
Health Insurance Status					
Insured	476	14.0	0.7	12.5	15.4
Uninsured	34	5.9	1.1	3.7	8.2

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Sedgwick County	1,122	31.8	1.0	29.9	33.7
Gender					
Men	469	30.5	1.4	27.7	33.3
Women	653	33.2	1.3	30.5	35.8
Age Group					
18 to 44 Years	314	29.2	1.6	26.1	32.3
45 to 64 Years	500	38.3	1.6	35.1	41.4
65 Years and Older	305	26.4	1.5	23.4	29.3
Ethnicity					
Hispanic	70	32.9	3.7	25.8	40.1
Non-Hispanic	1,049	31.7	1.0	29.7	33.7
Race					
White	940	31.4	1.0	29.3	33.4
African American	97	41.2	4.3	32.8	49.7
Other	51	25.3	3.7	18.1	32.5
Multi-Race	28	38.3	6.8	25.0	51.6
Education					
High School Graduate or Less	380	32.0	1.7	28.6	35.3
Some College or College Graduate	741	31.7	1.2	29.4	34.0
Annual Household Income					
Less than \$35,000 per Year	424	34.3	1.8	30.8	37.7
\$35,000 or Higher per Year	587	31.0	1.3	28.5	33.5
Disability Status					
Living with a Disability	385	41.4	2.0	37.4	45.3
Living without a Disability	729	29.3	1.1	27.1	31.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	735	30.4	1.2	28.2	32.7
Does not participate in leisure time physical activity	353	37.0	2.0	33.1	40.9
Smoking Status					
Current smoker	174	28.4	2.2	24.0	32.8
Non-smoker	939	33.2	1.1	31.1	35.4
Health Insurance Status					
Insured	954	30.7	1.0	28.7	32.7
Uninsured	166	36.4	2.8	31.0	41.8

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Sedgwick County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Sedgwick County	2,367	65.6	1.0	63.5	67.6
Gender					
Men	1,110	69.4	1.5	66.5	72.4
Women	1,257	61.6	1.4	58.8	64.3
Age Group					
18 to 44 Years	636	60.0	1.7	56.6	63.3
45 to 64 Years	955	72.2	1.5	69.2	75.2
65 Years and Older	769	68.3	1.6	65.2	71.3
Ethnicity					
Hispanic	149	74.3	3.5	67.5	81.1
Non-Hispanic	2,211	64.6	1.1	62.5	66.7
Race					
White	2,037	65.4	1.1	63.3	67.4
African American	152	69.1	4.2	60.8	77.4
Other	114	64.4	4.7	55.2	73.6
Multi-Race	49	62.0	7.1	48.1	75.8
Education					
High School Graduate or Less	782	64.7	1.8	61.2	68.3
Some College or College Graduate	1,582	66.1	1.2	63.7	68.5
Annual Household Income					
Less than \$35,000 per Year	813	65.5	1.8	62.0	69.1
\$35,000 or Higher per Year	1,294	66.0	1.4	63.3	68.7
Disability Status					
Living with a Disability	694	75.0	1.7	71.6	78.3
Living without a Disability	1,651	63.1	1.2	60.7	65.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	1,653	65.2	1.2	62.8	67.6
Does not participate in leisure time physical activity	630	66.7	2.0	62.8	70.7
Smoking Status					
Current smoker	372	59.3	2.5	54.5	64.2
Non-smoker	1,966	67.5	1.1	65.3	69.7
Health Insurance Status					
Insured	2,068	65.2	1.1	63.1	67.4
Uninsured	294	66.8	2.8	61.3	72.4

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>