


2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Wyandotte County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,

A handwritten signature in blue ink that reads "Robert Moser".

Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Wyandotte County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	3

Arthritis

Arthritis	5
Activity Limitation Due to Arthritis	7

Asthma	9
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	11
Skin Cancer	13

Cardiovascular Health

Heart Attack	15
Coronary Heart Disease	17
Stroke	19
High Blood Pressure	21

Cholesterol

Not Checked Cholesterol within Five Years	23
High Blood Cholesterol Status.....	25

Chronic Obstructive Pulmonary Disease (COPD)	27
---	----

Depressive Disorder	29
----------------------------------	----

Diabetes	31
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	33
Disability	35

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	37
---	----

Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	39
Not Participating in Any Physical Activity	41
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day	43
Consuming Vegetables Less than 1 Time Per Day.....	45
Health Care Access	
Lack Health Care Coverage	47
Lack Health Care Coverage 18 to 64 Years Old Only	49
No Personal Doctor	51
Did Not See Doctor Due to Cost.....	53
General Health	55
Healthy Days - Health Related Quality of Life	
Physical Health Status.....	57
Mental Health Status	59
Poor Physical or Mental Health is Barrier to Usual Activities.....	61
Immunization	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza 65 Years and Older Only	65
Never Had Pneumonia Vaccination 65 Years and Older Only	67
Seatbelt Use	69
Tobacco Use	
Current Smoker	71
Tried Quitting Smoking	73
Smokeless Tobacco Use	75
Male Smokeless Tobacco Use	77
Veteran Status	79
Weight Status (BMI Categories)	
Obese.....	81
Overweight or Obese	83
Technical Notes	85

Percentage of Adults Who Are Binge Drinkers, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Wyandotte County	145	13.9	1.4	11.2	16.5
Gender					
Men	86	17.0	2.1	12.8	21.1
Women	59	11.0	1.8	7.6	14.5
Age Group					
18 to 44 Years	58	16.3	2.3	11.8	20.9
45 to 64 Years	73	15.1	2.1	11.1	19.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	20	11.6	2.8	6.0	17.1
Non-Hispanic	124	14.6	1.6	11.6	17.7
Race					
White	112	17.9	1.9	14.1	21.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	68	13.1	1.9	9.4	16.9
Some College or College Graduate	76	14.6	1.9	10.9	18.4
Annual Household Income					
Less than \$35,000 per Year	53	11.3	1.8	7.8	14.8
\$35,000 or Higher per Year	77	18.2	2.5	13.3	23.0
Disability Status					
Living with a Disability	24	8.1	1.9	4.3	11.8
Living without a Disability	120	15.7	1.7	12.4	19.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	40	12.4	2.2	8.0	16.7
Overweight (25 ≤ BMI < 30)	54	16.6	2.5	11.6	21.6
Obese (BMI ≥ 30)	42	13.2	2.5	8.3	18.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	101	16.8	1.9	13.1	20.6
Does not participate in leisure time physical activity	39	8.7	1.7	5.3	12.1
Smoking Status					
Current smoker	65	27.8	3.7	20.6	35.1
Non-smoker	79	9.2	1.2	6.8	11.6
Health Insurance Status					
Insured	114	14.3	1.5	11.3	17.2
Uninsured	30	12.4	2.7	7.0	17.8

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	916	4.6	0.2	4.2	4.9
Wyandotte County	53	4.6	0.8	3.1	6.2
Gender					
Men	35	6.4	1.3	3.8	9.0
Women	18	3.0	0.9	1.3	4.7
Age Group					
18 to 44 Years	15	4.5	1.3	2.1	7.0
45 to 64 Years	31	6.4	1.3	3.8	9.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	5.0	0.9	3.2	6.7
Race					
White	46	6.4	1.1	4.1	8.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	4.8	1.0	2.8	6.9
Some College or College Graduate	20	4.4	1.2	2.1	6.7
Annual Household Income					
Less than \$35,000 per Year	19	4.1	1.1	1.9	6.3
\$35,000 or Higher per Year	25	5.3	1.3	2.7	7.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	42	4.6	0.9	2.9	6.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	8.0	1.9	4.4	11.7
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	5.0	1.1	2.9	7.1
Does not participate in leisure time physical activity	20	4.3	1.2	1.9	6.6
Smoking Status					
Current smoker	33	11.1	2.3	6.6	15.7
Non-smoker	20	2.5	0.7	1.2	3.8
Health Insurance Status					
Insured	38	4.4	0.9	2.7	6.1
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than two drinks per day and female respondents who reported consuming an average of more than one drink per day during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Wyandotte County	483	23.7	1.4	21.0	26.3
Gender					
Men	158	21.3	2.0	17.3	25.3
Women	325	26.0	1.8	22.4	29.5
Age Group					
18 to 44 Years	40	7.2	1.3	4.6	9.9
45 to 64 Years	193	34.6	2.7	29.4	39.8
65 Years and Older	247	53.4	3.0	47.6	59.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	470	29.4	1.6	26.2	32.6
Race					
White	321	27.0	1.8	23.5	30.5
African American	135	27.7	3.2	21.5	33.9
Other	17	10.9	3.1	4.9	16.9
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	235	22.6	1.8	18.9	26.2
Some College or College Graduate	248	25.1	2.0	21.2	29.0
Annual Household Income					
Less than \$35,000 per Year	269	26.5	2.0	22.5	30.5
\$35,000 or Higher per Year	157	20.7	2.0	16.7	24.6
Disability Status					
Living with a Disability	255	56.1	3.3	49.7	62.6
Living without a Disability	224	14.0	1.2	11.6	16.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	112	18.6	2.2	14.3	22.9
Overweight (25 ≤ BMI < 30)	129	21.0	2.3	16.5	25.5
Obese (BMI ≥ 30)	224	34.0	2.8	28.5	39.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	266	22.2	1.7	18.8	25.6
Does not participate in leisure time physical activity	199	27.7	2.4	23.0	32.5
Smoking Status					
Current smoker	108	29.1	3.2	22.7	35.4
Non-smoker	367	22.1	1.5	19.3	25.0
Health Insurance Status					
Insured	434	28.9	1.7	25.6	32.2
Uninsured	49	13.2	2.3	8.8	17.6

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Wyandotte County	217	51.2	3.1	45.1	57.3
Gender					
Men	68	53.5	5.1	43.4	63.5
Women	149	49.5	3.8	42.0	56.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	102	59.0	4.7	49.8	68.3
65 Years and Older	97	45.2	4.0	37.3	53.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	212	51.4	3.1	45.2	57.6
Race					
White	136	48.2	3.7	41.0	55.4
African American	67	59.0	5.9	47.5	70.5
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	104	50.8	4.4	42.3	59.4
Some College or College Graduate	113	51.7	4.4	43.0	60.4
Annual Household Income					
Less than \$35,000 per Year	139	57.1	4.2	48.8	65.4
\$35,000 or Higher per Year	58	39.3	5.0	29.5	49.1
Disability Status					
Living with a Disability	172	75.1	3.6	68.0	82.1
Living without a Disability	43	21.8	3.8	14.4	29.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	46	50.0	6.3	37.7	62.4
Overweight (25 ≤ BMI < 30)	42	43.0	5.9	31.5	54.6
Obese (BMI ≥ 30)	120	54.9	4.6	45.9	64.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	110	45.6	4.2	37.4	53.7
Does not participate in leisure time physical activity	107	59.9	4.5	51.2	68.7
Smoking Status					
Current smoker	56	57.6	6.5	44.9	70.4
Non-smoker	157	47.5	3.5	40.7	54.3
Health Insurance Status					
Insured	189	49.2	3.2	42.9	55.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Wyandotte County	135	9.6	1.0	7.6	11.6
Gender					
Men	41	6.6	1.2	4.2	9.0
Women	94	12.5	1.6	9.4	15.6
Age Group					
18 to 44 Years	37	8.3	1.6	5.3	11.4
45 to 64 Years	55	10.7	1.7	7.4	14.1
65 Years and Older	41	10.8	1.8	7.2	14.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	128	12.0	1.3	9.5	14.5
Race					
White	87	10.4	1.3	7.9	12.9
African American	39	12.5	2.7	7.2	17.8
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	71	8.4	1.3	6.0	10.9
Some College or College Graduate	62	10.9	1.7	7.6	14.1
Annual Household Income					
Less than \$35,000 per Year	77	10.8	1.6	7.8	13.9
\$35,000 or Higher per Year	44	8.4	1.4	5.6	11.3
Disability Status					
Living with a Disability	79	22.9	2.8	17.4	28.4
Living without a Disability	53	5.6	1.0	3.7	7.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	34	7.3	1.5	4.3	10.4
Overweight (25 ≤ BMI < 30)	24	6.0	1.4	3.3	8.8
Obese (BMI ≥ 30)	70	14.3	2.0	10.3	18.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	70	9.6	1.4	6.9	12.3
Does not participate in leisure time physical activity	62	10.7	1.7	7.4	14.1
Smoking Status					
Current smoker	39	12.9	2.4	8.2	17.7
Non-smoker	95	8.7	1.1	6.5	10.9
Health Insurance Status					
Insured	112	9.6	1.1	7.5	11.7
Uninsured	23	9.7	2.2	5.4	14.1

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Wyandotte County	136	6.3	0.7	4.8	7.7
Gender					
Men	51	6.2	1.1	4.0	8.4
Women	85	6.4	1.0	4.5	8.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	53	8.9	1.5	5.9	11.9
65 Years and Older	77	17.2	2.4	12.5	22.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	130	7.5	0.9	5.7	9.2
Race					
White	89	6.5	0.9	4.8	8.3
African American	36	8.0	1.9	4.2	11.7
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	65	5.7	1.0	3.8	7.5
Some College or College Graduate	71	7.1	1.2	4.8	9.4
Annual Household Income					
Less than \$35,000 per Year	72	7.2	1.2	4.9	9.4
\$35,000 or Higher per Year	47	5.3	1.0	3.4	7.2
Disability Status					
Living with a Disability	65	15.3	2.5	10.5	20.2
Living without a Disability	71	3.7	0.6	2.6	4.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	48	7.8	1.6	4.6	11.0
Overweight (25 ≤ BMI < 30)	34	5.3	1.2	2.9	7.6
Obese (BMI ≥ 30)	47	7.1	1.4	4.4	9.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	77	6.6	1.0	4.5	8.6
Does not participate in leisure time physical activity	54	6.5	1.1	4.2	8.7
Smoking Status					
Current smoker	28	7.9	2.0	4.1	11.8
Non-smoker	106	5.8	0.8	4.3	7.3
Health Insurance Status					
Insured	118	6.8	0.8	5.2	8.4
Uninsured	17	5.2	1.5	2.2	8.2

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Wyandotte County	90	3.5	0.5	2.5	4.4
Gender					
Men	36	3.6	0.8	2.1	5.2
Women	54	3.3	0.6	2.2	4.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	30	4.3	1.1	2.2	6.5
65 Years and Older	58	11.5	1.7	8.2	14.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	89	4.4	0.6	3.2	5.6
Race					
White	85	5.5	0.8	4.0	7.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	2.3	0.5	1.3	3.3
Some College or College Graduate	54	4.8	0.9	3.1	6.6
Annual Household Income					
Less than \$35,000 per Year	42	2.8	0.6	1.7	3.9
\$35,000 or Higher per Year	41	4.8	1.0	2.9	6.7
Disability Status					
Living with a Disability	46	6.8	1.3	4.2	9.4
Living without a Disability	43	2.4	0.5	1.5	3.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	34	5.1	1.2	2.8	7.4
Overweight (25 ≤ BMI < 30)	26	2.8	0.6	1.6	4.0
Obese (BMI ≥ 30)	28	3.2	0.8	1.6	4.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	58	3.4	0.5	2.3	4.4
Does not participate in leisure time physical activity	29	3.6	0.9	1.8	5.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	80	3.9	0.5	2.8	4.9
Health Insurance Status					
Insured	86	4.6	0.6	3.3	5.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had a Heart Attack, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,331	4.2	0.1	4.0	4.5
Wyandotte County	88	5.3	0.7	3.9	6.8
Gender					
Men	48	7.3	1.3	4.7	9.9
Women	40	3.4	0.7	2.1	4.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	39	7.9	1.6	4.8	10.9
65 Years and Older	46	14.1	2.3	9.5	18.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	85	6.3	0.9	4.6	8.0
Race					
White	53	4.8	0.8	3.2	6.4
African American	27	6.8	1.6	3.6	10.0
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	5.9	1.0	3.9	7.9
Some College or College Graduate	36	4.6	1.0	2.6	6.7
Annual Household Income					
Less than \$35,000 per Year	59	7.3	1.2	4.8	9.7
\$35,000 or Higher per Year	21	2.8	0.7	1.5	4.2
Disability Status					
Living with a Disability	53	15.3	2.5	10.4	20.3
Living without a Disability	35	2.4	0.5	1.4	3.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	24	4.1	0.9	2.3	6.0
Overweight (25 ≤ BMI < 30)	24	4.3	1.2	2.1	6.6
Obese (BMI ≥ 30)	37	8.2	1.7	4.9	11.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	47	4.7	0.9	2.9	6.5
Does not participate in leisure time physical activity	37	6.7	1.4	4.0	9.3
Smoking Status					
Current smoker	27	8.6	2.0	4.6	12.6
Non-smoker	61	4.4	0.7	3.0	5.8
Health Insurance Status					
Insured	77	5.9	0.8	4.3	7.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had Angina or Coronary Heart Disease, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,352	4.2	0.1	4.0	4.5
Wyandotte County	87	5.2	0.7	3.8	6.7
Gender					
Men	45	7.4	1.3	4.8	10.0
Women	42	3.2	0.7	1.9	4.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	38	8.8	1.7	5.5	12.2
65 Years and Older	46	12.7	2.2	8.4	17.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	78	5.4	0.8	3.9	6.9
Race					
White	49	4.3	0.8	2.7	5.8
African American	29	7.6	1.8	4.0	11.1
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	6.3	1.1	4.1	8.6
Some College or College Graduate	35	3.9	0.9	2.2	5.6
Annual Household Income					
Less than \$35,000 per Year	58	7.6	1.3	5.0	10.1
\$35,000 or Higher per Year	25	3.2	0.8	1.8	4.7
Disability Status					
Living with a Disability	56	17.0	2.7	11.8	22.2
Living without a Disability	31	1.8	0.4	1.0	2.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	3.4	0.8	1.8	5.0
Overweight (25 ≤ BMI < 30)	25	4.1	1.1	2.0	6.2
Obese (BMI ≥ 30)	37	8.2	1.7	4.9	11.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	4.4	0.9	2.6	6.1
Does not participate in leisure time physical activity	41	7.1	1.4	4.3	9.9
Smoking Status					
Current smoker	19	5.8	1.7	2.5	9.1
Non-smoker	68	5.2	0.8	3.6	6.9
Health Insurance Status					
Insured	79	6.4	0.9	4.6	8.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Had a Stroke, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	923	3.0	0.1	2.7	3.2
Wyandotte County	63	3.8	0.6	2.6	5.0
Gender					
Men	22	3.5	0.9	1.7	5.3
Women	41	4.1	0.8	2.5	5.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	25	5.3	1.3	2.7	7.9
65 Years and Older	34	10.0	1.9	6.3	13.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	4.2	0.7	2.9	5.5
Race					
White	33	3.5	0.7	2.0	4.9
African American	21	4.2	1.2	1.9	6.6
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	4.4	1.0	2.5	6.3
Some College or College Graduate	32	3.1	0.7	1.8	4.4
Annual Household Income					
Less than \$35,000 per Year	40	5.1	1.0	3.1	7.2
\$35,000 or Higher per Year	16	2.3	0.7	1.0	3.7
Disability Status					
Living with a Disability	42	11.7	2.1	7.5	15.8
Living without a Disability	21	1.5	0.4	0.6	2.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	26	5.6	1.3	3.0	8.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	2.7	0.7	1.5	4.0
Does not participate in leisure time physical activity	32	6.2	1.4	3.5	8.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	46	3.4	0.6	2.1	4.7
Health Insurance Status					
Insured	58	4.8	0.8	3.3	6.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Wyandotte County	632	34.7	1.7	31.5	38.0
Gender					
Men	238	37.6	2.7	32.4	42.9
Women	394	32.0	2.0	28.1	35.9
Age Group					
18 to 44 Years	57	14.8	2.2	10.6	19.0
45 to 64 Years	254	47.1	2.8	41.6	52.6
65 Years and Older	316	71.4	2.6	66.3	76.5
Ethnicity					
Hispanic	35	19.2	3.4	12.5	26.0
Non-Hispanic	593	39.5	1.9	35.9	43.2
Race					
White	373	33.8	2.0	29.9	37.8
African American	209	47.7	4.0	39.8	55.6
Other	32	21.0	4.0	13.1	28.9
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	319	35.5	2.4	30.8	40.3
Some College or College Graduate	310	33.7	2.2	29.3	38.1
Annual Household Income					
Less than \$35,000 per Year	332	35.3	2.3	30.7	39.9
\$35,000 or Higher per Year	221	33.2	2.6	28.0	38.4
Disability Status					
Living with a Disability	262	59.0	3.3	52.6	65.4
Living without a Disability	364	27.3	1.8	23.8	30.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	128	23.3	2.7	18.0	28.6
Overweight (25 ≤ BMI < 30)	187	31.9	2.8	26.3	37.4
Obese (BMI ≥ 30)	283	48.9	3.2	42.6	55.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	344	32.9	2.1	28.8	37.1
Does not participate in leisure time physical activity	257	37.4	2.8	31.9	42.9
Smoking Status					
Current smoker	123	34.3	3.5	27.5	41.1
Non-smoker	497	34.4	1.9	30.7	38.1
Health Insurance Status					
Insured	560	41.3	2.0	37.4	45.2
Uninsured	71	21.6	2.9	15.9	27.3

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Wyandotte County	244	30.1	1.9	26.3	33.8
Gender					
Men	115	31.8	2.9	26.0	37.5
Women	129	28.4	2.5	23.6	33.3
Age Group					
18 to 44 Years	154	48.1	3.1	42.1	54.2
45 to 64 Years	54	12.7	2.0	8.8	16.6
65 Years and Older	36	9.8	2.0	6.0	13.7
Ethnicity					
Hispanic	65	45.7	4.6	36.6	54.8
Non-Hispanic	175	24.8	2.0	20.9	28.7
Race					
White	136	25.7	2.3	21.3	30.2
African American	48	25.1	4.1	17.2	33.1
Other	48	47.7	5.4	37.1	58.3
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	148	36.9	2.8	31.4	42.4
Some College or College Graduate	95	21.7	2.3	17.2	26.3
Annual Household Income					
Less than \$35,000 per Year	154	35.2	2.7	30.0	40.4
\$35,000 or Higher per Year	60	21.0	3.1	14.8	27.1
Disability Status					
Living with a Disability	45	18.1	3.0	12.3	23.9
Living without a Disability	194	33.6	2.3	29.1	38.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	87	37.6	3.6	30.5	44.6
Overweight (25 ≤ BMI < 30)	70	25.0	3.4	18.4	31.5
Obese (BMI ≥ 30)	58	23.7	3.3	17.3	30.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	141	29.0	2.5	24.1	33.9
Does not participate in leisure time physical activity	91	33.0	3.2	26.7	39.2
Smoking Status					
Current smoker	69	34.7	4.0	26.8	42.5
Non-smoker	171	29.3	2.2	24.9	33.6
Health Insurance Status					
Insured	124	19.3	1.9	15.5	23.0
Uninsured	119	52.1	3.8	44.7	59.6

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Wyandotte County	476	37.6	1.9	33.8	41.3
Gender					
Men	182	39.2	3.0	33.3	45.2
Women	294	36.0	2.3	31.4	40.7
Age Group					
18 to 44 Years	42	19.1	3.1	13.1	25.1
45 to 64 Years	210	45.2	3.0	39.3	51.1
65 Years and Older	219	56.9	3.0	51.0	62.8
Ethnicity					
Hispanic	30	31.0	5.4	20.5	41.6
Non-Hispanic	444	39.2	2.0	35.3	43.2
Race					
White	317	37.9	2.3	33.4	42.5
African American	114	34.6	3.9	26.9	42.2
Other	31	42.0	6.6	29.1	54.9
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	218	38.0	2.9	32.3	43.6
Some College or College Graduate	256	37.2	2.5	32.2	42.2
Annual Household Income					
Less than \$35,000 per Year	232	39.3	2.8	33.7	44.8
\$35,000 or Higher per Year	192	37.1	2.9	31.4	42.8
Disability Status					
Living with a Disability	200	54.8	3.4	48.1	61.5
Living without a Disability	272	31.7	2.2	27.3	36.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	97	28.6	3.3	22.1	35.1
Overweight (25 ≤ BMI < 30)	145	34.5	3.2	28.2	40.8
Obese (BMI ≥ 30)	217	48.8	3.4	42.2	55.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	269	35.5	2.4	30.8	40.2
Does not participate in leisure time physical activity	188	44.0	3.4	37.3	50.7
Smoking Status					
Current smoker	87	36.3	4.1	28.2	44.3
Non-smoker	383	39.1	2.2	34.8	43.5
Health Insurance Status					
Insured	429	41.4	2.1	37.2	45.6
Uninsured	46	25.4	4.2	17.2	33.5

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Wyandotte County	141	7.8	0.8	6.2	9.4
Gender					
Men	43	6.6	1.2	4.2	9.0
Women	98	9.0	1.1	6.7	11.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	60	12.5	1.9	8.7	16.2
65 Years and Older	70	16.3	2.2	12.1	20.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	140	10.1	1.1	8.0	12.1
Race					
White	92	9.1	1.2	6.8	11.5
African American	41	10.3	2.0	6.3	14.3
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	79	8.5	1.2	6.1	10.9
Some College or College Graduate	61	6.9	1.1	4.8	9.1
Annual Household Income					
Less than \$35,000 per Year	88	9.7	1.3	7.2	12.2
\$35,000 or Higher per Year	32	4.3	0.9	2.5	6.0
Disability Status					
Living with a Disability	96	24.9	2.8	19.4	30.5
Living without a Disability	42	2.5	0.5	1.5	3.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	51	9.3	1.8	5.8	12.7
Overweight (25 ≤ BMI < 30)	32	6.3	1.4	3.6	9.0
Obese (BMI ≥ 30)	55	9.4	1.5	6.4	12.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	61	5.1	0.8	3.5	6.6
Does not participate in leisure time physical activity	73	12.6	1.9	9.0	16.2
Smoking Status					
Current smoker	50	12.8	2.2	8.6	17.0
Non-smoker	91	6.4	0.9	4.7	8.1
Health Insurance Status					
Insured	123	8.9	1.0	7.0	10.8
Uninsured	18	5.6	1.6	2.5	8.7

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Wyandotte County	268	17.7	1.3	15.1	20.3
Gender					
Men	77	13.0	1.8	9.4	16.5
Women	191	22.2	1.9	18.5	26.0
Age Group					
18 to 44 Years	66	14.0	2.0	10.1	17.9
45 to 64 Years	119	22.4	2.3	17.8	27.0
65 Years and Older	81	19.7	2.4	14.9	24.4
Ethnicity					
Hispanic	23	11.0	2.6	5.9	16.0
Non-Hispanic	243	19.9	1.5	16.8	22.9
Race					
White	183	18.6	1.6	15.4	21.7
African American	52	16.9	3.2	10.7	23.2
Other	21	16.3	3.7	9.1	23.5
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	111	14.7	1.7	11.4	18.1
Some College or College Graduate	156	21.4	2.1	17.4	25.4
Annual Household Income					
Less than \$35,000 per Year	156	20.7	2.0	16.8	24.6
\$35,000 or Higher per Year	83	13.0	1.7	9.7	16.4
Disability Status					
Living with a Disability	157	42.1	3.3	35.7	48.5
Living without a Disability	105	9.8	1.2	7.4	12.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	64	14.8	2.5	10.0	19.6
Overweight (25 ≤ BMI < 30)	68	13.7	2.0	9.8	17.7
Obese (BMI ≥ 30)	121	24.7	2.6	19.6	29.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	158	18.2	1.8	14.6	21.7
Does not participate in leisure time physical activity	102	18.5	2.2	14.2	22.8
Smoking Status					
Current smoker	80	23.2	2.9	17.4	29.0
Non-smoker	186	16.4	1.5	13.4	19.4
Health Insurance Status					
Insured	219	19.4	1.6	16.3	22.5
Uninsured	49	14.5	2.5	9.7	19.3

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Wyandotte County	218	11.6	1.0	9.6	13.5
Gender					
Men	77	9.9	1.4	7.2	12.6
Women	141	13.1	1.4	10.4	15.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	97	18.9	2.2	14.6	23.2
65 Years and Older	105	24.0	2.6	18.9	29.1
Ethnicity					
Hispanic	15	7.9	2.3	3.4	12.4
Non-Hispanic	201	12.7	1.1	10.5	14.9
Race					
White	128	11.3	1.2	8.9	13.8
African American	68	13.3	2.1	9.2	17.5
Other	16	10.4	2.9	4.8	16.0
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	110	11.4	1.4	8.6	14.1
Some College or College Graduate	106	11.7	1.4	8.9	14.4
Annual Household Income					
Less than \$35,000 per Year	123	12.7	1.5	9.8	15.6
\$35,000 or Higher per Year	73	10.7	1.5	7.8	13.6
Disability Status					
Living with a Disability	109	24.1	2.7	18.7	29.5
Living without a Disability	107	7.9	1.0	6.0	9.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	29	5.4	1.3	2.8	7.9
Overweight (25 ≤ BMI < 30)	59	10.7	1.8	7.3	14.2
Obese (BMI ≥ 30)	119	18.2	2.1	14.0	22.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	119	11.3	1.3	8.7	13.9
Does not participate in leisure time physical activity	93	13.8	1.8	10.2	17.3
Smoking Status					
Current smoker	40	11.6	2.2	7.3	15.8
Non-smoker	177	11.9	1.1	9.7	14.2
Health Insurance Status					
Insured	192	13.9	1.2	11.4	16.3
Uninsured	26	6.9	1.6	3.7	10.1

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Wyandotte County	377	21.5	1.4	18.8	24.2
Gender					
Men	133	21.8	2.2	17.5	26.1
Women	244	21.2	1.7	17.9	24.5
Age Group					
18 to 44 Years	50	9.7	1.6	6.6	12.8
45 to 64 Years	167	32.6	2.7	27.4	37.8
65 Years and Older	159	36.2	2.9	30.6	41.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	363	26.3	1.6	23.1	29.5
Race					
White	256	24.3	1.8	20.8	27.8
African American	94	24.3	3.2	18.2	30.5
Other	17	11.7	3.2	5.3	18.0
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	176	18.9	1.8	15.4	22.4
Some College or College Graduate	200	24.7	2.1	20.6	28.7
Annual Household Income					
Less than \$35,000 per Year	228	25.8	2.1	21.7	29.8
\$35,000 or Higher per Year	105	15.6	1.8	12.0	19.2
Weight Category					
Normal or Underweight (BMI < 25)	94	20.5	2.6	15.4	25.5
Overweight (25 ≤ BMI < 30)	95	16.8	2.1	12.6	21.0
Obese (BMI ≥ 30)	175	30.0	2.7	24.6	35.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	203	20.7	1.8	17.2	24.2
Does not participate in leisure time physical activity	165	24.6	2.4	20.0	29.2
Smoking Status					
Current smoker	104	29.1	3.3	22.7	35.4
Non-smoker	268	18.9	1.5	16.0	21.7
Health Insurance Status					
Insured	325	24.9	1.6	21.7	28.1
Uninsured	52	14.8	2.5	10.0	19.6

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Wyandotte County	420	23.4	1.4	20.7	26.2
Gender					
Men	144	23.0	2.2	18.7	27.4
Women	276	23.8	1.8	20.3	27.3
Age Group					
18 to 44 Years	51	10.0	1.6	6.8	13.1
45 to 64 Years	179	34.4	2.7	29.1	39.6
65 Years and Older	189	43.7	3.0	37.8	49.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	405	28.8	1.7	25.5	32.1
Race					
White	272	25.6	1.8	22.1	29.2
African American	117	28.7	3.4	22.1	35.3
Other	18	12.0	3.2	5.6	18.3
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	205	21.4	1.9	17.7	25.0
Some College or College Graduate	214	26.0	2.1	21.8	30.1
Annual Household Income					
Less than \$35,000 per Year	260	28.4	2.1	24.2	32.6
\$35,000 or Higher per Year	110	16.2	1.9	12.5	19.8
Weight Category					
Normal or Underweight (BMI < 25)	105	22.5	2.7	17.2	27.7
Overweight (25 ≤ BMI < 30)	114	19.7	2.3	15.2	24.2
Obese (BMI ≥ 30)	188	31.5	2.8	26.0	36.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	222	22.4	1.8	18.8	25.9
Does not participate in leisure time physical activity	186	27.0	2.4	22.2	31.8
Smoking Status					
Current smoker	109	30.4	3.3	23.9	36.9
Non-smoker	303	20.9	1.5	17.9	23.8
Health Insurance Status					
Insured	366	27.5	1.7	24.2	30.9
Uninsured	54	15.4	2.5	10.5	20.2

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Wyandotte County	1,051	85.7	1.3	83.0	88.3
Gender					
Men	380	83.9	2.0	79.9	87.8
Women	671	87.4	1.7	84.0	90.8
Age Group					
18 to 44 Years	279	84.4	2.3	79.9	88.8
45 to 64 Years	407	86.3	1.9	82.5	90.1
65 Years and Older	362	88.1	1.9	84.4	91.7
Ethnicity					
Hispanic	133	90.9	2.6	85.8	95.9
Non-Hispanic	913	84.2	1.5	81.2	87.2
Race					
White	663	84.7	1.7	81.4	88.0
African American	254	86.4	3.7	80.3	92.4
Other	102	87.8	3.4	81.1	94.5
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	512	89.7	1.6	86.5	92.8
Some College or College Graduate	537	80.8	2.2	76.6	85.0
Annual Household Income					
Less than \$35,000 per Year	539	87.6	1.9	83.9	91.3
\$35,000 or Higher per Year	391	82.2	2.2	77.8	86.5
Disability Status					
Living with a Disability	338	89.3	2.0	85.4	93.2
Living without a Disability	710	84.5	1.6	81.3	87.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	284	82.9	2.7	77.5	88.2
Overweight (25 ≤ BMI < 30)	313	83.7	2.5	78.8	88.6
Obese (BMI ≥ 30)	383	88.7	1.9	84.9	92.5
Smoking Status					
Current smoker	237	89.8	2.5	84.8	94.7
Non-smoker	809	84.2	1.6	81.1	87.3
Health Insurance Status					
Insured	842	84.6	1.5	81.6	87.7
Uninsured	206	87.7	2.6	82.5	92.8

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Wyandotte County	621	50.4	2.0	46.6	54.2
Gender					
Men	218	48.6	3.0	42.7	54.5
Women	403	52.1	2.5	47.2	57.1
Age Group					
18 to 44 Years	162	48.7	3.2	42.4	55.0
45 to 64 Years	236	51.9	2.9	46.2	57.7
65 Years and Older	221	52.6	3.1	46.5	58.6
Ethnicity					
Hispanic	97	65.9	4.7	56.7	75.1
Non-Hispanic	522	45.6	2.1	41.5	49.6
Race					
White	371	48.4	2.4	43.7	53.0
African American	161	50.0	4.4	41.4	58.5
Other	66	53.5	5.6	42.5	64.4
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	335	57.9	2.8	52.4	63.5
Some College or College Graduate	285	41.2	2.6	36.2	46.2
Annual Household Income					
Less than \$35,000 per Year	346	55.5	2.7	50.1	60.9
\$35,000 or Higher per Year	197	42.8	3.1	36.7	48.9
Disability Status					
Living with a Disability	218	53.5	3.4	46.7	60.2
Living without a Disability	400	49.3	2.3	44.7	53.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	157	49.2	3.6	42.2	56.3
Overweight (25 ≤ BMI <30)	170	45.4	3.5	38.5	52.3
Obese (BMI ≥ 30)	250	54.9	3.4	48.2	61.5
Smoking Status					
Current smoker	148	55.4	4.1	47.4	63.5
Non-smoker	472	49.1	2.2	44.7	53.4
Health Insurance Status					
Insured	486	48.7	2.2	44.4	52.9
Uninsured	133	54.0	4.1	46.0	62.1

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Wyandotte County	481	36.0	1.8	32.5	39.6
Gender					
Men	168	34.7	2.8	29.3	40.2
Women	313	37.2	2.3	32.7	41.8
Age Group					
18 to 44 Years	113	33.6	3.0	27.8	39.4
45 to 64 Years	167	34.7	2.8	29.2	40.1
65 Years and Older	198	46.2	3.0	40.3	52.0
Ethnicity					
Hispanic	68	44.4	4.7	35.2	53.6
Non-Hispanic	409	33.1	1.9	29.4	36.8
Race					
White	294	35.7	2.2	31.4	40.0
African American	125	36.8	4.1	28.8	44.8
Other	46	33.6	4.9	23.9	43.2
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	272	42.5	2.7	37.2	47.8
Some College or College Graduate	209	28.2	2.3	23.8	32.7
Annual Household Income					
Less than \$35,000 per Year	273	40.0	2.6	34.9	45.1
\$35,000 or Higher per Year	150	30.2	2.8	24.8	35.7
Disability Status					
Living with a Disability	186	40.5	3.2	34.3	46.7
Living without a Disability	292	34.7	2.2	30.4	38.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	117	35.9	3.5	29.1	42.6
Overweight (25 ≤ BMI < 30)	135	32.8	3.2	26.6	39.0
Obese (BMI ≥ 30)	192	37.4	3.1	31.2	43.5
Smoking Status					
Current smoker	113	38.1	3.7	30.8	45.4
Non-smoker	368	35.6	2.1	31.5	39.7
Health Insurance Status					
Insured	372	33.2	2.0	29.3	37.0
Uninsured	106	41.4	3.8	33.9	48.9

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Wyandotte County	526	46.6	1.9	42.8	50.4
Gender					
Men	225	51.1	3.0	45.3	57.0
Women	301	42.3	2.4	37.5	47.1
Age Group					
18 to 44 Years	159	48.1	3.2	41.9	54.3
45 to 64 Years	214	46.6	2.9	40.9	52.3
65 Years and Older	150	42.3	3.1	36.2	48.3
Ethnicity					
Hispanic	63	47.3	4.9	37.8	56.8
Non-Hispanic	458	46.1	2.1	42.1	50.2
Race					
White	345	46.4	2.3	41.9	51.0
African American	123	49.7	4.3	41.4	58.1
Other	40	41.5	5.7	30.3	52.7
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	254	49.5	2.8	44.0	55.1
Some College or College Graduate	271	43.1	2.5	38.1	48.0
Annual Household Income					
Less than \$35,000 per Year	260	46.6	2.7	41.3	51.8
\$35,000 or Higher per Year	205	44.8	3.1	38.6	50.9
Disability Status					
Living with a Disability	164	48.9	3.4	42.3	55.5
Living without a Disability	359	45.6	2.3	41.1	50.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	146	48.9	3.6	42.0	55.9
Overweight (25 ≤ BMI < 30)	166	48.2	3.5	41.3	55.0
Obese (BMI ≥ 30)	187	46.4	3.3	39.9	53.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	295	40.2	2.4	35.4	44.9
Does not participate in leisure time physical activity	224	57.6	3.1	51.6	63.7
Smoking Status					
Current smoker	139	52.0	4.0	44.2	59.8
Non-smoker	386	44.9	2.2	40.5	49.2
Health Insurance Status					
Insured	393	43.4	2.1	39.2	47.6
Uninsured	132	53.7	3.9	46.0	61.4

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Wyandotte County	327	25.9	1.7	22.6	29.2
Gender					
Men	142	29.1	2.7	23.8	34.5
Women	185	23.0	2.1	19.0	27.0
Age Group					
18 to 44 Years	79	24.1	2.7	18.7	29.4
45 to 64 Years	128	25.8	2.6	20.8	30.8
65 Years and Older	118	32.0	2.9	26.3	37.7
Ethnicity					
Hispanic	34	23.6	4.1	15.6	31.6
Non-Hispanic	289	26.1	1.8	22.5	29.6
Race					
White	192	24.1	2.0	20.3	28.0
African American	102	36.8	4.3	28.5	45.2
Other	25	20.2	4.4	11.6	28.8
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	189	32.0	2.6	26.8	37.1
Some College or College Graduate	137	18.9	1.9	15.1	22.6
Annual Household Income					
Less than \$35,000 per Year	189	31.4	2.5	26.5	36.4
\$35,000 or Higher per Year	99	17.3	2.2	13.0	21.6
Disability Status					
Living with a Disability	117	30.0	3.1	24.0	36.0
Living without a Disability	207	24.6	2.0	20.7	28.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	105	32.9	3.4	26.2	39.5
Overweight (25 ≤ BMI < 30)	80	23.1	2.9	17.3	28.9
Obese (BMI ≥ 30)	128	26.1	2.9	20.4	31.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	170	20.6	1.9	16.9	24.3
Does not participate in leisure time physical activity	154	35.2	3.1	29.1	41.3
Smoking Status					
Current smoker	77	29.2	3.7	21.9	36.4
Non-smoker	249	25.0	1.9	21.3	28.7
Health Insurance Status					
Insured	256	24.9	1.8	21.3	28.5
Uninsured	70	28.5	3.6	21.6	35.5

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Wyandotte County	279	32.8	1.9	29.1	36.5
Gender					
Men	122	35.2	2.9	29.4	40.9
Women	157	30.5	2.4	25.9	35.2
Age Group					
18 to 44 Years	160	46.8	3.0	40.8	52.8
45 to 64 Years	102	25.5	2.6	20.4	30.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	89	57.7	4.5	48.9	66.5
Non-Hispanic	185	25.0	1.9	21.2	28.8
Race					
White	134	24.4	2.2	20.1	28.6
African American	65	32.5	4.1	24.5	40.5
Other	63	56.2	5.1	46.1	66.3
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	172	41.2	2.7	35.9	46.6
Some College or College Graduate	106	22.4	2.3	17.9	26.9
Annual Household Income					
Less than \$35,000 per Year	204	44.6	2.6	39.5	49.8
\$35,000 or Higher per Year	37	13.0	2.8	7.5	18.5
Disability Status					
Living with a Disability	54	21.5	3.1	15.4	27.6
Living without a Disability	221	36.4	2.3	32.0	40.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	77	31.4	3.4	24.8	38.1
Overweight (25 ≤ BMI < 30)	77	29.1	3.4	22.4	35.9
Obese (BMI ≥ 30)	91	31.9	3.3	25.5	38.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	147	28.6	2.4	23.8	33.3
Does not participate in leisure time physical activity	106	36.3	3.2	30.1	42.5
Smoking Status					
Current smoker	92	43.0	3.9	35.3	50.6
Non-smoker	177	28.4	2.1	24.2	32.6

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Wyandotte County	262	38.4	2.2	34.2	42.7
Gender					
Men	114	39.4	3.3	33.0	45.8
Women	148	37.4	2.8	31.8	43.0
Age Group					
18 to 44 Years	160	46.8	3.0	40.8	52.8
45 to 64 Years	102	25.5	2.6	20.4	30.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	88	59.1	4.6	50.1	68.1
Non-Hispanic	169	30.6	2.4	26.0	35.2
Race					
White	126	29.9	2.6	24.7	35.0
African American	59	37.8	4.7	28.5	47.1
Other	62	58.7	5.3	48.3	69.1
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	164	49.0	3.1	42.9	55.1
Some College or College Graduate	97	25.7	2.7	20.4	30.9
Annual Household Income					
Less than \$35,000 per Year	192	52.4	3.0	46.5	58.2
\$35,000 or Higher per Year	35	14.9	3.2	8.7	21.2
Disability Status					
Living with a Disability	50	28.8	4.1	20.7	36.8
Living without a Disability	209	40.9	2.5	36.0	45.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	70	37.9	4.0	30.0	45.7
Overweight (25 ≤ BMI < 30)	73	34.7	4.0	26.7	42.6
Obese (BMI ≥ 30)	86	36.7	3.7	29.5	44.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	141	32.6	2.7	27.3	38.0
Does not participate in leisure time physical activity	97	45.1	3.8	37.6	52.6
Smoking Status					
Current smoker	90	47.1	4.2	38.9	55.2
Non-smoker	163	34.0	2.5	29.1	39.0

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Wyandotte County	292	36.1	1.9	32.4	39.8
Gender					
Men	149	41.2	2.9	35.5	46.8
Women	143	31.3	2.4	26.5	36.1
Age Group					
18 to 44 Years	191	55.6	3.0	49.7	61.5
45 to 64 Years	79	21.0	2.6	16.0	26.0
65 Years and Older	21	6.4	1.6	3.3	9.5
Ethnicity					
Hispanic	83	55.8	4.6	46.8	64.8
Non-Hispanic	204	29.5	2.0	25.6	33.5
Race					
White	148	29.0	2.3	24.5	33.4
African American	68	37.3	4.3	29.0	45.7
Other	60	53.2	5.3	42.9	63.5
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	180	44.4	2.7	39.1	49.7
Some College or College Graduate	112	26.1	2.4	21.3	30.8
Annual Household Income					
Less than \$35,000 per Year	185	43.8	2.6	38.6	48.9
\$35,000 or Higher per Year	68	21.9	2.8	16.4	27.4
Disability Status					
Living with a Disability	50	19.1	2.9	13.4	24.9
Living without a Disability	236	40.5	2.2	36.1	44.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	83	38.8	3.5	31.9	45.8
Overweight (25 ≤ BMI < 30)	93	34.8	3.3	28.3	41.3
Obese (BMI ≥ 30)	81	30.9	3.3	24.4	37.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	161	32.1	2.4	27.4	36.8
Does not participate in leisure time physical activity	114	41.6	3.2	35.3	47.9
Smoking Status					
Current smoker	86	42.4	3.9	34.8	50.1
Non-smoker	198	33.2	2.1	29.0	37.4
Health Insurance Status					
Insured	128	20.2	1.9	16.5	23.9
Uninsured	162	68.0	3.4	61.2	74.7

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,570	13.6	0.3	13.0	14.2
Wyandotte County	238	22.1	1.6	18.9	25.3
Gender					
Men	71	18.0	2.4	13.2	22.7
Women	167	26.1	2.2	21.8	30.4
Age Group					
18 to 44 Years	105	26.4	2.7	21.1	31.8
45 to 64 Years	107	24.3	2.5	19.4	29.2
65 Years and Older	24	4.5	1.1	2.3	6.7
Ethnicity					
Hispanic	39	23.4	4.1	15.2	31.5
Non-Hispanic	194	21.5	1.7	18.1	24.9
Race					
White	125	17.3	1.7	13.9	20.7
African American	63	25.9	3.7	18.7	33.1
Other	31	28.5	5.2	18.3	38.6
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	119	22.8	2.4	18.2	27.4
Some College or College Graduate	118	21.3	2.2	17.0	25.7
Annual Household Income					
Less than \$35,000 per Year	162	29.6	2.4	24.8	34.3
\$35,000 or Higher per Year	50	12.9	2.5	8.0	17.9
Disability Status					
Living with a Disability	95	31.7	3.3	25.2	38.1
Living without a Disability	140	19.4	1.9	15.7	23.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	66	23.8	3.1	17.7	29.9
Overweight (25 ≤ BMI < 30)	63	20.0	3.1	13.9	26.1
Obese (BMI ≥ 30)	88	21.7	2.6	16.6	26.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	131	20.8	2.1	16.7	25.0
Does not participate in leisure time physical activity	92	24.0	2.7	18.6	29.4
Smoking Status					
Current smoker	81	30.7	3.5	23.7	37.6
Non-smoker	151	19.3	1.9	15.7	23.0
Health Insurance Status					
Insured	109	11.2	1.3	8.6	13.7
Uninsured	128	44.4	3.7	37.0	51.7

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Wyandotte County	326	23.0	1.5	20.0	26.0
Gender					
Men	113	22.4	2.3	17.8	26.9
Women	213	23.7	2.0	19.8	27.6
Age Group					
18 to 44 Years	65	16.8	2.2	12.5	21.2
45 to 64 Years	131	29.5	2.7	24.2	34.8
65 Years and Older	128	29.3	2.7	24.0	34.6
Ethnicity					
Hispanic	44	26.7	3.9	19.0	34.4
Non-Hispanic	280	22.2	1.6	19.0	25.3
Race					
White	178	19.2	1.7	15.8	22.5
African American	95	26.3	3.5	19.5	33.1
Other	36	29.0	4.6	19.9	38.1
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	195	26.7	2.3	22.3	31.1
Some College or College Graduate	129	18.5	2.0	14.5	22.4
Annual Household Income					
Less than \$35,000 per Year	219	29.7	2.3	25.2	34.3
\$35,000 or Higher per Year	70	13.7	2.0	9.8	17.6
Disability Status					
Living with a Disability	207	51.5	3.3	45.2	57.9
Living without a Disability	112	14.1	1.6	11.0	17.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	87	21.8	2.9	16.2	27.4
Overweight (25 ≤ BMI < 30)	82	17.6	2.4	13.0	22.3
Obese (BMI ≥ 30)	138	28.1	2.8	22.6	33.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	154	18.6	1.8	15.0	22.2
Does not participate in leisure time physical activity	156	31.2	2.9	25.6	36.8
Smoking Status					
Current smoker	91	30.9	3.5	24.0	37.7
Non-smoker	231	20.8	1.7	17.5	24.1
Health Insurance Status					
Insured	256	21.9	1.7	18.7	25.2
Uninsured	69	25.1	3.2	18.9	31.4

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,773	10.5	0.2	10.0	11.0
Wyandotte County	206	13.6	1.3	11.0	16.2
Gender					
Men	70	14.4	2.2	10.0	18.8
Women	136	12.8	1.4	10.1	15.6
Age Group					
18 to 44 Years	24	6.9	1.9	3.1	10.6
45 to 64 Years	89	18.8	2.3	14.3	23.2
65 Years and Older	92	24.8	2.7	19.5	30.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	189	14.3	1.3	11.8	16.9
Race					
White	122	12.6	1.4	9.8	15.5
African American	57	15.8	2.7	10.5	21.0
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	108	13.8	1.9	10.1	17.5
Some College or College Graduate	96	13.2	1.8	9.8	16.7
Annual Household Income					
Less than \$35,000 per Year	138	15.7	1.7	12.3	19.1
\$35,000 or Higher per Year	43	10.3	2.5	5.5	15.1
Disability Status					
Living with a Disability	157	40.3	3.3	33.9	46.8
Living without a Disability	43	5.3	1.3	2.8	7.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	58	11.1	1.8	7.5	14.7
Overweight (25 ≤ BMI < 30)	52	13.6	2.9	7.9	19.3
Obese (BMI ≥ 30)	86	17.0	2.3	12.5	21.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	97	11.5	1.7	8.1	14.9
Does not participate in leisure time physical activity	102	17.6	2.1	13.4	21.7
Smoking Status					
Current smoker	55	17.3	2.7	11.9	22.7
Non-smoker	148	12.4	1.5	9.5	15.4
Health Insurance Status					
Insured	174	14.8	1.4	12.0	17.6
Uninsured	32	11.3	2.8	5.9	16.8

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Wyandotte County	163	12.4	1.2	10.1	14.8
Gender					
Men	48	9.3	1.5	6.3	12.3
Women	115	15.5	1.7	12.1	18.9
Age Group					
18 to 44 Years	40	10.1	1.8	6.7	13.6
45 to 64 Years	78	16.5	2.1	12.4	20.6
65 Years and Older	43	10.9	1.9	7.2	14.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	149	13.9	1.4	11.2	16.5
Race					
White	111	13.0	1.4	10.2	15.8
African American	36	14.6	3.0	8.7	20.4
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	87	12.3	1.6	9.2	15.4
Some College or College Graduate	75	12.6	1.8	9.1	16.0
Annual Household Income					
Less than \$35,000 per Year	103	16.1	1.9	12.4	19.8
\$35,000 or Higher per Year	40	8.0	1.4	5.2	10.7
Disability Status					
Living with a Disability	102	29.6	3.0	23.6	35.5
Living without a Disability	59	7.3	1.2	5.0	9.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	39	10.5	2.1	6.5	14.6
Overweight (25 ≤ BMI < 30)	44	12.3	2.2	8.1	16.6
Obese (BMI ≥ 30)	71	15.3	2.1	11.2	19.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	87	11.3	1.5	8.4	14.2
Does not participate in leisure time physical activity	69	14.6	2.1	10.4	18.7
Smoking Status					
Current smoker	57	18.0	2.7	12.6	23.3
Non-smoker	104	10.9	1.3	8.3	13.4
Health Insurance Status					
Insured	121	11.5	1.2	9.1	13.9
Uninsured	41	13.8	2.5	9.0	18.7

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Wyandotte County	306	41.4	2.5	36.5	46.4
Gender					
Men	106	41.4	4.1	33.4	49.4
Women	200	41.4	3.2	35.2	47.6
Age Group					
18 to 44 Years	61	32.5	4.2	24.2	40.7
45 to 64 Years	156	52.9	3.6	45.9	59.9
65 Years and Older	88	38.8	4.1	30.8	46.8
Ethnicity					
Hispanic	13	19.5	5.8	8.2	30.8
Non-Hispanic	291	45.8	2.7	40.6	51.1
Race					
White	199	42.3	3.0	36.4	48.3
African American	84	47.8	5.5	37.1	58.5
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	149	40.0	3.7	32.7	47.3
Some College or College Graduate	156	42.8	3.4	36.1	49.4
Annual Household Income					
Less than \$35,000 per Year	181	46.3	3.5	39.4	53.1
\$35,000 or Higher per Year	90	37.8	4.2	29.5	46.0
Disability Status					
Living with a Disability	207	67.8	3.4	61.1	74.5
Living without a Disability	94	24.7	3.0	18.9	30.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	71	36.7	4.5	27.9	45.4
Overweight (25 ≤ BMI < 30)	96	41.0	4.7	31.8	50.2
Obese (BMI ≥ 30)	126	44.8	4.2	36.5	53.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	177	41.2	3.3	34.8	47.7
Does not participate in leisure time physical activity	118	42.6	4.1	34.7	50.6
Smoking Status					
Current smoker	92	48.0	5.0	38.2	57.7
Non-smoker	209	38.5	2.9	32.7	44.3
Health Insurance Status					
Insured	248	43.3	2.8	37.9	48.7
Uninsured	58	37.5	5.4	26.9	48.2

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Wyandotte County	697	63.0	1.8	59.5	66.5
Gender					
Men	278	65.2	2.7	59.9	70.5
Women	419	61.0	2.3	56.4	65.5
Age Group					
18 to 44 Years	237	71.2	2.8	65.7	76.7
45 to 64 Years	276	61.2	2.8	55.8	66.7
65 Years and Older	178	42.2	3.0	36.3	48.1
Ethnicity					
Hispanic	95	66.7	4.3	58.3	75.2
Non-Hispanic	592	61.3	1.9	57.5	65.1
Race					
White	414	60.1	2.2	55.8	64.4
African American	183	67.6	3.9	60.1	75.2
Other	77	70.8	4.7	61.6	80.0
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	344	66.3	2.5	61.4	71.3
Some College or College Graduate	350	59.1	2.5	54.3	64.0
Annual Household Income					
Less than \$35,000 per Year	369	65.4	2.5	60.5	70.4
\$35,000 or Higher per Year	244	59.9	2.9	54.2	65.6
Disability Status					
Living with a Disability	194	55.9	3.3	49.5	62.4
Living without a Disability	498	64.9	2.1	60.7	69.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	197	66.0	3.1	59.8	72.2
Overweight (25 ≤ BMI < 30)	207	62.5	3.3	56.0	68.9
Obese (BMI ≥ 30)	240	60.6	3.1	54.4	66.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	424	60.0	2.3	55.5	64.5
Does not participate in leisure time physical activity	271	67.9	2.8	62.5	73.4
Smoking Status					
Current smoker	175	71.3	3.5	64.5	78.1
Non-smoker	517	60.2	2.1	56.2	64.3
Health Insurance Status					
Insured	508	57.1	2.1	53.1	61.2
Uninsured	187	75.8	3.5	69.0	82.6

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,547	35.2	0.6	33.9	36.4
Wyandotte County	178	42.2	3.0	36.3	48.1
Gender					
Men	55	39.8	5.0	30.1	49.6
Women	123	43.8	3.7	36.5	51.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	173	43.3	3.0	37.4	49.2
Race					
White	114	39.1	3.4	32.4	45.8
African American	56	53.6	6.0	41.8	65.4
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	95	43.4	4.2	35.1	51.7
Some College or College Graduate	81	40.3	4.1	32.3	48.3
Annual Household Income					
Less than \$35,000 per Year	105	42.5	4.1	34.5	50.5
\$35,000 or Higher per Year	48	41.2	5.1	31.2	51.2
Disability Status					
Living with a Disability	67	40.9	4.8	31.5	50.3
Living without a Disability	111	43.2	3.8	35.7	50.8
Weight Category					
Normal or Underweight (BMI < 25)	56	38.7	5.3	28.2	49.1
Overweight (25 ≤ BMI < 30)	56	39.8	5.3	29.5	50.1
Obese (BMI ≥ 30)	59	47.3	5.0	37.5	57.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	88	38.9	4.2	30.8	47.1
Does not participate in leisure time physical activity	89	45.3	4.3	36.8	53.7
Smoking Status					
Current smoker	25	49.1	9.3	30.9	67.3
Non-smoker	152	41.2	3.2	35.0	47.4
Health Insurance Status					
Insured	170	42.3	3.0	36.4	48.3
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	30.0	0.6	28.7	31.2
Wyandotte County	139	32.8	2.9	27.0	38.5
Gender					
Men	40	30.5	4.9	20.9	40.1
Women	99	34.2	3.6	27.1	41.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	136	33.2	2.9	27.5	38.9
Race					
White	94	31.0	3.2	24.8	37.2
African American	40	37.8	6.5	25.1	50.5
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	66	31.3	4.1	23.3	39.4
Some College or College Graduate	72	34.7	3.9	27.0	42.5
Annual Household Income					
Less than \$35,000 per Year	84	34.8	4.0	27.0	42.6
\$35,000 or Higher per Year	36	30.8	4.9	21.1	40.4
Disability Status					
Living with a Disability	44	24.9	4.3	16.4	33.4
Living without a Disability	95	38.6	3.9	31.0	46.3
Weight Category					
Normal or Underweight (BMI < 25)	49	35.5	5.4	24.9	46.2
Overweight (25 ≤ BMI < 30)	45	35.7	5.4	25.2	46.3
Obese (BMI ≥ 30)	39	25.9	4.3	17.4	34.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	79	35.6	4.2	27.3	44.0
Does not participate in leisure time physical activity	60	29.7	3.9	22.1	37.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	116	30.9	3.1	24.9	36.9
Health Insurance Status					
Insured	133	33.0	3.0	27.1	38.8
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Wyandotte County	161	15.9	1.5	12.9	18.9
Gender					
Men	94	22.4	2.7	17.2	27.6
Women	67	9.8	1.5	6.9	12.7
Age Group					
18 to 44 Years	57	19.5	2.7	14.2	24.8
45 to 64 Years	66	13.9	2.0	10.0	17.7
65 Years and Older	37	9.3	1.8	5.9	12.7
Ethnicity					
Hispanic	23	19.6	4.4	11.1	28.2
Non-Hispanic	136	14.8	1.5	11.8	17.7
Race					
White	99	14.6	1.7	11.3	18.0
African American	42	18.0	3.2	11.6	24.4
Other	14	17.5	5.2	7.3	27.8
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	84	17.3	2.3	12.7	21.8
Some College or College Graduate	76	14.2	1.9	10.5	18.0
Annual Household Income					
Less than \$35,000 per Year	79	16.5	2.1	12.4	20.6
\$35,000 or Higher per Year	66	15.8	2.7	10.4	21.1
Disability Status					
Living with a Disability	54	18.4	2.9	12.9	24.0
Living without a Disability	105	15.0	1.8	11.5	18.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	31	11.0	2.3	6.5	15.4
Overweight (25 ≤ BMI < 30)	47	16.8	3.3	10.3	23.2
Obese (BMI ≥ 30)	73	19.6	2.7	14.4	24.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	101	16.2	2.0	12.2	20.2
Does not participate in leisure time physical activity	59	15.2	2.3	10.7	19.7
Smoking Status					
Current smoker	47	21.8	3.4	15.1	28.4
Non-smoker	114	14.1	1.7	10.7	17.5
Health Insurance Status					
Insured	114	13.1	1.5	10.2	15.9
Uninsured	47	22.4	3.6	15.3	29.6

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Wyandotte County	296	25.4	1.7	22.1	28.6
Gender					
Men	134	29.3	2.6	24.2	34.4
Women	162	21.6	2.1	17.6	25.7
Age Group					
18 to 44 Years	94	24.4	2.6	19.3	29.6
45 to 64 Years	144	32.7	2.7	27.4	38.1
65 Years and Older	56	13.4	2.2	9.1	17.6
Ethnicity					
Hispanic	19	11.9	2.9	6.2	17.5
Non-Hispanic	275	29.6	1.9	25.8	33.3
Race					
White	185	27.0	2.1	22.8	31.2
African American	84	31.3	3.9	23.6	38.9
Other	19	16.0	3.9	8.4	23.6
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	175	29.1	2.4	24.4	33.9
Some College or College Graduate	121	20.8	2.2	16.6	25.0
Annual Household Income					
Less than \$35,000 per Year	172	27.9	2.4	23.3	32.6
\$35,000 or Higher per Year	93	24.1	2.8	18.5	29.6
Disability Status					
Living with a Disability	109	32.9	3.2	26.7	39.2
Living without a Disability	183	22.9	1.9	19.1	26.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	98	26.6	3.0	20.7	32.5
Overweight (25 ≤ BMI < 30)	83	24.3	2.9	18.5	30.0
Obese (BMI ≥ 30)	99	28.4	3.1	22.2	34.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	166	24.5	2.2	20.3	28.7
Does not participate in leisure time physical activity	113	26.6	2.7	21.2	31.9
Health Insurance Status					
Insured	202	21.0	1.7	17.7	24.4
Uninsured	92	33.6	3.6	26.6	40.6

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,063	56.5	1.0	54.5	58.4
Wyandotte County	169	58.1	3.7	50.8	65.4
Gender					
Men	72	55.5	5.2	45.4	65.7
Women	97	61.3	5.3	50.9	71.7
Age Group					
18 to 44 Years	58	59.4	6.0	47.7	71.1
45 to 64 Years	78	56.1	5.2	46.0	66.2
65 Years and Older	31	57.8	8.6	40.9	74.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	160	60.4	3.8	52.8	67.9
Race					
White	92	48.8	4.7	39.5	58.1
African American	60	77.0	6.2	64.8	89.2
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	98	57.3	4.8	47.9	66.8
Some College or College Graduate	71	59.3	5.8	48.0	70.7
Annual Household Income					
Less than \$35,000 per Year	98	56.1	4.9	46.4	65.8
\$35,000 or Higher per Year	50	60.3	6.5	47.5	73.1
Disability Status					
Living with a Disability	74	71.7	5.2	61.5	81.9
Living without a Disability	93	52.5	4.8	43.1	61.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	57	55.5	6.6	42.5	68.4
Overweight (25 ≤ BMI < 30)	41	44.7	6.9	31.2	58.1
Obese (BMI ≥ 30)	61	68.9	5.8	57.6	80.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	102	62.4	4.9	52.8	72.0
Does not participate in leisure time physical activity	58	50.0	6.0	38.3	61.7
Health Insurance Status					
Insured	116	56.5	4.6	47.5	65.5
Uninsured	52	60.7	6.1	48.8	72.7

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	961	5.5	0.2	5.1	5.9
Wyandotte County	44	5.2	1.0	3.3	7.1
Gender					
Men	36	9.6	1.9	5.9	13.3
Women	*	*	*	*	*
Age Group					
18 to 44 Years	20	6.2	1.6	3.2	9.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	4.1	0.9	2.3	5.8
Race					
White	30	6.0	1.3	3.4	8.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	7.2	1.5	4.2	10.1
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	20	5.1	1.3	2.6	7.7
\$35,000 or Higher per Year	20	6.7	1.9	3.0	10.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	34	5.7	1.2	3.4	8.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	7.0	2.0	3.1	10.8
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	4.3	1.0	2.3	6.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	18	8.1	2.2	3.8	12.3
Non-smoker	26	4.3	1.1	2.2	6.4
Health Insurance Status					
Insured	33	5.6	1.2	3.2	8.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	866	10.4	0.4	9.6	11.2
Wyandotte County	36	9.6	1.9	5.9	13.3
Age Group					
18 to 44 Years	15	11.1	3.0	5.3	17.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	7.4	1.8	3.9	10.9
Race					
White	28	12.2	2.6	7.1	17.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	12.2	2.8	6.7	17.7
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	14	9.3	2.6	4.1	14.4
\$35,000 or Higher per Year	19	12.0	3.3	5.4	18.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	29	11.0	2.3	6.4	15.6
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	11.4	3.3	5.0	17.9
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	8.3	2.0	4.4	12.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	9.0	2.3	4.6	13.5
Health Insurance Status					
Insured	29	11.1	2.5	6.3	15.9
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Wyandotte County	162	10.0	1.0	8.1	12.0
Gender					
Men	155	19.6	2.0	15.8	23.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	61	15.1	2.2	10.8	19.3
65 Years and Older	89	23.7	2.6	18.7	28.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	158	12.4	1.2	10.0	14.8
Race					
White	112	11.8	1.4	9.1	14.4
African American	38	10.8	2.3	6.2	15.4
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	71	9.1	1.4	6.4	11.9
Some College or College Graduate	91	11.2	1.4	8.3	14.0
Annual Household Income					
Less than \$35,000 per Year	65	7.6	1.2	5.2	9.9
\$35,000 or Higher per Year	82	14.9	2.0	10.9	18.9
Disability Status					
Living with a Disability	53	13.9	2.3	9.5	18.3
Living without a Disability	108	9.0	1.1	6.8	11.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	41	6.3	1.3	3.8	8.8
Overweight (25 ≤ BMI < 30)	60	12.9	2.0	8.9	16.9
Obese (BMI ≥ 30)	59	12.6	2.0	8.6	16.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	106	11.0	1.3	8.4	13.6
Does not participate in leisure time physical activity	50	9.4	1.7	6.0	12.8
Smoking Status					
Current smoker	33	8.9	1.9	5.2	12.7
Non-smoker	127	10.5	1.2	8.1	12.8
Health Insurance Status					
Insured	144	12.6	1.3	10.0	15.2
Uninsured	18	4.8	1.4	2.1	7.5

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Wyandotte County	474	37.1	1.9	33.4	40.8
Gender					
Men	178	37.1	2.8	31.5	42.6
Women	296	37.2	2.4	32.4	41.9
Age Group					
18 to 44 Years	115	35.0	3.1	28.9	41.2
45 to 64 Years	214	43.0	2.9	37.3	48.6
65 Years and Older	144	31.1	2.6	25.9	36.2
Ethnicity					
Hispanic	46	35.5	4.9	25.9	45.0
Non-Hispanic	426	37.3	2.0	33.4	41.2
Race					
White	271	32.3	2.2	28.0	36.6
African American	149	47.7	4.1	39.6	55.8
Other	45	45.3	5.9	33.7	56.9
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	232	39.0	2.8	33.5	44.4
Some College or College Graduate	241	34.9	2.4	30.1	39.7
Annual Household Income					
Less than \$35,000 per Year	253	39.5	2.7	34.3	44.7
\$35,000 or Higher per Year	187	38.4	3.1	32.4	44.4
Disability Status					
Living with a Disability	188	47.4	3.3	40.9	53.9
Living without a Disability	283	34.3	2.3	29.9	38.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	261	35.8	2.4	31.0	40.5
Does not participate in leisure time physical activity	192	38.9	3.2	32.7	45.1
Smoking Status					
Current smoker	99	39.7	4.0	31.9	47.5
Non-smoker	369	36.1	2.1	32.0	40.3
Health Insurance Status					
Insured	383	36.7	2.1	32.7	40.8
Uninsured	91	38.6	4.0	30.8	46.3

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Wyandotte County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Wyandotte County	883	70.0	1.7	66.6	73.4
Gender					
Men	360	74.0	2.5	69.1	78.9
Women	523	65.9	2.4	61.2	70.5
Age Group					
18 to 44 Years	223	67.6	3.0	61.8	73.4
45 to 64 Years	368	74.9	2.5	70.0	79.8
65 Years and Older	290	66.8	2.8	61.3	72.4
Ethnicity					
Hispanic	94	74.5	4.3	66.1	83.0
Non-Hispanic	784	68.7	1.9	65.0	72.4
Race					
White	541	66.0	2.2	61.7	70.4
African American	238	74.5	3.6	67.5	81.4
Other	77	76.9	4.8	67.6	86.2
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	408	70.3	2.5	65.4	75.2
Some College or College Graduate	472	69.6	2.4	64.9	74.2
Annual Household Income					
Less than \$35,000 per Year	448	69.7	2.4	65.0	74.5
\$35,000 or Higher per Year	360	77.3	2.4	72.5	82.1
Disability Status					
Living with a Disability	302	73.1	3.0	67.2	79.0
Living without a Disability	572	69.2	2.1	65.1	73.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	514	69.9	2.2	65.6	74.3
Does not participate in leisure time physical activity	327	69.3	3.1	63.3	75.4
Smoking Status					
Current smoker	182	69.4	3.5	62.5	76.2
Non-smoker	682	69.5	2.1	65.5	73.6
Health Insurance Status					
Insured	713	70.1	1.9	66.3	73.9
Uninsured	168	69.3	3.6	62.3	76.4

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>