


2013 Kansas Behavioral Risk Factor Surveillance System Local Data

Ellis County



November 2014

2013 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Dr. Robert Moser, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2013 Behavioral Risk Factor Survey was provided by cooperative agreement 5U58SO000008-03 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
November 2014**

Kansas Department of Health and Environment (KDHE)

Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov

Foreword

The Behavioral Risk Factor Surveillance System (BRFSS) is the world's largest, annual population-based telephone survey system, tracking health conditions and risk behaviors in the U.S. It is coordinated by the Centers for Disease Control and Prevention (CDC) and is conducted in every state and several territories.

BRFSS allows us to perform a critical public health function of assessing population health and identifying issues critically important to public health and population health management. BRFSS provides data on a wide range of health issues including information related to access to health care, chronic and infectious diseases, clinical preventive services, environmental quality, infant and child health, injury and violence, maternal health, mental health, nutrition, physical activity, obesity, oral health, reproductive and sexual health, substance abuse and tobacco use.

Prior to 2009, the sample size for the Kansas survey was sufficient to produce state level estimates of health risk behaviors. Beginning in 2009, the Kansas BRFSS was expanded in response to demand from local health officials for local level health risk behavior data for a 10-year project. The survey now collects adequate sample data during odd years (2009, 2011, 2013, 2015 and 2017) to provide local level estimates by county or region for these years. By the conclusion of the 10-year project, most Kansas counties will have county-specific data for use in estimating trends in selected health indicators from 2011 forward. Data from 2011 onward cannot be compared to previous years as the BRFSS data collection and analysis methods changed beginning in 2011.


During the 2013 survey year, data were collected from more than 20,000 adult Kansans, providing estimates for 42 of the state's 105 counties and for 16 Public Health Preparedness Regions, with data for 42 health risk indicators analyzed at the county or regional level.

BRFSS data help public health professionals measure Kansans health behaviors, conditions and concerns at the state and the local level. These data are important when we consider where to focus our public health efforts and to help us emphasize the benefits of prevention.

Sincerely,



Robert Moser, MD
Secretary and State Health Officer
Kansas Department of Health and Environment



Ellis County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2013 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
ppandya@kdheks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
gperveen@kdheks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

High Blood Pressure	13
---------------------------	----

Cholesterol

Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17

Chronic Obstructive Pulmonary Disease (COPD)	19
---	----

Depressive Disorder	21
----------------------------------	----

Diabetes	23
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	25
Disability	27

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	29
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity	31
Not Participating in Any Physical Activity	33

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	35
Consuming Vegetables Less than 1 Time Per Day.....	37
Health Care Access	
Lack of Health Care Coverage.....	39
Lack of Health Care Coverage 18 to 64 Years Old Only	41
No Personal Doctor	43
General Health	45
Healthy Days - Health Related Quality of Life	
Mental Health Status	47
Poor Physical or Mental Health is Barrier to Usual Activities.....	49
Immunization	
Not Immunized Against Influenza.....	51
Seatbelt Use	53
Tobacco Use	
Current Smoker	55
Smokeless Tobacco Use	57
Male Smokeless Tobacco Use	59
Veteran Status	61
Weight Status (BMI Categories)	
Obese.....	63
Overweight or Obese	65
Technical Notes	67

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Ellis County: Heavy Drinking, Heart Attack, Coronary Heart Disease, Stroke, Did Not See Doctor Due to Cost, Physical Health Status, Not Immunized Against Influenza 65 Years and Older Only, Never Had Pneumonia Vaccination 65 Years and Older Only, and Tried Quitting Smoking.

Percentage of Adults Who Are Binge Drinkers, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,583	15.4	0.3	14.7	16.0
Ellis County	34	21.9	3.7	14.6	29.2
Gender					
Men	22	31.4	6.0	19.7	43.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	16	28.6	6.1	16.5	40.6
45 to 64 Years	13	17.8	5.0	8.0	27.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	21.5	3.7	14.3	28.7
Race					
White	33	21.4	3.7	14.1	28.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	18.0	3.9	10.4	25.6
Annual Household Income					
Less than \$35,000 per Year	14	27.7	6.5	15.0	40.4
\$35,000 or Higher per Year	20	20.1	4.7	10.9	29.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	32	25.2	4.3	16.8	33.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	24.4	6.8	11.1	37.7
Overweight (25 ≤ BMI < 30)	13	22.8	6.3	10.5	35.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	16.2	3.9	8.6	23.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	18.6	3.9	10.9	26.4
Health Insurance Status					
Insured	28	18.6	3.6	11.6	25.7
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,380	23.9	0.3	23.3	24.5
Ellis County	59	24.8	3.4	18.3	31.4
Gender					
Men	24	21.7	4.8	12.3	31.1
Women	35	27.9	4.7	18.6	37.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	31.4	6.1	19.5	43.4
65 Years and Older	28	53.9	7.5	39.1	68.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	24.5	3.3	18.1	31.0
Race					
White	54	22.7	3.2	16.5	29.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	41	21.6	3.5	14.7	28.5
Annual Household Income					
Less than \$35,000 per Year	27	28.6	5.8	17.3	39.9
\$35,000 or Higher per Year	30	22.6	4.2	14.4	30.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	35	21.0	3.6	13.9	28.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	25.1	5.8	13.6	36.5
Overweight (25 ≤ BMI < 30)	17	24.8	5.9	13.3	36.4
Obese (BMI ≥ 30)	19	26.9	6.2	14.7	39.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	45	27.4	4.2	19.2	35.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	46	23.8	3.7	16.5	31.0
Health Insurance Status					
Insured	55	26.6	3.6	19.6	33.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,286	46.4	0.7	45.0	47.9
Ellis County	23	35.2	7.2	21.1	49.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	37.5	7.4	23.1	51.9
Race					
White	21	38.8	7.7	23.7	53.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	22	37.9	7.5	23.2	52.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,072	8.9	0.2	8.4	9.3
Ellis County	14	7.9	2.4	3.3	12.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>9.9</i>	<i>3.0</i>	<i>4.2</i>	<i>15.7</i>
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,256	6.8	0.2	6.5	7.1
Ellis County	16	5.2	1.4	2.4	8.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	5.5	1.5	2.6	8.4
Race					
White	15	4.8	1.3	2.2	7.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	5.8	1.6	2.6	9.0
Health Insurance Status					
Insured	15	6.0	1.6	2.8	9.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,157	6.3	0.2	6.0	6.6
Ellis County	17	6.2	1.6	3.0	9.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	11	20.9	6.0	9.1	32.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	6.5	1.7	3.2	9.7
Race					
White	17	6.4	1.7	3.2	9.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	13	6.0	1.7	2.6	9.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	9.9	2.8	4.5	15.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	6.4	1.8	2.9	9.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	7.1	1.9	3.4	10.9
Health Insurance Status					
Insured	17	7.2	1.9	3.6	10.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,309	31.3	0.4	30.6	32.0
Ellis County	73	28.5	3.4	21.8	35.1
Gender					
Men	36	30.6	5.1	20.7	40.6
Women	37	26.4	4.5	17.6	35.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	27	40.1	6.5	27.4	52.9
65 Years and Older	38	72.3	7.0	58.6	85.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	73	29.9	3.5	23.1	36.7
Race					
White	70	28.7	3.5	21.9	35.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	54	26.4	3.7	19.2	33.7
Annual Household Income					
Less than \$35,000 per Year	28	27.5	5.5	16.7	38.3
\$35,000 or Higher per Year	38	28.3	4.5	19.4	37.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	53	26.1	3.6	19.0	33.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	21	23.5	5.3	13.0	34.0
Overweight (25 ≤ BMI < 30)	26	31.5	6.1	19.5	43.5
Obese (BMI ≥ 30)	25	33.9	6.8	20.6	47.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	48	25.6	3.8	18.1	33.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	65	31.9	4.0	24.1	39.7
Health Insurance Status					
Insured	68	30.5	3.7	23.4	37.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,976	26.7	0.4	25.9	27.5
Ellis County	42	31.8	4.2	23.7	40.0
Gender					
Men	25	40.6	6.2	28.4	52.7
Women	17	23.4	5.2	13.2	33.7
Age Group					
18 to 44 Years	34	52.5	6.4	39.9	65.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	30.3	4.1	22.3	38.4
Race					
White	41	31.7	4.2	23.5	40.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	28	26.0	4.5	17.2	34.8
Annual Household Income					
Less than \$35,000 per Year	22	45.7	7.0	32.0	59.5
\$35,000 or Higher per Year	18	22.6	5.1	12.7	32.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	39	36.2	4.7	27.0	45.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	34.5	7.4	20.1	48.9
Overweight (25 ≤ BMI < 30)	15	29.0	6.8	15.7	42.2
Obese (BMI ≥ 30)	10	31.5	8.0	15.8	47.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	28.9	4.8	19.5	38.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	29.6	4.6	20.5	38.7
Health Insurance Status					
Insured	31	25.5	4.1	17.4	33.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,351	38.1	0.4	37.3	38.9
Ellis County	74	42.2	4.5	33.4	51.0
Gender					
Men	33	41.5	6.5	28.9	54.2
Women	41	42.7	6.2	30.5	54.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	32	43.1	6.6	30.2	55.9
65 Years and Older	33	63.3	7.4	48.8	77.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	73	40.6	4.3	32.2	49.1
Race					
White	71	42.5	4.6	33.5	51.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	58	40.4	5.1	30.5	50.4
Annual Household Income					
Less than \$35,000 per Year	27	53.8	8.5	37.2	70.4
\$35,000 or Higher per Year	43	38.3	5.4	27.7	48.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	52	37.5	4.8	28.2	46.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	38.0	7.5	23.2	52.8
Overweight (25 ≤ BMI < 30)	28	47.1	7.9	31.6	62.7
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	52	38.3	5.1	28.2	48.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	62	43.3	5.0	33.5	53.1
Health Insurance Status					
Insured	72	43.2	4.6	34.2	52.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,835	6.2	0.2	5.9	6.6
Ellis County	15	4.4	1.3	1.8	6.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	4.6	1.4	1.9	7.2
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,386	18.1	0.3	17.5	18.7
Ellis County	32	19.8	3.6	12.7	26.8
Gender					
Men	*	*	*	*	*
Women	24	29.1	5.7	17.9	40.2
Age Group					
18 to 44 Years	13	21.5	5.8	10.2	32.8
45 to 64 Years	15	23.8	5.8	12.4	35.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	30	17.3	3.2	11.0	23.6
Race					
White	28	17.8	3.5	10.9	24.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	19.5	4.2	11.4	27.7
Annual Household Income					
Less than \$35,000 per Year	19	30.9	6.8	17.6	44.2
\$35,000 or Higher per Year	13	13.1	3.6	6.0	20.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	14.9	3.5	8.0	21.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	31.6	6.9	18.1	45.2
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	25	22.6	4.5	13.8	31.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	19.2	4.0	11.3	27.1
Health Insurance Status					
Insured	27	16.9	3.5	10.1	23.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,832	9.6	0.2	9.1	10.0
Ellis County	23	7.7	1.7	4.3	11.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	27.1	6.5	14.3	39.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	8.1	1.8	4.5	11.7
Race					
White	21	7.6	1.8	4.1	11.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	7.7	2.1	3.7	11.8
Annual Household Income					
Less than \$35,000 per Year	13	11.5	3.4	4.8	18.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	6.5	1.8	2.9	10.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	13	5.6	1.6	2.4	8.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	9.3	2.2	5.1	13.5
Health Insurance Status					
Insured	21	8.2	1.9	4.4	12.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,417	19.1	0.3	18.5	19.7
Ellis County	33	14.9	3.0	9.1	20.7
Gender					
Men	*	*	*	*	*
Women	21	19.7	4.9	10.2	29.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	21.5	5.3	11.1	31.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	13.7	2.6	8.6	18.8
Race					
White	30	14.5	3.0	8.6	20.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	14.0	3.5	7.1	20.9
Annual Household Income					
Less than \$35,000 per Year	17	20.5	5.7	9.3	31.6
\$35,000 or Higher per Year	14	10.0	2.9	4.3	15.7
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	14.9	3.6	7.8	22.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	13.6	3.3	7.2	20.0
Health Insurance Status					
Insured	31	15.2	3.1	9.0	21.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,048	21.1	0.3	20.5	21.7
Ellis County	39	17.2	3.1	11.1	23.3
Gender					
Men	15	11.8	3.3	5.3	18.3
Women	24	22.5	5.0	12.6	32.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	21.9	5.3	11.4	32.3
65 Years and Older	14	27.7	6.8	14.4	41.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	16.1	2.8	10.7	21.6
Race					
White	35	16.5	3.1	10.4	22.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	27	16.0	3.6	8.9	23.2
Annual Household Income					
Less than \$35,000 per Year	20	22.6	5.7	11.3	33.8
\$35,000 or Higher per Year	16	12.0	3.3	5.7	18.4
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	23.1	6.4	10.6	35.5
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	17.6	3.8	10.2	25.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	16.6	3.4	9.8	23.3
Health Insurance Status					
Insured	36	17.8	3.3	11.3	24.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	17,688	82.1	0.3	81.4	82.8
Ellis County	139	74.5	3.8	67.0	82.0
Gender					
Men	60	70.8	5.9	59.2	82.4
Women	79	77.8	4.9	68.3	87.4
Age Group					
18 to 44 Years	50	75.5	5.9	63.8	87.1
45 to 64 Years	55	75.7	5.9	64.0	87.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	137	74.8	3.8	67.4	82.2
Race					
White	133	73.5	3.9	65.9	81.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	104	72.0	4.5	63.3	80.7
Annual Household Income					
Less than \$35,000 per Year	54	80.8	5.8	69.5	92.2
\$35,000 or Higher per Year	72	66.8	5.4	56.1	77.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	112	75.6	4.2	67.3	83.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	48	77.8	6.5	65.1	90.5
Overweight (25 ≤ BMI < 30)	45	67.4	6.7	54.3	80.5
Obese (BMI ≥ 30)	40	78.5	7.2	64.4	92.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	108	70.3	4.4	61.7	78.9
Health Insurance Status					
Insured	124	74.8	3.9	67.2	82.3
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,900	42.0	0.4	41.2	42.8
Ellis County	65	36.8	4.1	28.8	44.9
Gender					
Men	*	*	*	*	*
Women	29	29.4	5.3	19.1	39.7
Age Group					
18 to 44 Years	23	35.6	6.3	23.2	48.0
45 to 64 Years	25	38.9	6.6	25.9	51.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	65	38.8	4.2	30.6	47.0
Race					
White	64	38.2	4.2	29.9	46.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	45	31.9	4.5	23.1	40.8
Annual Household Income					
Less than \$35,000 per Year	27	41.2	7.0	27.5	54.8
\$35,000 or Higher per Year	34	33.4	5.3	23.1	43.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	56	40.8	4.7	31.7	49.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	22	33.1	6.8	19.8	46.4
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	50	32.7	4.4	24.1	41.4
Health Insurance Status					
Insured	56	35.4	4.3	27.0	43.8
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,085	26.5	0.4	25.8	27.3
Ellis County	43	21.6	3.4	15.0	28.3
Gender					
Men	24	29.0	5.6	18.0	40.0
Women	19	15.0	3.7	7.7	22.4
Age Group					
18 to 44 Years	15	21.0	5.3	10.6	31.3
45 to 64 Years	15	19.3	5.0	9.6	29.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	22.8	3.5	15.9	29.7
Race					
White	42	22.6	3.5	15.7	29.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	29	17.1	3.4	10.5	23.8
Annual Household Income					
Less than \$35,000 per Year	19	27.6	6.2	15.4	39.7
\$35,000 or Higher per Year	21	16.8	3.8	9.3	24.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	33	21.6	3.8	14.1	29.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	24.1	6.1	12.1	36.1
Obese (BMI ≥ 30)	14	27.6	6.9	14.0	41.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	37	22.0	3.7	14.7	29.2
Health Insurance Status					
Insured	36	19.1	3.3	12.6	25.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,400	41.7	0.4	40.9	42.6
Ellis County	68	44.5	4.3	36.1	53.0
Gender					
Men	42	55.6	6.1	43.8	67.5
Women	26	34.2	5.9	22.7	45.8
Age Group					
18 to 44 Years	29	51.9	6.7	38.8	65.0
45 to 64 Years	28	44.3	6.6	31.3	57.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	43.2	4.2	34.9	51.5
Race					
White	64	43.7	4.4	35.2	52.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	48	38.9	4.9	29.3	48.5
Annual Household Income					
Less than \$35,000 per Year	29	51.9	7.1	38.1	65.8
\$35,000 or Higher per Year	37	41.2	5.6	30.2	52.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	59	47.5	4.7	38.2	56.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	44.6	7.6	29.7	59.5
Overweight (25 ≤ BMI < 30)	26	49.4	7.2	35.3	63.5
Obese (BMI ≥ 30)	19	41.0	7.8	25.7	56.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	49	41.8	5.0	32.1	51.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	53	44.5	4.8	35.0	54.0
Health Insurance Status					
Insured	59	43.3	4.5	34.5	52.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,482	22.9	0.4	22.2	23.6
Ellis County	40	29.1	4.2	20.9	37.3
Gender					
Men	26	37.6	6.3	25.3	49.9
Women	14	21.3	5.4	10.8	31.9
Age Group					
18 to 44 Years	18	34.4	6.7	21.3	47.5
45 to 64 Years	16	29.3	6.5	16.5	42.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	29.0	4.2	20.9	37.2
Race					
White	38	28.2	4.2	20.0	36.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	20.3	4.1	12.2	28.4
Annual Household Income					
Less than \$35,000 per Year	19	36.8	7.1	22.8	50.7
\$35,000 or Higher per Year	18	22.4	5.1	12.3	32.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	31	30.2	4.7	20.9	39.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	36.0	7.8	20.6	51.3
Overweight (25 ≤ BMI < 30)	14	29.8	7.1	16.0	43.6
Obese (BMI ≥ 30)	12	22.9	6.6	10.0	35.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	27.0	4.8	17.6	36.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	26.3	4.6	17.3	35.3
Health Insurance Status					
Insured	32	24.2	4.1	16.2	32.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,668	17.1	0.4	16.4	17.8
Ellis County	19	14.8	3.4	8.1	21.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	13	23.0	5.8	11.6	34.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	12.5	3.1	6.4	18.6
Race					
White	18	13.9	3.3	7.4	20.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	16	31.3	6.8	17.9	44.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	15.2	3.8	7.7	22.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,551	20.8	0.4	19.9	21.6
Ellis County	19	17.8	4.1	9.9	25.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	13	23.0	5.8	11.6	34.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	15.2	3.7	7.9	22.5
Race					
White	18	16.9	4.0	9.1	24.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	16	37.6	7.9	22.1	53.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	17.9	4.4	9.2	26.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	21.5	0.4	20.8	22.3
Ellis County	28	18.4	3.4	11.7	25.2
Gender					
Men	17	23.3	5.4	12.8	33.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	19	28.5	5.9	17.0	40.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	17.8	3.4	11.2	24.4
Race					
White	26	18.4	3.6	11.5	25.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	20	17.2	3.9	9.5	24.9
Annual Household Income					
Less than \$35,000 per Year	14	27.1	6.4	14.6	39.6
\$35,000 or Higher per Year	13	12.8	3.8	5.4	20.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	20.8	4.0	13.0	28.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	10	28.3	7.8	13.0	43.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	12.9	3.5	6.0	19.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	17.2	3.8	9.7	24.7
Health Insurance Status					
Insured	21	14.2	3.2	7.9	20.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,911	15.4	0.3	14.8	16.0
Ellis County	20	10.7	2.9	5.1	16.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	7.8	2.1	3.8	11.9
Race					
White	17	9.3	2.7	4.1	14.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,075	9.7	0.3	9.2	10.2
Ellis County	19	10.0	2.7	4.8	15.3
Gender					
Men	*	*	*	*	*
Women	13	14.3	4.2	6.0	22.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	9.0	2.4	4.3	13.7
Race					
White	16	8.0	2.3	3.5	12.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	9.6	2.8	4.1	15.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	16	7.8	2.3	3.4	12.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,563	39.3	0.6	38.1	40.4
Ellis County	33	32.3	5.7	21.1	43.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	36.1	6.0	24.4	47.8
Race					
White	31	32.6	5.8	21.1	44.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	27	35.6	6.8	22.3	49.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	14	24.6	6.5	11.8	37.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	29.0	6.4	16.3	41.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	27.3	5.9	15.7	38.9
Health Insurance Status					
Insured	29	31.8	5.9	20.3	43.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	11,185	57.8	0.4	57.0	58.6
Ellis County	85	53.3	4.3	44.9	61.7
Gender					
Men	42	56.3	6.2	44.2	68.4
Women	43	50.6	5.9	39.1	62.1
Age Group					
18 to 44 Years	35	56.2	6.7	43.1	69.3
45 to 64 Years	39	64.4	6.1	52.4	76.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	82	50.8	4.3	42.4	59.1
Race					
White	82	52.5	4.3	44.0	61.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	63	52.1	4.9	42.5	61.8
Annual Household Income					
Less than \$35,000 per Year	30	57.0	7.0	43.3	70.8
\$35,000 or Higher per Year	49	53.2	5.6	42.3	64.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	71	54.0	4.7	44.7	63.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	30	55.0	7.5	40.2	69.7
Overweight (25 ≤ BMI < 30)	32	57.2	7.0	43.4	71.0
Obese (BMI ≥ 30)	21	47.6	8.1	31.8	63.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	63	51.5	4.9	41.9	61.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	68	53.0	4.7	43.7	62.2
Health Insurance Status					
Insured	75	50.9	4.5	42.2	59.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,359	17.0	0.3	16.3	17.6
Ellis County	43	28.0	4.1	20.0	36.1
Gender					
Men	25	36.3	6.4	23.7	48.9
Women	18	20.8	4.9	11.1	30.4
Age Group					
18 to 44 Years	22	38.6	6.7	25.5	51.7
45 to 64 Years	16	21.1	5.3	10.7	31.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	26.3	4.0	18.5	34.0
Race					
White	40	26.9	4.1	18.9	34.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	31	23.9	4.3	15.4	32.4
Annual Household Income					
Less than \$35,000 per Year	18	32.5	6.9	19.0	46.0
\$35,000 or Higher per Year	24	27.6	5.5	16.9	38.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	37	31.8	4.7	22.6	41.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	32.3	7.8	17.0	47.6
Overweight (25 ≤ BMI < 30)	17	27.6	6.4	15.0	40.2
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	25.8	4.6	16.7	34.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	29.0	4.6	20.0	38.1
Health Insurance Status					
Insured	35	23.1	3.9	15.4	30.8
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,865	20.0	0.4	19.3	20.7
Ellis County	35	20.0	3.4	13.4	26.6
Gender					
Men	14	17.8	4.8	8.5	27.1
Women	21	22.1	4.8	12.7	31.4
Age Group					
18 to 44 Years	14	21.4	5.3	11.0	31.8
45 to 64 Years	17	24.5	5.6	13.5	35.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	21.0	3.5	14.2	27.8
Race					
White	32	19.8	3.5	13.1	26.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	20	14.2	3.4	7.5	21.0
Annual Household Income					
Less than \$35,000 per Year	18	25.9	5.9	14.3	37.4
\$35,000 or Higher per Year	16	16.1	4.2	8.0	24.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	19.0	3.7	11.8	26.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	20.4	5.4	9.9	31.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	11	24.8	6.9	11.4	38.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	20.2	3.9	12.6	27.8
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	26	15.2	3.0	9.3	21.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	961	5.5	0.2	5.1	5.9
Ellis County	15	9.7	2.7	4.5	15.0
Gender					
Men	14	18.7	5.0	8.8	28.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	8.7	2.4	3.9	13.5
Race					
White	14	8.7	2.4	3.9	13.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	14	10.8	3.1	4.7	16.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	866	10.4	0.4	9.6	11.2
Ellis County	14	18.7	5.0	8.8	28.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	16.7	4.6	7.6	25.8
Race					
White	13	16.4	4.6	7.4	25.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	19.2	5.4	8.6	29.9
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	12	18.8	5.6	7.9	29.8
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2013**

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,022	12.0	0.3	11.5	12.5
Ellis County	17	7.4	1.9	3.7	11.0
Gender					
Men	16	13.9	3.6	6.8	20.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	10	23.9	6.8	10.5	37.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	7.7	2.0	3.9	11.6
Race					
White	17	7.7	2.0	3.8	11.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	6.3	1.8	2.7	9.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	8.2	2.1	4.0	12.4
Health Insurance Status					
Insured	16	7.6	2.0	3.8	11.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	6,656	30.0	0.4	29.2	30.7
Ellis County	54	27.7	3.7	20.5	35.0
Gender					
Men	28	29.7	5.4	19.0	40.3
Women	26	25.8	4.9	16.1	35.5
Age Group					
18 to 44 Years	18	24.9	5.5	14.0	35.7
45 to 64 Years	24	33.8	6.2	21.7	46.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	27.6	3.6	20.5	34.7
Race					
White	50	27.1	3.7	19.7	34.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	39	25.3	4.1	17.3	33.2
Annual Household Income					
Less than \$35,000 per Year	15	24.1	6.1	12.2	36.0
\$35,000 or Higher per Year	37	32.9	5.0	23.1	42.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	43	28.1	4.1	20.0	36.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	26.5	4.2	18.2	34.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	43	26.6	4.0	18.7	34.5
Health Insurance Status					
Insured	47	25.7	3.7	18.5	32.8
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2013

Ellis County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,533	65.3	0.4	64.5	66.1
Ellis County	123	64.3	4.1	56.3	72.3
Gender					
Men	63	65.7	5.9	54.2	77.2
Women	60	62.9	5.7	51.8	74.1
Age Group					
18 to 44 Years	42	59.0	6.5	46.2	71.9
45 to 64 Years	54	77.1	5.2	66.9	87.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	121	64.0	4.1	56.1	72.0
Race					
White	117	64.3	4.1	56.2	72.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	97	66.4	4.6	57.4	75.4
Annual Household Income					
Less than \$35,000 per Year	42	61.6	6.8	48.4	74.9
\$35,000 or Higher per Year	74	68.0	5.4	57.5	78.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	97	62.4	4.6	53.3	71.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>88</i>	<i>61.5</i>	<i>4.9</i>	<i>52.0</i>	<i>71.0</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>102</i>	<i>64.4</i>	<i>4.7</i>	<i>55.3</i>	<i>73.6</i>
Health Insurance Status					
Insured	<i>110</i>	<i>62.4</i>	<i>4.3</i>	<i>53.9</i>	<i>70.9</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2013 BRFSS data for your county/region on 42 health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>