

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Crawford County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
January 2017**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Crawford County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov



Table of Contents

Alcohol Consumption	
Binge Drinking.....	1
Arthritis	
Arthritis	3
Activity Limitation Due to Arthritis	5
Asthma	7
Cancer	
Cancer (Excluding Skin Cancer)	9
Skin Cancer	11
Cardiovascular Health	
Heart Attack	13
Coronary Heart Disease	15
High Blood Pressure	17
Cholesterol	
Not Checked Cholesterol within Five Years	19
High Blood Cholesterol Status.....	21
Chronic Obstructive Pulmonary Disease (COPD)	23
Depressive Disorder	25
Diabetes	27
Disability	
Activity Limitation Due to Physical, Mental or Emotional Problems	29
Disability	31
Exercise and Physical Activity	
Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	33
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	35
Not Participating in Any Physical Activity	37

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	39
Consuming Vegetables Less than 1 Time Per Day.....	41

Health Care Access

Lack of Health Care Coverage.....	43
Lack of Health Care Coverage 18 to 64 Years Old Only	45
No Personal Doctor	47
Did Not See Doctor Due to Cost.....	49

General Health

51

Healthy Days - Health Related Quality of Life

Physical Health Status.....	53
Mental Health Status	55
Poor Physical or Mental Health is Barrier to Usual Activities.....	57

Immunization

Not Immunized Against Influenza.....	59
Not Immunized Against Influenza 65 Years and Older Only	61
Never Had Pneumonia Vaccination 65 Years and Older Only	63

Seatbelt Use.....

65

Tobacco Use

Current Smoker	67
Tried Quitting Smoking	69
Smokeless Tobacco Use	71
Male Smokeless Tobacco Use	73

Veteran Status

75

Weight Status (BMI Categories)

Obese.....	77
Overweight or Obese	79

Technical Notes.....

81

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Crawford County: Heavy Drinking and Stroke.

Percentage of Adults Who Are Binge Drinkers, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Crawford County	38	15.7	2.7	10.4	21.1
Gender					
Men	22	22.3	4.7	13.1	31.4
Women	16	10.2	3.0	4.3	16.2
Age Group					
18 to 44 Years	23	23.2	4.7	14.0	32.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	15.3	2.8	9.9	20.8
Race					
White	32	15.4	2.9	9.7	21.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	30	18.5	3.6	11.4	25.6
Annual Household Income					
Less than \$35,000 per Year	18	17.8	4.5	9.1	26.5
\$35,000 or Higher per Year	16	16.4	4.4	7.7	25.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	30	17.8	3.4	11.1	24.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	12	<i>20.8</i>	6.2	8.7	33.0
Obese (BMI ≥ 30)	13	<i>14.7</i>	4.3	6.3	23.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	20.1	3.6	13.0	27.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	<i>15.7</i>	3.1	9.7	21.7
Health Insurance Status					
Insured	27	<i>14.2</i>	3.0	8.3	20.0
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Crawford County	123	26.3	2.7	21.0	31.7
Gender					
Men	33	20.1	4.0	12.2	28.0
Women	90	32.3	3.8	24.9	39.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	56	41.8	5.2	31.6	51.9
65 Years and Older	55	48.2	5.5	37.4	58.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	122	27.1	2.8	21.6	32.6
Race					
White	115	26.7	2.9	21.0	32.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	50	29.0	4.6	20.0	38.0
Some College or College Graduate	73	24.7	3.4	18.0	31.3
Annual Household Income					
Less than \$35,000 per Year	58	32.0	4.7	22.8	41.3
\$35,000 or Higher per Year	44	21.5	3.6	14.5	28.5
Disability Status					
Living with a Disability	64	54.9	6.3	42.5	67.3
Living without a Disability	53	15.4	2.5	10.5	20.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	17.1	3.9	9.5	24.8
Overweight (25 ≤ BMI < 30)	35	23.2	4.6	14.1	32.3
Obese (BMI ≥ 30)	47	33.1	5.2	22.8	43.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	72	21.4	3.0	15.6	27.2
Does not participate in leisure time physical activity	44	37.7	6.1	25.8	49.7
Smoking Status					
Current smoker	23	26.1	6.2	14.0	38.2
Non-smoker	94	24.3	2.8	18.7	29.8
Health Insurance Status					
Insured	112	27.5	2.9	21.8	33.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Crawford County	63	58.0	5.7	46.8	69.2
Gender					
Men	*	*	*	*	*
Women	43	53.7	6.3	41.3	66.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	58.1	8.0	42.4	73.8
65 Years and Older	29	59.3	7.5	44.6	74.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	62	57.8	5.7	46.5	69.1
Race					
White	58	57.0	6.0	45.3	68.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	34	51.4	7.8	36.2	66.6
Annual Household Income					
Less than \$35,000 per Year	37	67.2	8.1	51.3	83.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	48	81.1	6.1	69.1	93.1
Living without a Disability	14	30.5	7.8	15.3	45.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	44.2	7.1	30.3	58.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	49	50.6	6.3	38.1	63.0
Health Insurance Status					
Insured	57	56.2	5.9	44.7	67.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Crawford County	26	8.5	2.1	4.5	12.6
Gender					
Men	*	*	*	*	*
Women	22	12.3	3.3	5.8	18.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	8.5	2.1	4.4	12.7
Race					
White	22	7.8	2.1	3.6	12.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	7.6	2.3	3.2	12.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	10.3	3.1	4.3	16.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	9.0	2.2	4.7	13.2
Health Insurance Status					
Insured	24	8.1	2.0	4.3	12.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Crawford County	38	7.3	1.4	4.5	10.0
Gender					
Men	*	*	*	*	*
Women	25	9.1	2.2	4.9	13.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	21	19.1	4.5	10.4	27.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	7.5	1.5	4.6	10.4
Race					
White	33	6.4	1.4	3.7	9.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	9.9	2.9	4.2	15.6
Some College or College Graduate	23	5.6	1.4	2.8	8.4
Annual Household Income					
Less than \$35,000 per Year	21	11.9	3.0	6.1	17.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	6.7	1.7	3.4	10.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	4.0	1.2	1.7	6.3
Does not participate in leisure time physical activity	16	<i>13.0</i>	<i>3.9</i>	5.4	20.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	7.7	1.7	4.4	11.1
Health Insurance Status					
Insured	37	8.3	1.7	5.1	11.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Crawford County	27	5.7	1.3	3.2	8.2
Gender					
Men	*	*	*	*	*
Women	17	7.3	2.0	3.3	11.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	15	12.3	3.3	5.7	18.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	5.9	1.3	3.3	8.5
Race					
White	26	6.0	1.4	3.3	8.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	3.7	1.1	1.6	5.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	5.2	1.4	2.3	8.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	5.5	1.6	2.4	8.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	6.8	1.7	3.5	10.1
Health Insurance Status					
Insured	26	6.7	1.5	3.6	9.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,263	4.0	0.1	3.7	4.2
Crawford County	22	5.2	1.3	2.7	7.7
Gender					
Men	15	8.2	2.4	3.6	12.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	15.4	4.3	7.0	23.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	5.3	1.3	2.7	7.8
Race					
White	19	5.0	1.3	2.4	7.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	15	12.4	3.4	5.7	19.1
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	5.8	1.6	2.6	8.9
Health Insurance Status					
Insured	22	6.4	1.5	3.4	9.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,274	3.8	0.1	3.6	4.0
Crawford County	25	4.8	1.0	2.7	6.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	19	21.7	4.7	12.5	30.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	4.9	1.1	2.8	7.1
Race					
White	21	4.4	1.0	2.4	6.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	5.3	1.4	2.6	8.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	14.7	3.7	7.4	22.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	8.8	2.6	3.7	13.9
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	4.9	1.4	2.2	7.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	5.9	1.4	3.3	8.6
Health Insurance Status					
Insured	25	5.8	1.3	3.3	8.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Crawford County	144	31.9	3.0	26.1	37.7
Gender					
Men	59	31.7	4.4	23.1	40.4
Women	85	32.1	4.0	24.3	39.9
Age Group					
18 to 44 Years	14	12.0	3.5	5.1	19.0
45 to 64 Years	58	46.4	5.3	36.1	56.7
65 Years and Older	71	66.3	5.2	56.1	76.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	142	32.6	3.0	26.6	38.5
Race					
White	136	32.9	3.1	26.7	39.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	56	38.1	5.4	27.6	48.7
Some College or College Graduate	88	28.0	3.4	21.4	34.6
Annual Household Income					
Less than \$35,000 per Year	61	37.5	5.3	27.3	47.8
\$35,000 or Higher per Year	59	30.1	4.2	21.9	38.4
Disability Status					
Living with a Disability	56	42.5	5.9	31.0	54.1
Living without a Disability	82	27.0	3.4	20.4	33.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	27	21.0	4.6	11.9	30.0
Overweight (25 ≤ BMI < 30)	41	30.4	5.5	19.6	41.2
Obese (BMI ≥ 30)	62	40.5	5.4	29.9	51.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	89	28.9	3.5	22.0	35.9
Does not participate in leisure time physical activity	45	37.2	5.9	25.7	48.8
Smoking Status					
Current smoker	19	27.7	7.5	13.1	42.3
Non-smoker	120	32.8	3.2	26.6	39.1
Health Insurance Status					
Insured	132	32.6	3.1	26.6	38.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Crawford County	70	32.1	3.6	25.1	39.2
Gender					
Men	36	36.7	5.4	26.1	47.2
Women	34	27.7	4.8	18.3	37.0
Age Group					
18 to 44 Years	47	51.0	5.6	40.0	62.0
45 to 64 Years	17	15.2	4.2	7.0	23.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	31.0	3.6	23.9	38.2
Race					
White	64	31.9	3.8	24.5	39.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	28.0	5.8	16.7	39.3
Some College or College Graduate	48	34.6	4.6	25.6	43.5
Annual Household Income					
Less than \$35,000 per Year	35	39.1	5.8	27.7	50.4
\$35,000 or Higher per Year	19	21.0	5.2	10.8	31.3
Disability Status					
Living with a Disability	14	25.7	6.7	12.6	38.9
Living without a Disability	55	34.8	4.3	26.3	43.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	41.3	7.0	27.7	55.0
Overweight (25 ≤ BMI < 30)	18	28.9	6.3	16.7	41.2
Obese (BMI ≥ 30)	20	28.0	6.0	16.1	39.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	48	32.9	4.3	24.4	41.4
Does not participate in leisure time physical activity	15	28.2	7.5	13.4	43.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	47	26.1	3.7	18.9	33.4
Health Insurance Status					
Insured	48	25.3	3.6	18.2	32.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Crawford County	112	32.9	3.2	26.6	39.2
Gender					
Men	39	30.3	4.9	20.6	39.9
Women	73	35.1	4.1	27.0	43.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	54	43.6	5.3	33.2	54.0
65 Years and Older	51	53.2	5.8	41.9	64.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	111	33.4	3.3	27.0	39.8
Race					
White	106	33.7	3.3	27.1	40.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	47	42.6	5.9	31.0	54.3
Some College or College Graduate	65	27.0	3.6	20.0	34.0
Annual Household Income					
Less than \$35,000 per Year	41	36.1	5.7	24.8	47.3
\$35,000 or Higher per Year	53	32.4	4.5	23.5	41.3
Disability Status					
Living with a Disability	39	45.4	6.4	32.7	58.0
Living without a Disability	70	28.3	3.6	21.3	35.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	16.6	4.7	7.5	25.8
Overweight (25 ≤ BMI < 30)	36	33.6	6.0	21.9	45.3
Obese (BMI ≥ 30)	51	41.7	5.6	30.7	52.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	72	30.7	3.8	23.2	38.2
Does not participate in leisure time physical activity	33	39.2	6.2	26.9	51.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	95	32.7	3.5	25.9	39.4
Health Insurance Status					
Insured	106	33.7	3.4	27.1	40.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Crawford County	37	9.0	1.9	5.3	12.6
Gender					
Men	*	*	*	*	*
Women	23	9.0	2.3	4.5	13.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	13.4	3.8	6.0	20.8
65 Years and Older	15	13.6	3.6	6.4	20.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	9.3	1.9	5.5	13.1
Race					
White	34	9.0	2.0	5.1	12.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	11.0	3.1	4.8	17.1
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	19	12.0	3.4	5.4	18.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	21.8	5.5	11.0	32.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	6.6	1.6	3.4	9.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	6.3	1.5	3.4	9.2
Health Insurance Status					
Insured	31	6.8	1.4	4.0	9.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Crawford County	70	19.6	2.7	14.3	25.0
Gender					
Men	18	13.5	3.6	6.5	20.6
Women	52	25.5	4.0	17.7	33.3
Age Group					
18 to 44 Years	22	20.0	4.3	11.6	28.5
45 to 64 Years	34	23.9	4.6	15.0	32.8
65 Years and Older	14	12.0	3.4	5.3	18.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	69	19.6	2.7	14.2	24.9
Race					
White	61	17.7	2.7	12.5	23.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	24.4	5.1	14.5	34.3
Some College or College Graduate	41	16.8	3.0	10.8	22.7
Annual Household Income					
Less than \$35,000 per Year	40	30.0	5.2	19.8	40.2
\$35,000 or Higher per Year	23	14.0	3.1	8.0	20.0
Disability Status					
Living with a Disability	31	30.1	5.6	19.1	41.0
Living without a Disability	38	15.9	3.1	9.9	21.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	14	13.3	3.9	5.6	21.0
Overweight (25 ≤ BMI <30)	23	25.7	6.0	14.0	37.5
Obese (BMI ≥ 30)	29	19.9	4.2	11.7	28.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	48	20.2	3.5	13.3	27.1
Does not participate in leisure time physical activity	20	21.3	4.9	11.7	30.9
Smoking Status					
Current smoker	19	28.6	7.3	14.3	42.9
Non-smoker	48	16.2	2.8	10.8	21.6
Health Insurance Status					
Insured	60	19.1	2.8	13.6	24.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Crawford County	52	10.4	1.7	7.1	13.7
Gender					
Men	22	10.6	2.6	5.4	15.7
Women	30	10.3	2.1	6.2	14.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	21	15.2	3.6	8.2	22.2
65 Years and Older	27	25.4	4.8	16.0	34.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	10.4	1.7	7.0	13.7
Race					
White	49	10.4	1.7	7.0	13.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	10.2	2.7	4.9	15.5
Some College or College Graduate	34	10.6	2.1	6.4	14.7
Annual Household Income					
Less than \$35,000 per Year	25	12.7	2.9	7.0	18.4
\$35,000 or Higher per Year	19	8.8	2.3	4.4	13.3
Disability Status					
Living with a Disability	29	22.9	4.7	13.8	32.1
Living without a Disability	22	6.6	1.6	3.4	9.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	25	18.1	4.0	10.2	25.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	7.8	1.8	4.2	11.3
Does not participate in leisure time physical activity	22	17.1	4.1	8.9	25.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	44	10.6	1.8	7.1	14.1
Health Insurance Status					
Insured	49	11.5	1.9	7.8	15.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Crawford County	90	22.6	2.7	17.3	28.0
Gender					
Men	39	23.4	4.3	15.0	31.7
Women	51	22.0	3.5	15.1	28.8
Age Group					
18 to 44 Years	15	15.7	4.0	7.9	23.6
45 to 64 Years	35	26.8	4.6	17.7	35.9
65 Years and Older	39	36.9	5.3	26.4	47.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	89	22.9	2.8	17.4	28.3
Race					
White	81	21.8	2.8	16.3	27.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	23.6	4.4	15.0	32.2
Some College or College Graduate	55	22.1	3.5	15.3	29.0
Annual Household Income					
Less than \$35,000 per Year	50	32.2	4.9	22.7	41.7
\$35,000 or Higher per Year	23	9.5	2.2	5.2	13.8
Weight Category					
Normal or Underweight (BMI < 25)	21	16.1	4.3	7.8	24.5
Overweight (25 ≤ BMI < 30)	26	20.3	4.6	11.4	29.3
Obese (BMI ≥ 30)	36	31.1	5.4	20.5	41.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	54	21.6	3.3	15.0	28.2
Does not participate in leisure time physical activity	33	27.6	5.5	16.9	38.4
Smoking Status					
Current smoker	17	23.1	6.4	10.6	35.6
Non-smoker	69	20.8	2.8	15.3	26.4
Health Insurance Status					
Insured	80	22.0	2.8	16.6	27.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Crawford County	101	24.6	2.8	19.1	30.0
Gender					
Men	42	24.8	4.3	16.3	33.3
Women	59	24.4	3.6	17.4	31.4
Age Group					
18 to 44 Years	16	16.4	4.1	8.5	24.4
45 to 64 Years	40	30.1	4.7	20.8	39.3
65 Years and Older	44	40.3	5.4	29.8	50.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	99	24.8	2.8	19.2	30.3
Race					
White	91	23.8	2.9	18.2	29.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	42	26.2	4.5	17.4	35.0
Some College or College Graduate	59	23.6	3.6	16.7	30.6
Annual Household Income					
Less than \$35,000 per Year	53	33.3	4.9	23.8	42.9
\$35,000 or Higher per Year	27	11.9	2.6	6.9	17.0
Weight Category					
Normal or Underweight (BMI <25)	22	16.8	4.3	8.3	25.2
Overweight (25 ≤ BMI < 30)	30	22.2	4.7	13.1	31.4
Obese (BMI ≥ 30)	40	33.7	5.5	22.9	44.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>60</i>	<i>23.3</i>	<i>3.4</i>	<i>16.6</i>	<i>29.9</i>
Does not participate in leisure time physical activity	<i>37</i>	<i>30.2</i>	<i>5.6</i>	<i>19.1</i>	<i>41.2</i>
Smoking Status					
Current smoker	<i>19</i>	<i>25.3</i>	<i>6.6</i>	<i>12.4</i>	<i>38.2</i>
Non-smoker	<i>78</i>	<i>22.8</i>	<i>2.9</i>	<i>17.1</i>	<i>28.4</i>
Health Insurance Status					
Insured	<i>89</i>	<i>24.0</i>	<i>2.8</i>	<i>18.4</i>	<i>29.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Crawford County	257	83.9	2.7	78.5	89.3
Gender					
Men	93	77.9	4.9	68.3	87.6
Women	164	88.6	2.8	83.2	94.1
Age Group					
18 to 44 Years	75	78.5	4.7	69.2	87.8
45 to 64 Years	97	88.4	2.9	82.7	94.0
65 Years and Older	85	92.6	2.6	87.6	97.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	249	83.3	2.8	77.7	88.8
Race					
White	244	85.3	2.7	80.1	90.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	95	92.9	3.0	86.9	98.8
Some College or College Graduate	162	79.0	3.8	71.6	86.4
Annual Household Income					
Less than \$35,000 per Year	96	84.5	4.5	75.6	93.4
\$35,000 or Higher per Year	113	81.6	4.2	73.4	89.8
Disability Status					
Living with a Disability	83	89.6	4.6	80.6	98.7
Living without a Disability	172	82.0	3.3	75.4	88.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	65	75.9	5.8	64.5	87.3
Overweight (25 ≤ BMI < 30)	76	80.6	5.8	69.2	92.0
Obese (BMI ≥ 30)	97	92.1	2.9	86.4	97.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	215	82.8	3.2	76.6	89.1
Health Insurance Status					
Insured	227	83.2	3.1	77.1	89.2
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Crawford County	130	42.9	3.6	36.0	49.9
Gender					
Men	53	42.4	5.4	31.8	52.9
Women	77	43.4	4.7	34.1	52.7
Age Group					
18 to 44 Years	34	35.8	5.6	24.8	46.8
45 to 64 Years	59	56.2	5.3	45.8	66.5
65 Years and Older	37	42.8	5.8	31.4	54.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	128	43.2	3.6	36.1	50.3
Race					
White	123	42.8	3.7	35.6	50.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	73	34.9	4.1	26.9	43.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	53	37.6	4.9	28.1	47.2
Disability Status					
Living with a Disability	47	51.4	6.6	38.5	64.3
Living without a Disability	82	40.0	4.2	31.8	48.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	27	32.6	6.7	20.7	44.4
Overweight (25 ≤ BMI <30)	35	38.0	6.5	25.2	50.7
Obese (BMI ≥ 30)	56	54.4	6.0	42.7	66.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	103	37.3	3.6	30.2	44.3
Health Insurance Status					
Insured	116	40.9	3.7	33.7	48.2
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Crawford County	97	31.2	3.4	24.6	37.8
Gender					
Men	44	34.3	5.3	23.8	44.7
Women	53	28.5	4.2	20.3	36.8
Age Group					
18 to 44 Years	23	25.1	5.3	14.8	35.5
45 to 64 Years	45	43.5	5.3	33.2	53.9
65 Years and Older	29	30.7	5.4	20.2	41.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	96	31.8	3.4	25.0	38.5
Race					
White	93	31.8	3.5	24.9	38.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	39.7	5.8	28.3	51.0
Some College or College Graduate	54	26.5	4.1	18.5	34.5
Annual Household Income					
Less than \$35,000 per Year	36	28.8	5.2	18.5	39.1
\$35,000 or Higher per Year	43	32.8	5.3	22.4	43.2
Disability Status					
Living with a Disability	37	37.2	6.2	25.1	49.3
Living without a Disability	60	29.3	4.0	21.5	37.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	21	25.0	6.5	12.3	37.7
Overweight (25 ≤ BMI <30)	23	22.2	5.0	12.3	32.1
Obese (BMI ≥ 30)	42	43.0	6.0	31.2	54.8
Smoking Status					
Current smoker	21	45.9	9.2	27.9	63.8
Non-smoker	75	26.4	3.2	20.2	32.6
Health Insurance Status					
Insured	88	30.8	3.4	24.1	37.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Crawford County	129	44.4	3.6	37.5	51.4
Gender					
Men	56	52.9	5.5	42.2	63.7
Women	73	37.3	4.3	28.9	45.7
Age Group					
18 to 44 Years	45	45.5	5.7	34.3	56.6
45 to 64 Years	50	45.0	5.3	34.6	55.4
65 Years and Older	34	41.1	5.7	29.9	52.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	125	44.2	3.6	37.1	51.3
Race					
White	118	42.8	3.7	35.6	50.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	48.4	5.9	36.7	60.0
Some College or College Graduate	77	42.2	4.5	33.5	51.0
Annual Household Income					
Less than \$35,000 per Year	57	44.3	5.6	33.2	55.3
\$35,000 or Higher per Year	51	42.2	5.4	31.6	52.8
Disability Status					
Living with a Disability	45	49.6	6.5	37.0	62.3
Living without a Disability	84	42.9	4.2	34.6	51.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	31	39.5	6.8	26.2	52.9
Overweight (25 ≤ BMI < 30)	39	42.4	6.4	29.9	54.9
Obese (BMI ≥ 30)	52	52.6	6.0	40.7	64.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	72	35.0	4.0	27.1	42.9
Does not participate in leisure time physical activity	55	65.6	6.3	53.2	78.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	100	41.5	3.7	34.2	48.8
Health Insurance Status					
Insured	112	44.8	3.7	37.5	52.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Crawford County	61	21.5	3.2	15.3	27.7
Gender					
Men	24	22.3	5.1	12.3	32.3
Women	37	20.8	4.0	13.0	28.6
Age Group					
18 to 44 Years	23	23.6	5.2	13.5	33.7
45 to 64 Years	19	17.9	4.2	9.7	26.1
65 Years and Older	19	20.8	4.8	11.4	30.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	59	21.1	3.2	14.8	27.4
Race					
White	51	18.8	3.2	12.5	25.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	26.0	5.8	14.6	37.4
Some College or College Graduate	36	19.1	3.7	11.8	26.4
Annual Household Income					
Less than \$35,000 per Year	27	23.9	5.3	13.5	34.3
\$35,000 or Higher per Year	24	22.5	5.1	12.4	32.5
Disability Status					
Living with a Disability	21	24.6	5.4	14.0	35.2
Living without a Disability	39	20.3	3.8	12.8	27.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	22.8	6.5	10.1	35.6
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	27	27.7	5.7	16.5	39.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	14.0	2.8	8.6	19.5
Does not participate in leisure time physical activity	29	37.5	7.1	23.6	51.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	44	17.3	2.8	11.8	22.7
Health Insurance Status					
Insured	53	20.6	3.2	14.4	26.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Crawford County	40	17.0	3.0	11.1	22.9
Gender					
Men	18	17.5	4.5	8.7	26.2
Women	22	16.5	4.0	8.6	24.5
Age Group					
18 to 44 Years	22	23.4	5.1	13.4	33.4
45 to 64 Years	18	16.3	4.2	8.1	24.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	17.1	3.1	11.0	23.1
Race					
White	36	17.0	3.2	10.7	23.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	17.0	4.7	7.7	26.2
Some College or College Graduate	26	17.0	3.9	9.4	24.7
Annual Household Income					
Less than \$35,000 per Year	29	27.9	5.2	17.7	38.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	28	16.7	3.6	9.6	23.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	21.6	6.3	9.2	34.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	15.5	4.7	6.4	24.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	16.2	3.5	9.4	23.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	15	37.0	8.9	19.6	54.5
Non-smoker	24	10.8	2.5	6.0	15.7

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Crawford County	40	20.8	3.6	13.8	27.9
Gender					
Men	18	20.9	5.3	10.6	31.2
Women	22	20.8	4.9	11.1	30.5
Age Group					
18 to 44 Years	22	23.4	5.1	13.4	33.4
45 to 64 Years	18	16.3	4.2	8.1	24.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	21.0	3.7	13.7	28.3
Race					
White	36	20.9	3.8	13.4	28.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	22.2	6.0	10.4	34.0
Some College or College Graduate	26	20.1	4.5	11.2	28.9
Annual Household Income					
Less than \$35,000 per Year	29	34.5	6.3	22.2	46.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	12	28.5	8.1	12.7	44.4
Living without a Disability	28	19.6	4.1	11.5	27.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	28.4	7.9	12.9	44.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	17.7	5.3	7.4	28.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	20.0	4.2	11.8	28.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	14.0	3.2	7.8	20.1

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Crawford County	58	25.1	3.3	18.6	31.6
Gender					
Men	34	32.4	5.1	22.4	42.5
Women	24	18.1	4.0	10.3	26.0
Age Group					
18 to 44 Years	33	33.9	5.4	23.3	44.5
45 to 64 Years	19	21.0	4.8	11.5	30.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	23.3	3.3	16.9	29.8
Race					
White	50	22.8	3.3	16.2	29.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	20.9	4.6	11.9	29.9
Some College or College Graduate	37	27.7	4.4	19.0	36.4
Annual Household Income					
Less than \$35,000 per Year	30	30.3	5.3	20.0	40.7
\$35,000 or Higher per Year	18	21.4	5.3	10.9	31.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	50	28.9	4.0	21.0	36.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	32.1	6.6	19.2	45.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	21	25.7	5.4	15.1	36.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	40	26.3	4.0	18.4	34.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	19	37.1	8.5	20.4	53.7
Non-smoker	37	21.7	3.5	14.8	28.5
Health Insurance Status					
Insured	37	17.6	3.0	11.7	23.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Crawford County	40	13.6	2.5	8.8	18.5
Gender					
Men	17	13.5	3.5	6.6	20.5
Women	23	13.7	3.5	6.9	20.5
Age Group					
18 to 44 Years	16	15.3	4.0	7.4	23.3
45 to 64 Years	20	16.1	4.0	8.2	24.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	40	14.1	2.6	9.1	19.1
Race					
White	35	12.9	2.6	7.9	17.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	21.8	5.0	12.0	31.5
Some College or College Graduate	19	8.6	2.4	3.9	13.3
Annual Household Income					
Less than \$35,000 per Year	32	25.9	4.9	16.4	35.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	22	28.0	6.0	16.2	39.9
Living without a Disability	17	8.7	2.5	3.7	13.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	20.8	5.0	10.9	30.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	14.1	3.1	8.1	20.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	14	24.9	7.3	10.5	39.2
Non-smoker	22	8.1	1.9	4.3	11.8
Health Insurance Status					
Insured	25	8.1	1.8	4.5	11.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Crawford County	74	19.0	2.6	13.9	24.2
Gender					
Men	25	14.8	3.4	8.2	21.5
Women	49	23.0	3.9	15.4	30.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	36	30.4	5.0	20.6	40.1
65 Years and Older	30	30.5	5.1	20.5	40.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	73	19.5	2.7	14.2	24.8
Race					
White	66	18.4	2.7	13.0	23.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	41	29.6	5.1	19.5	39.7
Some College or College Graduate	33	12.6	2.7	7.3	17.8
Annual Household Income					
Less than \$35,000 per Year	43	28.3	4.9	18.7	37.9
\$35,000 or Higher per Year	14	7.5	2.2	3.2	11.8
Disability Status					
Living with a Disability	51	51.6	6.3	39.2	64.0
Living without a Disability	23	9.3	2.6	4.2	14.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	12.3	3.2	6.0	18.7
Overweight (25 ≤ BMI < 30)	20	12.4	3.0	6.4	18.3
Obese (BMI ≥ 30)	28	29.3	5.9	17.7	40.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	12.8	2.4	8.1	17.6
Does not participate in leisure time physical activity	33	34.0	6.5	21.3	46.8
Smoking Status					
Current smoker	18	28.7	7.9	13.3	44.2
Non-smoker	55	16.1	2.4	11.4	20.8
Health Insurance Status					
Insured	64	17.9	2.7	12.6	23.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Crawford County	57	15.7	2.3	11.2	20.2
Gender					
Men	26	16.9	3.6	9.8	24.0
Women	31	14.5	2.8	9.0	20.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	24.2	4.6	15.1	33.3
65 Years and Older	18	22.5	4.9	12.8	32.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	57	16.2	2.4	11.6	20.9
Race					
White	50	14.8	2.3	10.3	19.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	22.8	4.5	14.0	31.6
Some College or College Graduate	26	11.4	2.4	6.7	16.1
Annual Household Income					
Less than \$35,000 per Year	37	26.0	4.6	17.0	35.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	41	43.3	6.2	31.1	55.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	11.0	3.2	4.8	17.2
Overweight (25 ≤ BMI < 30)	18	12.3	3.2	6.0	18.6
Obese (BMI ≥ 30)	19	19.6	4.6	10.6	28.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	10.7	2.3	6.2	15.2
Does not participate in leisure time physical activity	28	28.4	5.5	17.5	39.2
Smoking Status					
Current smoker	13	17.8	5.3	7.4	28.3
Non-smoker	43	15.0	2.5	10.1	19.9
Health Insurance Status					
Insured	53	17.3	2.6	12.2	22.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Crawford County	33	11.4	2.3	6.9	15.9
Gender					
Men	*	*	*	*	*
Women	19	10.4	2.7	5.0	15.7
Age Group					
18 to 44 Years	12	13.2	3.8	5.7	20.7
45 to 64 Years	15	11.9	3.5	5.1	18.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	11.1	2.3	6.6	15.6
Race					
White	28	10.3	2.3	5.9	14.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	12.7	3.2	6.3	19.0
Annual Household Income					
Less than \$35,000 per Year	23	15.9	3.9	8.2	23.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	22	24.9	5.9	13.4	36.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	11.2	2.8	5.7	16.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	20	9.6	2.5	4.8	14.5
Health Insurance Status					
Insured	29	11.1	2.4	6.5	15.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Crawford County	79	44.4	4.8	35.0	53.8
Gender					
Men	29	48.2	7.5	33.6	62.8
Women	50	41.2	6.0	29.4	53.1
Age Group					
18 to 44 Years	17	34.5	7.4	19.9	49.0
45 to 64 Years	40	58.8	7.2	44.7	72.9
65 Years and Older	22	47.5	7.9	32.0	63.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	75	42.8	4.8	33.3	52.2
Race					
White	69	41.7	5.0	31.9	51.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	44.2	8.1	28.3	60.2
Some College or College Graduate	48	44.6	5.9	33.1	56.0
Annual Household Income					
Less than \$35,000 per Year	48	55.0	7.2	40.9	69.1
\$35,000 or Higher per Year	18	27.8	7.0	14.0	41.6
Disability Status					
Living with a Disability	53	70.3	6.7	57.1	83.5
Living without a Disability	24	27.5	5.9	15.9	39.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	26	52.6	9.0	34.9	70.3
Obese (BMI ≥ 30)	31	38.9	7.6	24.0	53.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	49	46.2	6.2	34.1	58.4
Does not participate in leisure time physical activity	26	42.1	7.9	26.5	57.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	64	48.9	5.3	38.6	59.3
Health Insurance Status					
Insured	70	47.5	5.2	37.4	57.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Crawford County	188	62.5	3.5	55.6	69.4
Gender					
Men	86	71.4	4.9	61.9	81.0
Women	102	54.7	4.8	45.3	64.1
Age Group					
18 to 44 Years	76	70.2	5.7	59.1	81.4
45 to 64 Years	68	61.4	5.1	51.4	71.4
65 Years and Older	43	41.5	5.5	30.6	52.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	182	61.6	3.6	54.5	68.6
Race					
White	179	63.1	3.6	56.0	70.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	58	57.3	6.1	45.4	69.3
Some College or College Graduate	130	65.2	4.3	56.9	73.6
Annual Household Income					
Less than \$35,000 per Year	74	65.1	6.1	53.1	77.1
\$35,000 or Higher per Year	81	62.7	5.0	52.8	72.6
Disability Status					
Living with a Disability	57	65.7	6.1	53.8	77.7
Living without a Disability	130	61.6	4.2	53.3	69.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	57	69.8	5.9	58.3	81.4
Overweight (25 ≤ BMI < 30)	53	57.3	6.8	43.9	70.6
Obese (BMI ≥ 30)	66	64.9	5.7	53.6	76.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	125	58.1	4.3	49.7	66.6
Does not participate in leisure time physical activity	62	71.5	5.9	60.0	83.1
Smoking Status					
Current smoker	40	72.2	9.3	53.9	90.4
Non-smoker	146	59.0	3.8	51.6	66.4
Health Insurance Status					
Insured	158	59.4	3.7	52.1	66.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Crawford County	43	41.5	5.5	30.6	52.3
Gender					
Men	*	*	*	*	*
Women	23	32.1	6.4	19.5	44.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	42.1	5.6	31.1	53.1
Race					
White	42	41.9	5.7	30.8	53.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	25	41.2	7.3	26.9	55.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	38.5	7.3	24.2	52.9
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>30</i>	<i>41.6</i>	<i>6.6</i>	<i>28.7</i>	<i>54.5</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>39</i>	<i>40.1</i>	<i>5.7</i>	<i>29.0</i>	<i>51.2</i>
Health Insurance Status					
Insured	<i>43</i>	<i>41.5</i>	<i>5.5</i>	<i>30.6</i>	<i>52.3</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Crawford County	38	39.8	5.7	28.6	51.0
Gender					
Men	*	*	*	*	*
Women	21	35.2	7.1	21.2	49.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	38.8	5.7	27.6	50.0
Race					
White	37	40.2	5.8	28.8	51.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	34.2	7.1	20.2	48.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	45.2	7.9	29.8	60.6
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>26</i>	<i>37.2</i>	<i>6.5</i>	<i>24.4</i>	<i>50.0</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>35</i>	<i>40.1</i>	<i>6.0</i>	<i>28.5</i>	<i>51.8</i>
Health Insurance Status					
Insured	<i>38</i>	<i>39.8</i>	<i>5.7</i>	<i>28.6</i>	<i>51.0</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Crawford County	62	24.2	3.3	17.7	30.7
Gender					
Men	38	34.7	5.4	24.1	45.2
Women	24	15.0	3.7	7.8	22.3
Age Group					
18 to 44 Years	23	25.8	5.4	15.3	36.3
45 to 64 Years	25	24.2	4.7	14.9	33.5
65 Years and Older	14	19.9	4.9	10.3	29.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	62	25.1	3.4	18.5	31.8
Race					
White	58	24.5	3.5	17.8	31.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	25.5	5.4	15.0	36.0
Some College or College Graduate	37	23.5	4.2	15.3	31.7
Annual Household Income					
Less than \$35,000 per Year	23	23.3	5.2	13.1	33.5
\$35,000 or Higher per Year	29	25.6	5.2	15.4	35.7
Disability Status					
Living with a Disability	22	30.1	6.3	17.8	42.5
Living without a Disability	40	22.4	3.9	14.8	30.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	23	29.1	6.3	16.7	41.5
Obese (BMI ≥ 30)	24	27.8	5.5	17.0	38.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	34	18.4	3.5	11.5	25.2
Does not participate in leisure time physical activity	28	37.2	6.8	23.9	50.5
Smoking Status					
Current smoker	15	35.6	9.3	17.3	53.8
Non-smoker	46	20.1	3.1	14.1	26.1
Health Insurance Status					
Insured	49	20.1	3.0	14.3	25.9
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Crawford County	56	22.9	3.3	16.4	29.3
Gender					
Men	26	21.6	4.8	12.3	31.0
Women	30	24.0	4.6	15.0	32.9
Age Group					
18 to 44 Years	27	28.6	5.5	17.9	39.3
45 to 64 Years	22	21.7	4.7	12.6	30.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	23.2	3.4	16.6	29.9
Race					
White	52	23.7	3.5	16.8	30.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	31.3	6.0	19.6	43.1
Some College or College Graduate	30	17.9	3.7	10.6	25.1
Annual Household Income					
Less than \$35,000 per Year	37	34.0	5.6	22.9	45.0
\$35,000 or Higher per Year	14	16.8	4.9	7.2	26.4
Disability Status					
Living with a Disability	19	24.7	5.7	13.4	35.9
Living without a Disability	36	22.2	4.0	14.5	30.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	31.6	6.6	18.7	44.5
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	22	27.0	5.8	15.6	38.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	16.7	3.3	10.2	23.3
Does not participate in leisure time physical activity	21	32.2	7.1	18.3	46.0
Health Insurance Status					
Insured	40	17.3	3.0	11.3	23.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,790	55.1	1.1	53.0	57.2
Crawford County	26	44.6	8.5	27.9	61.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	44.7	8.6	27.8	61.7
Race					
White	23	42.9	8.8	25.7	60.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Crawford County	17	5.7	1.6	2.6	8.9
Gender					
Men	15	11.3	3.2	4.9	17.7
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	5.9	1.7	2.7	9.2
Race					
White	16	5.7	1.7	2.4	9.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	5.7	1.6	2.5	8.9
Health Insurance Status					
Insured	16	6.5	1.9	2.8	10.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Crawford County	15	11.3	3.2	4.9	17.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	11.9	3.4	5.2	18.6
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>11.7</i>	<i>3.3</i>	<i>5.1</i>	<i>18.2</i>
Health Insurance Status					
Insured	<i>14</i>	<i>12.9</i>	<i>3.8</i>	<i>5.4</i>	<i>20.4</i>
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Crawford County	40	9.7	1.8	6.2	13.2
Gender					
Men	39	19.7	3.6	12.6	26.7
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	26	27.4	5.1	17.4	37.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	9.8	1.8	6.1	13.4
Race					
White	36	8.6	1.6	5.4	11.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	9.5	2.7	4.1	14.9
Some College or College Graduate	26	9.8	2.4	5.2	14.5
Annual Household Income					
Less than \$35,000 per Year	17	11.8	3.4	5.2	18.3
\$35,000 or Higher per Year	16	8.2	2.3	3.8	12.7
Disability Status					
Living with a Disability	16	14.3	4.0	6.5	22.1
Living without a Disability	23	8.4	2.1	4.3	12.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	10.1	2.4	5.4	14.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	10.0	2.1	5.8	14.2
Health Insurance Status					
Insured	37	10.9	2.1	6.8	15.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Crawford County	116	36.3	3.4	29.6	43.0
Gender					
Men	49	36.4	4.9	26.7	46.0
Women	67	36.2	4.7	27.1	45.4
Age Group					
18 to 44 Years	34	31.9	5.2	21.7	42.1
45 to 64 Years	56	52.8	5.5	42.1	63.6
65 Years and Older	26	24.5	4.8	15.2	33.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	113	36.4	3.5	29.6	43.2
Race					
White	108	36.4	3.5	29.4	43.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	46	42.9	5.9	31.4	54.4
Some College or College Graduate	70	32.3	4.0	24.4	40.3
Annual Household Income					
Less than \$35,000 per Year	44	35.6	5.5	24.9	46.3
\$35,000 or Higher per Year	55	37.1	5.0	27.3	46.9
Disability Status					
Living with a Disability	40	49.3	6.6	36.4	62.2
Living without a Disability	73	31.7	3.9	24.1	39.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	69	30.6	3.8	23.1	38.2
Does not participate in leisure time physical activity	42	51.9	7.1	38.1	65.8
Smoking Status					
Current smoker	22	39.3	8.4	22.9	55.6
Non-smoker	91	34.2	3.6	27.2	41.3
Health Insurance Status					
Insured	102	36.3	3.6	29.3	43.4
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Crawford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Crawford County	216	68.7	3.3	62.2	75.2
Gender					
Men	98	71.4	4.9	61.7	81.0
Women	118	66.0	4.4	57.3	74.7
Age Group					
18 to 44 Years	63	65.3	5.3	54.9	75.7
45 to 64 Years	92	82.0	4.4	73.4	90.5
65 Years and Older	61	59.5	5.6	48.5	70.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	210	68.2	3.4	61.6	74.8
Race					
White	202	68.5	3.5	61.8	75.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	80	74.2	4.8	64.8	83.5
Some College or College Graduate	136	65.4	4.4	56.9	74.0
Annual Household Income					
Less than \$35,000 per Year	80	66.6	5.1	56.6	76.7
\$35,000 or Higher per Year	101	69.1	5.4	58.5	79.7
Disability Status					
Living with a Disability	70	78.6	5.2	68.3	88.8
Living without a Disability	142	65.2	4.0	57.3	73.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	140	66.8	4.0	59.0	74.7
Does not participate in leisure time physical activity	65	75.2	6.6	62.3	88.0
Smoking Status					
Current smoker	32	58.7	8.6	42.0	75.5
Non-smoker	179	71.2	3.5	64.4	78.0
Health Insurance Status					
Insured	194	70.7	3.3	64.3	77.2
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>