

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Dickinson County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
January 2017**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Dickinson County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov



Table of Contents

Alcohol Consumption	
Binge Drinking.....	1
Arthritis	
Arthritis	3
Activity Limitation Due to Arthritis	5
Cancer	
Cancer (Excluding Skin Cancer)	7
Cardiovascular Health	
High Blood Pressure	9
Cholesterol	
Not Checked Cholesterol within Five Years	11
High Blood Cholesterol Status.....	13
Depressive Disorder	15
Diabetes	17
Disability	
Activity Limitation Due to Physical, Mental or Emotional Problems	19
Disability	21
Exercise and Physical Activity	
Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	23
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	25
Not Participating in Any Physical Activity	27
Fruits and Vegetable Consumption	
Consuming Fruits Less than 1 Time Per Day	29
Consuming Vegetables Less than 1 Time Per Day.....	31

Health Care Access	
Lack of Health Care Coverage.....	33
Lack of Health Care Coverage 18 to 64 Years Old Only	35
No Personal Doctor.....	37
General Health	39
Healthy Days - Health Related Quality of Life	
Physical Health Status.....	41
Poor Physical or Mental Health is Barrier to Usual Activities.....	43
Immunization	
Not Immunized Against Influenza.....	45
Not Immunized Against Influenza 65 Years and Older Only	47
Never Had Pneumonia Vaccination 65 Years and Older Only	49
Seatbelt Use	51
Tobacco Use	
Current Smoker	53
Veteran Status	55
Weight Status (BMI Categories)	
Obese.....	57
Overweight or Obese	59
Technical Notes	61

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Dickinson County: Heavy Drinking, Asthma, Skin Cancer, Heart Attack, Coronary Heart Disease, Stroke, Chronic Obstructive Pulmonary Disease (COPD), Did Not See Doctor Due to Cost, Mental Health Status, Tried Quitting Smoking, Smokeless Tobacco Use and Male Smokeless Tobacco Use.

Percentage of Adults Who Are Binge Drinkers, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Dickinson County	21	14.6	3.4	8.0	21.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	11	21.0	6.1	9.0	33.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	13.1	3.1	7.1	19.1
Race					
White	21	15.4	3.5	8.5	22.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	18.7	5.1	8.7	28.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	21.5	5.6	10.6	32.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	14	15.4	4.4	6.7	24.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>11</i>	<i>11.9</i>	<i>3.6</i>	<i>4.9</i>	<i>18.8</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>13.4</i>	<i>3.9</i>	<i>5.7</i>	<i>21.1</i>
Health Insurance Status					
Insured	<i>19</i>	<i>14.5</i>	<i>3.5</i>	<i>7.7</i>	<i>21.3</i>
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Dickinson County	58	31.2	4.3	22.8	39.7
Gender					
Men	28	30.8	5.9	19.3	42.3
Women	30	31.7	6.3	19.4	43.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	22	30.0	6.2	17.8	42.1
65 Years and Older	30	58.0	8.4	41.4	74.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	31.8	4.3	23.2	40.3
Race					
White	56	31.8	4.4	23.1	40.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	35.1	6.9	21.6	48.6
Some College or College Graduate	30	28.2	5.5	17.5	38.9
Annual Household Income					
Less than \$35,000 per Year	20	34.2	8.1	18.2	50.1
\$35,000 or Higher per Year	30	29.7	5.4	19.2	40.2
Disability Status					
Living with a Disability	30	53.6	8.3	37.4	69.8
Living without a Disability	27	20.0	4.1	11.9	28.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	20	31.1	7.1	17.1	45.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	31.9	5.6	20.8	43.0
Does not participate in leisure time physical activity	17	26.9	6.8	13.7	40.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	48	31.1	4.7	22.0	40.3
Health Insurance Status					
Insured	53	30.6	4.4	22.0	39.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Dickinson County	27	54.6	9.1	36.7	72.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	54.6	9.1	36.7	72.4
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Dickinson County	24	10.5	2.4	5.8	15.1
Gender					
Men	*	*	*	*	*
Women	15	11.9	3.2	5.5	18.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	20.5	5.8	9.1	31.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	10.6	2.4	6.0	15.3
Race					
White	23	10.5	2.4	5.7	15.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	19.7	5.8	8.3	31.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	<i>11</i>	<i>19.6</i>	<i>5.8</i>	<i>8.3</i>	<i>30.9</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>21</i>	<i>11.6</i>	<i>2.8</i>	<i>6.1</i>	<i>17.1</i>
Health Insurance Status					
Insured	<i>23</i>	<i>11.8</i>	<i>2.7</i>	<i>6.5</i>	<i>17.0</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Dickinson County	70	31.1	3.8	23.7	38.5
Gender					
Men	32	30.9	5.5	20.1	41.6
Women	38	31.3	5.2	21.0	41.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	34.5	6.2	22.3	46.7
65 Years and Older	34	53.0	9.2	35.0	71.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	70	31.6	3.8	24.1	39.1
Race					
White	67	31.3	3.9	23.7	38.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	31.2	6.0	19.4	42.9
Some College or College Graduate	43	31.1	4.8	21.6	40.6
Annual Household Income					
Less than \$35,000 per Year	22	23.6	5.6	12.5	34.6
\$35,000 or Higher per Year	37	34.6	5.4	24.1	45.1
Disability Status					
Living with a Disability	33	46.8	8.2	30.8	62.8
Living without a Disability	37	23.9	4.1	15.9	31.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	23.2	5.8	11.9	34.6
Overweight (25 ≤ BMI < 30)	25	34.7	7.1	20.8	48.5
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	43	31.4	4.9	21.8	41.0
Does not participate in leisure time physical activity	23	37.0	7.4	22.5	51.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	54	30.5	4.2	22.2	38.8
Health Insurance Status					
Insured	67	35.0	4.2	26.8	43.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Dickinson County	38	30.4	4.5	21.6	39.1
Gender					
Men	17	35.9	7.1	22.0	49.7
Women	21	25.3	5.3	14.9	35.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	12	22.7	6.2	10.5	34.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	29.1	4.4	20.5	37.7
Race					
White	36	30.0	4.5	21.1	38.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	24.6	6.2	12.5	36.7
Some College or College Graduate	23	34.7	6.1	22.7	46.6
Annual Household Income					
Less than \$35,000 per Year	14	27.4	7.1	13.5	41.3
\$35,000 or Higher per Year	21	35.3	6.3	23.0	47.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	28	35.7	5.7	24.5	46.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	15	34.4	8.7	18.6	50.2
Overweight (25 ≤ BMI <30)	12	30.3	8.7	14.5	46.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	27.3	5.3	16.9	37.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	32.9	5.3	22.6	43.3
Health Insurance Status					
Insured	30	25.5	4.4	16.9	34.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Dickinson County	60	33.5	4.5	24.7	42.2
Gender					
Men	27	34.2	6.7	21.1	47.4
Women	33	32.8	6.0	21.0	44.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	25	34.7	6.5	22.0	47.4
65 Years and Older	32	50.2	9.2	32.2	68.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	60	33.5	4.5	24.7	42.2
Race					
White	58	34.3	4.6	25.2	43.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	37.9	7.4	23.4	52.5
Some College or College Graduate	34	29.5	5.3	19.2	39.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	31	33.8	5.7	22.6	45.0
Disability Status					
Living with a Disability	23	34.7	7.7	19.5	49.9
Living without a Disability	37	33.6	5.6	22.7	44.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	34.5	5.8	23.1	45.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	48	35.9	5.2	25.8	46.0
Health Insurance Status					
Insured	58	36.0	4.8	26.7	45.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Dickinson County	28	15.3	3.2	9.0	21.7
Gender					
Men	*	*	*	*	*
Women	21	23.3	5.4	12.7	33.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	15.6	3.3	9.2	22.0
Race					
White	25	14.1	3.2	7.8	20.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	18.0	4.7	8.8	27.3
Annual Household Income					
Less than \$35,000 per Year	14	26.4	7.1	12.4	40.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	29.9	7.5	15.2	44.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>18</i>	<i>17.3</i>	<i>4.4</i>	<i>8.7</i>	<i>26.0</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>21</i>	<i>14.5</i>	<i>3.7</i>	<i>7.3</i>	<i>21.7</i>
Health Insurance Status					
Insured	<i>22</i>	<i>11.7</i>	<i>2.7</i>	<i>6.5</i>	<i>17.0</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Dickinson County	20	7.6	1.8	3.9	11.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	7.7	1.9	4.0	11.4
Race					
White	19	7.5	1.9	3.8	11.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	13	9.4	2.8	3.9	15.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	13	15.9	4.7	6.6	25.2
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	7.7	2.1	3.6	11.7
Health Insurance Status					
Insured	18	8.1	2.1	4.1	12.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Dickinson County	50	28.9	4.1	20.9	37.0
Gender					
Men	24	30.5	6.0	18.6	42.3
Women	26	27.5	5.6	16.5	38.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	27.1	6.2	14.9	39.3
65 Years and Older	23	36.6	8.0	20.9	52.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	29.4	4.2	21.3	37.6
Race					
White	47	27.9	4.1	19.9	36.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	30.0	6.2	17.8	42.2
Some College or College Graduate	27	28.1	5.5	17.3	38.9
Annual Household Income					
Less than \$35,000 per Year	23	42.5	8.1	26.6	58.3
\$35,000 or Higher per Year	21	20.6	4.7	11.5	29.7
Weight Category					
Normal or Underweight (BMI < 25)	13	20.3	5.6	9.2	31.4
Overweight (25 ≤ BMI < 30)	17	35.4	7.9	19.8	50.9
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	25.9	5.1	15.8	35.9
Does not participate in leisure time physical activity	23	44.2	8.2	28.2	60.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	38	27.0	4.6	18.0	35.9
Health Insurance Status					
Insured	44	27.8	4.2	19.6	36.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Dickinson County	56	34.2	4.5	25.3	43.0
Gender					
Men	29	35.5	6.3	23.1	47.9
Women	27	32.9	6.5	20.2	45.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	27.8	6.2	15.6	40.0
65 Years and Older	26	51.9	9.0	34.3	69.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	56	34.7	4.5	25.8	43.7
Race					
White	53	33.4	4.6	24.4	42.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	38.8	7.3	24.4	53.1
Some College or College Graduate	31	30.6	5.6	19.8	41.5
Annual Household Income					
Less than \$35,000 per Year	25	53.1	8.2	36.9	69.2
\$35,000 or Higher per Year	24	22.8	4.8	13.4	32.2
Weight Category					
Normal or Underweight (BMI <25)	16	31.0	8.0	15.4	46.5
Overweight (25 ≤ BMI < 30)	20	38.9	8.0	23.3	54.5
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>30</i>	<i>31.9</i>	<i>5.8</i>	<i>20.5</i>	<i>43.3</i>
Does not participate in leisure time physical activity	<i>25</i>	<i>48.3</i>	<i>8.2</i>	<i>32.2</i>	<i>64.5</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>42</i>	<i>28.9</i>	<i>4.6</i>	<i>19.8</i>	<i>37.9</i>
Health Insurance Status					
Insured	<i>49</i>	<i>33.5</i>	<i>4.7</i>	<i>24.3</i>	<i>42.8</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Dickinson County	121	81.1	3.6	74.0	88.1
Gender					
Men	47	75.4	6.1	63.5	87.4
Women	74	85.9	4.1	77.9	93.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	46	76.4	5.9	64.8	88.0
65 Years and Older	43	89.0	4.5	80.2	97.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	120	80.7	3.7	73.5	87.9
Race					
White	117	80.7	3.7	73.5	88.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	53	91.4	3.7	84.2	98.6
Some College or College Graduate	68	72.8	5.5	62.1	83.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	62	71.9	5.6	61.0	82.8
Disability Status					
Living with a Disability	46	86.6	5.5	75.8	97.4
Living without a Disability	75	77.8	4.6	68.7	86.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	42	86.1	4.8	76.6	95.6
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	91	77.1	4.4	68.4	85.8
Health Insurance Status					
Insured	108	78.5	4.0	70.7	86.4
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Dickinson County	67	41.7	4.9	32.1	51.2
Gender					
Men	27	40.7	7.2	26.6	54.7
Women	40	42.5	6.6	29.5	55.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	67	42.5	4.9	32.9	52.1
Race					
White	65	41.4	4.9	31.7	51.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	51.5	7.8	36.2	66.9
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	29	31.9	5.8	20.6	43.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	37	32.4	5.4	21.9	43.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	44	32.6	5.0	22.9	42.4
Health Insurance Status					
Insured	58	39.9	5.1	29.9	49.8
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Dickinson County	52	28.1	4.1	20.1	36.1
Gender					
Men	20	28.6	6.5	15.8	41.4
Women	32	27.7	5.1	17.6	37.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	40.1	6.9	26.5	53.7
65 Years and Older	16	22.6	6.3	10.2	35.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	26.7	3.9	19.1	34.3
Race					
White	50	27.2	4.0	19.3	35.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	33.8	6.8	20.5	47.1
Some College or College Graduate	26	23.7	5.0	13.8	33.5
Annual Household Income					
Less than \$35,000 per Year	20	30.6	7.2	16.4	44.8
\$35,000 or Higher per Year	22	23.5	5.3	13.2	33.8
Disability Status					
Living with a Disability	25	37.2	7.7	22.1	52.3
Living without a Disability	27	22.8	4.7	13.6	32.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	16	23.2	6.7	11.2	35.2
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	33	21.8	4.1	13.7	29.8
Health Insurance Status					
Insured	45	27.2	4.2	18.9	35.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Dickinson County	75	51.7	4.8	42.3	61.1
Gender					
Men	32	50.7	7.2	36.5	64.8
Women	43	52.6	6.4	40.0	65.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	35	58.4	6.9	44.9	71.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	74	50.8	4.8	41.4	60.2
Race					
White	71	51.4	4.9	41.8	61.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	52.9	7.7	37.7	68.0
Some College or College Graduate	46	50.9	6.1	39.0	62.7
Annual Household Income					
Less than \$35,000 per Year	25	53.7	8.6	36.8	70.6
\$35,000 or Higher per Year	42	50.6	6.1	38.7	62.6
Disability Status					
Living with a Disability	25	51.8	8.6	35.0	68.7
Living without a Disability	50	51.6	5.7	40.5	62.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	58.2	8.0	42.4	73.9
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	47	52.1	5.9	40.6	63.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	52	47.3	5.3	36.9	57.6
Health Insurance Status					
Insured	69	53.3	4.9	43.7	63.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Dickinson County	31	21.0	3.9	13.4	28.6
Gender					
Men	14	19.9	5.7	8.7	31.1
Women	17	21.9	5.3	11.6	32.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	19.3	5.1	9.3	29.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	21.5	3.9	13.7	29.2
Race					
White	29	20.9	4.0	13.0	28.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	32.5	7.3	18.3	46.7
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	14.9	4.1	6.9	22.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	19.2	4.8	9.8	28.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	18.9	4.7	9.7	28.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	19.7	4.2	11.6	27.9
Health Insurance Status					
Insured	27	20.6	4.1	12.6	28.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Dickinson County	14	12.2	3.5	5.4	19.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	12.5	3.5	5.5	19.4
Race					
White	13	11.9	3.5	5.0	18.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Dickinson County	13	16.0	4.5	7.2	24.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	16.4	4.6	7.4	25.3
Race					
White	12	15.7	4.6	6.7	24.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Dickinson County	20	15.3	3.6	8.3	22.4
Gender					
Men	11	20.5	6.0	8.7	32.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	15.6	3.6	8.4	22.7
Race					
White	18	14.2	3.6	7.1	21.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	12	15.7	4.7	6.5	24.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	20.5	5.0	10.8	30.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Dickinson County	46	27.1	4.2	18.8	35.4
Gender					
Men	23	29.0	6.0	17.2	40.8
Women	23	25.2	6.0	13.5	36.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	26.1	6.1	14.2	38.0
65 Years and Older	23	49.2	9.0	31.5	66.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	27.5	4.3	19.2	35.9
Race					
White	42	25.2	4.2	17.0	33.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	34.7	7.2	20.5	48.8
Some College or College Graduate	23	21.2	4.7	12.0	30.4
Annual Household Income					
Less than \$35,000 per Year	22	40.2	8.2	24.1	56.3
\$35,000 or Higher per Year	15	14.7	4.0	6.8	22.6
Disability Status					
Living with a Disability	34	62.5	8.1	46.7	78.2
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	34.3	8.0	18.7	49.9
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	24.7	5.5	13.9	35.5
Does not participate in leisure time physical activity	19	36.8	8.0	21.0	52.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	21.1	4.0	13.2	28.9
Health Insurance Status					
Insured	41	28.1	4.6	19.1	37.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Dickinson County	22	11.2	2.6	6.1	16.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	11.4	2.6	6.2	16.6
Race					
White	22	11.7	2.7	6.4	17.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	18	29.7	7.1	15.7	43.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	11.7	3.5	4.9	18.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	10.3	2.9	4.6	15.9
Health Insurance Status					
Insured	20	11.2	2.7	5.8	16.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Dickinson County	26	29.5	5.8	18.2	40.8
Gender					
Men	*	*	*	*	*
Women	16	27.6	7.1	13.6	41.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	30.5	5.9	19.0	42.1
Race					
White	25	29.2	5.8	17.8	40.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	31.7	7.6	16.8	46.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	33.8	7.5	19.0	48.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	26.9	6.4	14.3	39.5
Health Insurance Status					
Insured	23	27.6	5.8	16.3	39.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Dickinson County	62	39.1	4.6	30.1	48.1
Gender					
Men	25	42.2	7.2	28.1	56.3
Women	37	36.6	5.9	25.0	48.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	25	43.5	7.1	29.6	57.4
65 Years and Older	18	27.2	7.1	13.3	41.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	62	39.8	4.6	30.7	48.9
Race					
White	58	36.9	4.6	27.9	45.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	37.8	7.3	23.6	52.1
Some College or College Graduate	38	40.0	5.9	28.5	51.6
Annual Household Income					
Less than \$35,000 per Year	21	39.3	8.3	23.2	55.5
\$35,000 or Higher per Year	35	42.4	6.1	30.5	54.3
Disability Status					
Living with a Disability	16	30.9	7.6	16.0	45.9
Living without a Disability	46	43.8	5.7	32.7	54.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	19	36.4	7.9	20.9	51.8
Overweight (25 ≤ BMI <30)	20	36.9	8.1	21.1	52.8
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	38.0	5.6	27.1	48.9
Does not participate in leisure time physical activity	23	42.3	8.1	26.4	58.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	47	39.2	5.2	29.1	49.3
Health Insurance Status					
Insured	53	36.3	4.7	27.1	45.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Dickinson County	18	27.2	7.1	13.3	41.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	27.2	7.1	13.3	41.0
Race					
White	17	25.7	7.0	12.0	39.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	<i>17</i>	<i>27.2</i>	<i>7.2</i>	<i>13.0</i>	<i>41.3</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Dickinson County	13	23.0	6.9	9.5	36.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	23.0	6.9	9.5	36.4
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Dickinson County	44	29.9	4.4	21.2	38.6
Gender					
Men	26	44.3	7.3	30.0	58.6
Women	18	18.2	4.6	9.1	27.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	30.6	6.6	17.7	43.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	43	28.5	4.3	20.1	37.0
Race					
White	44	31.2	4.6	22.2	40.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	37.4	7.4	23.0	51.9
Some College or College Graduate	23	24.0	5.4	13.5	34.6
Annual Household Income					
Less than \$35,000 per Year	16	32.9	8.0	17.3	48.6
\$35,000 or Higher per Year	23	28.7	5.9	17.1	40.2
Disability Status					
Living with a Disability	14	23.6	6.6	10.7	36.6
Living without a Disability	30	33.5	5.7	22.3	44.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	11	28.1	7.8	12.7	43.4
Overweight (25 ≤ BMI < 30)	17	37.7	8.3	21.4	54.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	28.6	5.3	18.1	39.1
Does not participate in leisure time physical activity	16	32.3	8.0	16.7	47.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	31.5	5.1	21.6	41.4
Health Insurance Status					
Insured	41	29.7	4.6	20.6	38.7
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Dickinson County	34	22.6	4.2	14.4	30.8
Gender					
Men	13	20.2	5.6	9.3	31.2
Women	21	24.9	6.2	12.8	36.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	27.1	6.2	14.9	39.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	23.0	4.2	14.7	31.3
Race					
White	32	21.8	4.2	13.5	30.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	31.6	7.6	16.8	46.4
Some College or College Graduate	17	15.8	4.0	7.9	23.7
Annual Household Income					
Less than \$35,000 per Year	18	39.5	8.6	22.6	56.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	13	34.5	8.7	17.4	51.6
Living without a Disability	21	16.5	4.0	8.7	24.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	19	38.0	8.4	21.5	54.5
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	18.2	5.2	7.9	28.4
Does not participate in leisure time physical activity	17	37.5	8.3	21.3	53.8
Health Insurance Status					
Insured	30	23.4	4.6	14.4	32.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Dickinson County	41	21.3	3.6	14.3	28.4
Gender					
Men	37	39.7	6.4	27.3	52.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	21	36.8	8.2	20.7	52.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	21.7	3.6	14.6	28.8
Race					
White	40	21.2	3.6	14.1	28.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	21.4	5.3	10.9	31.8
Some College or College Graduate	24	21.3	4.8	11.8	30.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	25	24.4	5.1	14.3	34.4
Disability Status					
Living with a Disability	18	26.6	6.6	13.7	39.6
Living without a Disability	22	18.4	4.4	9.8	27.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	23.3	6.7	10.2	36.4
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	19.7	4.4	11.0	28.4
Does not participate in leisure time physical activity	13	22.3	6.2	10.3	34.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	33	22.6	4.3	14.2	30.9
Health Insurance Status					
Insured	38	21.3	3.7	14.1	28.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Dickinson County	49	27.0	4.0	19.3	34.8
Gender					
Men	21	25.6	5.6	14.6	36.6
Women	28	28.5	5.6	17.6	39.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	32.9	6.9	19.3	46.5
65 Years and Older	18	28.0	7.2	13.9	42.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	27.5	4.0	19.7	35.4
Race					
White	47	27.1	4.1	19.1	35.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	30.9	6.4	18.4	43.4
Some College or College Graduate	27	23.9	5.0	14.1	33.7
Annual Household Income					
Less than \$35,000 per Year	17	26.5	6.7	13.4	39.6
\$35,000 or Higher per Year	27	27.5	5.4	16.9	38.0
Disability Status					
Living with a Disability	15	23.3	6.4	10.7	35.8
Living without a Disability	33	28.1	4.9	18.4	37.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	21.1	4.3	12.6	29.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	41	29.3	4.6	20.2	38.4
Health Insurance Status					
Insured	44	24.5	3.8	17.0	31.9
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Dickinson County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Dickinson County	104	61.5	4.7	52.3	70.7
Gender					
Men	54	69.1	6.3	56.8	81.5
Women	50	53.6	6.7	40.5	66.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	40	67.6	6.5	54.9	80.4
65 Years and Older	41	70.4	10.3	50.2	90.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	103	60.8	4.7	51.5	70.1
Race					
White	100	61.2	4.8	51.7	70.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	41	60.0	7.7	44.9	75.1
Some College or College Graduate	63	62.7	5.7	51.4	73.9
Annual Household Income					
Less than \$35,000 per Year	33	56.4	8.6	39.6	73.2
\$35,000 or Higher per Year	60	65.0	5.8	53.6	76.4
Disability Status					
Living with a Disability	35	63.9	8.8	46.7	81.1
Living without a Disability	68	59.9	5.6	48.9	70.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>65</i>	<i>57.6</i>	<i>6.0</i>	<i>45.8</i>	<i>69.4</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>89</i>	<i>69.3</i>	<i>4.9</i>	<i>59.8</i>	<i>78.9</i>
Health Insurance Status					
Insured	<i>97</i>	<i>62.8</i>	<i>4.9</i>	<i>53.2</i>	<i>72.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>