


# 2015 Kansas Behavioral Risk Factor Surveillance System Local Data

## Ford County



January 2017



# **2015 Kansas Behavioral Risk Factor Surveillance System Local Data**

State of Kansas  
Sam Brownback, Governor

Kansas Department of Health and Environment  
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

**Report Preparation:**  
Pratik Pandya, MPH  
Advanced Epidemiologist  
Bureau of Health Promotion (BHP)

**Report Supervision:**  
Ghazala Perveen, MBBS, PhD, MPH  
Director of Science and Surveillance, Health Officer II  
Bureau of Health Promotion (BHP)

**Project Funding:**  
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment  
Bureau of Health Promotion**  
January 2017

# **Kansas Department of Health and Environment (KDHE)**


## **Mission**

To protect and improve the health and environment of all Kansans

## **Vision**

Healthy Kansans living in safe and sustainable environments

**[www.kdheks.gov](http://www.kdheks.gov)**



Ford County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH  
Advanced Epidemiologist  
Bureau of Health Promotion  
Kansas Department of Health and Environment  
Curtis State Office Building,  
1000 SW Jackson Street, Suite 230  
Topeka, KS 66612  
Telephone: 785-296-6513  
Fax: 785-296-8059  
[Pratik.Pandya@ks.gov](mailto:Pratik.Pandya@ks.gov)

Ghazala Perveen, MBBS, PhD, MPH  
Director of Science and Surveillance/Health Officer II  
Bureau of Health Promotion  
Kansas Department of Health & Environment  
Curtis State Office Building  
1000 SW Jackson, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-1949  
Fax: 785-296-8059  
[Ghazala.Perveen@ks.gov](mailto:Ghazala.Perveen@ks.gov)



# Table of Contents

## **Alcohol Consumption**

Binge Drinking..... 1

**Arthritis**..... 3

## **Cancer**

Skin Cancer ..... 5

## **Cardiovascular Health**

High Blood Pressure ..... 7

## **Cholesterol**

Not Checked Cholesterol within Five Years ..... 9

High Blood Cholesterol Status..... 11

**Depressive Disorder** ..... 13

**Diabetes** ..... 15

## **Disability**

Activity Limitation Due to Physical, Mental or Emotional Problems ..... 17

Disability ..... 19

## **Exercise and Physical Activity**

Not Participating in the Recommended Level of Physical Activity  
(Aerobic AND/OR Strengthening) ..... 21

Did Not Participate in the Recommended Level of  
Aerobic AND Strengthening Physical Activity..... 23

Not Participating in Any Physical Activity ..... 25

## **Fruits and Vegetable Consumption**

Consuming Fruits Less than 1 Time Per Day ..... 27

Consuming Vegetables Less than 1 Time Per Day..... 29

## **Health Care Access**

Lack of Health Care Coverage..... 31

Lack of Health Care Coverage 18 to 64 Years Old Only ..... 33

No Personal Doctor ..... 35

Did Not See Doctor Due to Cost.....	37
<b>General Health</b> .....	39
<b>Healthy Days - Health Related Quality of Life</b>	
Physical Health Status.....	41
Mental Health Status .....	43
Poor Physical or Mental Health is Barrier to Usual Activities.....	45
<b>Immunization</b>	
Not Immunized Against Influenza.....	47
Not Immunized Against Influenza 65 Years and Older Only .....	49
Never Had Pneumonia Vaccination 65 Years and Older Only .....	51
<b>Seatbelt Use</b> .....	53
<b>Tobacco Use</b>	
Current Smoker .....	55
<b>Veteran Status</b> .....	57
<b>Weight Status (BMI Categories)</b>	
Obese.....	59
Overweight or Obese .....	61
<b>Technical Notes</b> .....	63

**Unpublished Tables** - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Ford County: Heavy Drinking, Activity Limitation Due to Arthritis, Asthma, Cancer (excluding skin cancer), Heart Attack, Coronary Heart Disease, Stroke, Chronic Obstructive Pulmonary Disease (COPD), Tried Quitting Smoking, Smokeless Tobacco Use and Male Smokeless Tobacco Use.

# Percentage of Adults Who Are Binge Drinkers, 2015

## Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Ford County	21	14.0	3.2	7.7	20.2
<b>Gender</b>					
Men	12	16.0	4.5	7.1	24.9
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	12	18.6	5.7	8.6	28.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	19	24.1	5.3	13.7	34.5
<b>Race</b>					
White	20	16.0	3.7	8.9	23.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	20.4	5.5	9.6	31.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	16.2	3.7	8.9	23.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	15	16.0	4.4	7.5	24.5
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	14	11.5	3.2	5.2	17.8
<b>Health Insurance Status</b>					
Insured	19	16.1	3.8	8.6	23.6
Uninsured	*	*	*	*	*

**Numerator:** Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Doctor Diagnosed Arthritis, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Ford County	45	16.6	2.9	10.8	22.3
<b>Gender</b>					
Men	*	*	*	*	*
Women	34	24.8	4.8	15.4	34.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	17.0	4.7	7.8	26.2
65 Years and Older	25	44.8	7.3	30.4	59.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	38	26.5	4.9	17.0	36.0
<b>Race</b>					
White	37	16.8	3.2	10.5	23.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	17	13.6	3.4	6.8	20.3
Some College or College Graduate	28	20.5	4.9	10.9	30.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	17.6	5.0	7.8	27.4
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	12.6	3.2	6.3	18.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	23.7	6.3	11.4	36.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	30	18.9	4.2	10.7	27.2
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	38	17.6	3.4	10.9	24.4
<b>Health Insurance Status</b>					
Insured	42	20.3	3.6	13.2	27.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Ford County	19	5.5	1.6	2.3	8.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	21.5	5.7	10.3	32.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	19	10.5	3.0	4.6	16.4
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	19	7.1	2.1	3.0	11.1
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Hypertension, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Ford County	80	27.3	3.4	20.7	33.9
<b>Gender</b>					
Men	35	27.0	4.9	17.5	36.6
Women	45	27.6	4.7	18.5	36.7
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	33.9	6.2	21.7	46.1
65 Years and Older	39	62.1	7.0	48.3	75.8
<b>Ethnicity</b>					
Hispanic	18	19.4	4.6	10.4	28.5
Non-Hispanic	62	35.4	5.0	25.7	45.2
<b>Race</b>					
White	66	26.7	3.7	19.5	33.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	28	22.8	4.4	14.2	31.3
Some College or College Graduate	51	32.5	5.3	22.1	42.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	28	26.1	5.4	15.6	36.6
\$35,000 or Higher per Year	30	24.7	5.3	14.3	35.1
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	48	22.1	3.6	15.0	29.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	22	26.9	6.4	14.3	39.4
Obese (BMI ≥ 30)	34	37.9	7.0	24.3	51.6
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	48	26.3	4.4	17.7	34.9
Does not participate in leisure time physical activity	24	31.7	6.5	19.0	44.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	65	26.7	3.8	19.4	34.1
<b>Health Insurance Status</b>					
Insured	71	30.2	4.0	22.4	38.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked  
Within the Past Five Years, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Ford County	61	39.1	4.1	31.0	47.1
<b>Gender</b>					
Men	36	46.3	5.8	34.9	57.8
Women	25	31.2	5.6	20.2	42.2
<b>Age Group</b>					
18 to 44 Years	43	59.2	6.1	47.2	71.2
45 to 64 Years	14	20.1	5.3	9.8	30.5
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	35	50.2	6.3	37.8	62.5
Non-Hispanic	23	27.7	5.3	17.4	38.1
<b>Race</b>					
White	45	37.2	4.6	28.1	46.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	40	48.4	5.6	37.3	59.4
Some College or College Graduate	20	29.2	5.9	17.6	40.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	35	48.7	6.4	36.1	61.3
\$35,000 or Higher per Year	17	34.3	7.0	20.6	48.0
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	51	41.9	4.7	32.7	51.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	36.4	7.2	22.4	50.5
Obese (BMI ≥ 30)	14	32.7	7.5	18.0	47.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	34	35.5	5.3	25.1	45.8
Does not participate in leisure time physical activity	15	37.0	7.7	21.9	52.1
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	44	38.6	4.7	29.4	47.7
<b>Health Insurance Status</b>					
Insured	44	35.3	4.6	26.3	44.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had not checked their blood cholesterol in the past five years.

**Denominator:** All respondents excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Ford County	67	37.3	4.5	28.5	46.2
<b>Gender</b>					
Men	28	35.8	6.5	23.0	48.6
Women	39	38.6	6.2	26.5	50.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	40.8	7.2	26.8	54.9
65 Years and Older	30	52.1	7.6	37.3	66.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	54	41.6	5.7	30.5	52.7
<b>Race</b>					
White	57	35.7	4.8	26.2	45.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	25	41.2	7.1	27.3	55.1
Some College or College Graduate	41	34.1	5.9	22.6	45.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	32	36.4	6.5	23.7	49.1
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	37	28.6	5.0	18.8	38.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	23	42.0	8.3	25.7	58.2
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	37	33.3	5.8	22.0	44.7
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	51	35.0	5.0	25.1	44.9
<b>Health Insurance Status</b>					
Insured	60	37.5	4.9	27.9	47.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

**Denominator:** Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,  
2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Ford County	32	13.0	2.6	7.9	18.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	20	17.3	4.3	8.9	25.6
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	19.2	4.9	9.6	28.8
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	22	14.6	3.7	7.4	21.8
<b>Race</b>					
White	28	15.3	3.2	8.9	21.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	15	12.0	3.3	5.4	18.5
Some College or College Graduate	16	13.9	4.1	5.8	22.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	17	17.1	4.6	8.1	26.1
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	10.8	2.9	5.2	16.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	<i>21</i>	<i>14.7</i>	<i>3.6</i>	<i>7.6</i>	<i>21.9</i>
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>22</i>	<i>11.8</i>	<i>3.0</i>	<i>6.0</i>	<i>17.6</i>
<b>Health Insurance Status</b>					
Insured	<i>29</i>	<i>14.8</i>	<i>3.1</i>	<i>8.7</i>	<i>20.8</i>
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Diabetes, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Ford County	25	7.4	1.7	4.1	10.6
<b>Gender</b>					
Men	*	*	*	*	*
Women	19	12.6	3.2	6.3	18.8
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	15	28.6	7.1	14.7	42.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	21	10.7	2.7	5.4	16.0
<b>Race</b>					
White	22	8.6	2.1	4.5	12.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	7.9	2.3	3.3	12.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	20	7.8	2.0	3.9	11.7
<b>Health Insurance Status</b>					
Insured	24	8.8	2.1	4.8	12.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,  
Mental or Emotional Problems, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Ford County	38	13.2	2.4	8.4	17.9
<b>Gender</b>					
Men	19	15.2	3.8	7.8	22.6
Women	19	11.1	3.0	5.2	16.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	19.3	5.4	8.7	29.8
65 Years and Older	16	26.4	6.4	13.9	38.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	29	16.8	3.6	9.8	23.8
<b>Race</b>					
White	29	11.7	2.5	6.8	16.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	13	13.3	3.8	5.9	20.7
Some College or College Graduate	24	12.6	2.9	6.9	18.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	12.3	3.5	5.4	19.2
\$35,000 or Higher per Year	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	19.2	5.2	9.0	29.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	24	12.9	3.0	7.0	18.8
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	31	12.3	2.6	7.3	17.4
<b>Health Insurance Status</b>					
Insured	32	13.2	2.7	7.9	18.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Who Reported Living with a Disability, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Ford County	42	14.6	2.6	9.6	19.6
<b>Gender</b>					
Men	20	16.9	4.0	9.0	24.7
Women	22	12.3	3.7	6.3	18.4
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	21.8	5.7	10.6	33.1
65 Years and Older	19	30.5	6.6	17.5	43.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	33	19.6	3.9	12.0	27.3
<b>Race</b>					
White	32	12.6	2.6	7.6	17.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	13	13.3	3.8	5.9	20.7
Some College or College Graduate	28	15.7	3.4	9.0	22.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	12.3	3.5	5.4	19.2
\$35,000 or Higher per Year	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	20.9	5.4	10.3	31.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	27	13.9	3.7	7.8	19.9
Does not participate in leisure time physical activity	13	14.9	4.4	6.3	23.6
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	35	13.9	2.7	8.6	19.3
<b>Health Insurance Status</b>					
Insured	36	15.0	2.9	9.4	20.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Ford County	164	87.7	3.1	81.6	93.8
<b>Gender</b>					
Men	68	80.3	5.5	69.7	91.0
Women	96	95.5	2.2	91.2	99.8
<b>Age Group</b>					
18 to 44 Years	54	83.2	5.2	72.9	93.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	49	93.8	2.8	88.2	99.3
<b>Ethnicity</b>					
Hispanic	58	88.9	4.5	80.2	97.7
Non-Hispanic	104	86.2	4.5	77.4	95.0
<b>Race</b>					
White	134	88.9	3.4	82.3	95.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	77	89.0	4.1	81.1	97.0
Some College or College Graduate	86	86.1	4.9	76.5	95.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	69	79.6	6.3	67.3	91.8
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	126	86.0	3.6	78.8	93.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	59	86.7	5.4	76.0	97.4
Obese (BMI ≥ 30)	46	88.9	5.9	77.4	100
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	137	85.7	3.6	78.6	92.7
<b>Health Insurance Status</b>					
Insured	133	87.4	3.6	80.3	94.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

**Denominator:** All respondents, excluding unknowns and refusals.

**Not participating in the recommended level of physical activity** referred to not participating in aerobic and strengthening exercises according to guidelines.

**Participating in insufficient level of recommended physical activity** referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Ford County	87	45.8	4.3	37.3	54.3
<b>Gender</b>					
Men	32	36.9	6.0	25.2	48.6
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	29	40.6	6.5	27.9	53.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	37	56.7	6.7	43.6	69.8
Non-Hispanic	49	37.3	5.4	26.8	47.8
<b>Race</b>					
White	71	46.7	4.9	37.1	56.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	47	52.7	6.0	40.9	64.4
Some College or College Graduate	39	37.6	6.0	25.8	49.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	64	43.4	4.8	34.0	52.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	25	39.6	7.0	25.8	53.5
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	71	45.2	4.7	35.9	54.4
<b>Health Insurance Status</b>					
Insured	68	42.2	4.8	32.7	51.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

**Denominator:** All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Ford County	63	30.6	3.8	23.2	38.0
<b>Gender</b>					
Men	20	22.3	5.0	12.4	32.1
Women	43	39.4	5.6	28.5	50.4
<b>Age Group</b>					
18 to 44 Years	22	29.0	5.7	17.9	40.2
45 to 64 Years	19	25.3	5.8	13.9	36.7
65 Years and Older	22	48.2	7.7	33.2	63.2
<b>Ethnicity</b>					
Hispanic	25	34.0	6.0	22.1	45.8
Non-Hispanic	36	25.4	4.5	16.7	34.2
<b>Race</b>					
White	52	30.6	4.2	22.3	38.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	38	38.6	5.5	27.7	49.4
Some College or College Graduate	24	21.2	4.8	11.8	30.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	30	37.5	6.3	25.1	49.8
\$35,000 or Higher per Year	22	23.4	5.5	12.7	34.2
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	49	29.9	4.2	21.7	38.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	21.4	5.6	10.4	32.3
Obese (BMI ≥ 30)	14	25.9	6.9	12.4	39.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	51	30.2	4.2	22.1	38.4
<b>Health Insurance Status</b>					
Insured	52	29.9	4.2	21.7	38.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,  
2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Ford County	79	43.1	4.2	34.8	51.4
<b>Gender</b>					
Men	40	45.8	6.1	33.9	57.7
Women	39	40.2	5.9	28.7	51.7
<b>Age Group</b>					
18 to 44 Years	29	43.0	6.5	30.3	55.8
45 to 64 Years	25	39.2	6.8	25.8	52.7
65 Years and Older	23	48.1	7.9	32.7	63.6
<b>Ethnicity</b>					
Hispanic	25	36.0	6.2	23.9	48.2
Non-Hispanic	52	47.7	5.7	36.5	58.9
<b>Race</b>					
White	64	44.5	4.8	35.1	54.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	40	42.7	5.8	31.4	54.0
Some College or College Graduate	38	43.3	6.3	30.9	55.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	35	44.6	6.6	31.7	57.5
\$35,000 or Higher per Year	30	40.4	6.8	27.0	53.8
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	62	42.4	4.7	33.1	51.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	28	40.0	7.0	26.2	53.7
Obese (BMI ≥ 30)	20	45.3	8.4	28.8	61.8
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	40	34.0	5.0	24.1	43.9
Does not participate in leisure time physical activity	37	63.4	7.0	49.6	77.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	56	36.3	4.5	27.5	45.1
<b>Health Insurance Status</b>					
Insured	65	43.5	4.8	34.1	53.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they consumed fruit less than 1 time per day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time  
Per Day, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Ford County	46	26.6	3.8	19.1	34.1
<b>Gender</b>					
Men	19	24.4	5.3	14.0	34.8
Women	27	28.9	5.5	18.2	39.7
<b>Age Group</b>					
18 to 44 Years	20	28.6	5.8	17.1	40.0
45 to 64 Years	13	23.0	6.3	10.7	35.3
65 Years and Older	12	25.1	7.1	11.1	39.0
<b>Ethnicity</b>					
Hispanic	19	29.8	6.1	17.8	41.8
Non-Hispanic	26	24.6	5.0	14.7	34.4
<b>Race</b>					
White	37	27.3	4.4	18.7	36.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	29	33.3	5.6	22.3	44.2
Some College or College Graduate	16	18.0	4.9	8.4	27.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	33.2	6.3	20.9	45.5
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	40	27.3	4.2	19.0	35.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	20.3	5.7	9.2	31.4
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	22	21.1	4.5	12.4	29.9
Does not participate in leisure time physical activity	24	39.5	7.2	25.4	53.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	35	24.4	4.1	16.4	32.4
<b>Health Insurance Status</b>					
Insured	40	27.9	4.4	19.3	36.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they consumed vegetables less than 1 time per day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Lack Health Care Coverage, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Ford County	38	21.9	3.3	15.3	28.4
<b>Gender</b>					
Men	20	23.0	4.8	13.6	32.5
Women	18	20.7	4.6	11.6	29.7
<b>Age Group</b>					
18 to 44 Years	28	32.4	5.4	21.8	43.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	33	44.0	6.0	32.3	55.7
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	21	15.3	3.3	8.9	21.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	33	39.6	5.5	28.8	50.3
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	35.7	6.0	24.0	47.5
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	29	21.6	3.8	14.2	28.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	<i>11</i>	<i>21.6</i>	<i>6.1</i>	<i>9.7</i>	<i>33.5</i>
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	<i>23</i>	<i>21.3</i>	<i>4.3</i>	<i>12.9</i>	<i>29.7</i>
Does not participate in leisure time physical activity	<i>11</i>	<i>25.1</i>	<i>6.6</i>	<i>12.2</i>	<i>38.0</i>
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>28</i>	<i>21.1</i>	<i>3.7</i>	<i>13.7</i>	<i>28.4</i>

**Numerator:** Respondents who reported they had no health care coverage.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,  
2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Ford County	38	25.9	3.9	18.2	33.5
<b>Gender</b>					
Men	20	25.9	5.4	15.3	36.4
Women	18	25.9	5.7	14.8	36.9
<b>Age Group</b>					
18 to 44 Years	28	32.4	5.4	21.8	43.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	33	45.7	6.1	33.6	57.7
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	21	18.4	3.9	10.8	26.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	33	44.9	6.0	33.1	56.7
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	39.6	6.6	26.7	52.5
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	29	25.0	4.3	16.5	33.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	23	24.3	4.9	14.7	33.9
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	28	25.2	4.4	16.6	33.9

**Numerator:** Respondents ages 18-64 years old who reported they had no health care coverage.

**Denominator:** All respondents ages 18-64 years old, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Ford County	52	30.7	3.8	23.3	38.1
<b>Gender</b>					
Men	34	40.3	5.7	29.1	51.4
Women	18	20.8	4.6	11.7	29.9
<b>Age Group</b>					
18 to 44 Years	29	38.5	5.8	27.1	49.9
45 to 64 Years	16	26.0	5.9	14.3	37.6
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	34	47.1	6.0	35.3	58.9
Non-Hispanic	15	14.5	4.1	6.6	22.4
<b>Race</b>					
White	37	27.4	4.2	19.2	35.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	37	44.7	5.5	33.8	55.5
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	31	44.3	6.3	32.0	56.6
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	44	33.2	4.4	24.6	41.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	33.5	6.8	20.2	46.9
Obese (BMI ≥ 30)	14	27.9	6.8	14.5	41.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	31	31.0	5.0	21.2	40.8
Does not participate in leisure time physical activity	14	32.4	7.2	18.4	46.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	36	28.8	4.3	20.4	37.2
<b>Health Insurance Status</b>					
Insured	31	21.0	3.7	13.7	28.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had no personal doctor or health care provider.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Ford County	32	17.5	3.1	11.5	23.6
<b>Gender</b>					
Men	18	19.2	4.5	10.3	28.1
Women	14	15.8	4.2	7.5	24.1
<b>Age Group</b>					
18 to 44 Years	20	24.6	5.1	14.6	34.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	22	27.8	5.4	17.1	38.4
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	18	13.0	3.2	6.7	19.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	21	24.0	4.8	14.6	33.4
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	23	28.3	5.6	17.3	39.3
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	17.2	3.6	10.2	24.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	18	15.4	3.7	8.2	22.6
Does not participate in leisure time physical activity	12	26.5	6.9	13.0	40.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	23	18.2	3.6	11.1	25.4
<b>Health Insurance Status</b>					
Insured	15	10.3	2.9	4.7	16.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they could not see a doctor because of cost in the past 12 months.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Ford County	51	22.2	3.2	15.9	28.5
<b>Gender</b>					
Men	23	19.0	4.1	11.0	27.1
Women	28	25.6	4.9	16.0	35.2
<b>Age Group</b>					
18 to 44 Years	15	18.4	4.6	9.5	27.4
45 to 64 Years	23	29.5	5.9	17.8	41.1
65 Years and Older	13	22.8	5.9	11.2	34.4
<b>Ethnicity</b>					
Hispanic	24	27.5	5.2	17.3	37.7
Non-Hispanic	27	18.8	4.1	10.8	26.8
<b>Race</b>					
White	39	21.2	3.6	14.1	28.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	29	27.2	4.8	17.8	36.5
Some College or College Graduate	20	16.0	4.2	7.8	24.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	29	31.2	5.7	20.1	42.4
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	27	17.6	3.4	10.9	24.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	20.2	5.5	9.3	31.0
Obese (BMI ≥ 30)	17	26.7	6.8	13.3	40.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	25	21.6	4.3	13.1	30.1
Does not participate in leisure time physical activity	18	24.5	5.8	13.1	35.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	35	21.2	3.7	14.1	28.4
<b>Health Insurance Status</b>					
Insured	41	21.4	3.5	14.5	28.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that in general their health is fair or poor.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Ford County	22	8.8	2.1	4.7	12.9
<b>Gender</b>					
Men	*	*	*	*	*
Women	14	12.1	3.5	5.2	19.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	17	8.1	2.3	3.6	12.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	13	12.1	3.5	5.2	19.1
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	16	8.4	2.3	3.8	13.0
<b>Health Insurance Status</b>					
Insured	18	8.2	2.1	4.0	12.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14  
or More Days in the Past 30 Days, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Ford County	20	9.4	2.3	4.9	14.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	14	7.7	2.3	3.2	12.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	12	13.7	4.0	5.9	21.5
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	13	14.8	4.4	6.2	23.4
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	8.7	2.6	3.6	13.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	14	7.2	2.1	3.0	11.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Ford County	39	37.8	5.7	26.6	49.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	22	39.0	7.8	23.8	54.3
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	23	32.4	7.1	18.5	46.3
<b>Race</b>					
White	26	31.2	6.2	19.0	43.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	32.7	6.7	19.5	45.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	<i>28</i>	<i>34.4</i>	<i>6.4</i>	<i>21.9</i>	<i>46.9</i>
<b>Health Insurance Status</b>					
Insured	<i>27</i>	<i>28.4</i>	<i>5.7</i>	<i>17.3</i>	<i>39.5</i>
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

**Denominator:** Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Ford County	106	63.5	4.0	55.6	71.4
<b>Gender</b>					
Men	55	74.5	4.9	65.0	84.1
Women	51	51.3	5.9	39.6	63.0
<b>Age Group</b>					
18 to 44 Years	44	71.5	5.9	60.0	83.0
45 to 64 Years	35	59.5	6.9	45.8	73.1
65 Years and Older	26	46.2	7.5	31.4	61.0
<b>Ethnicity</b>					
Hispanic	43	68.6	6.2	56.5	80.7
Non-Hispanic	60	59.1	5.4	48.5	69.7
<b>Race</b>					
White	83	61.5	4.5	52.7	70.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	56	69.5	5.3	59.1	79.9
Some College or College Graduate	48	55.9	6.1	43.9	67.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	44	67.2	6.2	55.0	79.4
\$35,000 or Higher per Year	42	59.9	6.4	47.3	72.5
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	91	67.8	4.3	59.3	76.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	41	68.6	6.3	56.2	80.9
Obese (BMI ≥ 30)	24	53.3	8.5	36.6	69.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	65	63.0	5.0	53.1	72.8
Does not participate in leisure time physical activity	40	65.0	6.7	51.8	78.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	88	63.4	4.4	54.8	72.0
<b>Health Insurance Status</b>					
Insured	85	63.3	4.5	54.4	72.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Ford County	26	46.2	7.5	31.4	61.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	22	42.7	8.0	27.0	58.5
<b>Race</b>					
White	22	43.6	8.1	27.6	59.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	24	46.9	8.0	31.2	62.5
<b>Health Insurance Status</b>					
Insured	26	46.2	7.5	31.4	61.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

**Denominator:** All respondents 65 years old and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia  
Vaccination, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Ford County	19	33.9	7.2	19.8	48.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	<i>19</i>	<i>33.9</i>	<i>7.2</i>	<i>19.8</i>	<i>48.1</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt  
When They Drive or Ride in a Car, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Ford County	37	21.8	3.7	14.6	29.1
<b>Gender</b>					
Men	22	28.5	5.8	17.2	39.8
Women	15	14.8	4.4	6.2	23.3
<b>Age Group</b>					
18 to 44 Years	16	26.9	6.0	15.1	38.8
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	12	17.6	4.9	7.9	27.2
Non-Hispanic	25	26.6	5.5	15.8	37.3
<b>Race</b>					
White	27	20.2	4.1	12.3	28.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	16	19.7	4.7	10.4	28.9
Some College or College Graduate	21	24.7	5.9	13.2	36.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	13	18.9	5.5	8.0	29.7
\$35,000 or Higher per Year	14	23.5	6.4	11.0	36.0
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	25	20.4	4.1	12.3	28.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	27.5	6.8	14.1	40.9
Obese (BMI ≥ 30)	13	23.7	6.8	10.4	37.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	28	25.3	4.8	15.9	34.8
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	33	23.3	4.2	15.1	31.5
<b>Health Insurance Status</b>					
Insured	31	23.7	4.4	15.2	32.3
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Currently Smoke Cigarettes, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Ford County	31	14.4	2.7	9.0	19.7
<b>Gender</b>					
Men	18	17.8	4.1	9.7	25.9
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	22.2	5.4	11.6	32.8
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	14	16.2	4.3	7.8	24.5
Non-Hispanic	17	13.5	3.6	6.4	20.6
<b>Race</b>					
White	22	13.1	3.0	7.3	19.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	18	16.6	3.9	9.1	24.2
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	19	19.4	4.7	10.2	28.5
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	13.7	3.0	7.9	19.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	12	14.5	4.3	6.0	23.0
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	18	14.3	3.6	7.3	21.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	23	13.4	3.0	7.5	19.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States  
Armed Forces, 2015**

**Ford County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Ford County	17	6.9	2.0	3.0	10.8
<b>Gender</b>					
Men	17	13.3	3.8	6.0	20.7
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
<b>Race</b>					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	17	8.8	2.5	3.8	13.8
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Obese, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Ford County	62	32.9	4.1	24.8	40.9
<b>Gender</b>					
Men	28	29.4	5.4	18.8	40.1
Women	34	36.6	6.2	24.5	48.7
<b>Age Group</b>					
18 to 44 Years	19	30.8	6.2	18.5	43.0
45 to 64 Years	20	31.1	6.8	17.8	44.4
65 Years and Older	23	45.0	7.7	29.9	60.0
<b>Ethnicity</b>					
Hispanic	19	35.3	6.8	22.0	48.6
Non-Hispanic	42	31.4	5.3	21.1	41.7
<b>Race</b>					
White	50	31.7	4.6	22.8	40.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	28	34.5	5.9	23.0	46.0
Some College or College Graduate	33	31.1	5.9	19.5	42.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	27	40.8	6.8	27.4	54.2
\$35,000 or Higher per Year	21	23.0	5.7	11.8	34.1
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	41	30.3	4.6	21.2	39.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	40	29.7	4.9	20.0	39.4
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	50	31.9	4.6	22.8	41.0
<b>Health Insurance Status</b>					
Insured	50	31.1	4.5	22.2	40.0
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Overweight or Obese, 2015

### Ford County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Ford County	133	74.1	3.8	66.6	81.7
<b>Gender</b>					
Men	67	77.2	5.3	66.9	87.5
Women	66	70.8	5.6	59.7	81.9
<b>Age Group</b>					
18 to 44 Years	40	67.9	6.3	55.6	80.2
45 to 64 Years	53	86.5	4.3	78.0	95.1
65 Years and Older	40	73.8	6.5	61.2	86.5
<b>Ethnicity</b>					
Hispanic	47	84.2	4.9	74.6	93.8
Non-Hispanic	84	67.0	5.5	56.2	77.7
<b>Race</b>					
White	108	72.9	4.4	64.2	81.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	57	75.9	5.2	65.8	86.0
Some College or College Graduate	75	73.0	5.7	61.8	84.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	53	79.9	5.4	69.2	90.6
\$35,000 or Higher per Year	56	70.9	6.5	58.2	83.6
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	97	73.5	4.4	64.9	82.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	92	76.7	4.7	67.4	86.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	107	75.2	4.3	66.9	83.6
<b>Health Insurance Status</b>					
Insured	113	73.6	4.3	65.1	82.0
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("\*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>