

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Franklin County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion**
January 2017

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Franklin County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

Heart Attack	13
High Blood Pressure	15

Cholesterol

Not Checked Cholesterol within Five Years	17
High Blood Cholesterol Status.....	19

Chronic Obstructive Pulmonary Disease (COPD)	21
---	----

Depressive Disorder	23
----------------------------------	----

Diabetes	25
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	27
Disability	29

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	31
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	33
Not Participating in Any Physical Activity	35

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day37
Consuming Vegetables Less than 1 Time Per Day.....39

Health Care Access

Lack of Health Care Coverage.....41
Lack of Health Care Coverage 18 to 64 Years Old Only43
No Personal Doctor45
Did Not See Doctor Due to Cost.....47

General Health49

Healthy Days - Health Related Quality of Life

Physical Health Status.....51
Mental Health Status53
Poor Physical or Mental Health is Barrier to Usual Activities.....55

Immunization

Not Immunized Against Influenza.....57
Not Immunized Against Influenza 65 Years and Older Only59
Never Had Pneumonia Vaccination 65 Years and Older Only61

Seatbelt Use.....63

Tobacco Use

Current Smoker65
Tried Quitting Smoking67
Smokeless Tobacco Use69
Male Smokeless Tobacco Use71

Veteran Status73

Weight Status (BMI Categories)

Obese.....75
Overweight or Obese77

Technical Notes.....79

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Franklin County: Heavy Drinking, Coronary Heart Disease and Stroke.

Percentage of Adults Who Are Binge Drinkers, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Franklin County	21	13.6	3.0	7.7	19.5
Gender					
Men	12	16.1	4.5	7.3	24.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	12	17.8	5.0	8.0	27.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	13.0	3.0	7.1	18.9
Race					
White	20	13.9	3.1	7.8	20.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	12	13.5	4.0	5.6	21.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	12	15.7	4.4	7.0	24.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	17.0	3.9	9.5	24.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>13</i>	<i>11.3</i>	<i>3.3</i>	<i>4.8</i>	<i>17.8</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>11.7</i>	<i>3.3</i>	<i>5.2</i>	<i>18.2</i>
Health Insurance Status					
Insured	<i>20</i>	<i>14.4</i>	<i>3.2</i>	<i>8.0</i>	<i>20.7</i>
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Franklin County	94	28.0	3.1	22.0	34.1
Gender					
Men	38	29.4	4.8	20.0	38.9
Women	56	26.8	4.0	19.0	34.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	37	33.0	5.2	22.9	43.2
65 Years and Older	50	62.8	5.9	51.4	74.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	94	28.7	3.2	22.5	34.9
Race					
White	89	27.9	3.2	21.7	34.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	41	33.6	5.3	23.2	43.9
Some College or College Graduate	51	23.1	3.6	16.1	30.0
Annual Household Income					
Less than \$35,000 per Year	37	39.3	6.4	26.8	51.8
\$35,000 or Higher per Year	43	21.5	3.6	14.4	28.6
Disability Status					
Living with a Disability	46	54.7	7.6	39.9	69.5
Living without a Disability	46	19.4	3.0	13.6	25.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	20.5	5.1	10.5	30.5
Overweight (25 ≤ BMI < 30)	28	20.4	4.1	12.3	28.5
Obese (BMI ≥ 30)	44	45.1	6.8	31.8	58.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	53	24.3	3.7	17.0	31.6
Does not participate in leisure time physical activity	31	35.3	6.6	22.5	48.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	73	29.7	3.7	22.4	36.9
Health Insurance Status					
Insured	90	29.6	3.3	23.1	36.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Franklin County	34	39.4	6.4	26.8	52.0
Gender					
Men	*	*	*	*	*
Women	27	54.6	8.1	38.7	70.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	39.4	6.4	26.8	52.0
Race					
White	33	39.6	6.5	26.8	52.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>18</i>	<i>31.4</i>	<i>7.9</i>	<i>16.0</i>	<i>46.8</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>27</i>	<i>35.2</i>	<i>7.0</i>	<i>21.5</i>	<i>48.8</i>
Health Insurance Status					
Insured	<i>33</i>	<i>40.7</i>	<i>6.7</i>	<i>27.6</i>	<i>53.8</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Franklin County	33	12.6	2.4	7.8	17.4
Gender					
Men	14	15.6	4.2	7.4	23.7
Women	19	9.9	2.6	4.8	15.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	15.3	4.0	7.3	23.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	12.9	2.5	8.0	17.8
Race					
White	30	12.5	2.5	7.6	17.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	17.1	4.3	8.6	25.5
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	16	22.9	6.2	10.8	35.1
Living without a Disability	16	9.2	2.5	4.3	14.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	18.5	5.3	8.2	28.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	11.9	3.1	5.7	18.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	14.5	3.1	8.4	20.5
Health Insurance Status					
Insured	31	13.2	2.6	8.1	18.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Franklin County	24	6.7	1.7	3.5	10.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	6.8	1.7	3.5	10.1
Race					
White	22	6.0	1.5	3.0	8.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	17.1	4.9	7.5	26.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	8.1	2.1	4.0	12.3
Health Insurance Status					
Insured	23	7.2	1.8	3.6	10.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Franklin County	30	9.9	2.0	5.9	13.8
Gender					
Men	*	*	*	*	*
Women	17	9.2	2.5	4.4	14.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	20.0	4.8	10.5	29.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	30	10.1	2.1	6.0	14.1
Race					
White	30	10.5	2.1	6.3	14.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	9.4	2.4	4.7	14.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	22	13.3	3.1	7.1	19.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	10.3	2.6	5.2	15.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	14.5	4.1	6.5	22.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	9.0	2.4	4.3	13.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	9.6	2.1	5.4	13.7
Health Insurance Status					
Insured	28	10.0	2.1	5.8	14.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,263	4.0	0.1	3.7	4.2
Franklin County	18	5.9	1.7	2.5	9.2
Gender					
Men	14	8.2	2.3	3.5	12.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	6.0	1.7	2.6	9.4
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	17	5.2	1.4	2.5	7.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Franklin County	107	34.6	3.4	28.0	41.3
Gender					
Men	49	35.8	5.0	26.0	45.5
Women	58	33.6	4.7	24.4	42.7
Age Group					
18 to 44 Years	12	17.0	4.9	7.4	26.5
45 to 64 Years	42	42.1	5.7	31.0	53.2
65 Years and Older	53	62.6	6.0	50.8	74.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	104	34.3	3.4	27.5	41.0
Race					
White	101	34.1	3.5	27.3	40.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	48	41.1	5.5	30.4	51.9
Some College or College Graduate	57	28.9	4.2	20.8	37.1
Annual Household Income					
Less than \$35,000 per Year	40	45.9	6.7	32.7	59.1
\$35,000 or Higher per Year	53	32.9	4.6	23.9	41.8
Disability Status					
Living with a Disability	44	53.6	7.3	39.4	67.9
Living without a Disability	62	28.9	3.8	21.5	36.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	22.9	5.6	11.9	34.0
Overweight (25 ≤ BMI < 30)	34	28.0	5.1	18.0	38.1
Obese (BMI ≥ 30)	50	52.7	6.9	39.2	66.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	67	33.0	4.2	24.8	41.2
Does not participate in leisure time physical activity	33	41.8	7.0	28.0	55.5
Smoking Status					
Current smoker	22	40.3	7.8	25.0	55.6
Non-smoker	83	34.2	3.9	26.6	41.7
Health Insurance Status					
Insured	102	35.3	3.5	28.4	42.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Franklin County	39	22.4	3.4	15.8	29.0
Gender					
Men	26	30.1	5.2	20.0	40.3
Women	13	15.2	4.3	6.7	23.7
Age Group					
18 to 44 Years	24	39.8	6.6	27.0	52.7
45 to 64 Years	12	12.1	3.4	5.3	18.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	22.2	3.4	15.4	28.9
Race					
White	34	20.6	3.4	14.0	27.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	27.0	5.3	16.6	37.4
Some College or College Graduate	17	19.0	4.4	10.4	27.6
Annual Household Income					
Less than \$35,000 per Year	12	26.2	6.8	12.9	39.6
\$35,000 or Higher per Year	17	15.8	3.9	8.2	23.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	31	24.3	4.0	16.4	32.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	15	18.3	4.6	9.3	27.4
Obese (BMI ≥ 30)	13	31.9	7.1	17.9	45.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	22.4	4.3	14.1	30.8
Does not participate in leisure time physical activity	11	25.0	7.0	11.3	38.8
Smoking Status					
Current smoker	14	37.8	8.3	21.6	54.0
Non-smoker	24	18.3	3.6	11.2	25.4
Health Insurance Status					
Insured	30	18.4	3.3	12.1	24.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Franklin County	106	43.8	4.0	36.0	51.5
Gender					
Men	49	53.0	6.1	41.0	65.0
Women	57	36.5	4.9	26.9	46.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	39	45.0	6.1	33.1	56.9
65 Years and Older	54	69.2	5.7	58.1	80.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	104	43.7	4.0	35.9	51.6
Race					
White	101	43.1	4.0	35.2	51.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	44	53.5	6.3	41.2	65.8
Some College or College Graduate	61	37.3	4.9	27.6	46.9
Annual Household Income					
Less than \$35,000 per Year	32	45.2	7.3	30.9	59.5
\$35,000 or Higher per Year	62	43.0	5.2	32.9	53.2
Disability Status					
Living with a Disability	35	45.9	7.2	31.8	60.0
Living without a Disability	69	41.9	4.7	32.7	51.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	26	40.9	7.5	26.3	55.5
Overweight (25 ≤ BMI <30)	38	40.8	6.3	28.4	53.2
Obese (BMI ≥ 30)	38	49.7	7.3	35.5	63.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	67	40.1	4.8	30.7	49.5
Does not participate in leisure time physical activity	29	51.0	8.1	35.2	66.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	82	41.6	4.4	32.9	50.3
Health Insurance Status					
Insured	101	43.3	4.0	35.3	51.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Franklin County	29	10.5	2.3	6.0	15.1
Gender					
Men	*	*	*	*	*
Women	20	13.6	3.5	6.7	20.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	19.2	5.0	9.4	28.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	10.5	2.4	5.9	15.2
Race					
White	27	10.6	2.4	5.9	15.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	15.5	4.5	6.7	24.4
Some College or College Graduate	15	6.0	1.7	2.6	9.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	21	24.5	6.0	12.8	36.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>19</i>	<i>9.6</i>	<i>2.7</i>	<i>4.4</i>	<i>14.9</i>
Health Insurance Status					
Insured	28	11.3	2.5	6.3	16.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Franklin County	52	21.2	3.1	15.1	27.2
Gender					
Men	15	14.0	3.7	6.7	21.3
Women	37	27.8	4.7	18.6	37.0
Age Group					
18 to 44 Years	14	20.7	5.5	9.9	31.4
45 to 64 Years	26	26.7	5.0	16.8	36.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	51	21.3	3.1	15.1	27.4
Race					
White	48	20.7	3.2	14.5	26.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	23.6	4.9	14.0	33.2
Some College or College Graduate	27	18.9	3.9	11.2	26.6
Annual Household Income					
Less than \$35,000 per Year	23	33.3	6.7	20.2	46.4
\$35,000 or Higher per Year	21	15.3	3.7	8.1	22.5
Disability Status					
Living with a Disability	27	42.6	7.3	28.3	56.9
Living without a Disability	24	14.8	3.2	8.5	21.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	<i>18.0</i>	4.7	8.9	27.2
Obese (BMI ≥ 30)	23	<i>30.5</i>	6.5	17.8	43.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	<i>18.9</i>	3.8	11.5	26.4
Does not participate in leisure time physical activity	17	<i>26.3</i>	6.3	13.9	38.8
Smoking Status					
Current smoker	17	<i>36.9</i>	8.0	21.3	52.5
Non-smoker	32	<i>15.2</i>	3.0	9.4	21.1
Health Insurance Status					
Insured	48	<i>21.1</i>	3.2	14.8	27.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Franklin County	31	9.3	1.8	5.8	12.8
Gender					
Men	18	12.0	3.0	6.1	17.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	14.6	3.8	7.2	22.0
65 Years and Older	11	14.4	4.2	6.2	22.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	30	9.0	1.8	5.5	12.5
Race					
White	28	8.7	1.8	5.2	12.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	11.7	3.1	5.6	17.8
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	21.3	5.3	10.8	31.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	15.8	4.1	7.7	23.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	7.1	2.0	3.2	11.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	8.8	2.0	4.8	12.7
Health Insurance Status					
Insured	30	9.8	1.9	6.0	13.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Franklin County	70	25.5	3.3	19.1	31.9
Gender					
Men	31	27.4	4.9	17.8	37.1
Women	39	23.7	4.3	15.3	32.2
Age Group					
18 to 44 Years	11	18.4	5.4	7.8	29.1
45 to 64 Years	31	30.1	5.2	20.0	40.2
65 Years and Older	28	34.4	6.0	22.6	46.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	69	25.6	3.3	19.1	32.1
Race					
White	65	25.4	3.4	18.8	32.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	32.1	5.4	21.6	42.7
Some College or College Graduate	36	19.8	3.7	12.5	27.2
Annual Household Income					
Less than \$35,000 per Year	33	41.2	6.7	28.0	54.3
\$35,000 or Higher per Year	25	14.1	3.3	7.6	20.7
Weight Category					
Normal or Underweight (BMI < 25)	15	21.4	5.5	10.6	32.2
Overweight (25 ≤ BMI < 30)	17	15.3	4.3	7.0	23.7
Obese (BMI ≥ 30)	36	39.9	6.7	26.8	53.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	24.1	4.2	15.9	32.2
Does not participate in leisure time physical activity	27	33.1	6.5	20.3	45.8
Smoking Status					
Current smoker	22	37.4	7.7	22.3	52.5
Non-smoker	47	22.0	3.6	15.0	29.0
Health Insurance Status					
Insured	66	25.7	3.4	19.1	32.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Franklin County	73	26.3	3.3	19.9	32.8
Gender					
Men	31	27.7	5.0	17.9	37.5
Women	42	25.0	4.3	16.5	33.5
Age Group					
18 to 44 Years	11	18.4	5.4	7.8	29.1
45 to 64 Years	31	30.5	5.2	20.3	40.7
65 Years and Older	31	37.9	6.1	26.0	49.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	72	26.4	3.3	19.9	33.0
Race					
White	68	26.3	3.4	19.6	33.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	33.6	5.4	23.0	44.2
Some College or College Graduate	37	20.1	3.8	12.8	27.5
Annual Household Income					
Less than \$35,000 per Year	34	42.2	6.7	29.0	55.4
\$35,000 or Higher per Year	26	14.5	3.4	7.9	21.2
Weight Category					
Normal or Underweight (BMI <25)	15	21.4	5.5	10.6	32.2
Overweight (25 ≤ BMI < 30)	17	15.5	4.3	7.1	24.0
Obese (BMI ≥ 30)	39	41.9	6.7	28.7	55.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	39	24.1	4.2	15.9	32.2
Does not participate in leisure time physical activity	30	35.6	6.6	22.7	48.6
Smoking Status					
Current smoker	22	37.4	7.7	22.3	52.5
Non-smoker	50	23.0	3.6	15.9	30.0
Health Insurance Status					
Insured	69	26.6	3.4	19.9	33.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Franklin County	183	85.3	2.8	79.8	90.8
Gender					
Men	80	85.8	4.2	77.5	94.1
Women	103	84.9	3.8	77.5	92.3
Age Group					
18 to 44 Years	47	79.6	5.2	69.4	89.9
45 to 64 Years	74	90.5	3.3	84.0	97.0
65 Years and Older	61	89.9	3.5	83.0	96.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	179	85.4	2.9	79.8	90.9
Race					
White	175	84.6	2.9	78.8	90.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	83	92.6	3.1	86.6	98.6
Some College or College Graduate	98	79.2	4.4	70.6	87.8
Annual Household Income					
Less than \$35,000 per Year	58	91.1	3.7	84.0	98.3
\$35,000 or Higher per Year	97	79.7	4.4	71.1	88.3
Disability Status					
Living with a Disability	58	88.6	5.2	78.4	98.7
Living without a Disability	124	83.9	3.4	77.2	90.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	73	90.5	3.4	83.9	97.2
Obese (BMI ≥ 30)	61	81.8	5.6	70.7	92.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	138	82.8	3.4	76.1	89.5
Health Insurance Status					
Insured	168	84.1	3.1	78.1	90.1
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Franklin County	85	38.8	3.9	31.1	46.4
Gender					
Men	36	36.5	5.6	25.5	47.5
Women	49	40.8	5.4	30.1	51.4
Age Group					
18 to 44 Years	19	32.8	6.5	20.1	45.5
45 to 64 Years	39	46.3	6.2	34.2	58.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	85	39.6	4.0	31.8	47.4
Race					
White	81	37.5	3.9	29.8	45.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	41	46.1	6.1	34.1	58.0
Some College or College Graduate	44	33.1	5.0	23.3	42.9
Annual Household Income					
Less than \$35,000 per Year	32	53.4	7.2	39.3	67.6
\$35,000 or Higher per Year	39	29.7	4.7	20.4	38.9
Disability Status					
Living with a Disability	36	51.1	7.7	36.0	66.3
Living without a Disability	49	34.5	4.5	25.6	43.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	30	31.4	5.8	20.1	42.7
Obese (BMI ≥ 30)	33	45.5	7.1	31.6	59.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	58	30.9	4.1	22.9	38.9
Health Insurance Status					
Insured	78	38.2	4.0	30.3	46.2
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Franklin County	65	27.4	3.5	20.7	34.2
Gender					
Men	29	30.2	5.3	19.8	40.7
Women	36	24.9	4.4	16.2	33.5
Age Group					
18 to 44 Years	12	20.3	5.5	9.5	31.0
45 to 64 Years	35	38.7	5.9	27.2	50.2
65 Years and Older	17	23.6	5.4	12.9	34.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	65	28.0	3.5	21.1	34.9
Race					
White	63	27.8	3.5	20.8	34.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	34.2	5.4	23.6	44.8
Some College or College Graduate	28	21.3	4.4	12.6	30.0
Annual Household Income					
Less than \$35,000 per Year	26	38.3	6.7	25.1	51.5
\$35,000 or Higher per Year	26	19.9	4.2	11.6	28.2
Disability Status					
Living with a Disability	30	36.2	6.7	23.0	49.4
Living without a Disability	35	24.5	4.1	16.5	32.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	21	21.4	5.1	11.4	31.4
Obese (BMI ≥ 30)	30	36.0	6.5	23.2	48.7
Smoking Status					
Current smoker	21	46.3	8.0	30.6	62.0
Non-smoker	44	20.9	3.4	14.1	27.6
Health Insurance Status					
Insured	61	29.2	3.7	21.9	36.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Franklin County	110	50.7	3.9	43.0	58.3
Gender					
Men	56	58.7	5.6	47.7	69.7
Women	54	43.9	5.3	33.5	54.2
Age Group					
18 to 44 Years	28	45.5	6.7	32.3	58.8
45 to 64 Years	50	60.3	5.7	49.2	71.4
65 Years and Older	32	46.7	6.4	34.2	59.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	108	50.9	3.9	43.1	58.6
Race					
White	101	48.7	4.0	40.9	56.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	60	66.3	5.4	55.8	76.8
Some College or College Graduate	48	37.4	5.1	27.4	47.5
Annual Household Income					
Less than \$35,000 per Year	38	55.4	7.1	41.5	69.2
\$35,000 or Higher per Year	53	45.7	5.2	35.4	56.0
Disability Status					
Living with a Disability	41	62.2	6.9	48.7	75.7
Living without a Disability	69	47.1	4.6	38.1	56.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	20	41.2	7.5	26.5	55.9
Overweight (25 ≤ BMI < 30)	42	53.4	6.3	41.1	65.6
Obese (BMI ≥ 30)	43	56.5	6.9	43.0	70.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	64	46.3	4.7	37.1	55.6
Does not participate in leisure time physical activity	41	62.1	7.4	47.6	76.5
Smoking Status					
Current smoker	34	67.9	7.6	53.0	82.9
Non-smoker	76	44.9	4.4	36.3	53.6
Health Insurance Status					
Insured	99	49.4	4.0	41.4	57.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Franklin County	53	27.3	3.6	20.2	34.3
Gender					
Men	24	28.5	5.4	17.9	39.0
Women	29	26.2	4.9	16.6	35.8
Age Group					
18 to 44 Years	15	26.9	6.2	14.8	39.1
45 to 64 Years	25	31.9	5.8	20.6	43.2
65 Years and Older	13	20.5	5.6	9.6	31.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	52	27.4	3.7	20.2	34.6
Race					
White	46	24.4	3.6	17.4	31.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	32	37.8	5.8	26.3	49.2
Some College or College Graduate	21	18.8	4.3	10.4	27.2
Annual Household Income					
Less than \$35,000 per Year	21	32.2	6.7	19.1	45.3
\$35,000 or Higher per Year	25	24.2	4.8	14.9	33.6
Disability Status					
Living with a Disability	22	39.2	7.5	24.6	53.8
Living without a Disability	31	23.3	4.0	15.3	31.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	10	22.2	6.5	9.4	35.0
Overweight (25 ≤ BMI < 30)	18	22.6	5.4	12.1	33.1
Obese (BMI ≥ 30)	21	33.2	6.9	19.7	46.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	20.7	4.0	12.7	28.6
Does not participate in leisure time physical activity	25	44.8	7.5	30.1	59.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	37	23.4	3.9	15.8	31.0
Health Insurance Status					
Insured	46	25.8	3.7	18.6	33.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Franklin County	18	9.9	2.4	5.1	14.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	9.6	2.5	4.8	14.4
Race					
White	14	8.8	2.5	4.0	13.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	12	15.2	4.4	6.5	23.9
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	9.7	2.8	4.3	15.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	13.0	3.5	6.2	19.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Franklin County	18	12.3	3.0	6.4	18.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	12.0	3.0	6.1	18.0
Race					
White	14	11.1	3.1	5.1	17.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	12	19.5	5.6	8.6	30.4
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	11.7	3.3	5.2	18.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	16.3	4.3	7.8	24.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Franklin County	20	10.9	2.5	6.1	15.8
Gender					
Men	12	15.6	4.3	7.2	23.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	11	17.7	5.0	7.9	27.5
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	10.7	2.5	5.8	15.7
Race					
White	15	9.2	2.4	4.4	14.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	12.9	3.2	6.6	19.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>10.5</i>	<i>3.0</i>	<i>4.7</i>	<i>16.4</i>
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Franklin County	25	11.9	2.6	6.8	16.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	12.1	2.6	7.0	17.3
Race					
White	24	12.4	2.7	7.1	17.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	15	22.6	6.0	10.8	34.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	12	8.6	2.6	3.5	13.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	13	19.0	5.5	8.2	29.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	12.0	3.4	5.4	18.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	10.3	2.7	5.0	15.7
Health Insurance Status					
Insured	18	8.6	2.3	4.2	13.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Franklin County	49	17.7	2.7	12.3	23.1
Gender					
Men	20	15.5	3.7	8.3	22.6
Women	29	19.8	4.0	12.0	27.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	25	22.9	4.6	14.0	31.9
65 Years and Older	17	23.2	5.3	12.8	33.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	48	17.6	2.8	12.2	23.1
Race					
White	44	17.3	2.8	11.7	22.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	24.5	4.9	15.0	34.1
Some College or College Graduate	23	11.7	2.7	6.4	16.9
Annual Household Income					
Less than \$35,000 per Year	28	37.1	6.6	24.2	50.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	42	59.3	7.2	45.2	73.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	24	28.0	6.0	16.2	39.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	13.0	3.2	6.6	19.3
Does not participate in leisure time physical activity	24	31.6	6.4	19.1	44.2
Smoking Status					
Current smoker	17	29.9	7.4	15.5	44.4
Non-smoker	29	13.6	2.7	8.3	18.9
Health Insurance Status					
Insured	45	17.1	2.7	11.7	22.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Franklin County	32	11.8	2.4	7.2	16.5
Gender					
Men	*	*	*	*	*
Women	21	14.2	3.6	7.2	21.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	14.3	4.0	6.6	22.1
65 Years and Older	13	18.3	4.9	8.8	27.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	11.6	2.4	6.9	16.3
Race					
White	29	11.6	2.5	6.7	16.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	18.9	4.6	9.9	27.9
Some College or College Graduate	13	6.0	1.8	2.5	9.5
Annual Household Income					
Less than \$35,000 per Year	16	22.3	5.9	10.8	33.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	28	41.3	7.4	26.9	55.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	21.7	5.7	10.6	32.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	10.3	3.0	4.4	16.3
Does not participate in leisure time physical activity	14	17.9	5.1	8.0	27.8
Smoking Status					
Current smoker	13	24.0	6.9	10.5	37.5
Non-smoker	18	8.1	2.2	3.8	12.4
Health Insurance Status					
Insured	29	10.9	2.2	6.5	15.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Franklin County	35	16.0	2.9	10.4	21.6
Gender					
Men	15	17.2	4.3	8.7	25.7
Women	20	15.0	3.8	7.6	22.3
Age Group					
18 to 44 Years	13	17.7	5.0	7.9	27.4
45 to 64 Years	13	16.4	4.6	7.3	25.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	16.2	2.9	10.5	21.9
Race					
White	31	15.2	2.9	9.5	20.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	26.5	5.3	16.0	36.9
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	17	26.1	6.3	13.7	38.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	19	32.2	7.0	18.5	46.0
Living without a Disability	16	11.2	2.9	5.5	16.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	24.5	6.1	12.5	36.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	15.5	3.5	8.7	22.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	14	37.9	8.1	22.0	53.8
Non-smoker	21	9.9	2.4	5.2	14.6
Health Insurance Status					
Insured	31	14.9	2.8	9.4	20.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Franklin County	46	38.7	5.4	28.1	49.2
Gender					
Men	*	*	*	*	*
Women	31	45.4	7.4	31.0	59.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	45	39.0	5.5	28.3	49.7
Race					
White	43	38.7	5.6	27.8	49.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	46.4	7.9	31.0	61.8
Some College or College Graduate	20	29.8	7.0	16.2	43.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	22	43.9	8.1	28.0	59.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	25.7	6.3	13.4	38.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	24	47.3	8.8	30.1	64.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	34.2	6.6	21.1	47.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	35.2	6.2	23.0	47.3
Health Insurance Status					
Insured	41	35.6	5.4	25.0	46.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Franklin County	122	59.2	3.8	51.7	66.8
Gender					
Men	59	63.5	5.5	52.7	74.3
Women	63	55.3	5.3	44.8	65.7
Age Group					
18 to 44 Years	37	58.6	6.6	45.7	71.5
45 to 64 Years	51	66.9	5.4	56.3	77.5
65 Years and Older	33	46.4	6.5	33.7	59.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	118	58.7	3.9	51.1	66.3
Race					
White	113	58.0	3.9	50.3	65.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	53	63.4	5.5	52.5	74.2
Some College or College Graduate	68	55.8	5.3	45.5	66.1
Annual Household Income					
Less than \$35,000 per Year	47	71.1	6.1	59.2	83.0
\$35,000 or Higher per Year	55	49.7	5.4	39.1	60.2
Disability Status					
Living with a Disability	36	61.7	7.1	47.9	75.5
Living without a Disability	86	59.1	4.5	50.2	68.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	35	63.0	7.6	48.1	77.9
Overweight (25 ≤ BMI < 30)	46	57.8	6.3	45.4	70.2
Obese (BMI ≥ 30)	32	54.9	6.9	41.4	68.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	82	55.4	4.6	46.4	64.4
Does not participate in leisure time physical activity	39	69.3	6.6	56.3	82.3
Smoking Status					
Current smoker	34	75.2	6.3	62.8	87.5
Non-smoker	88	53.6	4.5	44.8	62.5
Health Insurance Status					
Insured	108	57.6	4.0	49.7	65.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Franklin County	33	46.4	6.5	33.7	59.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	46.4	6.5	33.7	59.1
Race					
White	33	46.4	6.5	33.7	59.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	42.8	7.4	28.4	57.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	43.6	6.8	30.4	56.9
Health Insurance Status					
Insured	33	46.4	6.5	33.7	59.1
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Franklin County	26	37.5	6.4	25.1	50.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	37.5	6.4	25.1	50.0
Race					
White	26	37.5	6.4	25.1	50.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	34.9	7.2	20.7	49.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	40.3	6.9	26.8	53.7
Health Insurance Status					
Insured	26	37.5	6.4	25.1	50.0
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Franklin County	39	21.6	3.5	14.7	28.4
Gender					
Men	25	26.9	5.3	16.5	37.2
Women	14	16.6	4.6	7.6	25.6
Age Group					
18 to 44 Years	14	21.3	5.6	10.4	32.3
45 to 64 Years	14	24.1	6.1	12.2	35.9
65 Years and Older	11	18.5	5.4	7.9	29.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	22.0	3.6	15.0	29.0
Race					
White	38	21.7	3.6	14.7	28.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	24.8	5.5	14.0	35.6
Some College or College Graduate	19	19.0	4.4	10.3	27.7
Annual Household Income					
Less than \$35,000 per Year	19	27.1	6.2	15.1	39.2
\$35,000 or Higher per Year	16	17.7	4.5	8.9	26.6
Disability Status					
Living with a Disability	12	28.2	7.6	13.3	43.0
Living without a Disability	27	19.4	3.9	11.9	27.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	16	21.0	5.4	10.3	31.7
Obese (BMI ≥ 30)	14	24.3	6.6	11.3	37.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	17.9	4.0	10.2	25.7
Does not participate in leisure time physical activity	17	31.7	7.1	17.7	45.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	21.7	4.0	13.7	29.6
Health Insurance Status					
Insured	35	22.2	3.8	14.9	29.6
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Franklin County	52	24.8	3.4	18.2	31.4
Gender					
Men	29	29.5	5.1	19.6	39.4
Women	23	20.3	4.4	11.5	29.0
Age Group					
18 to 44 Years	17	24.8	5.6	13.8	35.8
45 to 64 Years	26	31.8	5.6	20.7	42.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	52	25.3	3.4	18.6	32.1
Race					
White	48	24.2	3.4	17.5	31.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	39.3	5.6	28.3	50.3
Some College or College Graduate	18	12.0	3.3	5.5	18.5
Annual Household Income					
Less than \$35,000 per Year	20	33.0	6.7	19.8	46.2
\$35,000 or Higher per Year	22	15.1	3.5	8.4	21.9
Disability Status					
Living with a Disability	22	35.1	7.2	21.1	49.2
Living without a Disability	30	21.3	3.8	13.9	28.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	28.0	6.7	14.8	41.1
Overweight (25 ≤ BMI < 30)	14	15.3	4.3	6.9	23.8
Obese (BMI ≥ 30)	20	29.4	6.4	16.9	42.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	19.1	3.7	11.9	26.3
Does not participate in leisure time physical activity	21	43.5	7.4	29.0	58.0
Health Insurance Status					
Insured	45	22.6	3.4	16.0	29.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,790	55.1	1.1	53.0	57.2
Franklin County	29	58.3	7.8	43.1	73.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	58.3	7.8	43.1	73.6
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Franklin County	15	9.0	2.5	4.0	13.9
Gender					
Men	15	18.4	4.8	8.9	27.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	12	17.2	5.1	7.1	27.3
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	9.2	2.6	4.1	14.2
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Franklin County	15	18.4	4.8	8.9	27.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	18.9	5.0	9.2	28.7
Race					
White	12	17.2	5.1	7.3	27.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Franklin County	31	10.0	1.9	6.2	13.8
Gender					
Men	31	20.5	3.8	13.0	28.0
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	26.7	5.8	15.4	38.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	10.3	2.0	6.4	14.1
Race					
White	30	10.4	2.0	6.4	14.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	15.5	3.7	8.3	22.8
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	16	9.4	2.5	4.5	14.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	8.7	2.2	4.3	13.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	8.2	2.4	3.5	13.0
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	8.8	2.3	4.3	13.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	9.4	2.1	5.2	13.5
Health Insurance Status					
Insured	30	10.3	2.0	6.4	14.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Franklin County	79	34.2	3.7	26.9	41.5
Gender					
Men	33	33.3	5.2	23.1	43.6
Women	46	35.0	5.3	24.7	45.3
Age Group					
18 to 44 Years	22	35.5	6.4	22.8	48.1
45 to 64 Years	33	35.6	5.8	24.3	46.9
65 Years and Older	24	29.6	5.7	18.5	40.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	79	34.9	3.8	27.5	42.3
Race					
White	75	33.7	3.8	26.3	41.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	38.3	5.7	27.1	49.5
Some College or College Graduate	43	30.8	4.8	21.5	40.1
Annual Household Income					
Less than \$35,000 per Year	26	41.8	7.0	28.1	55.5
\$35,000 or Higher per Year	44	32.0	4.8	22.5	41.5
Disability Status					
Living with a Disability	39	55.5	7.2	41.3	69.6
Living without a Disability	40	27.4	4.2	19.3	35.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	44	30.2	4.5	21.3	39.1
Does not participate in leisure time physical activity	30	50.9	7.7	35.8	65.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	58	32.4	4.2	24.1	40.7
Health Insurance Status					
Insured	75	35.1	3.9	27.5	42.7
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Franklin County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Franklin County	172	73.5	3.3	67.0	80.0
Gender					
Men	85	78.8	4.3	70.4	87.2
Women	87	68.2	5.0	58.4	77.9
Age Group					
18 to 44 Years	49	74.7	5.6	63.7	85.7
45 to 64 Years	68	76.0	4.9	66.4	85.6
65 Years and Older	55	67.8	6.1	55.9	79.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	169	73.7	3.3	67.1	80.3
Race					
White	163	72.7	3.4	66.0	79.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	77	73.6	4.8	64.2	83.1
Some College or College Graduate	94	73.2	4.6	64.2	82.2
Annual Household Income					
Less than \$35,000 per Year	54	77.8	5.6	66.8	88.8
\$35,000 or Higher per Year	97	72.2	4.6	63.3	81.1
Disability Status					
Living with a Disability	56	78.0	5.7	67.0	89.1
Living without a Disability	113	71.2	4.1	63.2	79.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>108</i>	<i>71.0</i>	<i>4.2</i>	<i>62.8</i>	<i>79.2</i>
Does not participate in leisure time physical activity	<i>51</i>	<i>84.1</i>	<i>5.8</i>	<i>72.8</i>	<i>95.4</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>134</i>	<i>75.4</i>	<i>3.7</i>	<i>68.1</i>	<i>82.7</i>
Health Insurance Status					
Insured	<i>160</i>	<i>73.5</i>	<i>3.5</i>	<i>66.7</i>	<i>80.3</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>