

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Geary County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
January 2017**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Geary County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov



Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	3

Arthritis

Arthritis	5
Activity Limitation Due to Arthritis	7

Asthma	9
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	11
--------------------------------------	----

Cardiovascular Health

High Blood Pressure	13
---------------------------	----

Cholesterol

Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17

Chronic Obstructive Pulmonary Disease (COPD)	19
-----------------------------------------------------------	----

Depressive Disorder	21
----------------------------------	----

Diabetes	23
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	25
Disability	27

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	29
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	31
Not Participating in Any Physical Activity	33

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day35
Consuming Vegetables Less than 1 Time Per Day.....37

Health Care Access

Lack of Health Care Coverage.....39
Lack of Health Care Coverage 18 to 64 Years Old Only41
No Personal Doctor43
Did Not See Doctor Due to Cost.....45

General Health47

Healthy Days - Health Related Quality of Life

Physical Health Status.....49
Mental Health Status51
Poor Physical or Mental Health is Barrier to Usual Activities.....53

Immunization

Not Immunized Against Influenza.....55

Seatbelt Use.....57

Tobacco Use

Current Smoker59
Tried Quitting Smoking61

Veteran Status63

Weight Status (BMI Categories)

Obese.....65
Overweight or Obese67

Technical Notes.....69

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Geary County: Skin Cancer, Heart Attack, Coronary Heart Disease, Stroke, Not Immunized Against Influenza 65 Years and Older Only, Never Had Pneumonia Vaccination 65 Years and Older Only, Smokeless Tobacco Use and Male Smokeless Tobacco Use.

Percentage of Adults Who Are Binge Drinkers, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Geary County	35	22.1	3.9	14.5	29.7
Gender					
Men	24	32.9	6.3	20.5	45.3
Women	*	*	*	*	*
Age Group					
18 to 44 Years	23	26.8	5.5	15.9	37.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	21.2	4.1	13.1	29.4
Race					
White	28	24.6	4.6	15.5	33.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	25.4	7.1	11.5	39.4
Some College or College Graduate	20	19.3	4.4	10.8	27.8
Annual Household Income					
Less than \$35,000 per Year	14	25.0	6.6	12.0	38.0
\$35,000 or Higher per Year	16	21.1	5.7	9.9	32.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	31	25.2	4.6	16.2	34.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	28.6	7.3	14.2	42.9
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	21.1	4.1	13.1	29.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	19.8	4.5	11.0	28.6
Health Insurance Status					
Insured	28	19.4	3.7	12.2	26.6
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	965	5.1	0.2	4.7	5.5
Geary County	15	8.5	2.4	3.8	13.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	14	8.5	2.5	3.6	13.5
Race					
White	13	10.2	3.1	4.2	16.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	10.7	3.0	4.8	16.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than 14 drinks per week and female respondents who reported consuming an average of more than 7 drink per week during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Geary County	72	25.7	3.4	19.1	32.2
Gender					
Men	30	23.2	4.5	14.4	32.0
Women	42	28.0	4.9	18.3	37.6
Age Group					
18 to 44 Years	17	16.0	4.0	8.2	23.9
45 to 64 Years	33	41.1	6.4	28.6	53.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	67	25.3	3.5	18.5	32.1
Race					
White	51	26.3	3.9	18.6	33.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	24.2	5.2	14.1	34.3
Some College or College Graduate	40	26.0	4.4	17.4	34.5
Annual Household Income					
Less than \$35,000 per Year	28	25.4	5.4	14.8	36.1
\$35,000 or Higher per Year	30	24.4	4.8	14.9	33.8
Disability Status					
Living with a Disability	34	57.6	9.2	39.6	75.6
Living without a Disability	35	18.5	3.5	11.7	25.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	22.6	6.6	9.6	35.5
Overweight (25 ≤ BMI < 30)	23	30.6	6.7	17.5	43.6
Obese (BMI ≥ 30)	27	26.2	5.6	15.2	37.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	44	25.0	4.0	17.1	32.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	25	39.1	8.2	23.0	55.1
Non-smoker	44	21.8	3.7	14.7	29.0
Health Insurance Status					
Insured	66	27.6	3.7	20.4	34.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Geary County	31	44.3	7.2	30.1	58.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	49.7	7.5	35.0	64.5
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	29	47.0	7.7	31.9	62.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Geary County	26	15.0	3.2	8.6	21.3
Gender					
Men	*	*	*	*	*
Women	20	20.3	5.0	10.5	30.0
Age Group					
18 to 44 Years	14	16.9	4.7	7.8	26.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	16.4	3.5	9.4	23.3
Race					
White	17	12.9	3.3	6.4	19.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	19.0	4.7	9.7	28.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	12	15.7	4.7	6.6	24.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	18.1	4.1	10.1	26.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>20</i>	<i>17.7</i>	<i>4.3</i>	<i>9.3</i>	<i>26.2</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>16</i>	<i>14.7</i>	<i>4.0</i>	<i>6.9</i>	<i>22.6</i>
Health Insurance Status					
Insured	<i>23</i>	<i>16.4</i>	<i>3.7</i>	<i>9.1</i>	<i>23.6</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Geary County	19	4.7	1.3	2.3	7.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	5.3	1.4	2.5	8.0
Race					
White	15	6.1	1.8	2.6	9.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	18	5.5	1.5	2.6	8.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Geary County	90	33.2	3.8	25.7	40.7
Gender					
Men	44	42.0	6.1	30.1	54.0
Women	46	25.0	4.3	16.7	33.4
Age Group					
18 to 44 Years	18	19.5	4.8	10.1	28.9
45 to 64 Years	38	51.3	6.5	38.5	64.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	84	34.6	4.2	26.4	42.7
Race					
White	65	33.6	4.3	25.1	42.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	42	43.0	7.0	29.3	56.7
Some College or College Graduate	46	26.2	4.2	18.0	34.5
Annual Household Income					
Less than \$35,000 per Year	31	35.0	6.7	21.8	48.1
\$35,000 or Higher per Year	40	32.2	5.6	21.3	43.1
Disability Status					
Living with a Disability	30	53.3	8.9	35.9	70.6
Living without a Disability	53	27.5	4.2	19.3	35.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	20	28.0	6.8	14.7	41.4
Overweight (25 ≤ BMI < 30)	23	23.9	5.5	13.2	34.7
Obese (BMI ≥ 30)	40	47.0	7.4	32.5	61.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	60	35.2	4.8	25.9	44.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	23	35.5	7.8	20.3	50.7
Non-smoker	60	31.7	4.6	22.7	40.6
Health Insurance Status					
Insured	81	33.3	4.0	25.4	41.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Geary County	49	36.1	4.5	27.3	44.9
Gender					
Men	22	36.4	6.6	23.4	49.4
Women	27	35.8	6.1	23.8	47.8
Age Group					
18 to 44 Years	37	50.4	6.4	37.8	62.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	35.8	4.8	26.4	45.3
Race					
White	31	31.4	5.0	21.6	41.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	45.4	7.6	30.5	60.3
Some College or College Graduate	27	30.3	5.2	20.1	40.6
Annual Household Income					
Less than \$35,000 per Year	26	46.7	7.6	31.8	61.6
\$35,000 or Higher per Year	16	30.2	6.4	17.6	42.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	44	43.1	5.3	32.7	53.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	18	45.6	8.9	28.2	63.1
Overweight (25 ≤ BMI <30)	15	40.4	8.2	24.4	56.4
Obese (BMI ≥ 30)	12	28.2	7.6	13.3	43.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	31.0	5.2	20.7	41.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	34	35.0	5.3	24.6	45.4
Health Insurance Status					
Insured	35	30.1	4.6	21.0	39.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Geary County	71	34.7	4.3	26.2	43.1
Gender					
Men	38	42.9	6.5	30.2	55.6
Women	33	27.2	5.5	16.3	38.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	36	52.7	6.9	39.1	66.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	36.1	4.6	27.1	45.2
Race					
White	54	38.2	5.0	28.3	48.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	29.6	6.3	17.3	41.8
Some College or College Graduate	43	37.4	5.7	26.2	48.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	36	38.0	6.1	26.2	49.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	40	30.3	5.1	20.4	40.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	22	27.6	6.4	15.1	40.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	47	34.9	5.1	24.9	44.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	47	29.9	4.7	20.8	39.1
Health Insurance Status					
Insured	66	33.8	4.3	25.3	42.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Geary County	23	7.6	1.8	4.1	11.1
Gender					
Men	*	*	*	*	*
Women	15	8.7	2.6	3.6	13.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	7.8	1.9	4.0	11.5
Race					
White	19	9.8	2.5	4.9	14.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	13	9.3	2.7	4.0	14.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	20	8.2	2.1	4.1	12.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Geary County	37	18.2	3.3	11.6	24.7
Gender					
Men	13	16.5	4.9	6.9	26.1
Women	24	19.7	4.6	10.7	28.6
Age Group					
18 to 44 Years	18	20.5	4.9	11.0	30.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	18.0	3.5	11.0	24.9
Race					
White	26	16.8	3.6	9.7	23.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	20.5	5.6	9.6	31.4
Some College or College Graduate	18	16.8	4.2	8.5	25.0
Annual Household Income					
Less than \$35,000 per Year	17	21.8	5.8	10.4	33.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	15	37.7	9.3	19.4	55.9
Living without a Disability	21	13.9	3.3	7.4	20.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	24.2	6.3	11.7	36.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	19.9	4.0	12.1	27.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	16	31.7	8.2	15.7	47.7
Non-smoker	20	14.2	3.6	7.2	21.3
Health Insurance Status					
Insured	29	16.0	3.4	9.3	22.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Geary County	25	9.4	2.2	5.0	13.8
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	17.3	4.9	7.7	26.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	10.0	2.5	5.2	14.9
Race					
White	16	10.5	3.0	4.6	16.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	8.1	2.4	3.4	12.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	7.7	2.2	3.4	12.0
Health Insurance Status					
Insured	20	7.8	2.0	3.9	11.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Geary County	48	19.2	3.2	12.9	25.6
Gender					
Men	24	20.5	4.9	11.0	30.1
Women	24	18.1	4.3	9.6	26.5
Age Group					
18 to 44 Years	15	14.9	4.2	6.6	23.2
45 to 64 Years	22	28.2	5.9	16.7	39.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	20.1	3.5	13.3	26.9
Race					
White	34	18.8	3.5	12.0	25.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	33	19.8	3.8	12.3	27.3
Annual Household Income					
Less than \$35,000 per Year	18	19.9	5.1	9.8	30.0
\$35,000 or Higher per Year	22	19.9	5.0	10.1	29.7
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	18.1	5.3	7.6	28.6
Obese (BMI ≥ 30)	18	19.4	5.5	8.5	30.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>31</i>	<i>17.7</i>	<i>3.5</i>	<i>10.8</i>	<i>24.6</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	<i>18</i>	<i>26.3</i>	<i>7.0</i>	<i>12.7</i>	<i>40.0</i>
Non-smoker	<i>30</i>	<i>17.0</i>	<i>3.7</i>	<i>9.8</i>	<i>24.3</i>
Health Insurance Status					
Insured	<i>45</i>	<i>22.0</i>	<i>3.7</i>	<i>14.6</i>	<i>29.3</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Geary County	50	19.8	3.3	13.4	26.2
Gender					
Men	24	20.5	4.9	11.0	30.1
Women	26	19.2	4.4	10.6	27.7
Age Group					
18 to 44 Years	15	14.9	4.2	6.6	23.2
45 to 64 Years	23	29.9	6.0	18.2	41.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	48	20.8	3.5	13.9	27.7
Race					
White	35	19.0	3.5	12.2	25.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	34	20.5	3.9	12.9	28.2
Annual Household Income					
Less than \$35,000 per Year	19	21.0	5.3	10.7	31.3
\$35,000 or Higher per Year	22	19.9	5.0	10.1	29.7
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	18.1	5.3	7.6	28.6
Obese (BMI ≥ 30)	19	20.5	5.6	9.5	31.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	17.9	3.5	11.0	24.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	19	28.1	7.1	14.1	42.0
Non-smoker	31	17.2	3.7	10.0	24.5
Health Insurance Status					
Insured	47	22.7	3.8	15.3	30.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Geary County	128	70.2	4.1	62.2	78.2
Gender					
Men	61	69.2	5.6	58.2	80.3
Women	67	71.0	5.9	59.4	82.6
Age Group					
18 to 44 Years	46	66.5	5.8	55.1	77.9
45 to 64 Years	50	74.5	6.5	61.8	87.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	116	70.4	4.4	61.9	79.0
Race					
White	98	71.2	4.5	62.3	80.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	82.8	5.5	72.1	93.6
Some College or College Graduate	76	63.2	5.4	52.6	73.8
Annual Household Income					
Less than \$35,000 per Year	42	73.3	6.7	60.3	86.4
\$35,000 or Higher per Year	61	66.3	6.0	54.6	78.0
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	90	69.2	4.8	59.8	78.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	38	63.5	7.5	48.9	78.1
Obese (BMI ≥ 30)	47	72.0	6.9	58.5	85.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	90	68.9	4.8	59.4	78.3
Health Insurance Status					
Insured	112	68.1	4.4	59.3	76.8
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Geary County	66	40.0	4.7	30.8	49.1
Gender					
Men	27	33.1	6.4	20.7	45.6
Women	39	46.5	6.7	33.4	59.7
Age Group					
18 to 44 Years	24	40.5	6.7	27.3	53.6
45 to 64 Years	31	43.8	6.9	30.3	57.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	56	38.0	5.0	28.2	47.8
Race					
White	50	38.5	5.1	28.5	48.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	55.3	7.7	40.2	70.4
Some College or College Graduate	33	31.1	5.5	20.4	41.8
Annual Household Income					
Less than \$35,000 per Year	25	47.8	7.9	32.4	63.2
\$35,000 or Higher per Year	25	30.9	6.4	18.3	43.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	44	38.8	5.5	28.0	49.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	17	34.5	8.3	18.3	50.7
Obese (BMI ≥ 30)	26	41.2	7.7	26.0	56.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	43	37.4	5.5	26.6	48.1
Health Insurance Status					
Insured	58	37.9	4.9	28.3	47.6
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Geary County	46	29.3	4.4	20.6	37.9
Gender					
Men	19	25.0	6.1	13.0	37.1
Women	27	33.6	6.4	21.1	46.0
Age Group					
18 to 44 Years	20	32.4	6.4	19.9	44.8
45 to 64 Years	20	27.7	6.0	15.9	39.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	27.8	4.7	18.6	37.0
Race					
White	31	25.6	4.8	16.3	34.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	43.3	8.0	27.6	58.9
Some College or College Graduate	23	20.6	4.5	11.8	29.4
Annual Household Income					
Less than \$35,000 per Year	23	39.7	7.7	24.5	54.9
\$35,000 or Higher per Year	15	23.2	6.3	10.9	35.5
Disability Status					
Living with a Disability	18	42.3	9.1	24.5	60.1
Living without a Disability	28	26.2	5.1	16.3	36.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	21.4	6.2	9.2	33.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	25.2	4.9	15.5	34.9
Health Insurance Status					
Insured	42	29.6	4.6	20.5	38.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Geary County	75	45.3	4.6	36.3	54.3
Gender					
Men	41	46.1	6.3	33.8	58.4
Women	34	44.5	6.7	31.4	57.5
Age Group					
18 to 44 Years	33	50.0	6.6	37.2	62.9
45 to 64 Years	30	42.5	6.7	29.4	55.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	45.7	4.9	36.1	55.4
Race					
White	59	42.9	5.1	33.0	52.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	45.9	7.9	30.3	61.4
Some College or College Graduate	50	45.3	5.6	34.3	56.4
Annual Household Income					
Less than \$35,000 per Year	26	49.5	7.7	34.5	64.5
\$35,000 or Higher per Year	37	40.2	6.3	27.8	52.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	57	47.7	5.4	37.2	58.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	39.3	8.2	23.1	55.4
Obese (BMI ≥ 30)	30	50.2	7.5	35.5	64.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	53	42.7	5.2	32.6	52.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	51	41.3	5.3	30.8	51.7
Health Insurance Status					
Insured	67	45.4	4.9	35.8	54.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Geary County	46	31.0	4.7	21.9	40.1
Gender					
Men	27	36.1	6.6	23.1	49.1
Women	19	26.0	6.5	13.3	38.8
Age Group					
18 to 44 Years	18	34.1	6.8	20.8	47.3
45 to 64 Years	18	26.3	6.0	14.6	38.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	32.7	5.0	22.8	42.5
Race					
White	31	24.0	4.7	14.8	33.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	42.1	8.6	25.2	58.9
Some College or College Graduate	25	23.8	4.9	14.1	33.5
Annual Household Income					
Less than \$35,000 per Year	16	30.4	7.9	15.0	45.8
\$35,000 or Higher per Year	18	28.4	6.7	15.2	41.5
Disability Status					
Living with a Disability	13	34.5	9.4	16.2	52.9
Living without a Disability	33	30.4	5.4	19.8	41.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	33.9	7.7	18.9	48.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	24.0	4.6	15.1	32.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	28	26.4	5.3	16.1	36.7
Health Insurance Status					
Insured	41	30.9	4.9	21.4	40.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Geary County	25	17.5	3.7	10.2	24.8
Gender					
Men	14	22.4	6.2	10.3	34.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	18	22.9	5.5	12.2	33.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	16.9	4.0	9.0	24.7
Race					
White	15	15.3	4.2	7.1	23.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	27.9	7.2	13.9	41.9
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	17	31.4	7.3	17.2	45.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	21.3	4.7	12.1	30.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	12	23.6	6.9	10.1	37.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	14.8	3.9	7.2	22.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	20.7	4.7	11.5	29.9

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Geary County	24	19.4	4.1	11.3	27.6
Gender					
Men	13	24.4	6.7	11.2	37.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	18	22.9	5.5	12.2	33.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	19.0	4.5	10.1	27.8
Race					
White	14	17.7	4.8	8.2	27.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	32.3	8.2	16.2	48.3
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	16	32.9	7.7	17.9	47.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	23.2	5.1	13.2	33.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	<i>11</i>	<i>24.8</i>	<i>7.3</i>	<i>10.4</i>	<i>39.1</i>
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>16</i>	<i>16.6</i>	<i>4.4</i>	<i>8.0</i>	<i>25.3</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>20</i>	<i>23.4</i>	<i>5.3</i>	<i>13.0</i>	<i>33.7</i>

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Geary County	48	31.9	4.4	23.3	40.4
Gender					
Men	30	41.5	6.4	28.9	54.2
Women	18	22.8	5.5	12.0	33.6
Age Group					
18 to 44 Years	32	41.8	6.2	29.6	54.0
45 to 64 Years	14	20.7	5.3	10.3	31.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	30.2	4.7	21.0	39.3
Race					
White	33	28.2	4.7	19.0	37.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	46.4	7.4	32.0	60.8
Some College or College Graduate	23	21.4	4.5	12.5	30.2
Annual Household Income					
Less than \$35,000 per Year	22	38.1	7.6	23.2	53.0
\$35,000 or Higher per Year	17	27.4	6.3	15.1	39.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	40	35.6	5.2	25.4	45.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	31.9	9.0	14.3	49.5
Overweight (25 ≤ BMI < 30)	12	26.2	7.6	11.3	41.0
Obese (BMI ≥ 30)	18	38.6	7.7	23.6	53.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	30.2	4.9	20.6	39.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	34.6	5.3	24.3	44.9
Health Insurance Status					
Insured	32	24.8	4.4	16.3	33.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Geary County	21	10.9	2.6	5.7	16.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	14	14.6	4.0	6.7	22.4
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	10.5	2.8	5.1	15.9
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	10.6	3.1	4.5	16.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>13</i>	<i>11.4</i>	<i>3.4</i>	<i>4.7</i>	<i>18.1</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	<i>16</i>	<i>10.4</i>	<i>2.9</i>	<i>4.8</i>	<i>16.0</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Geary County	52	21.1	3.4	14.4	27.8
Gender					
Men	26	25.5	5.6	14.6	36.4
Women	26	17.0	3.9	9.3	24.8
Age Group					
18 to 44 Years	13	16.7	4.8	7.4	26.1
45 to 64 Years	21	25.3	5.4	14.8	35.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	48	21.0	3.6	13.9	28.1
Race					
White	34	17.5	3.3	11.0	23.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	27.1	6.5	14.4	39.7
Some College or College Graduate	26	16.5	3.6	9.5	23.5
Annual Household Income					
Less than \$35,000 per Year	20	24.0	6.2	11.8	36.1
\$35,000 or Higher per Year	20	18.5	4.8	9.1	27.9
Disability Status					
Living with a Disability	28	51.4	8.9	34.0	68.8
Living without a Disability	20	13.7	3.5	6.8	20.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	23	30.3	6.9	16.7	43.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	18.1	4.0	10.2	26.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	15	22.0	6.4	9.5	34.5
Non-smoker	34	21.2	4.2	12.9	29.5
Health Insurance Status					
Insured	45	19.3	3.4	12.7	25.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Geary County	30	11.8	2.7	6.5	17.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	30	13.1	3.0	7.2	19.0
Race					
White	22	12.6	3.1	6.6	18.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	11.8	3.3	5.2	18.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	<i>27</i>	<i>13.2</i>	<i>3.2</i>	<i>7.0</i>	<i>19.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Geary County	22	13.8	3.2	7.6	20.1
Gender					
Men	*	*	*	*	*
Women	14	15.3	4.4	6.6	23.9
Age Group					
18 to 44 Years	15	18.8	4.8	9.3	28.2
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	14.5	3.5	7.7	21.3
Race					
White	14	11.9	3.4	5.2	18.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	13	15.1	4.2	6.9	23.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	12	35.9	9.4	17.4	54.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	13.0	3.5	6.1	19.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Geary County	41	41.9	6.3	29.6	54.1
Gender					
Men	*	*	*	*	*
Women	22	37.5	7.9	22.0	53.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	42.2	6.5	29.5	55.0
Race					
White	27	38.3	7.0	24.5	52.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	38.0	7.3	23.6	52.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	37.2	7.6	22.3	52.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>25</i>	<i>37.3</i>	<i>7.0</i>	<i>23.5</i>	<i>51.1</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>21</i>	<i>34.4</i>	<i>7.5</i>	<i>19.6</i>	<i>49.1</i>
Health Insurance Status					
Insured	<i>33</i>	<i>39.1</i>	<i>6.6</i>	<i>26.2</i>	<i>52.1</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Geary County	96	59.9	4.4	51.2	68.6
Gender					
Men	50	59.3	6.2	47.2	71.4
Women	46	60.4	6.4	48.0	72.9
Age Group					
18 to 44 Years	47	63.6	6.3	51.4	75.9
45 to 64 Years	35	60.3	6.6	47.4	73.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	84	59.4	4.8	50.1	68.8
Race					
White	63	55.0	5.0	45.2	64.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	42	71.1	6.7	57.9	84.2
Some College or College Graduate	53	52.2	5.6	41.2	63.3
Annual Household Income					
Less than \$35,000 per Year	45	81.9	5.3	71.6	92.3
\$35,000 or Higher per Year	33	46.4	6.6	33.5	59.3
Disability Status					
Living with a Disability	21	49.1	8.9	31.6	66.5
Living without a Disability	74	63.8	5.1	53.9	73.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	28	56.7	7.6	41.7	71.6
Obese (BMI ≥ 30)	34	58.5	7.8	43.2	73.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	66	55.8	5.1	45.8	65.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	69	58.0	5.3	47.6	68.4
Health Insurance Status					
Insured	78	54.7	4.8	45.2	64.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Geary County	20	10.9	2.7	5.6	16.2
Gender					
Men	16	19.5	4.9	9.9	29.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	11.0	2.9	5.4	16.7
Race					
White	15	13.3	3.6	6.3	20.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	11.8	3.3	5.4	18.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	12.4	3.4	5.8	19.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	11.5	3.3	5.1	17.9
Health Insurance Status					
Insured	17	10.6	2.9	4.9	16.2
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Geary County	50	25.4	3.9	17.8	32.9
Gender					
Men	25	20.8	4.4	12.2	29.5
Women	25	29.8	6.1	17.9	41.7
Age Group					
18 to 44 Years	24	26.8	5.4	16.1	37.4
45 to 64 Years	23	28.9	5.9	17.2	40.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	26.1	4.2	17.9	34.3
Race					
White	35	24.6	4.3	16.2	33.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	23	26.1	6.4	13.6	38.6
Some College or College Graduate	27	25.1	4.9	15.6	34.6
Annual Household Income					
Less than \$35,000 per Year	23	32.8	7.1	18.8	46.8
\$35,000 or Higher per Year	18	17.9	4.5	9.1	26.7
Disability Status					
Living with a Disability	19	36.1	8.3	19.8	52.3
Living without a Disability	31	23.1	4.4	14.5	31.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	36.0	8.3	19.7	52.4
Overweight (25 ≤ BMI < 30)	17	31.9	7.9	16.5	47.4
Obese (BMI ≥ 30)	14	16.4	4.9	6.9	26.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	21.2	4.1	13.3	29.2
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	46	27.6	4.3	19.2	35.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,790	55.1	1.1	53.0	57.2
Geary County	26	56.0	8.6	39.2	72.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Geary County	76	32.1	3.8	24.7	39.6
Gender					
Men	58	47.8	6.1	35.8	59.8
Women	18	17.7	4.3	9.3	26.1
Age Group					
18 to 44 Years	28	25.7	5.0	16.0	35.5
45 to 64 Years	31	42.9	6.5	30.2	55.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	31.2	4.0	23.5	39.0
Race					
White	55	31.9	4.2	23.5	40.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	26.9	6.1	15.0	38.9
Some College or College Graduate	53	35.1	4.8	25.6	44.6
Annual Household Income					
Less than \$35,000 per Year	20	23.1	5.4	12.5	33.8
\$35,000 or Higher per Year	43	39.0	5.9	27.5	50.5
Disability Status					
Living with a Disability	24	55.0	8.8	37.8	72.1
Living without a Disability	48	25.7	3.9	18.0	33.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	20	36.1	8.0	20.3	51.8
Overweight (25 ≤ BMI < 30)	26	33.9	6.7	20.7	47.0
Obese (BMI ≥ 30)	25	31.3	6.5	18.5	44.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	54	32.7	4.4	24.0	41.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	20	34.6	7.7	19.4	49.8
Non-smoker	52	30.9	4.5	22.1	39.6
Health Insurance Status					
Insured	73	38.1	4.3	29.7	46.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Geary County	70	42.4	4.6	33.4	51.4
Gender					
Men	37	49.1	6.4	36.6	61.7
Women	33	35.3	6.3	22.9	47.7
Age Group					
18 to 44 Years	32	44.5	6.5	31.8	57.3
45 to 64 Years	28	44.2	7.0	30.6	57.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	65	44.3	4.9	34.7	53.9
Race					
White	48	38.3	5.0	28.5	48.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	51.4	7.7	36.4	66.4
Some College or College Graduate	38	36.2	5.6	25.1	47.2
Annual Household Income					
Less than \$35,000 per Year	30	45.8	7.6	31.0	60.7
\$35,000 or Higher per Year	32	37.6	6.4	25.1	50.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	50	41.4	5.3	31.1	51.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	49	45.9	5.4	35.3	56.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	55	48.5	5.5	37.8	59.2
Health Insurance Status					
Insured	58	40.0	4.9	30.4	49.5
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Geary County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Geary County	131	74.3	3.9	66.6	81.9
Gender					
Men	69	78.2	5.1	68.1	88.3
Women	62	70.1	5.9	58.6	81.6
Age Group					
18 to 44 Years	57	73.5	5.6	62.5	84.5
45 to 64 Years	47	78.6	5.1	68.6	88.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	120	76.2	4.0	68.3	84.0
Race					
White	95	73.5	4.7	64.3	82.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	49	75.6	6.2	63.4	87.8
Some College or College Graduate	81	73.3	5.0	63.5	83.1
Annual Household Income					
Less than \$35,000 per Year	45	71.6	6.4	59.0	84.3
\$35,000 or Higher per Year	71	79.2	5.6	68.1	90.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	95	73.8	4.5	65.0	82.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	97	79.8	3.8	72.3	87.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	98	77.8	4.4	69.1	86.4
Health Insurance Status					
Insured	114	75.5	3.9	67.9	83.1
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>