


2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Labette County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion**
January 2017

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Labette County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

High Blood Pressure	13
---------------------------	----

Cholesterol

Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17

Chronic Obstructive Pulmonary Disease (COPD)	19
---	----

Depressive Disorder	21
----------------------------------	----

Diabetes	23
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	25
Disability	27

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	29
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	31
Not Participating in Any Physical Activity	33

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day35
Consuming Vegetables Less than 1 Time Per Day.....37

Health Care Access

Lack of Health Care Coverage.....39
Lack of Health Care Coverage 18 to 64 Years Old Only41
No Personal Doctor43
Did Not See Doctor Due to Cost.....45

General Health47

Healthy Days - Health Related Quality of Life

Physical Health Status.....49
Mental Health Status51
Poor Physical or Mental Health is Barrier to Usual Activities.....53

Immunization

Not Immunized Against Influenza.....55

Seatbelt Use.....57

Tobacco Use

Current Smoker59

Veteran Status61

Weight Status (BMI Categories)

Obese.....63
Overweight or Obese65

Technical Notes.....67

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Labette County: Heavy Drinking, Heart Attack, Coronary Heart Disease, Stroke, Not Immunized Against Influenza 65 Years and Older Only, Never Had Pneumonia Vaccination 65 Years and Older Only, Tried Quitting Smoking, Smokeless Tobacco Use and Male Smokeless Tobacco Use.

Percentage of Adults Who Are Binge Drinkers, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Labette County	17	12.7	3.5	5.8	19.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	12.3	3.6	5.2	19.3
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Labette County	62	35.0	4.5	26.1	43.9
Gender					
Men	26	35.1	6.5	22.4	47.8
Women	36	34.9	6.3	22.5	47.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	42.9	7.1	28.9	56.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	61	35.4	4.6	26.3	44.5
Race					
White	55	36.8	4.9	27.1	46.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	37.6	6.4	25.0	50.3
Some College or College Graduate	28	31.7	6.3	19.3	44.1
Annual Household Income					
Less than \$35,000 per Year	30	38.2	7.1	24.3	52.2
\$35,000 or Higher per Year	20	28.5	6.4	15.9	41.1
Disability Status					
Living with a Disability	39	55.9	8.8	38.7	73.0
Living without a Disability	22	22.4	5.1	12.5	32.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	25	45.7	8.2	29.7	61.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	29.2	5.9	17.7	40.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	47	32.7	5.1	22.8	42.6
Health Insurance Status					
Insured	56	36.6	4.9	27.0	46.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Labette County	36	68.0	7.1	54.1	82.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	69.7	7.0	55.9	83.6
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	32	64.5	7.7	49.5	79.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Labette County	13	9.3	2.7	4.0	14.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	*	*	*	*	*
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Labette County	23	12.3	2.8	6.8	17.7
Gender					
Men	*	*	*	*	*
Women	17	16.3	4.4	7.7	24.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	12.7	2.9	7.0	18.3
Race					
White	21	12.4	3.0	6.6	18.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	17.6	4.5	8.7	26.5
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	18.3	5.5	7.6	29.1
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>17</i>	<i>13.0</i>	<i>3.4</i>	<i>6.3</i>	<i>19.8</i>
Health Insurance Status					
Insured	<i>23</i>	<i>15.0</i>	<i>3.3</i>	<i>8.5</i>	<i>21.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Labette County	15	6.7	1.8	3.0	10.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	6.9	1.9	3.1	10.6
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	13	7.2	2.1	3.0	11.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Labette County	70	41.3	4.9	31.8	50.8
Gender					
Men	34	48.3	7.0	34.5	62.0
Women	36	34.8	6.5	22.0	47.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	33	49.2	7.2	35.1	63.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	68	41.8	5.0	32.0	51.5
Race					
White	60	41.7	5.2	31.5	51.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	39	50.5	7.0	36.7	64.3
Some College or College Graduate	31	29.6	5.7	18.3	40.8
Annual Household Income					
Less than \$35,000 per Year	31	41.3	7.4	26.8	55.8
\$35,000 or Higher per Year	25	37.8	7.6	22.9	52.7
Disability Status					
Living with a Disability	34	59.4	8.4	43.0	75.8
Living without a Disability	34	28.3	5.2	18.2	38.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	32	50.3	8.2	34.2	66.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	32.6	6.3	20.2	45.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	56	44.6	5.9	33.1	56.0
Health Insurance Status					
Insured	65	45.2	5.2	34.9	55.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Labette County	31	26.7	4.9	17.1	36.2
Gender					
Men	17	23.2	5.8	11.8	34.5
Women	14	30.2	7.7	15.1	45.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	21.3	5.8	10.0	32.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	25.5	5.0	15.7	35.2
Race					
White	24	25.7	5.3	15.4	36.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	26.4	7.0	12.7	40.1
Some College or College Graduate	15	27.0	6.7	13.9	40.1
Annual Household Income					
Less than \$35,000 per Year	16	34.1	8.0	18.3	49.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	27.2	5.8	15.9	38.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	28.3	7.3	14.0	42.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	20.4	5.7	9.1	31.6
Health Insurance Status					
Insured	21	19.4	4.7	10.2	28.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Labette County	47	33.1	5.0	23.4	42.9
Gender					
Men	20	31.9	7.2	17.7	46.0
Women	27	34.4	6.8	21.1	47.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	22	39.0	7.8	23.7	54.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	47	33.7	5.0	23.8	43.6
Race					
White	41	33.3	5.3	23.0	43.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	35.3	7.2	21.2	49.4
Some College or College Graduate	23	30.4	6.6	17.4	43.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	26.4	5.9	14.9	37.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	29.7	6.2	17.6	41.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	29.6	5.3	19.2	40.1
Health Insurance Status					
Insured	43	33.2	5.2	23.1	43.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Labette County	17	7.4	2.1	3.3	11.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	7.6	2.2	3.4	11.8
Race					
White	15	7.6	2.3	3.1	12.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Labette County	29	18.9	4.1	10.9	26.8
Gender					
Men	*	*	*	*	*
Women	18	24.6	6.6	11.7	37.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	19.1	4.2	10.9	27.3
Race					
White	25	20.0	4.5	11.2	28.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	21.3	6.3	9.1	33.6
Some College or College Graduate	14	15.8	4.6	6.7	24.8
Annual Household Income					
Less than \$35,000 per Year	19	27.9	6.8	14.5	41.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	19	37.1	8.6	20.3	54.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	18.5	4.8	9.0	27.9
Health Insurance Status					
Insured	24	17.9	4.4	9.3	26.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Labette County	23	14.7	3.4	8.0	21.4
Gender					
Men	*	*	*	*	*
Women	15	15.0	4.3	6.6	23.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	15.2	3.5	8.2	22.1
Race					
White	19	12.6	3.1	6.5	18.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	14	18.4	5.3	7.9	28.8
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	16	26.0	6.8	12.7	39.3
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	31.6	7.6	16.7	46.6
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>20</i>	<i>17.6</i>	<i>4.4</i>	<i>9.0</i>	<i>26.2</i>
Health Insurance Status					
Insured	<i>19</i>	<i>13.0</i>	<i>3.2</i>	<i>6.7</i>	<i>19.3</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Labette County	53	37.6	5.0	27.8	47.4
Gender					
Men	24	35.8	6.9	22.3	49.3
Women	29	39.3	7.2	25.2	53.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	22	39.4	7.2	25.2	53.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	38.6	5.1	28.6	48.6
Race					
White	45	37.6	5.3	27.2	48.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	52.4	7.1	38.5	66.3
Some College or College Graduate	18	19.7	5.2	9.6	29.8
Annual Household Income					
Less than \$35,000 per Year	31	54.8	7.6	39.9	69.7
\$35,000 or Higher per Year	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	20	39.4	8.0	23.8	55.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	27.4	6.7	14.4	40.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	38	37.8	6.0	26.0	49.6
Health Insurance Status					
Insured	44	33.6	5.1	23.6	43.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Labette County	57	39.3	5.0	29.5	49.1
Gender					
Men	25	36.4	6.9	22.8	49.9
Women	32	41.9	7.1	27.9	55.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	40.1	7.2	25.9	54.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	57	40.3	5.1	30.3	50.3
Race					
White	49	39.5	5.3	29.1	49.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	54.3	7.1	40.5	68.1
Some College or College Graduate	20	21.1	5.2	10.8	31.3
Annual Household Income					
Less than \$35,000 per Year	33	57.1	7.5	42.4	71.9
\$35,000 or Higher per Year	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	20	39.4	8.0	23.8	55.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>25</i>	<i>27.9</i>	<i>6.7</i>	<i>14.8</i>	<i>41.0</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>41</i>	<i>39.1</i>	<i>6.0</i>	<i>27.3</i>	<i>50.8</i>
Health Insurance Status					
Insured	<i>48</i>	<i>35.6</i>	<i>5.1</i>	<i>25.6</i>	<i>45.6</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Labette County	106	82.9	4.3	74.5	91.2
Gender					
Men	45	81.1	6.3	68.7	93.5
Women	61	84.2	5.7	72.9	95.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	51	91.8	4.0	84.0	99.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	103	83.4	4.3	75.0	91.8
Race					
White	93	84.0	4.4	75.3	92.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	51	90.1	4.7	80.9	99.2
Some College or College Graduate	55	75.1	6.9	61.6	88.6
Annual Household Income					
Less than \$35,000 per Year	46	93.1	3.1	87.1	99.1
\$35,000 or Higher per Year	43	73.5	7.3	59.1	87.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	63	75.0	6.2	62.9	87.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>81</i>	<i>84.4</i>	<i>4.5</i>	<i>75.6</i>	<i>93.2</i>
Health Insurance Status					
Insured	<i>94</i>	<i>81.8</i>	<i>4.6</i>	<i>72.8</i>	<i>90.9</i>
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Labette County	56	45.7	5.5	35.0	56.4
Gender					
Men	24	50.8	7.9	35.3	66.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	46.3	5.6	35.4	57.2
Race					
White	49	46.3	5.8	34.9	57.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	25	39.2	7.2	25.0	53.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	31	39.8	6.6	26.8	52.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>41</i>	<i>41.3</i>	<i>6.2</i>	<i>29.0</i>	<i>53.5</i>
Health Insurance Status					
Insured	<i>50</i>	<i>45.6</i>	<i>5.7</i>	<i>34.4</i>	<i>56.8</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Labette County	45	35.6	5.1	25.6	45.7
Gender					
Men	21	44.0	7.8	28.8	59.3
Women	24	28.9	6.3	16.5	41.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	22	46.5	7.7	31.5	61.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	36.0	5.2	25.8	46.2
Race					
White	43	38.1	5.5	27.3	48.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	50.6	8.1	34.7	66.5
Some College or College Graduate	16	20.4	5.6	9.5	31.2
Annual Household Income					
Less than \$35,000 per Year	22	45.6	8.3	29.3	61.9
\$35,000 or Higher per Year	16	25.2	6.8	11.9	38.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	25.9	5.8	14.5	37.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	32.1	5.8	20.8	43.4
Health Insurance Status					
Insured	41	35.9	5.4	25.4	46.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Labette County	70	52.2	5.3	41.9	62.6
Gender					
Men	35	63.6	7.0	49.8	77.3
Women	35	43.1	7.1	29.1	57.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	36	65.0	6.8	51.6	78.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	70	53.3	5.4	42.8	63.8
Race					
White	63	52.9	5.6	41.9	63.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	36	55.5	7.7	40.4	70.7
Some College or College Graduate	34	48.5	7.2	34.4	62.6
Annual Household Income					
Less than \$35,000 per Year	31	58.6	8.1	42.7	74.5
\$35,000 or Higher per Year	28	44.5	7.8	29.3	59.8
Disability Status					
Living with a Disability	27	49.4	8.7	32.3	66.5
Living without a Disability	42	53.9	6.6	41.0	66.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	30	55.3	8.4	38.8	71.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	42.3	6.7	29.2	55.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	47	45.0	6.1	33.0	56.9
Health Insurance Status					
Insured	63	52.8	5.5	42.0	63.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Labette County	37	27.9	4.7	18.6	37.2
Gender					
Men	13	22.4	6.7	10.4	34.4
Women	24	32.0	6.8	18.6	45.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	24.2	6.6	11.3	37.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	28.2	4.8	18.7	37.7
Race					
White	28	25.1	4.9	15.5	34.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	30.3	7.0	16.6	44.0
Some College or College Graduate	17	25.4	6.5	12.8	38.1
Annual Household Income					
Less than \$35,000 per Year	19	37.5	8.1	21.5	53.4
\$35,000 or Higher per Year	13	20.2	5.9	8.6	31.9
Disability Status					
Living with a Disability	17	31.6	8.0	15.9	47.4
Living without a Disability	20	25.6	5.9	14.0	37.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	23.9	5.6	13.0	34.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	28.9	5.6	17.9	39.8
Health Insurance Status					
Insured	34	31.4	5.3	21.0	41.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Labette County	18	17.7	4.4	9.1	26.2
Gender					
Men	14	27.0	6.7	13.8	40.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	17.8	4.4	9.1	26.6
Race					
White	16	17.2	4.5	8.4	26.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	12	23.6	6.7	10.4	36.8
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Labette County	18	23.0	5.5	12.3	33.7
Gender					
Men	14	32.6	7.8	17.4	47.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	23.4	5.6	12.4	34.4
Race					
White	16	22.7	5.7	11.5	33.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Labette County	28	23.5	4.4	14.9	32.1
Gender					
Men	19	34.0	6.9	20.4	47.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	25.2	6.5	12.4	38.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	22.4	4.5	13.7	31.2
Race					
White	23	22.5	4.6	13.6	31.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	23.1	6.1	11.2	35.0
Some College or College Graduate	15	24.1	6.4	11.6	36.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	28.7	5.8	17.3	40.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	19.7	5.6	8.7	30.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	20	19.3	4.5	10.5	28.1
Health Insurance Status					
Insured	18	15.0	3.8	7.5	22.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Labette County	20	18.0	4.3	9.5	26.4
Gender					
Men	11	19.3	5.7	8.1	30.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	18.1	4.4	9.4	26.8
Race					
White	16	19.1	4.8	9.8	28.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	15	26.3	6.6	13.3	39.4
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	11	26.1	7.7	11.0	41.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	11	28.1	8.3	11.8	44.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Labette County	45	30.6	4.6	21.6	39.7
Gender					
Men	17	29.0	6.6	16.0	42.0
Women	28	32.2	6.4	19.6	44.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	21	38.0	7.2	23.8	52.2
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	31.3	4.7	22.0	40.5
Race					
White	38	29.8	4.8	20.4	39.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	43.4	6.9	29.8	57.0
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	27	48.3	7.8	33.1	63.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	32	56.1	8.6	39.3	72.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	33.4	7.5	18.6	48.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	25.2	5.1	15.2	35.1
Health Insurance Status					
Insured	38	29.2	4.8	19.8	38.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Labette County	27	16.5	3.6	9.5	23.5
Gender					
Men	*	*	*	*	*
Women	18	19.4	5.2	9.2	29.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	27.2	6.9	13.6	40.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	16.7	3.7	9.5	23.9
Race					
White	21	16.0	3.9	8.5	23.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	25.9	6.0	14.2	37.6
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	16	25.7	6.9	12.3	39.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	22	38.5	8.1	22.6	54.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	24.6	6.8	11.2	37.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	12.9	3.7	5.6	20.2
Health Insurance Status					
Insured	24	16.7	3.8	9.2	24.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Labette County	25	20.7	4.2	12.4	29.0
Gender					
Men	12	21.7	6.2	9.6	33.8
Women	13	19.7	5.8	8.3	31.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	12	24.7	6.8	11.4	38.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	20.9	4.3	12.3	29.4
Race					
White	19	18.9	4.3	10.3	27.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	27.5	6.5	14.8	40.1
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	17	36.9	7.9	21.4	52.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	18	39.0	8.3	22.7	55.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	19	17.5	4.2	9.2	25.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Labette County	42	59.3	6.6	46.5	72.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	61.2	6.7	48.2	74.3
Race					
White	35	61.7	7.1	47.8	75.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>28</i>	<i>60.4</i>	<i>8.2</i>	<i>44.4</i>	<i>76.5</i>
Health Insurance Status					
Insured	<i>35</i>	<i>60.7</i>	<i>7.1</i>	<i>46.8</i>	<i>74.6</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Labette County	61	54.3	5.4	43.8	64.8
Gender					
Men	28	52.1	7.8	36.9	67.3
Women	33	55.9	7.3	41.6	70.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	32	66.0	6.9	52.5	79.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	53.7	5.5	43.0	64.4
Race					
White	55	55.7	5.7	44.6	66.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	62.6	7.6	47.7	77.5
Some College or College Graduate	28	45.1	7.3	30.9	59.4
Annual Household Income					
Less than \$35,000 per Year	34	72.4	6.8	59.0	85.7
\$35,000 or Higher per Year	20	37.9	7.8	22.6	53.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	33	46.1	6.6	33.0	59.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	51.4	7.0	37.8	65.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	42	49.5	6.4	37.0	62.0
Health Insurance Status					
Insured	50	48.8	5.6	37.7	59.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Labette County	38	29.0	4.9	19.4	38.6
Gender					
Men	20	33.8	7.3	19.4	48.1
Women	18	25.4	6.5	12.6	38.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	24.2	6.3	11.8	36.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	29.2	5.0	19.5	39.0
Race					
White	35	31.0	5.3	20.6	41.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	27.3	6.6	14.3	40.3
Some College or College Graduate	18	30.9	7.2	16.9	45.0
Annual Household Income					
Less than \$35,000 per Year	23	33.1	7.3	18.8	47.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	33.4	6.5	20.5	46.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	26.8	6.3	14.4	39.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	22.1	5.0	12.4	31.8
Health Insurance Status					
Insured	35	31.0	5.3	20.6	41.4
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Labette County	35	28.2	4.6	19.2	37.1
Gender					
Men	18	31.7	6.8	18.3	45.1
Women	17	24.9	6.1	13.0	36.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	18	36.7	7.2	22.6	50.8
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	28.9	4.7	19.7	38.1
Race					
White	33	30.5	5.0	20.8	40.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	29.1	6.3	16.8	41.5
Some College or College Graduate	15	26.9	6.7	13.9	40.0
Annual Household Income					
Less than \$35,000 per Year	21	36.4	7.3	22.0	50.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	15	28.6	7.4	14.1	43.0
Living without a Disability	20	28.0	5.9	16.5	39.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	39.3	8.3	22.9	55.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	23.6	5.9	12.0	35.1
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	26	21.9	4.4	13.3	30.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Labette County	17	10.0	2.7	4.7	15.4
Gender					
Men	17	20.9	5.4	10.3	31.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	10.0	2.8	4.5	15.5
Race					
White	15	10.2	3.0	4.4	16.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>15</i>	<i>13.1</i>	<i>3.8</i>	<i>5.8</i>	<i>20.5</i>
Health Insurance Status					
Insured	<i>16</i>	<i>11.9</i>	<i>3.3</i>	<i>5.5</i>	<i>18.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Labette County	53	38.7	5.0	28.9	48.5
Gender					
Men	24	39.5	7.1	25.6	53.3
Women	29	37.9	7.0	24.1	51.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	46.6	7.3	32.4	60.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	52	39.2	5.1	29.2	49.2
Race					
White	42	36.5	5.3	26.1	46.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	35.4	6.7	22.4	48.5
Some College or College Graduate	26	42.8	7.3	28.6	57.1
Annual Household Income					
Less than \$35,000 per Year	21	34.0	7.3	19.7	48.2
\$35,000 or Higher per Year	24	40.3	7.5	25.5	55.0
Disability Status					
Living with a Disability	20	37.0	7.9	21.4	52.5
Living without a Disability	32	39.6	6.4	27.0	52.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	34.7	6.8	21.3	48.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	38	33.6	5.6	22.7	44.5
Health Insurance Status					
Insured	46	38.4	5.3	28.0	48.8
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Labette County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Labette County	99	69.6	4.9	60.1	79.1
Gender					
Men	46	69.0	6.7	56.0	82.1
Women	53	70.2	7.0	56.4	84.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	51	81.5	5.7	70.4	92.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	95	69.1	5.0	59.3	78.8
Race					
White	83	68.6	5.1	58.5	78.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	50	69.4	7.1	55.5	83.3
Some College or College Graduate	49	69.9	6.3	57.6	82.2
Annual Household Income					
Less than \$35,000 per Year	41	64.8	8.0	49.1	80.6
\$35,000 or Higher per Year	45	75.9	6.4	63.2	88.5
Disability Status					
Living with a Disability	39	68.9	8.3	52.7	85.2
Living without a Disability	59	70.0	5.9	58.4	81.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	52	67.5	6.8	54.1	80.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	78	72.1	5.9	60.5	83.7
Health Insurance Status					
Insured	89	74.7	4.6	65.7	83.7
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>