

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Lyon County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
January 2017**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Lyon County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov

Table of Contents

Alcohol Consumption	
Binge Drinking.....	1
Arthritis	
Arthritis	3
Activity Limitation Due to Arthritis	5
Asthma	7
Cancer	
Cancer (Excluding Skin Cancer)	9
Skin Cancer	11
Cardiovascular Health	
Heart Attack	13
Coronary Heart Disease	15
High Blood Pressure	17
Cholesterol	
Not Checked Cholesterol within Five Years	19
High Blood Cholesterol Status.....	21
Chronic Obstructive Pulmonary Disease (COPD)	23
Depressive Disorder	25
Diabetes	27
Disability	
Activity Limitation Due to Physical, Mental or Emotional Problems	29
Disability	31
Exercise and Physical Activity	
Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	33
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	35
Not Participating in Any Physical Activity	37

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day39
Consuming Vegetables Less than 1 Time Per Day.....41

Health Care Access

Lack of Health Care Coverage.....43
Lack of Health Care Coverage 18 to 64 Years Old Only45
No Personal Doctor47
Did Not See Doctor Due to Cost.....49

General Health51

Healthy Days - Health Related Quality of Life

Physical Health Status.....53
Mental Health Status55
Poor Physical or Mental Health is Barrier to Usual Activities.....57

Immunization

Not Immunized Against Influenza.....59
Not Immunized Against Influenza 65 Years and Older Only61
Never Had Pneumonia Vaccination 65 Years and Older Only63

Seatbelt Use.....65

Tobacco Use

Current Smoker67
Smokeless Tobacco Use69
Male Smokeless Tobacco Use71

Veteran Status73

Weight Status (BMI Categories)

Obese.....75
Overweight or Obese77

Technical Notes.....79

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Lyon County: Heavy Drinking, Stroke and Tried Quitting Smoking.

Percentage of Adults Who Are Binge Drinkers, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Lyon County	33	14.9	2.7	9.7	20.1
Gender					
Men	16	16.6	4.1	8.5	24.6
Women	17	13.4	3.4	6.7	20.0
Age Group					
18 to 44 Years	18	19.9	4.5	11.1	28.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	14.2	2.8	8.8	19.6
Race					
White	30	15.2	2.8	9.6	20.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	16.5	3.5	9.5	23.4
Annual Household Income					
Less than \$35,000 per Year	16	21.1	5.2	10.8	31.3
\$35,000 or Higher per Year	16	13.4	3.5	6.6	20.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	15.5	3.1	9.4	21.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	21.1	5.3	10.7	31.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	15.2	3.2	8.9	21.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	13.6	2.8	8.0	19.1
Health Insurance Status					
Insured	27	14.2	2.8	8.7	19.7
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Lyon County	99	21.8	2.5	16.8	26.8
Gender					
Men	39	21.2	3.7	13.9	28.5
Women	60	22.4	3.5	15.6	29.3
Age Group					
18 to 44 Years	16	12.2	3.2	5.9	18.4
45 to 64 Years	27	22.8	4.7	13.6	32.0
65 Years and Older	56	52.7	5.5	41.9	63.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	97	25.1	2.9	19.4	30.8
Race					
White	94	23.3	2.7	17.9	28.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	20.7	3.9	13.2	28.3
Some College or College Graduate	64	22.8	3.4	16.1	29.5
Annual Household Income					
Less than \$35,000 per Year	34	21.6	4.4	12.9	30.3
\$35,000 or Higher per Year	49	22.3	3.7	15.1	29.5
Disability Status					
Living with a Disability	46	58.6	7.0	44.9	72.2
Living without a Disability	52	14.7	2.5	9.9	19.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	21	13.7	3.5	6.9	20.5
Overweight (25 ≤ BMI < 30)	38	24.2	4.3	15.7	32.7
Obese (BMI ≥ 30)	32	26.8	5.2	16.6	37.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	65	22.0	3.2	15.8	28.3
Does not participate in leisure time physical activity	30	27.7	5.8	16.4	39.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	80	22.4	2.9	16.7	28.2
Health Insurance Status					
Insured	94	23.8	2.8	18.2	29.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Lyon County	41	39.9	6.3	27.6	52.2
Gender					
Men	*	*	*	*	*
Women	27	44.2	8.4	27.7	60.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	28	43.9	7.7	28.8	58.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	40.2	6.3	27.8	52.6
Race					
White	39	38.6	6.2	26.5	50.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	28	40.6	8.1	24.7	56.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	28.0	6.4	15.5	40.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	39.7	6.9	26.1	53.3
Health Insurance Status					
Insured	40	40.6	6.5	27.8	53.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Lyon County	31	8.9	1.8	5.3	12.5
Gender					
Men	*	*	*	*	*
Women	22	12.8	3.0	6.8	18.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	8.2	1.9	4.6	11.9
Race					
White	25	8.0	1.9	4.3	11.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	8.2	2.3	3.8	12.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	5.9	1.6	2.7	9.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	7.8	2.1	3.7	11.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	7.1	1.8	3.5	10.6
Health Insurance Status					
Insured	29	9.2	2.0	5.3	13.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Lyon County	31	7.5	1.7	4.1	10.9
Gender					
Men	*	*	*	*	*
Women	19	7.5	2.1	3.4	11.6
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	13.7	3.4	7.1	20.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	30	8.3	2.0	4.4	12.2
Race					
White	29	8.1	1.9	4.3	11.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	5.8	1.4	3.1	8.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	19	8.6	2.4	3.9	13.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	5.7	1.6	2.6	8.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	5.9	1.5	3.1	8.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	24	5.9	1.4	3.1	8.6
Health Insurance Status					
Insured	29	7.7	1.9	4.0	11.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Lyon County	20	3.1	0.8	1.5	4.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	18	15.1	3.6	7.9	22.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	3.7	0.9	1.8	5.5
Race					
White	19	3.5	0.9	1.7	5.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	4.1	1.2	1.8	6.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	3.6	1.0	1.6	5.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	20	4.0	1.0	2.0	6.0
Health Insurance Status					
Insured	20	3.6	0.9	1.8	5.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,263	4.0	0.1	3.7	4.2
Lyon County	17	3.6	1.1	1.5	5.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	4.3	1.3	1.8	6.7
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had Angina or Coronary Heart Disease, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,274	3.8	0.1	3.6	4.0
Lyon County	18	3.3	0.9	1.6	5.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	12	9.8	2.8	4.3	15.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	3.8	1.0	1.8	5.9
Race					
White	16	3.1	0.9	1.5	4.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	3.2	0.9	1.4	5.0
Health Insurance Status					
Insured	15	2.5	0.7	1.2	3.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Lyon County	125	30.7	3.0	24.7	36.6
Gender					
Men	55	33.5	4.7	24.2	42.7
Women	70	28.0	3.8	20.6	35.5
Age Group					
18 to 44 Years	16	13.9	3.6	6.9	20.9
45 to 64 Years	44	45.4	5.8	34.2	56.7
65 Years and Older	65	58.1	5.4	47.4	68.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	118	32.4	3.3	26.0	38.8
Race					
White	117	32.4	3.3	26.0	38.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	39.5	5.4	28.9	50.0
Some College or College Graduate	72	23.9	3.3	17.4	30.5
Annual Household Income					
Less than \$35,000 per Year	36	29.2	5.4	18.6	39.8
\$35,000 or Higher per Year	62	29.1	4.1	21.0	37.3
Disability Status					
Living with a Disability	38	43.9	6.9	30.5	57.4
Living without a Disability	81	27.3	3.4	20.6	34.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	20	16.8	4.8	7.4	26.2
Overweight (25 ≤ BMI < 30)	47	36.9	5.6	25.9	47.9
Obese (BMI ≥ 30)	48	38.7	5.6	27.7	49.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	77	28.0	3.6	20.9	35.0
Does not participate in leisure time physical activity	39	40.0	6.7	26.9	53.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	102	29.2	3.3	22.8	35.7
Health Insurance Status					
Insured	113	29.5	3.1	23.3	35.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Lyon County	67	34.9	3.6	27.9	42.0
Gender					
Men	34	39.9	5.3	29.5	50.2
Women	33	30.5	4.9	20.9	40.1
Age Group					
18 to 44 Years	47	57.6	5.4	47.0	68.2
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	30.5	3.8	23.1	38.0
Race					
White	58	34.5	3.8	27.0	42.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	37.6	5.9	26.0	49.2
Some College or College Graduate	38	33.3	4.5	24.5	42.2
Annual Household Income					
Less than \$35,000 per Year	23	38.2	6.5	25.5	51.0
\$35,000 or Higher per Year	33	33.0	5.0	23.3	42.8
Disability Status					
Living with a Disability	12	20.1	6.0	8.4	31.7
Living without a Disability	53	38.6	4.2	30.4	46.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	17	45.9	7.9	30.4	61.4
Overweight (25 ≤ BMI <30)	22	29.6	5.7	18.5	40.8
Obese (BMI ≥ 30)	18	28.3	5.9	16.9	39.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	31.2	4.2	23.0	39.4
Does not participate in leisure time physical activity	18	39.5	7.6	24.6	54.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	52	32.6	3.9	24.9	40.4
Health Insurance Status					
Insured	54	33.2	3.8	25.7	40.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Lyon County	122	40.9	3.7	33.7	48.1
Gender					
Men	46	38.0	5.6	26.9	49.0
Women	76	43.4	4.8	33.9	52.9
Age Group					
18 to 44 Years	12	22.2	6.0	10.4	34.0
45 to 64 Years	48	51.2	6.1	39.3	63.1
65 Years and Older	62	52.8	5.7	41.6	64.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	117	41.8	3.8	34.3	49.3
Race					
White	118	42.7	3.8	35.1	50.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	33	39.3	6.4	26.9	51.8
Some College or College Graduate	87	41.4	4.5	32.6	50.2
Annual Household Income					
Less than \$35,000 per Year	35	41.4	7.0	27.8	55.1
\$35,000 or Higher per Year	62	37.7	4.9	28.1	47.2
Disability Status					
Living with a Disability	35	48.7	7.5	34.0	63.4
Living without a Disability	81	38.4	4.4	29.9	46.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	28	40.5	8.0	24.8	56.1
Overweight (25 ≤ BMI < 30)	40	42.0	6.4	29.5	54.4
Obese (BMI ≥ 30)	43	37.9	5.9	26.3	49.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	78	38.4	4.4	29.8	47.1
Does not participate in leisure time physical activity	34	46.2	8.0	30.6	61.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	100	40.3	4.1	32.3	48.2
Health Insurance Status					
Insured	114	41.4	3.9	33.8	48.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Lyon County	20	4.0	1.1	1.9	6.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	12.4	3.6	5.4	19.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	4.4	1.2	2.0	6.8
Race					
White	19	4.4	1.2	2.0	6.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	19	4.3	1.2	1.9	6.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Lyon County	49	15.1	2.4	10.4	19.9
Gender					
Men	18	12.3	3.3	5.8	18.9
Women	31	17.7	3.5	10.8	24.6
Age Group					
18 to 44 Years	16	14.3	3.6	7.3	21.3
45 to 64 Years	17	15.1	4.3	6.6	23.5
65 Years and Older	16	18.8	5.0	9.1	28.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	16.9	2.8	11.5	22.4
Race					
White	47	16.7	2.7	11.4	22.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	19.3	4.5	10.6	28.1
Some College or College Graduate	28	12.2	2.6	7.0	17.3
Annual Household Income					
Less than \$35,000 per Year	24	23.1	4.9	13.6	32.7
\$35,000 or Higher per Year	18	10.5	3.1	4.4	16.7
Disability Status					
Living with a Disability	21	31.3	6.4	18.7	43.9
Living without a Disability	26	11.9	2.7	6.7	17.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	17.2	4.0	9.2	25.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	16.3	3.3	9.9	22.7
Does not participate in leisure time physical activity	14	15.2	4.5	6.4	24.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	13.7	2.6	8.6	18.8
Health Insurance Status					
Insured	40	12.7	2.3	8.1	17.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Lyon County	42	10.6	1.9	6.9	14.3
Gender					
Men	20	10.4	2.6	5.2	15.5
Women	22	10.8	2.7	5.5	16.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	18.3	4.6	9.3	27.2
65 Years and Older	20	18.5	4.3	10.0	27.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	10.9	2.0	6.9	14.8
Race					
White	39	10.8	2.0	6.8	14.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	29	10.4	2.3	6.0	14.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	17	8.4	2.4	3.7	13.1
Disability Status					
Living with a Disability	19	24.6	6.0	12.9	36.3
Living without a Disability	22	7.4	1.8	3.8	11.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	13.4	4.0	5.7	21.2
Obese (BMI ≥ 30)	22	13.5	3.4	6.8	20.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	8.5	2.1	4.5	12.6
Does not participate in leisure time physical activity	15	15.6	4.6	6.5	24.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	38	11.7	2.2	7.4	16.0
Health Insurance Status					
Insured	40	11.4	2.1	7.4	15.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Lyon County	67	16.8	2.3	12.3	21.4
Gender					
Men	29	15.5	3.2	9.3	21.7
Women	38	18.1	3.4	11.5	24.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	21.4	5.0	11.7	31.2
65 Years and Older	37	35.9	5.3	25.6	46.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	19.1	2.6	13.9	24.2
Race					
White	63	17.6	2.5	12.8	22.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	16.8	3.7	9.6	24.1
Some College or College Graduate	43	16.9	3.0	11.0	22.7
Annual Household Income					
Less than \$35,000 per Year	26	16.7	3.7	9.4	23.9
\$35,000 or Higher per Year	31	17.6	3.5	10.7	24.5
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	16.8	3.8	9.3	24.3
Obese (BMI ≥ 30)	29	24.3	4.9	14.8	33.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	42	15.0	2.6	10.0	20.1
Does not participate in leisure time physical activity	24	25.6	5.8	14.2	36.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	53	15.8	2.5	10.8	20.7
Health Insurance Status					
Insured	60	17.0	2.5	12.1	21.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Lyon County	73	17.8	2.4	13.2	22.5
Gender					
Men	30	16.2	3.2	9.9	22.6
Women	43	19.4	3.4	12.6	26.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	21.4	5.0	11.7	31.2
65 Years and Older	43	41.9	5.5	31.2	52.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	72	20.2	2.7	15.0	25.5
Race					
White	68	18.5	2.5	13.6	23.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	17.6	3.7	10.3	24.9
Some College or College Graduate	47	18.0	3.1	12.0	24.0
Annual Household Income					
Less than \$35,000 per Year	29	18.2	3.8	10.6	25.7
\$35,000 or Higher per Year	31	17.6	3.5	10.7	24.5
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	25	17.3	3.9	9.7	24.8
Obese (BMI ≥ 30)	30	25.2	4.9	15.6	34.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	44	15.5	2.6	10.4	20.5
Does not participate in leisure time physical activity	27	27.7	5.9	16.1	39.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	59	16.9	2.6	11.9	22.0
Health Insurance Status					
Insured	65	17.9	2.6	12.9	22.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Lyon County	214	77.8	2.9	72.1	83.5
Gender					
Men	96	78.8	4.0	70.9	86.7
Women	118	76.9	4.1	68.8	85.0
Age Group					
18 to 44 Years	71	80.1	4.6	71.1	89.1
45 to 64 Years	70	76.9	4.7	67.6	86.2
65 Years and Older	72	72.0	5.1	62.1	82.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	193	77.4	3.1	71.3	83.5
Race					
White	198	78.1	3.1	72.1	84.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	73	84.6	4.0	76.9	92.4
Some College or College Graduate	141	73.4	3.9	65.7	81.1
Annual Household Income					
Less than \$35,000 per Year	66	76.7	5.6	65.8	87.6
\$35,000 or Higher per Year	118	80.9	3.4	74.1	87.6
Disability Status					
Living with a Disability	54	84.1	4.8	74.7	93.6
Living without a Disability	159	76.3	3.4	69.7	82.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	46	64.9	7.6	50.0	79.7
Overweight (25 ≤ BMI < 30)	75	78.3	4.4	69.7	87.0
Obese (BMI ≥ 30)	78	85.2	4.2	77.0	93.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	184	77.1	3.2	70.9	83.4
Health Insurance Status					
Insured	188	75.4	3.2	69.1	81.7
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Lyon County	104	40.1	3.7	33.0	47.3
Gender					
Men	43	36.1	5.1	26.1	46.2
Women	61	43.9	5.2	33.8	54.0
Age Group					
18 to 44 Years	34	39.1	5.8	27.7	50.5
45 to 64 Years	36	45.4	6.1	33.4	57.4
65 Years and Older	33	31.6	5.2	21.3	41.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	93	39.0	3.9	31.5	46.6
Race					
White	98	42.1	3.9	34.6	49.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	38	46.4	6.3	34.1	58.8
Some College or College Graduate	66	36.1	4.4	27.6	44.6
Annual Household Income					
Less than \$35,000 per Year	36	40.3	6.5	27.6	52.9
\$35,000 or Higher per Year	54	41.5	5.1	31.5	51.4
Disability Status					
Living with a Disability	31	55.8	7.1	41.9	69.7
Living without a Disability	73	36.7	4.1	28.6	44.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	37	42.5	6.0	30.8	54.2
Obese (BMI ≥ 30)	43	48.7	6.3	36.3	61.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	84	35.7	3.9	28.1	43.3
Health Insurance Status					
Insured	88	37.3	3.9	29.7	44.8
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Lyon County	77	29.5	3.4	22.7	36.2
Gender					
Men	32	28.9	4.9	19.3	38.5
Women	45	30.0	4.8	20.6	39.4
Age Group					
18 to 44 Years	22	26.4	5.3	16.0	36.9
45 to 64 Years	27	35.5	6.0	23.7	47.2
65 Years and Older	27	25.6	4.8	16.1	35.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	26.6	3.5	19.7	33.5
Race					
White	71	30.2	3.6	23.1	37.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	40.3	6.1	28.4	52.1
Some College or College Graduate	43	22.2	3.8	14.8	29.6
Annual Household Income					
Less than \$35,000 per Year	27	28.7	5.8	17.3	40.1
\$35,000 or Higher per Year	37	29.7	4.9	20.1	39.3
Disability Status					
Living with a Disability	27	42.9	7.2	28.7	57.0
Living without a Disability	50	26.4	3.8	18.9	33.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	29.5	5.6	18.5	40.5
Obese (BMI ≥ 30)	34	37.5	6.1	25.6	49.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	64	27.0	3.6	19.9	34.0
Health Insurance Status					
Insured	67	28.5	3.6	21.4	35.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Lyon County	133	51.4	3.7	44.2	58.6
Gender					
Men	63	52.4	5.3	42.0	62.7
Women	70	50.4	5.1	40.3	60.4
Age Group					
18 to 44 Years	45	52.6	6.0	40.9	64.3
45 to 64 Years	46	53.1	6.1	41.2	64.9
65 Years and Older	41	45.8	5.7	34.7	56.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	120	52.1	3.9	44.5	59.8
Race					
White	121	50.9	3.8	43.4	58.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	54	59.3	5.9	47.8	70.9
Some College or College Graduate	79	46.0	4.6	37.0	55.1
Annual Household Income					
Less than \$35,000 per Year	48	52.0	6.6	39.1	64.9
\$35,000 or Higher per Year	72	53.1	4.9	43.5	62.7
Disability Status					
Living with a Disability	31	47.6	7.2	33.4	61.7
Living without a Disability	102	52.2	4.2	44.0	60.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	42.8	8.0	27.0	58.5
Overweight (25 ≤ BMI < 30)	52	53.8	5.9	42.2	65.4
Obese (BMI ≥ 30)	47	53.4	6.1	41.4	65.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	94	47.4	4.3	39.0	55.8
Does not participate in leisure time physical activity	38	61.2	6.8	47.8	74.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	117	53.1	3.9	45.4	60.8
Health Insurance Status					
Insured	118	51.2	3.9	43.5	58.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Lyon County	62	27.4	3.6	20.4	34.4
Gender					
Men	34	28.1	4.8	18.8	37.4
Women	28	26.7	5.2	16.5	37.0
Age Group					
18 to 44 Years	27	34.9	5.9	23.4	46.4
45 to 64 Years	22	20.6	4.8	11.3	30.0
65 Years and Older	13	19.1	5.3	8.8	29.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	26.4	3.8	19.1	33.8
Race					
White	57	27.9	3.7	20.7	35.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	30.7	6.0	19.0	42.4
Some College or College Graduate	37	25.2	4.4	16.6	33.8
Annual Household Income					
Less than \$35,000 per Year	22	30.7	6.4	18.2	43.3
\$35,000 or Higher per Year	28	21.5	4.5	12.6	30.4
Disability Status					
Living with a Disability	13	22.1	6.0	10.3	34.0
Living without a Disability	49	28.6	4.1	20.5	36.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	31.3	8.2	15.3	47.2
Overweight (25 ≤ BMI < 30)	15	19.3	5.2	9.2	29.4
Obese (BMI ≥ 30)	28	32.9	5.9	21.4	44.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	40	22.5	3.9	15.0	30.1
Does not participate in leisure time physical activity	22	39.4	7.4	25.0	53.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	55	28.2	3.9	20.6	35.8
Health Insurance Status					
Insured	52	26.6	3.8	19.1	34.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Lyon County	30	13.0	2.5	8.1	17.9
Gender					
Men	15	15.2	4.0	7.4	23.1
Women	15	10.9	3.0	5.0	16.9
Age Group					
18 to 44 Years	15	16.9	4.1	8.9	25.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	11.2	2.5	6.4	16.0
Race					
White	23	10.6	2.4	6.0	15.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	26.1	5.2	15.9	36.2
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	22	26.3	5.4	15.8	36.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	13.5	3.0	7.7	19.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>18</i>	<i>11.7</i>	<i>2.9</i>	<i>5.9</i>	<i>17.5</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>21</i>	<i>11.4</i>	<i>2.7</i>	<i>6.1</i>	<i>16.7</i>

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Lyon County	29	15.6	3.0	9.7	21.5
Gender					
Men	15	17.8	4.6	8.7	26.8
Women	14	13.4	3.8	6.0	20.8
Age Group					
18 to 44 Years	15	16.9	4.1	8.9	25.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	13.7	3.0	7.8	19.6
Race					
White	23	13.1	2.9	7.4	18.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	31.2	6.1	19.2	43.2
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	22	30.5	6.2	18.4	42.6
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	15.6	3.4	8.9	22.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>18</i>	<i>14.6</i>	<i>3.6</i>	<i>7.5</i>	<i>21.7</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>20</i>	<i>14.0</i>	<i>3.3</i>	<i>7.5</i>	<i>20.5</i>

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Lyon County	48	21.0	2.9	15.3	26.8
Gender					
Men	34	34.6	4.9	24.9	44.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	29	28.7	4.8	19.3	38.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	18.4	3.0	12.6	24.2
Race					
White	39	18.4	2.9	12.7	24.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	32.6	5.4	22.1	43.2
Some College or College Graduate	21	12.8	2.9	7.1	18.6
Annual Household Income					
Less than \$35,000 per Year	26	31.2	5.6	20.2	42.2
\$35,000 or Higher per Year	17	16.7	4.0	8.8	24.5
Disability Status					
Living with a Disability	14	21.9	5.6	10.9	32.9
Living without a Disability	33	21.7	3.5	14.9	28.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	11	21.6	6.4	8.9	34.2
Overweight (25 ≤ BMI <30)	15	21.8	5.1	11.7	31.8
Obese (BMI ≥ 30)	16	19.9	4.8	10.6	29.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	20.1	3.5	13.3	26.9
Does not participate in leisure time physical activity	12	23.4	6.3	11.2	35.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	19.3	3.2	13.1	25.4
Health Insurance Status					
Insured	34	15.2	2.6	10.0	20.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Lyon County	22	8.5	1.8	4.9	12.1
Gender					
Men	*	*	*	*	*
Women	13	9.3	2.7	4.1	14.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	11	13.2	3.9	5.5	20.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	8.5	1.9	4.6	12.3
Race					
White	20	8.7	2.0	4.9	12.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	12	7.0	2.1	2.9	11.1
Annual Household Income					
Less than \$35,000 per Year	15	15.2	4.0	7.4	22.9
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	14	6.8	1.9	3.1	10.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	12	6.6	2.0	2.8	10.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	8.0	2.0	4.0	11.9
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Lyon County	60	19.2	2.8	13.8	24.6
Gender					
Men	28	20.1	4.0	12.3	27.9
Women	32	18.4	3.8	10.8	25.9
Age Group					
18 to 44 Years	16	16.1	4.1	7.9	24.2
45 to 64 Years	22	24.1	5.0	14.2	34.0
65 Years and Older	22	21.2	4.6	12.3	30.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	16.7	2.8	11.3	22.2
Race					
White	53	17.7	2.7	12.5	23.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	28.3	5.0	18.6	38.1
Some College or College Graduate	29	12.7	3.1	6.7	18.8
Annual Household Income					
Less than \$35,000 per Year	31	30.5	5.7	19.2	41.8
\$35,000 or Higher per Year	18	11.3	3.1	5.3	17.4
Disability Status					
Living with a Disability	27	39.7	6.9	26.1	53.3
Living without a Disability	32	15.4	3.1	9.4	21.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	22	20.3	4.8	11.0	29.7
Obese (BMI ≥ 30)	27	24.5	4.9	14.9	34.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	11.2	2.8	5.7	16.8
Does not participate in leisure time physical activity	28	39.9	6.9	26.3	53.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	48	19.4	3.1	13.2	25.5
Health Insurance Status					
Insured	49	16.5	2.8	11.1	22.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Lyon County	39	12.6	2.2	8.2	16.9
Gender					
Men	15	11.0	3.0	5.2	16.7
Women	24	14.1	3.3	7.6	20.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	19.0	4.8	9.6	28.4
65 Years and Older	14	14.0	3.7	6.7	21.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	12.6	2.4	7.9	17.3
Race					
White	34	11.6	2.2	7.3	15.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	14.9	3.7	7.7	22.1
Some College or College Graduate	21	11.0	2.8	5.5	16.5
Annual Household Income					
Less than \$35,000 per Year	21	19.2	4.6	10.3	28.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	43.7	7.3	29.3	58.0
Living without a Disability	15	6.3	1.9	2.6	10.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	<i>18</i>	<i>20.1</i>	<i>4.7</i>	<i>10.8</i>	<i>29.3</i>
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	9.8	2.4	5.0	14.6
Does not participate in leisure time physical activity	16	23.0	5.9	11.5	34.5
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>30</i>	<i>13.0</i>	<i>2.6</i>	<i>7.9</i>	<i>18.2</i>
Health Insurance Status					
Insured	32	11.2	2.3	6.7	15.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Lyon County	18	6.9	2.0	3.0	10.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	7.8	2.3	3.3	12.3
Race					
White	17	6.4	1.7	3.0	9.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Lyon County	55	41.7	5.1	31.8	51.6
Gender					
Men	*	*	*	*	*
Women	36	41.3	6.5	28.6	54.0
Age Group					
18 to 44 Years	23	42.7	7.6	27.7	57.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	50	41.9	5.4	31.2	52.6
Race					
White	49	44.2	5.5	33.5	55.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	34.6	7.9	19.0	50.1
Some College or College Graduate	38	46.9	6.5	34.1	59.6
Annual Household Income					
Less than \$35,000 per Year	25	42.8	8.0	27.1	58.5
\$35,000 or Higher per Year	19	42.8	8.2	26.7	58.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	33.6	6.3	21.2	46.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	22	46.3	8.1	30.4	62.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	37.0	6.6	24.0	49.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	39	38.4	5.8	26.9	49.8
Health Insurance Status					
Insured	47	40.3	5.5	29.6	51.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Lyon County	175	69.5	3.2	63.2	75.7
Gender					
Men	73	69.6	4.5	60.7	78.4
Women	102	69.4	4.5	60.6	78.2
Age Group					
18 to 44 Years	72	78.9	4.9	69.3	88.6
45 to 64 Years	62	73.0	4.9	63.4	82.5
65 Years and Older	40	37.4	5.3	27.0	47.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	158	70.9	3.3	64.5	77.4
Race					
White	157	69.8	3.2	63.5	76.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	65	72.7	5.2	62.5	82.9
Some College or College Graduate	110	67.3	4.0	59.4	75.2
Annual Household Income					
Less than \$35,000 per Year	56	69.1	6.2	57.0	81.2
\$35,000 or Higher per Year	91	69.3	4.1	61.3	77.3
Disability Status					
Living with a Disability	41	68.3	6.1	56.4	80.3
Living without a Disability	133	69.6	3.7	62.4	76.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	41	73.5	5.9	62.1	85.0
Overweight (25 <= BMI <30)	62	64.8	5.4	54.3	75.4
Obese (BMI >=30)	59	76.0	4.7	66.8	85.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	124	64.8	3.9	57.1	72.5
Does not participate in leisure time physical activity	51	80.7	4.9	71.2	90.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	145	66.8	3.6	59.8	73.8
Health Insurance Status					
Insured	152	67.1	3.5	60.2	73.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Lyon County	40	37.4	5.3	27.0	47.9
Gender					
Men	*	*	*	*	*
Women	30	39.0	6.5	26.3	51.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	37.2	5.4	26.7	47.7
Race					
White	38	37.5	5.5	26.8	48.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	26	34.8	6.1	22.8	46.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	20	36.9	7.1	23.0	50.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	24.2	5.7	13.0	35.3
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	34.5	6.0	22.8	46.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	36	36.0	5.4	25.3	46.6
Health Insurance Status					
Insured	39	36.8	5.3	26.3	47.2
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Lyon County	25	28.9	5.4	18.4	39.4
Gender					
Men	*	*	*	*	*
Women	16	25.1	5.9	13.5	36.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	28.2	5.4	17.7	38.8
Race					
White	22	26.8	5.4	16.2	37.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	23.2	5.6	12.1	34.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	15	30.4	6.9	16.8	43.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	15	26.5	6.9	13.0	40.0
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>20</i>	<i>31.2</i>	<i>6.4</i>	<i>18.7</i>	<i>43.7</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>23</i>	<i>28.4</i>	<i>5.5</i>	<i>17.6</i>	<i>39.2</i>
Health Insurance Status					
Insured	<i>24</i>	<i>28.1</i>	<i>5.4</i>	<i>17.6</i>	<i>38.6</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Lyon County	68	25.1	3.1	19.0	31.3
Gender					
Men	41	34.1	5.0	24.3	43.9
Women	27	16.9	3.6	9.8	24.1
Age Group					
18 to 44 Years	24	25.1	4.9	15.4	34.8
45 to 64 Years	21	24.5	5.2	14.2	34.7
65 Years and Older	22	24.5	5.1	14.4	34.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	63	26.4	3.4	19.7	33.0
Race					
White	64	27.0	3.4	20.3	33.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	28.9	5.4	18.3	39.5
Some College or College Graduate	43	22.7	3.7	15.3	30.0
Annual Household Income					
Less than \$35,000 per Year	21	24.7	5.6	13.7	35.8
\$35,000 or Higher per Year	35	23.4	4.1	15.4	31.5
Disability Status					
Living with a Disability	16	23.9	6.0	12.1	35.6
Living without a Disability	52	25.6	3.6	18.5	32.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	30	28.9	5.2	18.6	39.2
Obese (BMI ≥ 30)	26	32.7	6.0	21.0	44.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	48	24.5	3.7	17.3	31.7
Does not participate in leisure time physical activity	20	26.8	6.1	14.9	38.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	24.2	3.3	17.7	30.8
Health Insurance Status					
Insured	62	25.2	3.3	18.6	31.7
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Lyon County	41	16.9	2.8	11.5	22.3
Gender					
Men	18	18.3	4.3	9.8	26.8
Women	23	15.6	3.5	8.8	22.3
Age Group					
18 to 44 Years	20	21.7	4.6	12.7	30.7
45 to 64 Years	14	14.1	4.0	6.2	22.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	18.1	3.0	12.2	24.1
Race					
White	40	19.0	3.1	12.9	25.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	21.2	4.8	11.7	30.7
Some College or College Graduate	23	13.8	3.2	7.5	20.1
Annual Household Income					
Less than \$35,000 per Year	23	24.8	5.3	14.4	35.2
\$35,000 or Higher per Year	14	12.8	3.7	5.6	19.9
Disability Status					
Living with a Disability	12	20.4	5.8	9.0	31.8
Living without a Disability	29	16.2	3.1	10.0	22.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	14	22.3	5.5	11.5	33.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	12.5	2.8	7.0	18.1
Does not participate in leisure time physical activity	13	23.5	6.3	11.2	35.9
Health Insurance Status					
Insured	31	14.3	2.8	8.8	19.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Lyon County	13	5.0	1.5	2.1	7.9
Gender					
Men	13	10.2	2.9	4.5	15.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	5.9	1.7	2.5	9.3
Race					
White	13	5.8	1.7	2.5	9.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	13	5.9	1.7	2.5	9.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Lyon County	13	10.2	2.9	4.5	15.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	12.0	3.4	5.3	18.6
Race					
White	13	11.6	3.3	5.1	18.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	<i>13</i>	<i>12.1</i>	<i>3.4</i>	<i>5.4</i>	<i>18.8</i>
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Lyon County	38	9.4	1.8	5.9	12.9
Gender					
Men	34	16.6	3.3	10.1	23.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	25	26.2	5.1	16.3	36.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	10.8	2.1	6.8	14.9
Race					
White	38	10.9	2.1	6.9	14.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	29	10.8	2.3	6.2	15.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	19	9.1	2.6	4.1	14.2
Disability Status					
Living with a Disability	17	22.3	5.6	11.4	33.2
Living without a Disability	20	6.7	1.8	3.1	10.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	13.0	3.8	5.6	20.4
Obese (BMI ≥ 30)	14	11.5	3.4	4.8	18.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	12.0	2.6	6.9	17.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	9.3	2.0	5.3	13.2
Health Insurance Status					
Insured	34	9.1	1.8	5.5	12.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Lyon County	104	37.4	3.5	30.6	44.3
Gender					
Men	52	42.7	5.2	32.6	52.8
Women	52	32.2	4.5	23.3	41.1
Age Group					
18 to 44 Years	41	42.9	5.7	31.8	54.0
45 to 64 Years	39	38.0	5.8	26.6	49.4
65 Years and Older	24	23.4	4.9	13.8	33.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	94	38.2	3.7	30.9	45.4
Race					
White	98	39.0	3.7	31.8	46.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	35.4	5.5	24.6	46.2
Some College or College Graduate	70	39.0	4.4	30.3	47.7
Annual Household Income					
Less than \$35,000 per Year	32	36.0	6.1	24.0	48.0
\$35,000 or Higher per Year	54	37.8	4.8	28.4	47.2
Disability Status					
Living with a Disability	30	51.6	7.2	37.5	65.8
Living without a Disability	73	34.2	3.9	26.6	41.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	62	33.0	4.0	25.1	41.0
Does not participate in leisure time physical activity	34	46.5	7.4	32.0	60.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	87	34.9	3.7	27.7	42.1
Health Insurance Status					
Insured	94	38.9	3.7	31.5	46.2
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Lyon County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Lyon County	213	72.6	3.4	66.0	79.2
Gender					
Men	113	84.5	3.8	77.0	92.1
Women	100	60.8	5.1	50.8	70.7
Age Group					
18 to 44 Years	67	67.8	5.7	56.6	78.9
45 to 64 Years	77	82.9	4.4	74.2	91.5
65 Years and Older	68	69.1	4.9	59.4	78.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	192	71.4	3.6	64.3	78.5
Race					
White	200	75.8	3.4	69.2	82.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	82	80.6	5.2	70.3	90.8
Some College or College Graduate	131	66.7	4.4	58.1	75.2
Annual Household Income					
Less than \$35,000 per Year	61	65.6	6.5	52.9	78.3
\$35,000 or Higher per Year	121	77.5	4.2	69.3	85.8
Disability Status					
Living with a Disability	55	84.8	4.4	76.2	93.4
Living without a Disability	156	69.8	3.9	62.1	77.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	144	71.1	4.0	63.2	79.0
Does not participate in leisure time physical activity	58	83.7	6.1	71.7	95.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	181	72.5	3.7	65.3	79.8
Health Insurance Status					
Insured	194	74.4	3.5	67.5	81.3
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>