


2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Montgomery County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion**
January 2017

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Montgomery County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
---------------------	---

Arthritis

Arthritis	3
Activity Limitation Due to Arthritis	5

Asthma	7
---------------------	---

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

Heart Attack	13
Coronary Heart Disease	15
Stroke	17
High Blood Pressure	19

Cholesterol

Not Checked Cholesterol within Five Years	21
High Blood Cholesterol Status.....	23

Chronic Obstructive Pulmonary Disease (COPD)	25
---	----

Depressive Disorder	27
----------------------------------	----

Diabetes	29
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	31
Disability	33

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	35
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	37

Not Participating in Any Physical Activity	39
--	----

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	41
Consuming Vegetables Less than 1 Time Per Day.....	43

Health Care Access

Lack of Health Care Coverage.....	45
Lack of Health Care Coverage 18 to 64 Years Old Only	47
No Personal Doctor	49
Did Not See Doctor Due to Cost.....	51

General Health 53

Healthy Days - Health Related Quality of Life

Physical Health Status.....	55
Mental Health Status.....	57
Poor Physical or Mental Health is Barrier to Usual Activities.....	59

Immunization

Not Immunized Against Influenza.....	61
Not Immunized Against Influenza 65 Years and Older Only	63
Never Had Pneumonia Vaccination 65 Years and Older Only	65

Seatbelt Use..... 67

Tobacco Use

Current Smoker	69
Tried Quitting Smoking	71
Smokeless Tobacco Use	73
Male Smokeless Tobacco Use	75

Veteran Status 77

Weight Status (BMI Categories)

Obese.....	79
Overweight or Obese	81

Technical Notes..... 83

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Montgomery County: Heavy Drinking.

Percentage of Adults Who Are Binge Drinkers, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Montgomery County	30	14.5	2.7	9.1	19.9
Gender					
Men	18	21.0	4.7	11.7	30.2
Women	*	*	*	*	*
Age Group					
18 to 44 Years	14	20.6	5.4	10.0	31.3
45 to 64 Years	15	16.0	4.2	7.8	24.1
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	14.3	2.8	8.8	19.9
Race					
White	28	16.2	3.1	10.1	22.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	13.9	4.0	6.0	21.7
Some College or College Graduate	17	15.0	3.8	7.7	22.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	20	20.1	4.3	11.6	28.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	25	17.0	3.4	10.3	23.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	12	15.0	4.4	6.3	23.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	14.4	3.3	8.0	20.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	20	12.3	2.9	6.5	18.0
Health Insurance Status					
Insured	26	14.9	3.0	9.0	20.8
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Montgomery County	112	29.7	2.9	23.9	35.4
Gender					
Men	32	19.0	3.6	12.1	26.0
Women	80	39.7	4.4	31.0	48.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	44	37.5	5.1	27.6	47.5
65 Years and Older	61	59.6	5.4	48.9	70.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	107	30.0	3.0	24.1	35.9
Race					
White	95	29.6	3.1	23.5	35.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	48	33.1	4.7	23.9	42.3
Some College or College Graduate	63	26.7	3.7	19.5	33.9
Annual Household Income					
Less than \$35,000 per Year	46	34.6	5.2	24.4	44.7
\$35,000 or Higher per Year	40	21.6	3.7	14.4	28.8
Disability Status					
Living with a Disability	60	70.4	6.3	58.1	82.7
Living without a Disability	48	18.5	2.9	12.9	24.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	25.8	5.9	14.2	37.5
Overweight (25 ≤ BMI < 30)	34	33.1	5.5	22.4	43.8
Obese (BMI ≥ 30)	49	31.7	4.8	22.3	41.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	62	26.3	3.5	19.4	33.1
Does not participate in leisure time physical activity	42	41.5	6.4	29.0	54.0
Smoking Status					
Current smoker	26	43.9	8.0	28.2	59.6
Non-smoker	81	26.8	3.1	20.7	33.0
Health Insurance Status					
Insured	97	28.9	3.1	22.9	34.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Montgomery County	56	54.0	5.7	42.8	65.2
Gender					
Men	*	*	*	*	*
Women	40	54.8	6.9	41.4	68.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	33	54.5	7.6	39.7	69.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	53.3	5.8	41.9	64.8
Race					
White	48	56.3	6.2	44.2	68.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	32	51.7	7.8	36.5	66.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	44	77.4	6.0	65.6	89.2
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>28</i>	<i>42.7</i>	<i>7.3</i>	<i>28.4</i>	<i>57.0</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>38</i>	<i>47.4</i>	<i>6.6</i>	<i>34.6</i>	<i>60.3</i>
Health Insurance Status					
Insured	<i>48</i>	<i>52.4</i>	<i>6.2</i>	<i>40.3</i>	<i>64.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Montgomery County	28	8.0	1.8	4.6	11.5
Gender					
Men	*	*	*	*	*
Women	21	11.6	2.9	5.8	17.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	12.2	3.5	5.4	19.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	8.0	1.8	4.4	11.6
Race					
White	22	7.9	1.9	4.1	11.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	8.3	2.4	3.6	13.1
Annual Household Income					
Less than \$35,000 per Year	13	10.0	3.0	4.2	15.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	15	19.9	5.3	9.4	30.3
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	13.7	3.6	6.6	20.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	10.1	2.7	4.8	15.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	6.8	1.8	3.3	10.2
Health Insurance Status					
Insured	24	8.3	2.0	4.4	12.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Montgomery County	29	7.7	1.6	4.5	10.9
Gender					
Men	*	*	*	*	*
Women	18	9.5	2.6	4.5	14.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	13.4	3.7	6.2	20.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	28	7.9	1.7	4.5	11.2
Race					
White	24	7.6	1.8	4.2	11.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	7.4	2.1	3.4	11.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	17	8.8	2.4	4.1	13.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	5.9	1.7	2.6	9.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	11.6	3.5	4.8	18.4
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	9.8	2.4	5.1	14.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	7.2	1.7	4.0	10.5
Health Insurance Status					
Insured	26	7.9	1.8	4.4	11.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Montgomery County	17	3.8	1.1	1.7	5.9
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	17	4.0	1.1	1.8	6.1
Race					
White	15	3.9	1.2	1.6	6.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	16	4.2	1.2	1.8	6.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who had a Heart Attack, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,263	4.0	0.1	3.7	4.2
Montgomery County	24	6.5	1.5	3.5	9.4
Gender					
Men	13	7.3	2.2	3.1	11.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	15	13.8	3.9	6.3	21.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	6.3	1.5	3.3	9.4
Race					
White	19	6.3	1.6	3.1	9.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	16	9.9	2.7	4.6	15.2
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	14	16.8	4.9	7.2	26.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	15	4.6	1.3	2.0	7.2
Health Insurance Status					
Insured	21	6.5	1.6	3.3	9.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,274	3.8	0.1	3.6	4.0
Montgomery County	23	6.4	1.6	3.2	9.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	11.8	3.4	5.1	18.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	6.4	1.7	3.2	9.7
Race					
White	15	4.2	1.2	1.8	6.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	22.4	5.9	10.8	34.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	18	4.7	1.3	2.2	7.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Had a Stroke, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	907	3.0	0.1	2.8	3.3
Montgomery County	16	3.5	1.0	1.6	5.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	3.5	1.0	1.5	5.5
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Montgomery County	140	40.0	3.3	33.5	46.5
Gender					
Men	55	37.4	4.8	27.9	46.9
Women	85	42.5	4.5	33.6	51.3
Age Group					
18 to 44 Years	15	17.6	4.6	8.7	26.5
45 to 64 Years	51	46.3	5.2	36.0	56.6
65 Years and Older	73	70.6	5.2	60.5	80.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	134	39.9	3.4	33.3	46.5
Race					
White	120	40.5	3.5	33.6	47.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	64	43.7	5.1	33.7	53.8
Some College or College Graduate	75	36.9	4.3	28.5	45.4
Annual Household Income					
Less than \$35,000 per Year	65	55.3	5.9	43.8	66.8
\$35,000 or Higher per Year	50	31.1	4.5	22.3	39.9
Disability Status					
Living with a Disability	54	61.3	6.7	48.2	74.3
Living without a Disability	83	35.7	3.9	28.1	43.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	30.8	6.6	17.8	43.8
Overweight (25 ≤ BMI < 30)	43	38.5	5.7	27.3	49.7
Obese (BMI ≥ 30)	65	48.3	5.6	37.4	59.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	77	39.2	4.2	30.9	47.5
Does not participate in leisure time physical activity	54	48.4	6.6	35.4	61.4
Smoking Status					
Current smoker	25	41.2	7.9	25.8	56.6
Non-smoker	110	41.8	3.8	34.3	49.3
Health Insurance Status					
Insured	123	39.5	3.5	32.7	46.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Montgomery County	49	26.4	3.6	19.4	33.3
Gender					
Men	27	32.6	5.3	22.1	43.0
Women	22	20.9	4.8	11.5	30.2
Age Group					
18 to 44 Years	29	47.0	6.7	34.0	60.1
45 to 64 Years	13	13.6	4.0	5.8	21.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	26.2	3.6	19.1	33.3
Race					
White	39	24.5	3.6	17.4	31.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	32.5	5.4	21.9	43.2
Some College or College Graduate	19	21.1	4.7	11.8	30.3
Annual Household Income					
Less than \$35,000 per Year	19	23.8	5.6	12.9	34.7
\$35,000 or Higher per Year	17	20.7	4.7	11.5	29.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	39	30.0	4.3	21.5	38.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	16	44.6	8.6	27.8	61.4
Overweight (25 ≤ BMI < 30)	12	20.8	5.6	9.8	31.8
Obese (BMI ≥ 30)	16	18.8	4.9	9.2	28.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	23.1	4.2	14.9	31.3
Does not participate in leisure time physical activity	14	24.9	7.3	10.6	39.2
Smoking Status					
Current smoker	12	36.0	9.2	18.0	54.0
Non-smoker	32	21.8	3.8	14.4	29.1
Health Insurance Status					
Insured	36	23.4	3.6	16.3	30.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Montgomery County	113	39.6	3.6	32.5	46.6
Gender					
Men	43	37.5	5.5	26.6	48.3
Women	70	41.2	4.7	32.0	50.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	49	45.6	5.5	34.7	56.4
65 Years and Older	58	63.1	5.7	51.9	74.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	109	40.4	3.7	33.2	47.7
Race					
White	97	38.9	3.8	31.4	46.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	45	43.5	6.1	31.7	55.4
Some College or College Graduate	68	37.1	4.4	28.4	45.7
Annual Household Income					
Less than \$35,000 per Year	46	41.8	6.0	30.0	53.6
\$35,000 or Higher per Year	46	30.6	4.6	21.5	39.6
Disability Status					
Living with a Disability	45	59.2	7.0	45.6	72.8
Living without a Disability	66	32.8	4.0	24.9	40.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	22	41.3	8.0	25.7	56.9
Overweight (25 ≤ BMI <30)	36	40.4	6.3	28.1	52.7
Obese (BMI ≥ 30)	48	38.4	5.6	27.4	49.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	63	34.0	4.3	25.6	42.3
Does not participate in leisure time physical activity	43	54.1	7.0	40.3	67.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	82	34.9	3.8	27.4	42.4
Health Insurance Status					
Insured	106	40.9	3.8	33.4	48.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Montgomery County	37	11.3	2.1	7.2	15.4
Gender					
Men	14	10.3	3.0	4.5	16.1
Women	23	12.2	2.9	6.5	17.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	20	16.7	4.0	8.8	24.6
65 Years and Older	15	18.0	4.7	8.9	27.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	11.6	2.2	7.3	15.8
Race					
White	27	10.7	2.2	6.3	15.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	16.2	3.7	8.9	23.4
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	17	15.1	3.8	7.6	22.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	26	34.6	6.4	22.1	47.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	13.0	3.6	6.0	20.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	10.9	2.7	5.5	16.2
Does not participate in leisure time physical activity	16	15.2	4.2	6.9	23.6
Smoking Status					
Current smoker	14	25.7	7.1	11.8	39.6
Non-smoker	22	8.1	2.0	4.2	12.0
Health Insurance Status					
Insured	31	11.2	2.2	6.7	15.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Montgomery County	56	17.3	2.5	12.3	22.2
Gender					
Men	15	9.4	2.8	4.0	14.9
Women	41	24.6	4.0	16.7	32.4
Age Group					
18 to 44 Years	11	15.0	4.4	6.4	23.7
45 to 64 Years	26	21.1	4.2	12.9	29.4
65 Years and Older	19	15.6	3.7	8.3	23.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	17.8	2.6	12.7	23.0
Race					
White	49	17.2	2.6	12.0	22.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	17.3	3.9	9.7	25.0
Some College or College Graduate	34	17.5	3.4	10.9	24.1
Annual Household Income					
Less than \$35,000 per Year	28	23.5	4.8	14.1	33.0
\$35,000 or Higher per Year	18	11.7	3.1	5.7	17.7
Disability Status					
Living with a Disability	30	38.3	6.5	25.5	51.1
Living without a Disability	24	11.8	2.6	6.7	16.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	17.4	4.5	8.5	26.2
Obese (BMI ≥ 30)	27	20.8	4.4	12.1	29.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	17.7	3.5	10.9	24.5
Does not participate in leisure time physical activity	23	20.5	4.7	11.3	29.7
Smoking Status					
Current smoker	16	28.6	7.1	14.6	42.5
Non-smoker	37	14.8	2.7	9.4	20.2
Health Insurance Status					
Insured	47	15.6	2.5	10.7	20.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Montgomery County	51	13.5	2.1	9.4	17.6
Gender					
Men	20	10.8	2.7	5.5	16.1
Women	31	16.1	3.7	9.9	22.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	19	16.4	3.8	8.9	23.9
65 Years and Older	30	29.3	5.2	19.2	39.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	48	13.5	2.2	9.3	17.8
Race					
White	40	13.1	2.3	8.7	17.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	17.5	3.6	10.5	24.5
Some College or College Graduate	23	10.5	2.5	5.7	15.4
Annual Household Income					
Less than \$35,000 per Year	27	20.7	4.3	12.3	29.2
\$35,000 or Higher per Year	15	8.3	2.4	3.6	12.9
Disability Status					
Living with a Disability	27	32.1	5.9	20.5	43.7
Living without a Disability	23	8.6	2.1	4.6	12.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	12.3	3.5	5.4	19.2
Obese (BMI ≥ 30)	29	19.8	4.0	12.1	27.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	8.6	2.0	4.8	12.5
Does not participate in leisure time physical activity	24	23.4	5.2	13.1	33.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	39	13.6	2.4	8.8	18.3
Health Insurance Status					
Insured	46	14.1	2.3	9.7	18.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Montgomery County	76	21.1	2.7	15.9	26.3
Gender					
Men	24	15.0	3.3	8.6	21.5
Women	52	26.4	4.0	18.5	34.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	32	25.3	4.5	16.4	34.2
65 Years and Older	39	39.1	5.6	28.2	50.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	71	21.0	2.7	15.6	26.4
Race					
White	62	19.7	2.7	14.4	25.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	24.9	4.4	16.2	33.5
Some College or College Graduate	42	18.3	3.3	11.9	24.7
Annual Household Income					
Less than \$35,000 per Year	40	31.2	5.2	21.0	41.4
\$35,000 or Higher per Year	22	11.5	2.7	6.2	16.8
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	22	18.5	4.2	10.2	26.8
Obese (BMI ≥ 30)	38	27.9	4.9	18.3	37.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	16.3	3.7	10.3	22.4
Does not participate in leisure time physical activity	37	32.8	5.8	21.4	44.1
Smoking Status					
Current smoker	21	31.6	7.2	17.5	45.7
Non-smoker	54	18.2	2.8	12.7	23.7
Health Insurance Status					
Insured	67	21.2	2.8	15.7	26.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Montgomery County	83	22.8	2.7	17.5	28.2
Gender					
Men	27	16.7	3.4	10.0	23.4
Women	56	28.1	4.1	20.1	36.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	32	25.3	4.5	16.4	34.2
65 Years and Older	46	46.5	5.7	35.4	57.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	78	22.8	2.8	17.3	28.3
Race					
White	68	21.4	2.8	16.0	26.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	41	28.9	4.6	19.9	37.9
Some College or College Graduate	42	18.3	3.3	11.9	24.7
Annual Household Income					
Less than \$35,000 per Year	44	34.0	5.3	23.7	44.4
\$35,000 or Higher per Year	23	12.0	2.8	6.6	17.4
Weight Category					
Normal or Underweight (BMI <25)	14	16.1	4.7	6.9	25.3
Overweight (25 ≤ BMI < 30)	26	21.3	4.4	12.6	30.0
Obese (BMI ≥ 30)	40	28.9	4.9	19.4	38.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>39</i>	<i>17.4</i>	<i>3.1</i>	<i>11.2</i>	<i>23.5</i>
Does not participate in leisure time physical activity	<i>41</i>	<i>36.2</i>	<i>6.0</i>	<i>24.5</i>	<i>47.9</i>
Smoking Status					
Current smoker	<i>21</i>	<i>31.6</i>	<i>7.2</i>	<i>17.5</i>	<i>45.7</i>
Non-smoker	<i>61</i>	<i>20.4</i>	<i>2.9</i>	<i>14.7</i>	<i>26.1</i>
Health Insurance Status					
Insured	<i>73</i>	<i>22.9</i>	<i>2.9</i>	<i>17.3</i>	<i>28.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Montgomery County	228	88.4	2.4	83.8	93.0
Gender					
Men	88	86.4	3.8	79.0	93.9
Women	140	90.0	3.0	84.2	95.8
Age Group					
18 to 44 Years	48	82.0	5.1	72.0	92.0
45 to 64 Years	95	92.6	2.3	88.0	97.2
65 Years and Older	85	92.9	3.1	86.9	98.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	220	89.0	2.4	84.3	93.7
Race					
White	199	88.5	2.5	83.7	93.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	92	87.7	3.9	80.0	95.4
Some College or College Graduate	136	88.9	2.9	83.2	94.6
Annual Household Income					
Less than \$35,000 per Year	89	91.4	3.0	85.5	97.3
\$35,000 or Higher per Year	104	86.6	3.7	79.4	93.9
Disability Status					
Living with a Disability	71	93.2	2.7	87.9	98.5
Living without a Disability	157	86.9	3.0	81.1	92.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	50	85.6	5.9	74.0	97.1
Overweight (25 ≤ BMI < 30)	75	88.5	4.1	80.5	96.5
Obese (BMI ≥ 30)	94	89.7	3.4	83.1	96.3
Smoking Status					
Current smoker	47	89.7	3.9	82.0	97.4
Non-smoker	180	88.0	2.8	82.4	93.5
Health Insurance Status					
Insured	203	87.5	2.7	82.3	92.8
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Montgomery County	120	48.0	3.8	40.6	55.3
Gender					
Men	44	43.7	5.6	32.6	54.7
Women	76	51.5	5.0	41.7	61.3
Age Group					
18 to 44 Years	24	44.7	7.1	30.8	58.7
45 to 64 Years	52	51.9	5.5	41.0	62.7
65 Years and Older	44	47.3	5.9	35.8	58.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	117	49.7	3.8	42.2	57.2
Race					
White	107	48.3	3.9	40.6	56.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	52	45.6	5.7	34.5	56.7
Some College or College Graduate	68	49.6	5.0	39.8	59.3
Annual Household Income					
Less than \$35,000 per Year	54	47.8	6.1	35.9	59.7
\$35,000 or Higher per Year	44	41.7	5.4	31.1	52.3
Disability Status					
Living with a Disability	45	64.3	6.1	52.2	76.3
Living without a Disability	75	42.9	4.5	34.2	51.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	50	48.1	5.8	36.7	59.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	89	44.8	4.2	36.6	53.0
Health Insurance Status					
Insured	104	46.1	3.9	38.4	53.8
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Montgomery County	89	32.9	3.5	25.9	39.8
Gender					
Men	33	30.8	5.3	20.5	41.2
Women	56	34.5	4.8	25.1	43.8
Age Group					
18 to 44 Years	15	28.0	6.7	14.9	41.2
45 to 64 Years	34	31.7	5.2	21.6	41.8
65 Years and Older	40	42.8	5.8	31.5	54.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	86	33.8	3.7	26.6	41.0
Race					
White	76	33.2	3.7	26.1	40.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	43	35.1	5.2	25.0	45.2
Some College or College Graduate	46	31.2	4.9	21.7	40.8
Annual Household Income					
Less than \$35,000 per Year	52	42.0	5.8	30.7	53.3
\$35,000 or Higher per Year	20	20.4	4.8	11.1	29.8
Disability Status					
Living with a Disability	41	50.5	6.7	37.4	63.6
Living without a Disability	48	27.4	4.1	19.3	35.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	18	33.1	8.6	16.2	49.9
Overweight (25 ≤ BMI <30)	23	26.1	5.8	14.8	37.4
Obese (BMI ≥ 30)	42	35.4	5.3	24.9	45.9
Smoking Status					
Current smoker	19	36.9	8.4	20.4	53.4
Non-smoker	69	31.6	3.8	24.1	39.2
Health Insurance Status					
Insured	76	31.6	3.6	24.5	38.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Montgomery County	124	49.3	3.7	42.0	56.5
Gender					
Men	55	58.5	5.6	47.5	69.4
Women	69	42.1	4.8	32.6	51.5
Age Group					
18 to 44 Years	32	52.7	7.1	38.8	66.5
45 to 64 Years	55	53.4	5.4	42.7	64.0
65 Years and Older	37	36.8	5.6	25.9	47.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	120	49.4	3.8	42.0	56.9
Race					
White	109	50.8	3.9	43.2	58.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	57	58.5	5.5	47.8	69.3
Some College or College Graduate	67	42.6	4.8	33.1	52.1
Annual Household Income					
Less than \$35,000 per Year	53	53.0	6.0	41.3	64.8
\$35,000 or Higher per Year	52	44.7	5.2	34.5	54.9
Disability Status					
Living with a Disability	41	61.2	6.3	48.8	73.7
Living without a Disability	83	45.7	4.4	37.1	54.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	28	43.3	8.0	27.7	58.9
Overweight (25 ≤ BMI < 30)	40	51.2	6.3	38.8	63.6
Obese (BMI ≥ 30)	53	53.4	5.8	42.1	64.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	70	44.2	4.5	35.4	53.0
Does not participate in leisure time physical activity	53	60.1	7.0	46.5	73.8
Smoking Status					
Current smoker	33	58.8	8.5	42.2	75.5
Non-smoker	89	46.0	4.2	37.8	54.2
Health Insurance Status					
Insured	110	49.8	3.9	42.2	57.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Montgomery County	64	28.3	3.6	21.3	35.4
Gender					
Men	33	36.6	5.6	25.6	47.7
Women	31	21.8	4.6	12.8	30.7
Age Group					
18 to 44 Years	17	32.2	6.9	18.6	45.8
45 to 64 Years	28	27.6	5.1	17.7	37.6
65 Years and Older	19	22.4	5.0	12.6	32.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	61	27.6	3.6	20.5	34.8
Race					
White	52	25.6	3.5	18.7	32.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	35.5	5.6	24.5	46.4
Some College or College Graduate	29	23.5	4.7	14.3	32.7
Annual Household Income					
Less than \$35,000 per Year	33	34.9	6.0	23.1	46.7
\$35,000 or Higher per Year	18	15.7	3.8	8.2	23.1
Disability Status					
Living with a Disability	26	42.3	7.0	28.7	56.0
Living without a Disability	38	24.0	4.1	15.9	32.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	36.5	8.7	19.6	53.5
Overweight (25 ≤ BMI < 30)	19	25.5	5.8	14.2	36.9
Obese (BMI ≥ 30)	24	27.6	5.5	16.7	38.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	24.4	4.0	16.6	32.3
Does not participate in leisure time physical activity	27	36.9	7.1	23.0	50.8
Smoking Status					
Current smoker	17	39.0	8.7	22.0	56.0
Non-smoker	45	24.5	3.8	17.2	31.9
Health Insurance Status					
Insured	51	24.2	3.4	17.5	30.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Montgomery County	34	14.3	2.7	8.9	19.7
Gender					
Men	14	11.8	3.3	5.4	18.2
Women	20	16.7	4.3	8.3	25.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	21.0	4.4	12.5	29.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	30	13.6	2.8	8.2	19.1
Race					
White	22	10.4	2.3	5.9	14.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	20	16.9	4.1	8.7	25.0
Annual Household Income					
Less than \$35,000 per Year	20	21.9	5.0	12.1	31.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	23	14.7	3.3	8.1	21.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	17	17.4	4.4	8.7	26.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	17	12.7	3.2	6.4	19.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	12.0	2.7	6.6	17.3

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Montgomery County	31	17.4	3.4	10.7	24.1
Gender					
Men	14	14.2	3.9	6.5	21.9
Women	17	20.8	5.6	9.8	31.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	23	21.0	4.4	12.5	29.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	16.6	3.5	9.7	23.4
Race					
White	20	13.0	3.0	7.2	18.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	20	20.6	4.9	10.9	30.2
Annual Household Income					
Less than \$35,000 per Year	17	29.0	7.0	15.2	42.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	16.6	3.9	9.0	24.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	<i>15</i>	<i>20.1</i>	<i>5.3</i>	<i>9.7</i>	<i>30.4</i>
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>16</i>	<i>14.8</i>	<i>3.9</i>	<i>7.2</i>	<i>22.5</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>20</i>	<i>14.7</i>	<i>3.6</i>	<i>7.7</i>	<i>21.6</i>

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Montgomery County	56	24.9	3.1	18.7	31.0
Gender					
Men	35	34.9	5.0	25.1	44.7
Women	21	15.5	3.8	8.2	22.9
Age Group					
18 to 44 Years	27	34.6	5.9	23.0	46.2
45 to 64 Years	16	19.4	4.7	10.2	28.5
65 Years and Older	13	15.5	4.3	7.1	24.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	53	24.3	3.2	18.1	30.5
Race					
White	45	23.2	3.3	16.8	29.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	30	30.7	5.0	20.8	40.5
Some College or College Graduate	26	20.5	4.0	12.8	28.3
Annual Household Income					
Less than \$35,000 per Year	25	28.2	5.4	17.6	38.8
\$35,000 or Higher per Year	20	21.6	4.6	12.7	30.6
Disability Status					
Living with a Disability	14	24.0	6.4	11.4	36.6
Living without a Disability	40	25.2	3.7	18.0	32.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	26.5	7.1	12.7	40.3
Overweight (25 ≤ BMI < 30)	19	27.5	5.8	16.2	38.7
Obese (BMI ≥ 30)	18	19.8	4.7	10.6	29.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	26.7	4.1	18.6	34.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	41	25.3	3.7	18.0	32.5
Health Insurance Status					
Insured	46	23.4	3.3	17.0	29.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Montgomery County	30	11.9	2.4	7.2	16.6
Gender					
Men	14	10.1	2.9	4.4	15.9
Women	16	13.5	3.7	6.3	20.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	21	17.9	4.0	10.1	25.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	12.2	2.5	7.4	17.1
Race					
White	26	11.9	2.5	7.0	16.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	12.4	3.5	5.5	19.3
Some College or College Graduate	17	11.7	3.3	5.3	18.1
Annual Household Income					
Less than \$35,000 per Year	15	18.3	4.9	8.6	28.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	15	22.5	6.1	10.6	34.5
Living without a Disability	15	9.6	2.6	4.5	14.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	15.5	4.2	7.2	23.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	14.0	3.4	7.3	20.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	11	23.4	6.8	10.1	36.7
Non-smoker	19	9.8	2.6	4.7	14.9
Health Insurance Status					
Insured	17	7.3	2.0	3.3	11.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Montgomery County	67	20.3	2.6	15.1	25.4
Gender					
Men	31	22.1	4.1	14.1	30.1
Women	36	18.6	3.4	12.0	25.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	25.1	4.6	16.1	34.1
65 Years and Older	30	31.6	5.3	21.1	42.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	64	19.5	2.6	14.4	24.6
Race					
White	52	19.7	2.8	14.1	25.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	37	29.2	4.7	20.0	38.5
Some College or College Graduate	29	12.7	2.6	7.6	17.7
Annual Household Income					
Less than \$35,000 per Year	37	32.3	5.3	21.9	42.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	41	48.3	6.6	35.5	61.2
Living without a Disability	22	11.7	2.7	6.5	16.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	16.9	4.3	8.5	25.4
Obese (BMI ≥ 30)	30	24.0	4.5	15.1	32.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	28	15.2	3.1	9.2	21.3
Does not participate in leisure time physical activity	32	30.4	5.7	19.2	41.6
Smoking Status					
Current smoker	17	29.2	7.2	15.1	43.2
Non-smoker	45	17.5	2.8	12.0	23.0
Health Insurance Status					
Insured	57	18.5	2.6	13.4	23.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Montgomery County	39	11.4	2.0	7.4	15.3
Gender					
Men	14	9.6	2.8	4.2	15.0
Women	25	13.0	2.9	7.2	18.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	16	11.7	3.2	5.4	18.0
65 Years and Older	19	22.7	5.1	12.7	32.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	11.7	2.1	7.5	15.8
Race					
White	28	10.6	2.1	6.3	14.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	16.7	3.8	9.1	24.2
Some College or College Graduate	17	6.8	1.9	3.1	10.5
Annual Household Income					
Less than \$35,000 per Year	19	14.9	3.8	7.3	22.4
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	28	35.3	6.4	22.9	47.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	19	13.6	3.4	6.9	20.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	20	17.5	4.5	8.6	26.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	8.2	1.9	4.4	11.9
Health Insurance Status					
Insured	34	11.1	2.1	7.0	15.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Montgomery County	32	8.1	1.6	5.0	11.3
Gender					
Men	*	*	*	*	*
Women	20	10.1	2.5	5.2	15.0
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	13.3	3.4	6.6	19.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	31	8.3	1.7	5.0	11.6
Race					
White	23	7.5	1.7	4.1	10.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	10.7	2.9	5.1	16.3
Some College or College Graduate	15	6.3	1.8	2.7	9.8
Annual Household Income					
Less than \$35,000 per Year	23	16.5	3.8	9.0	24.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	23	26.6	5.6	15.7	37.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	10.4	2.8	4.9	15.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	6.8	2.0	3.0	10.7
Does not participate in leisure time physical activity	16	13.0	3.7	5.7	20.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	5.3	1.5	2.4	8.3
Health Insurance Status					
Insured	26	7.9	1.7	4.5	11.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Montgomery County	57	37.3	4.7	28.1	46.6
Gender					
Men	*	*	*	*	*
Women	38	39.7	6.0	27.8	51.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	25	39.1	7.0	25.4	52.7
65 Years and Older	22	38.8	7.4	24.3	53.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	55	36.8	4.7	27.6	46.1
Race					
White	49	36.5	4.9	27.0	46.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	29.4	6.6	16.4	42.4
Some College or College Graduate	39	44.0	6.4	31.4	56.6
Annual Household Income					
Less than \$35,000 per Year	24	45.0	8.2	28.9	61.0
\$35,000 or Higher per Year	25	32.6	6.5	19.8	45.4
Disability Status					
Living with a Disability	36	56.7	7.6	41.8	71.6
Living without a Disability	19	25.0	5.5	14.2	35.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	33	51.9	7.7	36.8	67.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	31	35.4	6.1	23.5	47.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	42	38.1	5.6	27.1	49.1
Health Insurance Status					
Insured	50	36.0	4.9	26.5	45.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Montgomery County	140	58.9	3.6	51.9	65.9
Gender					
Men	59	60.3	5.4	49.7	70.9
Women	81	57.8	4.7	48.5	67.0
Age Group					
18 to 44 Years	38	67.8	6.2	55.7	80.0
45 to 64 Years	66	63.3	5.3	53.0	73.6
65 Years and Older	36	36.8	5.5	26.0	47.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	132	59.0	3.6	51.9	66.1
Race					
White	119	57.1	3.8	49.6	64.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	57	56.8	5.5	46.0	67.5
Some College or College Graduate	83	60.5	4.7	51.3	69.6
Annual Household Income					
Less than \$35,000 per Year	50	54.1	6.0	42.3	65.8
\$35,000 or Higher per Year	65	58.5	5.1	48.6	68.5
Disability Status					
Living with a Disability	32	45.4	6.8	32.0	58.8
Living without a Disability	108	63.1	4.1	55.0	71.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	32	59.2	7.9	43.7	74.7
Overweight (25 <= BMI <30)	47	59.4	6.1	47.4	71.5
Obese (BMI >=30)	55	58.6	5.5	47.9	69.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	92	56.2	4.4	47.7	64.8
Does not participate in leisure time physical activity	48	64.4	5.9	52.7	76.0
Smoking Status					
Current smoker	30	62.1	7.6	47.3	77.0
Non-smoker	109	58.1	4.0	50.2	66.0
Health Insurance Status					
Insured	117	55.8	3.8	48.4	63.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Montgomery County	36	36.8	5.5	26.0	47.6
Gender					
Men	*	*	*	*	*
Women	24	37.4	6.8	24.1	50.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	35.6	5.5	24.8	46.4
Race					
White	32	34.1	5.5	23.3	44.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	42.1	7.4	27.6	56.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	33	38.0	5.9	26.5	49.5
Health Insurance Status					
Insured	33	33.9	5.4	23.4	44.4
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Montgomery County	19	19.7	4.6	10.8	28.6
Gender					
Men	*	*	*	*	*
Women	14	23.3	6.1	11.3	35.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	19.1	4.6	10.2	28.0
Race					
White	17	18.2	4.4	9.6	26.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	12	23.3	6.6	10.5	36.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	19.3	4.8	9.9	28.6
Health Insurance Status					
Insured	17	16.6	4.0	8.7	24.6
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Montgomery County	60	26.8	3.4	20.1	33.5
Gender					
Men	31	32.8	5.4	22.2	43.4
Women	29	22.0	4.3	13.5	30.4
Age Group					
18 to 44 Years	16	29.1	6.5	16.4	41.7
45 to 64 Years	24	28.3	5.3	18.0	38.7
65 Years and Older	20	20.4	4.5	11.5	29.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	58	27.4	3.5	20.4	34.3
Race					
White	55	28.3	3.7	21.1	35.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	25	22.4	4.7	13.3	31.6
Some College or College Graduate	35	30.0	4.8	20.6	39.3
Annual Household Income					
Less than \$35,000 per Year	21	23.6	5.5	12.8	34.4
\$35,000 or Higher per Year	28	29.2	5.1	19.3	39.2
Disability Status					
Living with a Disability	23	33.0	6.8	19.7	46.3
Living without a Disability	37	24.9	3.9	17.2	32.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	17	23.8	5.8	12.5	35.1
Obese (BMI ≥ 30)	31	31.6	5.5	20.8	42.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	24.0	4.0	16.1	31.9
Does not participate in leisure time physical activity	25	32.5	6.4	20.0	45.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	49	29.1	4.0	21.2	37.0
Health Insurance Status					
Insured	55	27.8	3.7	20.6	34.9
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Montgomery County	56	21.6	3.1	15.5	27.6
Gender					
Men	18	15.2	3.7	8.0	22.4
Women	38	27.0	4.6	17.9	36.1
Age Group					
18 to 44 Years	14	21.8	5.8	10.5	33.2
45 to 64 Years	31	29.2	5.0	19.5	38.9
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	21.9	3.2	15.6	28.1
Race					
White	47	20.9	3.1	14.9	27.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	25.9	4.8	16.5	35.4
Some College or College Graduate	29	18.3	4.0	10.3	26.2
Annual Household Income					
Less than \$35,000 per Year	26	26.0	5.1	16.1	36.0
\$35,000 or Higher per Year	24	16.1	3.5	9.1	23.0
Disability Status					
Living with a Disability	21	29.9	6.3	17.5	42.2
Living without a Disability	35	19.1	3.5	12.2	26.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	31.3	8.0	15.6	46.9
Overweight (25 ≤ BMI < 30)	19	18.7	4.6	9.8	27.7
Obese (BMI ≥ 30)	18	19.6	4.6	10.6	28.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	21.6	3.6	14.5	28.7
Does not participate in leisure time physical activity	19	25.8	6.5	12.9	38.6
Health Insurance Status					
Insured	47	19.1	2.9	13.4	24.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because
They Were Trying to Quit Smoking, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,790	55.1	1.1	53.0	57.2
Montgomery County	34	60.4	8.3	44.1	76.7
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	60.2	8.5	43.5	76.9
Race					
White	*	*	*	*	*
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

Denominator: Current smokers, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Montgomery County	15	7.2	2.0	3.2	11.1
Gender					
Men	12	13.9	4.1	6.0	21.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	7.5	2.1	3.4	11.6
Race					
White	14	8.0	2.3	3.5	12.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	13	8.6	2.5	3.6	13.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	13	7.5	2.3	3.1	11.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Montgomery County	12	13.9	4.1	6.0	21.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	12	15.0	4.3	6.5	23.6
Race					
White	11	15.0	4.5	6.2	23.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	11	16.2	4.8	6.8	25.6
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Montgomery County	39	12.1	2.1	8.1	16.2
Gender					
Men	36	24.1	4.0	16.2	32.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	11.9	3.4	5.2	18.7
65 Years and Older	20	23.3	4.9	13.7	32.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	12.5	2.1	8.3	16.7
Race					
White	35	13.1	2.3	8.6	17.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	13.6	3.2	7.2	19.9
Some College or College Graduate	20	11.0	2.7	5.8	16.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	20	14.9	3.4	8.3	21.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	29	13.2	2.5	8.2	18.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	14	14.9	4.2	6.7	23.1
Obese (BMI ≥ 30)	12	10.3	3.0	4.3	16.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	21	10.6	2.4	6.0	15.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	13.2	2.5	8.3	18.1
Health Insurance Status					
Insured	37	12.8	2.2	8.5	17.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Montgomery County	115	44.3	3.6	37.2	51.5
Gender					
Men	51	44.2	5.4	33.6	54.7
Women	64	44.5	4.9	34.8	54.1
Age Group					
18 to 44 Years	32	49.0	6.8	35.7	62.4
45 to 64 Years	49	46.5	5.4	35.8	57.1
65 Years and Older	34	33.1	5.4	22.6	43.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	106	42.3	3.7	35.1	49.6
Race					
White	101	46.5	3.9	38.9	54.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	46	42.5	5.5	31.8	53.2
Some College or College Graduate	69	45.8	4.9	36.2	55.5
Annual Household Income					
Less than \$35,000 per Year	53	58.1	5.8	46.8	69.4
\$35,000 or Higher per Year	50	39.5	5.2	29.4	49.7
Disability Status					
Living with a Disability	40	53.6	6.6	40.7	66.5
Living without a Disability	73	40.2	4.2	31.9	48.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	67	42.4	4.5	33.6	51.2
Does not participate in leisure time physical activity	42	49.7	7.0	35.9	63.5
Smoking Status					
Current smoker	18	38.6	8.1	22.8	54.5
Non-smoker	94	44.8	4.1	36.8	52.8
Health Insurance Status					
Insured	98	42.6	3.8	35.1	50.1
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Montgomery County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Montgomery County	207	77.4	3.1	71.3	83.5
Gender					
Men	91	81.1	4.0	73.3	88.8
Women	116	73.9	4.7	64.7	83.0
Age Group					
18 to 44 Years	51	78.1	6.0	66.4	89.8
45 to 64 Years	89	83.5	3.8	76.1	90.9
65 Years and Older	67	67.2	5.4	56.5	77.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	196	76.5	3.2	70.1	82.8
Race					
White	177	78.0	3.1	72.0	84.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	87	76.4	4.4	67.8	85.0
Some College or College Graduate	120	78.1	4.4	69.5	86.8
Annual Household Income					
Less than \$35,000 per Year	78	78.8	4.6	69.7	87.9
\$35,000 or Higher per Year	100	80.2	4.0	72.4	88.1
Disability Status					
Living with a Disability	66	84.2	4.4	75.5	92.8
Living without a Disability	139	74.8	3.8	67.2	82.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>130</i>	<i>77.4</i>	<i>3.6</i>	<i>70.3</i>	<i>84.5</i>
Does not participate in leisure time physical activity	<i>65</i>	<i>76.2</i>	<i>6.8</i>	<i>62.8</i>	<i>89.5</i>
Smoking Status					
Current smoker	<i>37</i>	<i>66.9</i>	<i>8.4</i>	<i>50.5</i>	<i>83.4</i>
Non-smoker	<i>165</i>	<i>79.5</i>	<i>3.2</i>	<i>73.2</i>	<i>85.8</i>
Health Insurance Status					
Insured	<i>183</i>	<i>78.4</i>	<i>3.0</i>	<i>72.5</i>	<i>84.3</i>
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>