

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Pottawatomie County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
January 2017**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Pottawatomie County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	3

Arthritis

Arthritis	5
Activity Limitation Due to Arthritis	7

Cancer

Cancer (Excluding Skin Cancer)	9
Skin Cancer	11

Cardiovascular Health

High Blood Pressure	13
---------------------------	----

Cholesterol

Not Checked Cholesterol within Five Years	15
High Blood Cholesterol Status.....	17

Chronic Obstructive Pulmonary Disease (COPD)	19
---	----

Depressive Disorder	21
----------------------------------	----

Diabetes	23
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems	25
Disability	27

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening)	29
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	31
Not Participating in Any Physical Activity	33

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day	35
---	----

Consuming Vegetables Less than 1 Time Per Day.....	37
--	----

Health Care Access

Lack of Health Care Coverage.....	39
Lack of Health Care Coverage 18 to 64 Years Old Only	41
No Personal Doctor	43
Did Not See Doctor Due to Cost.....	45

General Health	47
-----------------------------	----

Healthy Days - Health Related Quality of Life

Physical Health Status.....	49
Mental Health Status	51
Poor Physical or Mental Health is Barrier to Usual Activities.....	53

Immunization

Not Immunized Against Influenza.....	55
Not Immunized Against Influenza 65 Years and Older Only	57
Never Had Pneumonia Vaccination 65 Years and Older Only	59

Seatbelt Use	61
---------------------------	----

Tobacco Use

Current Smoker	63
Smokeless Tobacco Use	65
Male Smokeless Tobacco Use	67

Veteran Status	69
-----------------------------	----

Weight Status (BMI Categories)

Obese.....	71
Overweight or Obese	73

Technical Notes	75
------------------------------	----

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Pottawatomie County: Asthma, Heart Attack, Coronary Heart Disease, Stroke and Tried Quitting Smoking.

Percentage of Adults Who Are Binge Drinkers, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Pottawatomie County	39	22.7	3.4	15.9	29.4
Gender					
Men	25	33.0	5.6	22.1	43.9
Women	14	13.2	3.7	6.0	20.3
Age Group					
18 to 44 Years	26	36.0	6.1	23.9	48.0
45 to 64 Years	12	15.8	4.7	6.6	25.0
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	39	23.0	3.5	16.2	29.8
Race					
White	38	23.2	3.5	16.3	30.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	24.1	5.7	12.9	35.4
Some College or College Graduate	23	21.7	4.2	13.4	30.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	26	23.4	4.2	15.1	31.7
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	34	26.6	4.2	18.5	34.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	23.8	6.2	11.6	35.9
Overweight (25 ≤ BMI < 30)	16	25.4	5.8	14.0	36.7
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	23.7	4.1	15.7	31.7
Does not participate in leisure time physical activity	10	26.6	7.7	11.6	41.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	27	17.2	3.3	10.7	23.7
Health Insurance Status					
Insured	34	22.2	3.6	15.2	29.2
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	965	5.1	0.2	4.7	5.5
Pottawatomie County	23	11.5	2.5	6.6	16.5
Gender					
Men	12	13.0	3.8	5.5	20.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	11	15.5	4.6	6.5	24.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	12.0	2.6	6.9	17.0
Race					
White	22	11.4	2.5	6.5	16.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	18.4	5.0	8.6	28.2
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	10.5	2.9	4.7	16.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	21	13.6	3.1	7.6	19.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	9.2	2.6	4.2	14.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	8.2	2.2	3.8	12.5
Health Insurance Status					
Insured	23	13.7	2.9	8.0	19.4
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than 14 drinks per week and female respondents who reported consuming an average of more than 7 drink per week during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Pottawatomie County	77	23.1	2.8	17.5	28.6
Gender					
Men	28	20.4	3.9	12.7	28.1
Women	49	25.7	4.1	17.7	33.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	28.8	5.1	18.8	38.9
65 Years and Older	41	47.3	6.3	35.0	59.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	77	23.8	2.9	18.2	29.5
Race					
White	74	22.4	2.8	16.9	27.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	22.2	4.4	13.6	30.9
Some College or College Graduate	45	23.6	3.7	16.4	30.8
Annual Household Income					
Less than \$35,000 per Year	20	25.7	6.6	12.7	38.6
\$35,000 or Higher per Year	42	22.9	3.6	15.7	30.0
Disability Status					
Living with a Disability	36	59.2	8.6	42.3	76.0
Living without a Disability	37	13.5	2.6	8.4	18.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	17	16.3	4.3	7.9	24.7
Overweight (25 ≤ BMI < 30)	24	23.0	4.9	13.3	32.6
Obese (BMI ≥ 30)	27	27.8	5.8	16.4	39.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	49	22.1	3.4	15.5	28.7
Does not participate in leisure time physical activity	20	26.0	6.3	13.7	38.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	61	22.0	3.1	15.9	28.1
Health Insurance Status					
Insured	70	24.4	3.1	18.3	30.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Pottawatomie County	30	45.0	6.9	31.5	58.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	30	45.0	6.9	31.5	58.5
Race					
White	29	46.3	6.9	32.7	59.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>23</i>	<i>42.3</i>	<i>7.5</i>	<i>27.6</i>	<i>57.1</i>
Health Insurance Status					
Insured	<i>27</i>	<i>45.1</i>	<i>7.3</i>	<i>30.8</i>	<i>59.3</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Pottawatomie County	25	7.7	1.9	4.0	11.4
Gender					
Men	*	*	*	*	*
Women	19	10.8	3.1	4.8	16.9
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	8.0	1.9	4.1	11.8
Race					
White	24	7.6	1.9	3.8	11.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	20	7.1	2.0	3.1	11.1
Health Insurance Status					
Insured	23	8.9	2.2	4.5	13.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Pottawatomie County	23	5.9	1.4	3.2	8.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	15.9	4.3	7.5	24.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	6.1	1.4	3.3	8.9
Race					
White	23	6.3	1.5	3.4	9.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	5.7	1.7	2.4	9.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	16	5.7	1.6	2.7	8.8
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	19	5.8	1.4	2.9	8.6
Health Insurance Status					
Insured	23	7.0	1.6	3.8	10.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Hypertension, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Pottawatomie County	84	25.7	3.1	19.7	31.7
Gender					
Men	33	23.0	4.1	14.9	31.1
Women	51	28.3	4.5	19.5	37.2
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	33.5	5.8	22.1	44.9
65 Years and Older	47	54.9	6.4	42.4	67.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	83	26.0	3.1	19.9	32.1
Race					
White	81	24.7	3.0	18.8	30.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	28.7	5.3	18.4	39.1
Some College or College Graduate	49	23.5	3.7	16.3	30.6
Annual Household Income					
Less than \$35,000 per Year	17	19.4	5.3	9.0	29.7
\$35,000 or Higher per Year	52	30.0	4.3	21.6	38.3
Disability Status					
Living with a Disability	29	44.0	8.0	28.3	59.7
Living without a Disability	51	20.9	3.4	14.3	27.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	26	26.0	5.4	15.4	36.6
Obese (BMI ≥ 30)	36	45.0	7.4	30.6	59.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	53	23.2	3.5	16.3	30.2
Does not participate in leisure time physical activity	25	36.8	7.7	21.8	51.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	67	24.0	3.4	17.4	30.6
Health Insurance Status					
Insured	79	29.0	3.4	22.3	35.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Pottawatomie County	46	27.7	3.7	20.5	34.9
Gender					
Men	25	33.3	5.6	22.3	44.3
Women	21	21.9	4.6	12.9	30.9
Age Group					
18 to 44 Years	25	41.0	6.5	28.2	53.8
45 to 64 Years	15	20.4	5.1	10.4	30.5
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	46	28.7	3.8	21.3	36.1
Race					
White	45	28.9	3.8	21.4	36.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	34.3	6.2	22.2	46.5
Some College or College Graduate	24	23.0	4.5	14.3	31.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	21	19.0	4.0	11.2	26.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	36	29.3	4.4	20.7	37.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	22	48.3	7.0	34.5	62.1
Overweight (25 ≤ BMI < 30)	13	19.4	5.5	8.7	30.1
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	30	27.2	4.5	18.3	36.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	23.0	4.0	15.2	30.7
Health Insurance Status					
Insured	32	22.4	3.7	15.1	29.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Pottawatomie County	74	32.8	3.8	25.4	40.2
Gender					
Men	29	29.8	5.4	19.2	40.4
Women	45	35.5	5.2	25.3	45.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	28	37.8	6.2	25.5	50.0
65 Years and Older	40	55.1	6.6	42.2	67.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	73	33.4	3.8	25.9	40.9
Race					
White	73	34.8	3.9	27.1	42.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	30.2	6.2	18.1	42.3
Some College or College Graduate	50	34.5	4.7	25.2	43.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	48	31.5	4.6	22.6	40.5
Disability Status					
Living with a Disability	28	54.7	7.7	39.6	69.8
Living without a Disability	44	27.2	4.3	18.7	35.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	13	18.6	5.4	8.1	29.1
Overweight (25 ≤ BMI <30)	22	24.8	5.5	14.1	35.5
Obese (BMI ≥ 30)	29	52.6	7.7	37.6	67.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	49	29.7	4.3	21.1	38.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	65	33.7	4.2	25.5	41.9
Health Insurance Status					
Insured	72	34.4	3.9	26.7	42.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Pottawatomie County	22	6.5	1.5	3.5	9.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	13	18.1	5.1	8.1	28.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	22	6.7	1.6	3.6	9.8
Race					
White	22	7.0	1.6	3.8	10.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	12	21.5	6.1	9.5	33.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	20	6.8	1.7	3.5	10.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Pottawatomie County	32	13.5	2.6	8.4	18.6
Gender					
Men	*	*	*	*	*
Women	21	16.0	3.9	8.4	23.7
Age Group					
18 to 44 Years	12	15.3	4.5	6.5	24.1
45 to 64 Years	14	14.6	4.1	6.6	22.6
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	13.9	2.7	8.6	19.1
Race					
White	30	13.4	2.7	8.2	18.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	19	12.7	3.1	6.6	18.8
Annual Household Income					
Less than \$35,000 per Year	13	29.9	8.2	13.8	46.1
\$35,000 or Higher per Year	15	9.8	2.7	4.4	15.1
Disability Status					
Living with a Disability	13	22.6	6.2	10.5	34.6
Living without a Disability	17	11.0	3.0	5.1	16.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	<i>18</i>	<i>11.9</i>	<i>3.1</i>	<i>5.8</i>	<i>18.1</i>
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>20</i>	<i>10.2</i>	<i>2.7</i>	<i>5.0</i>	<i>15.4</i>
Health Insurance Status					
Insured	<i>27</i>	<i>12.1</i>	<i>2.5</i>	<i>7.1</i>	<i>17.0</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Pottawatomie County	25	7.0	1.6	3.8	10.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	17	22.0	5.5	11.2	32.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	7.2	1.7	3.9	10.6
Race					
White	25	7.5	1.7	4.1	10.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	12.1	3.5	5.2	19.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	21	6.8	1.8	3.4	10.3
Health Insurance Status					
Insured	25	8.4	1.9	4.6	12.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Pottawatomie County	49	18.7	3.0	12.7	24.7
Gender					
Men	21	15.8	3.6	8.8	22.8
Women	28	21.4	4.7	12.1	30.7
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	26.3	5.0	16.6	36.0
65 Years and Older	17	24.9	5.7	13.8	36.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	19.3	3.1	13.2	25.5
Race					
White	47	18.9	3.1	12.8	25.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	35	20.7	3.5	13.8	27.6
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	29	18.0	3.4	11.3	24.6
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	27	38.9	7.7	23.8	54.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	32	17.6	3.2	11.4	23.8
Does not participate in leisure time physical activity	15	18.1	5.2	8.0	28.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	37	17.4	3.4	10.8	24.0
Health Insurance Status					
Insured	44	18.1	2.8	12.6	23.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Pottawatomie County	57	21.1	3.1	15.0	27.2
Gender					
Men	26	18.7	3.8	11.2	26.2
Women	31	23.3	4.8	13.9	32.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	26	26.3	5.0	16.6	36.0
65 Years and Older	24	35.2	6.3	23.0	47.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	57	21.8	3.2	15.5	28.1
Race					
White	54	20.8	3.2	14.6	27.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	40	23.3	3.7	16.0	30.5
Annual Household Income					
Less than \$35,000 per Year	15	18.6	5.2	8.4	28.9
\$35,000 or Higher per Year	34	20.2	3.5	13.3	27.2
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	14.3	4.0	6.5	22.1
Obese (BMI ≥ 30)	31	43.2	7.7	28.1	58.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	37	19.7	3.3	13.2	26.1
Does not participate in leisure time physical activity	18	22.6	5.8	11.3	33.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	44	19.6	3.5	12.8	26.4
Health Insurance Status					
Insured	52	20.9	3.0	15.1	26.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Pottawatomie County	164	75.2	3.5	68.3	82.1
Gender					
Men	66	69.6	5.6	58.6	80.6
Women	98	80.6	4.2	72.4	88.8
Age Group					
18 to 44 Years	49	75.3	5.6	64.4	86.2
45 to 64 Years	64	74.5	6.0	62.8	86.2
65 Years and Older	51	76.5	5.8	65.2	87.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	160	74.3	3.6	67.2	81.3
Race					
White	159	75.9	3.6	68.9	83.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	58	80.3	5.5	69.6	91.0
Some College or College Graduate	106	71.9	4.6	63.0	80.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	103	70.8	4.5	61.9	79.7
Disability Status					
Living with a Disability	44	79.4	7.0	65.7	93.2
Living without a Disability	120	75.2	4.0	67.4	83.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	50	74.1	6.0	62.3	85.8
Overweight (25 ≤ BMI < 30)	57	70.5	6.6	57.6	83.3
Obese (BMI ≥ 30)	49	79.7	6.1	67.8	91.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	136	76.3	3.8	68.8	83.8
Health Insurance Status					
Insured	145	73.7	3.8	66.1	81.2
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Pottawatomie County	81	37.0	3.9	29.2	44.7
Gender					
Men	33	36.4	5.9	24.9	48.0
Women	48	37.4	5.3	27.1	47.8
Age Group					
18 to 44 Years	22	35.2	6.6	22.3	48.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	78	35.1	3.8	27.6	42.6
Race					
White	79	36.5	3.9	28.8	44.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	31	44.6	6.9	31.0	58.2
Some College or College Graduate	50	32.0	4.6	23.0	41.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	47	30.7	4.4	22.1	39.4
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	57	36.6	4.6	27.6	45.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	26.9	6.4	14.4	39.5
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	29	46.3	7.6	31.4	61.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	64	35.7	4.4	27.0	44.4
Health Insurance Status					
Insured	70	34.9	4.0	27.0	42.7
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Pottawatomie County	56	24.7	3.5	17.8	31.6
Gender					
Men	23	24.3	5.3	13.9	34.7
Women	33	25.1	4.6	16.0	34.1
Age Group					
18 to 44 Years	15	23.7	6.0	12.0	35.4
45 to 64 Years	18	22.1	5.3	11.7	32.6
65 Years and Older	23	32.6	6.2	20.4	44.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	23.2	3.3	16.7	29.7
Race					
White	53	22.8	3.3	16.4	29.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	27	38.9	6.8	25.6	52.2
Some College or College Graduate	29	15.6	3.3	9.1	22.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	30	19.5	3.7	12.2	26.8
Disability Status					
Living with a Disability	18	27.8	6.4	15.3	40.2
Living without a Disability	38	24.3	4.2	16.2	32.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	<i>18</i>	<i>22.2</i>	<i>5.2</i>	<i>12.0</i>	<i>32.4</i>
Obese (BMI ≥ 30)	<i>25</i>	<i>34.3</i>	<i>6.9</i>	<i>20.7</i>	<i>47.9</i>
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>40</i>	<i>20.7</i>	<i>3.8</i>	<i>13.3</i>	<i>28.2</i>
Health Insurance Status					
Insured	<i>47</i>	<i>22.5</i>	<i>3.4</i>	<i>15.8</i>	<i>29.3</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Pottawatomie County	91	45.1	4.0	37.3	53.0
Gender					
Men	45	48.0	5.8	36.6	59.4
Women	46	42.5	5.5	31.7	53.3
Age Group					
18 to 44 Years	33	50.4	6.6	37.4	63.4
45 to 64 Years	33	43.8	6.4	31.3	56.2
65 Years and Older	25	34.4	6.3	22.2	46.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	89	44.7	4.0	36.8	52.6
Race					
White	91	47.8	4.1	39.8	55.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	48.0	6.8	34.7	61.3
Some College or College Graduate	55	43.4	4.9	33.7	53.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	62	48.2	4.9	38.7	57.7
Disability Status					
Living with a Disability	22	39.3	7.3	25.0	53.5
Living without a Disability	69	47.5	4.7	38.4	56.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	42.7	7.2	28.6	56.7
Overweight (25 ≤ BMI < 30)	34	44.2	6.6	31.4	57.1
Obese (BMI ≥ 30)	27	50.1	7.4	35.6	64.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	57	41.3	4.6	32.2	50.4
Does not participate in leisure time physical activity	32	58.3	8.1	42.5	74.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	70	42.9	4.4	34.2	51.6
Health Insurance Status					
Insured	80	44.5	4.2	36.2	52.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Pottawatomie County	50	20.7	3.1	14.5	26.8
Gender					
Men	20	17.2	4.1	9.2	25.3
Women	30	24.1	4.7	14.8	33.3
Age Group					
18 to 44 Years	13	16.6	4.6	7.6	25.7
45 to 64 Years	20	25.7	5.6	14.7	36.8
65 Years and Older	17	20.7	5.2	10.4	30.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	49	21.0	3.2	14.7	27.3
Race					
White	49	21.3	3.2	14.9	27.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	24.4	5.6	13.4	35.3
Some College or College Graduate	28	18.1	3.7	10.8	25.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	29	18.5	3.7	11.3	25.8
Disability Status					
Living with a Disability	13	20.5	5.6	9.5	31.4
Living without a Disability	37	21.1	3.7	13.8	28.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	21	30.7	6.3	18.4	43.0
Obese (BMI ≥ 30)	15	18.7	5.4	8.1	29.2
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	14.9	3.2	8.6	21.2
Does not participate in leisure time physical activity	23	39.2	8.0	23.5	54.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	41	21.0	3.6	14.0	28.0
Health Insurance Status					
Insured	46	21.6	3.4	14.9	28.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Pottawatomie County	25	14.1	3.0	8.2	20.0
Gender					
Men	13	17.3	4.8	7.8	26.8
Women	*	*	*	*	*
Age Group					
18 to 44 Years	12	20.1	5.6	9.2	31.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	24	12.8	2.7	7.5	18.2
Race					
White	24	13.2	2.8	7.7	18.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	20.0	5.7	8.9	31.1
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	12	33.2	8.5	16.5	50.0
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	15.9	3.8	8.5	23.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	15	12.7	3.3	6.1	19.2
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	12.7	3.5	5.9	19.5

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Pottawatomie County	22	16.5	3.6	9.4	23.6
Gender					
Men	12	20.4	5.7	9.2	31.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	12	20.1	5.6	9.2	31.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	15.0	3.3	8.6	21.5
Race					
White	21	15.5	3.4	8.9	22.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	11	23.8	6.8	10.4	37.3
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	18.0	4.3	9.5	26.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	14.7	3.9	7.1	22.4
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	14	14.7	4.2	6.5	22.8

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Pottawatomie County	26	15.1	3.1	9.1	21.2
Gender					
Men	17	21.2	5.0	11.3	31.1
Women	*	*	*	*	*
Age Group					
18 to 44 Years	13	20.2	5.4	9.6	30.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	25	13.9	2.8	8.4	19.5
Race					
White	24	14.1	2.9	8.4	19.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	15.7	3.8	8.3	23.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	9.7	2.8	4.3	15.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	16.0	3.8	8.6	23.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	12	24.3	6.5	11.6	37.0
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	15.6	3.6	8.6	22.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	16.5	3.7	9.3	23.7
Health Insurance Status					
Insured	15	9.5	2.5	4.6	14.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Pottawatomie County	19	10.9	2.7	5.6	16.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	9.6	2.4	4.9	14.3
Race					
White	18	9.9	2.5	5.1	14.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	11	31.5	8.5	14.9	48.1
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	12	11.7	3.5	4.8	18.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Pottawatomie County	37	12.5	2.4	7.7	17.2
Gender					
Men	20	15.5	4.1	7.4	23.6
Women	17	9.6	2.5	4.6	14.5
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	13.1	3.5	6.2	20.0
65 Years and Older	17	24.9	5.8	13.6	36.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	11.2	2.0	7.3	15.1
Race					
White	34	10.3	1.9	6.6	14.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	17	15.5	4.5	6.6	24.4
Some College or College Graduate	19	10.1	2.5	5.2	14.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	13	6.8	2.0	2.8	10.8
Disability Status					
Living with a Disability	25	38.9	7.6	24.0	53.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	15	16.5	4.6	7.5	25.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	18	9.1	2.3	4.6	13.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	9.8	2.7	4.6	15.0
Health Insurance Status					
Insured	31	11.0	2.1	6.8	15.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Pottawatomie County	20	6.5	1.6	3.4	9.6
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	20	6.7	1.6	3.5	9.9
Race					
White	20	6.9	1.7	3.6	10.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	16	25.3	6.4	12.7	37.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	15	5.8	1.6	2.6	9.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Pottawatomie County	16	6.1	1.7	2.7	9.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	16	6.3	1.8	2.8	9.8
Race					
White	15	5.9	1.8	2.5	9.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Pottawatomie County	37	33.8	5.7	22.7	45.0
Gender					
Men	*	*	*	*	*
Women	22	36.9	8.1	21.1	52.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	37	34.9	5.8	23.4	46.3
Race					
White	36	33.8	5.8	22.5	45.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	28.6	6.0	16.8	40.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	19	33.4	7.2	19.3	47.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	17	30.9	7.6	16.1	45.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	19	31.5	7.2	17.4	45.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	31.0	6.2	18.9	43.1
Health Insurance Status					
Insured	31	33.7	5.9	22.1	45.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Pottawatomie County	118	61.0	3.8	53.6	68.5
Gender					
Men	55	68.0	5.2	57.8	78.1
Women	63	54.3	5.4	43.7	64.8
Age Group					
18 to 44 Years	46	75.6	5.3	65.3	85.9
45 to 64 Years	39	50.4	6.3	38.0	62.8
65 Years and Older	33	46.6	6.8	33.2	60.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	115	60.3	3.8	52.8	67.8
Race					
White	114	62.2	3.8	54.7	69.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	48	69.4	6.0	57.6	81.2
Some College or College Graduate	70	55.6	4.8	46.1	65.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	69	53.4	4.8	44.0	62.9
Disability Status					
Living with a Disability	23	43.6	7.7	28.5	58.6
Living without a Disability	93	64.5	4.3	56.1	72.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	43	72.8	5.7	61.7	83.9
Overweight (25 ≤ BMI <30)	42	59.5	6.3	47.1	71.9
Obese (BMI ≥ 30)	27	44.3	7.5	29.6	59.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	87	61.7	4.3	53.2	70.2
Does not participate in leisure time physical activity	31	59.1	7.9	43.5	74.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	96	59.0	4.3	50.6	67.4
Health Insurance Status					
Insured	98	55.9	4.1	47.7	64.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Pottawatomie County	33	46.6	6.8	33.2	60.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	33	46.6	6.8	33.2	60.0
Race					
White	33	49.7	6.9	36.2	63.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>31</i>	<i>51.0</i>	<i>7.1</i>	<i>37.1</i>	<i>65.0</i>
Health Insurance Status					
Insured	<i>31</i>	<i>45.8</i>	<i>7.0</i>	<i>32.1</i>	<i>59.5</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Pottawatomie County	23	31.7	6.4	19.1	44.3
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	23	31.7	6.4	19.1	44.3
Race					
White	22	31.3	6.5	18.5	44.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>21</i>	<i>30.3</i>	<i>6.4</i>	<i>17.6</i>	<i>42.9</i>
Health Insurance Status					
Insured	<i>21</i>	<i>30.4</i>	<i>6.6</i>	<i>17.5</i>	<i>43.2</i>
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Pottawatomie County	41	20.9	3.4	14.2	27.7
Gender					
Men	27	27.4	5.1	17.3	37.5
Women	*	*	*	*	*
Age Group					
18 to 44 Years	14	22.2	5.6	11.2	33.1
45 to 64 Years	13	20.4	5.7	9.2	31.6
65 Years and Older	14	19.0	5.2	8.8	29.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	21.7	3.5	14.8	28.7
Race					
White	39	20.9	3.5	14.1	27.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	19	28.8	6.3	16.5	41.2
Some College or College Graduate	22	15.9	3.9	8.3	23.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	27	20.3	4.1	12.2	28.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	30	22.2	4.1	14.2	30.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	20	31.7	6.4	19.0	44.3
Obese (BMI ≥ 30)	14	22.8	6.5	10.1	35.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	19.9	3.9	12.2	27.6
Does not participate in leisure time physical activity	12	24.0	7.1	10.2	37.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	17.5	3.6	10.4	24.6
Health Insurance Status					
Insured	36	20.7	3.7	13.5	27.9
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Pottawatomie County	35	18.9	3.1	12.7	25.0
Gender					
Men	23	30.1	5.5	19.4	40.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	16	23.2	5.4	12.7	33.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	19.1	3.2	12.8	25.4
Race					
White	33	18.6	3.2	12.3	24.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	28.5	5.8	17.1	40.0
Some College or College Graduate	14	11.9	3.3	5.4	18.5
Annual Household Income					
Less than \$35,000 per Year	14	32.9	8.2	16.8	49.0
\$35,000 or Higher per Year	17	14.9	3.6	7.9	21.8
Disability Status					
Living with a Disability	12	22.9	6.6	10.0	35.8
Living without a Disability	22	16.8	3.5	10.0	23.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	13	21.4	5.9	9.8	33.0
Overweight (25 ≤ BMI < 30)	14	24.3	5.8	13.0	35.7
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	16.5	3.7	9.4	23.7
Does not participate in leisure time physical activity	14	31.7	7.8	16.5	47.0
Health Insurance Status					
Insured	28	17.8	3.3	11.2	24.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Pottawatomie County	15	9.3	2.8	3.9	14.7
Gender					
Men	13	13.7	3.9	6.1	21.3
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	9.6	2.8	4.1	15.2
Race					
White	15	10.0	2.9	4.2	15.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Pottawatomie County	13	13.7	3.9	6.1	21.3
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	13	14.6	4.1	6.6	22.6
Race					
White	13	15.1	4.2	6.9	23.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Pottawatomie County	34	13.3	2.5	8.4	18.1
Gender					
Men	34	27.1	4.7	17.9	36.3
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	19	30.4	6.4	17.8	42.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	34	13.7	2.5	8.7	18.7
Race					
White	33	13.5	2.6	8.5	18.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	16	13.2	3.6	6.2	20.2
Some College or College Graduate	18	13.3	3.4	6.7	20.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	24	15.1	3.4	8.5	21.7
Disability Status					
Living with a Disability	14	20.9	5.9	9.4	32.4
Living without a Disability	19	11.8	2.9	6.1	17.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	19.3	5.1	9.2	29.3
Obese (BMI ≥ 30)	16	21.7	5.7	10.5	32.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	16.9	3.4	10.2	23.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	12.4	2.8	7.0	17.8
Health Insurance Status					
Insured	32	14.7	2.8	9.2	20.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Pottawatomie County	68	29.2	3.7	22.0	36.3
Gender					
Men	30	25.4	4.6	16.4	34.3
Women	38	32.9	5.6	22.0	43.9
Age Group					
18 to 44 Years	15	23.4	5.9	11.8	35.1
45 to 64 Years	26	34.7	6.1	22.6	46.7
65 Years and Older	27	32.9	5.8	21.5	44.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	28.4	3.7	21.2	35.6
Race					
White	66	28.9	3.7	21.6	36.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	22	28.8	6.5	16.1	41.6
Some College or College Graduate	46	29.4	4.3	21.0	37.9
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	45	32.3	4.5	23.5	41.1
Disability Status					
Living with a Disability	31	57.6	8.1	41.8	73.4
Living without a Disability	35	21.2	3.7	13.9	28.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	38	23.5	3.8	16.0	31.0
Does not participate in leisure time physical activity	25	39.7	7.8	24.4	55.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	30.9	4.3	22.6	39.3
Health Insurance Status					
Insured	62	29.6	3.7	22.3	36.9
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Pottawatomie County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Pottawatomie County	153	64.7	3.8	57.1	72.2
Gender					
Men	77	68.9	5.4	58.3	79.5
Women	76	60.4	5.5	49.7	71.1
Age Group					
18 to 44 Years	40	53.1	6.5	40.3	65.8
45 to 64 Years	58	75.8	5.3	65.4	86.1
65 Years and Older	55	72.3	6.0	60.5	84.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	150	64.1	3.9	56.5	71.7
Race					
White	148	64.3	3.9	56.6	72.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	55	67.1	6.3	54.7	79.6
Some College or College Graduate	97	63.0	4.8	53.6	72.3
Annual Household Income					
Less than \$35,000 per Year	29	46.2	8.6	29.2	63.1
\$35,000 or Higher per Year	101	69.6	4.4	61.1	78.2
Disability Status					
Living with a Disability	44	80.8	6.0	69.0	92.6
Living without a Disability	105	60.1	4.5	51.3	69.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	100	61.0	4.6	51.9	70.1
Does not participate in leisure time physical activity	43	74.4	7.6	59.5	89.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	125	64.2	4.3	55.8	72.6
Health Insurance Status					
Insured	137	65.1	4.0	57.3	73.0
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>