

# 2015 Kansas Behavioral Risk Factor Surveillance System Local Data

## Reno County



January 2017



# **2015 Kansas Behavioral Risk Factor Surveillance System Local Data**

State of Kansas  
Sam Brownback, Governor

Kansas Department of Health and Environment  
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

**Report Preparation:**  
Pratik Pandya, MPH  
Advanced Epidemiologist  
Bureau of Health Promotion (BHP)

**Report Supervision:**  
Ghazala Perveen, MBBS, PhD, MPH  
Director of Science and Surveillance, Health Officer II  
Bureau of Health Promotion (BHP)

**Project Funding:**  
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment  
Bureau of Health Promotion  
January 2017**

# **Kansas Department of Health and Environment (KDHE)**


## **Mission**

To protect and improve the health and environment of all Kansans

## **Vision**

Healthy Kansans living in safe and sustainable environments

**[www.kdheks.gov](http://www.kdheks.gov)**



### Reno County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH  
Advanced Epidemiologist  
Bureau of Health Promotion  
Kansas Department of Health and Environment  
Curtis State Office Building,  
1000 SW Jackson Street, Suite 230  
Topeka, KS 66612  
Telephone: 785-296-6513  
Fax: 785-296-8059  
[Pratik.Pandya@ks.gov](mailto:Pratik.Pandya@ks.gov)

Ghazala Perveen, MBBS, PhD, MPH  
Director of Science and Surveillance/Health Officer II  
Bureau of Health Promotion  
Kansas Department of Health & Environment  
Curtis State Office Building  
1000 SW Jackson, Suite 230  
Topeka, KS 66612-1274  
Telephone: 785-296-1949  
Fax: 785-296-8059  
[Ghazala.Perveen@ks.gov](mailto:Ghazala.Perveen@ks.gov)



# Table of Contents

## **Alcohol Consumption**

Binge Drinking.....	1
Heavy Drinking.....	3

## **Arthritis**

Arthritis.....	5
Activity Limitation Due to Arthritis.....	7

<b>Asthma</b> .....	9
---------------------	---

## **Cancer**

Cancer (Excluding Skin Cancer).....	11
Skin Cancer.....	13

## **Cardiovascular Health**

Heart Attack.....	15
Coronary Heart Disease.....	17
Stroke.....	19
High Blood Pressure.....	21

## **Cholesterol**

Not Checked Cholesterol within Five Years.....	23
High Blood Cholesterol Status.....	25

<b>Chronic Obstructive Pulmonary Disease (COPD)</b> .....	27
---	----

<b>Depressive Disorder</b> .....	29
----------------------------------	----

<b>Diabetes</b> .....	31
-----------------------	----

## **Disability**

Activity Limitation Due to Physical, Mental or Emotional Problems.....	33
Disability.....	35

## **Exercise and Physical Activity**

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening).....	37
--	----

Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	39
Not Participating in Any Physical Activity .....	41
<b>Fruits and Vegetable Consumption</b>	
Consuming Fruits Less than 1 Time Per Day .....	43
Consuming Vegetables Less than 1 Time Per Day.....	45
<b>Health Care Access</b>	
Lack Health Care Coverage .....	47
Lack Health Care Coverage 18 to 64 Years Old Only .....	49
No Personal Doctor .....	51
Did Not See Doctor Due to Cost.....	53
<b>General Health</b> .....	55
<b>Healthy Days - Health Related Quality of Life</b>	
Physical Health Status.....	57
Mental Health Status .....	59
Poor Physical or Mental Health is Barrier to Usual Activities.....	61
<b>Immunization</b>	
Not Immunized Against Influenza.....	63
Not Immunized Against Influenza 65 Years and Older Only .....	65
Never Had Pneumonia Vaccination 65 Years and Older Only .....	67
<b>Seatbelt Use</b> .....	69
<b>Tobacco Use</b>	
Current Smoker .....	71
Tried Quitting Smoking .....	73
Smokeless Tobacco Use .....	75
Male Smokeless Tobacco Use .....	77
<b>Veteran Status</b> .....	79
<b>Weight Status (BMI Categories)</b>	
Obese.....	81
Overweight or Obese .....	83
<b>Technical Notes</b> .....	85

# Percentage of Adults Who Are Binge Drinkers, 2015

## Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Reno County	49	13.6	2.0	9.7	17.5
<b>Gender</b>					
Men	33	18.8	3.2	12.5	25.1
Women	16	8.3	2.3	3.9	12.7
<b>Age Group</b>					
18 to 44 Years	28	21.5	3.9	13.8	29.1
45 to 64 Years	18	11.7	2.8	6.1	17.2
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	46	13.4	2.0	9.4	17.4
<b>Race</b>					
White	44	14.0	2.1	9.8	18.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	15.2	3.4	8.5	21.8
Some College or College Graduate	29	12.5	2.4	7.8	17.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	16	12.0	3.1	6.0	18.0
\$35,000 or Higher per Year	27	15.3	3.0	9.5	21.2
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	41	16.5	2.5	11.5	21.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	16	15.5	3.9	7.7	23.2
Overweight (25 ≤ BMI < 30)	21	19.6	4.2	11.3	27.9
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	28	11.6	2.3	7.2	16.1
Does not participate in leisure time physical activity	17	17.5	4.2	9.3	25.8
<b>Smoking Status</b>					
Current smoker	20	27.3	6.0	15.5	39.0
Non-smoker	29	10.4	1.9	6.5	14.2
<b>Health Insurance Status</b>					
Insured	39	12.6	2.1	8.5	16.7
Uninsured	*	*	*	*	*

**Numerator:** Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	965	5.1	0.2	4.7	5.5
Reno County	20	4.9	1.2	2.5	7.3
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	18	4.5	1.2	2.1	6.8
<b>Race</b>					
White	17	5.0	1.3	2.4	7.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	6.9	2.0	2.9	10.8
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	16	6.1	1.7	2.9	9.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	13	<i>10.8</i>	3.2	4.5	17.1
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	15	4.2	1.3	1.8	6.7
Uninsured	*	*	*	*	*

**Numerator:** Male respondents who reported consuming an average of more than 14 drinks per week and female respondents who reported consuming an average of more than 7 drink per week during the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Doctor Diagnosed Arthritis, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Reno County	193	32.0	2.4	27.4	36.7
<b>Gender</b>					
Men	70	26.1	3.3	19.7	32.5
Women	123	37.9	3.4	31.2	44.6
<b>Age Group</b>					
18 to 44 Years	24	17.5	3.6	10.4	24.7
45 to 64 Years	77	36.6	3.9	29.1	44.2
65 Years and Older	91	51.8	4.4	43.3	60.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	189	33.0	2.4	28.2	37.7
<b>Race</b>					
White	177	32.6	2.5	27.7	37.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	65	28.8	3.8	21.3	36.2
Some College or College Graduate	127	34.5	3.0	28.6	40.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	81	38.1	4.3	29.8	46.5
\$35,000 or Higher per Year	76	27.9	3.3	21.4	34.3
<b>Disability Status</b>					
Living with a Disability	92	56.4	5.1	46.4	66.3
Living without a Disability	91	22.3	2.5	17.3	27.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	43	23.6	3.9	15.9	31.3
Overweight (25 ≤ BMI <30)	57	33.3	4.5	24.5	42.0
Obese (BMI ≥ 30)	75	37.2	4.2	28.9	45.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	111	28.8	2.9	23.2	34.4
Does not participate in leisure time physical activity	57	37.1	5.0	27.3	46.9
<b>Smoking Status</b>					
Current smoker	34	35.9	6.1	24.0	47.9
Non-smoker	145	30.5	2.6	25.3	35.6
<b>Health Insurance Status</b>					
Insured	183	35.8	2.6	30.7	40.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Reno County	76	44.9	4.7	35.8	54.1
<b>Gender</b>					
Men	28	42.6	7.6	27.6	57.5
Women	48	46.5	5.9	35.0	58.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	32	54.3	7.1	40.4	68.2
65 Years and Older	34	37.0	6.1	25.0	48.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	75	45.6	4.7	36.4	54.8
<b>Race</b>					
White	70	45.1	4.9	35.5	54.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	23	41.8	8.2	25.8	57.9
Some College or College Graduate	53	47.2	5.6	36.3	58.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	34	46.6	7.4	32.1	61.1
\$35,000 or Higher per Year	31	42.7	6.9	29.1	56.3
<b>Disability Status</b>					
Living with a Disability	57	72.6	5.9	61.0	84.2
Living without a Disability	18	17.6	4.5	8.8	26.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	29	57.1	8.5	40.4	73.8
Obese (BMI ≥ 30)	34	45.4	7.2	31.3	59.5
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	48	44.7	5.7	33.6	55.9
Does not participate in leisure time physical activity	28	45.3	8.2	29.3	61.3
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	59	42.5	5.1	32.5	52.4
<b>Health Insurance Status</b>					
Insured	75	47.2	4.8	37.9	56.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

**Denominator:** Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Current Asthma, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Reno County	59	12.3	1.9	8.6	15.9
<b>Gender</b>					
Men	22	10.1	2.4	5.4	14.8
Women	37	14.4	2.9	8.8	20.0
<b>Age Group</b>					
18 to 44 Years	17	14.0	3.5	7.0	20.9
45 to 64 Years	22	11.0	2.5	6.1	15.9
65 Years and Older	20	11.3	3.2	5.1	17.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	58	12.9	2.0	9.0	16.8
<b>Race</b>					
White	52	11.3	1.8	7.7	14.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	17	11.2	3.2	4.9	17.5
Some College or College Graduate	42	13.1	2.2	8.8	17.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	26	14.1	3.1	8.1	20.1
\$35,000 or Higher per Year	23	11.2	2.8	5.8	16.6
<b>Disability Status</b>					
Living with a Disability	29	24.8	5.0	15.0	34.5
Living without a Disability	28	7.7	1.6	4.4	10.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	19	10.7	2.8	5.2	16.1
Obese (BMI ≥ 30)	23	16.0	3.8	8.6	23.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	37	11.7	2.3	7.2	16.2
Does not participate in leisure time physical activity	15	13.7	3.9	6.0	21.4
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	47	12.3	2.2	8.0	16.5
<b>Health Insurance Status</b>					
Insured	55	13.2	2.1	9.1	17.4
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Reno County	53	8.6	1.4	5.9	11.3
<b>Gender</b>					
Men	19	5.9	1.4	3.0	8.7
Women	34	11.4	2.3	6.9	15.9
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	14	7.3	2.0	3.3	11.3
65 Years and Older	34	20.2	3.7	12.8	27.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	51	8.7	1.4	6.0	11.5
<b>Race</b>					
White	51	8.9	1.4	6.1	11.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	22	10.2	2.5	5.4	15.1
Some College or College Graduate	30	7.2	1.5	4.3	10.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	24	10.0	2.3	5.5	14.6
\$35,000 or Higher per Year	17	5.5	1.5	2.5	8.5
<b>Disability Status</b>					
Living with a Disability	23	13.0	3.3	6.6	19.5
Living without a Disability	29	6.9	1.4	4.1	9.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	19	8.6	2.3	4.2	13.1
Overweight (25 ≤ BMI < 30)	14	6.8	2.0	3.0	10.7
Obese (BMI ≥ 30)	16	9.7	2.7	4.4	14.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	32	7.2	1.4	4.5	10.0
Does not participate in leisure time physical activity	19	13.6	3.6	6.4	20.7
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	46	8.9	1.5	5.9	11.9
<b>Health Insurance Status</b>					
Insured	50	9.8	1.6	6.7	12.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Reno County	44	6.1	1.0	4.1	8.2
<b>Gender</b>					
Men	20	6.9	1.7	3.6	10.1
Women	24	5.4	1.2	3.1	7.7
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	17	9.4	2.4	4.8	14.1
65 Years and Older	25	11.9	2.5	7.0	16.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	44	6.6	1.1	4.4	8.8
<b>Race</b>					
White	42	6.6	1.1	4.4	8.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	22	7.5	1.7	4.1	10.9
Some College or College Graduate	22	5.1	1.3	2.7	7.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	15	5.2	1.5	2.4	8.1
\$35,000 or Higher per Year	21	7.2	1.7	3.8	10.7
<b>Disability Status</b>					
Living with a Disability	20	8.8	2.2	4.6	13.0
Living without a Disability	23	5.4	1.2	3.0	7.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	8.2	2.4	3.6	12.8
Obese (BMI ≥ 30)	14	5.8	1.7	2.5	9.1
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	24	5.4	1.2	3.0	7.7
Does not participate in leisure time physical activity	15	8.4	2.4	3.7	13.2
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	38	7.0	1.3	4.6	9.5
<b>Health Insurance Status</b>					
Insured	42	6.9	1.2	4.6	9.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults Who had a Heart Attack, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,263	4.0	0.1	3.7	4.2
Reno County	24	4.2	1.0	2.2	6.1
<b>Gender</b>					
Men	14	4.7	1.4	2.0	7.4
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	16	10.4	2.8	4.9	15.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	24	4.5	1.1	2.4	6.5
<b>Race</b>					
White	21	4.2	1.1	2.1	6.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	4.5	1.2	2.1	6.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	16	10.4	3.0	4.6	16.2
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	16	3.5	1.0	1.5	5.5
<b>Health Insurance Status</b>					
Insured	22	4.2	1.0	2.2	6.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who had Angina or Coronary Heart Disease, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,274	3.8	0.1	3.6	4.0
Reno County	25	4.1	0.9	2.3	5.8
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	19	12.3	2.9	6.5	18.0
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	4.4	1.0	2.5	6.3
<b>Race</b>					
White	23	4.1	1.0	2.2	5.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	17	4.3	1.2	2.0	6.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	16	8.3	2.3	3.8	12.7
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	20	3.9	0.9	2.0	5.7
<b>Health Insurance Status</b>					
Insured	25	4.9	1.1	2.8	7.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Had a Stroke, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	907	3.0	0.1	2.8	3.3
Reno County	19	3.2	0.9	1.5	5.0
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	19	3.5	1.0	1.6	5.3
<b>Race</b>					
White	18	3.5	1.0	1.5	5.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	18	4.1	1.2	1.8	6.4
<b>Health Insurance Status</b>					
Insured	18	3.7	1.1	1.6	5.7
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they had a stroke.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

## Percentage of Adults with Diagnosed Hypertension, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Reno County	219	35.1	2.4	30.4	39.8
<b>Gender</b>					
Men	102	36.6	3.6	29.6	43.6
Women	117	33.7	3.2	27.3	40.0
<b>Age Group</b>					
18 to 44 Years	22	15.2	3.3	8.7	21.7
45 to 64 Years	80	38.0	3.9	30.3	45.7
65 Years and Older	115	65.4	4.1	57.4	73.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	213	35.5	2.5	30.7	40.3
<b>Race</b>					
White	203	35.7	2.5	30.7	40.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	74	32.5	3.9	24.9	40.1
Some College or College Graduate	144	37.2	3.1	31.2	43.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	80	34.5	4.0	26.6	42.4
\$35,000 or Higher per Year	94	31.7	3.4	25.1	38.3
<b>Disability Status</b>					
Living with a Disability	74	43.5	4.9	33.9	53.1
Living without a Disability	135	31.7	2.8	26.2	37.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	32	19.0	3.7	11.7	26.4
Overweight (25 ≤ BMI < 30)	76	39.0	4.5	30.1	47.8
Obese (BMI ≥ 30)	96	45.5	4.4	37.0	54.1
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	130	31.6	2.9	25.9	37.2
Does not participate in leisure time physical activity	65	42.5	5.1	32.5	52.6
<b>Smoking Status</b>					
Current smoker	27	23.9	4.9	14.3	33.4
Non-smoker	176	37.2	2.8	31.7	42.7
<b>Health Insurance Status</b>					
Insured	208	38.7	2.6	33.6	43.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked  
Within the Past Five Years, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Reno County	85	24.5	2.6	19.4	29.5
<b>Gender</b>					
Men	45	25.4	3.7	18.2	32.7
Women	40	23.5	3.6	16.4	30.5
<b>Age Group</b>					
18 to 44 Years	56	45.9	4.9	36.2	55.5
45 to 64 Years	19	11.7	2.8	6.3	17.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	78	23.4	2.6	18.3	28.5
<b>Race</b>					
White	75	23.3	2.6	18.2	28.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	40	32.7	4.6	23.7	41.7
Some College or College Graduate	44	18.2	2.7	12.8	23.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	40	31.6	4.6	22.5	40.7
\$35,000 or Higher per Year	36	20.9	3.5	14.0	27.7
<b>Disability Status</b>					
Living with a Disability	21	23.3	5.2	13.0	33.6
Living without a Disability	61	25.1	3.0	19.2	31.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	31	37.6	5.6	26.6	48.5
Overweight (25 ≤ BMI < 30)	22	17.9	4.0	10.1	25.7
Obese (BMI ≥ 30)	25	20.5	4.2	12.3	28.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	59	25.9	3.2	19.6	32.2
Does not participate in leisure time physical activity	20	23.1	5.2	12.9	33.3
<b>Smoking Status</b>					
Current smoker	20	33.5	6.8	20.2	46.8
Non-smoker	63	23.0	2.8	17.5	28.6
<b>Health Insurance Status</b>					
Insured	55	18.1	2.5	13.3	23.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had not checked their blood cholesterol in the past five years.

**Denominator:** All respondents excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Reno County	164	35.2	2.7	29.9	40.5
<b>Gender</b>					
Men	72	34.0	3.9	26.4	41.7
Women	92	36.4	3.7	29.2	43.7
<b>Age Group</b>					
18 to 44 Years	15	14.3	4.0	6.5	22.2
45 to 64 Years	62	34.3	4.1	26.3	42.3
65 Years and Older	84	56.4	4.5	47.5	65.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	160	36.2	2.8	30.8	41.6
<b>Race</b>					
White	151	35.6	2.8	30.1	41.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	49	33.9	4.7	24.8	43.0
Some College or College Graduate	114	36.0	3.3	29.5	42.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	58	38.8	5.0	28.9	48.6
\$35,000 or Higher per Year	72	31.2	3.6	24.0	38.3
<b>Disability Status</b>					
Living with a Disability	56	47.0	5.4	36.4	57.6
Living without a Disability	100	30.8	3.1	24.7	36.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	26	23.5	4.8	14.2	32.8
Overweight (25 ≤ BMI <30)	58	41.1	5.1	31.0	51.1
Obese (BMI ≥ 30)	69	40.6	4.6	31.6	49.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	100	33.1	3.3	26.7	39.5
Does not participate in leisure time physical activity	44	41.9	6.0	30.1	53.6
<b>Smoking Status</b>					
Current smoker	19	32.7	7.2	18.5	46.8
Non-smoker	133	36.0	3.0	30.1	42.0
<b>Health Insurance Status</b>					
Insured	161	38.3	2.8	32.7	43.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

**Denominator:** Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease  
(COPD), Emphysema or Chronic Bronchitis, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Reno County	39	7.6	1.3	5.0	10.3
<b>Gender</b>					
Men	19	6.4	1.5	3.3	9.4
Women	20	8.9	2.2	4.6	13.2
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	21	11.1	2.5	6.2	16.0
65 Years and Older	13	9.2	2.7	3.9	14.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	38	8.1	1.4	5.3	11.0
<b>Race</b>					
White	35	7.7	1.4	4.9	10.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	20	9.8	2.4	5.0	14.6
Some College or College Graduate	19	6.0	1.5	3.1	9.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	24	12.9	2.8	7.4	18.4
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	29	20.2	3.9	12.7	27.8
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	18	9.5	2.4	4.7	14.2
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	19	5.7	1.5	2.7	8.6
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	26	5.6	1.2	3.2	8.0
<b>Health Insurance Status</b>					
Insured	35	8.2	1.5	5.2	11.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,  
2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Reno County	122	25.5	2.3	20.9	30.0
<b>Gender</b>					
Men	42	18.3	2.9	12.5	24.1
Women	80	32.6	3.5	25.7	39.5
<b>Age Group</b>					
18 to 44 Years	43	29.6	4.3	21.2	38.0
45 to 64 Years	47	23.9	3.5	17.0	30.8
65 Years and Older	30	19.4	3.7	12.2	26.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	119	26.2	2.4	21.4	30.9
<b>Race</b>					
White	110	24.9	2.4	20.2	29.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	40	23.1	3.8	15.7	30.5
Some College or College Graduate	82	27.4	3.0	21.6	33.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	51	32.2	4.2	24.0	40.5
\$35,000 or Higher per Year	52	22.4	3.3	15.8	28.9
<b>Disability Status</b>					
Living with a Disability	58	44.2	5.0	34.3	54.0
Living without a Disability	57	17.9	2.5	13.1	22.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	22	19.1	4.1	11.1	27.1
Overweight (25 ≤ BMI <30)	36	25.8	4.4	17.2	34.4
Obese (BMI ≥ 30)	53	30.2	4.2	22.0	38.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	70	22.3	2.8	16.7	27.8
Does not participate in leisure time physical activity	38	34.8	5.1	24.8	44.8
<b>Smoking Status</b>					
Current smoker	27	38.4	6.3	26.0	50.7
Non-smoker	86	22.1	2.5	17.2	27.1
<b>Health Insurance Status</b>					
Insured	110	26.1	2.5	21.1	31.0
Uninsured	12	23.5	6.4	11.0	36.0

**Numerator:** Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults with Diagnosed Diabetes, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Reno County	78	12.0	1.5	9.0	14.9
<b>Gender</b>					
Men	36	12.8	2.3	8.3	17.2
Women	42	11.2	1.9	7.4	15.0
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	31	14.4	2.7	9.0	19.7
65 Years and Older	41	22.9	3.5	15.9	29.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	76	12.4	1.6	9.3	15.5
<b>Race</b>					
White	72	12.3	1.6	9.1	15.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	28	11.4	2.3	6.9	15.9
Some College or College Graduate	50	12.5	2.0	8.6	16.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	35	13.5	2.5	8.5	18.4
\$35,000 or Higher per Year	27	9.4	2.1	5.3	13.5
<b>Disability Status</b>					
Living with a Disability	29	15.3	3.1	9.1	21.5
Living without a Disability	46	10.6	1.7	7.2	13.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	20	9.8	2.4	5.0	14.5
Obese (BMI ≥ 30)	46	20.2	3.2	13.9	26.5
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	46	10.1	1.6	6.9	13.3
Does not participate in leisure time physical activity	25	16.2	3.6	9.1	23.3
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	64	12.3	1.7	9.0	15.7
<b>Health Insurance Status</b>					
Insured	74	13.3	1.7	10.0	16.6
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,  
Mental or Emotional Problems, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Reno County	137	25.9	2.3	21.3	30.5
<b>Gender</b>					
Men	58	22.6	3.1	16.5	28.8
Women	79	29.2	3.4	22.4	35.9
<b>Age Group</b>					
18 to 44 Years	31	21.7	4.0	14.0	29.5
45 to 64 Years	55	28.2	3.7	20.9	35.5
65 Years and Older	51	31.1	4.2	22.8	39.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	134	27.2	2.4	22.4	32.0
<b>Race</b>					
White	124	25.2	2.4	20.5	29.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	52	27.5	4.0	19.8	35.3
Some College or College Graduate	85	24.8	2.8	19.3	30.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	67	33.1	4.1	25.1	41.1
\$35,000 or Higher per Year	49	19.6	3.2	13.4	25.8
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	31	20.0	4.0	12.1	27.9
Overweight (25 ≤ BMI < 30)	41	27.0	4.3	18.5	35.4
Obese (BMI ≥ 30)	58	30.9	4.2	22.8	39.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	76	22.9	2.8	17.4	28.4
Does not participate in leisure time physical activity	52	34.4	4.9	24.7	44.0
<b>Smoking Status</b>					
Current smoker	31	33.5	5.9	21.9	45.0
Non-smoker	103	24.0	2.6	19.0	29.0
<b>Health Insurance Status</b>					
Insured	124	27.2	2.5	22.3	32.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Who Reported Living with a Disability, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Reno County	152	28.4	2.4	23.7	33.1
<b>Gender</b>					
Men	61	24.4	3.3	18.0	30.8
Women	91	32.4	3.5	25.6	39.2
<b>Age Group</b>					
18 to 44 Years	32	23.3	4.1	15.2	31.3
45 to 64 Years	56	28.5	3.8	21.2	35.9
65 Years and Older	64	38.1	4.4	29.5	46.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	149	29.9	2.5	24.9	34.8
<b>Race</b>					
White	139	27.9	2.5	23.1	32.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	57	30.4	4.1	22.4	38.5
Some College or College Graduate	93	26.6	2.9	21.0	32.2
<b>Annual Household Income</b>					
Less than \$35,000 per Year	73	35.5	4.2	27.3	43.6
\$35,000 or Higher per Year	53	20.3	3.2	14.1	26.5
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	37	24.9	4.5	16.1	33.6
Overweight (25 ≤ BMI < 30)	44	27.7	4.3	19.3	36.2
Obese (BMI ≥ 30)	63	33.1	4.2	24.9	41.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	<i>86</i>	<i>25.3</i>	<i>2.9</i>	<i>19.7</i>	<i>31.0</i>
Does not participate in leisure time physical activity	<i>57</i>	<i>37.3</i>	<i>5.0</i>	<i>27.5</i>	<i>47.2</i>
<b>Smoking Status</b>					
Current smoker	<i>32</i>	<i>34.1</i>	<i>5.9</i>	<i>22.5</i>	<i>45.6</i>
Non-smoker	<i>117</i>	<i>26.9</i>	<i>2.7</i>	<i>21.7</i>	<i>32.1</i>
<b>Health Insurance Status</b>					
Insured	<i>139</i>	<i>30.3</i>	<i>2.6</i>	<i>25.1</i>	<i>35.4</i>
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Reno County	361	81.4	2.3	76.9	85.8
<b>Gender</b>					
Men	164	80.9	3.4	74.3	87.5
Women	197	81.8	3.1	75.8	87.8
<b>Age Group</b>					
18 to 44 Years	100	79.2	4.2	71.0	87.4
45 to 64 Years	132	83.0	3.3	76.5	89.6
65 Years and Older	127	82.9	3.4	76.3	89.5
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	350	82.8	2.2	78.6	87.1
<b>Race</b>					
White	334	82.1	2.3	77.7	86.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	125	86.8	3.5	79.9	93.7
Some College or College Graduate	235	77.6	3.0	71.8	83.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	128	83.9	4.0	76.0	91.7
\$35,000 or Higher per Year	177	80.6	3.1	74.6	86.7
<b>Disability Status</b>					
Living with a Disability	114	81.8	4.1	73.7	89.9
Living without a Disability	246	81.2	2.7	75.8	86.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	87	76.6	4.4	68.0	85.3
Overweight (25 ≤ BMI < 30)	116	79.8	4.3	71.4	88.2
Obese (BMI ≥ 30)	139	87.4	3.6	80.3	94.5
<b>Smoking Status</b>					
Current smoker	57	73.9	6.2	61.8	86.1
Non-smoker	301	83.3	2.4	78.6	87.9
<b>Health Insurance Status</b>					
Insured	322	81.6	2.3	77.2	86.1
Uninsured	*	*	*	*	*

**Numerator:** Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

**Denominator:** All respondents, excluding unknowns and refusals.

**Not participating in the recommended level of physical activity** referred to not participating in aerobic and strengthening exercises according to guidelines.

**Participating in insufficient level of recommended physical activity** referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Reno County	189	43.3	2.8	37.8	48.9
<b>Gender</b>					
Men	83	41.6	4.1	33.5	49.6
Women	106	45.1	3.9	37.5	52.7
<b>Age Group</b>					
18 to 44 Years	50	40.2	4.9	30.6	49.9
45 to 64 Years	75	48.0	4.5	39.2	56.9
65 Years and Older	62	41.9	4.7	32.8	51.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	184	44.1	2.9	38.5	49.8
<b>Race</b>					
White	174	43.6	2.9	37.8	49.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	73	49.5	4.9	39.9	59.1
Some College or College Graduate	115	38.9	3.4	32.3	45.5
<b>Annual Household Income</b>					
Less than \$35,000 per Year	75	51.6	5.0	41.8	61.3
\$35,000 or Higher per Year	86	38.7	3.9	31.2	46.3
<b>Disability Status</b>					
Living with a Disability	70	47.4	5.3	37.0	57.8
Living without a Disability	119	41.7	3.4	35.1	48.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	39	37.9	5.5	27.1	48.7
Overweight (25 ≤ BMI <30)	54	37.0	4.8	27.6	46.5
Obese (BMI ≥ 30)	86	53.8	4.9	44.2	63.3
<b>Smoking Status</b>					
Current smoker	35	45.5	6.8	32.2	58.7
Non-smoker	153	42.8	3.1	36.7	49.0
<b>Health Insurance Status</b>					
Insured	166	42.2	2.9	36.5	48.0
Uninsured	*	*	*	*	*

**Numerator:** Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

**Denominator:** All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Reno County	127	29.0	2.6	24.0	34.1
<b>Gender</b>					
Men	57	28.5	3.7	21.2	35.8
Women	70	29.6	3.5	22.7	36.5
<b>Age Group</b>					
18 to 44 Years	30	25.5	4.3	17.1	34.0
45 to 64 Years	49	32.1	4.2	23.8	40.3
65 Years and Older	46	30.5	4.4	21.8	39.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	124	30.2	2.7	25.0	35.5
<b>Race</b>					
White	117	29.4	2.7	24.2	34.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	61	38.3	4.5	29.4	47.2
Some College or College Graduate	65	22.2	2.9	16.5	27.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	53	35.1	4.6	26.0	44.2
\$35,000 or Higher per Year	52	23.9	3.3	17.4	30.4
<b>Disability Status</b>					
Living with a Disability	57	37.5	5.0	27.8	47.3
Living without a Disability	69	25.5	3.0	19.7	31.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	29	28.1	5.2	17.8	38.3
Overweight (25 ≤ BMI <30)	35	25.0	4.3	16.6	33.3
Obese (BMI ≥ 30)	56	34.4	4.4	25.7	43.1
<b>Smoking Status</b>					
Current smoker	33	44.6	6.7	31.5	57.7
Non-smoker	94	25.3	2.7	20.0	30.5
<b>Health Insurance Status</b>					
Insured	110	28.8	2.7	23.5	34.1
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,  
2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Reno County	194	46.6	2.8	41.0	52.1
<b>Gender</b>					
Men	104	52.0	4.1	43.9	60.1
Women	90	41.3	3.8	33.7	48.8
<b>Age Group</b>					
18 to 44 Years	71	56.3	4.9	46.6	65.9
45 to 64 Years	67	40.5	4.3	32.1	49.0
65 Years and Older	55	37.0	4.5	28.2	45.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	188	47.7	2.9	42.1	53.4
<b>Race</b>					
White	178	46.4	2.9	40.7	52.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	70	50.2	4.8	40.7	59.6
Some College or College Graduate	123	44.1	3.4	37.4	50.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	73	50.8	4.9	41.2	60.3
\$35,000 or Higher per Year	95	47.8	3.9	40.1	55.6
<b>Disability Status</b>					
Living with a Disability	63	48.6	5.3	38.3	58.9
Living without a Disability	131	45.8	3.3	39.3	52.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	39	41.9	5.5	31.1	52.7
Overweight (25 ≤ BMI <30)	67	47.9	5.0	38.1	57.6
Obese (BMI ≥ 30)	79	52.9	4.7	43.6	62.1
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	128	43.6	3.3	37.1	50.2
Does not participate in leisure time physical activity	63	55.0	5.4	44.3	65.7
<b>Smoking Status</b>					
Current smoker	37	47.8	6.7	34.7	60.9
Non-smoker	156	46.3	3.1	40.2	52.4
<b>Health Insurance Status</b>					
Insured	172	47.1	3.0	41.4	52.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they consumed fruit less than 1 time per day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time  
Per Day, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Reno County	90	23.0	2.5	18.1	27.8
<b>Gender</b>					
Men	50	27.0	3.7	19.7	34.3
Women	40	18.9	3.2	12.6	25.3
<b>Age Group</b>					
18 to 44 Years	30	24.5	4.3	16.1	32.9
45 to 64 Years	30	20.7	3.8	13.2	28.2
65 Years and Older	30	24.0	4.5	15.2	32.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	87	23.5	2.6	18.5	28.5
<b>Race</b>					
White	85	23.6	2.6	18.5	28.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	36	27.8	4.5	19.0	36.5
Some College or College Graduate	53	19.5	2.8	14.1	25.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	32	21.6	4.0	13.7	29.5
\$35,000 or Higher per Year	44	22.6	3.4	15.9	29.4
<b>Disability Status</b>					
Living with a Disability	28	21.0	4.4	12.5	29.5
Living without a Disability	62	23.7	3.0	17.9	29.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	19	22.4	5.0	12.6	32.2
Overweight (25 ≤ BMI < 30)	30	25.2	4.6	16.1	34.3
Obese (BMI ≥ 30)	36	23.1	4.0	15.3	30.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	60	21.3	2.8	15.8	26.8
Does not participate in leisure time physical activity	29	27.5	5.1	17.6	37.5
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	83	26.3	2.9	20.7	31.9
<b>Health Insurance Status</b>					
Insured	78	22.1	2.6	17.1	27.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they consumed vegetables less than 1 time per day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults Who Lack Health Care Coverage, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Reno County	53	16.2	2.3	11.7	20.6
<b>Gender</b>					
Men	32	20.8	3.6	13.7	27.8
Women	21	11.6	2.6	6.4	16.8
<b>Age Group</b>					
18 to 44 Years	30	26.2	4.4	17.4	34.9
45 to 64 Years	21	15.2	3.3	8.7	21.6
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	47	14.6	2.2	10.3	18.9
<b>Race</b>					
White	47	15.7	2.3	11.2	20.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	33	24.8	4.7	16.8	32.7
Some College or College Graduate	20	9.7	2.4	5.0	14.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	31	26.7	4.5	17.9	35.6
\$35,000 or Higher per Year	14	7.9	2.2	3.5	12.3
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	41	19.1	2.9	13.4	24.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	20	24.3	5.7	14.4	34.2
Overweight (25 ≤ BMI <30)	12	12.8	3.7	5.5	20.1
Obese (BMI ≥ 30)	19	14.6	3.6	7.5	21.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	29	15.4	2.9	9.8	21.0
Does not participate in leisure time physical activity	17	17.3	4.4	8.6	26.0
<b>Smoking Status</b>					
Current smoker	15	23.5	5.9	11.8	35.1
Non-smoker	38	15.3	2.5	10.4	20.3

**Numerator:** Respondents who reported they had no health care coverage.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,  
2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Reno County	51	21.3	2.9	15.6	27.1
<b>Gender</b>					
Men	30	26.6	4.5	17.8	35.4
Women	21	15.8	3.5	8.9	22.8
<b>Age Group</b>					
18 to 44 Years	30	26.2	4.4	17.4	34.9
45 to 64 Years	21	15.2	3.3	8.7	21.6
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	45	19.4	2.8	13.8	25.0
<b>Race</b>					
White	45	20.9	3.0	15.0	26.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	31	31.4	5.0	21.6	41.3
Some College or College Graduate	20	13.2	3.2	7.0	19.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	31	36.1	5.7	25.0	47.2
\$35,000 or Higher per Year	12	9.1	2.7	3.8	14.5
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	40	24.4	3.6	17.3	31.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	19	30.2	6.7	18.3	42.2
Overweight (25 ≤ BMI < 30)	12	18.3	5.2	8.2	28.5
Obese (BMI ≥ 30)	18	19.0	4.7	9.8	28.2
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	29	20.5	3.7	13.3	27.7
Does not participate in leisure time physical activity	15	22.6	5.8	11.2	34.1
<b>Smoking Status</b>					
Current smoker	14	27.4	6.9	14.0	40.9
Non-smoker	37	20.8	3.3	14.2	27.4

**Numerator:** Respondents ages 18-64 years old who reported they had no health care coverage.

**Denominator:** All respondents ages 18-64 years old, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults with No Personal Doctor or Health Care Provider, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Reno County	59	16.9	2.2	12.6	21.2
<b>Gender</b>					
Men	38	23.6	3.6	16.6	30.6
Women	21	10.2	2.4	5.5	14.8
<b>Age Group</b>					
18 to 44 Years	40	30.7	4.4	22.1	39.4
45 to 64 Years	13	8.1	2.3	3.5	12.7
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	54	16.3	2.2	11.9	20.7
<b>Race</b>					
White	53	16.9	2.3	12.4	21.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	25	21.5	4.0	13.7	29.3
Some College or College Graduate	33	13.2	2.3	8.6	17.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	33	25.5	4.2	17.2	33.8
\$35,000 or Higher per Year	15	8.6	2.3	4.0	13.1
<b>Disability Status</b>					
Living with a Disability	15	12.6	3.4	6.0	19.3
Living without a Disability	43	18.5	2.8	13.1	23.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	22	24.9	5.0	15.1	34.8
Overweight (25 ≤ BMI < 30)	18	16.9	3.9	9.2	24.5
Obese (BMI ≥ 30)	15	11.4	3.1	5.4	17.4
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	37	16.2	2.6	11.0	21.4
Does not participate in leisure time physical activity	16	16.8	4.4	8.1	25.5
<b>Smoking Status</b>					
Current smoker	21	33.1	6.4	20.6	45.6
Non-smoker	37	13.0	2.2	8.8	17.3
<b>Health Insurance Status</b>					
Insured	36	12.0	2.0	8.0	16.0
Uninsured	23	42.8	7.8	27.6	58.0

**Numerator:** Respondents who reported they had no personal doctor or health care provider.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Reno County	41	10.6	1.9	7.0	14.2
<b>Gender</b>					
Men	22	11.5	2.6	6.4	16.6
Women	19	9.7	2.7	4.5	14.9
<b>Age Group</b>					
18 to 44 Years	20	16.2	3.8	8.9	23.6
45 to 64 Years	20	11.1	2.6	6.0	16.1
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	39	10.8	1.9	7.0	14.6
<b>Race</b>					
White	34	9.7	1.8	6.2	13.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	15	11.2	3.2	4.8	17.5
Some College or College Graduate	26	10.2	2.1	6.0	14.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	28	20.5	3.9	12.9	28.2
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	18	14.3	4.0	6.5	22.1
Living without a Disability	22	9.3	2.1	5.2	13.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	14	14.6	4.7	6.7	22.6
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	16	11.7	3.3	5.2	18.2
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	23	10.0	2.3	5.5	14.5
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	17	23.0	5.8	11.5	34.4
Non-smoker	22	7.6	1.8	4.0	11.3
<b>Health Insurance Status</b>					
Insured	26	7.0	1.6	3.8	10.2
Uninsured	15	29.8	7.3	15.6	44.0

**Numerator:** Respondents who reported they could not see a doctor because of cost in the past 12 months.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

## Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Reno County	87	18.1	2.1	14.0	22.2
<b>Gender</b>					
Men	51	21.1	3.0	15.1	27.1
Women	36	15.0	2.9	9.3	20.7
<b>Age Group</b>					
18 to 44 Years	23	17.2	3.7	10.0	24.4
45 to 64 Years	40	21.1	3.4	14.5	27.7
65 Years and Older	24	16.1	3.5	9.1	23.0
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	85	19.0	2.2	14.7	23.4
<b>Race</b>					
White	76	17.2	2.1	13.1	21.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	34	20.7	3.7	13.4	28.0
Some College or College Graduate	53	16.1	2.4	11.5	20.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	50	27.9	3.9	20.2	35.6
\$35,000 or Higher per Year	23	9.9	2.5	4.9	14.9
<b>Disability Status</b>					
Living with a Disability	57	42.9	5.1	33.0	52.9
Living without a Disability	28	8.8	1.7	5.4	12.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	14	12.2	3.6	5.2	19.3
Overweight (25 ≤ BMI < 30)	25	14.8	3.3	8.3	21.2
Obese (BMI ≥ 30)	42	26.6	4.1	18.5	34.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	42	13.3	2.4	8.7	18.0
Does not participate in leisure time physical activity	32	26.5	4.7	17.2	35.8
<b>Smoking Status</b>					
Current smoker	22	23.0	5.0	13.1	32.9
Non-smoker	62	17.4	2.4	12.6	22.1
<b>Health Insurance Status</b>					
Insured	76	18.6	2.3	14.1	23.2
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that in general their health is fair or poor.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Reno County	61	10.1	1.4	7.3	12.8
<b>Gender</b>					
Men	31	10.7	2.1	6.7	14.8
Women	30	9.4	1.9	5.6	13.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	29	14.2	2.7	8.8	19.6
65 Years and Older	21	12.6	2.9	7.0	18.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	59	10.4	1.5	7.5	13.2
<b>Race</b>					
White	53	9.9	1.5	7.0	12.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	21	8.8	2.1	4.7	12.9
Some College or College Graduate	40	11.1	1.9	7.4	14.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	33	15.8	2.9	10.0	21.5
\$35,000 or Higher per Year	20	6.4	1.6	3.3	9.5
<b>Disability Status</b>					
Living with a Disability	47	28.0	4.2	19.8	36.3
Living without a Disability	13	3.4	1.0	1.4	5.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	21	10.1	2.5	5.2	14.9
Obese (BMI ≥ 30)	25	12.6	2.7	7.4	17.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	29	7.2	1.5	4.3	10.1
Does not participate in leisure time physical activity	24	14.6	3.3	8.2	21.0
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	48	10.7	1.7	7.4	13.9
<b>Health Insurance Status</b>					
Insured	55	10.5	1.5	7.5	13.5
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14  
or More Days in the Past 30 Days, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Reno County	47	12.1	1.9	8.3	15.9
<b>Gender</b>					
Men	21	9.3	2.2	4.9	13.7
Women	26	14.9	3.1	8.8	21.0
<b>Age Group</b>					
18 to 44 Years	22	17.7	3.8	10.2	25.2
45 to 64 Years	16	10.0	2.7	4.8	15.3
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	46	12.6	2.0	8.6	16.5
<b>Race</b>					
White	43	11.5	1.9	7.9	15.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	19	14.9	3.6	7.9	21.9
Some College or College Graduate	28	10.0	2.1	6.0	14.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	23	16.2	3.4	9.5	23.0
\$35,000 or Higher per Year	17	9.9	2.8	4.3	15.4
<b>Disability Status</b>					
Living with a Disability	27	25.6	4.9	15.9	35.2
Living without a Disability	18	6.5	1.7	3.2	9.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	11	12.3	3.6	5.1	19.4
Overweight (25 ≤ BMI < 30)	15	11.8	3.4	5.2	18.5
Obese (BMI ≥ 30)	17	13.5	3.6	6.4	20.6
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	22	8.3	2.1	4.2	12.5
Does not participate in leisure time physical activity	19	20.7	4.6	11.6	29.7
<b>Smoking Status</b>					
Current smoker	15	24.0	5.9	12.5	35.5
Non-smoker	30	9.0	1.9	5.3	12.8
<b>Health Insurance Status</b>					
Insured	42	12.7	2.2	8.5	16.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Reno County	104	39.6	3.7	32.4	46.8
<b>Gender</b>					
Men	41	36.2	5.3	25.9	46.5
Women	63	42.4	5.0	32.6	52.1
<b>Age Group</b>					
18 to 44 Years	30	33.9	5.8	22.5	45.3
45 to 64 Years	48	54.2	5.9	42.6	65.7
65 Years and Older	25	32.6	6.0	20.8	44.4
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	102	40.4	3.7	33.0	47.7
<b>Race</b>					
White	95	39.2	3.7	31.9	46.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	37	39.3	6.2	27.1	51.5
Some College or College Graduate	67	39.8	4.4	31.2	48.4
<b>Annual Household Income</b>					
Less than \$35,000 per Year	44	43.2	5.8	31.9	54.5
\$35,000 or Higher per Year	42	37.2	5.7	26.1	48.2
<b>Disability Status</b>					
Living with a Disability	63	58.7	5.8	47.4	70.1
Living without a Disability	35	22.9	4.0	15.1	30.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	22	35.2	7.3	20.8	49.6
Overweight (25 ≤ BMI < 30)	25	30.8	6.1	18.9	42.7
Obese (BMI ≥ 30)	49	51.5	5.9	39.9	63.1
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	58	35.4	4.5	26.6	44.2
Does not participate in leisure time physical activity	33	42.5	7.0	28.7	56.3
<b>Smoking Status</b>					
Current smoker	23	39.5	7.6	24.5	54.4
Non-smoker	75	38.0	4.2	29.7	46.2
<b>Health Insurance Status</b>					
Insured	93	41.5	4.0	33.7	49.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

**Denominator:** Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Reno County	237	57.7	2.8	52.3	63.1
<b>Gender</b>					
Men	126	64.9	3.8	57.4	72.3
Women	111	50.5	3.9	42.9	58.1
<b>Age Group</b>					
18 to 44 Years	81	66.9	4.6	57.9	75.9
45 to 64 Years	92	59.1	4.4	50.6	67.7
65 Years and Older	61	39.1	4.4	30.4	47.8
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	228	57.3	2.8	51.9	62.8
<b>Race</b>					
White	218	57.5	2.9	51.9	63.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	86	65.6	4.4	57.0	74.1
Some College or College Graduate	149	51.9	3.4	45.2	58.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	76	55.9	4.8	46.5	65.4
\$35,000 or Higher per Year	122	59.3	3.8	51.9	66.7
<b>Disability Status</b>					
Living with a Disability	65	47.9	5.3	37.6	58.2
Living without a Disability	172	61.6	3.2	55.5	67.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	68	63.4	5.1	53.3	73.5
Overweight (25 ≤ BMI < 30)	75	57.1	4.9	47.6	66.7
Obese (BMI ≥ 30)	80	53.8	4.7	44.6	63.0
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	167	58.4	3.2	52.2	64.7
Does not participate in leisure time physical activity	70	55.9	5.3	45.5	66.2
<b>Smoking Status</b>					
Current smoker	42	58.7	6.6	45.8	71.6
Non-smoker	193	57.5	3.0	51.6	63.5
<b>Health Insurance Status</b>					
Insured	200	52.1	2.9	46.4	57.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized  
Against Influenza During the Past 12 Months, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Reno County	61	39.1	4.4	30.4	47.8
<b>Gender</b>					
Men	34	48.1	6.7	34.9	61.3
Women	27	31.2	5.7	20.1	42.3
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	61	40.1	4.5	31.2	48.9
<b>Race</b>					
White	60	40.7	4.6	31.6	49.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	42	40.2	5.4	29.6	50.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	17	28.1	6.5	15.4	40.8
\$35,000 or Higher per Year	25	40.6	6.9	27.1	54.2
<b>Disability Status</b>					
Living with a Disability	22	35.4	7.1	21.4	49.4
Living without a Disability	39	41.6	5.6	30.6	52.6
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	19	35.8	7.3	21.6	50.1
Obese (BMI ≥ 30)	23	39.7	7.4	25.1	54.2

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	42	38.9	5.7	28.9	49.0
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	51	36.2	4.6	27.2	45.3
<b>Health Insurance Status</b>					
Insured	61	39.5	4.5	30.7	48.3
Uninsured	*	*	*	*	*

**Numerator:** Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

**Denominator:** All respondents 65 years old and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

**Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.**

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia  
Vaccination, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Reno County	33	19.6	3.5	12.7	26.5
<b>Gender</b>					
Men	16	20.1	5.1	10.1	30.2
Women	17	19.2	4.8	9.8	28.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	33	20.1	3.6	13.1	27.1
<b>Race</b>					
White	33	20.9	3.7	13.6	28.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	20.3	4.3	11.9	28.7
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	18	27.7	6.3	15.4	40.0
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	22	21.2	4.5	12.3	30.1
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	22.0	5.6	11.1	33.0
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	25	21.0	4.2	12.8	29.2
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	29	20.4	3.9	12.9	28.0
<b>Health Insurance Status</b>					
Insured	33	19.8	3.5	12.9	26.8
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt  
When They Drive or Ride in a Car, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Reno County	63	16.9	2.2	12.5	21.2
<b>Gender</b>					
Men	37	21.1	3.5	14.3	28.0
Women	26	12.6	2.6	7.4	17.8
<b>Age Group</b>					
18 to 44 Years	24	21.4	4.1	13.3	29.4
45 to 64 Years	15	11.3	3.1	5.3	17.3
65 Years and Older	24	16.5	3.6	9.4	23.6
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	59	16.8	2.3	12.3	21.3
<b>Race</b>					
White	59	17.4	2.4	12.7	22.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	31	23.7	4.2	15.5	31.8
Some College or College Graduate	31	11.8	2.3	7.3	16.3
<b>Annual Household Income</b>					
Less than \$35,000 per Year	25	19.8	4.1	11.7	27.8
\$35,000 or Higher per Year	30	14.5	2.8	9.0	20.0
<b>Disability Status</b>					
Living with a Disability	18	14.9	3.9	7.2	22.6
Living without a Disability	45	17.7	2.7	12.4	22.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	15	18.0	4.7	8.9	27.2
Overweight (25 ≤ BMI < 30)	23	18.7	4.2	10.5	26.9
Obese (BMI ≥ 30)	21	14.8	3.3	8.3	21.3
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	35	12.3	2.3	7.8	16.7
Does not participate in leisure time physical activity	28	28.1	5.0	18.4	37.9
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	56	17.7	2.5	12.8	22.5
<b>Health Insurance Status</b>					
Insured	53	16.3	2.3	11.7	20.9
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Currently Smoke Cigarettes, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Reno County	84	19.9	2.3	15.5	24.3
<b>Gender</b>					
Men	36	18.9	3.2	12.6	25.2
Women	48	20.9	3.1	14.7	27.1
<b>Age Group</b>					
18 to 44 Years	31	25.0	4.2	16.7	33.3
45 to 64 Years	33	18.5	3.2	12.2	24.9
65 Years and Older	20	13.1	3.1	7.0	19.2
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	80	20.1	2.3	15.5	24.7
<b>Race</b>					
White	73	19.3	2.4	14.7	24.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	35	22.5	3.9	14.9	30.2
Some College or College Graduate	48	17.8	2.6	12.6	23.0
<b>Annual Household Income</b>					
Less than \$35,000 per Year	43	28.2	4.3	19.8	36.5
\$35,000 or Higher per Year	28	14.4	2.9	8.8	20.0
<b>Disability Status</b>					
Living with a Disability	32	24.0	4.3	15.5	32.4
Living without a Disability	52	18.3	2.7	13.1	23.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	32	27.4	4.9	17.8	37.1
Overweight (25 ≤ BMI < 30)	23	19.6	4.3	11.2	28.0
Obese (BMI ≥ 30)	28	17.4	3.3	10.8	23.9
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	44	15.9	2.5	11.0	20.8
Does not participate in leisure time physical activity	33	31.0	5.1	21.0	41.1
<b>Health Insurance Status</b>					
Insured	69	18.5	2.3	13.9	23.0
Uninsured	15	27.8	7.0	13.9	41.6

**Numerator:** Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Stopped Smoking for One Day or Longer Because  
They Were Trying to Quit Smoking, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,790	55.1	1.1	53.0	57.2
Reno County	47	58.8	6.3	46.6	71.1
<b>Gender</b>					
Men	*	*	*	*	*
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	44	57.7	6.5	44.9	70.4
<b>Race</b>					
White	39	56.1	6.8	42.7	69.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	30	59.4	8.0	43.7	75.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Health Insurance Status</b>					
Insured	37	51.8	7.0	37.9	65.6
Uninsured	*	*	*	*	*

**Numerator:** Current smokers who stopped smoking for one day or longer because they were trying to quit smoking.

**Denominator:** Current smokers, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Reno County	27	6.8	1.4	4.0	9.6
<b>Gender</b>					
Men	23	12.0	2.6	6.9	17.1
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	13	8.1	2.3	3.5	12.7
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	25	6.8	1.5	3.9	9.7
<b>Race</b>					
White	24	6.9	1.5	3.9	9.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	16	6.4	1.7	3.0	9.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	7.4	2.1	3.3	11.5
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	7.3	1.7	3.9	10.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	17	6.2	1.6	3.1	9.3
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	16	4.8	1.3	2.3	7.3
<b>Health Insurance Status</b>					
Insured	23	6.8	1.6	3.8	9.9
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Reno County	23	12.0	2.6	6.9	17.1
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	21	12.3	2.8	6.8	17.7
<b>Race</b>					
White	20	12.1	2.8	6.6	17.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	14	12.7	3.5	5.8	19.6
<b>Annual Household Income</b>					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	14	14.1	3.8	6.6	21.5
<b>Disability Status</b>					
Living with a Disability	*	*	*	*	*
Living without a Disability	18	13.1	3.2	7.0	19.3
<b>Weight Category</b>					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	15	11.5	3.7	5.5	17.5
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	16	9.5	2.5	4.6	14.4
<b>Health Insurance Status</b>					
Insured	19	12.3	3.0	6.5	18.2
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States  
Armed Forces, 2015**

**Reno County**

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Reno County	63	10.6	1.5	7.7	13.5
<b>Gender</b>					
Men	60	20.0	2.8	14.5	25.6
Women	*	*	*	*	*
<b>Age Group</b>					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	15	7.3	2.1	3.1	11.5
65 Years and Older	39	23.6	3.7	16.4	30.7
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	61	11.2	1.6	8.0	14.3
<b>Race</b>					
White	57	10.8	1.6	7.7	14.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	18	6.8	1.9	3.1	10.6
Some College or College Graduate	45	13.6	2.2	9.3	17.8
<b>Annual Household Income</b>					
Less than \$35,000 per Year	24	9.0	2.0	5.1	13.0
\$35,000 or Higher per Year	32	13.4	2.6	8.3	18.5
<b>Disability Status</b>					
Living with a Disability	20	11.5	2.9	5.8	17.2
Living without a Disability	41	10.3	1.8	6.8	13.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Weight Category</b>					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	29	19.1	3.8	11.6	26.6
Obese (BMI ≥ 30)	19	7.8	2.0	3.9	11.7
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	47	13.4	2.1	9.2	17.6
Does not participate in leisure time physical activity	*	*	*	*	*
<b>Smoking Status</b>					
Current smoker	*	*	*	*	*
Non-smoker	48	10.6	1.7	7.3	14.0
<b>Health Insurance Status</b>					
Insured	57	11.5	1.7	8.2	14.8
Uninsured	*	*	*	*	*

**Numerator:** Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

**Denominator:** All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Obese, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Reno County	179	39.7	2.7	34.4	45.1
<b>Gender</b>					
Men	86	40.5	3.9	32.8	48.2
Women	93	39.0	3.8	31.6	46.4
<b>Age Group</b>					
18 to 44 Years	45	37.0	4.8	27.5	46.5
45 to 64 Years	74	43.4	4.3	35.1	51.8
65 Years and Older	60	40.1	4.5	31.3	48.9
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	172	39.1	2.7	33.7	44.4
<b>Race</b>					
White	165	38.5	2.8	33.1	44.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	70	43.1	4.5	34.2	52.0
Some College or College Graduate	109	37.3	3.3	30.8	43.9
<b>Annual Household Income</b>					
Less than \$35,000 per Year	75	44.5	4.6	35.4	53.6
\$35,000 or Higher per Year	82	37.9	3.9	30.4	45.5
<b>Disability Status</b>					
Living with a Disability	63	45.0	5.1	35.0	55.1
Living without a Disability	113	37.1	3.2	30.8	43.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	105	35.9	3.3	29.3	42.4
Does not participate in leisure time physical activity	56	44.9	5.4	34.4	55.5
<b>Smoking Status</b>					
Current smoker	28	32.7	5.9	21.2	44.2
Non-smoker	146	41.5	3.1	35.5	47.6
<b>Health Insurance Status</b>					
Insured	160	41.2	2.9	35.5	46.9
Uninsured	19	34.5	7.7	19.5	49.5

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Percentage of Adults Who Are Overweight or Obese, 2015

### Reno County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Reno County	335	69.8	2.6	64.8	74.9
<b>Gender</b>					
Men	171	74.7	3.6	67.7	81.8
Women	164	64.6	3.7	57.4	71.8
<b>Age Group</b>					
18 to 44 Years	81	62.8	4.7	53.5	72.1
45 to 64 Years	128	74.9	3.8	67.4	82.4
65 Years and Older	125	75.8	3.7	68.5	83.1
<b>Ethnicity</b>					
Hispanic	*	*	*	*	*
Non-Hispanic	321	69.3	2.7	64.1	74.5
<b>Race</b>					
White	308	69.8	2.7	64.5	75.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
<b>Education</b>					
High School Graduate or Less	115	68.7	4.3	60.2	77.2
Some College or College Graduate	220	71.0	3.1	64.9	77.1
<b>Annual Household Income</b>					
Less than \$35,000 per Year	118	66.8	4.5	57.9	75.6
\$35,000 or Higher per Year	169	73.6	3.4	67.0	80.2
<b>Disability Status</b>					
Living with a Disability	107	74.0	4.6	65.0	83.0
Living without a Disability	223	67.9	3.1	61.7	74.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
<b>Leisure Time Physical Activity</b>					
Participates in leisure time physical activity	218	69.5	3.1	63.4	75.7
Does not participate in leisure time physical activity	91	71.6	5.3	61.3	81.9
<b>Smoking Status</b>					
Current smoker	51	60.9	6.4	48.4	73.5
Non-smoker	275	72.5	2.8	66.9	78.0
<b>Health Insurance Status</b>					
Insured	303	72.6	2.6	67.5	77.7
Uninsured	31	57.0	8.0	41.3	72.7

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

\* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

## Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("\*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>