

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

Riley County



January 2017

2015 Kansas Behavioral Risk Factor Surveillance System Local Data

State of Kansas
Sam Brownback, Governor

Kansas Department of Health and Environment
Susan Mosier, MD, MBA, FACS, Secretary and State Health Officer

Report Preparation:
Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion (BHP)

Report Supervision:
Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance, Health Officer II
Bureau of Health Promotion (BHP)

Project Funding:
Partial funding for the 2015 Behavioral Risk Factor Survey was provided by cooperative agreement 6NU58DP006025-01-01 from the Centers for Disease Control and Prevention, Atlanta GA and by Kansas Health Foundation 200804006-01, Wichita, KS.

**Kansas Department of Health and Environment
Bureau of Health Promotion
January 2017**

Kansas Department of Health and Environment (KDHE)


Mission

To protect and improve the health and environment of all Kansans

Vision

Healthy Kansans living in safe and sustainable environments

www.kdheks.gov



Riley County

Kansas Behavioral Risk Factor Surveillance System – Local Data, 2015 can also be accessed at <http://www.kdheks.gov/brfss/>

If you have any questions about survey methodology or need assistance interpreting the data, please contact:

Pratik Pandya, MPH
Advanced Epidemiologist
Bureau of Health Promotion
Kansas Department of Health and Environment
Curtis State Office Building,
1000 SW Jackson Street, Suite 230
Topeka, KS 66612
Telephone: 785-296-6513
Fax: 785-296-8059
Pratik.Pandya@ks.gov

Ghazala Perveen, MBBS, PhD, MPH
Director of Science and Surveillance/Health Officer II
Bureau of Health Promotion
Kansas Department of Health & Environment
Curtis State Office Building
1000 SW Jackson, Suite 230
Topeka, KS 66612-1274
Telephone: 785-296-1949
Fax: 785-296-8059
Ghazala.Perveen@ks.gov

Table of Contents

Alcohol Consumption

Binge Drinking.....	1
Heavy Drinking.....	3

Arthritis

Arthritis.....	5
Activity Limitation Due to Arthritis.....	7

Asthma	9
---------------------	---

Cancer

Cancer (Excluding Skin Cancer).....	11
Skin Cancer.....	13

Cardiovascular Health

Heart Attack.....	15
Coronary Heart Disease.....	17
High Blood Pressure.....	19

Cholesterol

Not Checked Cholesterol within Five Years.....	21
High Blood Cholesterol Status.....	23

Chronic Obstructive Pulmonary Disease (COPD)	25
---	----

Depressive Disorder	27
----------------------------------	----

Diabetes	29
-----------------------	----

Disability

Activity Limitation Due to Physical, Mental or Emotional Problems.....	31
Disability.....	33

Exercise and Physical Activity

Not Participating in the Recommended Level of Physical Activity (Aerobic AND/OR Strengthening).....	35
Did Not Participate in the Recommended Level of Aerobic AND Strengthening Physical Activity.....	37

Not Participating in Any Physical Activity39

Fruits and Vegetable Consumption

Consuming Fruits Less than 1 Time Per Day41

Consuming Vegetables Less than 1 Time Per Day.....43

Health Care Access

Lack of Health Care Coverage.....45

Lack of Health Care Coverage 18 to 64 Years Old Only47

No Personal Doctor49

Did Not See Doctor Due to Cost.....51

General Health53

Healthy Days - Health Related Quality of Life

Physical Health Status.....55

Mental Health Status.....57

Poor Physical or Mental Health is Barrier to Usual Activities.....59

Immunization

Not Immunized Against Influenza.....61

Not Immunized Against Influenza 65 Years and Older Only63

Never Had Pneumonia Vaccination 65 Years and Older Only65

Seatbelt Use.....67

Tobacco Use

Current Smoker69

Smokeless Tobacco Use71

Male Smokeless Tobacco Use73

Veteran Status75

Weight Status (BMI Categories)

Obese.....77

Overweight or Obese79

Technical Notes.....81

Unpublished Tables - The following data tables are not published due to insufficient sample and/or statistically unreliable estimates for Riley County: Stroke and Tried Quitting Smoking.

Percentage of Adults Who Are Binge Drinkers, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,556	15.6	0.3	15.0	16.3
Riley County	70	24.4	2.8	19.0	29.8
Gender					
Men	49	33.5	4.2	25.2	41.7
Women	21	14.4	3.2	8.1	20.7
Age Group					
18 to 44 Years	57	31.4	3.7	24.2	38.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	67	24.3	2.8	18.8	29.8
Race					
White	64	26.0	3.0	20.1	31.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	60	26.6	3.2	20.4	32.9
Annual Household Income					
Less than \$35,000 per Year	27	24.9	4.6	15.9	34.0
\$35,000 or Higher per Year	34	24.8	3.9	17.2	32.5
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	59	25.9	3.1	19.8	32.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	20.4	4.1	12.3	28.4
Overweight (25 ≤ BMI < 30)	26	31.5	5.3	21.0	42.0
Obese (BMI ≥ 30)	18	24.0	5.5	13.2	34.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	61	26.7	3.2	20.4	32.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	23.2	2.9	17.5	28.9
Health Insurance Status					
Insured	64	24.6	2.9	18.9	30.3
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported having five or more drinks on one occasion in the past 30 days or female respondents who reported having four or more drinks on one occasion in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Heavy Alcohol Consumption in the Past 30 Days, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	965	5.1	0.2	4.7	5.5
Riley County	27	7.3	1.6	4.2	10.4
Gender					
Men	15	9.0	2.5	4.0	13.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	17	8.6	2.1	4.4	12.8
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	26	7.2	1.6	4.0	10.4
Race					
White	23	7.6	1.8	4.0	11.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	21	7.1	1.8	3.6	10.5
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	7.1	1.8	3.6	10.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	20	7.1	1.8	3.6	10.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	5.3	1.5	2.4	8.2
Health Insurance Status					
Insured	24	7.0	1.7	3.8	10.3
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported consuming an average of more than 14 drinks per week and female respondents who reported consuming an average of more than 7 drink per week during the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Doctor Diagnosed Arthritis, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,320	24.5	0.3	23.9	25.1
Riley County	110	14.1	1.7	10.6	17.5
Gender					
Men	40	10.1	2.0	6.3	13.9
Women	70	18.4	2.9	12.7	24.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	48	33.4	4.7	24.1	42.6
65 Years and Older	50	45.0	5.6	34.1	56.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	109	14.6	1.8	11.1	18.2
Race					
White	100	13.5	1.7	10.1	16.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	25.8	5.6	14.8	36.8
Some College or College Graduate	82	11.3	1.6	8.1	14.4
Annual Household Income					
Less than \$35,000 per Year	31	13.8	3.1	7.6	19.9
\$35,000 or Higher per Year	59	14.2	2.2	9.9	18.4
Disability Status					
Living with a Disability	57	48.9	6.8	35.4	62.3
Living without a Disability	51	7.9	1.4	5.2	10.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	23	5.9	1.7	2.5	9.2
Overweight (25 ≤ BMI < 30)	38	13.6	2.7	8.3	18.8
Obese (BMI ≥ 30)	43	31.5	5.7	20.4	42.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	74	12.0	1.9	8.3	15.7
Does not participate in leisure time physical activity	30	26.7	5.7	15.5	37.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	93	12.8	1.8	9.3	16.3
Health Insurance Status					
Insured	104	13.3	1.6	10.1	16.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor or other health professional that they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Doctor Diagnosed Arthritis Who Are Limited in Their Usual Activities Because of Arthritis or Joint Symptoms, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,152	48.2	0.8	46.7	49.7
Riley County	52	47.2	6.3	34.9	59.4
Gender					
Men	*	*	*	*	*
Women	32	49.1	8.2	33.1	65.1
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	52	47.3	6.3	35.0	59.6
Race					
White	47	45.7	6.5	32.9	58.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	45	55.7	7.2	41.6	69.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	29	50.3	7.7	35.2	65.4
Disability Status					
Living with a Disability	42	75.2	8.1	59.4	91.0
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	35	47.9	7.4	33.3	62.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	44	47.5	6.8	34.3	60.8
Health Insurance Status					
Insured	50	49.5	6.4	37.0	62.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported any limitation in their usual activities because of arthritis or joint symptoms.

Denominator: Respondents with doctor, nurse or other health professional diagnosed arthritis, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Current Asthma, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,990	8.7	0.2	8.2	9.1
Riley County	37	9.1	1.8	5.6	12.7
Gender					
Men	*	*	*	*	*
Women	28	14.0	3.7	7.9	20.2
Age Group					
18 to 44 Years	19	10.2	2.4	5.5	14.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	9.5	1.9	5.8	13.1
Race					
White	33	8.6	1.8	5.1	12.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	25	6.9	1.6	3.7	10.1
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	7.8	1.9	4.1	11.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	9.9	3.0	4.1	15.7
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	7.3	1.9	3.6	11.1
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	31	9.6	2.1	5.6	13.7
Health Insurance Status					
Insured	33	8.2	1.7	4.8	11.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had asthma and that they currently have asthma.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Cancer (Excluding Skin Cancer), 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,273	7.1	0.2	6.8	7.5
Riley County	36	4.1	1.0	2.1	6.0
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	25	22.8	4.6	13.7	31.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	35	3.9	1.0	2.0	5.8
Race					
White	33	3.6	0.8	2.1	5.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	2.2	0.5	1.2	3.2
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	18	3.9	1.0	1.9	5.9
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	19	2.3	0.7	1.0	3.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	16	4.2	1.2	1.9	6.6
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	30	3.8	1.1	1.7	5.9
Health Insurance Status					
Insured	34	3.6	0.8	2.1	5.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Have Been Diagnosed With Skin Cancer, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,155	6.4	0.2	6.1	6.7
Riley County	44	5.3	1.0	3.3	7.2
Gender					
Men	21	4.2	1.1	2.1	6.3
Women	23	6.4	1.8	3.0	9.8
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	29	30.2	5.3	19.9	40.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	44	5.5	1.1	3.4	7.5
Race					
White	42	5.8	1.1	3.5	8.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	34	5.0	1.1	2.8	7.3
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	33	7.5	1.5	4.6	10.3
Disability Status					
Living with a Disability	18	15.5	4.3	7.0	24.0
Living without a Disability	26	3.6	0.9	1.8	5.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	18	6.1	1.7	2.8	9.4
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	36	5.5	1.2	3.2	7.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	42	6.0	1.2	3.7	8.3
Health Insurance Status					
Insured	44	5.9	1.1	3.7	8.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had skin cancer.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had a Heart Attack, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,263	4.0	0.1	3.7	4.2
Riley County	21	2.1	0.5	1.1	3.1
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	14	14.6	4.0	6.8	22.4
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	21	2.2	0.5	1.1	3.3
Race					
White	19	2.0	0.5	1.0	3.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	17	2.0	0.5	0.9	3.0
Health Insurance Status					
Insured	21	2.4	0.6	1.2	3.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had a heart attack also called a myocardial infarction.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who had Angina or Coronary Heart Disease, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,274	3.8	0.1	3.6	4.0
Riley County	19	1.5	0.4	0.7	2.2
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	19	1.5	0.4	0.8	2.3
Race					
White	17	1.5	0.4	0.7	2.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	18	1.8	0.5	0.9	2.8
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	1.4	0.4	0.7	2.2
Health Insurance Status					
Insured	17	1.4	0.4	0.6	2.1
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they had angina or coronary heart disease.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Percentage of Adults with Diagnosed Hypertension, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	9,207	31.6	0.4	30.9	32.3
Riley County	131	18.4	2.0	14.4	22.4
Gender					
Men	59	18.5	2.8	12.9	24.1
Women	72	18.4	2.9	12.7	24.1
Age Group					
18 to 44 Years	22	10.8	2.3	6.2	15.4
45 to 64 Years	42	28.7	4.4	20.0	37.3
65 Years and Older	66	61.2	5.4	50.7	71.8
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	127	18.9	2.1	14.7	23.0
Race					
White	120	18.9	2.2	14.7	23.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	40	33.8	6.0	22.1	45.5
Some College or College Graduate	90	14.6	2.0	10.7	18.5
Annual Household Income					
Less than \$35,000 per Year	38	21.5	3.9	13.8	29.2
\$35,000 or Higher per Year	72	19.3	2.8	13.8	24.8
Disability Status					
Living with a Disability	42	42.9	6.8	29.5	56.3
Living without a Disability	86	14.2	1.9	10.4	18.0

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	25	10.0	2.6	5.0	15.1
Overweight (25 ≤ BMI < 30)	53	22.2	3.8	14.8	29.6
Obese (BMI ≥ 30)	45	32.8	5.7	21.6	44.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	91	17.5	2.3	12.9	22.1
Does not participate in leisure time physical activity	32	27.5	5.8	16.1	38.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	114	17.6	2.1	13.4	21.8
Health Insurance Status					
Insured	124	18.4	2.1	14.3	22.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood pressure.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Did Not Have Their Blood Cholesterol Checked
Within the Past Five Years, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,834	25.9	0.4	25.1	26.7
Riley County	108	40.5	3.1	34.4	46.6
Gender					
Men	61	45.1	4.3	36.6	53.6
Women	47	35.4	4.4	26.8	44.0
Age Group					
18 to 44 Years	91	52.8	4.0	44.9	60.7
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	104	40.9	3.2	34.7	47.2
Race					
White	90	39.8	3.3	33.3	46.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	36.8	6.6	23.8	49.8
Some College or College Graduate	86	41.5	3.5	34.6	48.4
Annual Household Income					
Less than \$35,000 per Year	51	54.2	5.3	43.8	64.6
\$35,000 or Higher per Year	33	23.8	3.8	16.4	31.2
Disability Status					
Living with a Disability	14	29.3	6.8	16.0	42.7
Living without a Disability	90	42.5	3.5	35.6	49.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	44	43.3	5.7	33.2	53.3
Overweight (25 ≤ BMI < 30)	37	45.8	5.5	35.0	56.6
Obese (BMI ≥ 30)	14	20.4	5.4	9.9	30.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	74	37.6	3.6	30.5	44.6
Does not participate in leisure time physical activity	22	45.9	7.2	31.8	60.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	85	38.0	3.4	31.4	44.7
Health Insurance Status					
Insured	95	40.0	3.3	33.6	46.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had not checked their blood cholesterol in the past five years.

Denominator: All respondents excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Tested and Diagnosed with High Cholesterol, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,479	37.4	0.4	36.5	38.2
Riley County	131	30.2	3.1	24.1	36.3
Gender					
Men	50	24.2	3.9	16.4	31.9
Women	81	35.9	4.6	26.8	45.0
Age Group					
18 to 44 Years	18	17.7	4.2	9.4	26.0
45 to 64 Years	54	41.9	5.2	31.8	52.0
65 Years and Older	59	58.2	5.4	47.6	68.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	129	31.1	3.2	24.8	37.4
Race					
White	123	30.7	3.2	24.4	37.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	38	51.7	7.9	36.2	67.1
Some College or College Graduate	93	24.3	3.1	18.2	30.3
Annual Household Income					
Less than \$35,000 per Year	31	33.5	6.4	21.0	46.1
\$35,000 or Higher per Year	78	30.0	4.0	22.2	37.8
Disability Status					
Living with a Disability	46	60.9	7.2	46.8	75.1
Living without a Disability	82	24.0	3.2	17.7	30.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	31	18.6	4.2	10.4	26.8
Overweight (25 ≤ BMI < 30)	51	35.9	5.7	24.6	47.1
Obese (BMI ≥ 30)	40	42.0	6.9	28.5	55.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	91	27.9	3.6	20.9	34.8
Does not participate in leisure time physical activity	30	45.0	8.4	28.5	61.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	113	28.4	3.2	22.1	34.8
Health Insurance Status					
Insured	126	29.9	3.1	23.7	36.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have high blood cholesterol.

Denominator: Respondents who had ever had their blood cholesterol checked, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Have Chronic Obstructive Pulmonary Disease
(COPD), Emphysema or Chronic Bronchitis, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,752	6.2	0.2	5.8	6.5
Riley County	27	4.4	1.1	2.3	6.5
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	4.6	1.1	2.4	6.7
Race					
White	24	4.4	1.1	2.1	6.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	3.9	1.1	1.9	6.0
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	17	6.7	2.0	2.8	10.6
Disability Status					
Living with a Disability	15	15.4	4.6	6.4	24.5
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	22	4.5	1.2	2.1	6.8
Health Insurance Status					
Insured	27	4.9	1.2	2.6	7.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor, nurse or other health professional that they have chronic obstructive pulmonary disease (COPD), emphysema or chronic bronchitis.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Were EVER Diagnosed with a Depressive Disorder,
2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,472	19.4	0.3	18.8	20.1
Riley County	88	19.0	2.3	14.4	23.6
Gender					
Men	21	10.6	2.5	5.7	15.5
Women	67	28.2	3.9	20.7	35.8
Age Group					
18 to 44 Years	41	19.8	3.0	13.8	25.7
45 to 64 Years	31	19.9	3.8	12.4	27.3
65 Years and Older	15	12.0	3.3	5.6	18.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	84	18.7	2.4	14.0	23.4
Race					
White	80	19.6	2.5	14.6	24.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	23.4	5.8	12.0	34.9
Some College or College Graduate	68	18.1	2.5	13.1	23.1
Annual Household Income					
Less than \$35,000 per Year	30	22.9	4.3	14.5	31.4
\$35,000 or Higher per Year	46	18.5	3.2	12.1	24.8
Disability Status					
Living with a Disability	37	46.8	6.9	33.2	60.4
Living without a Disability	50	14.5	2.4	9.9	19.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	26	16.1	3.6	9.0	23.1
Overweight (25 ≤ BMI <30)	27	15.5	3.6	8.3	22.6
Obese (BMI ≥ 30)	28	27.3	5.7	16.0	38.5
Leisure Time Physical Activity					
Participates in leisure time physical activity	59	18.1	2.6	12.9	23.2
Does not participate in leisure time physical activity	23	25.8	6.3	13.5	38.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	75	19.7	2.6	14.5	24.8
Health Insurance Status					
Insured	80	18.4	2.4	13.7	23.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had ever been told by a doctor, nurse or other health professional that they have a depressive disorder (including depression, major depression, dysthymia, or minor depression).

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Diagnosed Diabetes, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,878	9.7	0.2	9.3	10.1
Riley County	33	4.2	1.0	2.3	6.1
Gender					
Men	*	*	*	*	*
Women	22	6.0	1.8	2.5	9.4
Age Group					
18 to 44 Years	*	*	*	*	*
45 to 64 Years	*	*	*	*	*
65 Years and Older	18	16.9	4.1	8.9	25.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	32	4.3	1.0	2.3	6.3
Race					
White	30	4.5	1.1	2.3	6.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	2.9	0.8	1.5	4.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	20	5.0	1.4	2.3	7.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	3.6	1.0	1.6	5.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	26	3.3	0.9	1.6	5.0
Health Insurance Status					
Insured	33	4.7	1.1	2.6	6.8
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had been told by a doctor they had diabetes, excluding females told only during pregnancy and pre-diabetes or borderline diabetes.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Activity Limitations Due to Physical,
Mental or Emotional Problems, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,248	20.0	0.3	19.3	20.6
Riley County	84	14.5	2.0	10.7	18.4
Gender					
Men	33	12.0	2.5	7.1	16.9
Women	51	17.2	3.1	11.2	23.2
Age Group					
18 to 44 Years	23	11.2	2.4	6.5	15.9
45 to 64 Years	31	21.6	4.2	13.4	29.8
65 Years and Older	29	27.5	4.9	17.8	37.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	83	14.8	2.0	10.8	18.7
Race					
White	76	14.5	2.1	10.5	18.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	21	24.6	5.9	13.0	36.1
Some College or College Graduate	63	12.0	1.9	8.3	15.7
Annual Household Income					
Less than \$35,000 per Year	26	16.1	3.6	9.0	23.2
\$35,000 or Higher per Year	44	12.6	2.3	8.1	17.1
Weight Category					
Normal or Underweight (BMI < 25)	23	10.7	2.7	5.5	15.9
Overweight (25 ≤ BMI < 30)	25	10.8	2.7	5.5	16.1
Obese (BMI ≥ 30)	31	27.4	5.7	16.2	38.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	56	12.7	2.2	8.4	16.9
Does not participate in leisure time physical activity	25	26.7	5.9	15.2	38.2
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	70	13.4	2.0	9.4	17.4
Health Insurance Status					
Insured	79	14.5	2.0	10.6	18.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Living with a Disability, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,842	21.9	0.3	21.2	22.5
Riley County	93	15.5	2.0	11.6	19.4
Gender					
Men	38	13.3	2.6	8.3	18.3
Women	55	17.8	3.7	11.8	23.8
Age Group					
18 to 44 Years	24	11.5	2.4	6.8	16.3
45 to 64 Years	32	22.4	4.2	14.1	30.7
65 Years and Older	36	33.8	5.2	23.6	44.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	92	15.8	2.1	11.7	19.8
Race					
White	85	15.6	2.1	11.5	19.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	24	26.3	6.0	14.6	38.0
Some College or College Graduate	69	12.8	1.9	9.0	16.5
Annual Household Income					
Less than \$35,000 per Year	30	17.4	3.7	10.2	24.7
\$35,000 or Higher per Year	46	12.9	2.3	8.4	17.4
Weight Category					
Normal or Underweight (BMI <25)	25	11.1	2.7	5.9	16.4
Overweight (25 ≤ BMI < 30)	28	12.0	2.8	6.4	17.5
Obese (BMI ≥ 30)	35	29.3	5.8	18.0	40.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	60	13.3	2.2	9.0	17.6
Does not participate in leisure time physical activity	29	28.4	5.9	16.8	40.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	79	14.5	2.1	10.4	18.5
Health Insurance Status					
Insured	88	15.6	2.1	11.6	19.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they were limited in any activities because of physical, mental or emotional problems or who reported having a health problem that requires them to use special equipment such as a cane, a wheelchair, a special bed or a special telephone.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and/or Strengthening), 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	16,199	80.7	0.4	80.0	81.4
Riley County	292	76.0	2.6	70.9	81.2
Gender					
Men	129	74.2	3.8	66.7	81.7
Women	163	78.1	3.5	71.3	84.9
Age Group					
18 to 44 Years	128	77.2	3.4	70.6	83.8
45 to 64 Years	93	73.2	4.7	64.0	82.3
65 Years and Older	70	72.6	4.8	63.3	82.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	281	76.0	2.7	70.8	81.3
Race					
White	261	74.9	2.9	69.3	80.5
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	58	80.1	5.7	68.9	91.3
Some College or College Graduate	232	75.0	2.9	69.2	80.7
Annual Household Income					
Less than \$35,000 per Year	91	74.5	4.6	65.4	83.6
\$35,000 or Higher per Year	152	74.0	3.7	66.8	81.2
Disability Status					
Living with a Disability	61	71.1	6.4	58.5	83.6
Living without a Disability	231	77.1	2.9	71.5	82.7

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	94	73.2	4.3	64.7	81.8
Overweight (25 ≤ BMI < 30)	102	75.8	4.7	66.6	85.0
Obese (BMI ≥ 30)	76	79.7	5.1	69.8	89.7
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	264	77.0	2.7	71.7	82.4
Health Insurance Status					
Insured	268	75.9	2.7	70.5	81.2
Uninsured	*	*	*	*	*

Numerator: Respondents not participating in the recommended level of physical activity or participating in insufficient recommended level of physical activity for either aerobic or muscle strengthening guidelines.

Denominator: All respondents, excluding unknowns and refusals.

Not participating in the recommended level of physical activity referred to not participating in aerobic and strengthening exercises according to guidelines.

Participating in insufficient level of recommended physical activity referred to participating only in aerobic or only in strengthening exercises according to guidelines.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in the Recommended Level of Physical Activity (Aerobic and Strengthening), 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,120	40.3	0.4	39.4	41.2
Riley County	126	32.8	3.0	27.0	38.5
Gender					
Men	42	23.4	3.6	16.3	30.5
Women	84	43.3	4.5	34.5	52.0
Age Group					
18 to 44 Years	57	32.1	3.8	24.7	39.6
45 to 64 Years	43	36.5	5.2	26.4	46.7
65 Years and Older	25	29.6	5.6	18.6	40.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	122	33.4	3.0	27.4	39.3
Race					
White	113	33.1	3.2	26.9	39.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	34	45.8	7.1	31.8	59.8
Some College or College Graduate	90	29.4	3.2	23.1	35.7
Annual Household Income					
Less than \$35,000 per Year	43	31.6	4.8	22.1	41.0
\$35,000 or Higher per Year	62	32.2	4.2	24.0	40.4
Disability Status					
Living with a Disability	35	42.0	6.9	28.4	55.5
Living without a Disability	91	31.2	3.2	24.8	37.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	33	27.3	4.7	18.1	36.4
Overweight (25 ≤ BMI <30)	33	24.2	4.5	15.4	33.0
Obese (BMI ≥ 30)	44	47.9	6.5	35.1	60.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	109	30.7	3.1	24.7	36.8
Health Insurance Status					
Insured	113	31.7	3.1	25.7	37.8
Uninsured	*	*	*	*	*

Numerator: Respondents who did not participate in the recommended level of aerobic and strengthening exercises during the past month.

Denominator: All respondents, excluding unknowns and refusals.

The aerobic guideline is defined as 150 minutes a week of moderate-intensity aerobic activity, or 75 minutes a week of vigorous-intensity aerobic activity, or an equivalent combination of moderate- and vigorous-intensity aerobic activity.

The strengthening guideline is defined as muscle-strengthening activities that involved all major muscle groups two or more times per week.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Not Participating in Any Physical Activity Other Than Their Regular Job in the Past 30 Days (Leisure Time Physical Activity), 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	5,698	26.5	0.4	25.8	27.3
Riley County	79	16.5	2.1	12.3	20.7
Gender					
Men	27	14.7	3.0	8.8	20.7
Women	52	18.4	3.1	12.4	24.4
Age Group					
18 to 44 Years	29	14.5	2.7	9.3	19.7
45 to 64 Years	27	20.6	4.3	12.1	29.1
65 Years and Older	22	24.4	5.3	14.0	34.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	75	16.1	2.2	11.9	20.3
Race					
White	69	16.7	2.4	12.0	21.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	26	31.4	6.3	19.1	43.8
Some College or College Graduate	52	12.8	2.1	8.6	17.0
Annual Household Income					
Less than \$35,000 per Year	31	18.1	3.6	11.0	25.2
\$35,000 or Higher per Year	34	14.1	2.9	8.4	19.9
Disability Status					
Living with a Disability	29	29.6	6.1	17.7	41.6
Living without a Disability	50	14.0	2.3	9.6	18.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	24	17.4	3.9	9.7	25.1
Obese (BMI ≥ 30)	31	26.5	5.4	16.0	37.0
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	70	15.7	2.2	11.3	20.0
Health Insurance Status					
Insured	71	15.4	2.2	11.1	19.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not participate in any physical activities or exercise, other than their regular job, in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Fruit Less than 1 Time Per Day,
2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	8,386	43.7	0.4	42.9	44.6
Riley County	149	42.5	3.1	36.4	48.6
Gender					
Men	80	48.9	4.5	40.1	57.6
Women	69	35.7	4.2	27.4	43.9
Age Group					
18 to 44 Years	79	44.8	4.0	36.9	52.7
45 to 64 Years	48	43.5	5.3	33.2	53.8
65 Years and Older	22	22.4	4.6	13.3	31.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	145	42.4	3.2	36.2	48.6
Race					
White	129	41.4	3.3	34.9	47.9
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	29	39.2	6.8	25.9	52.5
Some College or College Graduate	119	42.9	3.5	36.1	49.8
Annual Household Income					
Less than \$35,000 per Year	63	52.0	5.3	41.6	62.4
\$35,000 or Higher per Year	67	34.2	4.2	26.1	42.4
Disability Status					
Living with a Disability	24	30.1	6.2	17.9	42.3
Living without a Disability	125	44.8	3.5	38.0	51.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	50	42.7	5.1	32.6	52.7
Overweight (25 ≤ BMI < 30)	51	42.7	5.5	32.0	53.4
Obese (BMI ≥ 30)	39	44.1	6.4	31.6	56.7
Leisure Time Physical Activity					
Participates in leisure time physical activity	108	39.7	3.5	32.9	46.5
Does not participate in leisure time physical activity	39	57.3	7.0	43.6	70.9
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	127	40.1	3.3	33.6	46.5
Health Insurance Status					
Insured	138	43.8	3.3	37.3	50.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed fruit less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Consuming Vegetables Less than 1 Time
Per Day, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,217	22.3	0.4	21.6	23.1
Riley County	75	23.3	2.8	17.8	28.8
Gender					
Men	37	25.6	4.2	17.3	33.8
Women	38	20.8	3.7	13.6	27.9
Age Group					
18 to 44 Years	46	27.8	3.7	20.5	35.2
45 to 64 Years	20	13.4	3.0	7.5	19.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	72	22.7	2.8	17.2	28.2
Race					
White	64	22.0	2.9	16.3	27.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	23.8	6.1	11.9	35.8
Some College or College Graduate	56	22.6	3.2	16.5	28.8
Annual Household Income					
Less than \$35,000 per Year	29	25.2	4.8	15.8	34.6
\$35,000 or Higher per Year	33	20.3	3.8	12.9	27.7
Disability Status					
Living with a Disability	18	19.0	5.1	8.9	29.1
Living without a Disability	57	24.1	3.2	17.9	30.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	26	23.0	4.6	14.1	32.0
Overweight (25 ≤ BMI < 30)	22	21.0	4.9	11.4	30.6
Obese (BMI ≥ 30)	20	25.1	5.9	13.6	36.6
Leisure Time Physical Activity					
Participates in leisure time physical activity	54	22.6	3.1	16.4	28.8
Does not participate in leisure time physical activity	18	23.5	6.2	11.5	35.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	62	22.0	3.0	16.1	27.8
Health Insurance Status					
Insured	68	23.7	3.0	17.8	29.6
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they consumed vegetables less than 1 time per day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Lack Health Care Coverage, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,027	12.8	0.3	12.2	13.4
Riley County	33	10.4	1.9	6.6	14.1
Gender					
Men	13	8.3	2.3	3.7	12.9
Women	20	12.7	3.0	6.7	18.6
Age Group					
18 to 44 Years	24	12.2	2.5	7.2	17.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	9.9	1.9	6.1	13.7
Race					
White	25	8.9	1.9	5.3	12.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	24	9.7	2.0	5.7	13.6
Annual Household Income					
Less than \$35,000 per Year	17	16.0	3.9	8.4	23.7
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	26	10.4	2.1	6.3	14.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	14	11.4	3.2	5.2	17.6
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	24	10.3	2.2	5.9	14.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	25	10.0	2.1	5.8	14.1

Numerator: Respondents who reported they had no health care coverage.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 to 64 Years Old Who Lack Health Care Coverage,
2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,921	15.7	0.4	15.0	16.5
Riley County	31	11.2	2.1	7.1	15.3
Gender					
Men	12	8.7	2.5	3.8	13.7
Women	19	14.0	3.4	7.3	20.7
Age Group					
18 to 44 Years	24	12.2	2.5	7.2	17.1
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	27	10.6	2.1	6.5	14.8
Race					
White	24	9.8	2.1	5.7	13.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	23	10.3	2.2	6.0	14.5
Annual Household Income					
Less than \$35,000 per Year	17	16.8	4.1	8.8	24.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	24	11.0	2.3	6.5	15.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	13	11.9	3.4	5.3	18.5
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	11.0	2.4	6.2	15.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	23	10.8	2.3	6.3	15.4

Numerator: Respondents ages 18-64 years old who reported they had no health care coverage.

Denominator: All respondents ages 18-64 years old, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with No Personal Doctor or Health Care Provider, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,278	20.1	0.4	19.4	20.8
Riley County	89	29.1	2.8	23.5	34.6
Gender					
Men	55	37.4	4.1	29.3	45.6
Women	34	19.9	3.7	12.7	27.2
Age Group					
18 to 44 Years	67	35.6	3.7	28.4	42.8
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	85	29.3	2.9	23.6	35.0
Race					
White	71	26.4	2.9	20.6	32.2
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	20	35.2	6.6	22.3	48.1
Some College or College Graduate	69	27.8	3.1	21.7	34.0
Annual Household Income					
Less than \$35,000 per Year	42	38.4	5.0	28.6	48.2
\$35,000 or Higher per Year	26	15.7	3.3	9.3	22.2
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	76	30.5	3.2	24.3	36.8

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	35	30.6	4.6	21.6	39.7
Overweight (25 ≤ BMI < 30)	24	23.8	4.7	14.7	33.0
Obese (BMI ≥ 30)	22	33.2	6.4	20.6	45.8
Leisure Time Physical Activity					
Participates in leisure time physical activity	61	26.5	3.2	20.2	32.8
Does not participate in leisure time physical activity	18	38.7	7.2	24.7	52.8
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	71	27.7	3.1	21.7	33.7
Health Insurance Status					
Insured	72	25.7	2.9	20.1	31.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they had no personal doctor or health care provider.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Could Not See a Doctor Because of Cost In the Past 12 Months, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,120	11.0	0.3	10.5	11.6
Riley County	39	9.5	1.8	6.1	13.0
Gender					
Men	13	6.9	2.0	3.1	10.8
Women	26	12.4	3.0	6.6	18.2
Age Group					
18 to 44 Years	23	10.5	2.3	6.1	15.0
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	36	9.4	1.8	5.9	13.0
Race					
White	34	9.5	1.9	5.8	13.1
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	33	9.6	1.9	5.8	13.3
Annual Household Income					
Less than \$35,000 per Year	17	12.9	3.5	6.1	19.8
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	17	27.0	6.9	13.4	40.6
Living without a Disability	21	6.5	1.6	3.4	9.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	26	9.3	2.1	5.2	13.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	8.3	1.9	4.7	12.0
Health Insurance Status					
Insured	25	6.1	1.4	3.3	9.0
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they could not see a doctor because of cost in the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults with Fair or Poor Self-Perceived Health Status, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,945	15.7	0.3	15.1	16.2
Riley County	47	8.2	1.6	5.1	11.3
Gender					
Men	15	4.3	1.2	1.8	6.7
Women	32	12.5	2.9	6.8	18.2
Age Group					
18 to 44 Years	13	6.4	1.9	2.7	10.1
45 to 64 Years	15	11.7	3.5	4.9	18.5
65 Years and Older	19	16.7	4.1	8.7	24.6
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	45	8.1	1.6	5.0	11.2
Race					
White	41	7.9	1.6	4.8	11.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	22.6	5.8	11.3	34.0
Some College or College Graduate	29	4.6	1.1	2.4	6.7
Annual Household Income					
Less than \$35,000 per Year	19	10.6	3.0	4.8	16.5
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	33	35.6	6.7	22.4	48.9
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	21	23.3	5.6	12.3	34.3
Leisure Time Physical Activity					
Participates in leisure time physical activity	29	6.4	1.6	3.2	9.7
Does not participate in leisure time physical activity	16	18.7	5.4	8.1	29.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	35	6.6	1.5	3.6	9.6
Health Insurance Status					
Insured	44	7.9	1.5	4.9	10.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that in general their health is fair or poor.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Physical Health Was Not Good on 14 or More Days in the Past 30 Days, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,560	10.0	0.2	9.5	10.4
Riley County	43	7.8	1.5	4.8	10.8
Gender					
Men	*	*	*	*	*
Women	33	12.3	2.7	7.0	17.6
Age Group					
18 to 44 Years	14	6.6	1.9	2.8	10.3
45 to 64 Years	14	11.1	3.0	5.2	17.1
65 Years and Older	15	12.0	3.4	5.4	18.7
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	42	8.1	1.6	5.0	11.3
Race					
White	37	7.1	1.5	4.1	10.0
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	34	6.8	1.5	3.9	9.7
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	27	32.4	6.6	19.4	45.4
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	15	6.6	1.9	2.9	10.4
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	27	7.3	1.9	3.6	10.9
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	32	6.6	1.6	3.4	9.7
Health Insurance Status					
Insured	40	7.3	1.5	4.4	10.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their physical health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported Their Mental Health Was Not Good on 14
or More Days in the Past 30 Days, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,978	9.7	0.3	9.2	10.2
Riley County	39	9.5	1.8	5.9	13.0
Gender					
Men	*	*	*	*	*
Women	30	15.6	3.4	9.1	22.2
Age Group					
18 to 44 Years	21	10.2	2.4	5.5	14.8
45 to 64 Years	14	10.1	2.8	4.6	15.7
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	38	9.5	1.8	5.9	13.1
Race					
White	33	9.0	1.9	5.3	12.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	33	8.9	1.8	5.3	12.5
Annual Household Income					
Less than \$35,000 per Year	16	13.0	3.6	5.9	20.2
\$35,000 or Higher per Year	17	7.9	2.3	3.4	12.4
Disability Status					
Living with a Disability	17	23.2	6.4	10.6	35.8
Living without a Disability	21	7.1	1.8	3.6	10.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	10.9	3.2	4.6	17.2
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	23	7.2	1.8	3.7	10.7
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	8.7	2.0	4.9	12.6
Health Insurance Status					
Insured	33	8.7	1.8	5.1	12.2
Uninsured	*	*	*	*	*

Numerator: Respondents who reported 14 or more days when their mental health was not good in the past 30 days.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Reported Their Poor Physical or Mental Health Kept Them From Doing Their Usual Activities, such as Self-care, Work or Recreation in the Past 30 Days, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	4,379	38.7	0.6	37.6	39.9
Riley County	96	39.8	4.2	31.6	47.9
Gender					
Men	32	31.3	5.7	20.1	42.5
Women	64	47.3	5.7	36.1	58.6
Age Group					
18 to 44 Years	43	39.5	5.0	29.7	49.4
45 to 64 Years	26	35.4	6.7	22.3	48.4
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	95	41.7	4.3	33.3	50.1
Race					
White	82	37.5	4.5	28.8	46.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	83	42.4	4.7	33.2	51.6
Annual Household Income					
Less than \$35,000 per Year	36	40.6	6.3	28.2	53.0
\$35,000 or Higher per Year	44	33.1	5.9	21.6	44.7
Disability Status					
Living with a Disability	39	53.9	7.9	38.4	69.4
Living without a Disability	56	35.1	4.8	25.6	44.6

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	34	36.6	6.5	23.8	49.4
Overweight (25 ≤ BMI < 30)	33	41.1	7.5	26.4	55.8
Obese (BMI ≥ 30)	24	43.1	8.7	26.1	60.0
Leisure Time Physical Activity					
Participates in leisure time physical activity	72	39.8	4.9	30.3	49.3
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	83	40.4	4.5	31.5	49.3
Health Insurance Status					
Insured	89	39.0	4.3	30.4	47.5
Uninsured	*	*	*	*	*

Numerator: Respondents who reported one or more days in the past 30 days when their poor physical or mental health kept them from doing their usual activities, such as self-care, work or recreation.

Denominator: Respondents with at least one day in the past 30 days when their physical or mental health was not good, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Ages 18 Years and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	10,526	57.4	0.4	56.6	58.3
Riley County	204	60.0	3.0	54.1	65.9
Gender					
Men	101	66.8	4.0	59.0	74.5
Women	103	52.2	4.4	43.6	60.8
Age Group					
18 to 44 Years	112	65.4	3.8	57.9	72.8
45 to 64 Years	61	55.5	5.1	45.5	65.6
65 Years and Older	29	27.1	5.1	17.0	37.1
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	195	59.7	3.1	53.7	65.7
Race					
White	176	57.3	3.2	50.9	63.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	35	58.6	6.8	45.2	72.0
Some College or College Graduate	167	60.0	3.3	53.5	66.6
Annual Household Income					
Less than \$35,000 per Year	78	70.9	4.7	61.7	80.2
\$35,000 or Higher per Year	93	49.0	4.4	40.4	57.5
Disability Status					
Living with a Disability	40	65.7	5.7	54.5	76.9
Living without a Disability	163	58.9	3.4	52.3	65.5

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	79	64.8	4.8	55.4	74.2
Overweight (25 ≤ BMI <30)	64	53.8	5.4	43.2	64.3
Obese (BMI ≥ 30)	48	60.6	6.1	48.7	72.4
Leisure Time Physical Activity					
Participates in leisure time physical activity	162	60.1	3.3	53.5	66.6
Does not participate in leisure time physical activity	41	58.9	6.9	45.5	72.4
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	177	58.5	3.2	52.2	64.8
Health Insurance Status					
Insured	185	59.5	3.1	53.3	65.7
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they did not get a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Did Not Get Immunized
Against Influenza During the Past 12 Months, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	2,557	38.3	0.7	36.9	39.6
Riley County	29	27.1	5.1	17.0	37.1
Gender					
Men	*	*	*	*	*
Women	17	25.4	6.2	13.4	37.5
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	29	27.3	5.2	17.2	37.4
Race					
White	29	28.4	5.3	18.0	38.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	22	26.1	5.3	15.8	36.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	19	29.2	6.2	17.1	41.3
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	20	28.0	6.5	15.3	40.6
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	22	24.5	5.1	14.4	34.6
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	29	28.3	5.3	17.9	38.6
Health Insurance Status					
Insured	29	27.9	5.2	17.6	38.2
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they did not receive a flu shot or flu vaccine sprayed in their nose during the past 12 months.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults 65 Years Old and Older Who Never Had Pneumonia
Vaccination, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	1,711	26.2	0.6	25.0	27.4
Riley County	18	18.9	4.8	9.5	28.4
Gender					
Men	*	*	*	*	*
Women	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	18	19.1	4.9	9.6	28.6
Race					
White	18	19.9	5.0	10.0	29.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	11	17.0	5.0	7.2	26.8
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	14	22.5	6.5	9.7	35.3
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	14	16.3	4.5	7.5	25.0
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	18	19.8	5.0	10.0	29.6
Health Insurance Status					
Insured	17	18.1	4.8	8.6	27.6
Uninsured	*	*	*	*	*

Numerator: Respondents 65 years old and older who reported they never had a pneumonia vaccination.

Denominator: All respondents 65 years old and older, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Reported That They Do Not Always Wear a Seatbelt
When They Drive or Ride in a Car, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,288	17.0	0.3	16.3	17.6
Riley County	56	16.7	2.4	12.0	21.4
Gender					
Men	34	20.9	3.6	13.7	28.0
Women	22	11.9	3.0	5.9	17.8
Age Group					
18 to 44 Years	30	17.8	3.1	11.7	23.9
45 to 64 Years	*	*	*	*	*
65 Years and Older	16	13.8	3.6	6.8	20.9
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	54	17.2	2.5	12.3	22.1
Race					
White	48	16.5	2.6	11.4	21.6
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	21.9	6.1	9.9	33.9
Some College or College Graduate	43	15.7	2.6	10.5	20.8
Annual Household Income					
Less than \$35,000 per Year	18	19.3	4.3	10.8	27.8
\$35,000 or Higher per Year	27	14.0	3.1	7.9	20.1
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	42	17.0	2.7	11.6	22.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	18	17.0	4.1	9.0	25.0
Overweight (25 ≤ BMI < 30)	21	17.2	4.3	8.8	25.5
Obese (BMI ≥ 30)	15	16.1	4.6	7.1	25.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	49	18.0	2.8	12.6	23.5
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	45	15.7	2.6	10.7	20.8
Health Insurance Status					
Insured	48	15.5	2.5	10.6	20.4
Uninsured	*	*	*	*	*

Respondents who reported they nearly always, sometimes, seldom or never use a seatbelt when they ride or drive in a car.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Smoke Cigarettes, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,343	17.7	0.3	17.0	18.4
Riley County	43	11.2	1.8	7.6	14.8
Gender					
Men	25	14.8	2.9	9.1	20.5
Women	18	7.3	2.1	3.2	11.5
Age Group					
18 to 44 Years	23	10.6	2.2	6.2	15.0
45 to 64 Years	17	18.4	4.5	9.5	27.3
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	41	11.2	1.9	7.5	14.8
Race					
White	38	11.8	2.0	7.8	15.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	13	17.5	5.0	7.6	27.4
Some College or College Graduate	30	9.7	1.9	6.0	13.5
Annual Household Income					
Less than \$35,000 per Year	17	11.2	2.9	5.5	16.9
\$35,000 or Higher per Year	18	11.9	2.9	6.1	17.6
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	31	10.5	2.0	6.6	14.4

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	17	13.1	3.3	6.5	19.7
Obese (BMI ≥ 30)	12	15.2	4.5	6.4	24.1
Leisure Time Physical Activity					
Participates in leisure time physical activity	33	10.9	2.1	6.9	15.0
Does not participate in leisure time physical activity	*	*	*	*	*
Health Insurance Status					
Insured	37	10.7	1.9	6.9	14.4
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they have smoked at least 100 cigarettes in their entire life and that they now smoke some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Currently Use Any Smokeless Tobacco Products, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	982	5.6	0.2	5.2	6.0
Riley County	16	5.2	1.4	2.5	8.0
Gender					
Men	13	8.9	2.6	3.8	13.9
Women	*	*	*	*	*
Age Group					
18 to 44 Years	12	6.5	1.9	2.8	10.2
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	15	5.2	1.4	2.4	8.0
Race					
White	14	5.6	1.6	2.5	8.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	15	6.1	1.7	2.8	9.4
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI <30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	16	5.9	1.6	2.8	9.0
Health Insurance Status					
Insured	15	5.4	1.5	2.4	8.3
Uninsured	*	*	*	*	*

Numerator: Respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Men Who Currently Use Any Smokeless Tobacco Products, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	893	10.5	0.4	9.8	11.3
Riley County	13	8.9	2.6	3.8	13.9
Age Group					
18 to 44 Years	11	11.1	3.3	4.6	17.6
45 to 64 Years	*	*	*	*	*
65 Years and Older	*	*	*	*	*
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	12	8.8	2.6	3.6	14.0
Race					
White	12	9.7	2.9	4.1	15.3
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	*	*	*	*	*
Some College or College Graduate	*	*	*	*	*
Annual Household Income					
Less than \$35,000 per Year	*	*	*	*	*
\$35,000 or Higher per Year	*	*	*	*	*
Disability Status					
Living with a Disability	*	*	*	*	*
Living without a Disability	*	*	*	*	*
Weight Category					
Normal or Underweight (BMI <25)	*	*	*	*	*
Overweight (25 ≤ BMI < 30)	*	*	*	*	*
Obese (BMI ≥ 30)	*	*	*	*	*

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	*	*	*	*	*
Does not participate in leisure time physical activity	*	*	*	*	*
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	<i>13</i>	<i>10.4</i>	<i>3.0</i>	<i>4.6</i>	<i>16.2</i>
Health Insurance Status					
Insured	*	*	*	*	*
Uninsured	*	*	*	*	*

Numerator: Male respondents who reported they currently use chewing tobacco, snuff or snus (Swedish for snuff) some days or every day.

Denominator: All male respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

**Percentage of Adults Who Ever Served on Active Duty in the United States
Armed Forces, 2015**

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	3,099	11.8	0.2	11.3	12.3
Riley County	69	13.9	1.9	10.2	17.7
Gender					
Men	61	23.2	3.3	16.7	29.6
Women	*	*	*	*	*
Age Group					
18 to 44 Years	25	11.2	2.3	6.8	15.7
45 to 64 Years	19	19.6	4.5	10.8	28.4
65 Years and Older	25	25.5	5.0	15.7	35.2
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	66	13.6	1.9	9.8	17.4
Race					
White	62	14.5	2.1	10.3	18.7
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	18	18.5	4.6	9.4	27.5
Some College or College Graduate	51	12.9	2.1	8.7	17.1
Annual Household Income					
Less than \$35,000 per Year	18	13.6	3.3	7.1	20.2
\$35,000 or Higher per Year	46	18.4	3.0	12.5	24.4
Disability Status					
Living with a Disability	19	20.2	5.2	10.1	30.4
Living without a Disability	48	12.9	2.1	8.8	17.1

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Weight Category					
Normal or Underweight (BMI < 25)	15	7.2	2.0	3.3	11.2
Overweight (25 ≤ BMI < 30)	34	24.7	4.6	15.7	33.6
Obese (BMI ≥ 30)	18	14.3	3.9	6.7	21.9
Leisure Time Physical Activity					
Participates in leisure time physical activity	50	13.7	2.2	9.3	18.1
Does not participate in leisure time physical activity	16	19.8	5.3	9.6	30.1
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	57	12.2	1.9	8.4	16.0
Health Insurance Status					
Insured	64	14.0	2.0	10.0	17.9
Uninsured	*	*	*	*	*

Numerator: Respondents who reported that they served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Obese, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	7,154	34.2	0.4	33.4	35.0
Riley County	106	22.3	2.5	17.3	27.2
Gender					
Men	48	21.5	3.4	14.8	28.2
Women	58	23.2	3.7	15.9	30.6
Age Group					
18 to 44 Years	38	19.8	3.2	13.6	26.0
45 to 64 Years	41	31.8	5.0	21.9	41.7
65 Years and Older	27	23.9	4.6	14.8	33.0
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	103	22.9	2.6	17.8	28.0
Race					
White	94	21.6	2.6	16.5	26.8
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	28	33.6	6.4	21.0	46.1
Some College or College Graduate	77	18.7	2.6	13.6	23.8
Annual Household Income					
Less than \$35,000 per Year	32	19.9	4.0	12.1	27.7
\$35,000 or Higher per Year	59	24.5	3.7	17.3	31.8
Disability Status					
Living with a Disability	35	42.6	7.1	28.6	56.6
Living without a Disability	71	18.8	2.6	13.7	23.9

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	74	21.0	2.9	15.4	26.6
Does not participate in leisure time physical activity	31	40.3	7.3	25.9	54.6
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	93	21.2	2.7	16.0	26.4
Health Insurance Status					
Insured	95	21.4	2.6	16.3	26.5
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 30, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Percentage of Adults Who Are Overweight or Obese, 2015

Riley County

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Kansas	14,432	68.0	0.4	67.2	68.8
Riley County	253	55.5	3.1	49.4	61.6
Gender					
Men	129	60.5	4.3	52.2	68.9
Women	124	49.6	4.5	40.8	58.4
Age Group					
18 to 44 Years	92	50.1	4.0	42.3	58.0
45 to 64 Years	91	70.7	4.7	61.4	79.9
65 Years and Older	69	67.0	5.3	56.6	77.3
Ethnicity					
Hispanic	*	*	*	*	*
Non-Hispanic	246	56.5	3.2	50.3	62.7
Race					
White	235	58.0	3.3	51.5	64.4
African American	*	*	*	*	*
Other	*	*	*	*	*
Multi-Race	*	*	*	*	*
Education					
High School Graduate or Less	60	66.6	6.4	54.0	79.1
Some College or College Graduate	192	52.2	3.5	45.3	59.1
Annual Household Income					
Less than \$35,000 per Year	69	50.8	5.3	40.5	61.1
\$35,000 or Higher per Year	149	60.0	4.3	51.7	68.4
Disability Status					
Living with a Disability	63	68.3	6.6	55.4	81.1
Living without a Disability	188	53.5	3.5	46.7	60.3

	Unweighted Frequency	Weighted Percentage	Standard Error	95% Confidence Limits	
				Lower	Upper
Leisure Time Physical Activity					
Participates in leisure time physical activity	188	54.1	3.6	47.1	61.0
Does not participate in leisure time physical activity	55	77.3	6.6	64.3	90.3
Smoking Status					
Current smoker	*	*	*	*	*
Non-smoker	219	53.5	3.4	46.9	60.1
Health Insurance Status					
Insured	233	55.7	3.3	49.3	62.2
Uninsured	*	*	*	*	*

Numerator: Respondents with a body mass index greater than or equal to 25, based on self-reported height and weight.

Denominator: All respondents, excluding unknowns and refusals.

* Insufficient sample and/or statistically unreliable estimate

Italicized prevalence estimates have a margin of error >5 and should be interpreted with caution. Please refer to Technical Notes for more information.

Technical Notes

The 2015 BRFSS data for your county/region on health risk indicators, analyzed by various subpopulation groups (e.g. gender, age group, ethnicity, etc.), are included in this report. The indicators are summarized in tables that show:

- Unweighted Frequency: the number of respondents who reported the risk behavior
- Weighted Percentage: the prevalence estimate for the risk behavior within a particular subpopulation group category
- Standard Error: used to compute the 95% confidence limits
- Lower and upper 95% confidence limits

Prevalence estimates vary in precision depending on sample size. One way of describing the precision of an estimate is the margin of error, which is the half-width of the confidence interval. When the sample size is large for a particular subpopulation group, the corresponding margin of error for an estimate is small. When the sample size is small for a particular subpopulation group, the corresponding margin of error for an estimate is large. Large margins of error (i.e. >5) indicate that an estimate may be less precise. Prevalence estimates that have a margin of error >5 are *italicized* in this report and should be interpreted with caution.

To determine whether two weighted percentages are significantly different from one another, the reader must compare the confidence intervals. Confidence intervals which do not overlap indicate a statistically significant difference between the two prevalence estimates while overlapping confidence intervals indicate that two estimates are not statistically different from one another. It is incorrect to say two estimates are different if their confidence limits overlap.

Estimates have been censored with an asterisk ("*") when the sample size was inadequate and/or when the estimates were statistically unreliable. Specifically, estimates were censored when any of the following conditions were met:

- the numerator of the indicator is less than 5
- the denominator of the indicator is less than 50
- the relative standard error (RSE) is 30 percent or higher

RSE is obtained by dividing the standard error of the estimate by the estimate itself, then multiplying that result by 100 to be expressed as a percent.

2011 BRFSS data represent a new baseline for public health surveillance. Due to changes in BRFSS survey methodology, the BRFSS estimates for 2011 and subsequent years cannot be compared to estimates from the years prior to 2011.

For more information on changes to the Kansas BRFSS survey methodology beginning in 2011, please visit: <http://www.kdheks.gov/brfss/newmethod.html>

For more detailed technical notes on the Kansas BRFSS, please visit: <http://www.kdheks.gov/brfss/technotes.html>